

SPRING PROJECT '89, GEOCHEM RESULTS

862123

Samp	Cu (ppm)	Pb (ppm)	Zn (ppm)	Ag (ppm)	Au (ppb)	As (ppm)	Sb (ppm)	
42801	25.00	1660.00	1540.00	2.30	3.00	44.00	1.00	} C1 (0.5m)
42802	21.00	1050.00	1240.00	2.20	3.00	15.00	1.00	
42803	90.00	5500.00	3300.00	27.00	75.00	290.00	2.00	
42804	5.00	82.00	770.00	.60	35.00	52.00	1.00	} C3 (1.5m)
42805	20.00	1150.00	3200.00	2.00	15.00	36.00	1.00	
42806	16.00	310.00	1970.00	.40	3.00	6.00	1.00	} C3 (3.2m)
42807	78.00	3900.00	3600.00	6.00	50.00	71.00	3.00	
42808	18.00	1150.00	660.00	3.60	15.00	122.00	1.00	
42809	15.00	960.00	610.00	2.50	3.00	66.00	1.00	
42810	26.00	1540.00	1920.00	3.00	3.00	53.00	1.00	
42811	74.00	4400.00	4400.00	13.00	15.00	68.00	1.00	
42812	7.00	600.00	510.00	4.80	3.00	98.00	1.00	} C3 (1.5m)
42813	9.00	700.00	304.00	4.00	15.00	75.00	1.00	
42814	16.00	540.00	820.00	3.80	30.00	143.00	1.00	
42815	22.00	520.00	1900.00	3.00	15.00	77.00	1.00	
42816	30.00	990.00	1620.00	3.30	20.00	87.00	1.00	
42817	26.00	640.00	1050.00	3.00	25.00	160.00	1.00	
42818	14.00	1470.00	540.00	2.80	15.00	95.00	1.00	
42819	38.00	1650.00	1700.00	9.00	20.00	75.00	1.00	
42820	56.00	4000.00	4600.00	3.70	20.00	56.00	1.00	
42821	109.00	2000.00	6500.00	3.30	10.00	54.00	1.00	
42822	102.00	850.00	4500.00	2.80	15.00	54.00	1.00	
42823	19.00	690.00	710.00	3.00	10.00	103.00	1.00	} C1 (4.5m)
42824	31.00	335.00	1520.00	2.10	3.00	100.00	1.00	
42825	30.00	1520.00	2100.00	4.20	10.00	110.00	1.00	
42836	40.00	85.00	216.00	2.90	40.00	215.00	1.00	
42837	46.00	47.00	173.00	.70	3.00	11.00	1.00	
42838	40.00	47.00	180.00	3.00	40.00	360.00	1.00	
42839	46.00	225.00	720.00	1.50	15.00	62.00	1.00	
42840	69.00	680.00	930.00	1.40	3.00	16.00	1.00	
42841	24.00	340.00	870.00	7.00	135.00	680.00	1.00	
42842	29.00	100.00	301.00	1.00	10.00	53.00	1.00	
42843	54.00	295.00	570.00	5.20	135.00	580.00	1.00	
42844	24.00	206.00	394.00	.30	25.00	12.00	1.00	} C1 (0.75m)
42845	20.00	840.00	1130.00	5.00	110.00	330.00	1.00	
42846	90.00	1330.00	1500.00	4.00	60.00	280.00	1.00	
42847	29.00	211.00	1440.00	1.70	10.00	120.00	1.00	} C1 (7.7m)
42848	22.00	138.00	325.00	.50	10.00	26.00	1.00	
42849	10.00	86.00	382.00	.60	3.00	24.00	1.00	
42850	20.00	1280.00	580.00	2.00	150.00	720.00	2.00	} C4 (1.5m)
42851	36.00	810.00	1250.00	2.80	3.00	81.00	1.00	
42852	41.00	830.00	1420.00	3.60	3.00	74.00	1.00	
42853	57.00	1960.00	1900.00	5.00	75.00	540.00	1.00	} C4 (6.0m)
42854	50.00	3100.00	2000.00	14.00	125.00	870.00	1.00	
42855	49.00	4200.00	1700.00	9.00	30.00	310.00	1.00	
42856	44.00	3800.00	1890.00	8.00	60.00	390.00	1.00	} C4 (1.5m)
42857	37.00	650.00	1340.00	.70	3.00	18.00	1.00	
42858	70.00	2070.00	3800.00	6.00	10.00	143.00	1.00	
42859	27.00	740.00	1360.00	1.70	3.00	40.00	1.00	} C4 (6.0m)
42860	21.00	960.00	910.00	5.30	25.00	170.00	1.00	
42861	39.00	980.00	3300.00	2.30	10.00	36.00	1.00	
42862	63.00	1640.00	1830.00	7.00	25.00	195.00	1.00	} C4 (6.0m)
42863	15.00	272.00	540.00	1.90	10.00	163.00	1.00	
42864	11.00	312.00	282.00	1.20	3.00	44.00	1.00	
42865	14.00	1180.00	930.00	2.30	3.00	36.00	1.00	} C4 (6.0m)
42866	25.00	238.00	1130.00	1.10	3.00	46.00	1.00	
42867	53.00	580.00	2150.00	1.60	3.00	38.00	1.00	
42868	12.00	402.00	386.00	1.40	3.00	116.00	1.00	} C4 (6.0m)
42869	5.00	85.00	177.00	.30	3.00	11.00	1.00	
42869	5.00	80.00	170.00	.30	3.00	11.00	1.00	

CONSULTING & DIG SERVICES COMPANY

CONSULTING & DIG SERVICES COMPANY

C:\EXPL\SPRING\GEOLOG>type rocktype.glg
OUBN\OVERBURDEN\
PPFQ\PORPHYRY FELDSPAR QUARTZ\
PPFX\PORPHYRY FELDSPAR\
PPQZ\PORPHYRY QUARTZ\
AN/D\ANDESITE DYKE\
BRFQ\BRECCIA FELDSPAR QUARTZ\
FAUL\FAULT(SAMPLED GOUGE)\
GNEIS\GNEISS\
16 GRAN\GRANITE\
MONZ\MONZONITE\
MTSD\METASEDIMENTS\
QZMZ\QUARTZ MONZONITE\
TILL\TILL\
2 BQNZ\BIOTITE QUARTZ MONZONITE\
QZDR\QUARTZ DIORITE\
2 QBGN\BIOTITE QUARTZ GNEISS\
CGGN\COARSE GRAINED GNEISS\
DYKE\FINE GRAINED DYKE ROCK\
VEIN\VEIN\
C:\EXPL\SPRING\GEOLOG>

- ③ FAUL
- ⑤ ~~4~~ OUBN
- ⑥ ~~8~~ PPFQ
- ⑧ ~~7~~ QZDR
- ④ ~~1~~ GRAN
- ⑦ ~~2~~ QBGN
- ① CGNG
- ② DYKE

COMPTON DVG 21101768A COMPTON

COMPTON DE L'ESSENE DVG COMPTON

Samp	Cu (ppm)	Pb (ppm)	Zn (ppm)	Ag (ppm)	Au (ppb)	As (ppm)	Sb (ppm)
42792	27.00	56.00	367.00	1.00	15.00	1.00	1.00
42793	28.00	126.00	265.00	.80	3.00	38.00	1.00
42793	29.00	133.00	272.00	.80	3.00	38.00	1.00
42794	18.00	45.00	302.00	.90	10.00	23.00	1.00
42795	24.00	40.00	332.00	.90	3.00	24.00	1.00
42796	24.00	37.00	292.00	.50	3.00	21.00	1.00
42797	15.00	16.00	246.00	.40	3.00	6.00	1.00
42798	23.00	100.00	150.00	4.00	3.00	152.00	1.00
42799	23.00	75.00	207.00	4.30	3.00	162.00	1.00
42800	17.00	60.00	107.00	3.50	10.00	150.00	1.00
42826	27.00	68.00	92.00	2.90	55.00	113.00	1.00
42827	12.00	28.00	97.00	1.10	20.00	78.00	1.00
42828	9.00	50.00	64.00	2.00	15.00	78.00	1.00
42829	14.00	55.00	43.00	2.70	15.00	150.00	2.00
42829	14.00	55.00	46.00	2.80	10.00	155.00	2.00
42830	9.00	710.00	98.00	10.00	10.00	51.00	1.00
42831	10.00	41.00	92.00	2.50	3.00	19.00	1.00
42832	16.00	106.00	158.00	5.30	20.00	124.00	1.00
42833	22.00	157.00	120.00	4.10	10.00	20.00	1.00
42834	25.00	95.00	200.00	1.00	3.00	8.00	1.00
42835	10.00	118.00	61.00	4.80	10.00	155.00	1.00

1
55
15
20
10
100L

~~42829 - 42830~~

835
833 - 832 - 828 - 826
830 - 829

799
798
800

ANY INFORMATION ON THIS DATA SHOULD BE FORWARDED TO THE

COMMISSIONER OF HEALTH SERVICES, BUREAU OF LABORATORY SERVICES