

Neil

ECO-TECH LABORATORIES LTD.

PLACER DOME INC. - ETK91- 353

862200

10041 EAST TRANS CANADA HWY.
KAMLOOPS, B.C. V2C 2J3
PHONE - 604-573-5700
FAX - 604-573-4557

401, 1540 PEARSON PLACE
KAMLOOPS, B.C.
V1S 1J9

JULY 17, 1991

VALUES IN PPM UNLESS OTHERWISE REPORTED

ALL OF
CHISOILS
LESS DUPS

PROJECT: V276
789 SOIL SAMPLES RECEIVED JUNE 17, 1991

BT#	DESCRIPTION	AU(ppb)	AG AL(%)	AS	B	BA	BE CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA MG(%)	MN	MO NA(%)	NI	P	PB	SB	SN	SR TI(%)	U	V	W	Y	ZN						
353 - 1	LRS112	0 H	<5	<.2	1.53	20	4	95	<5	.25	<1	19	21	13	3.06	.08	<10	.49	791	<1	<.01	7	600	10	<5	<20	28	.16	<10	81	<10	6	155
353 - 2	LRS112	40 H	<5	<.2	1.55	15	6	120	<5	.60	<1	18	16	11	2.81	.17	<10	.64	899	<1	<.01	8	950	26	5	<20	52	.16	<10	75	<10	5	218
353 - 3	LRS112	80 H	<5	<.2	2.30	15	6	170	<5	.27	<1	16	15	24	3.86	.21	<10	1.12	892	<1	.02	7	890	62	<5	<20	61	.21	<10	100	<10	6	180
353 - 4	LRS112	120 H	<5	<.2	1.89	20	4	100	<5	.34	<1	13	19	19	3.00	.10	<10	.57	331	<1	.01	9	730	18	5	<20	38	.14	<10	68	<10	5	75
353 - 5	LRS112	160 H	<5	<.2	1.79	20	6	90	<5	.28	<1	15	20	14	3.07	.09	<10	.68	562	<1	.02	9	530	18	5	<20	29	.18	<10	86	<10	7	104
353 - 6	LRS112	200 H	<5	<.2	1.06	10	4	65	<5	.29	<1	11	15	11	2.38	.09	<10	.38	451	<1	<.01	5	1020	14	<5	<20	24	.13	<10	69	<10	5	74
353 - 7	LRS112	240 H	<5	<.2	2.03	20	4	115	<5	.33	<1	18	19	19	3.49	.15	<10	.79	727	<1	.01	9	610	20	5	<20	37	.19	<10	95	<10	6	152
353 - 8	LRS112	280 H	<5	<.2	1.88	25	4	90	<5	.49	<1	14	17	12	3.11	.05	<10	.45	584	<1	<.01	7	690	22	<5	<20	45	.16	<10	80	<10	5	142
353 - 9	LRS112	320 H	<5	<.2	2.84	15	4	115	<5	.49	1	20	14	34	3.48	.10	<10	.68	864	<1	<.01	9	710	30	10	<20	47	.13	<10	77	<10	4	210
353 - 10	LRS112	360 H	<5	<.2	2.17	20	6	120	<5	.26	<1	17	18	25	3.32	.13	<10	.89	437	<1	.02	11	570	20	5	<20	32	.16	<10	97	<10	5	182
353 - 11	LRS112	400 H	<5	<.2	3.43	10	6	120	<5	.38	<1	24	41	61	3.84	.09	<10	1.15	558	<1	.01	21	740	20	10	<20	39	.21	<10	96	<10	7	163
353 - 12	LRS2112	80 H	65	.4	1.80	195	4	60	<5	.32	<1	17	100	18	3.03	<.01	<10	.62	318	<1	.01	29	370	16	5	<20	23	.14	<10	84	<10	4	387
353 - 13	LRS2112	120 H	<5	<.2	1.81	30	6	65	<5	.30	<1	16	19	24	3.54	.06	<10	.64	377	1	.01	8	480	52	<5	<20	26	.22	<10	105	<10	8	186
353 - 14	LRS2112	160 H	<5	.6	2.60	585	6	85	25	.47	<1	37	12	48	4.58	<.01	<10	.72	1086	<1	<.01	9	690	22	5	<20	39	.17	<10	93	<10	4	266
353 - 15	LRS2112	200 H	<5	<.2	2.20	60	4	120	<5	.36	<1	20	15	18	3.61	.06	<10	.84	537	<1	.01	8	520	22	5	<20	31	.21	<10	98	<10	7	183
353 - 16	LRS2112	240 H	<5	<.2	1.57	5	4	55	<5	.38	<1	11	18	7	2.45	.05	<10	.36	279	<1	<.01	11	580	12	<5	<20	27	.16	<10	66	<10	7	49
353 - 17	LRS2112	280 H	<5	.8	3.06	105	6	165	<5	.28	<1	25	146	34	3.96	.31	<10	1.63	461	1	<.01	85	560	48	10	<20	24	.15	<10	106	<10	4	405
353 - 18	LRS2112	320 H	<5	<.2	2.54	10	6	150	<5	.51	1	27	22	23	3.58	.15	<10	1.24	735	<1	.02	12	790	26	10	<20	37	.24	<10	105	<10	9	515
353 - 19	L48000E	49000 H	<5	<.2	1.24	15	6	80	<5	.64	<1	14	27	14	2.69	.07	10	.46	332	<1	.02	12	850	10	<5	<20	40	.18	<10	71	<10	12	42
353 - 20	L48000E	49040 H	<5	<.2	2.20	5	6	65	<5	.30	<1	14	29	13	3.07	.04	<10	.41	538	<1	<.01	15	1970	12	<5	<20	18	.15	<10	75	<10	6	75
353 - 21	L48000E	49080 H	<5	<.2	1.22	10	6	70	<5	.41	<1	12	25	10	3.05	.05	10	.42	303	<1	<.01	13	1310	8	<5	<20	21	.12	<10	85	<10	6	37
353 - 22	L48000E	49260 H	<5	<.2	1.12	10	6	50	<5	.35	<1	10	19	10	2.37	.06	<10	.40	237	<1	<.01	12	900	8	<5	<20	18	.11	<10	63	<10	5	30
353 - 23	L48000E	49280 H	<5	<.2	1.49	10	4	65	<5	.31	<1	11	18	7	2.26	.05	<10	.34	223	<1	<.01	15	1440	10	<5	<20	26	.13	<10	53	<10	6	49
353 - 24	L48000E	49320 H	<5	<.2	1.64	5	6	70	<5	.27	<1	12	22	7	2.65	.04	<10	.31	303	<1	<.01	13	1440	10	5	<20	17	.15	<10	64	<10	6	55
353 - 25	L48000E	49360 H	<5	<.2	1.82	5	6	110	<5	.40	<1	13	27	14	2.70	.05	10	.42	269	<1	<.01	13	800	10	<5	<20	29	.19	<10	71	<10	9	38
353 - 26	L48000E	49400 H	<5	<.2	1.45	10	6	90	<5	.30	<1	11	23	8	2.37	.03	<10	.34	211	<1	<.01	11	870	10	<5	<20	23	.15	<10	63	<10	7	31

PAGE 2

REF	DESCRIPTION	AU(ppb)	AG	AL(%)	AS	B	BA	BI	CA(%)	CO	CO	CR	CU	PB(%)	K(%)	LA	NG(%)	NN	NO	NA(%)	NI	P	PB	SB	SN	SR	TI(%)	U	V	V	Y	Z		
353 - 27	L48000E	49440	N	<5	<.2	1.59	5	6	85	<5	.31	<1	12	24	10	2.52	.04	<10	.36	232	<1	<0.01	13	640	8	<5	<20	25	.16	<10	67	<10	7	3
353 - 28	L48000E	49480	N	<5	<.2	1.66	10	4	70	<5	.32	<1	12	26	10	2.64	.04	10	.35	224	<1	<0.01	13	850	10	<5	<20	24	.16	<10	70	<10	8	3
353 - 29	L48000E	49520	N	<5	<.2	1.75	5	6	75	<5	.32	<1	13	26	11	2.74	.04	<10	.37	230	<1	<0.01	13	790	10	<5	<20	24	.16	<10	72	<10	8	3
353 - 30	L48000E	49560	N	<5	<.2	1.77	5	4	80	<5	.33	<1	13	26	13	2.74	.04	10	.38	276	<1	<0.01	12	760	12	5	<20	23	.17	<10	73	<10	8	3
353 - 31	L48000E	49600	N	<5	<.2	1.48	10	4	80	<5	.37	<1	13	25	9	2.84	.04	10	.27	621	<1	<0.01	10	1630	10	<5	<20	26	.17	<10	74	<10	7	6
353 - 32	L48000E	49640	N	<5	<.2	1.36	10	6	55	<5	.31	<1	12	23	8	2.70	.04	<10	.30	317	<1	<0.01	11	1610	8	<5	<20	18	.13	<10	71	<10	6	5
353 - 33	L48000E	49680	N	<5	<.2	1.29	<5	6	105	<5	.41	<1	12	20	7	2.33	.05	<10	.31	496	<1	<0.01	8	2550	8	<5	<20	26	.14	<10	58	<10	6	7
353 - 34	L48000E	49720	N	<5	<.2	1.36	5	6	60	<5	.34	<1	12	21	8	2.47	.04	<10	.30	224	<1	<0.01	11	980	10	5	<20	24	.16	<10	67	<10	7	4
353 - 35	L48000E	49760	N	<5	<.2	1.62	10	4	95	<5	.39	<1	13	26	12	2.85	.03	<10	.38	266	<1	<0.01	13	770	10	<5	<20	29	.18	<10	79	<10	7	3
353 - 36	L48000E	49800	N	<5	<.2	1.95	<5	6	90	<5	.25	<1	13	21	9	2.56	.03	<10	.34	232	<1	<0.01	13	1470	12	<5	<20	17	.16	<10	62	<10	6	7
353 - 37	L48000E	49840	N	<5	.2	1.79	16	6	315	<5	.22	<1	14	17	86	3.91	.14	<10	.58	318	6	<0.01	6	1350	12	<5	<20	32	.24	<10	69	<10	7	10
353 - 38	L48000E	49880	N	<5	<.2	1.54	10	6	90	<5	.30	<1	12	20	16	2.77	.06	<10	.46	287	<1	<0.01	12	910	10	<5	<20	22	.16	<10	75	<10	6	7
353 - 39	L48000E	49920	N	<5	<.2	2.04	15	6	125	<5	.17	<1	10	5	33	4.56	.49	<10	1.36	316	3	.02	2	740	12	5	<20	53	.21	<10	107	<10	3	7
353 - 40	L48000E	49940	N	<5	<.2	1.15	10	4	120	<5	.25	<1	16	24	12	2.47	.11	<10	.54	634	<1	<0.01	9	730	10	5	<20	24	.20	<10	69	<10	7	12
353 - 41	L48000E	50000	N	<5	<.2	2.24	<5	6	90	<5	.68	<1	17	239	27	2.46	.16	<10	2.12	358	<1	.07	82	440	10	5	<20	41	.15	<10	68	<10	6	7
353 - 42	L48000E	50040	N	<5	<.2	2.32	10	6	165	<5	.27	<1	20	23	18	4.59	.13	<10	1.27	487	<1	.01	11	830	14	10	<20	38	.22	<10	108	<10	5	12
353 - 43	L48000E	50080	N	<5	<.2	.66	10	6	.80	<5	.26	<1	10	6	7	2.78	.22	<10	.46	345	<1	<0.01	2	340	8	<5	<20	20	.17	<10	53	<10	7	6
353 - 44	L48000E	50120	N	<5	<.2	1.50	10	6	135	<5	.38	<1	23	65	20	3.66	.16	<10	1.28	331	<1	.02	22	800	10	5	<20	29	.27	<10	88	<10	7	7
353 - 45	L48000E	50160	N	25	<.2	2.84	15	6	205	<5	.27	<1	13	4	65	4.90	.47	<10	1.81	686	<1	.02	2	1000	24	5	<20	61	.25	<10	149	<10	5	24
353 - 46	L48000E	50200	N	<5	<.2	2.56	<9	6	145	<5	.43	<1	28	151	18	3.53	.20	<10	1.94	768	<1	.03	61	1080	20	10	<20	35	.24	<10	96	<10	7	29
353 - 47	L48000E	50240	N	<5	<.2	2.51	5	6	250	<5	.89	1	20	8	38	3.94	.58	<10	1.68	1063	<1	<0.01	5	2190	12	5	<20	58	.23	<10	116	<10	7	24
353 - 48	L48000E	50280	N	15	<.2	2.34	35	6	245	<5	.31	<1	18	11	27	5.19	.46	<10	1.54	754	<1	.02	6	1190	18	10	<20	57	.24	<10	132	<10	4	14
353 - 49	L48000E	50320	N	<5	<.2	2.61	10	6	195	<5	.69	1	33	34	30	4.20	.34	<10	1.54	2492	<1	.02	15	1670	20	5	<20	62	.28	<10	99	<10	8	27
353 - 50	L48000E	50360	N	<5	.2	1.78	10	6	390	<5	.55	2	25	24	31	3.41	.35	<10	1.02	3872	<1	<0.01	10	2650	10	5	<20	37	.24	<10	78	<10	7	27
353 - 51	L48000E	50400	N	<5	<.2	3.18	15	6	245	<5	.39	<1	35	16	41	5.06	.66	<10	1.83	2998	<1	.01	8	1430	12	10	<20	40	.35	<10	131	<10	10	19
353 - 52	L48000E	50440	N	<5	<.2	3.00	15	6	145	<5	.33	<1	29	27	40	4.84	.23	<10	1.59	1310	<1	.02	13	740	26	5	<20	31	.28	<10	109	<10	7	15
353 - 53	L48000E	50480	N	25	<.2	2.57	15	6	160	<5	.39	<1	35	5	25	4.76	.65	<10	1.64	1774	<1	.03	4	1060	16	10	<20	39	.35	<10	104	<10	11	20
353 - 54	L48000E	50520	N	<5	<.2	1.56	20	6	125	<5	.25	<1	28	17	18	3.87	.26	<10	.87	1215	<1	.02	6	930	14	<5	<20	23	.29	<10	96	<10	8	13
353 - 55	L48000E	50560	N	15	.4	1.48	20	6	130	<5	.21	1	31	6	18	3.64	.23	<10	.88	4160	<1	.01	4	1120	8	<5	<20	23	.24	<10	88	<10	7	14
353 - 56	L48000E	50600	N	<5	<.2	2.30	15	8	125	<5	.22	<1	30	17	30	4.35	.20	<10	1.28	1532	1	.01	9	610	32	10	<20	22	.28	<10	111	<10	8	30
353 - 57	L48000E	50640	N	<5	<.2	2.19	10	6	135	<5	.28	<1	16	20	22	3.71	.16	<10	.91	665	<1	.02	10	520	14	5	<20	32	.23	<10	105	<10	8	18
353 - 58	L48000E	50680	N	<5	<.2	1.76	10	4	65	<5	.26	<1	19	18	21	2.89	.07	<10	.54	382	<1	.01	9	380	26	<5	<20	24	.16	<10	73	<10	6	13
353 - 59	L48000E	50720	N	<5	<.2	1.61	16	6	90	<5	.32	<1	14	20	16	2.89	.11	<10	.56	387	<1	.02	10	760	10	<5	<20	27	.16	<10	76	<10	6	5
353 - 60	L48000E	50780	N	<5	<.2	1.79	9	6	105	<5	.45	<1	15	51	38	2.95	.19	10	.83	325	1	.02	16	310	14	<5	<20	34	.22	<10	87	<10	21	9
353 - 61	L48000E	50800	N	<5	<.2	2.01	15	6	110	<5	.37	<1	19	32	37	3.50	.16	<10	1.24	463	1	.02	13	620	12	5	<20	29	.27	<10	124	<10	9	11
353 - 62	L48000E	50840	N	<5	<.2	1.88	15	6	80	<5	.30	<1	14	21	23	2.75	.05	<10	.61	332	<1	.01	13	760	12	<5	<20	23	.15	<10	72	<10	5	10
353 - 63	L48000E	50860	N	<5	<.2	1.76	10	4	70	<5	.20	<1	13	20	14	3.09	.05	<10	.54	423	<1	.01	8	670	18	5	<20	18	.17	<10	78	<10	5	17

BTI	DESCRIPTION	AU(ppb)	AG	AL(%)	AS	B	BA	BI	CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA	MG(%)	MN	MO	NA(%)	NI	P	PR	SB	SN	SR	TI(%)	U	V	W	Y	ZN	
353 - 64	L48000E	50920 #	<5	<.2	2.00	15	6	90	<.5	.40	<1	27	27	40	4.44	.00	<10	.80	532	1	.01	15	500	22	5	<20	32	.23	<10	112	<10	9	215
353 - 65	L48000E	51000 #	<5	<.2	1.80	15	6	70	<.5	.23	<1	16	22	21	3.10	.04	<10	.47	372	1	.01	10	900	10	<5	<20	22	.17	<10	74	<10	5	261
353 - 66	L48000E	50040 #	<5	<.2	1.70	30	6	85	<.5	.29	<1	14	27	16	5.22	.10	<10	.59	259	<1	.01	8	1600	14	<5	<20	18	.20	<10	156	<10	3	171
353 - 67	L48000E	50080 #	10	<.2	1.42	20	6	45	<.5	.35	<1	11	20	16	3.25	.03	<10	.41	219	2	.01	10	1430	8	<5	<20	16	.11	<10	89	<10	3	113
353 - 68	L48000E	51120 #	<5	<.2	1.33	15	6	55	<.5	.34	<1	11	17	15	3.06	.03	<10	.36	208	<1	<.01	8	2270	8	<5	<20	18	.10	<10	79	<10	3	59
353 - 69	L48000E	51160 #	<5	<.2	1.59	20	6	110	<.5	.42	<1	14	14	25	3.28	.09	<10	.64	741	1	.01	6	790	16	<5	<20	32	.10	<10	90	<10	5	107
353 - 70	L48000E	51200 #	<5	<.2	2.43	20	6	140	<.5	.28	<1	20	28	36	4.14	.10	<10	.90	521	<1	.02	9	2500	16	5	<20	31	.20	<10	106	<10	4	176
353 - 71	L48000E	51240 #	<5	<.2	2.12	20	6	90	<.5	.27	<1	16	44	24	3.74	.07	<10	.88	341	3	.02	12	990	10	5	<20	25	.22	<10	107	<10	6	96
353 - 72	L48000E	51280 #	5	<.2	2.45	10	6	130	<.5	.27	<1	13	23	36	3.47	.12	10	.77	436	1	.02	9	870	40	5	<20	40	.19	<10	86	<10	7	57
353 - 73	L48000E	51320 #	<5	<.2	1.99	40	6	110	<.5	.18	<1	12	13	22	4.23	.10	<10	.75	377	2	.01	5	1410	42	<5	<20	21	.22	<10	113	<10	5	101
353 - 74	L48000E	51360 #	15	.6	2.30	35	6	165	<.5	.15	<1	11	15	32	4.47	.23	<10	.85	557	1	.02	5	1410	82	<5	<20	40	.14	<10	91	<10	1	104
353 - 75	L48000E	51400 #	<5	<.2	1.82	30	6	140	<.5	.22	<1	14	18	23	3.88	.13	10	.70	449	<1	.01	6	830	54	5	<20	46	.20	<10	103	<10	6	132
353 - 76	L48000E	51440 #	20	<.2	2.26	25	6	95	<.5	.42	<1	13	17	37	3.62	.14	<10	.77	481	<1	.01	8	900	66	5	<20	33	.18	<10	89	<10	10	200
353 - 77	L48000E	51480 #	<5	<.2	1.35	25	8	110	<.5	.29	<1	13	13	13	3.42	.14	<10	.61	679	<1	.01	4	620	44	<5	<20	34	.19	<10	92	<10	6	129
353 - 78	L48000E	51520 #	<5	<.2	2.07	15	8	105	<.5	.22	<1	20	12	31	4.55	.17	<10	1.30	879	1	.02	5	900	52	10	<20	29	.26	<10	130	<10	8	236
353 - 79	L48000E	51560 #	<5	<.2	2.44	20	8	180	<.5	.20	<1	23	15	30	4.64	.20	<10	1.31	1094	1	.03	6	750	36	5	<20	30	.28	<10	127	<10	8	204
353 - 80	L48000E	51600 #	<5	<.2	2.63	20	10	180	<.5	.27	<1	23	17	29	4.38	.17	<10	1.39	665	2	.02	8	900	26	5	<20	30	.24	<10	126	<10	8	218
353 - 81	L48200E	49160 #	<5	<.2	.96	25	10	65	<.5	.50	<1	12	29	11	3.76	.05	10	.44	321	<1	<.01	13	1290	6	<5	<20	22	.10	<10	112	<10	4	34
353 - 82	L48200E	49200 #	<5	<.2	1.34	10	10	95	<.5	.37	<1	12	26	9	2.56	.05	10	.36	271	<1	.01	11	770	8	<5	<20	26	.16	<10	70	<10	8	54
353 - 83	L48200E	49240 #	<5	<.2	1.76	10	10	75	<.5	.31	<1	12	24	8	2.46	.04	<10	.31	304	<1	.01	12	1200	10	<5	<20	21	.16	<10	60	<10	7	46
353 - 84	L48200E	49280 #	<5	<.2	1.64	5	8	80	<.5	.43	<1	14	30	12	2.79	.04	10	.38	274	<1	<.01	11	670	10	<5	<20	30	.22	<10	77	<10	12	37
353 - 85	L48200E	49320 #	<5	<.2	1.38	15	8	80	<.5	.50	<1	13	31	12	2.74	.05	10	.38	279	<1	<.01	11	670	10	<5	<20	35	.23	<10	78	<10	13	36
353 - 86	L48200E	49360 #	<5	<.2	1.65	10	10	75	<.5	.34	<1	13	29	11	2.74	.04	10	.35	257	<1	.02	12	910	12	5	<20	24	.19	<10	72	<10	12	48
353 - 87	L48200E	49380 #	<5	<.2	1.69	15	8	180	<.5	.39	<1	13	28	10	2.78	.05	10	.40	294	<1	.01	12	580	10	<5	<20	27	.21	<10	76	<10	10	37
353 - 88	L48200E	49420 #	<5	<.2	1.86	15	8	65	<.5	.33	<1	13	27	9	2.68	.03	10	.33	264	<1	<.02	14	1070	12	<5	<20	23	.18	<10	66	<10	9	38
353 - 89	L48200E	49440 #	<5	<.2	1.69	15	10	60	<.5	.39	<1	12	26	8	2.84	.04	10	.34	247	<1	.02	13	1280	10	<5	<20	23	.17	<10	71	<10	8	50
353 - 90	L48200E	49960 #	<5	<.2	1.67	15	10	105	<.5	.60	<1	14	22	12	2.73	.08	10	.49	597	<1	.01	12	1880	10	<5	<20	37	.17	<10	65	<10	9	229
353 - 91	L48200E	50000 #	<5	<.2	2.60	15	8	150	<.5	.30	<1	18	16	30	3.74	.14	<10	1.06	431	<1	.01	10	1320	10	5	<20	30	.23	<10	105	<10	8	179
353 - 92	L48200E	50040 #	<5	<.2	3.30	5	10	275	<.5	.27	<1	21	16	46	4.06	.21	10	1.21	562	1	.01	10	1250	22	5	<20	53	.27	<10	109	<10	10	353
353 - 93	L48200E	50080 #	<5	<.2	3.12	15	10	145	<.5	.21	<1	19	16	55	4.82	.39	<10	1.71	703	1	.02	8	1200	16	5	<20	45	.26	<10	122	<10	6	217
353 - 94	L48200E	50120 #	<5	<.2	3.11	10	10	230	<.5	.23	<1	21	15	44	4.54	.37	<10	1.70	652	1	.02	7	950	18	5	<20	49	.27	<10	120	<10	9	310
353 - 95	L48200E	50160 #	<5	<.2	3.19	20	10	90	<.5	.13	<1	14	4	17	5.17	.11	<10	1.03	449	2	<.01	4	1350	18	10	<20	13	.18	<10	111	<10	4	396
353 - 96	L48200E	50200 #	<5	<.2	2.82	15	10	135	<.5	.22	<1	14	2	38	4.81	.55	<10	1.92	530	<1	.02	2	1190	12	10	<20	43	.22	<10	165	<10	4	122
353 - 97	L48200E	50240 #	<5	<.2	2.30	15	8	105	<.5	.40	<1	25	60	21	3.77	.08	<10	1.20	495	<1	.02	20	820	18	5	<20	44	.22	<10	112	<10	7	356
353 - 98	L48200E	50280 #	<5	<.2	3.28	30	8	90	<.5	.18	<1	12	12	44	5.25	1.04	<10	2.40	1376	<1	.02	4	940	38	10	<20	57	.28	<10	193	<10	5	179
353 - 99	L48200E	50320 #	<5	<.2	3.04	10	8	225	<.5	.30	<1	25	4	43	4.61	.33	<10	1.74	1007	1	.02	4	1330	16	10	<20	35	.30	<10	115	<10	9	277
353 - 100	L48200E	50360 #	<5	<.2	2.15	20	10	320	<.5	.17	<1	16	5	27	4.43	.36	<10	1.28	803	1	.02	3	1600	20	10	<20	34	.29	<10	118	<10	7	132

ECO-TECH LABORATORIES LTD.

PLACER DOME INC. - ETK91- 353

PAGE 4

REF	DESCRIPTION	AU(ppb)	AG AL(%)	AS	B	BA	BI CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA MG(%)	MN	MO NA(%)	NI	P	PB	SB	SN	SR TI(%)	U	V	W	Y	ZN						
353 - 101	L48200E	50400 N	<5	<.2	2.39	20	10	240	<5	.27	<1	16	11	33	4.04	.40	<10	1.40	608	1	.01	6	970	16	10	<20	43	.24	<10	113	<10	6	177
353 - 102	L48200E	50480 N	<5	<.2	2.19	20	8	180	<5	.19	<1	18	13	22	4.23	.22	<10	1.31	630	<1	.01	5	820	20	5	<20	30	.27	<10	119	<10	7	161
353 - 103	L48200E	50520 N	<5	<.2	2.65	25	8	95	<5	.22	<1	14	12	37	5.52	.65	<10	1.58	736	2	.03	6	1090	18	10	<20	83	.26	<10	126	<10	5	73
353 - 104	L48200E	50560 N	<5	.4	2.04	15	8	65	<5	.30	<1	18	22	15	3.21	.09	<10	.69	485	<1	.01	11	440	22	<5	<20	27	.21	<10	86	<10	7	180
353 - 105	L48200E	50600 N	<5	<.2	1.58	15	10	90	<5	.40	<1	15	20	15	3.09	.14	<10	.57	518	<1	.01	10	1390	10	5	<20	31	.17	<10	79	<10	6	77
353 - 106	L48200E	50640 N	<5	.2	1.58	10	8	135	<5	.46	1	18	20	19	2.69	.13	<10	.62	1332	<1	.01	10	760	16	<5	<20	30	.19	<10	71	<10	8	388
353 - 107	L48200E	50680 N	<5	<.2	1.82	20	8	95	<5	.35	<1	15	15	19	3.22	.14	<10	.81	544	<1	.01	8	930	22	5	<20	28	.19	<10	85	<10	7	236
353 - 108	L48200E	50720 N	5	<.2	1.82	15	8	80	<5	.34	<1	15	16	22	3.05	.14	<10	.76	428	1	.01	9	580	18	<5	<20	28	.16	<10	70	<10	5	154
353 - 109	L48200E	50760 N	35	.8	3.54	35	8	130	<5	.39	2	55	29	101	5.44	.49	10	1.53	7559	3	.02	27	770	24	10	<20	64	.16	<10	70	<10	35	1029
353 - 110	L48200E	50800 N	<5	<.2	2.57	10	8	95	<5	.28	<1	23	16	55	4.03	.10	<10	1.16	1067	<1	.02	9	760	36	5	<20	30	.24	<10	100	<10	8	309
353 - 111	L48200E	50840 N	<5	<.2	2.30	10	10	100	<5	.24	1	29	10	20	3.92	.12	<10	.95	2609	<1	.02	7	480	34	10	<20	26	.30	<10	125	<10	12	327
353 - 112	L48200E	50880 N	<5	<.2	3.03	25	8	95	<5	.19	<1	20	12	27	4.58	.10	<10	1.06	867	<1	.01	6	1240	68	<5	<20	23	.25	<10	95	<10	7	214
353 - 113	L48200E	50940 N	<5	<.2	1.58	15	8	100	<5	.88	<1	16	26	17	2.87	.14	20	.57	618	<1	.02	12	980	12	5	<20	57	.25	<10	77	<10	17	68
353 - 114	L48200E	50960 N	<5	<.2	2.14	25	8	65	<5	.26	<1	31	14	14	4.77	.05	<10	.80	1347	<1	.01	7	1380	30	5	<20	33	.22	<10	126	<10	6	237
353 - 115	L48200E	51000 N	<5	<.2	2.96	30	8	105	<5	.32	<1	24	12	44	4.19	.09	<10	1.17	783	2	.02	8	820	42	5	<20	25	.22	<10	114	<10	7	256
353 - 116	L48400E	50000 N	<5	<.2	1.62	15	8	175	<5	.19	<1	15	9	14	2.98	.15	<10	.70	323	1	.01	5	630	16	<5	<20	31	.17	<10	82	<10	5	130
353 - 117	L48400E	50040 N	<5	<.2	2.16	15	8	265	<5	.36	<1	12	4	19	3.28	.51	<10	1.64	608	<1	.01	3	560	24	5	<20	44	.23	<10	110	<10	7	146
353 - 118	L48400E	50280 N	<5	<.2	1.95	15	8	130	<5	.73	<1	12	15	38	3.14	.32	<10	1.33	814	<1	<0.01	6	320	18	10	<20	36	.21	<10	118	<10	7	282
353 - 119	L48400E	50320 N	<5	<.2	1.11	5	8	90	<5	.24	<1	9	7	14	1.72	.23	<10	.60	291	<1	.01	3	280	14	<5	<20	23	.26	<10	69	<10	10	125
353 - 120	L48400E	50360 N	<5	<.2	1.88	20	8	100	<5	.22	<1	19	17	15	3.37	.11	<10	.78	500	<1	.01	8	1030	28	<5	<20	31	.21	<10	84	<10	7	312
353 - 121	L48400E	50440 N	<5	<.2	2.10	15	8	185	<5	.28	<1	26	8	6	4.23	.68	<10	1.92	919	<1	.02	5	1160	12	5	<20	11	.39	<10	107	<10	18	111
353 - 122	L48400E	50480 N	10	<.2	1.59	15	8	105	<5	.10	<1	12	4	11	3.31	.14	<10	1.01	457	<1	.01	3	1060	30	<5	<20	23	.23	<10	78	<10	6	194
353 - 123	L48400E	50520 N	<5	<.2	2.33	15	8	205	<5	.29	<1	18	16	27	4.32	.18	<10	1.28	628	<1	<0.01	8	1730	18	5	<20	51	.23	<10	114	<10	5	200
353 - 124	L48400E	50560 N	40	<.2	2.33	40	8	190	<5	.28	<1	20	38	33	4.69	.28	<10	1.27	650	<1	.02	13	1510	16	5	<20	63	.22	<10	111	<10	4	160
353 - 125	L48400E	50600 N	<5	<.2	2.09	15	8	130	<5	.31	<1	15	12	17	4.23	.12	<10	1.14	519	<1	<0.01	6	1120	18	5	<20	46	.22	<10	127	<10	5	167
353 - 126	L48400E	50640 N	<5	<.2	2.11	20	8	115	<5	.33	2	18	22	18	3.96	.09	<10	1.01	599	<1	<0.01	9	1730	18	5	<20	35	.19	<10	102	<10	4	320
353 - 127	L48400E	50680 N	<5	.4	1.68	105	8	80	<5	.25	3	17	17	10	2.84	.04	<10	.57	1133	<1	<0.01	9	340	32	<5	<20	21	.15	<10	72	<10	5	508
353 - 128	L48400E	50720 N	<5	<.2	1.70	35	8	60	<5	.24	2	17	16	15	2.98	.06	<10	.69	699	<1	<0.01	8	330	24	<5	<20	19	.18	<10	83	<10	5	367
353 - 129	L48400E	50760 N	<5	.6	2.34	175	6	160	<5	.59	16	25	26	33	3.62	.20	10	.94	2576	<1	<0.01	14	570	48	5	<20	50	.16	<10	83	<10	5	1121
353 - 130	L48400E	50800 N	60	.4	1.72	650	8	95	<5	.53	10	20	17	25	3.71	<0.01	10	.52	2063	2	<0.01	10	610	22	5	<20	32	.13	<10	69	<10	3	813
353 - 131	L48400E	50840 N	<5	.8	3.32	125	8	115	<5	1.09	2	26	26	100	4.09	.04	20	1.41	1559	<1	.03	24	360	24	10	<20	53	.22	<10	111	<10	19	394
353 - 132	L48400E	50880 N	<5	<.2	2.41	130	4	75	<5	.30	2	18	8	22	4.15	.08	10	.71	772	1	.01	6	470	20	5	<20	22	.06	<10	92	<10	<1	318
353 - 133	L48400E	50920 N	45	1.2	2.57	1020	4	100	<5	.40	<1	41	35	82	4.76	<0.01	10	.67	902	2	<0.01	22	580	134	15	<20	27	.07	<10	81	<10	<1	726
353 - 134	L48400E	50960 N	<5	<.2	1.70	25	8	100	<5	.28	<1	17	19	27	3.22	.07	<10	.65	448	1	.01	11	390	22	5	<20	22	.19	<10	90	<10	7	95
353 - 135	L48400E	51000 N	<5	<.2	2.60	50	8	100	<5	.40	<1	20	27	40	3.44	.09	<10	.80	786	<1	<0.01	14	1000	28	<5	<20	30	.18	<10	89	<10	6	148
353 - 136	L49000E	50120 N	<5	<.2	2.36	<5	8	240	<5	.26	<1	15	3	28	3.77	.18	<10	1.55	537	<1	.01	3	890	18	5	<20	38	.20	<10	144	<10	6	463

ECO-TECH LABORATORIES LTD.

PLACER DOME INC. - ETK91- 353

PAGE 5

ETF	DESCRIPTION	AU(ppb)	AG AL(%)	AS	B	BA	BI CA(%)	CD	CO	CR	CU	FB(%)	K(%)	LA MG(%)	MN	MO NA(%)	NI	P	PB	SB	SN	SR TI(%)	U	V	W	Y	ZN	
353 - 137	L49000E	50160 N	<5 <.2 1.06	10	8	65	<5 .27	<1	11	21	8	2.24	.07	10 .36	230	<1 <0.01	8	810	6	5	<20	23	.15	<10	66	<10	7	59
353 - 138	L49000E	50200 N	<5 .2 1.55	5	8	235	<5 .51	<1	23	7	11	3.39	.63	<10 1.07	1753	<1 <0.01	4	1410	6	5	<20	52	.29	<10	76	<10	10	149
353 - 139	L49000E	50240 N	<5 <.2 1.39	10	8	140	<5 .30	<1	17	16	12	2.90	.11	<10 .56	606	<1 <0.01	7	1220	12	<5	<20	31	.17	<10	68	<10	6	196
353 - 140	L49000E	50280 N	<5 <.2 1.46	10	8	65	<5 .30	<1	15	19	12	2.87	.10	<10 .53	318	<1 <0.01	10	700	10	<5	<20	24	.17	<10	74	<10	6	99
353 - 141	L49000E	50320 N	<5 <.2 1.42	10	8	105	<5 .26	<1	13	15	9	2.69	.11	<10 .65	440	<1 <0.01	6	970	34	<5	<20	41	.20	<10	63	<10	7	286
353 - 142	L49000E	50360 N	<5 <.2 1.00	10	8	65	<5 .19	<1	13	15	10	2.12	.06	<10 .32	882	<1 <0.01	7	1100	14	<5	<20	14	.13	<10	51	<10	5	122
353 - 143	L49000E	50400 N	<5 <.2 1.48	10	8	70	<5 .22	<1	11	19	6	2.77	.05	<10 .29	221	<1 <0.01	8	1450	12	<5	<20	18	.13	<10	68	<10	5	103
353 - 144	L49000E	50440 N	<5 <.2 1.47	10	8	60	<5 .24	<1	13	15	9	2.56	.06	<10 .48	384	<1 <0.01	6	1360	12	<5	<20	16	.15	<10	65	<10	6	158
353 - 145	L49000E	50480 N	<5 <.2 1.32	10	6	50	<5 .21	<1	12	15	8	2.84	.05	<10 .37	430	<1 <0.01	5	950	26	<5	<20	14	.15	<10	72	<10	5	128
353 - 146	L49000E	50520 N	<5 <.2 1.21	10	8	65	<5 .31	<1	13	21	12	2.65	.07	<10 .43	656	<1 <0.01	9	840	14	<5	<20	19	.15	<10	71	<10	7	101
353 - 147	L49000E	50560 N	<5 <.2 1.76	35	6	95	<5 .28	<1	17	21	23	3.46	.10	<10 .92	609	<1 .01	10	1450	22	<5	<20	23	.13	<10	86	<10	4	138
353 - 148	L49000E	50600 N	<5 <.2 1.53	30	6	85	<5 .26	<1	15	18	18	2.69	.07	<10 .53	516	<1 .01	9	450	16	<5	<20	28	.12	<10	69	<10	6	97
353 - 149	L49000E	50640 N	10 <.2 1.36	25	6	60	<5 .55	<1	10	19	12	2.44	.05	<10 .53	284	<1 .01	8	550	18	<5	<20	36	.14	<10	67	<10	9	69
353 - 150	L49200E	50040 N	<5 <.2 1.06	5	8	75	<5 .54	<1	11	24	14	2.29	.09	<10 .54	291	<1 .02	9	490	6	<5	<20	45	.14	<10	59	<10	9	58
353 - 151	L49200E	50080 N	<5 <.2 1.02	10	8	70	<5 .56	<1	10	17	11	2.29	.09	<10 .52	358	<1 .02	8	610	10	<5	<20	53	.13	<10	63	<10	9	67
353 - 152	L49200E	50120 N	<5 <.2 .86	5	6	120	<5 .50	<1	9	10	22	1.88	.10	<10 .43	335	1 <0.01	5	530	10	<5	<20	68	.16	<10	56	<10	6	136
353 - 153	L49200E	50160 N	<5 <.2 1.69	25	8	170	<5 .33	<1	22	15	17	4.12	.43	<10 .93	940	3 <0.01	6	460	14	5	<20	50	.21	<10	100	<10	6	154
353 - 154	L49200E	50200 N	<5 <.2 1.21	20	8	60	<5 .32	<1	14	24	9	2.46	.08	<10 .40	647	<1 <0.01	9	710	12	<5	<20	19	.15	<10	61	<10	6	150
353 - 155	L49200E	50240 N	<5 <.2 1.35	20	8	75	<5 .31	<1	13	34	12	2.87	.09	<10 .56	478	<1 .01	11	700	18	<5	<20	25	.16	<10	79	<10	6	110
353 - 156	L49200E	50280 N	<5 <.2 1.16	15	6	85	<5 .34	<1	12	21	10	2.39	.15	<10 .43	512	<1 <0.01	8	580	8	<5	<20	27	.17	<10	65	<10	7	63
353 - 157	L49200E	50320 N	<5 .2 1.60	20	6	165	<5 .39	1	15	26	13	2.77	.12	<10 .51	1075	<1 <0.01	13	2470	24	<5	<20	33	.13	<10	55	<10	6	264
353 - 158	L49200E	50360 N	<5 .4 1.45	25	6	90	<5 .38	<1	14	19	9	2.47	.08	<10 .40	542	<1 <0.01	11	1260	14	<5	<20	24	.13	<10	52	<10	6	272
353 - 159	L49200E	50400 N	<5 <.2 1.17	30	6	70	<5 .37	<1	11	20	10	2.44	.08	<10 .40	450	<1 <0.01	9	710	14	<5	<20	25	.16	<10	57	<10	7	142
353 - 160	L49200E	50440 N	<5 <.2 1.01	20	8	85	<5 .35	<1	13	16	9	1.90	.08	<10 .35	460	<1 <0.01	7	600	14	<5	<20	24	.14	<10	46	<10	7	128
353 - 161	L49200E	50480 N	<5 .2 1.49	30	8	100	<5 .36	<1	14	19	13	2.82	.06	<10 .52	410	<1 <0.01	10	720	20	<5	<20	25	.17	<10	74	<10	7	119
353 - 162	L49200E	50520 N	<5 <.2 1.27	20	6	85	<5 .27	<1	11	21	26	2.67	.06	<10 .42	290	<1 <0.01	11	570	16	<5	<20	19	.14	<10	66	<10	6	85
353 - 163	L49200E	50560 N	<5 <.2 1.24	25	6	70	<5 .26	<1	12	20	12	2.60	.10	<10 .46	301	<1 <0.01	9	470	14	<5	<20	18	.15	<10	70	<10	6	55
353 - 164	L49200E	50600 N	<5 2.6 .91	665	6	70	<5 .28	<1	11	18	65	4.80	<0.01	<10 .26	610	19 <0.01	23	850	202	15	<20	12	.04	<10	104	<10	2	542
353 - 165	L49200E	50640 N	<5 .8 1.05	265	6	115	<5 .27	4	11	14	44	4.00	<0.01	<10 .36	603	42 <0.01	43	850	92	15	<20	20	.04	<10	114	<10	2	909
353 - 166	L49200E	50680 N	<5 <.2 1.16	25	8	105	<5 .33	<1	11	19	9	2.35	.08	<10 .39	332	<1 <0.01	10	560	14	<5	<20	15	.15	<10	63	<10	6	101
353 - 167	L49200E	50720 N	<5 <.2 1.24	15	6	85	<5 .35	<1	12	21	10	2.43	.09	<10 .39	276	<1 <0.01	10	440	10	<5	<20	19	.15	<10	63	<10	7	40
353 - 168	L49200E	50760 N	<5 .6 1.11	10	6	185	<5 .39	<1	15	19	10	2.34	.09	<10 .37	556	<1 <0.01	14	550	14	<5	<20	24	.15	<10	62	<10	6	96
353 - 169	L49200E	50800 N	<5 .2 1.63	35	8	85	<5 .36	<1	14	23	15	2.98	.11	<10 .56	363	<1 <0.01	16	600	14	<5	<20	19	.18	<10	77	<10	7	93
353 - 170	L49200E	50840 N	<5 <.2 1.39	30	8	120	<5 .49	<1	13	23	13	2.74	.09	<10 .51	446	<1 <0.01	13	800	14	<5	<20	26	.18	<10	71	<10	9	82

BT#	DESCRIPTION	AU(ppb)	AG	AL(%)	AS	B	BA	BI	CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA	MG(%)	MN	MO	NA(%)	NI	P	PB	SB	SN	SR	TI(%)	U	V	W	Y	ZN		
353 - 171	L49200E	50880	N	<5	<.2	1.62	20	6	75	<5	.54	<1	14	22	16	2.82	.08	<10	.54	462	<1	<0.01	12	480	14	<5	<20	31	.18	<10	69	<10	9	79
353 - 172	L49200E	50920	N	<5	.4	1.59	15	8	110	<5	.62	<1	14	17	13	2.66	.15	<10	.64	1058	<1	.01	9	430	10	5	<20	38	.15	<10	62	<10	6	66
353 - 173	L49200E	50960	N	<5	<.2	1.50	20	8	85	<5	.55	<1	15	22	16	2.84	.12	<10	.64	512	<1	.01	11	610	14	<5	<20	36	.21	<10	72	<10	11	63
353 - 174	L49200E	51000	N	<5	<.2	1.94	20	8	105	<5	.43	<1	15	21	15	3.02	.09	<10	.58	364	<1	<0.01	13	690	18	<5	<20	32	.17	<10	72	<10	7	80
353 - 175	L49300E	51520	N	<5	<.2	1.96	20	6	70	<5	.46	<1	16	24	23	3.29	.13	<10	.68	921	<1	<0.01	12	360	16	<5	<20	19	.16	<10	84	<10	9	121
353 - 176	L49400E	49040	N	<5	<.2	1.29	<5	6	150	<5	.60	<1	6	20	19	.91	.02	<10	.30	132	<1	<0.01	7	600	8	<5	<20	62	.10	<10	37	<10	10	27
353 - 177	L49400E	49240	N	<5	<.2	1.12	15	6	90	<5	.70	<1	12	23	11	2.57	.06	<10	.39	895	1	.01	11	690	6	<5	<20	53	.14	<10	60	<10	10	26
353 - 178	L49400E	49280	N	<5	<.2	1.18	10	6	60	<5	.51	<1	9	23	13	2.14	.06	<10	.35	192	<1	<0.01	10	480	6	<5	<20	36	.15	<10	59	<10	10	28
353 - 179	L49400E	49320	N	<5	<.2	1.15	10	8	55	<5	.30	<1	11	24	9	2.65	.04	<10	.35	241	<1	<0.01	10	940	6	<5	<20	17	.14	<10	70	<10	7	29
353 - 180	L49400E	49360	N	<5	<.2	1.36	20	6	60	<5	.20	<1	10	22	6	2.43	.03	<10	.28	186	<1	<0.01	10	1090	8	<5	<20	13	.14	<10	59	<10	5	30
353 - 181	L49400E	49400	N	<5	<.2	1.34	10	6	65	<5	.24	<1	10	19	7	2.35	.04	<10	.30	360	<1	<0.01	11	1190	6	<5	<20	13	.12	<10	54	<10	4	42
353 - 182	L49400E	49440	N	<5	<.2	1.75	30	6	75	<5	.27	<1	12	23	11	3.00	.03	<10	.39	425	<1	<0.01	13	1820	10	<5	<20	17	.11	<10	71	<10	3	59
353 - 183	L49400E	49480	N	<5	<.2	1.65	45	6	80	<5	.27	<1	14	24	9	3.19	.03	<10	.38	445	<1	<0.01	13	1480	10	<5	<20	22	.12	<10	77	<10	3	68
353 - 184	L49400E	49520	N	<5	<.2	1.61	55	8	70	<5	.27	<1	12	23	18	2.71	.03	<10	.40	253	<1	<0.01	14	1130	10	<5	<20	19	.11	<10	68	<10	4	55
353 - 185	L49400E	49560	N	<5	<.2	1.06	25	10	65	<5	.45	<1	11	22	11	2.37	.05	<10	.37	354	<1	<0.01	11	650	6	<5	<20	36	.13	<10	60	<10	8	32
353 - 186	L49400E	49640	N	<5	<.2	1.19	35	8	90	<5	.35	<1	12	19	70	2.55	.04	<10	.41	243	1	<0.01	15	640	14	<5	<20	28	.11	<10	58	<10	5	50
353 - 187	L49400E	49780	N	<5	.2	1.42	60	8	110	<5	.27	<1	16	19	59	3.25	.04	<10	.38	227	2	<0.01	15	2000	16	<5	<20	22	.10	<10	63	<10	2	88
353 - 188	L49400E	49720	N	<5	.2	1.63	100	6	120	<5	.28	<1	15	22	63	3.04	.03	<10	.42	248	2	<0.01	14	680	22	<5	<20	27	.15	<10	65	<10	5	64
353 - 189	L49400E	49760	N	<5	.6	.90	30	8	75	<5	.33	<1	9	20	12	2.22	.06	<10	.24	253	<1	<0.01	7	840	20	<5	<20	30	.14	<10	61	<10	5	77
353 - 190	L49400E	49800	N	<5	<.2	1.00	25	6	80	<5	.57	<1	12	21	10	2.39	.04	<10	.27	363	<1	<0.01	8	950	8	<5	<20	42	.15	<10	64	<10	6	46
353 - 191	L49400E	49840	N	<5	<.2	1.33	40	8	80	<5	.31	<1	13	23	19	2.74	.05	<10	.38	261	<1	<0.01	12	950	10	<5	<20	21	.12	<10	70	<10	4	60
353 - 192	L49400E	49900	N	15	1.6	1.65	55	6	120	<5	.19	<1	12	25	389	3.44	.06	<10	.53	440	29	<0.01	16	870	34	10	<20	15	.06	<10	55	<10	<1	135
353 - 193	L49400E	49920	N	40	1.8	1.78	45	8	140	<5	.24	<1	14	30	399	3.49	.06	<10	.57	471	14	<0.01	21	550	66	10	<20	21	.13	<10	76	<10	2	180
353 - 194	L49400E	49960	N	<5	<.2	1.27	25	8	145	<5	.33	<1	14	19	18	3.27	.08	<10	.45	534	<1	<0.01	9	1010	10	<5	<20	43	.14	<10	69	<10	3	86
353 - 195	L49400E	50000	N	<5	<.2	1.36	25	8	70	<5	.34	<1	13	29	16	2.83	.09	<10	.47	254	<1	<0.01	11	440	8	<5	<20	26	.18	<10	77	<10	6	43
353 - 196	L49400E	50040	N	<5	.2	1.29	25	8	125	<5	.40	<1	13	18	11	2.77	.18	<10	.54	1137	<1	<0.01	8	890	8	<5	<20	37	.17	<10	70	<10	6	107
353 - 197	L49400E	50080	N	<5	<.2	1.42	25	8	75	<5	.37	<1	13	21	10	2.75	.07	<10	.42	298	<1	<0.01	13	660	8	<5	<20	28	.15	<10	71	<10	6	40
353 - 198	L49400E	50120	N	<5	<.2	1.34	30	8	105	<5	.32	<1	14	19	15	3.07	.14	<10	.60	832	<1	<0.01	8	1170	22	<5	<20	34	.18	<10	83	<10	5	100
353 - 199	L49400E	50160	N	<5	<.2	1.48	20	8	110	<5	.45	<1	17	31	14	2.59	.12	<10	.71	533	<1	.01	13	1400	20	<5	<20	37	.19	<10	68	<10	6	333
353 - 200	L49400E	50200	N	<5	<.2	1.22	35	8	100	<5	.30	<1	13	21	13	3.02	.11	<10	.45	474	<1	<0.01	10	1200	10	<5	<20	44	.17	<10	70	<10	5	80
353 - 201	L49400E	50240	N	<5	<.2	1.09	25	6	95	<5	.33	<1	12	21	8	2.48	.07	<10	.30	588	<1	<0.01	9	1550	8	<5	<20	26	.12	<10	57	<10	4	87
353 - 202	L49400E	50280	N	<5	<.2	1.24	25	8	60	<5	.37	<1	12	28	10	2.60	.06	<10	.41	250	<1	.01	11	640	10	<5	<20	28	.17	<10	72	<10	7	57

ECO-TECH LABORATORIES LTD.

PLACER DOME INC. - ETK91- 353

PAGE 7

BT#	DESCRIPTION	AU(ppb)	AG	AL(%)	AS	B	BA	BI	CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA	MG(%)	MN	MO	NA(%)	NI	P	PB	SB	SN	SR	TI(%)	U	V	W	Y	ZN
353 - 203	L49400E 50320 N	<5	.2	1.15	25	8	65	<5	.36	<1	11	25	10	2.52	.07	<10	.39	228	<1	<0.01	12	810	8	<5	<20	25	.14	<10	67	<10	5	41
353 - 204	L49400E 50360 N	<5	<.2	1.24	30	8	70	<5	.41	<1	11	24	10	2.75	.05	<10	.37	259	<1	<0.01	12	960	10	<5	<20	28	.15	<10	70	<10	6	64
353 - 205	L49400E 50400 N	<5	.8	1.28	25	8	95	<5	.38	<1	13	20	12	2.51	.05	<10	.37	760	<1	<0.01	10	1140	18	<5	<20	27	.15	<10	60	<10	7	257
353 - 206	L49400E 50440 N	<5	<.2	1.47	30	8	90	<5	.36	<1	14	20	15	2.96	.12	<10	.57	431	<1	<0.01	11	760	18	<5	<20	27	.16	<10	75	<10	6	130
353 - 207	L49400E 50480 N	<5	.4	1.44	25	8	95	<5	.37	<1	13	21	12	2.79	.05	<10	.45	373	<1	<0.01	14	890	8	<5	<20	24	.15	<10	69	<10	7	96
353 - 208	L49400E 50520 N	<5	.4	1.26	30	6	105	<5	.24	1	12	18	24	3.02	.05	<10	.34	537	1	<0.01	10	510	28	<5	<20	20	.12	<10	70	<10	3	165
353 - 209	L49400E 50560 N	10	.4	1.40	45	6	85	<5	.27	<1	14	21	38	3.23	.05	<10	.45	528	1	<0.01	14	680	24	<5	<20	24	.11	<10	67	<10	4	160
353 - 210	L49400E 50600 N	<5	.6	1.31	55	8	105	<5	.36	<1	12	22	49	3.70	.08	<10	.44	464	1	<0.01	12	1240	16	<5	<20	22	.11	<10	69	<10	2	132
353 - 211	L49400E 50640 N	10	.2	1.21	65	8	65	<5	.32	<1	12	18	35	4.28	.05	<10	.46	448	2	<0.01	9	730	32	5	<20	27	.07	<10	72	<10	<1	144
353 - 212	L49400E 50680 N	<5	.8	1.41	75	8	100	<5	.38	<1	17	26	34	3.51	.08	<10	.53	1192	1	<0.01	15	1070	24	5	<20	27	.12	<10	75	<10	3	224
353 - 213	L49400E 50720 N	<5	.6	1.34	60	8	140	<5	.56	1	15	25	17	2.86	.09	<10	.51	950	<1	<0.01	13	1350	20	<5	<20	47	.13	<10	68	<10	4	172
353 - 214	L49400E 50760 N	5	.6	1.55	65	8	85	<5	.29	<1	17	26	16	3.11	.09	<10	.51	1139	<1	<0.01	13	570	24	<5	<20	21	.15	<10	79	<10	4	202
353 - 215	L49400E 50880 N	<5	.2	1.77	30	8	110	<5	.46	<1	12	21	12	2.91	.07	<10	.46	331	<1	<0.01	15	1360	10	<5	<20	29	.15	<10	70	<10	6	135
353 - 216	L49400E 50840 N	5	.4	1.70	45	8	120	<5	.29	<1	15	22	19	3.24	.12	<10	.73	644	<1	.01	13	1060	14	<5	<20	26	.15	<10	86	<10	4	156
353 - 217	L49400E 50880 N	<5	.4	1.67	55	8	85	<5	.42	<1	15	24	12	2.89	.09	<10	.60	506	<1	<0.01	16	940	24	5	<20	33	.13	<10	73	<10	4	212
353 - 218	L49400E 50920 N	<5	.6	1.46	50	8	110	<5	.34	<1	17	23	18	3.08	.11	<10	.63	599	<1	<0.01	14	770	22	<5	<20	30	.14	<10	80	<10	4	198
353 - 219	L49400E 50980 N	5	.4	1.93	50	8	100	<5	.46	<1	15	25	23	2.97	.11	<10	.68	574	<1	.01	16	850	26	<5	<20	33	.18	<10	70	<10	8	136
353 - 220	L49400E 51000 N	<5	.4	1.66	45	8	85	<5	.40	<1	12	23	16	2.84	.11	<10	.71	420	<1	.01	13	800	18	<5	<20	31	.17	<10	74	<10	6	118
353 - 221	L49500E 49920 N	<5	.2	1.06	25	8	60	<5	.27	<1	12	17	14	2.17	.04	<10	.29	253	<1	<0.01	10	420	10	<5	<20	19	.14	<10	54	<10	5	123
353 - 222	L49500E 49960 N	25	1.2	1.15	35	8	100	<5	.41	<1	13	23	319	3.40	.09	<10	.44	467	6	<0.01	12	670	38	5	<20	27	.14	<10	69	<10	6	87
353 - 223	L49500E 50000 N	<5	.6	1.02	30	6	65	<5	.23	<1	10	20	30	2.51	.04	<10	.32	384	2	<0.01	7	580	12	<5	<20	19	.13	<10	66	<10	4	70
353 - 224	L49500E 50040 N	<5	.2	1.04	20	8	120	<5	.36	<1	14	16	11	2.37	.09	<10	.42	1248	<1	<0.01	7	700	8	<5	<20	29	.17	<10	64	<10	6	122
353 - 225	L49500E 50080 N	<5	.2	1.49	20	8	80	<5	.32	<1	13	19	10	2.69	.06	<10	.41	275	<1	<0.01	12	890	8	<5	<20	24	.15	<10	62	<10	5	94
353 - 226	L49500E 50120 N	<5	<.2	1.06	20	8	45	<5	.40	<1	10	20	8	2.43	.05	<10	.37	285	<1	<0.01	12	900	6	<5	<20	22	.12	<10	64	<10	6	32
353 - 227	L49500E 50180 N	5	<.2	1.00	20	8	60	<5	.29	<1	9	17	5	2.12	.04	<10	.24	234	<1	<0.01	7	890	12	<5	<20	21	.14	<10	55	<10	5	73
353 - 228	L49500E 50200 N	<5	.2	1.38	25	8	60	<5	.36	<1	12	22	9	2.60	.04	<10	.35	276	<1	<0.01	13	750	10	<5	<20	30	.15	<10	64	<10	7	72
353 - 229	L49500E 50280 N	<5	.4	.73	20	8	75	<5	.21	<1	8	16	11	1.98	.04	<10	.23	183	<1	<0.01	6	670	10	<5	<20	18	.13	<10	54	<10	4	43
353 - 230	L49500E 50280 N	5	.4	1.06	20	6	95	<5	.24	<1	10	15	10	2.37	.06	<10	.34	274	<1	<0.01	8	800	16	<5	<20	23	.12	<10	59	<10	4	137
353 - 231	L49500E 50320 N	<5	<.2	1.19	26	6	85	<5	.30	<1	12	17	15	2.57	.08	<10	.55	388	<1	<0.01	8	790	12	<5	<20	25	.13	<10	72	<10	4	73
353 - 232	L49500E 50360 N	<5	.4	1.00	25	6	55	<5	.29	<1	12	17	13	2.22	.05	<10	.36	498	<1	<0.01	7	630	32	<5	<20	22	.12	<10	59	<10	5	110
353 - 233	L49500E 50400 N	<5	.2	1.46	20	8	130	<5	.30	<1	19	10	14	3.32	.24	<10	.87	892	1	<0.01	5	600	8	<5	<20	27	.21	<10	92	<10	6	161
353 - 234	L49500E 51840 N	<5	<.2	1.36	35	8	110	<5	.25	<1	18	30	21	3.04	.09	<10	.64	513	1	<0.01	23	890	14	<5	<20	22	.10	<10	67	<10	2	93

ECO-TECH LABORATORIES LTD.

PLACER DOME INC. - ETK91- 353

PAGE 8

BT#	DESCRIPTION	AU(ppb)	AG	AL(%)	AS	B	BA	BI	CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA	MG(%)	MN	MO	NA(%)	NI	P	PB	SB	SN	SR	TI(%)	U	V	W	Y	ZN	
353 - 235	L49500E	51880 N	<5	.4	1.22	35	6	115	<5	.34	2	17	20	2.68	.07	<10	.46	1537	<1	<0.01	19	870	12	<5	<20	22	.08	<10	58	<10	2	142	
353 - 236	L49500E	52000 N	<5	<.2	1.32	30	6	95	<5	.22	<1	14	20	18	2.87	.08	<10	.58	456	<1	<0.01	26	580	10	<5	<20	22	.09	<10	64	<10	2	105
353 - 237	L49600E	50000 N	5	2.8	1.53	45	6	95	<5	.25	<1	13	19	362	3.50	.07	<10	.49	411	7	<0.01	13	1040	30	5	<20	17	.09	<10	60	<10	2	84
353 - 238	L49600E	50040 N	<5	.2	1.07	15	8	65	<5	.33	<1	10	20	11	2.18	.06	<10	.34	247	<1	<0.01	11	570	6	<5	<20	22	.14	<10	58	<10	6	37
353 - 239	L49600E	50120 N	<5	<.2	.88	15	6	55	<5	.23	<1	7	16	7	1.87	.01	<10	.21	128	<1	<0.01	6	310	6	<5	<20	18	.11	<10	55	<10	5	26
353 - 240	L49600E	50160 N	<5	<.2	1.40	20	6	80	<5	.28	<1	12	19	17	2.49	.06	<10	.44	272	<1	<0.01	12	670	8	<5	<20	22	.13	<10	65	<10	5	102
353 - 241	L49600E	50200 N	<5	<.2	1.06	15	8	55	<5	.28	<1	8	17	8	2.08	.03	<10	.30	177	<1	<0.01	8	580	6	<5	<20	20	.11	<10	55	<10	5	30
353 - 242	L49600E	50240 N	10	<.2	1.43	25	6	110	<5	.31	<1	13	18	15	3.02	.12	<10	.64	430	2	<0.01	8	550	16	<5	<20	48	.15	<10	80	<10	5	77
353 - 243	L49600E	50280 N	<5	<.2	1.26	20	8	75	<5	.29	<1	13	20	10	2.68	.07	<10	.41	281	<1	<0.01	13	840	10	<5	<20	19	.14	<10	72	<10	6	59
353 - 244	L49600E	50320 N	<5	.4	1.09	25	6	75	<5	.27	<1	11	20	18	2.42	.06	<10	.39	263	<1	<0.01	11	620	8	<5	<20	21	.13	<10	62	<10	5	38
353 - 245	L49600E	50360 N	5	.6	1.64	40	6	80	<5	.32	<1	12	22	35	3.06	.05	<10	.51	338	2	<0.01	12	680	140	<5	<20	23	.13	<10	70	<10	5	525
353 - 246	L49600E	50400 N	10	.4	1.20	35	6	60	<5	.30	<1	11	22	19	2.73	.06	<10	.46	300	1	<0.01	10	750	14	<5	<20	23	.13	<10	72	<10	4	80
353 - 247	L49600E	50440 N	<5	.4	1.26	70	6	90	<5	.34	<1	15	19	32	2.85	.11	<10	.53	631	1	<0.01	10	690	30	<5	<20	26	.11	<10	66	<10	4	134
353 - 248	L49600E	50480 N	<5	1.0	1.05	40	6	150	<5	.44	2	16	17	33	2.57	.09	<10	.43	1241	<1	<0.01	10	520	20	<5	<20	45	.13	<10	64	<10	5	168
353 - 249	L49600E	50520 N	10	.6	1.57	75	6	125	<5	.49	<1	16	24	75	3.20	.13	<10	.65	807	2	<0.01	15	730	38	5	<20	41	.10	<10	70	<10	8	131
353 - 250	L49600E	50560 N	5	.4	1.24	55	6	85	<5	.40	<1	13	23	38	3.28	.11	<10	.61	476	1	<0.01	13	560	26	5	<20	26	.13	<10	73	<10	5	144
353 - 251	L49600E	50800 N	15	.8	1.40	50	6	105	<5	.38	<1	13	20	100	3.10	.09	<10	.57	614	<1	<0.01	13	490	26	<5	<20	34	.12	<10	65	<10	7	127
353 - 252	L49600E	50640 N	10	1.0	1.47	30	6	90	<5	.61	<1	13	21	32	2.75	.07	<10	.60	476	<1	<0.01	13	350	18	<5	<20	43	.14	<10	67	<10	7	89
353 - 253	L49600E	50680 N	<5	.8	1.11	30	6	85	<5	.33	<1	12	16	35	2.23	.07	<10	.41	360	<1	<0.01	10	250	14	<5	<20	29	.13	<10	59	<10	7	84
353 - 254	L49600E	50720 N	15	1.2	2.09	45	6	155	<5	1.02	<1	14	24	83	3.19	.14	10	.80	696	<1	<0.01	20	730	20	<5	<20	56	.12	<10	68	<10	19	164
353 - 255	L49600E	50760 N	<5	.4	1.28	40	6	100	<5	.62	<1	11	20	34	2.65	.14	<10	.74	586	<1	.02	12	650	16	5	<20	37	.12	<10	66	<10	10	92
353 - 256	L49600E	50800 N	<5	<.2	1.20	30	6	70	<5	.27	<1	10	16	9	2.16	.05	<10	.47	253	<1	<0.01	8	370	12	<5	<20	19	.13	<10	60	<10	5	68
353 - 257	L49600E	50840 N	5	.8	2.14	60	6	155	<5	.69	<1	14	27	90	3.31	.16	10	.74	790	<1	<0.01	23	540	24	5	<20	55	.12	<10	67	<10	18	149
353 - 258	L49600E	50880 N	<5	.2	1.36	35	6	90	<5	.44	<1	14	22	21	2.56	.09	<10	.59	580	<1	.01	12	340	16	<5	<20	33	.14	<10	64	<10	9	83
353 - 259	L49600E	50820 N	<5	.2	1.53	45	6	70	<5	.26	<1	13	20	11	3.22	.06	<10	.57	367	<1	<0.01	10	940	16	<5	<20	23	.14	<10	80	<10	3	136
353 - 260	L49600E	50960 N	<5	.2	1.62	40	6	90	<5	.45	<1	13	19	16	2.72	.13	<10	.69	479	<1	<0.01	12	350	16	<5	<20	34	.15	<10	67	<10	6	90
353 - 261	L49600E	51000 N	<5	<.2	1.10	40	6	75	<5	.24	<1	11	17	11	2.70	.06	<10	.45	483	<1	<0.01	9	1040	12	<5	<20	20	.11	<10	69	<10	3	89
353 - 262	L49700E	49920 N	80	6.0	1.52	70	4	120	35	.20	<1	16	26	337	5.02	.08	<10	.66	496	9	<0.01	14	910	178	15	<20	28	.08	<10	83	<10	<1	298
353 - 263	L49700E	49900 N	45	.8	2.06	45	6	250	<5	.37	3	37	37	333	5.01	.15	<10	.83	2075	4	<0.01	21	870	22	5	<20	65	.13	<10	105	<10	2	379

ECO-TECH LABORATORIES LTD.

PLACER DOME INC. - ETK91- 353

PAGE 9

RTI	DESCRIPTION	AU(ppb)	AG AL(%)	AS	B	BA	BI	CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA	MG(%)	MN	MO	NA(%)	NI	P	PB	SB	SN	SR	TI(%)	U	V	W	Y	ZN
353 - 264	L49700E	50000 N	160	1.8 1.03	35	6	70	<5 .20	<1	12	19	426	3.63	.10	<10 .41	323	7 <0.01	9	510	34	10	<20	17	.09	<10	66	<10	<1	105		
353 - 265	L49700E	50040 N	<5	.2 1.03	20	6	75	<5 .22	<1	12	17	18	2.51	.06	<10 .35	382	1 <0.01	7	790	12	<5	<20	16	.13	<10	62	<10	3	160		
353 - 266	L49700E	50080 N	<5	.2 1.43	25	6	95	<5 .27	<1	13	20	26	2.84	.07	<10 .52	340	<1 <0.01	10	800	10	<5	<20	23	.15	<10	75	<10	5	76		
353 - 267	L49700E	50120 N	<5	<.2 1.25	20	6	70	<5 .30	<1	12	21	13	2.32	.06	<10 .39	254	<1 <0.01	11	600	6	<5	<20	23	.14	<10	61	<10	5	44		
353 - 268	L49700E	50160 N	<5	.2 1.41	20	6	85	<5 .68	<1	10	16	20	2.07	.02	<10 .48	271	<1 <0.01	10	520	8	<5	<20	69	.10	<10	55	<10	7	66		
353 - 269	L49700E	50200 N	<5	<.2 1.17	20	6	60	<5 .22	<1	12	18	11	2.51	.07	<10 .41	314	<1 <0.01	8	470	10	<5	<20	19	.15	<10	70	<10	5	70		
353 - 270	L49700E	50240 N	<5	<.2 .70	20	6	55	<5 .24	<1	9	16	8	2.14	.07	<10 .26	289	<1 <0.01	6	450	8	<5	<20	18	.14	<10	63	<10	4	54		
353 - 271	L49700E	50280 N	<5	<.2 1.25	35	6	75	<5 .29	<1	15	20	34	3.42	.07	<10 .44	370	1 <0.01	11	720	12	5	<20	23	.15	<10	82	<10	4	112		
353 - 272	L49700E	50320 N	5	1.0 1.35	25	6	125	<5 .36	<1	15	16	52	2.74	.09	<10 .50	783	<1 <0.01	9	560	14	<5	<20	28	.11	<10	58	<10	7	128		
353 - 273	L49700E	50360 N	<5	.2 1.17	20	4	75	<5 .28	<1	11	15	16	2.28	.04	<10 .47	564	1 <0.01	7	540	8	<5	<20	19	.12	<10	69	<10	4	75		
353 - 274	L49700E	50460 N	<5	.4 .66	15	6	115	<5 .36	2	18	17	16	2.11	.08	<10 .27	1827	<1 <0.01	6	830	6	<5	<20	32	.12	<10	59	<10	3	144		
353 - 275	L49800E	49000 N	<5	<.2 1.08	50	6	50	<5 .18	<1	11	22	12	2.94	<0.01	<10 .35	212	<1 <0.01	11	750	8	<5	<20	12	.10	<10	77	<10	2	31		
353 - 276	L49800E	49120 N	10	.4 1.53	100	6	110	<5 .16	<1	13	22	55	3.61	<0.01	<10 .41	223	<1 <0.01	14	1210	28	5	<20	15	.07	<10	67	<10	<1	68		
353 - 277	L49800E	49160 N	5	.4 1.46	105	4	155	<5 .30	<1	15	23	122	4.51	.02	<10 .41	599	<1 <0.01	12	1130	20	10	<20	29	.04	<10	70	<10	<1	82		
353 - 278	L49800E	49200 N	<5	<.2 1.09	25	4	55	<5 .19	<1	10	18	8	2.63	.02	<10 .25	460	<1 <0.01	7	1800	6	<5	<20	14	.08	<10	62	<10	1	47		
353 - 279	L49800E	49240 N	<5	<.2 1.01	20	6	70	<5 .26	<1	10	21	40	2.36	.04	<10 .35	247	<1 <0.01	10	700	4	<5	<20	18	.12	<10	64	<10	4	28		
353 - 280	L49800E	49280 N	<5	.2 1.22	10	6	45	<5 .17	<1	9	19	6	1.98	.03	<10 .24	151	<1 <0.01	8	1190	2	<5	<20	14	.10	<10	47	<10	3	25		
353 - 281	L49800E	49320 N	<5	<.2 1.54	10	6	65	<5 .18	<1	9	18	7	2.11	.02	<10 .29	249	<1 <0.01	9	1590	2	<5	<20	15	.10	<10	49	<10	4	34		
353 - 282	L49800E	49360 N	<5	<.2 1.10	10	4	65	<5 .20	<1	9	18	7	1.87	.03	<10 .28	217	<1 <0.01	9	780	2	<5	<20	21	.10	<10	49	<10	4	25		
353 - 283	L49800E	49400 N	15	.2 1.31	20	6	50	<5 .12	<1	10	16	13	2.42	.02	<10 .28	163	<1 <0.01	9	870	6	<5	<20	11	.09	<10	55	<10	2	38		
353 - 284	L49800E	49440 N	20	.6 1.73	40	4	110	<5 .10	<1	17	18	33	3.30	.02	<10 .39	244	<1 <0.01	11	980	10	<5	<20	14	.09	<10	61	<10	<1	67		
353 - 285	L49800E	49520 N	75	1.2 1.68	95	4	70	<5 .06	<1	10	14	31	6.12	.12	<10 .49	261	<1 .06	6	1460	24	5	<20	90	.09	<10	75	<10	<1	30		
353 - 286	L49800E	49560 N	125	2.8 1.25	180	4	95	10 .11	<1	17	26	145	7.07	<0.01	<10 .46	309	<1 .01	9	1360	68	55	<20	35	.04	<10	81	<10	<1	45		
353 - 287	L49800E	50000 N	15	.8 1.18	20	4	70	<5 .19	<1	13	21	209	2.87	.06	<10 .43	409	2 <0.01	11	370	10	<5	<20	15	.10	<10	71	<10	1	84		
353 - 288	L49800E	50040 N	20	.4 .84	20	6	60	<5 .23	<1	9	19	80	2.02	.05	<10 .29	286	1 <0.01	7	350	6	<5	<20	20	.09	<10	52	<10	2	53		
353 - 289	L49800E	50080 N	10	.4 1.29	15	4	100	<5 .39	<1	10	21	151	2.42	.10	<10 .65	304	<1 <0.01	10	480	2	<5	<20	38	.14	<10	70	<10	6	47		
353 - 290	L49800E	50120 N	<5	.2 1.14	10	4	55	<5 .27	<1	8	16	32	1.85	.04	<10 .40	184	<1 <0.01	7	440	<2	<5	<20	22	.12	<10	51	<10	5	27		
353 - 291	L49800E	50160 N	15	.6 .98	20	4	70	<5 .31	<1	9	15	107	2.09	.05	<10 .36	251	2 <0.01	8	520	16	5	<20	28	.11	<10	48	<10	5	41		
353 - 292	L49800E	50200 N	20	.6 .94	10	6	65	<5 .22	<1	7	13	33	1.74	.05	<10 .35	175	<1 <0.01	7	370	6	<5	<20	17	.11	<10	48	<10	5	44		
353 - 293	L49800E	50240 N	<5	.4 1.13	15	6	90	<5 .26	<1	10	15	47	2.22	.07	<10 .41	265	1 <0.01	9	490	2	<5	<20	21	.11	<10	62	<10	5	48		
353 - 294	L49800E	50280 N	10	.6 1.07	30	6	105	<5 .28	<1	14	17	125	3.32	.07	<10 .45	617	2 <0.01	9	510	14	5	<20	24	.09	<10	74	<10	3	75		
353 - 295	L49800E	50320 N	<5	.6 1.14	15	6	90	<5 .30	<1	10	17	13	2.21	.05	<10 .37	227	<1 <0.01	9	580	4	<5	<20	23	.13	<10	61	<10	6	44		
353 - 296	L49800E	50360 N	<5	.6 .97	35	4	85	<5 .47	<1	12	16	172	2.65	.13	<10 .50	549	4 <0.01	8	810	16	5	<20	35	.09	<10	58	<10	7	60		

ECO-TECH LABORATORIES LTD.

PLACER DOME INC. - ETK91- 353

PAGE 10

BT#	DESCRIPTION	AU(ppb)	AG AL(%)	AS	B	BA	BI	CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA	MG(%)	MN	MO	NA(%)	NI	P	PB	SB	SN	SR	TI(%)	U	V	W	Y	ZN		
353 - 297	L49800E	50400 N	<5	.6	1.09	50	6	95	<5	.33	<1	13	18	134	2.65	.12	<10	.53	462	3	.01	9	650	22	<5	<20	25	.11	<10	64	<10	6	74
353 - 298	L49800E	50440 N	10	.4	1.11	60	4	95	<5	.38	<1	13	19	90	2.58	.13	<10	.57	507	2	.01	9	670	22	<5	<20	28	.11	<10	61	<10	6	74
353 - 299	L49800E	50480 N	<5	2.2	2.62	70	6	230	<5	1.00	<1	18	19	267	3.71	.19	10	.69	1046	4	<0.01	18	760	22	5	<20	81	.05	<10	59	<10	13	150
353 - 300	L49800E	50520 N	10	.6	1.31	55	4	100	<5	.59	<1	12	19	107	2.69	.15	<10	.66	554	2	<0.01	10	670	22	<5	<20	65	.10	<10	63	<10	8	86
353 - 301	L49800E	50540 N	<5	<.2	.97	20	6	70	<5	.39	<1	9	18	24	2.06	.07	<10	.45	248	<1	.01	8	500	10	<5	<20	32	.13	<10	55	<10	7	51
353 - 302	L49800E	50600 N	5	.2	1.04	30	6	75	<5	.35	<1	11	22	32	2.45	.08	<10	.47	306	<1	<0.01	10	600	10	<5	<20	26	.15	<10	63	<10	7	41
353 - 303	L49800E	50640 N	<5	<.2	1.04	20	6	70	<5	.32	<1	10	20	23	2.28	.06	<10	.43	304	<1	<0.01	9	680	8	<5	<20	25	.14	<10	61	<10	8	39
353 - 304	L49800E	50680 N	<5	.2	1.00	15	6	65	<5	.33	<1	9	16	13	1.83	.04	<10	.39	266	<1	<0.01	7	490	6	<5	<20	23	.13	<10	51	<10	6	44
353 - 305	L49800E	50720 N	5	.8	1.18	15	6	90	<5	1.33	<1	8	19	69	2.03	.06	10	.50	246	<1	<0.01	13	1040	8	<5	<20	66	.08	<10	45	<10	16	46
353 - 306	L49800E	50780 N	<5	<.2	1.18	10	8	75	<5	.71	<1	11	19	16	2.42	.05	<10	.49	348	<1	<0.01	10	540	8	5	<20	36	.14	<10	60	<10	9	42
353 - 307	L49800E	50880 N	<5	<.2	1.33	20	6	105	<5	1.00	<1	13	21	25	2.66	.09	10	.58	644	<1	.01	13	900	10	<5	<20	53	.12	<10	64	<10	13	46
353 - 308	L49800E	50920 N	5	<.2	1.48	15	8	90	<5	.53	<1	13	19	16	2.70	.07	<10	.72	447	<1	.02	11	530	14	<5	<20	29	.14	<10	68	<10	8	71
353 - 309	L49800E	50960 N	<5	<.2	1.12	20	8	75	<5	.94	<1	11	19	16	2.72	.10	<10	.64	354	<1	<0.01	11	780	10	<5	<20	39	.11	<10	65	<10	5	59
353 - 310	L49800E	50980 N	<5	<.2	2.92	25	8	110	<5	1.07	<1	15	12	21	3.26	.46	<10	1.78	1304	<1	.03	8	550	28	5	<20	51	.20	<10	105	<10	8	110
353 - 311	L49900E	49920 N	45	.6	1.72	45	8	195	<5	.31	<1	18	24	153	4.64	.22	<10	.87	787	4	.01	14	660	36	10	<20	38	.14	<10	95	<10	2	239
353 - 312	L49900E	49960 N	55	1.0	1.38	55	6	215	<5	.37	<1	20	22	170	5.53	.11	<10	.64	909	6	<0.01	12	970	56	15	<20	35	.06	<10	84	<10	<1	173
353 - 313	L49900E	50000 N	<5	1.0	1.42	75	4	125	<5	.50	<1	21	27	76	4.83	.08	<10	.67	871	2	<0.01	14	1010	140	10	<20	38	.02	<10	63	<10	<1	200
353 - 314	L49900E	50040 N	85	.8	1.16	35	6	150	<5	.41	<1	15	19	299	3.34	.11	<10	.54	726	3	<0.01	11	680	30	5	<20	29	.08	<10	68	<10	1	159
353 - 315	L49900E	50080 N	<5	.8	1.51	10	8	125	<5	.33	<1	14	21	62	2.84	.14	<10	.62	316	1	<0.01	16	560	12	5	<20	23	.17	<10	75	<10	7	94
353 - 316	L49900E	50120 N	<5	<.2	1.23	15	8	70	<5	.31	<1	13	22	136	2.62	.06	<10	.41	321	<1	<0.01	11	580	8	<5	<20	20	.15	<10	66	<10	7	48
353 - 317	L49900E	50160 N	<5	.6	1.91	10	6	145	<5	.52	<1	16	19	38	3.26	.12	<10	.76	453	1	<0.01	11	490	10	<5	<20	41	.19	<10	80	<10	8	126
353 - 318	L49900E	50200 N	5	.8	1.38	30	8	130	<5	.28	<1	15	20	103	3.49	.13	<10	.56	513	3	<0.01	12	860	24	5	<20	23	.11	<10	77	<10	2	153
353 - 319	L49900E	50240 N	<5	.4	1.26	15	6	95	<5	.37	<1	13	19	30	2.67	.06	<10	.43	422	1	<0.01	11	600	8	5	<20	23	.14	<10	69	<10	6	85
353 - 320	L49900E	50280 N	5	.8	1.13	30	4	70	<5	.28	<1	13	17	123	3.14	.05	<10	.35	472	4	<0.01	10	570	24	5	<20	20	.06	<10	61	<10	2	95
353 - 321	L49900E	50320 N	5	.4	1.24	25	6	115	<5	.36	<1	11	19	110	2.67	.05	<10	.47	326	4	<0.01	10	570	20	<5	<20	25	.09	<10	58	<10	4	88
353 - 322	L49900E	50360 N	10	.8	1.60	30	6	145	<5	.70	<1	14	23	205	3.12	.10	10	.68	514	3	<0.01	15	670	26	5	<20	39	.11	<10	65	<10	9	124
353 - 323	L49900E	50400 N	<5	<.2	.94	15	8	85	<5	.34	<1	10	16	43	2.02	.03	<10	.37	271	<1	.01	9	590	12	<5	<20	26	.09	<10	49	<10	6	51
353 - 324	L50200E	49000 N	<5	<.2	1.35	30	4	60	<5	.20	<1	11	20	8	2.78	.02	<10	.29	325	<1	<0.01	12	1610	10	<5	<20	12	.09	<10	65	<10	2	64
353 - 325	L50200E	49040 N	<5	<.2	1.41	45	8	60	<5	.23	<1	12	23	11	3.15	.01	<10	.39	310	<1	<0.01	13	1350	10	<5	<20	11	.09	<10	74	<10	3	55
353 - 326	L50200E	49080 N	<5	<.2	1.86	50	8	75	<5	.21	<1	16	33	24	3.48	.01	<10	.53	417	<1	<0.01	18	1140	16	5	<20	17	.11	<10	75	<10	2	99
353 - 327	L50200E	49120 N	<5	<.2	1.65	70	6	80	<5	.16	<1	13	24	20	3.43	<0.01	<10	.40	273	<1	<0.01	15	1290	14	<5	<20	16	.09	<10	75	<10	1	66
353 - 328	L50200E	49160 N	10	<.2	1.43	60	6	105	<5	.25	<1	15	18	20	3.36	.02	<10	.39	402	<1	<0.01	15	1140	16	<5	<20	26	.09	<10	67	<10	1	91
353 - 329	L50200E	49200 N	<5	<.2	1.34	90	6	75	<5	.24	<1	14	23	15	3.47	<0.01	<10	.35	297	<1	<0.01	13	1410	20	5	<20	20	.10	<10	77	<10	1	85
353 - 330	L50200E	49240 N	<5	<.2	1.25	20	6	60	<5	.22	<1	11	22	7	2.59	.03	<10	.31	182	<1	<0.01	11	930	8	<5	<20	16	.11	<10	65	<10	4	33
353 - 331	L50200E	49280 N	<5	.2	1.56	55	6	70	<5	.20	<1	14	20	22	3.38	.03	<10	.48	290	<1	<0.01	12	1150	16	5	<20	16	.11	<10	76	<10	2	85
353 - 332	L50200E	49320 N	<5	<.2	.89	50	8	70	<5	.44	<1	11	21	23	2.53	.04	<10	.43	288	<1	.01	11	900	8	<5	<20	25	.09	<10	61	<10	5	44
353 - 333	L50200E	49400 N	<5	<.2	1.96	15	<2	225	<5	.49	<1	11	8	18	3.87	.08	20	.44	574	<1	<0.01	5	790	8	5	<20	42	<0.01	<10	29	<10	<1	62
353 - 334	L50200E	49440 N	<5	.2	.89	145	2	85	<5	.30	<1	12	8	33	4.32	<0.01	<10	.21	425	<1	<0.01	17	470	42	10	<20	14	<0.01	<10	37	<10	<1	66

ECO-TECH LABORATORIES LTD.

PLACER DOME INC. - ETK91- 353

PAGE 11

BT#	DESCRIPTION	AU(ppb)	AG	AL(%)	AS	B	BA	BI	CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA	MG(%)	MN	MO	NA(%)	NI	P	PB	SB	SN	SR	TI(%)	U	V	W	Y	ZN	
353 - 335	L50200E	49480 N	<5	<.2	1.07	45	2	90	<5	.26	<1	17	13	23	5.15	.04	<10	.28	372	<1	<0.01	27	1010	8	10	<20	14	<0.01	<10	46	<10	<1	67
353 - 336	L50200E	49520 N	<5	<.2	1.93	5	<2	55	<5	.24	<1	11	3	42	2.86	.13	<10	.46	178	<1	<0.01	7	370	6	<5	<20	14	<0.01	<10	40	<10	<1	39
353 - 337	L50200E	49620 N	20	<.2	1.15	55	6	65	<5	.26	<1	13	21	57	3.19	<0.01	<10	.48	241	<1	<0.01	15	660	16	<5	<20	20	.07	<10	70	<10	2	44
353 - 338	L50200E	49640 N	20	<.2	1.36	90	6	85	<5	.18	<1	17	26	23	4.69	<0.01	<10	.44	376	<1	<0.01	12	1790	38	<5	<20	13	.10	<10	92	<10	<1	163
353 - 339	L50200E	49680 N	175	.6	1.51	5	6	205	<5	.71	<1	11	21	22	1.99	.15	<10	.85	227	2	<0.01	12	980	32	5	<20	44	.17	<10	51	<10	8	153
353 - 340	L50200E	49720 N	45	.6	2.05	70	4	85	<5	.17	<1	17	30	196	4.79	.04	<10	.58	333	7	<0.01	15	1590	42	5	<20	11	.07	<10	91	<10	<1	170
353 - 341	L50200E	49760 N	<5	<.2	.96	30	4	45	<5	.11	<1	10	21	60	3.35	.03	<10	.34	176	4	<0.01	8	820	20	5	<20	9	.09	<10	87	<10	<1	75
353 - 342	L50200E	49800 N	235	1.4	2.18	60	6	160	<5	.25	<1	21	33	903	5.21	.06	<10	.88	528	10	<0.01	24	850	80	10	<20	18	.10	<10	86	<10	<1	216
353 - 343	L50200E	49840 N	5	.4	1.88	40	6	140	<5	.20	<1	18	22	182	4.91	.11	<10	.73	407	8	<0.01	13	850	44	5	<20	18	.13	<10	96	<10	<1	194
353 - 344	L50200E	49880 N	<5	.8	1.73	20	6	75	<5	.14	<1	13	25	99	2.84	.04	<10	.40	215	3	<0.01	14	930	22	5	<20	11	.11	<10	61	<10	3	151
353 - 345	L50200E	49920 N	20	1.4	2.11	30	6	135	<5	.22	<1	18	45	605	4.58	.06	<10	.73	388	16	<0.01	22	1370	60	10	<20	17	.07	<10	80	<10	<1	160
353 - 346	L50200E	49960 N	10	1.4	2.45	30	6	135	<5	.26	<1	24	24	333	4.65	.07	<10	.70	293	5	<0.01	16	800	32	10	<20	28	.12	<10	87	<10	1	143
353 - 347	L50200E	50000 N	<5	.6	2.06	30	6	135	<5	.23	<1	17	28	185	4.23	.04	<10	.63	384	5	<0.01	19	850	28	10	<20	19	.11	<10	88	<10	<1	188
353 - 348	L50200E	50040 N	30	.4	2.23	35	6	125	<5	.21	<1	20	31	121	4.36	.04	<10	.61	470	5	<0.01	19	1080	32	5	<20	17	.12	<10	94	<10	1	234
353 - 349	L50200E	50080 N	10	<.2	1.65	15	8	110	<5	.62	<1	12	24	470	2.90	.11	10	.76	363	7	.01	19	550	20	5	<20	33	.13	<10	63	<10	10	95
353 - 350	L50200E	50120 N	<5	<.2	1.52	15	6	80	<5	.25	<1	13	23	41	2.55	.05	<10	.42	262	<1	<0.01	12	820	12	<5	<20	18	.13	<10	57	<10	6	59
353 - 351	L50200E	50200 N	<5	<.2	1.13	20	8	70	<5	.25	<1	10	20	64	2.60	.04	<10	.36	256	1	<0.01	11	990	12	<5	<20	15	.10	<10	63	<10	5	45
353 - 352	L50200E	50240 N	<5	<.2	1.13	20	6	75	<5	.33	<1	12	22	96	3.16	.07	10	.43	269	2	<0.01	11	710	14	<5	<20	21	.12	<10	71	<10	6	57
353 - 353	L50200E	50280 N	<5	<.2	.79	15	8	70	<5	.44	<1	9	17	14	2.28	.04	<10	.34	254	1	<0.01	7	780	8	<5	<20	28	.11	<10	56	<10	6	32
353 - 354	L50200E	50320 N	<5	<.2	.75	5	6	50	<5	.41	<1	8	14	16	1.56	.04	<10	.33	276	<1	<0.01	6	620	10	<5	<20	22	.11	<10	39	<10	7	25
353 - 355	L50200E	50360 N	<5	<.2	1.44	10	8	80	<5	.32	<1	13	21	19	2.59	.05	<10	.44	219	<1	<0.01	11	820	10	<5	<20	22	.15	<10	68	<10	6	47
353 - 356	L50200E	50400 N	<5	<.2	1.65	20	6	95	<5	.31	<1	13	23	15	2.44	.05	10	.42	289	<1	<0.01	13	770	14	<5	<20	24	.16	<10	57	<10	8	57
353 - 357	L50200E	50440 N	<5	<.2	1.28	25	6	65	<5	.31	<1	10	20	12	2.32	.05	<10	.39	255	<1	<0.01	9	690	16	<5	<20	24	.13	<10	59	<10	6	51
353 - 358	L50200E	50480 N	<5	<.2	1.35	15	6	110	<5	.69	<1	12	21	21	2.30	.04	10	.58	380	<1	.01	10	620	12	<5	<20	46	.16	<10	66	<10	11	61
353 - 359	L50200E	50520 N	<5	<.2	1.32	15	6	85	<5	.60	<1	13	22	14	2.51	.03	10	.53	391	<1	.01	10	570	16	<5	<20	40	.14	<10	64	<10	8	49
353 - 360	L50200E	50560 N	<5	<.2	1.18	5	6	55	<5	.25	<1	8	18	11	1.82	.03	<10	.29	181	<1	<0.01	8	550	10	<5	<20	19	.12	<10	48	<10	6	31
353 - 361	L50200E	50600 N	<5	<.2	1.20	10	6	65	<5	.24	<1	10	23	14	2.31	.04	10	.37	245	<1	<0.01	11	620	10	<5	<20	18	.14	<10	58	<10	7	36
353 - 362	L50200E	50640 N	<5	<.2	1.48	10	6	70	<5	.24	<1	11	22	18	2.35	.05	<10	.41	238	<1	<0.01	12	630	14	<5	<20	21	.12	<10	57	<10	5	38
353 - 363	L50200E	50680 N	<5	<.2	1.44	10	6	75	<5	.31	<1	10	21	13	2.41	.04	10	.30	261	<1	<0.01	13	950	10	<5	<20	21	.10	<10	57	<10	6	33
353 - 364	L50200E	50720 N	<5	<.2	1.41	5	6	65	<5	.28	<1	10	23	10	1.99	.03	<10	.29	170	<1	<0.01	11	530	10	<5	<20	20	.12	<10	51	<10	5	26
353 - 365	L50200E	50760 N	<5	<.2	1.22	10	8	45	<5	.18	<1	10	19	8	2.18	.02	<10	.23	176	<1	<0.01	9	810	8	<5	<20	14	.10	<10	55	<10	5	36
353 - 366	L50200E	50800 N	<5	<.2	.95	5	6	65	<5	.40	<1	9	18	9	1.71	.03	<10	.35	221	<1	<0.01	8	540	8	<5	<20	26	.13	<10	47	<10	8	36
353 - 367	L50200E	50840 N	<5	<.2	.97	10	8	70	<5	.48	<1	10	20	11	1.96	.04	10	.40	297	<1	.01	8	680	10	<5	<20	33	.15	<10	53	<10	10	34
353 - 368	L50200E	50880 N	<5	<.2	1.23	10	6	75	<5	.49	<1	11	15	11	2.17	.04	<10	.51	358	<1	.01	9	460	12	<5	<20	42	.15	<10	59	<10	9	47
353 - 369	L50200E	50920 N	<5	<.2	1.16	10	8	75	<5	.58	<1	11	20	12	2.55	.06	10	.58	367	<1	.02	11	680	8	<5	<20	38	.14	<10	65	<10	9	34
353 - 370	L50200E	50860 N	<5	<.2	1.62	15	6	105	<5	.48	<1	16	26	25	3.06	.11	10	.68	471	<1	.01	14	580	14	5	<20	39	.16	<10	74	<10	9	56

ECO-TECH LABORATORIES LTD.

PLACER DOME INC. - ETK91- 353

PAGE 12

BT#	DESCRIPTION	AU(ppb)	AG AL(%)	AS	B	BA	BI	CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA	MG(%)	MN	MO	NA(%)	NI	P	PB	SB	SN	SR	TI(%)	U	V	W	Y	ZN			
353 - 371	L50200B	51000	N	<5	.4	2.16	20	6	115	<5	.34	2	17	20	20	2.68	.07	<10	.46	1537	<1	<0.01	19	870	12	<5	<20	22	.08	<10	58	<10	2	142
353 - 372	L50300B	49760	N	<5	<.2	.07	20	4	80	<5	.25	<1	10	18	17	2.91	.03	<10	.32	289	<1	<0.01	9	634	18	<5	<20	14	.05	<10	69	<10	<1	97
353 - 373	L50300B	49800	N	35	.2	1.39	30	8	120	<5	.49	<1	18	26	197	4.05	.00	<10	.56	561	3	<0.01	17	770	30	5	<20	29	.10	<10	87	<10	<1	205
353 - 374	L50300B	49840	N	115	.8	1.62	35	6	115	<5	.15	<1	15	28	179	4.99	.05	<10	.58	229	6	<0.01	13	980	48	5	<20	19	.09	<10	85	<10	<1	250
353 - 375	L50300B	49880	N	20	.6	1.89	20	4	100	<5	.16	<1	18	29	334	4.25	.05	10	.65	365	6	<0.01	16	850	40	5	<20	15	.09	<10	89	<10	<1	178
353 - 376	L50300B	49920	N	40	.2	2.68	45	6	115	<5	.19	<1	23	45	709	5.56	.06	10	1.01	574	12	<0.01	23	1120	58	15	<20	14	.10	<10	103	<10	<1	200
353 - 377	L50300B	49960	N	5	.4	2.04	15	4	110	<5	.16	<1	15	31	171	3.11	.05	<10	.64	379	3	<0.01	15	880	20	<5	<20	12	.07	<10	84	<10	<1	168
353 - 378	L50300B	50000	N	<5	<.2	1.48	10	6	65	<5	.18	<1	12	16	19	2.42	.03	<10	.29	253	1	<0.01	10	1390	12	<5	<20	12	.11	<10	55	<10	4	68
353 - 379	L50300B	50040	N	20	<.2	1.52	15	6	100	<5	.21	<1	13	25	247	2.95	.05	<10	.50	295	4	<0.01	14	710	18	5	<20	16	.13	<10	66	<10	4	67
353 - 380	L50300B	50080	N	<5	<.2	1.03	<5	4	45	<5	.16	<1	4	11	87	1.28	.04	<10	.18	135	1	<0.01	5	770	24	<5	<20	11	.06	<10	30	<10	2	52
353 - 381	L50300B	50120	N	<5	<.2	1.46	5	6	165	<5	.23	<1	7	16	180	1.64	.02	<10	.45	283	3	<0.01	8	390	24	5	<20	17	.08	<10	49	<10	4	54
353 - 382	L50300B	50160	N	<5	<.2	1.31	10	8	60	<5	.30	<1	13	24	34	2.63	.07	10	.42	389	<1	<0.01	9	680	12	<5	<20	20	.17	<10	66	<10	8	59
353 - 383	L50300B	50200	N	<5	<.2	1.34	10	6	55	<5	.24	<1	11	21	12	2.47	.03	<10	.33	214	<1	<0.01	9	900	18	<5	<20	15	.15	<10	64	<10	6	56
353 - 384	L50300B	50240	N	<5	<.2	1.38	10	6	90	<5	.38	<1	12	22	14	2.62	.03	10	.37	226	<1	<0.01	11	780	18	<5	<20	27	.15	<10	72	<10	7	51
353 - 385	L50400B	50000	N	<5	<.2	1.15	15	8	85	<5	.22	<1	13	20	48	2.79	.05	10	.38	395	<1	<0.01	10	620	12	<5	<20	17	.10	<10	60	<10	3	80
353 - 386	L50400B	50040	N	<5	<.2	1.75	10	6	95	<5	.22	<1	16	27	163	3.27	.04	10	.52	485	2	<0.01	15	1180	28	5	<20	15	.12	<10	73	<10	4	88
353 - 387	L50400B	50080	N	360	.6	1.62	30	6	90	<5	.14	<1	15	23	137	4.83	.04	10	.48	246	5	<0.01	12	830	38	5	<20	14	.08	<10	82	<10	<1	223
353 - 388	L50400B	50120	N	1310	>30	2.64	105	2	150	<5	.22	2	18	32	760	6.81	.09	20	.93	430	14	.01	19	1170	2320	270	<20	21	.12	<10	102	<10	<1	891
353 - 389	L50400B	50160	N	170	>30	2.22	35	4	105	<5	.17	<1	22	30	324	5.27	.06	10	.74	457	8	<0.01	18	980	368	45	<20	16	.10	<10	95	<10	<1	296
353 - 390	L50400B	50200	N	80	.4	2.10	35	4	105	<5	.22	<1	16	32	358	4.44	.07	10	.79	348	10	<0.01	19	2150	38	10	<20	14	.10	<10	78	<10	<1	149
353 - 391	L50400B	50240	N	<5	.2	1.22	18	6	70	<5	.39	<1	18	28	74	2.38	.04	<10	.53	331	2	<0.01	10	420	20	<5	<20	22	.13	<10	54	<10	5	81
353 - 392	L50400B	50280	N	<5	<.2	1.43	15	6	115	<5	.23	<1	14	24	219	2.98	.05	10	.45	266	2	<0.01	15	880	14	<5	<20	16	.12	<10	68	<10	4	64
353 - 393	L50400B	50320	N	20	.2	1.78	35	6	155	<5	.34	<1	20	27	328	4.78	.21	20	.82	572	6	<0.01	16	960	30	10	<20	22	.14	<10	86	<10	6	85
353 - 394	L50400B	50380	N	<5	<.2	.98	5	6	55	<5	.30	<1	8	18	12	1.63	.03	<10	.25	196	<1	<0.01	6	520	18	<5	<20	23	.11	<10	47	<10	6	34
353 - 395	L50400B	50400	N	10	.8	2.07	5	16	178	<5	2.32	1	15	23	98	3.16	.14	20	1.00	1425	1	<0.01	16	1470	16	5	<20	152	.09	<10	72	<10	10	105
353 - 396	L50400B	50440	N	<5	<.2	1.27	<5	6	113	<5	1.14	<1	8	20	47	1.68	.05	10	.48	243	<1	<0.01	8	754	12	<5	<20	71	.10	<10	43	<10	10	58
353 - 397	L50400B	50540	N	<5	<.2	1.05	18	8	85	<5	.61	<1	9	22	14	2.21	.03	10	.38	246	<1	<0.01	8	730	18	<5	<20	32	.14	<10	55	<10	10	34
353 - 398	L50400B	50560	N	<5	<.2	1.25	5	6	95	<5	.62	<1	12	22	13	2.21	.05	10	.38	624	<1	<0.01	9	580	18	<5	<20	34	.14	<10	60	<10	9	41
353 - 399	L50400B	50600	N	<5	<.2	1.14	5	6	65	<5	.31	<1	11	21	15	2.39	.07	10	.51	388	<1	<0.01	8	380	18	5	<20	25	.16	<10	63	<10	9	34
353 - 400	L50400B	50640	N	<5	<.2	1.27	18	6	80	<5	.35	<1	12	22	11	2.48	.07	10	.51	338	<1	<0.01	10	710	12	<5	<20	26	.17	<10	65	<10	10	45
353 - 401	L50400B	50680	N	<5	<.2	.97	18	6	80	<5	.41	<1	18	25	19	2.37	.05	20	.36	252	<1	<0.01	10	690	12	<5	<20	20	.16	<10	63	<10	11	35
353 - 402	L50400B	50720	N	<5	<.2	1.05	5	8	65	<5	.24	<1	18	28	11	2.12	.04	10	.32	238	<1	<0.01	9	610	12	<5	<20	16	.12	<10	55	<10	6	32
353 - 403	L50400B	50800	N	<5	.8	1.51	<5	6	90	<5	.82	<1	18	15	33	2.35	.04	10	.56	387	<1	<0.01	9	380	24	<5	<20	80	.18	<10	58	<10	9	42
353 - 404	L50400B	50840	N	<5	<.2	1.19	5	6	105	<5	.23	<1	9	14	11	1.84	.03	<10	.38	217	<1	<0.01	10	580	8	<5	<20	21	.09	<10	42	<10	4	32
353 - 395	L50400B	50880	N	<5	<.2	1.66	25	6	125	<5	.46	<1	15	23	18	3.17	.10	10	.68	681	<1	<0.01	14	510	20	5	<20	30	.18	<10	79	<10	3	88
353 - 406	L50400B	50920	N	<5	<.2	1.32	18	6	60	<5	.39	<1	13	28	16	2.76	.05	10	.53	315	<1	<0.01	10	480	16	<5	<20	23	.12	<10	69	<10	5	37

ET#	DESCRIPTION	AU(ppb)	AG	AL(%)	AS	B	BA	BI	CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA	MG(%)	MN	MO	NA(%)	NI	P	PB	SB	SM	SR	TI(%)	U	V	W	Y	ZN	
353 - 407	L50400R	50960 H	<5	<.2	1.54	10	6	60	<5	.30	<1	12	20	17	2.71	.04	10	.52	303	<1	<.01	10	500	12	<5	<20	26	.11	<10	69	<10	4	40
353 - 408	L50400R	51000 H	<5	<.2	4.24	<5	8	85	<5	1.03	<1	27	25	70	4.53	.07	10	1.35	800	1	<.01	16	1220	16	10	<20	50	.26	<10	134	<10	10	80
353 - 409	L50500R	49760 H	<5	<.2	1.97	<5	6	85	<5	.26	<1	14	21	24	2.93	.05	10	.36	321	<1	<.01	14	1440	14	<5	<20	17	.11	<10	65	<10	4	70
353 - 410	L50500R	49800 H	<5	<.2	1.66	20	6	80	<5	.20	<1	13	22	17	2.64	.03	10	.34	200	<1	<.01	16	1280	12	<5	<20	13	.11	<10	60	<10	4	54
353 - 411	L50500R	49840 H	<5	<.2	1.36	30	6	85	<5	.15	<1	15	24	90	3.50	.04	10	.41	562	3	<.01	12	500	40	5	<20	13	.08	<10	69	<10	<1	96
353 - 412	L50500R	49880 H	<5	.4	1.51	20	6	75	<5	.14	<1	14	27	143	3.17	.04	10	.39	284	4	<.01	21	760	34	5	<20	11	.09	<10	63	<10	2	97
353 - 413	L50500R	49920 H	<5	.6	1.54	15	4	70	<5	.13	<1	13	30	267	2.68	.03	10	.36	209	9	<.01	23	870	36	5	<20	10	.07	<10	52	<10	2	106
353 - 414	L50500R	49960 H	<5	.4	1.45	15	6	65	<5	.15	<1	11	25	255	2.67	.03	10	.40	217	6	<.01	14	800	28	<5	<20	11	.11	<10	58	<10	4	69
353 - 415	L50500R	50000 H	30	3.0	2.00	15	6	120	<5	.21	<1	17	37	799	3.49	.04	10	.68	412	14	<.01	21	1200	60	10	<20	14	.08	<10	77	<10	1	145
353 - 416	L50500R	50040 H	10	.8	1.62	5	6	150	<5	.23	<1	14	24	390	3.06	.04	10	.43	305	3	<.01	14	820	18	5	<20	14	.12	<10	69	<10	5	64
353 - 417	L50500R	50080 H	<5	.8	2.17	10	8	165	<5	.14	<1	15	12	182	3.55	.17	10	.73	438	5	.01	11	970	24	5	<20	16	.16	<10	69	<10	3	139
353 - 418	L50500R	50120 H	50	.4	1.62	20	4	90	<5	.17	<1	15	24	211	3.56	.05	10	.52	806	5	<.01	13	930	34	<5	<20	11	.05	<10	76	<10	<1	180
353 - 419	L50500R	50180 H	25	.2	2.03	30	4	150	<5	.23	<1	21	27	511	4.99	.08	10	.79	528	11	<.01	21	940	54	10	<20	22	.09	<10	95	<10	<1	162
353 - 420	L50600R	50000 H	15	.2	1.80	<5	8	95	<5	.23	<1	11	23	442	2.23	.04	10	.50	235	6	<.01	14	850	32	5	<20	13	.13	<10	51	<10	7	72
353 - 421	L50600R	50040 H	50	.4	1.57	10	6	75	<5	.20	<1	13	26	520	3.45	.04	10	.48	418	6	<.01	15	930	32	15	<20	13	.10	<10	69	<10	2	89
353 - 422	L50600R	50060 H	<5	<.2	1.15	10	8	90	<5	.25	<1	10	18	45	2.35	.04	10	.40	229	<1	<.01	11	816	8	<5	<20	15	.09	<10	57	<10	5	34
353 - 423	L50600R	50120 H	5	.4	1.75	10	6	85	<5	.14	<1	14	21	111	2.96	.05	10	.37	253	2	<.01	14	1370	22	<5	<20	12	.11	<10	61	<10	3	132
353 - 424	L50600R	50160 H	10	<.2	1.47	5	6	75	<5	.20	<1	12	23	55	2.49	.05	10	.34	336	<1	<.01	13	950	12	<5	<20	14	.14	<10	59	<10	7	65
353 - 425	L50600R	50200 H	<5	<.2	1.67	10	6	85	<5	.16	<1	15	22	132	2.94	.05	10	.40	431	2	<.01	18	1050	20	5	<20	12	.11	<10	61	<10	3	78
353 - 426	L50600R	50240 H	15	<.2	1.83	5	6	90	<5	.16	<1	15	23	121	2.80	.04	10	.39	246	2	<.01	15	710	20	5	<20	12	.11	<10	56	<10	4	65
353 - 427	L50600R	50280 H	5	<.2	1.28	10	6	100	<5	.22	<1	13	21	67	2.52	.04	10	.37	350	1	<.01	14	780	12	<5	<20	14	.10	<10	60	<10	4	50
353 - 428	L50600R	50320 H	145	1.8	2.63	35	6	140	<5	.31	<1	23	35	621	5.10	.06	20	.98	610	10	<.01	21	1970	58	10	<20	17	.10	<10	100	<10	2	196
353 - 429	L50600R	50380 H	60	.4	1.95	20	6	135	<5	.17	<1	18	38	379	4.29	.07	10	.77	282	7	<.01	19	630	36	15	<20	16	.09	<10	86	<10	<1	195
353 - 430	L50600R	50400 H	20	1.6	1.91	20	6	145	<5	.86	<1	20	33	308	3.65	.11	10	.91	910	3	<.01	17	580	50	5	<20	60	.12	<10	92	<10	5	288
353 - 431	L50600R	50500 H	10	<.2	1.53	15	6	170	<5	.63	<1	20	29	296	3.12	.11	10	.78	1210	3	<.01	20	420	22	5	<20	46	.12	<10	69	<10	5	118
353 - 432	L50600R	50560 H	35	.8	2.24	35	8	150	<5	.54	<1	24	32	704	5.45	.22	20	1.31	680	11	<.01	22	1060	56	15	<20	51	.11	<10	104	<10	2	173
353 - 433	L50600R	50680 H	<5	<.2	1.50	5	6	90	<5	.29	<1	11	19	24	2.70	.06	10	.42	226	<1	<.01	8	740	12	5	<20	17	.10	<10	63	<10	4	47
353 - 434	L50600R	50720 H	<5	<.2	1.54	<5	6	70	<5	.19	<1	9	14	13	2.26	.04	9	.33	270	<1	<.01	9	1090	13	<5	<20	11	.07	<10	51	<10	2	52
353 - 435	L50600R	50780 H	<5	<.2	1.29	10	6	95	<5	.54	<1	10	19	17	2.18	.03	10	.49	239	<1	.02	9	470	12	<5	<20	26	.12	<10	57	<10	9	35
353 - 436	L50600R	50800 H	<5	<.2	1.13	10	8	95	<5	.29	<1	11	20	25	2.46	.06	10	.40	276	<1	<.01	12	780	10	5	<20	18	.10	<10	59	<10	5	35
353 - 437	L50600R	50840 H	<5	<.2	1.34	10	4	95	<5	.46	<1	13	20	29	3.02	.07	10	.50	450	<1	<.01	10	610	18	5	<20	22	.08	<10	72	<10	2	71
353 - 438	L50600R	50880 H	<5	<.2	2.50	<5	8	110	<5	.27	<1	19	9	28	4.19	.21	10	1.71	447	<1	.01	5	530	12	10	<20	18	.16	<10	132	<10	4	90
353 - 439	L50600R	50920 H	10	<.2	1.54	25	6	75	<5	.27	<1	14	23	12	3.38	.05	10	.56	428	<1	<.01	11	660	16	<5	<20	19	.08	<10	87	<10	<1	110
353 - 440	L50600R	50960 H	<5	<.2	2.01	5	6	125	<5	.58	<1	14	18	35	3.72	.06	10	.64	501	<1	.01	12	360	12	10	<20	67	.07	<10	82	<10	<1	70
353 - 441	L50600R	51000 H	<5	<.2	1.60	15	4	105	<5	.40	<1	11	19	13	3.68	.07	10	.47	299	<1	<.01	8	440	14	<5	<20	40	.05	<10	94	<10	<1	138
353 - 442	L50800R	49520 H	<5	.4	1.84	80	6	120	<5	.20	<1	16	36	44	5.62	.03	20	.50	621	<1	.01	16	1390	30	10	<20	39	.12	<10	130	<10	<1	109

ECO-TECH LABORATORIES LTD.

PLACER DOME INC. - ETK91- 353

PAGE 14	DESCRIPTION	AU(ppb)	AG AL(%)	AS	B	BA	BI CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA MG(%)	MN	MO NA(%)	NI	P	PB	SB	SN	SR TI(%)	U	V	W	Y	ZN						
353 - 443	L50800E	49600 N	10	<.2	1.57	25	6	50	<5	.18	<1	12	23	28	3.64	.02	10	.40	451	<1	<0.01	16	1320	12	5	<20	29	.09	<10	83	<10	<1	69
353 - 444	L50800E	49640 N	<5	<.2	1.39	40	6	55	<5	.23	<1	12	21	38	3.36	.03	10	.44	483	<1	<0.01	13	1450	14	<5	<20	30	.09	<10	75	<10	<1	64
353 - 445	L50800E	49680 N	<5	<.2	1.39	10	8	55	<5	.19	<1	11	25	13	2.94	.03	10	.35	220	<1	<0.01	14	900	6	5	<20	31	.13	<10	76	<10	3	35
353 - 446	L50800E	49720 N	<5	<.2	1.80	15	6	55	<5	.22	<1	12	24	26	3.28	.04	10	.49	236	<1	<0.01	16	1290	10	5	<20	32	.12	<10	76	<10	2	56
353 - 447	L50800E	49760 N	<5	<.2	1.31	15	6	35	<5	.18	<1	10	24	13	3.18	.02	10	.25	234	<1	<0.01	10	1230	6	5	<20	29	.10	<10	79	<10	2	76
353 - 448	L50800E	49800 N	<5	<.2	1.32	15	8	45	<5	.23	<1	9	18	26	2.54	.02	10	.35	224	<1	<0.01	13	1260	6	5	<20	32	.08	<10	59	<10	1	37
353 - 449	L50800E	49840 N	<5	<.2	1.36	15	6	65	<5	.22	<1	11	23	34	2.77	.04	10	.37	318	<1	<0.01	15	910	10	5	<20	30	.09	<10	62	<10	<1	54
353 - 450	L50800E	49880 N	10	<.2	1.12	20	8	60	<5	.33	<1	13	23	130	3.56	.06	20	.48	343	2	<0.01	12	690	14	10	<20	39	.13	<10	71	<10	5	59
353 - 451	L50800E	49920 N	<5	1.2	1.48	10	6	85	<5	.22	<1	12	21	95	2.86	.06	10	.35	299	3	<0.01	14	560	62	10	<20	33	.11	<10	61	<10	1	191
353 - 452	L50800E	49960 N	.5	<.2	1.43	19	6	65	<5	.25	<1	13	22	108	2.99	.06	10	.41	387	2	<0.01	13	700	16	10	<20	37	.12	<10	63	<10	2	62
353 - 453	L50800E	BL 50000 N	<5	<.2	1.85	<5	6	90	<5	.18	<1	13	26	226	2.97	.06	10	.50	228	2	.01	17	460	16	10	<20	36	.13	<10	67	<10	3	51
353 - 454	L50800E	50040 N	5	<.2	1.82	5	6	50	<5	.14	<1	12	29	283	3.12	.04	10	.42	193	2	<0.01	16	820	16	5	<20	30	.12	<10	65	<10	2	63
353 - 455	L50800E	50080 N	40	<.2	1.44	5	6	100	<5	.35	<1	9	23	444	2.73	.06	20	.52	281	2	<0.01	13	700	18	5	<20	40	.12	<10	62	<10	6	65
353 - 456	L50800E	50120 N	<5	.4	.96	20	8	50	<5	.39	<1	9	39	22	2.37	.04	10	.36	257	<1	<0.01	13	690	2	5	<20	39	.09	<10	59	<10	6	36
353 - 457	L50800E	50240 N	<5	<.2	1.48	10	8	70	<5	.32	<1	11	21	26	2.57	.05	10	.40	287	<1	<0.01	14	1020	8	5	<20	38	.11	<10	60	<10	4	45
353 - 458	L50800E	50280 N	<5	<.2	1.08	10	8	55	<5	.32	<1	9	29	14	2.05	.05	10	.35	210	<1	<0.01	10	530	4	5	<20	39	.14	<10	53	<10	7	30
353 - 459	L50800E	50320 N	<5	<.2	1.11	15	6	65	<5	.44	<1	10	22	37	2.47	.07	20	.49	303	<1	.01	12	680	10	10	<20	45	.16	<10	62	<10	8	49
353 - 460	L50800E	50360 N	<5	.3	2.14	5	8	85	<5	.25	<1	13	27	34	3.36	.04	20	.41	224	<1	<0.01	15	1560	12	5	<20	37	.13	<10	80	<10	3	59
353 - 461	L50800E	50400 N	<5	.4	1.02	15	8	75	<5	.51	<1	11	21	91	2.44	.08	20	.47	311	<1	.01	12	830	10	5	<20	46	.13	<10	63	<10	7	57
353 - 462	L50800E	50440 N	<5	<.2	1.30	15	8	80	<5	.27	<1	11	23	68	2.74	.05	10	.39	259	<1	<0.01	13	760	10	10	<20	35	.13	<10	67	<10	4	42
353 - 463	L50800E	50480 N	<5	<.2	1.43	<5	8	55	<5	.23	<1	10	17	56	2.20	.05	10	.38	230	<1	<0.01	17	1010	6	5	<20	33	.11	<10	50	<10	3	42
353 - 464	L50800E	50520 N	<5	.8	2.16	29	6	65	<5	.20	<1	17	30	234	4.56	.04	20	.61	292	4	<0.01	18	1450	28	10	<20	37	.10	<10	94	<10	<1	130
353 - 465	L50800E	50560 N	<5	.4	1.46	15	8	75	<5	.31	<1	13	24	120	3.27	.05	10	.45	264	<1	<0.01	15	840	14	5	<20	41	.12	<10	76	<10	2	94
353 - 466	L50800E	50600 N	<5	<.2	1.57	136	8	65	<5	.26	<1	11	22	30	2.64	<0.01	10	.41	351	<1	<0.01	15	1070	10	5	<20	32	.11	<10	61	<10	3	67
353 - 467	L50800E	50640 N	<5	.2	1.10	10	8	70	<5	.59	<1	10	22	25	2.41	.04	20	.39	307	<1	.01	12	800	6	5	<20	61	.14	<10	61	<10	6	46
353 - 468	L50800E	50720 N	<5	1.0	1.36	<5	6	80	<5	.60	<1	8	13	11	2.10	.04	10	.32	231	<1	<0.01	9	840	8	5	<20	58	.12	<10	55	<10	4	45
353 - 469	L50800E	50760 N	<5	<.2	1.45	5	8	65	<5	.31	<1	10	20	20	2.53	.04	10	.36	242	<1	<0.01	11	700	8	5	<20	37	.12	<10	63	<10	3	48
353 - 470	L50800E	50800 N	<5	<.2	1.80	<5	6	80	<5	.34	<1	11	21	18	2.82	.06	10	.43	303	<1	<0.01	12	840	12	5	<20	37	.12	<10	68	<10	3	61
353 - 471	L50800E	50840 N	<5	1.2	1.81	<5	8	85	<5	.37	<1	11	21	21	2.75	.04	10	.46	242	<1	<0.01	11	640	14	5	<20	41	.15	<10	69	<10	5	49
353 - 472	L50800E	50880 N	<5	<.2	1.46	<5	6	45	<5	.34	<1	8	17	10	2.29	.04	10	.32	275	<1	<0.01	8	910	10	5	<20	37	.13	<10	60	<10	4	50
353 - 473	L50800E	50920 N	<5	1.0	1.82	<5	8	85	<5	.36	<1	12	22	14	2.71	.06	10	.49	304	<1	<0.01	12	510	8	<5	<20	42	.16	<10	68	<10	5	44
353 - 474	L50800E	50960 N	<5	.4	1.98	<5	6	55	<5	.36	<1	12	24	12	2.87	.05	10	.40	242	<1	<0.01	12	670	10	5	<20	41	.16	<10	74	<10	5	47
353 - 475	L50800E	51000 N	<5	1.2	1.49	<5	8	105	<5	.97	<1	10	20	20	2.45	.05	20	.64	310	<1	.02	10	730	6	10	<20	92	.13	<10	60	<10	8	45
353 - 476	L51000E+ 10NE	49960 N	<5	.6	1.07	10	10	75	<5	.67	<1	12	23	59	2.54	.06	20	.43	402	<1	.02	12	840	10	5	<20	57	.15	<10	66	<10	10	49
353 - 477	L51200E	50000 N	<5	.2	1.04	10	8	65	<5	.52	<1	9	22	142	2.29	.05	20	.41	265	1	.01	11	780	6	5	<20	46	.15	<10	59	<10	8	38
353 - 478	L51200E	50040 N	<5	<.2	1.13	10	8	80	<5	.55	<1	10	20	15	2.28	.05	20	.37	2104	2	<0.01	11	710	2	5	<20	62	.14	<10	60	<10	6	39

ECO-TECH LABORATORIES LTD.

PLACER DOME INC. - ETK91- 353

PAGE 15

BT#	DESCRIPTION	AU(ppb)	AG	AL(%)	AS	B	BA	BI	CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA	MG(%)	MN	MO	NA(%)	NI	P	PB	SB	SN	SR	TI(%)	U	V	W	Y	ZN		
353 - 479	L51200E	50080	N	10	<.2	1.07	130	10	110	<.5	.69	<.1	16	20	89	4.71	.05	20	.57	1108	2	.02	12	840	12	5	<.20	66	.13	<.10	65	<.10	6	68
353 - 480	L51200E	50120	N	35	<.2	1.28	105	8	75	<.5	.66	1	20	25	182	3.69	.15	20	.67	546	2	.01	22	840	34	10	<.20	53	.12	<.10	70	<.10	10	147
353 - 481	L51200E	50160	N	<.5	<.2	1.41	10	8	95	<.5	.24	<.1	12	17	22	2.37	.05	10	.37	845	<.1	<.0.01	14	680	10	5	<.20	35	.13	<.10	56	<.10	3	149
353 - 482	L51200E	50200	N	<.5	<.2	1.70	15	6	70	<.5	.25	<.1	12	22	17	2.96	.04	10	.41	260	<.1	<.0.01	16	1180	10	5	<.20	33	.13	<.10	70	<.10	3	73
353 - 483	L51200E	50240	N	<.5	<.2	1.88	25	6	75	<.5	.24	<.1	13	23	44	3.09	.04	20	.49	292	<.1	<.0.01	17	1360	18	5	<.20	34	.12	<.10	67	<.10	2	95
353 - 484	L51200E	50280	N	<.5	<.2	1.44	20	8	75	<.5	.23	<.1	11	23	35	2.70	.05	10	.40	252	<.1	<.0.01	15	930	12	<.5	<.20	32	.12	<.10	64	<.10	3	61
353 - 485	L51200E	50320	N	35	<.2	2.02	180	6	135	<.5	.21	<.1	25	31	196	4.89	.11	20	.85	544	2	<.0.01	29	930	56	15	<.20	38	.09	<.10	75	<.10	<.1	169
353 - 486	L51200E	50360	N	5	.4	1.94	75	6	115	<.5	.22	<.1	17	25	62	3.28	.09	<.10	.65	668	<.1	<.0.01	22	1120	34	<.5	<.20	15	.11	<.10	66	<.10	2	244
353 - 487	L51200E	50400	N	<.5	.6	1.69	35	4	80	<.5	.20	<.1	13	20	25	2.64	.04	<.10	.44	287	<.1	<.0.01	13	900	26	<.5	<.20	13	.12	<.10	62	<.10	3	136
353 - 488	L51200E	50440	N	30	.6	1.78	90	6	105	<.5	.23	<.1	17	28	95	3.43	.12	<.10	.71	355	<.1	<.0.01	19	630	32	<.5	<.20	19	.13	<.10	70	<.10	3	111
353 - 489	L51200E	50480	N	10	<.2	2.08	65	4	155	<.5	.25	<.1	17	25	45	3.33	.07	<.10	.70	361	<.1	<.0.01	18	730	30	<.5	<.20	20	.14	<.10	72	<.10	4	113
353 - 490	L51200E	50520	N	<.5	.4	2.16	80	4	100	<.5	.24	<.1	18	24	78	3.72	.08	<.10	.76	604	<.1	<.0.01	17	1040	40	<.5	<.20	18	.12	<.10	75	<.10	2	222
353 - 491	L51200E	50560	N	<.5	.6	1.76	40	4	75	<.5	.30	<.1	15	19	40	2.91	.07	<.10	.47	412	<.1	<.0.01	11	800	28	<.5	<.20	22	.12	<.10	64	<.10	4	128
353 - 492	L51200E	50600	N	<.5	<.2	1.31	30	6	65	<.5	.40	<.1	13	22	29	3.30	.07	<.10	.48	464	<.1	<.0.01	15	1880	14	<.5	<.20	21	.09	<.10	81	<.10	3	67
353 - 493	L51200E	50640	N	5	<.2	2.05	30	4	90	<.5	.23	<.1	12	18	37	2.78	.04	<.10	.46	254	<.1	<.0.01	12	640	20	<.5	<.20	17	.11	<.10	60	<.10	4	43
353 - 494	L51200E	50680	N	<.5	<.2	1.55	30	6	105	<.5	.53	<.1	13	23	52	3.34	.08	<.10	.51	261	<.1	<.0.01	14	960	16	<.5	<.20	28	.09	<.10	81	<.10	5	67
353 - 495	L51200E	50720	N	<.5	.6	1.96	30	4	105	<.5	.22	<.1	18	18	71	3.90	.09	<.10	.64	347	<.1	<.0.01	11	860	22	<.5	<.20	16	.11	<.10	93	<.10	<.1	211
353 - 496	L51200E	50760	N	<.5	.4	1.65	30	4	90	<.5	.26	<.1	15	23	169	3.70	.05	<.10	.47	230	1	<.0.01	13	1170	20	<.5	<.20	15	.10	<.10	84	<.10	1	121
353 - 497	L51200E	50800	N	30	.6	2.35	50	2	145	<.5	.31	<.1	19	24	121	5.37	.09	<.10	.67	483	<.1	<.0.01	17	1230	28	<.5	<.20	20	.05	<.10	96	<.10	<.1	80
353 - 498	L51200E	50840	N	<.5	<.2	2.08	30	2	75	<.5	.21	<.1	13	20	38	3.08	.05	<.10	.44	250	<.1	<.0.01	11	1460	18	<.5	<.20	14	.07	<.10	67	<.10	1	55
353 - 499	L51200E	50880	N	<.5	.4	1.78	25	4	100	<.5	.21	<.1	13	19	29	2.83	.06	<.10	.44	296	<.1	<.0.01	9	930	16	<.5	<.20	16	.08	<.10	64	<.10	1	65
353 - 500	L51200E	50920	N	<.5	.4	2.09	30	4	75	<.5	.19	<.1	14	20	44	3.41	.04	<.10	.52	280	<.1	<.0.01	11	1360	18	<.5	<.20	11	.09	<.10	73	<.10	1	105
353 - 501	L51200E	50960	N	<.5	<.2	1.55	20	4	75	<.5	.23	<.1	11	19	18	2.42	.03	<.10	.37	266	<.1	<.0.01	10	1090	12	<.5	<.20	16	.11	<.10	57	<.10	5	49
353 - 502	L51200E	51000	N	<.5	<.2	1.68	25	4	65	<.5	.28	<.1	10	17	15	2.37	.04	<.10	.34	246	<.1	<.0.01	7	1020	14	<.5	<.20	28	.11	<.10	58	<.10	4	44
353 - 503	L51400E	49520	N	<.5	.6	1.88	65	4	110	<.5	.56	<.1	12	21	46	3.05	.05	<.10	.68	292	<.1	.01	11	640	18	<.5	<.20	16	.11	<.10	72	<.10	6	69
353 - 504	L51400E	49560	N	<.5	.2	1.37	40	2	55	<.5	.14	<.1	9	15	12	2.59	.02	<.10	.25	149	<.1	<.0.01	6	1330	16	<.5	<.20	11	.08	<.10	61	<.10	1	95
353 - 505	L51400E	49720	N	<.5	.4	1.92	50	4	65	<.5	.18	<.1	15	24	31	3.39	.03	<.10	.48	225	<.1	<.0.01	13	720	18	<.5	<.20	16	.12	<.10	82	<.10	4	126
353 - 506	L51400E	49800	N	<.5	<.2	1.12	20	4	55	<.5	.24	<.1	9	13	17	2.05	.02	<.10	.31	193	<.1	<.0.01	9	1370	10	<.5	<.20	12	.08	<.10	48	<.10	4	45
353 - 507	L51400E	49880	N	<.5	.4	.95	20	4	85	<.5	.57	<.1	8	14	38	1.66	.05	<.10	.29	245	2	<.0.01	7	320	12	<.5	<.20	40	.09	<.10	41	<.10	5	29
353 - 508	L51400E	49900	N	5	.2	1.03	25	4	95	<.5	.31	<.1	9	15	44	2.06	.04	<.10	.35	213	<.1	<.0.01	10	590	12	<.5	<.20	24	.10	<.10	49	<.10	5	36
353 - 509	L51400E	49960	N	16	.2	.97	20	2	75	<.5	.43	<.1	8	16	54	1.98	.06	<.10	.39	195	2	.01	8	590	12	<.5	<.20	27	.11	<.10	49	<.10	5	37
353 - 510	L51400E	50000	N	<.5	.2	1.65	30	4	95	<.5	.18	<.1	13	19	202	2.83	.05	<.10	.43	242	2	<.0.01	12	920	16	<.5	<.20	17	.11	<.10	63	<.10	3	57
353 - 511	L51400E	50040	N	<.5	.2	1.41	25	6	95	<.5	.19	<.1	11	18	54	2.35	.03	<.10	.40	209	<.1	.01	10	500	12	<.5	<.20	21	.12	<.10	57	<.10	3	37
353 - 512	L51400E	50080	N	16	.4	1.51	75	4	110	<.5	.19	<.1	14	21	72	2.86	.05	<.10	.52	276	<.1	<.0.01	12	670	26	<.5	<.20	20	.11	<.10	60	<.10	4	89
353 - 513	L51400E	50120	N	<.5	.4	1.49	40	4	75	<.5	.18	<.1	12	18	40	2.36	.04	<.10	.40	299	<.1	<.0.01	13	870	20	<.5	<.20	14	.10	<.10	53	<.10	3	122
353 - 514	L51400E	50160	N	55	.2	1.27	25	2	65	<.5	.21	<.1	7	15	19	1.59	.05	<.10	.40	164	<.1	<.0.01	7	470	20	<.5	<.20	16	.11	<.10	45	<.10	4	91

ECO-TECH LABORATORIES LTD.

PLACER DOME INC. - ETK91- 353

PAGE 16

BT#	DESCRIPTION	AU(ppb)	AG	AL(%)	AS	B	BA	BI	CA(%)	CD	CO	CR	CU	PB(%)	K(%)	LA	MG(%)	MN	MO	NA(%)	NI	P	PB	SB	SN	SR	TI(%)	U	V	W	Y	ZN	
353 - 515	L51400B	50200 H	5	<.2	1.49	40	2	65	<5	.17	<1	9	16	32	2.40	.06	<10	.43	297	<1	<0.01	8	890	16	<5	<20	13	.07	<10	50	<10	1	105
353 - 516	L51400B	50240 H	30	.2	1.48	55	4	95	<5	.18	<1	12	20	74	2.69	.04	<10	.45	257	<1	<0.01	14	700	20	<5	<20	17	.11	<10	57	<10	4	73
353 - 517	L51400B	50280 H	10	.4	1.43	45	4	100	<5	.18	<1	12	18	61	2.43	.04	<10	.45	274	<1	<0.01	13	800	18	<5	<20	17	.10	<10	52	<10	4	82
353 - 518	L51400B	50320 H	<5	<.2	1.38	30	2	80	<5	.19	<1	9	14	35	1.87	.05	<10	.39	179	<1	<0.01	10	520	18	<5	<20	18	.10	<10	44	<10	4	93
353 - 519	L51400B	50360 H	<5	.8	1.37	30	4	90	<5	.21	<1	11	16	45	2.31	.06	<10	.37	243	<1	<0.01	13	950	14	<5	<20	16	.09	<10	53	<10	3	84
353 - 520	L51400B	50400 H	<5	.6	1.58	35	4	90	<5	.19	<1	13	17	32	2.39	.08	<10	.44	221	<1	<0.01	14	640	14	<5	<20	19	.12	<10	55	<10	3	93
353 - 521	L51400B	50440 H	<5	.4	1.65	45	2	95	<5	.20	<1	13	20	54	2.55	.08	<10	.55	246	<1	<0.01	15	630	18	<5	<20	23	.12	<10	59	<10	3	95
353 - 522	L51400B	50480 H	10	.2	1.38	55	4	90	<5	.26	<1	11	19	71	2.53	.13	<10	.56	256	<1	<0.01	12	420	18	<5	<20	29	.11	<10	58	<10	3	57
353 - 523	L51400B	50520 H	<5	.6	1.61	55	4	105	<5	.20	<1	13	19	60	2.58	.11	<10	.55	271	<1	<0.01	13	490	24	<5	<20	22	.13	<10	58	<10	4	57
353 - 524	L51400B	50560 H	<5	.6	1.66	30	2	70	<5	.19	<1	12	18	24	2.58	.05	<10	.39	234	<1	<0.01	11	1040	14	<5	<20	17	.11	<10	88	<10	4	95
353 - 525	L51400B	50600 H	<5	.2	1.55	10	4	60	<5	.19	<1	7	14	13	1.33	.04	10	.24	149	<1	<0.01	6	870	14	<5	<20	16	.13	<10	36	<10	9	83
353 - 526	L51400B	50640 H	<5	<.2	1.77	25	2	100	<5	.16	<1	13	16	15	2.51	.05	<10	.36	212	<1	<0.01	11	620	16	<5	<20	13	.10	<10	59	<10	2	89
353 - 527	L51400B	50800 H	<5	<.2	1.13	20	4	75	<5	.36	<1	11	17	24	2.29	.05	<10	.41	640	<1	.01	8	530	8	<5	<20	29	.09	<10	59	<10	5	28
353 - 528	L51400B	50840 H	<5	<.2	1.25	25	4	60	<5	.21	<1	9	17	11	2.12	.04	<10	.29	166	<1	<0.01	8	610	8	<5	<20	17	.11	<10	56	<10	4	24
353 - 529	L51400B	50880 H	<5	.2	1.08	20	4	70	<5	.24	<1	9	18	13	2.16	.05	<10	.34	204	<1	<0.01	7	530	8	<5	<20	18	.11	<10	58	<10	4	25
353 - 530	L51400B	50920 H	<5	<.2	1.29	10	4	60	<5	.19	<1	7	14	8	1.45	.04	<10	.24	120	<1	<0.01	6	700	8	<5	<20	16	.10	<10	39	<10	5	32
353 - 531	L51400B	50960 H	<5	<.2	1.73	20	4	60	<5	.26	<1	11	21	11	2.50	.04	<10	.37	213	<1	<0.01	11	920	12	<5	<20	19	.13	<10	58	<10	3	46
353 - 532	L51400B	51000 H	<5	.8	1.77	25	6	90	<5	.34	<1	12	24	14	2.64	.04	<10	.44	266	<1	<0.01	12	890	14	<5	<20	28	.17	<10	65	<10	5	44
353 - 533	48000B	49960 H	<5	<.2	1.17	30	6	75	<5	.25	<1	14	17	19	2.91	.08	<10	.36	732	<1	<0.01	7	700	24	<5	<20	17	.09	<10	60	<10	<1	222
353 - 534	48200B	50440 H	10	<.2	2.70	35	6	240	<5	.38	<1	24	8	33	4.85	.47	<10	1.57	855	<1	.02	4	1700	30	<5	<20	54	.32	<10	138	<10	4	321
353 - 535	48400B	49080 H	<5	<.2	1.61	25	8	70	<5	.26	<1	12	26	10	3.21	.04	<10	.40	245	<1	<0.01	13	1040	8	<5	<20	17	.13	<10	85	<10	2	49
353 - 536	48400B	49120 H	<5	<.2	1.45	15	8	65	<5	.25	<1	10	19	8	2.27	.03	<10	.34	198	<1	<0.01	12	970	8	<5	<20	17	.12	<10	54	<10	3	42
353 - 537	48400B	49160 H	<5	<.2	1.51	20	6	70	<5	.27	<1	10	22	8	2.32	.02	<10	.32	214	<1	<0.01	10	1080	8	<5	<20	21	.14	<10	58	<10	4	32
353 - 538	48400B	49200 H	<5	<.2	1.72	25	6	75	<5	.26	<1	12	27	11	3.13	.02	<10	.37	323	<1	<0.01	12	1060	8	<5	<20	18	.14	<10	82	<10	3	48
353 - 539	48400B	49240 H	<5	<.2	1.69	20	6	90	<5	.23	<1	11	22	9	2.53	.02	<10	.35	215	<1	<0.01	12	1210	8	<5	<20	20	.13	<10	62	<10	4	35
353 - 530	48400B	49280 H	<5	<.2	1.37	29	6	80	<5	.43	<1	10	20	7	2.43	.03	<10	.28	300	<1	<0.01	9	1940	6	<5	<20	26	.12	<10	57	<10	3	95
353 - 541	48400B	49320 H	<5	<.2	1.40	20	8	70	<5	.31	<1	11	22	8	2.58	.03	<10	.32	443	<1	<0.01	11	1750	6	<5	<20	20	.12	<10	64	<10	3	63
353 - 542	48400B	49360 H	<5	<.2	1.27	20	6	60	<5	.30	<1	10	20	6	2.53	.03	<10	.25	189	<1	<0.01	7	1860	8	<5	<20	20	.13	<10	60	<10	3	97
353 - 543	48400B	49400 H	<5	<.2	1.21	20	8	50	<5	.36	<1	10	20	7	2.38	.03	<10	.29	253	<1	<0.01	10	970	8	<5	<20	24	.14	<10	62	<10	3	81
353 - 544	48400B	49440 H	<5	<.2	1.46	29	4	130	<5	.32	<1	13	18	9	2.88	.05	<10	.40	345	<1	<0.01	7	2560	10	<5	<20	26	.13	<10	66	<10	2	179
353 - 545	48400B	49640 H	<5	<.2	1.56	20	6	115	<5	.32	<1	12	17	13	2.64	.11	<10	.61	381	<1	<0.01	9	1610	10	<5	<20	32	.15	<10	61	<10	2	151
353 - 540	48400B	49680 H	<5	<.2	1.15	25	6	55	<5	.34	<1	12	21	11	2.19	.14	<10	.49	268	<1	<0.01	10	300	10	<5	<20	27	.17	<10	62	<10	4	45
353 - 547	48400B	49720 H	<5	<.2	1.06	20	6	40	<5	.31	<1	10	19	8	2.26	.06	<10	.33	204	<1	<0.01	10	430	8	<5	<20	24	.15	<10	63	<10	4	35
353 - 548	48400B	49760 H	<5	<.2	1.10	25	8	50	<5	.33	<1	10	19	7	2.18	.04	<10	.30	196	<1	<0.01	10	620	6	<5	<20	23	.15	<10	59	<10	4	33
353 - 549	48400B	49800 H	<5	.4	1.04	20	8	40	<5	.34	<1	10	20	9	2.35	.06	<10	.36	216	<1	<0.01	8	480	8	<5	<20	24	.16	<10	67	<10	5	29
353 - 538	48400B	49840 H	<5	<.2	1.25	25	8	75	<5	.48	<1	12	23	9	2.62	.07	<10	.41	325	<1	.01	11	1280	10	<5	<20	33	.17	<10	69	<10	5	41

ECO-TECH LABORATORIES LTD.

PLACER DOME INC. - ETK91- 353

PAGE 17

BT#	DESCRIPTION	AU(ppb)	AG AL(%)	AS	B	BA	BI	CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA	HG(%)	MN	MO	NA(%)	NI	P	PB	SB	SM	SR	TI(%)	U	V	W	Y	ZN
353 - 551	48400R	49880 N	<5	.2 1.07	30	8	70	<5 .33	<1	11	17	9	2.60	.05	<10 .36	283	<1	<0.01	7	630	14	<5	<20	25	.15	<10	68	<10	3	55	
353 - 552	48400R	49920 N	<5	<.2 2.53	40	8	190	<5 .33	<1	22	12	36	4.22	.14	<10 1.11	548	<1	.01	9	1210	28	<5	<20	57	.22	<10	111	<10	3	121	
353 - 553	48400R	49960 N	<5	<.2 2.71	25	6	275	<5 .28	<1	19	7	26	4.62	.39	<10 1.87	613	<1	.02	5	1220	24	<5	<20	39	.28	<10	142	<10	5	121	
353 - 554	48400R	50400 N	<5	<.2 3.05	30	8	165	<5 .22	<1	22	34	19	4.76	.23	<10 1.73	1097	<1	.02	11	1500	74	5	<20	41	.34	<10	115	<10	5	317	
353 - 555	48600R	49520 N	5	<.2 1.39	25	6	70	<5 .34	<1	13	21	12	2.66	.08	<10 .41	424	<1	<0.01	13	630	14	<5	<20	25	.16	<10	70	<10	4	67	
353 - 556	48600R	49560 N	5	<.2 1.48	30	8	65	<5 .45	<1	12	24	9	3.08	.06	<10 .37	250	<1	<0.01	16	1610	16	<5	<20	32	.15	<10	76	<10	3	60	
353 - 557	48600R	49600 N	<5	<.2 1.41	30	8	60	<5 .35	<1	12	21	15	2.63	.05	<10 .36	221	<1	<0.01	16	920	18	<5	<20	27	.14	<10	66	<10	4	52	
353 - 558	48600R	49640 N	<5	.4 1.87	125	6	45	<5 .42	<1	20	16	29	3.41	.03	<10 .36	451	<1	.03	14	950	32	<5	<20	32	.14	<10	69	<10	2	107	
353 - 559	48600R	49680 N	<5	<.2 1.33	45	8	80	<5 .37	<1	12	19	15	2.63	.05	<10 .38	332	<1	<0.01	12	1470	18	<5	<20	30	.13	<10	64	<10	4	73	
353 - 560	48600R	49720 N	<5	<.2 1.26	25	8	60	<5 .32	<1	12	20	9	2.59	.04	<10 .33	440	<1	<0.01	9	740	14	<5	<20	24	.15	<10	67	<10	4	87	
353 - 561	48600R	49760 N	<5	.2 1.58	120	6	55	<5 .37	<1	17	18	32	3.03	.03	<14 .42	578	<1	.01	12	680	24	<5	<20	38	.13	<10	66	<10	4	141	
353 - 562	48600R	49800 N	<5	.2 1.34	125	8	80	<5 .43	<1	17	18	21	2.56	.05	<10 .34	981	<1	<0.01	11	690	20	<5	<20	36	.14	<10	58	<10	4	97	
353 - 563	48600R	49840 N	<5	<.2 1.26	25	6	70	<5 .33	<1	10	17	11	2.29	.03	<10 .29	263	<1	<0.01	10	690	14	<5	<20	21	.14	<10	58	<10	5	54	
353 - 564	48600R	49880 N	<5	<.2 1.30	55	6	85	<5 .32	1	17	33	12	2.94	.08	<10 .49	515	<1	<0.01	19	570	16	<5	<20	24	.16	<10	78	<10	3	178	
353 - 565	48600R	49920 N	5	<.2 2.33	20	8	110	<5 .27	<1	14	17	21	3.70	.06	<10 .80	353	<1	<0.01	8	1840	20	<5	<20	21	.17	<10	98	<10	3	121	
353 - 566	48600R	49960 N	<5	<.2 2.44	20	6	160	<5 .35	<1	20	9	21	3.17	.20	<10 1.22	455	<1	.02	5	540	22	<5	<20	30	.28	<10	92	<10	8	123	
353 - 567	48600R	50000 N	<5	<.2 1.82	15	8	95	<5 .48	<1	13	21	12	2.63	.08	<10 .54	327	<1	<0.01	11	1190	18	<5	<20	35	.20	<10	63	<10	9	71	
353 - 568	48600R	50040 N	<5	<.2 1.69	20	8	95	<5 .47	<1	15	23	12	2.72	.08	<10 .51	384	<1	.01	12	960	16	<5	<20	35	.21	<10	67	<10	9	64	
353 - 569	48600R	50080 N	<5	<.2 2.82	15	8	120	<5 .18	<1	18	25	22	3.64	.28	<10 1.53	910	<1	.02	6	850	22	<5	<20	25	.31	<10	111	<10	7	126	
353 - 570	48600R	50160 N	<5	<.2 2.52	15	8	180	<5 .32	<1	20	15	24	3.50	.20	<10 1.14	400	<1	.01	9	830	20	<5	<20	46	.22	<10	100	<10	5	188	
353 - 571	48600R	50200 N	<5	<.2 2.01	20	10	120	<5 .46	<1	16	21	21	3.00	.16	<10 .75	386	<1	.01	10	630	18	<5	<20	40	.24	<10	84	<10	9	122	
353 - 572	48600R	50240 N	<5	<.2 1.74	15	6	140	<5 .36	<1	18	13	12	2.86	.13	<10 .72	372	<1	.01	8	940	18	<5	<20	44	.21	<10	77	<10	6	292	
353 - 573	48600R	50280 N	<5	<.2 1.94	20	8	105	<5 .37	<1	17	17	14	3.05	.17	<10 .85	551	<1	.01	10	650	26	<5	<20	42	.22	<10	80	<10	6	328	
353 - 574	48600R	50320 N	<5	<.2 2.33	20	8	160	<5 .53	<1	32	52	17	3.81	.21	<10 1.40	929	<1	.02	19	1730	34	<5	<20	57	.31	<10	91	<10	6	572	
353 - 575	48600R	50360 N	<5	<.2 2.17	25	8	115	<5 .43	<1	18	17	17	3.73	.27	<10 .87	620	<1	.01	9	840	32	<5	<20	50	.24	<10	90	<10	5	178	
353 - 576	48600R	50400 N	<5	<.2 1.75	15	8	135	<5 .50	<1	19	15	15	2.77	.16	<10 .79	718	<1	.01	9	1120	36	<5	<20	48	.22	<10	63	<10	6	264	
353 - 577	48600R	50440 N	<5	<.2 1.61	15	6	85	<5 .46	<1	15	18	9	2.62	.13	<10 .55	506	<1	<0.01	10	1870	32	<5	<20	38	.18	<10	62	<10	5	192	
353 - 578	48600R	50480 N	<5	<.2 1.57	20	8	105	<5 .40	<1	18	14	10	2.74	.21	<10 .66	1021	<1	.01	7	690	32	<5	<20	30	.21	<10	70	<10	6	211	
353 - 579	48600R	50520 N	<5	<.2 1.58	15	8	70	<5 .38	<1	14	16	13	2.70	.09	<10 .62	436	<1	<0.01	7	980	40	<5	<20	32	.20	<10	69	<10	5	151	
353 - 580	48600R	50560 N	<5	.2 2.87	40	8	80	<5 .35	<1	14	20	10	2.96	.04	<10 .50	386	<1	<0.01	10	630	38	<5	<20	30	.18	<10	74	<10	4	348	
353 - 581	48600R	50600 N	<5	<.2 1.86	10	6	65	<5 .31	<1	16	26	11	3.33	.09	<10 .76	520	<1	.01	10	460	26	<5	<20	28	.22	<10	97	<10	5	147	
353 - 582	48600R	50640 N	<5	<.2 1.94	25	6	70	<5 .35	<1	16	24	12	3.37	.08	<10 .59	472	<1	.01	11	730	24	<5	<20	32	.19	<10	84	<10	5	292	
353 - 583	48600R	50680 N	5	.2 1.72	25	6	90	<5 .33	1	13	21	13	3.24	.06	<10 .60	513	<1	.01	7	720	44	<5	<20	32	.19	<10	90	<10	4	224	
353 - 584	48600R	50720 N	10	1.0 2.47	130	8	110	<5 .69	<1	13	20	15	3.21	.07	<10 .70	363	2	.01	9	390	90	<5	<20	81	.15	<10	85	<10	3	221	
353 - 585	48600R	50760 N	<5	<.2 1.85	55	8	80	<5 .44	<1	16	25	22	3.23	.21	<10 .72	399	<1	.02	14	710	32	<5	<20	38	.18	<10	83	<10	5	143	
353 - 586	48600R	50800 N	<5	<.2 1.76	55	6	80	<5 .45	<1	17	18	24	2.73	.07	10 .50	1058	<1	<0.01	6	470	26	<5	<20	38	.16	<10	69	<10	10	241	

BT#	DESCRIPTION	AU(ppb)	AG AL(%)	AS	B	BA	BI CA(%)	CD	CO	CR	CU	PB(%)	K(%)	LA NG(%)	MN	NO NA(%)	NI	P	PB	SB	SN	SR TI(%)	U	V	W	Y	ZN	
353 - 587	48600E 50840 N	<5	<.2 1.64	55	6	95	<5 .49	<1	16	23	19	2.85	.15	<10 .64	394	<1 .02	12	540	26	<5	<20	37	.19	<10	75	<10	7	101
353 - 588	48600E 50880 N	<5	<.2 2.22	70	8	95	<5 .64	<1	17	25	21	3.31	.12	<10 .80	504	<1 .02	13	530	30	<5	<20	44	.19	<10	82	<10	5	135
353 - 589	48600E 50920 N	<5	<.2 2.46	90	6	115	<5 .53	2	27	33	35	3.99	.11	<10 1.05	1529	<1 .01	16	650	54	<5	<20	44	.19	<10	101	<10	4	459
353 - 590	48600E 50960 N	<5	<.2 1.99	35	8	100	<5 .59	<1	17	19	24	3.64	.13	<10 .66	455	<1 .01	9	500	28	<5	<20	39	.24	<10	101	<10	5	181
353 - 591	48600E 51000 N	<5	.6 3.81	180	8	195	<5 1.96	<1	26	32	46	4.51	.50	<10 2.52	1199	<1 .18	11	810	22	5	<20	107	.27	<10	169	<10	12	150
353 - 592	48800E 49520 N	<5	<.2 1.68	20	8	85	<5 .38	<1	13	23	10	2.54	.06	<10 .41	270	<1 .01	14	800	14	<5	<20	31	.17	<10	69	<10	6	35
353 - 593	48800E 49560 N	<5	<.2 1.52	25	8	65	<5 .40	<1	13	25	18	2.68	.06	<10 .41	264	<1 .01	13	690	14	<5	<20	29	.19	<10	71	<10	6	45
353 - 594	48800E 49600 N	<5	<.2 1.46	45	8	70	<5 .41	<1	13	27	18	2.82	.08	<10 .42	271	<1 <.01	18	1230	24	<5	<20	41	.17	<10	69	<10	5	105
353 - 595	48800E 49640 N	<5	.4 .94	20	8	45	<5 .35	<1	10	20	6	2.28	.04	<10 .24	210	<1 <.01	7	570	12	<5	<20	29	.19	<10	66	<10	5	47
353 - 596	48800E 49680 N	<5	.6 1.61	50	8	55	<5 .39	<1	16	20	17	3.71	.04	<10 .39	333	5 <.01	14	830	46	<5	<20	31	.16	<10	65	<10	2	195
353 - 597	48800E 49720 N	<5	<.2 1.43	15	8	60	<5 .32	<1	10	20	6	2.17	.04	<10 .23	273	<1 <.01	7	1600	14	<5	<20	20	.15	<10	55	<10	4	80
353 - 598	48800E 49760 N	<5	.2 1.51	30	8	70	<5 .46	<1	12	22	11	2.10	.07	<10 .40	296	<1 .01	11	710	18	<5	<20	34	.19	<10	57	<10	7	82
353 - 599	48800E 49800 N	<5	.2 1.28	50	8	65	<5 .63	<1	12	20	26	2.27	.07	<10 .45	422	<1 .01	10	760	12	<5	<20	45	.17	<10	60	<10	8	41
353 - 600	48800E 49840 N	5	1.2 2.99	110	8	205	<5 .89	<1	19	48	63	3.81	.16	20 .87	1085	1 .01	30	750	24	<5	<20	58	.16	<10	80	<10	21	159
353 - 601	48800E 49880 N	<5 *	.2 2.01	65	8	95	<5 .34	<1	19	10	25	3.26	.06	<10 .54	275	<1 .01	13	780	24	<5	<20	27	.19	<10	80	<10	4	85
353 - 602	48800E 49920 N	<5	<.2 2.46	35	8	160	<5 .33	<1	20	10	20	3.74	.11	<10 1.06	598	<1 .01	6	1970	22	<5	<20	30	.25	<10	99	<10	4	195
353 - 603	48800E 49960 N	<5	<.2 1.62	15	8	90	<5 .58	<1	13	25	10	2.51	.06	10 .47	301	<1 .01	10	760	16	<5	<20	42	.24	<10	68	<10	10	45
353 - 604	48800E BL 50000 N	<5	<.2 2.53	20	8	145	<5 .54	<1	19	19	27	3.62	.30	<10 1.18	750	<1 .01	12	1420	18	<5	<20	40	.24	<10	98	<10	7	100
353 - 605	48800E 50040 N	<5	.4 1.84	25	8	140	<5 .28	<1	14	40	14	3.20	.18	<10 1.03	575	<1 .01	12	1180	20	<5	<20	33	.20	<10	77	<10	4	87
353 - 606	48800E 50080 N	<5	<.2 2.05	35	8	235	<5 .27	<1	17	17	17	4.84	.23	<10 .85	984	<1 .01	7	1330	24	<5	<20	72	.20	<10	86	<10	<1	175
353 - 607	48800E 50120 N	<5	<.2 2.67	25	8	215	<5 .25	<1	21	10	22	3.77	.33	<10 1.03	678	<1 .01	12	1160	18	<5	<20	77	.22	<10	99	<10	3	207
353 - 608	48800E 50160 N	<5	<.2 1.87	20	8	90	<5 .39	<1	15	26	14	2.79	.08	<10 .66	303	<1 .01	10	830	18	<5	<20	34	.22	<10	82	<10	6	140
353 - 609	48800E 50200 N	<5	<.2 2.89	10	8	145	<5 .34	<1	34	1	26	5.10	.96	<10 2.61	686	<1 .02	5	1230	18	<5	<20	31	.50	<10	183	<10	11	397
353 - 610	48800E 50240 N	<5	<.2 2.14	25	8	150	<5 .37	<1	20	31	20	3.77	.16	<10 .91	582	<1 .02	14	1250	18	<5	<20	40	.25	<10	96	<10	4	249
353 - 611	48800E 50280 N	<5	.2 1.82	20	6	220	<5 .35	1	26	10	16	3.25	.50	<10 1.06	1936	<1 .01	5	1570	28	<5	<20	52	.30	<10	79	<10	5	456
353 - 612	48800E 50320 N	<5	.4 1.88	20	8	250	<5 .98	4	29	14	27	3.39	.39	<10 .97	2944	<1 <.01	9	2400	176	<5	<20	94	.21	<10	74	<10	5	958
353 - 613	48800E 50360 N	<5	<.2 1.73	25	8	100	<5 .43	<1	21	20	14	3.04	.19	<10 .70	1165	<1 .01	11	800	42	<5	<20	43	.21	<10	72	<10	5	226
353 - 614	48800E 50400 N	<5	<.2 1.86	30	6	75	<5 .50	<1	18	22	15	3.21	.20	<10 .80	746	<1 <.01	10	890	20	<5	<20	43	.22	<10	89	<10	6	106
353 - 615	48800E 50440 N	<5	.2 1.99	30	8	65	<5 .36	<1	19	18	12	3.38	.09	<10 .91	626	<1 .01	8	410	22	5	<20	31	.23	<10	91	<10	4	184
353 - 616	48800E 50480 N	5	<.2 1.64	30	8	75	<5 .43	<1	13	24	11	2.77	.10	<10 .57	490	<1 <.01	10	1690	22	<5	<20	32	.19	<10	68	<10	5	159
353 - 617	48800E 50520 N	<5	.4 1.77	25	8	70	<5 .49	<1	15	21	13	2.98	.07	<10 .57	416	<1 <.01	12	920	86	<5	<20	32	.20	<10	78	<10	5	212
353 - 618	48800E 50560 N	<5	.2 1.62	30	8	90	<5 .48	<1	15	22	13	2.98	.08	<10 .59	594	<1 <.01	10	930	22	<5	<20	38	.19	<10	80	<10	5	154
353 - 619	48800E 50600 N	<5	.6 1.77	25	8	85	<5 .48	1	13	21	13	2.72	.08	<10 .55	422	<1 .01	12	740	30	<5	<20	30	.18	<10	66	<10	5	207
353 - 620	48800E 50640 N	<5	<.2 1.88	20	6	65	<5 .33	<1	9	15	7	2.83	.04	<10 .28	339	<1 <.01	6	780	14	<5	<20	27	.15	<10	55	<10	4	71
353 - 621	48800E 50680 N	<5	<.2 1.45	40	8	75	<5 .32	<1	13	22	12	3.13	.07	<10 .54	372	<1 .01	8	690	22	<5	<20	20	.21	<10	91	<10	4	100
353 - 622	48800E 50720 N	<5	1.0 1.81	20	10	95	<5 .50	<1	16	14	15	2.46	.11	<10 .73	888	<1 .01	8	460	26	<5	<20	44	.18	<10	69	<10	5	89

ECO-TECH LABORATORIES LTD.

PLACER DOME INC. - ETK91- 353

PAGE 19

RT#	DESCRIPTION	AU(ppb)	AG AL(%)	AS	B	BA	BI CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA MG(%)	MN	MO NA(%)	NI	P	PB	SB	SH	SR TI(%)	U	V	W	Y	ZN	
353 - 623	48800E	50760 M	<5	<.2 1.70	30	8	55	<5 .30	<1 11	19	9	2.44	.05	<10 .39	254	<1 .01	9	630	26	<5 <20	23	.18	<10	66	<10	5	95	
353 - 624	48800E	50840 M	5	<.2 2.30	65	8	125	<5 .83	<1 18	27	38	3.43	.30	10 1.13	662	<1 .03	15	770	32	<5 <20	52	.22	<10	93	<10	14	119	
353 - 625	48800E	50880 M	<5	<.2 2.28	100	6	115	<5 .26	1	20	24	17	4.31	.08	<10 .98	1245	<1 .01	10	1500	78	<5 <20	26	.19	<10	107	<10	1	381
353 - 626	48800E	50920 M	<5	<.2 2.07	90	8	115	<5 .25	<1 21	22	21	4.19	.08	<10 .91	1022	<1 .01	7	1090	74	<5 <20	26	.19	<10	114	<10	2	284	
353 - 627	48800E	50960 M	<5	<.2 1.80	40	6	135	<5 .26	2	21	23	14	3.40	.12	<10 .84	1850	<1 .01	8	1210	54	<5 <20	21	.17	<10	84	<10	2	318
353 - 628	48800E	51000 M	<5	.4 1.90	45	8	85	<5 .42	<1 15	21	19	2.91	.09	<10 .56	388	<1 .01	11	660	26	<5 <20	34	.17	<10	72	<10	4	163	
353 - 629	49000E	49500 M	<5	<.2 1.64	25	8	65	<5 .40	<1 13	30	10	3.35	.04	<10 .38	277	<1 <.01	14	2030	12	<5 <20	26	.17	<10	89	<10	4	38	
353 - 630	49000E	49560 M	<5	.6 1.42	60	8	70	<5 .32	<1 15	31	32	2.57	.04	<10 .41	656	<1 <.01	20	770	24	<5 <20	29	.16	<10	64	<10	4	150	
353 - 631	49000E	49600 M	<5	.2 1.74	60	8	75	<5 .38	<1 13	27	18	2.78	.05	<10 .44	284	<1 <.01	17	950	24	<5 <20	32	.18	<10	70	<10	5	59	
353 - 632	49000E	49640 M	<5	.2 1.65	35	8	50	<5 .38	<1 14	23	12	2.76	.06	<10 .39	282	<1 <.01	15	1090	16	<5 <20	27	.16	<10	69	<10	4	97	
353 - 633	49000E	49680 M	<5	<.2 1.01	5	6	75	<5 .41	<1 7	12	4	1.04	.05	<10 .30	161	<1 <.01	5	370	12	<5 <20	46	.18	<10	35	<10	6	32	
353 - 634	49000E	49780 M	<5	.4 2.03	15	6	110	<5 1.39	<1 9	20	73	1.31	.07	10 .43	198	<1 .01	20	570	30	<5 <20	195	.15	<10	48	<10	14	47	
353 - 635	49000E	49780 M	<5	<.2 1.71	45	8	55	<5 .27	<1 15	23	11	3.06	.05	<10 .46	381	<1 <.01	12	470	16	<5 <20	24	.19	<10	84	<10	3	55	
353 - 636	49000E	49800 M	10	<.2 2.07	35	8	105	<5 .38	<1 18	18	10	3.43	.14	<10 .81	494	<1 <.01	12	970	18	<5 <20	34	.19	<10	84	<10	3	122	
353 - 637	49000E	49840 M	<5	<.2 2.48	40	8	120	<5 .54	<1 18	11	100	3.91	.24	<10 1.18	544	<1 .01	10	780	20	<5 <20	120	.21	<10	102	<10	4	78	
353 - 638	49200E	49520 M	<5	<.2 1.34	35	10	70	<5 .37	<1 11	21	16	2.61	.05	<10 .42	366	<1 <.01	13	1070	12	<5 <20	25	.13	<10	68	<10	4	40	
353 - 639	49200E	49560 M	<5	<.2 1.42	30	10	60	<5 .26	<1 11	21	14	2.56	.03	<10 .31	639	<1 <.01	10	1520	14	<5 <20	19	.13	<10	65	<10	2	64	
353 - 640	49200E	49600 M	<5	<.2 1.54	40	8	55	<5 .26	<1 11	22	13	2.72	.02	<10 .31	248	<1 <.01	10	1470	16	<5 <20	21	.13	<10	69	<10	3	51	
353 - 641	49200E	49640 M	<5	<.2 1.23	45	8	70	<5 .93	<1 12	24	24	2.39	.08	<10 .44	339	<1 <.01	12	1670	12	<5 <20	107	.13	<10	61	<10	4	155	
353 - 642	49200E	49680 M	5	.6 1.77	70	6	265	<5 .30	<1 18	21	190	4.59	.05	<10 .48	297	4 <.01	14	1290	38	<5 <20	33	.10	<10	69	<10	<1	106	
353 - 643	49200E	49720 M	<5	.8 1.59	40	6	225	<5 .31	<1 21	21	55	3.47	.09	<10 .46	1015	4 <.01	12	880	32	<5 <20	37	.14	<10	68	<10	2	75	
353 - 644	49200E	49760 M	<5	.6 1.57	35	10	80	<5 .36	<1 16	28	48	2.99	.08	<10 .44	366	2 <.01	17	560	26	<5 <20	32	.19	<10	72	<10	4	186	
353 - 645	49200E	49800 M	<5	<.2 1.66	60	10	105	<5 .45	<1 16	40	96	3.57	.13	<10 .70	266	2 <.01	31	940	24	<5 <20	39	.17	<10	74	<10	4	55	
353 - 646	49200E	49840 M	10	.6 1.89	90	8	90	<5 .36	<1 17	40	123	3.03	.09	<10 .65	364	3 <.01	27	970	48	<5 <20	31	.15	<10	78	<10	3	186	
353 - 647	49200E	49880 M	<5	.2 2.03	30	10	115	<5 .43	<1 15	17	31	2.84	.09	<10 .84	492	<1 .01	35	880	20	<5 <20	38	.21	<10	85	<10	7	197	
353 - 648	49200E	49920 M	<5	<.2 1.97	70	8	105	<5 .50	<1 19	73	23	2.94	.15	<10 .92	588	<1 .03	33	950	16	<5 <20	42	.19	<10	74	<10	5	92	
353 - 649	49200E	49960 M	10	<.2 1.95	30	12	115	<5 .46	<1 18	22	28	3.64	.26	<10 .89	421	<1 .01	9	780	16	<5 <20	37	.25	<10	102	<10	6	56	
353 - 650	49300E	51580 M	5	<.2 2.32	30	8	55	<5 .52	<1 22	24	37	3.63	.08	<10 .83	582	<1 <.01	13	470	22	<5 <20	23	.21	<10	115	<10	4	119	
353 - 651	49300E	51600 M	<5	<.2 1.97	45	8	65	<5 .39	<1 18	23	24	3.60	.10	<10 .73	707	<1 .01	12	640	20	<5 <20	23	.18	<10	95	<10	3	113	
353 - 652	49300E	51640 M	<5	.8 1.81	40	8	90	<5 .51	<1 16	23	24	3.30	.12	<10 .59	1093	<1 <.01	12	470	32	<5 <20	27	.15	<10	85	<10	3	148	
353 - 653	49300E	51680 M	5	<.2 1.44	30	6	80	<5 .35	<1 13	20	12	2.77	.09	<10 .49	553	<1 .01	12	380	16	<5 <20	23	.14	<10	68	<10	3	56	
353 - 654	49300E	51600 M	<5	.2 2.00	30	6	75	<5 .51	<1 13	20	17	3.08	.13	<10 .42	408	<1 <.01	12	1090	26	<5 <20	24	.11	<10	70	<10	2	113	
353 - 655	49300E	51760 M	<5	<.2 2.89	65	6	90	<5 .63	<1 27	24	50	5.20	.05	<10 1.11	772	<1 <.01	14	420	22	<5 <20	31	.15	<10	139	<10	<1	80	
353 - 656	49300E	51800 M	<5	<.2 1.83	35	6	65	<5 .31	<1 15	44	15	3.36	.05	<10 .65	271	<1 <.01	31	420	20	<5 <20	23	.11	<10	79	<10	1	85	
353 - 657	49300E	51840 M	<5	<.2 1.12	380	4	90	<5 .19	<1 17	18	44	5.20	<.01	<10 .23	247	4 <.01	70	650	24	<5 <20	16	.02	<10	53	<10	<1	132	
353 - 658	49300E	51880 M	<5	<.2 1.38	35	6	110	<5 .37	<1 12	23	12	2.65	.07	<10 .44	299	<1 <.01	22	310	18	<5 <20	29	.07	<10	61	<10	<1	70	

BT#	DESCRIPTION	AU(ppb)	AG AL(%)	AS	B	BA	BI CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA MG(%)	MN	MO NA(%)	NI	P	PB	SB	SN	SR TI(%)	U	V	W	Y	ZN			
353 - 659	49300E	51920 #	<5	.6 3.12	25	6	170 <5 .77	<1	15	29	35	3.22	.09	10	.83	397	<1	.01	51	640	26	5	<20	57	.15	<10	68	<10	12	119
353 - 660	49300E	51960 #	5	.2 1.72	40	6	135 <5 .35	<1	18	29	17	3.47	.08	<10	.43	722	<1	<0.01	42	960	20	<5	<20	30	.10	<10	71	<10	<1	141
353 - 661	49300E	52000 #	<5	<.2 2.07	35	6	130 <5 .30	<1	16	26	19	3.48	.10	<10	.72	454	<1	<0.01	28	910	22	<5	<20	32	.14	<10	85	<10	2	119
353 - 662	49500E	51520 #	<5	.6 2.72	45	8	100 <5 .66	3	25	31	66	3.74	.07	<10	.62	2350	<1	<0.01	15	1310	76	<5	<20	27	.14	<10	97	<10	3	332
353 - 663	49500E	51560 #	<5	1.0 2.00	35	8	225 <5 .72	6	22	25	41	3.79	.13	<10	.60	2510	<1	<0.01	12	540	114	<5	<20	29	.18	<10	104	<10	3	498
353 - 664	49500E	51600 #	<5	<.2 2.18	25	10	95 <5 .47	<1	19	20	24	3.24	.08	<10	.78	907	<1	<0.01	11	970	28	<5	<20	23	.21	<10	91	<10	5	199
353 - 665	49500E	51640 #	<5	<.2 2.70	40	8	85 <5 .42	<1	17	22	35	3.57	.09	<10	.83	638	<1	.01	12	1160	30	<5	<20	21	.16	<10	94	<10	4	132
353 - 666	49500E	51680 #	<5	.2 2.36	250	6	90 <5 .54	<1	21	25	52	4.36	<0.01	<10	.73	710	<1	<0.01	15	400	30	5	<20	23	.12	<10	127	<10	3	132
353 - 667	49500E	51720 #	10	.2 2.03	30	6	140 <5 .45	1	17	22	21	3.13	.11	<10	.43	1460	<1	<0.01	10	1090	22	<5	<20	26	.14	<10	74	<10	4	216
353 - 668	49500E	51760 #	<5	1.0 1.85	35	6	100 <5 .50	2	17	23	23	3.25	.11	<10	.53	977	<1	<0.01	12	640	48	<5	<20	29	.16	<10	86	<10	4	302
353 - 669	49500E	51800 #	<5	.2 1.71	55	8	125 <5 .42	<1	16	24	29	3.51	.13	<10	.62	946	<1	.01	17	1020	28	<5	<20	30	.14	<10	82	<10	2	151
353 - 670	49500E	51920 #	<5	<.2 2.02	35	8	140 <5 .43	<1	14	21	23	3.41	.12	<10	.69	412	<1	.01	23	870	22	<5	<20	33	.12	<10	68	<10	4	101
353 - 671	49500E	51960 #	<5	<.2 1.63	35	8	115 <5 .37	<1	13	21	23	2.94	.09	<10	.56	393	<1	.01	30	950	20	<5	<20	33	.11	<10	66	<10	5	94
353 - 672	49600E	49720 #	<5	<.2 1.50	55	8	90 <5 .34	<1	15	25	93	3.41	.06	<10	.51	257	<1	<0.01	16	760	18	<5	<20	28	.14	<10	81	<10	3	50
353 - 673	49600E	49800 #	<5	<.2 1.30	30	10	65 <5 .51	<1	12	21	24	2.50	.07	<10	.46	495	<1	.01	18	820	16	<5	<20	34	.16	<10	61	<10	5	138
353 - 674	49600E	49840 #	5	.2 1.42	20	10	80 <5 .71	<1	11	18	208	2.42	.07	10	.52	359	10	.02	28	470	18	<5	<20	92	.16	<10	55	<10	10	157
353 - 675	49600E	49880 #	15	.8 1.86	35	8	110 <5 .30	<1	17	20	102	3.43	.08	<10	.42	328	5	<0.01	16	1420	42	<5	<20	28	.12	<10	74	<10	<1	272
353 - 676	49600E	49920 #	210	2.2 3.13	85	6	310 20 .34	<1	24	92	493	5.05	.21	<10	1.22	600	16	<0.01	58	880	106	10	<20	41	.13	<10	120	<10	<1	388
353 - 677	49600E	49960 #	<5	<.2 1.31	20	8	75 <5 .38	<1	16	21	18	2.58	.06	<10	.39	484	<1	<0.01	9	280	16	<5	<20	27	.22	<10	73	<10	6	71
353 - 678	49800E	49760 #	5	<.2 1.51	50	8	90 <5 .49	<1	14	31	76	3.08	.09	<10	.57	267	<1	<0.01	18	690	32	<5	<20	46	.15	<10	72	<10	5	58
353 - 679	49800E	49800 #	5	<.2 2.09	45	8	110 <5 .37	<1	17	20	68	3.87	.04	<10	.55	382	<1	<0.01	17	1240	24	<5	<20	25	.19	<10	97	<10	3	122
353 - 680	49800E	49840 #	10	.8 1.86	45	8	120 <5 .27	<1	21	34	238	3.68	.08	<10	.51	571	11	<0.01	29	600	62	10	<20	23	.13	<10	71	<10	<1	356
353 - 681	49800E	49880 #	10	.6 2.09	45	10	115 <5 .36	<1	22	59	67	4.41	.12	<10	1.15	730	2	<0.01	17	620	44	<5	<20	45	.18	<10	99	<10	<1	344
353 - 682	50000E	49560 #	25	1.6 1.62	175	4	75 <5 .24	<1	15	46	57	4.88	<0.01	<10	.35	1369	<1	<0.01	20	780	52	10	<20	18	.04	<10	65	<10	<1	182
353 - 683	50000E	49600 #	<5	<.2 1.95	60	6	60 <5 .42	<1	27	35	36	4.12	.01	<10	.60	673	<1	<0.01	13	730	42	5	<20	23	.14	<10	80	<10	2	133
353 - 684	50000E	49640 #	345	1.8 1.86	300	6	125 <5 .20	<1	17	28	82	5.43	<0.01	<10	.53	292	<1	.01	11	840	112	10	<20	30	.15	<10	93	<10	<1	250
353 - 685	50000E	49720 #	<5	<.2 .97	20	10	75 <5 .49	<1	11	20	19	2.37	.06	10	.37	296	<1	.01	12	860	16	<5	<20	27	.13	<10	63	<10	7	35
353 - 686	50000E	49760 #	<5	<.2 1.55	25	10	80 <5 .31	<1	14	23	19	2.97	.04	10	.40	246	<1	<0.01	14	920	22	<5	<20	21	.13	<10	76	<10	4	53
353 - 687	50000E	49800 #	<5	<.2 1.19	15	8	90 <5 .51	<1	11	19	23	2.25	.06	10	.31	189	<1	<0.01	10	360	22	<5	<20	32	.14	<10	58	<10	5	51
353 - 688	50000E	49840 #	10	.6 1.84	20	8	125 <5 .30	<1	15	25	288	3.42	.07	10	.48	307	6	<0.01	23	1080	42	<5	<20	18	.11	<10	75	<10	2	177
353 - 689	50000E	49880 #	65	2.4 1.95	35	8	125 <5 .39	<1	17	23	842	4.31	.10	20	.51	300	22	<0.01	22	1280	74	10	<20	34	.06	<10	67	<10	<1	226
353 - 690	50000E	49920 #	10	1.6 1.63	30	8	95 <5 .31	<1	14	33	477	3.26	.08	20	.39	249	23	<0.01	27	1290	78	10	<20	22	.12	<10	63	<10	3	195
353 - 691	50000E	49960 #	60	3.4 1.74	40	8	240 5 .24	<1	18	25	443	4.92	.15	20	.53	1287	23	.02	14	1160	102	15	<20	30	.09	<10	79	<10	<1	181
353 - 692	50000E	50020 #	35	.4 1.48	30	6	115 <5 .37	<1	15	22	79	3.16	.13	10	.55	431	2	<0.01	13	570	130	<5	<20	27	.14	<10	78	<10	3	194
353 - 693	50000E	50080 #	<5	.4 1.31	20	8	80 <5 .35	<1	12	20	62	3.83	.10	10	.46	298	2	<0.01	13	530	26	<5	<20	22	.17	<10	78	<10	5	120
353 - 694	50000E	L 50120 #	25	1.8 1.62	30	8	95 <5 .33	<1	12	25	326	3.22	.08	10	.52	278	3	<0.01	15	600	30	10	<20	24	.14	<10	73	<10	4	85

RT#	DESCRIPTION	AU(ppb)	AG AL(%)	AS	B	BA	BI CA(%)	CD	CO	CR	CU	PB(%)	K(%)	LA MG(%)	MM	MO NA(%)	NI	P	PB	SB	SW	SR TI(%)	U	V	V	Y	ZN	
353 - 695	50000E L 50160 H	<5	.4 1.70	10	8	100	<5 .30	<1	17	22	44	3.24	.05	10 .41	339	1 <0.01	11	920	20	5	<20	31	.18	<10	77	<10	5	103
353 - 696	50000E L 50200 H	5	<.2 1.43	25	8	75	<5 .42	<1	10	32	144	3.75	.00	10 .50	357	3 .01	20	750	52	5	<20	30	.15	<10	72	<10	5	56
353 - 697	50000E 50240 H	<5	<.2 1.17	20	8	85	<5 .49	<1	13	19	99	2.76	.00	10 .41	337	2 .01	11	870	24	<5	<20	31	.13	<10	64	<10	5	69
353 - 698	50000E 50280 H	5	<.2 1.00	15	8	85	<5 .40	<1	11	17	74	2.39	.07	10 .40	332	<1 .01	11	770	20	<5	<20	29	.13	<10	56	<10	7	49
353 - 699	50000E 50320 H	<5	<.2 1.30	10	6	105	<5 .52	<1	11	16	36	2.00	.05	10 .30	225	<1 .01	10	720	22	<5	<20	34	.14	<10	49	<10	8	53
353 - 700	50000E 50360 H	10	<.2 1.29	15	10	95	<5 .73	<1	11	23	117	2.56	.00	20 .52	334	1 .03	12	870	26	<5	<20	46	.16	<10	63	<10	12	66
353 - 701	50000E 50400 H	<5	<.2 1.19	15	8	85	<5 .47	<1	10	19	33	2.05	.06	10 .37	240	<1 .01	10	740	20	<5	<20	32	.15	<10	55	<10	8	48
353 - 702	50000E 50440 H	5	<.2 1.54	50	8	95	<5 .46	<1	16	26	71	3.32	.19	20 .60	406	1 .01	12	680	30	5	<20	35	.18	<10	78	<10	7	79
353 - 703	50000E 50480 H	5	<.2 1.30	25	6	100	<5 .55	<1	15	24	61	2.84	.10	20 .53	460	<1 .01	11	930	26	<5	<20	36	.19	<10	72	<10	10	65
353 - 704	50000E 50520 H	<5	.2 1.45	15	8	130	<5 .64	<1	15	24	61	2.49	.00	20 .44	427	<1 <0.01	11	780	30	<5	<20	44	.17	<10	73	<10	9	83
353 - 705	50000E 50580 H	<5	<.2 1.72	20	8	90	<5 .36	<1	16	27	22	3.04	.07	10 .51	532	<1 .01	14	1000	32	<5	<20	24	.17	<10	77	<10	7	82
353 - 706	50000E 50600 H	<5	<.2 2.03	15	8	80	<5 .34	<1	15	29	17	3.02	.06	10 .54	342	<1 <0.01	19	1030	26	<5	<20	20	.11	<10	70	<10	3	79
353 - 707	50000E 50640 H	<5	<.2 1.83	10	6	85	<5 .39	<1	13	23	12	2.47	.06	10 .46	445	<1 <0.01	13	1130	28	<5	<20	25	.14	<10	65	<10	5	67
353 - 708	50000E 50680 H	<5	<.2 2.54	<5	4	85	<5 .40	<1	15	36	23	2.88	.07	10 .56	740	<1 <0.01	20	720	28	<5	<20	22	.07	<10	77	<10	2	62
353 - 709	50000E 50720 H	<5	<.2 2.29	10	8	100	<5 .37	<1	17	29	19	3.30	.07	10 .67	375	<1 <0.01	15	600	28	<5	<20	24	.20	<10	92	<10	6	55
353 - 710	50000E 50760 H	<5	<.2 1.99	10	8	100	<5 .35	<1	15	23	15	2.99	.04	20 .54	312	<1 <0.01	10	590	22	<5	<20	29	.20	<10	82	<10	8	43
353 - 711	50000E 50800 H	<5	<.2 1.63	5	8	70	<5 .41	<1	12	15	10	2.13	.03	10 .61	318	<1 <0.01	8	470	24	<5	<20	36	.18	<10	62	<10	8	53
353 - 712	50000E 50840 H	<5	<.2 2.43	20	10	120	<5 .28	<1	16	24	15	3.10	.06	10 .53	289	<1 .01	16	950	32	<5	<20	22	.17	<10	74	<10	5	67
353 - 713	50000E 50880 H	<5	<.2 2.11	20	8	120	<5 .40	<1	17	27	14	3.04	.07	10 .64	373	<1 .01	15	590	32	<5	<20	31	.21	<10	80	<10	8	96
353 - 714	50000E 50920 H	<5	<.2 2.11	15	6	85	<5 .40	<1	14	26	20	2.91	.06	20 .61	332	<1 <0.01	14	580	32	<5	<20	26	.16	<10	74	<10	7	63
353 - 715	50000E 50960 H	<5	<.2 1.40	25	10	120	<5 .81	<1	14	31	16	3.55	.06	20 .57	330	<1 .03	15	970	22	<5	<20	73	.16	<10	93	<10	9	49
353 - 716	50000E 51000 H	<5	<.2 2.20	30	8	130	<5 .50	<1	19	27	18	3.60	.11	10 .65	419	<1 .01	19	1540	30	<5	<20	39	.16	<10	86	<10	4	122
353 - 717	50000E 50000 H	<5	<.2 1.39	10	8	90	<5 .46	<1	11	19	73	1.95	.00	20 .48	297	<1 <0.01	13	560	30	<5	<20	31	.16	<10	50	<10	9	54
353 - 718	50100E 49760 H	<5	<.2 1.83	25	8	80	<5 .32	<1	18	27	29	3.59	.05	10 .44	328	<1 <0.01	15	1360	28	<5	<20	20	.12	<10	88	<10	3	134
353 - 719	50100E 49800 H	<5	<.2 1.49	65	8	135	<5 .27	<1	18	22	30	3.90	.06	10 .45	720	<1 <0.01	10	1860	36	<5	<20	31	.14	<10	91	<10	2	113
353 - 720	50100E 49840 H	<5	<.2 1.66	40	6	110	<5 .24	<1	19	35	95	4.64	.06	20 .46	803	5 <0.01	14	1930	46	5	<20	21	.13	<10	106	<10	<1	144
353 - 721	50100E 49880 H	75	.2 1.32	10	6	140	<5 .36	<1	14	20	53	2.54	.10	20 .37	816	4 <0.01	11	530	44	<5	<20	37	.07	<10	63	<10	1	379
353 - 722	50100E 49920 H	<5	<.2 1.66	15	10	130	<5 .35	<1	15	25	61	3.11	.06	10 .43	405	2 <0.01	16	780	24	<5	<20	27	.18	<10	80	<10	6	65
353 - 723	50100E 49960 H	10	<.2 1.80	15	8	95	<5 .29	<1	17	25	94	3.09	.06	10 .43	542	2 <0.01	22	1020	28	<5	<20	21	.15	<10	73	<10	4	155
353 - 724	50100E 50000 H	<5	.4 1.16	15	8	90	<5 .25	<1	13	17	61	2.97	.00	10 .39	301	3 <0.01	7	430	30	<5	<20	20	.07	<10	65	<10	<1	201
353 - 725	50100E 50040 DL	30	.4 2.53	10	8	190	<5 .43	<1	10	21	172	2.73	.13	10 .63	159	5 <0.01	12	910	50	<5	<20	33	.09	<10	67	<10	4	103
353 - 726	50100E 50120 H	<5	<.2 1.31	20	8	100	<5 .40	<1	13	21	65	2.72	.09	10 .38	411	2 <0.01	11	1010	26	<5	<20	29	.13	<10	66	<10	4	94
353 - 727	50100E 50160 H	<5	<.2 1.36	15	8	80	<5 .37	<1	12	21	28	2.47	.06	10 .35	260	<1 <0.01	12	730	22	<5	<20	28	.16	<10	64	<10	6	62
353 - 728	50100E 50200 H	<5	<.2 1.49	15	10	85	<5 .38	<1	14	23	33	2.67	.06	10 .41	293	<1 .01	13	720	22	<5	<20	25	.17	<10	69	<10	7	62
353 - 729	50100E 50240 H	<5	<.2 1.42	15	8	85	<5 .41	<1	11	19	43	2.39	.05	10 .37	210	1 <0.01	9	530	24	<5	<20	28	.15	<10	66	<10	7	53
353 - 720	50400E 49640 H	<5	<.2 1.54	30	6	75	<5 .39	<1	16	27	29	3.63	.14	10 .46	379	1 <0.01	15	440	32	5	<20	25	.13	<10	92	<10	4	83

ECO-TECH LABORATORIES LTD.

PLACER DOME INC. - ETK91- 353

PAGE 22

BT#	DESCRIPTION	AU(ppb)	AG AL(%)	AS	B	BA	BI CA(%)	CD	CO	CR	CU	PB(%)	K(%)	LA MG(%)	MN	MO NA(%)	NI	P	PB	SB	SN	SR TI(%)	U	V	W	Y	ZN						
353	- 731 50400E	49680 #	<5	<.2	1.50	20	6	75	<5	.32	<1	13	25	15	3.12	.04	10	.37	243	<1	<0.01	14	920	22	<5	<20	20	.14	<10	80	<10	4	61
353	- 732 50400E	49720 #	<5	<.2	1.35	15	6	110	<5	.42	<1	13	25	20	2.89	.06	20	.41	300	<1	<0.01	13	1210	20	<5	<20	24	.15	<10	74	<10	6	49
353	- 733 50400E	49760 #	<5	.4	1.50	10	6	110	<5	.41	<1	13	23	13	2.63	.06	10	.39	400	<1	<0.01	13	700	30	<5	<20	24	.16	<10	65	<10	6	169
353	- 734 50400E	49840 #	10	<.2	2.24	15	6	115	<5	.27	<1	17	30	42	3.59	.05	10	.41	506	1	<0.01	20	970	42	<5	<20	22	.16	<10	74	<10	4	145
353	- 735 50400E	49880 #	5	.2	1.72	20	6	120	<5	.24	<1	15	27	99	2.83	.05	10	.39	651	2	<0.01	21	1270	36	<5	<20	19	.12	<10	61	<10	3	101
353	- 736 50400E	49920 #	10	.6	2.35	15	6	105	<5	.21	<1	17	30	264	3.91	.06	10	.64	480	5	<0.01	21	1100	54	5	<20	18	.11	<10	87	<10	<1	181
353	- 737 50600E	49640 #	<5	<.2	1.32	25	6	60	<5	.45	<1	12	22	23	2.44	.06	10	.41	217	<1	<0.01	13	390	22	<5	<20	29	.15	<10	63	<10	5	50
353	- 738 50600E	49680 #	<5	<.2	1.35	10	6	90	<5	.38	<1	14	22	13	2.76	.06	10	.34	484	<1	<0.01	10	700	32	5	<20	24	.14	<10	72	<10	5	118
353	- 739 50600E	49720 #	<5	<.2	1.22	15	8	75	<5	.35	<1	13	22	39	2.41	.07	10	.38	227	<1	<0.01	11	520	16	<5	<20	25	.15	<10	59	<10	6	32
353	- 740 50600E	49760 #	<5	<.2	1.68	15	8	85	<5	.35	<1	13	23	24	2.53	.05	10	.36	346	<1	<0.01	12	1440	24	<5	<20	26	.15	<10	59	<10	6	49
353	- 741 50600E	49800 #	<5	.2	1.68	10	6	150	<5	.38	<1	14	26	30	3.38	.05	10	.39	400	<1	<0.01	12	800	22	<5	<20	24	.17	<10	68	<10	4	78
353	- 742 50600E	49840 #	<5	.2	1.78	75	10	80	<5	.27	<1	15	20	43	3.21	.02	10	.38	260	<1	<0.01	14	1020	30	<5	<20	21	.14	<10	77	<10	5	77
353	- 743 50600E	49880 #	5	<.2	2.03	10	6	90	<5	.25	<1	15	24	55	2.88	.05	10	.37	477	2	<0.01	24	1150	28	<5	<20	19	.14	<10	68	<10	4	166
353	- 744 50600E	49920 #	59	.4	1.82	20	8	110	<5	.35	<1	16	27	271	3.34	.07	20	.43	354	7	<0.01	20	1120	50	5	<20	25	.12	<10	73	<10	4	150
353	- 745 50600E	49960 #	110	1.2	1.95	30	8	130	<5	.33	<1	14	29	707	3.50	.06	20	.46	348	15	<0.01	20	1050	128	24	<20	22	.12	<10	67	<10	6	264
353	- 746 51000E	49520 #	<5	<.2	1.38	10	8	95	<5	.33	<1	12	25	16	2.61	.05	10	.38	245	<1	<0.01	12	640	18	<5	<20	25	.16	<10	70	<10	6	36
353	- 747 51000E	49560 #	<5	<.2	1.80	10	8	80	<5	.28	<1	15	26	36	3.46	.03	10	.44	517	<1	<0.01	17	1100	26	<5	<20	22	.13	<10	83	<10	3	56
353	- 748 51000E	49600 #	<5	<.2	1.51	25	8	90	<5	.31	<1	12	23	32	2.72	.04	10	.40	300	<1	<0.01	14	810	22	<5	<20	19	.13	<10	70	<10	5	40
353	- 749 51000E	49640 #	<5	<.2	1.70	10	8	60	<5	.21	<1	12	23	13	2.85	.03	10	.28	231	<1	<0.01	11	1070	24	<5	<20	17	.13	<10	71	<10	4	58
353	- 750 51000E	49680 #	<5	<.2	1.69	30	8	85	<5	.30	<1	18	48	130	5.29	.04	20	.57	339	9	<0.01	20	1320	28	5	<20	20	.13	<10	134	<10	<1	56
353	- 751 51000E	49720 #	5	<.2	1.46	30	8	80	<5	.34	<1	15	30	49	3.77	.04	20	.47	331	<1	<0.01	15	990	22	<5	<20	19	.13	<10	99	<10	4	46
353	- 752 51000E	49760 #	5	<.2	1.74	38	8	105	<5	.31	<1	15	32	55	3.94	.03	20	.50	311	<1	<0.01	17	1090	22	<5	<20	20	.13	<10	102	<10	4	46
353	- 753 51000E	49800 #	10	<.2	1.47	10	8	70	<5	.32	<1	13	21	29	2.84	.03	10	.38	270	<1	<0.01	14	1020	20	<5	<20	20	.12	<10	70	<10	4	44
353	- 754 51000E	49840 #	15	<.2	1.65	20	8	90	<5	.29	<1	15	29	195	3.65	.06	20	.49	273	6	<0.01	17	600	46	5	<20	24	.13	<10	83	<10	3	108
353	- 755 51000E	49880 #	15	.2	1.57	25	8	115	<5	.38	<1	18	26	176	3.99	.09	20	.56	455	4	<0.01	16	810	36	5	<20	27	.15	<10	80	<10	6	86
353	- 756 51000E	50080 #	10	<.2	1.23	20	10	80	<5	.38	<1	12	25	106	2.82	.07	20	.43	261	<1	.01	12	750	22	5	<20	29	.15	<10	70	<10	7	52
353	- 757 51000E	50120 #	5	<.2	1.57	10	10	75	<5	.29	<1	13	24	28	2.40	.06	10	.40	264	<1	<0.01	12	900	24	<5	<20	23	.16	<10	62	<10	7	74
353	- 758 51000E	50160 #	<5	<.2	1.59	20	6	80	<5	.25	<1	12	21	28	2.39	.05	10	.33	318	<1	<0.01	10	990	26	<5	<20	21	.14	<10	59	<10	6	75
353	- 759 51000E	50200 #	<5	<.2	1.30	19	6	80	<5	.44	<1	11	19	22	2.07	.05	10	.40	347	<1	<0.01	11	700	18	<5	<20	20	.15	<10	56	<10	7	48
353	- 760 51000E	50240 #	<5	<.2	1.69	10	10	70	<5	.26	<1	13	23	23	2.71	.04	10	.37	243	<1	<0.01	13	1230	22	<5	<20	20	.14	<10	66	<10	5	51
353	- 761 51000E	50280 #	<5	<.2	.92	15	6	80	<5	.37	<1	11	19	27	2.21	.05	10	.36	291	<1	<0.01	11	750	14	<5	<20	20	.11	<10	55	<10	8	38
353	- 762 51000E	50320 #	<5	<.2	1.13	15	10	80	<5	.42	<1	12	21	38	2.20	.06	10	.42	470	<1	<0.01	11	740	18	<5	<20	30	.11	<10	56	<10	5	49
353	- 763 51000E	50560 #	5	.4	1.20	10	8	100	<5	.69	<1	11	29	113	2.85	.09	10	.48	187	2	<0.01	13	530	26	<5	<20	31	.09	<10	71	<10	2	93
353	- 764 51000E	50600 #	50	<.2	1.77	25	4	105	<5	.17	<1	21	33	141	4.65	.07	10	.66	290	4	<0.01	17	990	42	5	<20	15	.09	<10	104	<10	<1	139
353	- 765 51000E	50640 #	10	.4	2.17	15	8	125	<5	.18	<1	22	33	178	4.79	.07	10	.73	300	5	<0.01	18	1290	44	10	<20	16	.10	<10	99	<10	<1	122
353	- 766 51000E	50680 #	<5	<.2	1.66	15	8	100	<5	.24	<1	16	27	54	4.10	.08	10	.54	292	1	<0.01	12	700	26	5	<20	18	.05	<10	98	<10	<1	88


ECO-TECH LABORATORIES LTD.

PLACER DOME INC. - ETK91- 353

PAGE 23

BT#	DESCRIPTION	AU(ppb)	AG AL(%)	AS	B	BA	BI	CA(%)	CD	CO	CR	CU	PR(%)	K(%)	LA	MG(%)	NM	MO	NA(%)	NI	P	PB	SB	SN	SR	TI(%)	U	V	W	Y	ZN
353 - 767	51000E 50720 H	<5	<.2 1.94	5	4	120	<5	.25	<1	14	24	39	3.32	.07	10	.40	408	<1	<0.01	12	1490	20	<5	<20	16	.05	<10	75	<10	<1	110
353 - 768	51000E 50760 H	<5	<.2 1.16	10	6	95	<5	.27	<1	10	19	22	2.51	.05	10	.37	224	<1	<0.01	11	560	14	<5	<20	10	.09	<10	59	<10	3	44
353 - 769	51000E 50800 H	5	<.2 1.00	10	8	80	<5	.54	<1	11	23	19	2.39	.05	10	.42	254	<1	.01	10	670	16	<5	<20	29	.13	<10	63	<10	7	42
353 - 770	51000E 50820 H	<5	<.2 1.10	10	8	95	<5	.72	6	12	24	15	2.56	.05	20	.46	398	<1	.02	12	640	18	<5	<20	42	.13	<10	66	<10	9	41
353 - 771	51000E 50920 H	<5	<.2 1.39	5	6	110	<5	.71	<1	11	22	22	2.57	.04	20	.42	655	<1	.01	11	480	20	5	<20	42	.11	<10	62	<10	8	50
353 - 772	51000E 50940 H	<5	<.2 1.04	5	6	75	<5	.33	<1	10	17	12	2.19	.06	10	.35	249	<1	<0.01	10	720	16	<5	<20	19	.10	<10	52	<10	5	51
353 - 773	51000E 51000 H	<5	<.2 1.21	10	6	80	<5	.50	<1	12	25	20	2.72	.07	20	.40	351	<1	<0.01	13	810	16	<5	<20	31	.15	<10	67	<10	12	52
353 - 774	51200E 49600 H	<5	<.2 1.28	30	8	85	<5	.39	<1	11	20	21	2.93	.07	10	.35	701	<1	<0.01	10	1230	20	<5	<20	21	.08	<10	73	<10	1	88
353 - 775	51200E 49640 H	<5	<.2 1.57	30	6	115	<5	.63	<1	13	20	18	2.79	.09	<10	.72	426	<1	.01	15	840	22	<5	<20	51	.12	<10	71	<10	3	87
353 - 776	51200E 49720 H	<5	<.2 1.29	20	8	70	<5	.25	<1	12	23	36	3.04	.03	<10	.43	230	<1	<0.01	12	920	16	<5	<20	19	.10	<10	77	<10	3	47
353 - 777	51200E 49760 H	<5	<.2 1.24	30	6	75	<5	.38	<1	14	25	53	3.46	.03	<10	.44	235	<1	<0.01	14	800	20	<5	<20	28	.10	<10	88	<10	<1	66
353 - 778	51200E 49800 H	<5	<.2 1.33	10	4	75	<5	.27	<1	10	17	15	2.19	.02	<10	.32	220	<1	<0.01	10	610	12	<5	<20	27	.09	<10	50	<10	3	26
353 - 779	51200E 49840 H	5	<.2 .81	15	6	60	<5	.48	<1	10	16	18	2.22	.04	10	.38	391	2	.01	9	690	10	<5	<20	38	.09	<10	53	<10	5	31
353 - 780	51200E 49880 H	<5	<.2 .83	15	6	55	<5	.44	<1	7	12	10	1.63	.04	<10	.28	196	2	<0.01	6	260	12	<5	<20	42	.10	<10	45	<10	3	25
353 - 781	51200E 49920 H	5	<.2 1.00	10	6	70	<5	.32	<1	8	14	16	1.02	.03	<10	.29	171	1	<0.01	8	590	12	<5	<20	26	.08	<10	45	<10	3	34
353 - 782	51200E 49960 H	10	.4 1.17	<5	4	135	<5	.84	<1	7	15	71	1.50	.05	<10	.29	278	2	<0.01	8	490	12	<5	<20	61	.08	<10	36	<10	4	34
353 - 783	LR5212 LRS5212 40 H	5	<.2 2.63	80	6	75	<5	.93	5	23	8	46	3.50	.07	<10	1.01	601	1	.03	11	390	26	10	<20	45	.18	<10	97	<10	8	251
353 - 784	L49800E 50840 H	5	<.2 1.40	15	6	80	<5	.51	<1	13	19	14	2.45	.06	<10	.62	373	<1	.01	10	540	20	<5	<20	31	.18	<10	66	<10	8	61
353 - 785	L50800H 49200 H	15	<.2 2.50	10	6	135	<5	.69	<1	24	16	27	4.26	.32	<10	1.32	705	<1	.02	11	490	22	<5	<20	79	.21	<10	100	<10	6	138
353 - 786	L50800E 49560 H	<5	<.2 1.33	25	12	55	<5	.22	<1	12	20	24	2.92	.03	<10	.41	286	<1	<0.01	12	1140	18	<5	<20	15	.10	<10	66	<10	3	64
353 - 787	50400E 49800 H	<5	.2 1.12	15	4	150	<5	.19	<1	8	14	10	2.47	.04	<10	.23	322	<1	<0.01	6	740	26	<5	<20	16	.06	<10	56	<10	<1	84
353 - 788	50400E 49960 H	20	.4 2.13	30	6	115	<5	.20	<1	20	38	242	4.02	.06	<10	.59	284	7	<0.01	37	1100	66	10	<20	18	.10	<10	72	<10	<1	175
353 - 789	L49800E 50800 H	10	<.2 1.26	15	6	85	<5	.57	<1	11	18	27	2.47	.07	10	.53	414	<1	.02	11	450	18	<5	<20	34	.14	<10	58	<10	10	64

NOTE: > = GREATER THAN
< = LESS THAN


 ECO-TECH LABORATORIES LTD.
 CLINTON AYRES
 LABORATORY MANAGER