

Fox

Apr. 4/07

- core (8 dth) @ Connor's Drilling

① 7-13m Holes #6 + 7

② 7-145m

7 ~ 162 - 168 m 'Elongated' atz (eye) sericite intr.

(minimum age) Ar-Ar ± zircon
~ 167.85 - 177.36m total

167.06m - 177.06m sampled interval
175.76
1.30
177.36m total

J07-01-02

~~162.85~~ 2 metre section of 'inherently' same as in showing - incl 'contorted' tetrahedrite + cpy + hematite - alt'd 'clay' (gouge)

- JB said the 'ore' zone was intersected in two (2) holes - #2 ± 1.3



Lake


Blacktop
Zone

4

1,2,3

6

7



(KENT) FOX Mon. Oct. 16/03

- with Jerry Blackwell Rain/Snow
 (Gibson) + Gerry McArthur (Cars) + 5°C
 + Jim Mustard (Haywood) + Mike Collier
 1.5 km STRIKE \times 2-4 km wide
 - 27 km N. of Merritt on W. side Log.
 { a 5 km S \rightarrow ex. Ken Addison Hu
 target } - Helmer Lign
 ~ 65 sq. km of ch. (to W.)
 turn off

HW = por. (sheared) intermed.
 green-maroon Volc.

in FW - black amygd. bs/t
 dyke (sill) [post min. ?]
 [see: 'kent' file]

Tel. - JB Mar. 19/01

- 1) old photos of area (pre-Hug)
- 2) Rocks are 'highly' metamorphic
 (cf. folded). Rx. to N of
 showing = 'bedded' pyroxene
 - olivine ultramafics (petrography)
- 3) Age dating - core-int. volcs.