

TENAJON SILVER CORP.

August 31, 1988
News Release 88 - 9

LOG NO:	VAN
ACTION:	Silver Butte 887512 104B/1E 104B/150
FILE NO:	SILVER BUTTE VSE TJS

S.B. Property

Tenajon Silver Corp. 50% - Esso Minerals, A Division of Esso Resources Canada Limited 50%

High Sulphide Structure Intersected in Underground Development 33 foot true width assays 0.883 ounces of gold per ton

The 1988 underground development program is well advanced at the SB Property, 19 miles north of Stewart, B.C. Subsequent to the adit intersecting the zone in late June, approximately 500 feet of drifting to the south and parallel to the zone has been completed.


A crosscut into the zone has encountered high sulphide mineralization - the "35" Zone. Channel sampling across a true width of at least 33.0 feet averaged 0.883 ounces of gold/ton and 2.43 ounces of silver/ton, uncut (cut to 1.0 ounce of gold/ton average grade: 0.742 ounces of gold/ton). No assays have yet been received for copper, lead and zinc, however there are visual indications that significant values in these metals may be expected. The structure is well defined, strikes north to south and dips between 80 and 90 degrees. Approximately 25 feet before reaching the the "35" Zone, the crosscut intersected a 3.3 foot parallel structure that assayed 1.24 ounces of gold/ton.

Drifting in the hangingwall of the zone is continuing with drill stations being cut at 80 foot intervals. A 7,000 foot underground diamond drilling program, to be conducted from these stations, is scheduled to commence September 10th. This underground drilling program is designed to provide data for tonnage and grade calculations.

An 8,000 foot surface diamond drilling program is underway approximately 1,000 feet south of the current underground workings. Previous diamond drilling has indicated a strong structure to the south with significant values in gold. Five holes have now been completed and assays have been received for two of the five holes. No values were encountered in the first hole due to faulting. The second hole, on a section 260 feet south of the first hole, encountered 2 feet of 0.612 ounces of gold/ton within a wide silicified zone with values ranging from 0.03 to 0.13 ounces of gold/ton.

TENAJON SILVER CORP.

Per:



Donald A. McLeod, President

The Vancouver Stock Exchange has neither approved nor disapproved the information contained herein.

Suite 860 - 625 Howe Street, Vancouver, B.C. V6C 2T6 Telephone (604) 687-7545

TENAJON RESOURCES CORP.

LOG NO: NOV - 4 1988	VAN
ACTION:	
VCS	
FILE NO: Silver Butte	VSE TJS

November 2, 1988
News Release 88-12

SB Property

Tenajon Resources Corp. 50% - Esso Minerals Canada, A division of Esso Resources Canada Limited 50%

Surface Diamond Drilling Intersects New Zone - 20.0 feet of 2.740 oz gold/ton

Surface Diamond Drilling

Surface drilling on the SB Property, northwestern British Columbia, has intersected a new zone parallel to the main zone. Hole S-88-45 drilled from west to east, intersected the zone and returned the following:

	From (feet)	To (feet)	Intercept (feet)	Gold oz/ton (uncut)	Gold oz/ton (cut to 1.0 oz)
S-88-45	272.3	292.3	20.0	2.749	0.425

Metallics, in addition to base metal assays, are now being run on this intersection containing a high concentration of quartz veining including several patches of visible gold up to 1/4 inch in size, noted over a 3 foot interval. Above the interval, the zone was characterized by 20% quartz vein material carrying sphalerite and minor electrum.

Underground Diamond Drilling

Results are now being received from the 7,000 foot underground diamond drilling program being conducted along the massive sulphide zone from seven drill stations. Results to date are reported below:

Station	Drill Hole No.	Dip (degrees)	From (feet)	To (feet)	Intercept (feet)	Gold oz/ton
Station 6	U-88-8	0°	68.2	72.2	4.0	0.141
	U-88-9	+35°	131.0	144.4	13.4	0.127
	U-88-11	-35°	71.8	82.7	10.9	0.310
Station 5	U-88-12	+45°	85.3	100.4	15.1	0.230
	U-88-13	-45°	131.2	154.9	23.7	0.230
	U-88-14	0°	53.1	79.7	26.6	0.626
Station 4	U-88-15	-37°	88.7	95.5	6.8	0.232
	U-88-16	-45°	140.0	150.8	10.8	0.669
			150.7	160.0	18.3	0.322

Assay results for base metals from the above holes will be reported when available as will further results from both surface and underground dilling programs.

TENAJON RESOURCES CORP.



Per:









Donald A. McLeod, President

The Vancouver Stock Exchange has neither approved nor disapproved the information contained herein.

Suite 860 - 625 Howe Street, Vancouver, B.C. V6C 2T6 Telephone (604) 687-7545





TENAJON RESOURCES CORP.

MAR 13 1989

TOS

Silver Butte VSE: TJS

News Release 89-1
February 21, 1989

SB Property

Tenajon Resources Corp. 50% Esso Minerals Canada - a division of Esso Resources Canada Limited 50%

Two New Zones Identified by Surface Program

Esso Reports Geological Reserves

Results have now been compiled from the surface and underground diamond drilling programs completed in late 1988 at the SB property located north of Stewart, B.C.

In the latest program, a total of fifteen surface drill holes were completed on the Kansas zone and thirty six underground diamond drill holes were completed on the "Face Cut/35" zone. Esso Minerals Canada has calculated geological reserves for these two zones based on surface and underground data.

They have estimated that probable and possible reserves on the Kansas and "Face Cut/35" zones total 308,000 tons with an average uncut grade of 0.505 ounces of gold per ton and 1.07 ounces of silver per ton; with individual assays cut to one ounce per ton, the gold grade for this reserve is 0.351 ounces of gold per ton. Both zones are open along strike and at depth and hold excellent potential for developing additional reserves as exploration continues.

Surface diamond drilling on other areas of the property has identified two new zones of mineralization: the West Kansas and the Anomaly zones. It is expected that in the 1989 exploration program particular emphasis will be placed on the development of these two new zones.

West Kansas Zone

The West Kansas Zone lies parallel to and west of the Kansas Zone. A surface hole, announced in late fall was the first hole to intersect the zone and returned a 20.0 foot intercept grading 2.749 ounces of gold per ton uncut, and 0.426 ounces of gold per ton, cut to one ounce. Hole # 88-44, the second hole drilled on this zone and reported below, was also successful in encountering the zone.

Hole Number	From (feet)	To (feet)	Width (feet)	Gold oz/ton
88-44	309.4	315.9	6.5	0.440

... over

Anomaly Zone

Four surface holes were drilled to test for a possible parallel zone to the east of the Kansas Zone. Three of the four holes intersected mineralization in a new zone named the Anomaly Zone. The results of these holes are reported below:

Hole Number	From (feet)	To (feet)	Width (feet)	Gold oz/ton
88-38	129.9	143.0	13.1	0.290
88-40	158.5	165.5	7.0	0.508
88-42	19.7	30.1	10.4	0.270

Tenajon, as operator of the SB property, is presently preparing a major exploration program for the coming year. Details of the program will be announced once the budget is approved and work is expected to commence as soon as conditions permit.

TENAJON RESOURCES CORP.

Per:

"D.A. McLeod"

Donald A. McLeod, President

The Vancouver Stock Exchange has neither approved nor disapproved the information contained herein.

LOG NO: JUL 19 1989	VAN
ACTION:	
<i>TJS</i>	
FILE NO: Silver Butte	

TENAJON RESOURCES CORP

June 27, 1989
NEWS RELEASE 89-10

VSE: TJS

UNDERGROUND DRILL RESULTS EXTEND "35" AND WEST KANSAS ZONES ON SB PROPERTY

VANCOUVER, B.C. - The 1989 Stage I exploration program on the S.B. Project, located 15 miles north of Stewart, B.C., commenced in early May 1989. From May 13 to May 31st, a total of 342 feet of exploration drifting parallel to the zone to allow drilling were completed and three drill stations were cut. On June 1, underground diamond drilling commenced with several objectives: further defining the 35 zone, testing the Kansas zone and further exploration of the projected northerly extension of the West Kansas zone which was discovered by surface drilling in late 1988. The recent underground program consisted of 17 underground drill holes totalling 4,600 feet.

Results of 16 of the 17 holes are as follows. Assays are pending on Hole SBU-89-52.

35 ZONE INTERSECTIONS

Hole No.	From feet	To	Width feet	Gold ounces per ton
SBU-89-37	31.2	33.2	2.0	0.273
	42.0	50.5	8.5	0.106
SBU-89-38	24.6	32.8	8.2	0.501
	87.9	92.9	5.0	0.170
	144.7	149.3	4.6	0.136
	163.4	167.7	4.3	0.165
SBU-89-39	14.1	25.3	11.2	0.239
SBU-89-41	40.4	53.9	13.5	0.215
	71.9	91.9	20.0	0.182
SBU-89-42	28.5	33.1	4.6	0.190
SBU-89-43	28.9	35.5	6.6	0.113
	20.8	27.4	6.6	0.356
	86.3	92.9	6.6	0.317
	97.8	104.4	6.6	0.166
SBU-89-45	116.5	123.1	6.6	0.214
	133.2	144.4	11.2	0.292
	103.3	107.6	4.3	0.161
SBU-89-47	16.7	29.8	13.1	0.243
	94.1	100.7	6.6	0.191
	120.4	127.0	6.6	0.369
	179.5	186.1	6.6	0.145
SBU-89-49	0.0	2.3	2.3	1.005
	35.8	42.4	6.6	0.268
SBU-89-50	107.0	114.9	7.9	0.131

These underground drill intersections have extended the 35 Zone approximately 250 feet to the south.

KANSAS ZONE INTERSECTIONS

Hole No.	From feet	To	Width feet	Gold ounces per ton
SBU-89-42	87.3	87.8	9.5	0.180
	140.4	147.9	7.5	0.161
	186.0	192.2	6.2	0.311
	214.5	220.1	5.6	0.139
SBU-89-44	224.4	231.0	6.6	1.263
SBU-89-50	124.0	127.3	3.3	0.149

WEST KANSAS ZONE INTERSECTIONS

Hole No.	From feet	To	Width feet	Gold ounces per ton
SBU-89-42	256.6	260.9	4.3	0.244
SBU-89-44	262.1	268.7	6.6	0.174
SBU-89-49	351.0	365.8	14.8	0.663
SBU-89-51	283.7	287.0	3.3	0.489

The above drill intersections have extended the West Kansas zone 325 feet north of the 1988 surface Hole (S-88-44) that discovered the zone. No significant intersections were encountered in holes SBU-89-36, 40 and 48.

Surface diamond drilling on the Kansas and on the West Kansas zones commenced June 21, 1989. The purpose of the surface diamond drilling is to provide information between previous drill intersection to establish a higher confidence level of the gold mineralization encountered in the 1988 program and to extend both zones down dip and along strike.

Both programs are designed to increase reserves to the threshold required for a production decision. Late in 1988 reserves were reported at 308,000 tons of 0.505 oz/ton gold (uncut).


On June 2, 1989, Tenajon exercised its right of first refusal and purchased the 50% interest in the SB Property previously held by Esso Minerals Canada. This purchase resulted in Tenajon owning 100 % in the SB Property subject to a 20% net proceeds to Consolidated Silver Butte Mines. The Kansas claim is not covered by the 20% net proceeds.

The present program is being funded by an \$805,000 private placement flow-through agreement with CMP 1989 Resource Partnership.

Upon completion of the present program, results from both the underground and surface drilling will be compiled and an early decision to proceed to the 1989 Stage 2 program is anticipated.

TENAJON RESOURCES CORP.

Per:



James W. MacLeod, Director

The Vancouver Stock Exchange has neither approved nor disapproved the information contained herein.

File →
Silver Butte

TENAJON RESOURCES CORP.

October 2, 1989
News Release 89-14

VSE: TJS

VANCOUVER, B.C. - Tenajon Resources Corp. completed an agreement in principle with Westmin Mines Limited on August 16, 1989, whereby Westmin can acquire a 50% interest in the SB property adjacent to the Premier Gold Joint Venture mine near Stewart, B.C. The terms of the agreement require Westmin to make cash advances and payments totalling \$572,500 to Tenajon on completion of a formal agreement and make expenditures of \$2.455 million within 16 months of completion of the formal agreement.

The agreement in principle was subject to a technical evaluation by Westmin of the SB property, finalization of a formal agreement and, Westmin reaching agreement with its partners in the Premier Gold Joint Venture for access to the mill.

Westmin has completed its technical evaluation of the SB property and informed Tenajon that it is satisfied with ore reserves and metallurgical criteria. Westmin is in discussions with permitting authorities to expedite the permitting of production. Tenajon and Westmin are making good progress in resolving the terms of the formal agreement that provide for milling of 330 tons per day of ore from the SB property.

In preparation for fill-in underground drilling of the Facecut-35 ore zone, Westmin has completed several drill stations to minimize delay of the drilling program required to complete a mine plan report for permitting and feasibility.

TENAJON RESOURCES CORP.
Per:

"D.A. McLeod"

Donald A. McLeod,
President

The Vancouver Stock Exchange has neither approved nor disapproved the information contained herein.

June 11, 1990

90-4

FOR IMMEDIATE RELEASE

VANCOUVER, B.C. - Tenajon Resources Corp. (VSE: TJS) announces that a formal agreement with Westmin Mines Limited was executed on June 8, 1990 for the development of Tenajon's SB gold-silver property in B.C.'s northwest gold belt. Westmin has completed a private placement of 200,000 shares of Tenajon at \$1.00 per share and will make a \$172,500 cash payment to Tenajon on closing, to take place on or before October 31, 1990.

After closing, Westmin has a firm commitment to spend a minimum of \$2,455,000 on the SB property to earn a 50% interest. The minimum expenditure will be increased by 75% of Tenajon's 1990 SB exploration expenses. Westmin's expenditure is expected to advance SB to the production stage and must include the completion of a feasibility study. Upon production, the facilities of the adjacent 2,200 tpd Premier mill will be used for processing SB ore at a guaranteed throughput of 119,000 tons per annum, at the then prevailing milling costs.

Tenajon has budgeted a \$500,000 exploration program for the SB property to commence in late June. The program is designed to expand current reserves of 308,000 tons grading 0.505 oz gold/ton (0.351 oz gold/ton cut) and 1.07 oz silver/ton, contained in two zones that are open, both along strike and to depth. Proposed exploration will see the 800 level adit extended 450 feet to the south and 10,500 feet of underground diamond drilling conducted, with 33 holes testing the continuity and extensions of the deposits and 4 holes drilled to conduct preliminary exploration of two additionally indicated zones.

- 30 -

For further information contact:

Donald A. McLeod, President
Lynne Jensen, Investor Relations
Tenajon Resources Corp.
860 - 625 Howe Street
Vancouver, B.C. V6C 2T6
Telephone 604/687-7545

LOG NO:	JUN 20 1990	VAN	1
ACTION:	TJS		
FILE NO:	250 SILVER BUTTE		

The Vancouver Stock Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this release.



FOR IMMEDIATE RELEASE
August 15, 1990

90-8

VANCOUVER, B.C. – Tenajon Resources Corp. (VSE: TJS) announced today it has received the first results from the \$450,000 underground and surface diamond drilling program underway at its' SB property located north of Stewart, B.C.

The underground drill program, consisting of 11 holes totalling 3,200 feet, has been completed. Intersections from nine new underground holes have successfully intersected both the Kansas and West Kansas zones and results are reported below. These holes were drilled to test between hole continuity and down dip extensions on the zones.

Hole No.	From (feet)	To	Interval (feet)	Gold oz/ton	Silver oz/ton
U-90-53	116.1	118.8	2.7	11.417	5.46
U-90-54	104.0	107.3	3.3	0.108	.94
U-90-55	178.2	188.0	9.8	0.252	.40
U-90-56	18.0	24.6	6.6	0.121	.44
U-90-57	53.1	63.0	9.9	0.056	.18
U-90-58	0.0	9.8	9.8	0.107	1.76
	68.6	94.8	26.2	0.475	.52
	271.9	291.6	19.7	0.135	.89
U-90-59	no significant intersections				
U-90-60	78.8	108.3	29.5	0.553	.95
U-90-61	99.7	109.6	9.8	0.389	.32

Two underground holes drilled in 1988, were extended to test for an extension of the B.M. Zone and were successful in locating the extension, although gold values were less than 0.05 oz per ton.

Surface diamond drilling, now underway, is further testing the Kansas and West Kansas zones along strike and to the south of the area of the underground drilling program. Eight surface holes have been completed totalling 3,950 feet. A further 4,000 feet of surface diamond drilling remains in this program, which is proceeding on schedule and under budget. Results will be reported as they are available.

For further information contact:

Donald A. McLeod, President or Lynne Jensen, Investor Relations
TENAJON RESOURCES CORP
860 - 625 Howe Street
Vancouver, B.C. V6C 2T6
Telephone 604/687-7545

LOG NO: SEP 07 1990 VAN 6
ACTION:
TJS
FILE NO: SILVER BUTTE

FOR IMMEDIATE RELEASE

90-10

August 16, 1990

VANCOUVER, B.C - Tenajon Resources Corp.'s (VSE; TJS) field geologist reports from the SB property, that core from the first four surface holes contain intersections with significant sightings of visible gold. The four holes, part of a 8,000 foot surface drilling program, are drilled along 525 feet of strike, with the distance between holes ranging from 65 to 130 feet. These holes are located south and along strike from the underground drilling (reported August 15th) on the West Kansas zone. Assay results from these first four surface holes are expected shortly and will be reported as soon as they are available.

For further information contact:

Donald A. McLeod, President
Lynne Jensen, Investor Relations
TENAJON RESOURCES CORP.
860 - 625 Howe Street
Vancouver, B.C. V6C 2T6
Telephone 604/687-7545

- 30 -

The Vancouver Stock Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this release.

PRESS RELEASE

FOR IMMEDIATE RELEASE

90-14

August 29, 1990

SURFACE DRILLING ON THE "SB" PROPERTY RETURNS EXCELLENT VALUES

A total of 6,880 feet of surface diamond drilling in 13 holes has been completed at Tenajon Resources Corp.'s (VSE:TJS) SB property and results from five of six surface holes received to date have returned excellent values and widths. This surface drilling program is being conducted on the West Kansas zone, a zone on Tenajon's SB property that has no tonnage yet assigned.

Holes 17, 20 and 25 are three of the four holes containing visible gold and all holes drilled are located south and along strike from the underground drilling reported on August 15th. Assay results from those holes not reported below are expected shortly. The exploration program has been completed under budget and Tenajon is planning to expand the surface drilling program and drill several additional holes.

Hole No.	From	To	Interval (ft)	Gold oz/ton	Silver oz/ton
SB 90-16	429.8	439.0	9.2	0.080	0.01
SB 90-17	474.0	503.5	29.5	0.362	2.34
SB 90-18	416.7	428.9	13.1	0.208	0.80
SB 90-19	211.6	221.4	9.8	0.242	1.45
SB 90-20	277.9	281.2	3.3	0.312	0.57
	307.4	333.6	26.2	0.552	0.22
	420.0	423.3	3.3	3.998 *	2.47
SB 90-25	264.4	280.9	16.5	0.307	0.71
	301.2	307.8	6.6	10.245	7.45


* incomplete, adjoining assays to come

For further information contact:

David A. Healey or Lynne Jensen, Investor Relations
Tenajon Resources Corp.
860 - 625 Howe Street
Vancouver, B.C. V6C 2T6
Telephone 604/687-7545 or 800/667-2414

LOG NO: SEP 12 1990	VAN /
ACTION:	
VGS	
FILE NO: Silver Butte	

The Vancouver Stock Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this release.

LOG NO:	OCT 24 1990 VAN 5
ACTION:	
FILE NO:	Silver Butte

TENAJON RESOURCES CORP.

860-625 Howe Street
Vancouver, B.C. V6C 2T6

Tel. (604) 687-7545
Fax. (604) 689-5041

FOR IMMEDIATE RELEASE
October 15, 1990

90-15

**Westmin/Tenajon Joint Venture Agreement Closes
Drilling Program Starts**

VANCOUVER, B.C. - A joint venture agreement between Westmin Mines Limited and Tenajon Resources Corp. (VSE: TJS) closed today, whereby Westmin can earn a 50% interest in Tenajon's "SB" property. As part of the agreement, Westmin has made a \$172,500 payment to Tenajon and has started earn-in expenditures effective September 15, 1990. Westmin have mobilized their crews to the SB property and a diamond drilling program, utilizing three drills is now underway. A total 6,700 feet of surface drilling and 9,000 feet of underground drilling will be completed in this phase.

Under the amended terms of a joint venture agreement, Westmin can earn a 50% interest in the SB property by spending a total of \$2.79 million, including the firm commitment of a \$1.055 million expenditure before April 15, 1991, and by notifying Tenajon by March 15, 1991 of their commitment to proceed with the balance of expenditures. If all expenditures are not completed, Westmin would not earn any interest in the property, but Tenajon would retain access to the facilities of Westmin's Premier mill for processing 119,000 tons per annum of SB ore at preferred rates.

Tenajon's SB property is located north of Stewart in northwestern British Columbia, and is situated between Westmin's Big Missouri and Premier mines now in production. Last quoted reserves on the SB property are 308,000 tons grading 0.505 oz gold/ton and 1.07 oz silver/ton, and are contained in two of five known zones of mineralization.

Westmin's program is expected to advance the SB to the pre-production stage and will include completion of a feasibility study and production permitting. Upon completion of the foregoing, it is planned to use the 2,000 tpd Premier mill for processing SB ore at a guaranteed throughput of 119,000 tons per annum.

A \$450,000 diamond drilling program consisting of 16 surface holes and 11 underground holes was recently completed by Tenajon in a 1990 exploration program. The program was successful in confirming the continuity and extending both zones tested - the Kansas and West Kansas Zones. Results of holes U-90-53 - U-90-61 and S-90-16 - S90-20 and S-90-25 from this program were reported August 15th and 29th. Results from holes drilled subsequently are reported overleaf.

Hole No.	From (feet)	To	Width (feet)	Gold oz/ton	Silver oz/ton
<u>Surface Holes</u>					
SB 90-21	106.6	113.2	6.6	0.148	.34
	183.1	186.4	3.3	0.236	.44
SB-90-22	379.3	382.6	3.3	0.201	.13
SB-90-23	132.8	136.1	3.3	0.763	.30
SB-90-24	206.7	210.0	3.3	0.094	3.71
SB-90-26	318.5	322.1	6.6	0.127	1.64
	341.5	344.8	3.3	0.264	.22
	360.0	363.3	3.3	0.326	.87
	368.7	371.1	3.3	0.117	.59
	374.3	380.9	6.6	0.267	2.21
	407.2	423.6	16.4	0.601	.43
	436.7	443.3	6.6	0.355	1.88
SB-90-27	442.3	448.9	6.6	0.283	.23
SB-90-28	360.2	366.8	6.6	0.299	1.66
	402.2	405.5	3.3	0.355	.24
SB-90-29	423.2	439.6	16.4	0.651	.52
SB-90-30	309.0	318.9	9.9	0.198	.77
	362.2	380.2	18.0	0.167	.23
SB-90-31	256.6	269.7	13.1	0.292	.72
	325.5	338.6	13.1	0.189	.86
<u>Underground Holes</u>					
SBU-90-61	72.2	85.3	13.1	0.182	.26
SBU-89-36 extended	183.7	187.0	3.3	0.139	.25
SBU-89-38 extended	381.2	384.5	3.3	0.202	.12

For further information contact:

Donald A. McLeod, President
Lynne Jensen, Investor Relations
David A. Healey, Investor Relations
TENAJON RESOURCES CORP.
860 - 625 Howe Street
Vancouver, B.C. V6C 2T6
Telephone 604/687-7545

The Vancouver Stock Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this release.

Press Release

FOR IMMEDIATE RELEASE

January 8, 1991

LOG NO:	JAN 14 1991	VAN	8
ACTION:	TJS		
FILE NO:	Silver Butte		

**THE
NORTHAIR
GROUP**

VANCOUVER, B.C. - Westmin Resources Limited has supplied Tenajon Resources Corp. (VSE: TJS) with results from the 24,300 foot 96 hole underground and surface diamond drilling program conducted on Tenajon's SB property, located in northwestern British Columbia.

Drilling on the "35" zone consisted of 16,000 feet in 76 holes of underground drilling. Numerous holes returned well mineralized intersections in excess of 20 feet. This drilling was conducted to confirm earlier reserve estimates and for calculation of mineable reserves in preparation of a mining plan.

A new gold bearing structure, different in character from the "35" zone, was encountered in Hole S90CU-140 which was drilled east of the north end of the "35" zone. This 23 foot intersection of black carbonaceous, siliceous breccia assayed 1.10 ounces of gold and 1.52 ounces of silver per ton. Further interpretative work and additional drilling are planned to determine the significance of this intersection.

Westmin has filed a prospectus with the Northwest Mine Development Review Committee in order to complete permitting early in 1991, complete development work and commence production by May 1991. Westmin can earn a 50% interest in the SB property by spending a total of \$2.8 million. The recently completed program constitutes a portion of that expenditure.

Drill holes from the "35" zone with significant intersections are tabulated overleaf. Drill results from the Kansas and West Kansas zones are forthcoming.

For further information contact:

Donald A. McLeod, President or Lynne Jensen, Investor Relations
TENAJON RESOURCES CORP. 860 - 625 Howe Street, Vancouver, B.C. V6C 2T6
Telephone 604/687-7545

The Vancouver Stock Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this release.

All significant intersections from "35" zone underground drilling.

Hole No.	From	To	Width feet	Gold oz/ton	Silver oz/ton	Zinc (over 2%)
SECTION 7612						
S90CU-67	66.9	72.2	5.3	0.206	.93	
S90CU-68	112.9	133.9	21.0	0.499	1.88	3.41
S90CU-69	125.0	134.8	9.8	0.741	2.48	5.55
SECTION 7624						
S90CU-72	75.1	123.0	47.9	0.357	2.04	3.35
S90CU-73	48.5	57.7	9.2	0.240	0.70	
	165.0	183.4	18.4	0.479	1.17	2.37
	273.3	278.2	4.9	0.610	1.90	2.59
SECTION 7640						
S90CU-76	91.9	97.1	5.2	0.288	0.32	
S90CU-77	65.3	90.2	24.9	0.458	1.45	3.49
S90CU-79	60.0	75.1	15.1	0.155	0.34	
	200.1	201.5	1.3	1.184	3.35	9.10
S90CU-80	65.3	73.2	7.9	0.735	1.90	2.86
S90CU-81	58.1	81.4	23.3	0.600	2.02	10.35
SECTION 7650						
S90CU-82	128.9	145.3	16.4	0.871	1.09	2.81
S90CU-84	71.9	92.9	21.0	0.490	2.77	
S90CU-85	83.3	90.9	7.6	1.136	7.15	
SECTION 7660						
S90CU-87	45.3	65.0	19.7	0.325	1.00	2.18
S90CU-88	63.0	80.7	17.7	0.159	0.46	
S90CU-89	144.4	172.9	28.5	0.812	0.64	
SECTION 7675						
S90CU-138	188.0	195.2	7.2	0.209	0.17	
S90CU-122	12.1	15.1	3.0	0.282	0.58	
	55.0	98.8	43.8	0.549	2.97	6.04
	330.1	335.0	4.9	0.230	0.73	9.08
S90CU-123	149.9	170.0	20.0	0.552	0.44	
S90CU-124	109.9	114.8	4.9	0.302	0.44	
SECTION 7687						
S90CU-92	79.4	86.0	6.6	0.747	2.28	
S90CU-93	92.9	107.9	15.1	0.509	0.97	
SECTION 7700						
S90CU-96	129.6	129.6	14.8	0.182	2.48	2.01
S90CU-98	191.3	201.5	10.2	0.390	1.22	3.02
S90CU-99	181.8	192.3	10.5	0.178	0.56	
SECTION 7722						
S90CU-103	101.4	113.9	12.5	0.249	0.67	2.28
S90CU-104	206.0	213.6	7.6	0.703	0.99	
S90CU-105	149.0	159.5	10.5	0.146	0.31	
S90CU-108	87.6	90.9	3.3	2.822	2.54	2.48
	113.9	120.4	6.6	0.239	2.70	
	129.9	134.8	4.9	0.162	18.75	4.39
S90CU-109	110.6	128.3	19.4	0.268	1.16	2.48
SECTION 7740						
S90CU-112	47.0	55.1	6.6	0.333	1.11	3.16
S90CU-113	118.8	135.2	16.4	0.381	9.19	17.74
S90CU-114	143.4	157.5	14.1	0.232	7.61	6.45
S90CU-115	154.2	167.0	12.8	0.375	7.03	18.14
S90CU-116	132.6	142.4	9.8	0.751	0.89	
	152.6	174.2	21.7	0.282	2.25	3.67
S90CU-127	163.7	188.0	24.3	0.183	1.47	4.56
S90CU-128	130.3	159.8	29.5	0.278	4.54	4.15
S90CU-129	102.7	114.2	11.5	0.270	4.47	15.37
S90CU-130	96.5	99.7	3.3	0.372	0.26	
	139.1	165.4	26.2	0.430	4.72	6.65
S90CU-131	61.4	70.2	8.9	0.685	2.81	5.74
	148.6	151.9	3.3	0.384	0.41	
S90CU-132	237.2	243.8	6.6	0.143	0.43	
S90CU-118	136.5	149.6	13.1	0.164	2.80	
SECTION 7754						
S90CU-125	139.4	142.7	3.3	2.608	3.33	
S90CU-126	166.7	173.2	6.6	0.250	1.28	3.65
S90CU-140	42.7	65.6	23.0	1.099	1.52	2.68

LOG NO: FEB 15 1991	VAN 9
ACTION:	
FILE NO: SILVER BUTTE	

**THE
NORTHAIR
GROUP**

FOR IMMEDIATE RELEASE
February 12, 1991

Press Release

VANCOUVER - A 6,000 foot, 13 hole surface diamond drilling program was completed by Westmin Resources Limited on Tenjaon's SB property. Drilling was conducted on the Kansas and West Kansas zones, and was successful in establishing a greater understanding of the zones. Numerous intersections with significant grades and widths were encountered and results are tabulated overleaf. The two zones appear to be open, both along strike and at depth and further drilling is required to fully evaluate their potential.

Westmin is completing a feasibility study on the "35" zone, has submitted a prospectus for the SB property to the Northwest Mine Development Review Committee for permitting and will notify Tenajon by March 15th, 1991 of their intention to proceed with the development of the property to production. Results from Westmin's underground drill program on the "35" Zone were reported in mid January.

A limited and preliminary fall prospecting program on Tenajon's Ashwood property was successful in identifying six mineralized zones, the most promising of which is the "N" Zone. The Ashwood property, owned 100% by Tenajon, is located 12 miles southwest of the LAC/Bond Gold "Red Mountain" property in northwestern British Columbia.

The N Zone lies within a large gossanous area, underlain by intruded andesitic flows, tuffs and volcanoclastics. The zone is northerly striking and has been traced for over 2,300 feet in both float and outcrop. Mineralization occurs both in a quartz vein system, and in semi-massive to massive sulphide lenses. Samples from quartz veined boulders have assayed up to 0.34 oz/ton Au. Grab samples of the massive sulphide have assayed up to 0.04 oz/ton Au, 6.71 oz/ton Ag, 16.50% Zn and 2.97% Pb.

Planning is now underway in preparation for a 1991 exploration program on the Ashwood property.

91-2

- 30 -

For further information contact: Donald A. McLeod, President or Lynne Jensen, Investor Relations
Tenajon Resources Corp. 860 - 625 Howe Street Vancouver, B.C. V6C 2T6 Telephone 604-687-7545

The Vancouver Stock Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this release.

Surface Drill Results
 Kansas and West Kansas Zones

Hole No.	From	To	Width feet	Gold oz/ton (uncut)
SECTION 7383				
S90CH-40	523.0	548.3	25.3	0.284
S90CH-41	317.9	333.0	15.1	0.208
	360.6	370.8	10.2	0.179
	442.9	447.9	5.0	0.210
SECTION 7400				
S90CH-39	324.5	333.7	9.2	0.231
SECTION 7416				
S90CH-38	386.2	389.5	3.3	0.194
SECTION 7429				
S90CH-32	286.4	291.7	5.3	0.250
S90CH-34	169.0	173.6	4.6	1.516
	295.0	305.1	10.2	0.435
	350.1	379.9	29.9	0.294
	395.0	400.0	5.0	0.120
	452.4	459.7	2.3	0.227
S90CH-35	158.5	165.0	6.6	0.327
	295.0	308.1	13.1	0.159
	382.9	407.8	24.9	0.212
S90CH-36	199.2	202.1	3.0	0.246
	296.9	301.9	4.9	0.216
	384.9	400.3	15.4	1.056
S90CH-37	254.3	256.6	2.3	1.201
	360.9	365.2	4.3	0.358
	386.2	400.9	14.8	0.134
	436.0	441.0	4.9	0.164
SECTION 7460				
S90CH-44	259.5	263.8	4.3	0.185
	286.1	291.0	4.9	0.220
	345.8	352.4	6.6	0.339

LOG NO:	MAR 11 1001	VAN	6
ACTION:			
FILE NO:	SILVER BUTTE		

**THE
NORTHAIR
GROUP**

FOR IMMEDIATE RELEASE
March 6, 1991

Tenajon's SB Property Proceeding to Production

VANCOUVER, B.C. - Westmin Resources Ltd. advised Tenajon Resources March 5, 1991, that subject to regulatory approval, they will proceed into production on Tenajon's SB property. Westmin holds an option to earn a 50% interest in the property from Tenajon. The option is exercised by completing the expenditure of approximately \$2.8 million and making a production decision by March 15, 1991.

Westmin has spent \$1 million to date in confirmatory drilling, engineering and permitting work. As a result of this work, Westmin estimates the 35 Zone contains proven and probable geological reserves as follows: (Cut and Diluted Grades) 105,830 tons grading 0.289 oz gold/ton, 1.92 oz silver/ton, 0.32% copper, 0.67% lead and 3.85% zinc. Further exploration will be conducted on four other zones, principally the Kansas and West Kansas zones, to more fully define the potential of additional mineable reserves.

Subject to receiving regulatory approval which allows an early start date, mining of this zone is scheduled to be completed in 1991 and processing in the Premier Mill will take place in a series of batches as the ore is extracted.

- 30 -

For further information please contact:

Donald A. McLeod, President or
Lynne Jensen, Investor Relations

Tenajon Resources Corp. VSE: TJS
860 - 625 Howe Street
Vancouver, B.C. V6C 2T6
Telephone 604/687-7545