

1710 - 609 GRANVILLE ST
PO BOX 10363
VANCOUVER BC
CANADA V7Y 1G5
(604) 683-7265 FAX 683-5306

George Cross News Letter

"Reliable Reporting"

WESTERN CANADIAN INVESTMENTS

COPYRIGHT
ALL REPRODUCTION
RIGHTS RESERVED
PUBLISHED DAILY
SUBSCRIPTION RATE
\$350.00 + GST

NO. 237 (2000)
DECEMBER 12, 2000

NO. 237 (2000)
DECEMBER 12, 2000

SULTAN MINERALS INC.

[SUL-CDNX] 13,680,835 SHS.

ADDITIONAL GOLD ASSAYS - A.G.Troup, P.Eng. president,
FROM KENA TRENCHES Sultan Minerals Inc. has
reported results of an additional
three trenches excavated on its Kena property located near Nelson in
southeastern British Columbia. The six trenches completed to date
test an area measuring 125 metres by 100 metres. The trenches are
centred on the recent Gold Mountain discovery area where three
previously reported trenches gave a weighted average grade of 1.65
g/t gold over their combined length of 125 metres. [SEE map
overleaf P.5 for trench and sample locations also see NO. 215, P.1,
Nov.9, 2000, for previous data.]

The table Overleaf P.4, show complete gold assays for trenches
TR-4 through TR-6 as well as for the previously reported trenches
TR-1 through TR-3.

These results give an average grade of 1.43 g/t gold over 181.7
metres of total trench length from six trenches completed to date.
The weighted average gold grade for each trench is reported in the
following table.

TRENCH AVERAGES		
TRENCH	LENGTH	AU (g/t)
TR-1	49.0m	1.59
TR-2	55.0m	1.44
TR-3	22.2m	2.30
TR-4	20.5m	1.43
TR-5	27.0m	0.84
TR-6	9.0m	0.17

Recently geophysical results confirm the trench area has a high
chargeability signature correlating well with sulphide content seen
in the trenches. The chargeability anomaly has been traced for 1.8
km in a north-south direction and is up to 500 metres wide.

Additional trenching, prior to diamond drilling, is planned on
completion of permitting and financing.

Since recognizing intrusive hosted gold mineralization over the
Gold Mountain Zone Sultan Minerals has been prospecting the
favourable Silver King Porphyry unit for 10 km to the south of Gold
Mountain. Several historic showings have recently been identified
in this unit and the company has now acquired this ground by
staking. Assays for samples collected from these showings are
expected shortly.

82FSW 237
p. 10F3

SULTAN MINERALS INC.
KENA PROPERTY, NELSON BC

TRENCH SAMPLE RESULTS

TRENCH	FROM-TO (m)	SAMPLE WIDTH(m)	AU (g/t)	TRENCH	FROM-TO (m)	SAMPLE WIDTH(m)	AU (g/t)
TR-1	0-3	3	0.84	TR-3	0-3	3	0.17
TR-1	3-6	3	1.18	TR-3	3-6	3	0.31
TR-1	6-9	3	1.73	TR-3	6-9	3	11.38
TR-1	9-12	3	3.38	TR-3	9-12	3	0.35
TR-1	12-15	3	1.69	TR-3	12-15	3	0.56
TR-1	15-18	3	6.26	TR-3	15-18	3	1.17
TR-1	18-21	3	0.77	TR-3	18-21	3	2.32
TR-1	21-24	3	0.43	TR-3	21-22.2	1.2	1.95
TR-1	24-27	3	0.35				
TR-1	27-29	2	1.42	TR-4	0-3	3	2.75
TR-1	29-32	3	0.60	TR-4	3-6	3	4.92
TR-1	32-35	3	0.72	TR-4	6-9	3	1.39
TR-1	35-38	3	0.57	TR-4	9-12	3	0.47
TR-1	38-41	3	1.15	TR-4	12-15	3	0.13
TR-1	41-44	3	1.67	TR-4	15-18	3	0.07
TR-1	44-47	3	3.14	TR-4	18-20.5	2.5	0.06
TR-1	47-49	3	0.56				
				TR-5	0-3	3	1.30
TR-2	0-3	3	1.78	TR-5	3-6	3	1.43
TR-2	3-6	3	0.27	TR-5	6-9	3	0.22
TR-2	6-9	3	0.14	TR-5	9-12	3	0.37
TR-2	9-12	3	1.65	TR-5	12-15	3	0.57
TR-2	12-15	3	0.39	TR-5	15-18	3	1.07
TR-2	15-18	3	1.25	TR-5	18-21	3	0.69
TR-2	18-21	3	1.54	TR-5	21-24	3	0.36
TR-2	21-24	3	1.90	TR-5	24-27	3	1.51
TR-2	24-25	1	No sample				
TR-2	25-28	3	3.16	TR-6	0-3	3	0.21
TR-2	28-31	3	0.55	TR-6	3-6	3	0.15
TR-2	31-34	3	2.50	TR-6	6-9	3	0.16
TR-2	34-37	3	0.49				
TR-2	37-40	3	3.54				
TR-2	40-43	3	0.57				
TR-2	43-46	3	0.50				
TR-2	46-49	3	1.09				
TR-2	49-52	3	3.86				
TR-2	52-55	3	0.65				

NO. 237 (2000)
 DECEMBER 12, 2000


*8ZF SW 237
 p. 2 of 3*

NO. 237 (2000)
 DECEMBER 12, 2000

82F SW 237
 P. 30F3

SULTAN MINERALS INC.
KENA PROPERTY, NELSON BC

NO. 237 (2000)
 DECEMBER 12, 2000



NO. 237 (2000)
 DECEMBER 12, 2000