

1710 - 609 GRANVILLE ST
PO BOX 10363
VANCOUVER BC
CANADA V7Y 1G5
(604) 683-7265 FAX 683-5306

George Cross News Letter

"Reliable Reporting"

WESTERN CANADIAN INVESTMENTS

COPYRIGHT
ALL REPRODUCTION
RIGHTS RESERVED
PUBLISHED DAILY
SUBSCRIPTION RATE
\$350.00 + GST

NO. 76 (2000)
APRIL 18, 2000

NO. 76 (2000)
APRIL 18, 2000

INTERNATIONAL WAYSIDE GOLD MINES LTD.

[IWA-CDNX] 32,589,013 SHS.


CARIBOO GOLD PROJECT UPDATE - Frank Callaghan, provides a further update on exploration activities at the 100% optioned Cariboo gold project 100 km east of Quesnel near Wells, central BC. SEE COMPILATION OF DRILL RESULTS TO DATE OVERLEAF P.3 & DRILL HOLE PLAN OVERLEAF P.4. The new gold discovery is located on the footwall side of the BC Vein.

Core for drill hole BC 2K-09 is in for assay. Drill holes BC 2K-14, 15 and 16 are being logged. Drilling is underway on hole BC 2K-17 at -66° from the same setup as BC 2K-16, which is 600 feet along strike from BC 2K 13 and at the site of Holes No. 6 and No.7. Visits are being arranged for major companies to tour the project. (SEE GCNL NO.75, 17Apr2000, P.1 FOR PREVIOUS CARIBOO GOLD PROJECT DATA & CLAIM MAP)

93H 19
p. 10 F3

INTERNATIONAL WAYSIDE GOLD MINES LTD.
 CARIBOO GOLD PROJECT, WELLS BC

2000 BC Vein Drill Program - Composite Plan



61 H56
 p. 207 d

1710 - 609 GRANVILLE ST
 PO BOX 10363
 VANCOUVER BC
 CANADA V7Y 1G5
 (604) 273-2265 FAX (604) 273-1091

George Cross News Letter

COPYRIGHT
 ALL REPRODUCTION
 RIGHTS RESERVED
 PUBLISHED DAILY

INT'L WAYSIDE GOLD MINES LTD.
 CARIBOO GOLD PROJECT
 WELLS, CENTRAL BC

Hole BC 2K-3		-45 degrees	250 feet deep
125-145 feet	20 feet	0.18 oz./ton	
210-234.5 feet	24.5 feet	0.27 oz./ton	
Hole BC 2K-4		-66 degrees	200 feet deep
119.8-125 feet	5.2 feet	0.13 oz./ton	
142-170 feet	28 feet	0.30 oz./ton	
Hole BC 2K-8		-45 degrees	305 feet deep
94.5-110 feet	15.5 feet	0.16 oz./ton	
164.8-175.6 feet	15.6 feet	0.05 oz./ton	
228.9-245 feet	18.7 feet	0.42 oz./ton	
Hole BC 2K-10		-45 degrees	400 feet deep
157.9-241.6 feet	84.7 feet	0.719 oz./ton	
Incl. 196.1-240.6 feet	44.5 feet	1.252 oz./ton	
300.1-330 feet	29.9 feet	0.102 oz./ton	
Hole BC 2K-11		-72 degrees	505 feet deep
181.9-197.6 feet	15.7 feet	0.135 oz./ton	
Hole BC 2K-12		-72 degrees	465 feet deep
182.5-199.3 feet	16.8 feet	0.058 oz./ton	
199.3-257 feet	57.7 feet	0.606 oz./ton	
Hole BC 2K-13		-45 degrees	600 feet deep
245.0-354.0 feet	109 feet	0.309 oz./ton	
Including:			
245.0-255.0	10 feet	0.341	
255.0-260.0	5 feet	0.054	
260.0-275.0	15 feet	0.179	
275.0-281.5	6.5 feet	0.014	
281.5-293.5	12 feet	0.794	
293.5-305.0	11.5 feet	0.151	
305.0-320.0	15 feet	0.758	
320.0-354.0	34 feet	0.137	

NO. 76 (2000)
 APRIL 18, 2000

NO. 76 (2000)
 APRIL 18, 2000

93H 19
 p. 3 of 3