

NO.167(1989)
AUGUST 30, 1989

George

NEWHAWK GOLD MINES LTD. (NHG-V,T)
GRANDUC MINES LTD. (GDC-V)

UNDERGROUND DRILLING - Donald A. McLeod, president of
RESULTS REPORTED Newhawk Gold Mines Ltd. reported
assay results from the continuing
23,000 ft underground drilling program on the Sulphurets
property about 50 km north of Stewart, B.C., owned 60%
by Newhawk and 40% by Granduc Mines Ltd. TABLE OF ASSAY
RESULTS OVERLEAF PAGE 1. The program is testing the West
zone between the 1250 and 1200 levels and below, and the
results have verified the continuity of the West zone at
and below the 1200 level.(SEE GCNL No.163, 24Aug89, p.1-2
and map, for major write-up on the Sulphurets project).

104B193

P.1

NEWHAWK GOLD MINES LTD.

Section	Hole No.	Dip	From	To	Core Length (m)	Gold g/t	Silver g/t
51+008	U-89-294	-9°	138.5	144.7	6.2	0.478	2.39
		and	155.4	166.7	11.3	0.703	7.64
		and	242.6	250.5	15.9	0.312	1.47
		and	268.4	282.0	13.6	0.639	12.16
(1200)*	U-89-295	-29°	186.3	201.6	15.3	1.451	1.53
		and	270.5	287.0	8.5	0.547	27.87
		and	292.0	296.9	4.9	2.737	2.43
		and	310.8	324.7	13.9	0.201	8.29
(1250)*	U-89-296	-43°	63.6	70.7	7.1	0.469	20.34
		and	138.9	142.7	3.9	0.151	13.41
(1250)*	U-89-298	-30°	40.8	43.9	1.1	0.115	12.55
		and	94.5	126.0	31.5	3.939	17.28
		and	225.0	227.7	2.7	0.314	17.35
		and	23.6	28.5	4.9	0.387	0.62
	U-89-345	-12°	36.9	42.3	5.4	0.157	14.80
		and	55.8	60.7	4.9	0.170	9.52
		and	102.5	109.6	7.1	0.715	31.34
		and	363.7	384.8	21.1	0.279	19.32
51+108	U-89-300	-13°	50.0	53.0	3.0	0.158	13.46
		and	122.3	132.6	10.3	0.545	48.62
	U-89-301	-39°	127.5	143.0	15.5	1.149	32.99
		and	338.6	348.4	9.8	6.570	4.46
51+208	U-89-306	-44°	174.2	190.6	16.4	0.100	17.28
		+21°	260.0	266.2	6.2	0.628	12.89
		and	250.9	256.3	5.4	0.410	1.00
		and	281.6	305.5	23.9	0.284	4.82
	U-89-307	+3°	321.3	327.6	6.3	0.681	67.72
		and	311.7	316.6	4.9	2.859	2.13
		and	346.1	351.0	4.9	0.412	9.51
		and	129.6	136.2	6.6	2.012	109.25
	U-89-310	-46°	223.1	229.7	6.6	0.115	7.66
		and	373.0	402.9	29.9	0.819	9.87
		and	126.0	136.8	10.8	0.163	20.81
		and	133.4	152.3	18.9	0.427	33.62
51+508	U-89-312	-6°	60.7	69.4	8.7	0.115	8.56
		and	182.1	190.6	8.5	3.183	1.78
		and	223.9	229.9	6.0	0.222	112.71
		and	196.5	200.3	3.8	0.736	99.06
	U-89-314	-37°	215.9	225.1	9.2	0.523	61.46
		and	215.9	225.1	9.2	0.523	61.46

* Holes 295 and 299, while drilled on the same section, are collared at different elevations, 1200m and 1250m respectively. Hole 298 was drilled from the end of a crosscut on the 1250m level, Hole 299 was drilled from the decline on that level.

NO. 167 (1989)
AUGUST 30, 1989

George

104B193

P. 2