

# George Cross News Letter

NO. 58 (1989)  
MARCH 23, 1989

## SKYLINE GOLD CORPORATION (SXX-V,T)

ASSAYS REPORTED - William F. Price, president of Skyline

Gold has reported assay results from the drilling program started in the Fall of 1988 on the 100% Johnny Mountain gold mine property about 100 km north of Stewart, B.C. Drilling is being conducted from the decline ramp down to the 9 level. The results printed in THE ASSAY TABLE OVERLEAF are expected to increase overall reserves and will be reflected in an updated reserve report due April 30, 1989. The results have been grouped by area and are summarized below.

Area A: results confirm the continuity of ore grade material in the 16 Vein 280 meters (910 ft.) below surface. This intercept of the vein is 100 meters (325 ft.) deeper than previous ore grade intersection. Additional drilling will be required to define the depth and strike to the east.

Area B: results indicate the vertical and horizontal extension of the high grade ore shoot in the 16 Vein between the 9 and 10 levels which was previously identified by holes 507 and 509. This ore shoot is in close proximity to existing mine workings and will be developed through the extension of existing drifts. Hole 559 was drilled at the eastern most limit of the possible reserve block previously calculated for this vein.

Area C: results establish ore grade material above the 11 level in the 16 Vein. Mineralization is open on strike in both directions and will be mined through a portal to be developed in the summer at the 12 level.

Area D: results indicate the discovery of a new structure named the Victoria Vein lying 30 meters (98 ft.) north of the 16 Vein between the 9 and 10 levels.

Exploration drilling completed to date has confirmed the mineralization in the 16 Vein for a length of 400 meters (1312 ft.) at a depth of 280 meters (925 ft.). The vein which remains open along strike to the east and at depth will be further evaluated by more drilling.



**SKYLINE GOLD CORPORATION**

AREA A:		Metres		Oz. Gold per Ton	Section	Elevation in Metres
<u>Hole No.</u>	<u>Intercept</u>	<u>True Width</u>				
523	1.5	.9	.608	10033 E	951	
530	1.1	.9	1.417	10050 E	979	
531	3.0	1.6	.797	10050 E	958	

AREA B:	Hole No.	Intercept	Metres True Width	Oz. Gold per Ton	Section	Elevation in Metres
	*507	2.0	.9	3.385	10033 E	1050
	508	1.1	.7	.988	10033 E	1104
	*509	1.4	1.2	.438	10033 E	1064
	525	.7	.5	.661	10050 E	1071
	526	.9	.8	.147	10050 E	1053
	**527	1.4	1.4	.616	10050 E	1039
	"	1.5	1.5	.377	10050 E	1034
	559	.7	.5	7.77	10100 E:	1048.6

\* Previously announced

\*\* Two veins intersected

AREA C:		Metres		Oz. Gold	Elevation	
Hole No.	Intercept	True Width	per Ton	Section	in Metres	
488	.6	.4	3.020	10000 E	1209	
489	1.3	1.2	.475	10025 E	1200	
503	3.0	2.8	1.237	10025 E	1171	

AREA D:		Oz. Gold	Elevation
<u>Hole No.</u>	<u>Intercept (Metres)</u>	<u>per Ton</u>	<u>in Metres</u>
184	.1	.46	10050 E 1130
"	1.5	.12	10050 E "
185	1.8	.23	10050 E 1112
533	.5	.142	10050 E 1080

**ANTELOPE RESOURCES LIMITED (ATF-V)**  
**BRYNDON VENTURES INC. (BNV-ALBERTA)**

ASSAYS AND RESERVES REPORTED - Since Sept. 2, 1988 Antelope Resources Limited 50% and Bryndon Ventures Inc. 50% have drilled 45 holes totalling 17,300 ft. on the North Belt claims in the Rossland gold camp in B.C. SEE ASSAYS PRINTED OVERLEAF. The drilling was on a single gold zone which at present has been proven to extend along a strike length for 800 ft. and is still open, and to a depth of 300 ft. from surface. A mineral inventory calculated from this data yields 12,250 oz. gold contained in 28,140 tonnes grading 0.44 oz. gold/tonne, which represents a 28% increase over the reserves reported in January 1989. Assays are pending on another 21 holes. (SEE GCNL No. 43, p. 3, 2Mar89 for previous article).

# ANTELOPE RESOURCES LIMITED



## Holes previously reported by Antelope

Hole Number	Mineralized Interval (ft.)
88-28	64.0 - 69.6
88-29	16.7 - 19.6
88-35	102.3 - 107.78
88-31	78.4 - 95.1
88-37	122.4 - 136.9

## Holes not previously reported by Antelope but included in the calculation of mineral inventory estimates released January 17, 1989

Hole Number	Mineralized Interval (ft.)
88-41	132.2 - 145.0
88-45	28.1 - 44.0
88-53	94.2 - 110.6

## Holes not previously released or included in previous mineral inventory estimates

Hole Number	Mineralized Interval (ft.)
88-59	92.7 - 93.3
88-62	176.1 - 178.2 183.7 - 184.4 186.2 - 186.7 205.7 - 208.8
88-63	208.7 - 209.7 214.2 - 214.9
88-71	386.3 - 392.2
88-78	157.6 - 165.0
88-79	93.5 - 95.1 217.5 - 226.0
88-80	282.3 - 289.4 296.4 - 301.5

Intersection (ft.)	Au Oz./Ton
5.6	0.25
2.9	0.13
5.48	0.63
16.7	0.56
14.5	1.04

Intersection (ft.)	Au Oz./Ton
12.8	0.30
15.9	0.29
16.4	0.25

Intersection (ft.)	Au Oz./Ton
0.6	0.92
2.1	0.13
0.7	0.17
0.5	0.25
3.1	0.13
1.0	0.13
0.7	0.22
5.9	0.40

Intersection (ft.)	Au Oz./Ton
7.4	0.12
1.6	0.69
8.5	0.10
7.1	0.11
5.1	0.10

✓