

NO.43(1991)  
MARCH 1, 1991

*George Cross News*  
*"Reliable Reporting"*

WESTERN GOLD

REDFERN RESOURCES LTD. (RFR-T)


COMINGO LTD. (CLT-V,T,M,Amex)

MAP & DRILL RESULTS INSIDE - Overleaf pages 2 and 3 are  
a table of drill results  
from the Tulsequah Chief project in northwest B.C. and  
an east-west longitudinal cross-section depicting lenses  
and drill holes. (SEE GCML No.41, 27Feb91, P.2 FOR STORY)

104K 2

P. 10F3

WESTERN GULF



104K 2

p. 2 of 3

WESTERN  
REDFERN RESOURCES LTD./COMINCO LTD.  
TULSEQUAH CHIEF DRILL INTERCEPTS

Hole No.	Lens	Intercept (ft)	Length (ft)	% Cu	% Pb	% Zn	Au oz/ton	Ag oz/ton
87-1	AB	1812.5-1837.5	25.0	0.52	0.55	2.28	0.03	1.30
	AB	1857.0-1877.5	20.5	1.37	2.78	8.00	0.185	6.50
87-5	AB	2102.0-2115.5	13.5	1.31	1.08	6.03	0.07	2.48
88-2	AB	701.0- 715.0	14.0	0.51	1.55	11.63	0.015	1.76
88-3	AB	566.0- 574.0	8.0	2.48	0.13	0.39	0.11	1.55
	AB	582.0- 639.5	57.5	4.60	0.25	3.09	0.088	1.83
88-4	AB	547.0- 572.0	25.0	0.61	0.6	3.36	0.065	1.88
88-5	AB	694.5- 704.5	10.0	0.77	0.77	4.06	0.046	2.70
	AB	719.0- 726.5	7.5	0.88	0.65	6.13	0.048	0.99
	AB	738.5- 743.2	4.7	1.16	1.05	6.42	0.04	1.62
88-6	AB	361.0- 364.0	3.0	0.43	1.00	4.00	0.014	1.146
88-7	AB	477.0- 485.0	8.0	0.98	1.85	6.12	0.04	1.29
	AB	495.7- 501.4	5.7	2.39	2.04	14.04	0.17	9.16
	AB	518.5- 542.0	23.5	0.30	1.00	3.01	0.04	1.91
88-8	AB	763.5- 775.0	11.5	5.04	3.03	0.18	0.083	1.83
89-12	AB	923.5- 935.5	12.0	2.23	0.48	3.79	0.034	1.33
89-13	H	1230.0-1279.0	49.01	1.03	1.47	6.24	0.068	2.68
89-14	AB	1109.0-1113.0	4.0	0.14	0.50	2.79	0.003	0.06
89-15	H	1290.0-1299.6	9.6	0.7	0.56	14.07	0.03	1.65
	AB	1352.0-1377.5	25.5	0.73	0.50	7.62		0.84
89-16	AB	1845.7-1868.2	19.5	0.68	1.36	8.19	0.086	5.11
89-18	H	1426.6-1449.7	23.1	0.21	0.44	2.14	0.024	0.85
	AB	1760.0-1794.7	34.7	0.87	2.16	11.87	0.081	5.20
89-19	H	1230.0-1254.5	24.5	1.27	1.67	11.36	0.059	3.23
89-20	AB	866.9- 887.5	20.6	0.75	0.43	3.85	0.062	1.13
89-21	H	1647.0-1716.1	69.1	1.20	1.16	6.00	0.106	3.44
90-22	H	1784.5-1948.5	164.0	2.92	1.58	9.09	0.112	4.96
90-23	H	2085.0-2174.5	89.5	1.19	1.15	5.43	0.105	4.16
90-24	H	2054.0-2073.0	19.0	0.12	0.97	2.23	0.067	4.46
90-25	H	1491.0-1497.0	6.0	0.80	0.18	7.08	0.105	0.87
90-27	I	1331.0-1342.0	11.0	0.39	3.26	5.47	0.018	2.12

104K 2

p. 3 of 3