

TASEKO MINES LTD. (TKO-V)

DRILL TABLES/MAPS INSIDE - Robert G. Hunter, chairman, reports Taseko Mines Ltd. has received further drill results from holes 91-4 and 91-5 of a large diameter diamond drilling program underway at the Fish Lake gold/copper project located 60 miles west of Williams Lake, B.C. SEE ASSAY TABLES AND MAPS OVERLEAF PAGES 1 AND 2. COMINCO LTD. (CLT-V,T,M) and Taseko Mines recently reached a settlement granting Taseko a three-year right to sell the project if it wishes with Cominco to receive a maximum of 40%. The deposit contains an estimated 9,000,000 ounces of gold and three billion pounds of copper suitable for a large scale open pit mine.




Vertical drill holes 91-4, collared 330 feet north of 91-2, intersected ore grade gold/copper mineralization averaging 0.84% copper equivalent over a length of 2,348 feet. Vertical hole 91-5, collared 330 feet west of 91-2, intersected ore grade gold/copper mineralization averaging 0.82% copper equivalent over a length of 2,356 feet. Drill holes 91-1 through 91-5, which were systematically sampled at 6.5-foot intervals, have displayed continuous ore grade gold and copper values averaging 0.94% copper equivalent over an average thickness of 2,516 feet.

The five widely-spaced holes reported to date have now tested an initial portion of the Fish Lake deposit measuring some 1,300 feet north-south, 1,000 feet east-west and 2,500 feet deep. Average grades for this ore block, at 300-foot intervals, are summarized in the table overleaf page 1, and demonstrate continuity and strength of grade of the deposit.

Drilling is continuing with two rigs. Drill holes 91-6 and 7 were completed at depths of 2,630 feet and 2,626 feet respectively. Disseminated copper sulphide mineralization is evident throughout these holes. Hole 91-8 was lost at a depth of 1,180 feet and is now being redrilled as 91-10. Hole 91-9 is in progress at a depth of 327 feet. More assays when available. (SEE GCNL No.184, 25Sep91, P.1 FOR PREVIOUS INFORMATION)

920 41
p. 1 of 3

WESTERN CANADIAN INVEST



920 41
p. 2 of 3

Taseko Mines Limited

DRILL HOLE NO.	FROM (FEET)	TO (FEET)	THICKNESS (FEET)	COPPER (%)	GOLD (OZ/TON)	CU EQUIV. (%)
91-1	32	2746	2714	0.37	0.022	1.12
91-2	25	2712	2687	0.35	0.019	1.00
91-3	144	2617	2473	0.35	0.016	0.90
91-4	105	2552	2348	0.32	0.015	0.84
91-5	63	2419	2356	0.30	0.015	0.82
AVERAGE			2516	0.34	0.018	0.94

INTERVAL (FEET)		THICKNESS (FEET)	COPPER (%)	GOLD (OZ/TON)	CU EQUIV. (%)
FROM	TO				
25	300	275	0.28	0.016	0.82
300	600	300	0.28	0.018	0.88
600	900	300	0.30	0.019	0.95
900	1200	300	0.32	0.025	1.19
1200	1500	300	0.36	0.016	0.90
1500	1800	300	0.37	0.018	0.97
1800	2100	300	0.39	0.017	0.96
2100	2400	300	0.37	0.015	0.87
2400	2746	346	0.36	0.014	0.85
AVERAGE			0.34	0.018	0.94

HOLE 91-4

INTERVAL (FEET)		THICKNESS (FEET)	COPPER (%)	GOLD (OZ/TON)	CU EQUIV. (%)
FROM	TO				
105	413	308	0.27	0.018	0.88
512	2552	2040	0.33	0.015	0.83
including					
105	413	308	0.27	0.018	0.88
413	512	99	Post Mineral Dyke (true width 50 ft.)		
512	600	88	0.31	0.016	0.87
600	900	300	0.32	0.016	0.88
900	1200	300	0.34	0.016	0.90
1200	1500	300	0.43	0.017	1.00
1500	1800	300	0.31	0.013	0.76
1800	2100	300	0.35	0.013	0.79
2100	2400	300	0.32	0.013	0.78
2400	2552	152	0.20	0.010	0.55
2552	2682	130	No significant values		

HOLE 91-5

INTERVAL (FEET)		THICKNESS (FEET)	COPPER (%)	GOLD (OZ/TON)	CU EQUIV. (%)
FROM	TO				
63	2419	2356	0.30	0.015	0.82
including					
63	300	237	0.29	0.019	0.93
300	600	300	0.27	0.016	0.80
600	900	300	0.28	0.017	0.85
900	1200	300	0.24	0.012	0.66
1200	1500	300	0.31	0.013	0.77
1500	1800	300	0.33	0.020	1.03
1800	2100	300	0.36	0.014	0.83
2100	2419	319	0.30	0.012	0.69
2419	2508	87	No significant values		

920 41
p. 3 of 3