

NO.217(1992)
NOVEMBER 10, 1992

George Cross News Letter
"Reliable Reporting"

NEW CANAMIN RESOURCES LTD. (NNI-V)

MORE HUCKLEBERRY ASSAYS - Alan Savage, president, reports
New Canamin Resources Ltd. has
received assays from holes 28-32 on its drilling program
at the Huckleberry copper property 25 miles east of
Kemano, B.C. where the company can earn a 100% interest
from Kennecott by spending \$1,500,000 over five years.
SEE OVERLEAF PAGE 5 FOR NEW ASSAYS AND HOLE SUMMARY.
(SEE GCNL No.209, Oct.29/92, P.1 FOR PREVIOUS DATA)

SAN ANDREAS RESOURCES CORP. (SAO-V)

<u>HOLE NO.</u>	<u>INTERVAL METERS</u>	<u>LENGTH METERS</u>	<u>LEAD %</u>	<u>ZINC %</u>	<u>SILVER OZ/TON</u>	<u>MINERAL-IZATION</u>
PC-92-16	308.7-312.1	3.4	11.86	20.14	5.47	C.F.*
PC-92-17	303.0-313.9	10.9	7.81	12.50	1.38	C.F.*

* C.F.=Cavity Fill

93E 37

p 1 of 2

NEW CANAMIN RESOURCES LTD.

DDH#	Dip	Bearing	Interval Feet	Length Feet	Copper %	Correlates With
92-1	-90		60-510	450	0.31	DDH 73-6 700' @ 0.31 % Cu
92-2	-90		60-200 200-380	140 180	0.28 0.78	DDH 73-48 350' @ 0.82% Cu
92-3	-80	270	50-200	180	0.58	DDH 82-2
92-4	-90		40-280 280-500	250 210	0.33 0.87	DDH 72-13 240' @ 0.82% Cu
92-5	-90		40-430	380	0.6	DDH 72-17 250' @ 0.68% Cu
92-6	-80	360	50-150 150-240	100 90	0.81 0.46	DDH 72-17
92-7	-90		30-260 260-400	230 140	0.83 0.44	DDH 92-13 and 92-14
92-8	-90		80-260	200	0.40	DDH 92-10
92-8E	-80	90	70-200	130	0.50	
92-9	-90		60-100 100-420	40 320	0.38 0.82	DDH 73-43 120' @ 0.66% Cu
92-10	-90		70-220	150	0.66	DDH 73-45 437' @ 0.66% Cu
92-11	-90		75-250	175	1.04	DDH 72-10 450' @ 0.73% Cu
92-12	-90		20-180	160	0.66	DDH 92-1 and 92-13
92-13	-90		70-450	380	0.68	DDH 92-7 and 73-8 240' @ 0.65% Cu
92-14	-90		30-230	200	0.45	DDH 73-12 300' @ 0.40 % Cu
92-15	-90		30-400	370	0.26	300' Off Trend
92-16	-90		20-300	280	0.33	DDH 72-21 180' @ 0.40% Cu
92-17	-90		80-120 120-360	60 240	0.35 0.75	DDH 92-26 and 92-27
92-18V	-90		40-400	360	0.7	DDH 72-7 375' @ 0.63% Cu
92-18E	-80	270	50-180 180-310	130 130	0.65 0.34	DDH 72-6 240' @ 0.54% Cu
92-19	-80	270	30-270	240	0.29	DDH 92-20
92-20	-80	270	40-410	370	0.38	DDH 92-19
92-21	-80	270	30-210	180	0.28	DDH 92-28
92-22	-90		44-450	406	0.36	DDH 73-35 120' @ 0.67% Cu
92-23	-80	270	40-550	510	0.8	DDH 72-7
92-24	-80	270	70-630	560	0.38	DDH 73-9 250' @ 0.44% Cu
92-25	-90		40-480	440	0.51	DDH 92-26
92-26	-90		50-80 80-370	30 290	0.49 1.05	DDH 92-17 240' @ 0.75% Cu
92-27	-90		60-250	190	0.46	DDH 92-17
92-28	-90		60-520	460	0.49	DDH 92-21
92-29	-90		70-420	350	0.4	DDH 73-33 250' @ 0.66% Cu
92-31	-90		10-300	280	0.25	DDH 72-2 150' @ 0.71% Cu
93-32	-90		50-330	280	0.53	DDH 73-24 120' @ 0.70 % Cu

93E 37
p. 2 of 2