

NEW CANAMIN RESOURCES LTD. (NNI-V)					New Canamin Resources Ltd.
HOLE NO.	DIP	INTERVAL FEET	LENGTH FEET	OVERBURDEN COPPER %	
92-23*	-60	0-40	40	OB	' has reported ass-
		40-550	510	0.60	' aying of diamond
92-24*	-60	0-70	70	OB	' drill hole No.
		70-630	560	.375	' 92-26 drilled
92-25	-90	0-40	40	OB	' vertically 100
		4-480	440	.51	' ft. east of Hole
92-26	-90	0-50	50	OB	' No. 92-17 (230
		50-80	30	.49	' ft. of 0.76%
		80-370	290	1.05	' copper) recorded
		370-420	50	.40	' a 290-ft. section
92-27	-90	0-60	60	OB	' from 80 ft. to
		60-250	190	.46	' 370 ft. grading


* Bearing = 270

----- Alan Savage, president, says this is the best intersection drilled to date in the Huckleberry deposit, 25 miles east of Kemano, B.C., and indicates the strength of mineralization within the high grade core. (SEE MAP OVERLEAF P.1.)

New Canamin's drilling to date has developed Huckleberry's high grade core along 1,500 ft. of north-south strike length and has extended the influence of this high grade core to the west. New Canamin can earn a 100% interest from Kennecott by spending \$1,500,000 over five years. Kennecott can back-in for a 60% interest. (SEE GCNL No.204, Oct.22/92, P.1 FOR PREVIOUS RESULTS)

93E 37

p. 10 of 2



93E 37
p. 2 of 2