

NEW CANAMIN RESOURCES LTD. (NNI-V)

1993 HUCKLEBERRY DRILL RESULTS - Alan Savage, president,
reports New Canamin

Resources Ltd. has received assays from 14 of the 23
holes completed totalling 10,500 feet of diamond drill-
ing on the Huckleberry porphyry copper property 130
road km SW of Houston and 40 km east of Kemano, B.C.

SEE TABLE OF ASSAYS OVERLEAF P. 1 & MAP OVERLEAF P.2.
In addition to holes drilled to define and qualify
copper grade, H-sized core was used in five holes for
metallurgical testing, five holes were used to test for
pit rock permeability and others drilled for geotech-
nical purposes to define pit slope stability. Five
water quality monitoring wells were also completed and
equipped in the proposed number one tailings area. The
data will be used in the preliminary feasibility study
set for completion in May/June.

Significant intersections are in holes 93-13, 14
and 17 which extend known higher grade mineralization
toward the west and hole 4 which extends the higher
grade, near-surface mineralization toward the southeast.
Both of the above extensions have the effect of reducing
the strip ratio for mining the higher grade core. Upon
receiving assays from the remaining holes, a pit design
and ore reserve calculation will be completed. (SEE
GCNL No.18, 27Jan93, P.3 FOR PREVIOUS PROJECT DATA)

93E 37

p. 1 of 3

NEW CANAMIN RESOURCES LTD.

Hole No.	Dip	Interval Feet	Length Feet	Copper %
93 - 1	-90	48 - 448	400	0.42
93 - 2	-90	68 - 98'	30	1.82
		98 - 238	140	0.32
		238 - 590	420	0.57
93 - 3	-90	38 - 518	480	0.39
93 - 4	-90	38 - 148	110	0.68
		148 - 378	230	0.36
93 - 5	-90	78 - 178	100	0.43
		178 - 438	260	0.26
93 - 6	-90	88 - 288	120	0.72
		288 - 600	400	0.35
93 - 7	-90	65 - 288	135	0.53
93 - 8	-90	68 - 168	100	0.51
		168 - 368	400	0.41
93 - 9	-90	68 - 298	230	0.37
93 - 10	-90	58 - 258	200	0.29
		258 - 368	110	0.52
		368 - 468	100	0.22
		468 - 638	170	0.81
93 - 11	-90	48 - 188	140	0.31
		188 - 358	170	0.54
		358 - 438	80	1.11
93 - 12		ASSAYS PENDING		
93 - 13	-90	38 - 118	80	0.65
		118 - 297	187	0.17
93 - 14	-90	38 - 168	130	0.61
		168 - 278	110	0.39
93 - 15	-60	65 - 168	95	0.43
		168 - 398	230	0.22
93 - 16		ASSAYS PENDING		
93 - 17	-60	68 - 288	140	0.55


93E 37

p. 20F3

NO. 40 (1993)
FEBRUARY 26, 1993

George Cross News Letter

"Reliable Reporting"



93E

37

p. 3 of 3