

1710 - 609 GRANVILLE ST
PO BOX 10363
VANCOUVER BC
CANADA V7Y 1G5
(604) 683-7265 FAX 683-5306

George Cross News Letter

"Reliable Reporting"
MINISTRY OF ENERGY, MINES
AND PETROLEUM RESOURCES
WESTERN CANADIAN INVESTMENTS

Rec'd

NOV 23 1993

LIBRARY

COPYRIGHT
ALL REPRODUCTION
RIGHT RESERVED
PUBLISHED DAILY
SUBSCRIPTION RATE
\$315.00 PER YEAR

NO. 223 (1993)
NOVEMBER 22, 1993

NO. 223 (1993)
NOVEMBER 22, 1993

HERA RESOURCES INC. (HRR-V)

SERIES OF IMPRESSIVE TRENCH AND DRILL HOLE GOLD ASSAYS RETURNED FROM TAURUS PROPERTY, CASSIAR, BC

David J. Hjerpe, president, William A. Howell, director and Bruce E. Spencer, consulting geologist, in an interview Nov. 19, 1993, reviewed Hera Resources' interest in the 71-unit, Taurus gold property at Cassiar, north-central B.C. SEE DRILL MAP OVERLEAF P.3 The property has been in production in the past from a series of gold quartz veins using the concentrator plant on the property which is currently permitted for production. The 1993 exploration program has included 30 trenches and 26 drill holes for 5,000 ft, on the: 93-1 main veins; 93-1 south vein; 93-2-A., 93-2-B, 93-2-C vein. Each of the veins are nearly vertical. The trenching was guided by newly interpreted results of a detailed IP survey completed in 1988 but never followed-up. The 14 trenches on the 93-1 main vein open 800 feet of strike length and indicated a 10-foot true width with the best sample being 0.2 oz. gold/t across 18.7 ft. In the 93-1 main vein and 93-1 south vein the No.1 hole was drilled -45° 100 ft SE along strike from the trench and returned 5 ft of 0.297 oz. gold/t. No.2 hole from the same location at -60° cut 17.5 ft, of 0.264 oz. gold /t. Hole No.3, 4, and 5, were all drilled from a location a further 100 feet to the south, 200 ft. from the trench and 100 feet from the first holes. No.3 cut 5 ft. 0.194; No. 4 cut 12 ft. of 0.084 oz. gold/t and No.5 cut 10.5 ft of 0.284, plus 4 ft of 0.192 in the 93-1 South vein. A further 100 ft. to the SE No.6 hole cut 8 ft. of 0.195 and No.7 cut 17 ft. of 0.183 oz. gold/t. Further holes are planned to follow up on the good grades in the 93-1 South vein.

The nine trenches over 500 ft. strike length on the 93-2 vein opened a series of parallel narrow gold quartz veins where a single hole No.26 cut 5.5 ft of 1.163 oz. gold/t plus 11 ft. of 0.85 oz. gold/t. The intersection is within a very few feet of the formerly producing Sable underground mine workings as well as not far from a 1984 No.1 drill hole which returned 5 ft. of 0.28 oz. gold/t. From a location 180 ft. west of No.26 hole, perhaps in the same structure, No. 25 hole returned 8.5 ft of 0.409 oz. gold/t and 8 ft. of 0.17 ozz. gold/t. Other holes in this area returned 3.15 ft of 0.309 oz. gold/t, 11 ft. of 0.102 oz. gold/t; 3.3 ft of 0.124 and 5.5 ft of 0.25 oz. gold/t. They were careful to point out that further assays are yet received and all of the data will be interpreted and evaluated prior to the next phase of exploration. (SEE GCNL NO.218, 15Nov93, P.1 FOR PREVIOUS PROJECT DETAILS)

104P 12