

1710 - 609 GRANVILLE ST
 PO BOX 10363
 VANCOUVER BC
 CANADA V7Y 1G5
 (604) 683-7265 FAX 683-5306
 BBS 683-7206

George Cross News Letter

"Reliable Reporting"

WESTERN CANADIAN INVESTMENTS

COPYRIGHT
 ALL REPRODUCTION
 RIGHT RESERVED
 PUBLISHED DAILY
 SUBSCRIPTION RATE
 \$315.00 PER YEAR

NO. 224 (1994)
 NOVEMBER 23, 1994

NO. 224 (1994)
 NOVEMBER 23, 1994

LYSANDER GOLD CORPORATION

[LYS-V] 6,809,509 SHS.

ENCOURAGING CAT ASSAYS RECEIVED - D.K. Mustard, director,
 Lysander Gold Corp.,

reports promising assay results have been received from four NQ
 diamond drill holes on the 100%-owned CAT property near Usilika
 Lake, 10 miles north of Lysander's Lorraine option near Germanson
 Landing, north-central B.C. The holes were drilled on the BET No.1
 and CAT No.2 claims where previous work had indicated significant
 gold values adjacent to a syenite porphyry intrusion.

TRENCH NO.	LENGTH FEET	COPPER %	GOLD OZ/T
24	166	0.23	0.03
25	39	0.32	.04
	66	0.20	.05
	97	1.64	.02
55	10	0.47	.04
56	49	2.07	.04
58	20	0.27	.03

DRILL NO.	DEPTH FROM COLLAR (FT)	COPPER %	GOLD OZ/T
89-1	117	0.18	0.04
INCLUDING	93.5 - 99.7 (6.2 ft)		.40
89-4	98	.20	.015
90-1	439.6	.12	.032
INCLUDING	315 - 331 (16 ft)		.59
90-3*	243	.53	.01

*VERY POOR CORE RECOVERY

In 1994, two holes 94C-2 and 94C-3 were drilled south of Trench No. 24, the southernmost trench. These holes passed through a strong zone of shearing near the collar and carried no gold values suggesting the zone is faulting out to the south. Hole 94C-1 was drilled in the vicinity of holes 89-1 and 90-1 to test for continuity of the higher grade gold sections and obtain better core recovery. Hole 94C-4 was drilled 160 feet north of C-1 and

intersected the porphyry contact at 185.6 feet. Results are as follows:

HOLE NO.	AZ	DIP	LENGTH FROM TO	INTERVAL FEET	GOLD OZ/T
C94-1	082	47	10.0 - 337	327.0	0.04
Including			37.9 - 75.1	37.1	.063
And			227.3 - 245.9	18.6	.357
C94-4	086	47	10.0 - 163	153.0	.039
Including			128.3 - 136	7.7	.22

The present picture appears to represent a zone of shearing and fracturing in fragmental volcanic rocks at the margins of a porphyry intrusion. This zone contains veins and stringers of gold-bearing, magnetic-quartz veins. The area encompasses about 300 by 300 feet to a depth of 300 feet, is faulted to the south but is open both to the north and at depths. Significant lengths of 0.04 oz. gold/ton have been encountered. Extensions to this zone will be further defined by diamond drilling in 1995. (SEE GCNL NO.218, 15Nov94, P.4 FOR LORRAINE PROJECT INFORMATION)

94C 69