

1710 - 609 GRANVILLE ST
PO BOX 10363
VANCOUVER BC
CANADA V7Y 1G5
(604) 683-7265 FAX 683-5306
BBS 683-7206

George Cross News Letter

"Reliable Reporting"

WESTERN CANADIAN INVESTMENTS

COPYRIGHT
ALL REPRODUCTION
RIGHT RESERVED
PUBLISHED DAILY
SUBSCRIPTION RATE
\$350.00 PER YEAR

NO. 65 (1995)
APRIL 3, 1995

NO. 65 (1995)
APRIL 3, 1995

LA ROCK MINING CORP. [LAR-V] 13,397,307 SHS.

DAVE'S POND DRILL HOLE INTERSECTIONS BRANDYWINE PROJECT 70 KM NORTH OF VANCOUVER

DP93-4 CUT 74 FEET OF 0.22 OZ. GOLD/TON

Holes DP95-1 to 4 intercepted interesting mineralization, which ran 0.025, 0.03 and 0.075 oz.gold/ton.

DP95-5 CUT 30 FEET OF 0.64 OZ. GOLD/TON

DP95-6 CUT 27 FEET OF 0.69 OZ. GOLD/TON

DP95-7 HAS BEEN LOGGED WITH SOME MINERAL

DP95-8 HAS BEEN LOGGED WITH GOOD MINERAL

NO.95-9 PROPOSED TO BE DRILLED 50 FEET SW OF NO.95-8

NO.95-10 PROPOSED TO BE DRILLED 100 FEET SW OF NO.95-8

These holes listed above are interpreted to be defining a flat or sub-flat trough of disseminated mineralization near an intrusive complex with faults and cross faults and cut by a series of dykes. The trough is suggested to have a drilled northwest southeast strike length of 150 feet. Hole No.95-8, which has been logged as containing some good looking mineralization, suggests a possible 75-foot width to the trough or perhaps more likely a second mineralized structure.

The next two proposed holes DP95-9, DP-10 are currently planned to test the northwest possible extension of the trough.

The first holes drilled in the Dave's Pond zone in 1993 were interpreted to have found, as reported in GCNL No.153, 1, Aug. 11,1993, some high grade gold in a "flat-lying quartz sericite schist horizon with massive sulphides and visible gold." Wilson A. Gewargis, P.Geo., consultant to La Rock on the Brandywine project stated he favours the sub-flat trough interpretation of the complex geology. Other work on the Dave's Pond suggest vertical or erratic near-vertical gash veins. Mr. Gewargis said the next series of drill holes will assist in sorting out the trend of the mineral as well as the host formations etc.

The Brandywine property, located 30 miles north of Squamish, B.C. and two miles west of Highway 99, is 100%-owned by La Rock, subject to a 0.5% NSR.

Martial H. Levasseur, exploration manager, La Rock Mining Corp., reported in hole DP95-5 at 103 ft to 133 ft. a 30-foot weighted average equalled 0.64 oz. gold/ton. At 203 to 213 feet, a 10-foot weighted average = 0.24 oz. gold/ton. Hole DP95-6 was drilled 200 feet southeast of DP95-5. It appears the four holes, DP95-1 through DP95-4 were drilled too far to the northwest and over shot the mineralized zone. Drilling continues and assays are pending. (SEE DRILL HOLE LOCATION SKETCHES AND TABLES OF DRILL HOLE ASSAYS OVERLEAF P.2 AND P.3)

92JW 1
p. 1 of 3

BRANDYWINE PROJECT DRILL RESULTS

HOLE	FOOTAGE	WIDTH	AVERAGE OF GOLD/TON
DP93-4	182-236	74 ft.	0.222 oz gold/Ton
	(including and 74 ft.)	10 ft. of 74 ft.	0.40 oz gold/Ton 0.35 oz silver/Ton
DP93-5	128-153	25 ft.	3.046 oz gold/Ton
	(including 5 ft.)	5 ft.	0.125 oz gold/Ton
DP93-6	188-233	45 ft.	0.143 oz gold/Ton
	(including and 10 ft.)	10 ft.	0.228 oz gold/Ton 0.380 oz gold/Ton
DP93-7	78-143	65 ft.	0.063 oz gold/Ton
	(including 5 ft.)	5 ft.	0.146 oz gold/Ton
DP93-8	258-283	25 ft.	0.088 oz gold/Ton
	(including 5 ft.)	5 ft.	0.150 oz gold/Ton
DP93-9	103-123	5 ft.	0.187 oz gold/Ton
	308-313	5 ft.	0.180 oz gold/Ton
DP93-10	341-346	5 ft.	0.183 oz gold/Ton
	308-313	5 ft.	2.14 oz silver/Ton
DP93-11	103-143	40 ft.	0.347 oz gold/Ton
	(including 5 ft.)	5 ft.	2.489 oz gold/Ton
DP93-12	103-113	10 ft.	3.02 oz silver/Ton
	143-148	5 ft.	4.86 oz silver/Ton
DP93-13	143-189	46 ft.	0.110 oz gold/Ton
	(including 8 ft.)	8 ft.	0.451 oz gold/Ton
MS93-1	155-175	20 ft.	22 oz silver/Ton
MS93-9	118-128	10 ft.	12 oz silver/Ton
MS93-6	56- 61	5 ft.	0.167 oz gold/Ton

All these MS Holes have significant base metal values.

DDE #	Az	Dip	Length	Interval	Width	Gold(oz/t)
DP-94-1	025	-45	298 ft	94.5-104.0	9.5 ft	0.033
				133.0-138.0	5.0 ft	0.087
				148.0-158.0	10.0 ft	0.032
DP-94-2	025	-65	298 ft	115.0-118.0	3.0 ft	0.109
				148.0-153.0	5.0 ft	0.023
				243.5-247.0	3.5 ft	0.261
DP-94-3	025	-45	238 ft	124.0-132.0	8.0 ft	0.349
				166.5-179.5	13.0 ft	0.030
DP-94-4	025	-60	288 ft	173.0-198.0	25.0 ft	0.021
DP-94-5	025	-45	238 ft	125.5-130.5	5.0 ft	0.023
DP-94-6	025	-45	308 ft	155.5-165.5	10.0 ft	0.049
				205.0-210.5	5.5 ft	0.155
DP-94-7	025	-60	348 ft	has been submitted for assay.		

HOLE NO.	INTERVAL FEET	LENGTH FEET	GOLD OZ/T
DP95-1-4			0.025
			.03
			.075
DP95-5	103 - 133	30	.64
			.24
DP95-6	203 - 213	10	.6928
			66 - 93
	118 - 158	40	

LA ROCK MINING CORP.
BRANDYWINE PROJECT
BRITISH COLUMBIA




FIGURE 1
LOCALITY MAP

925021
 p. 2053

92JW1
P. 3 of 3

4500E

Creek

DAVE'S
POND

PROPOSED
95-9

DP93-15

DP93-14

DP93-16
DP93-10

DP93-1

DP93-4

DP93-2

DP95-8
ASSAYS
PENDING

DP93-12

93-4 INTER-
SECTION

NEW 1995
HOLES

DP93-22

DP93-13

DP93-5

DP93-6

DP93-7

DP93-8

DP93-18

DP93-17

DP95-5

DP95-6

DP95-7

PROPOSED
95-10

DP93-3

LEGEND

- DP93-1 Drill collar, trace, number of hole
- == Road
- ≡ Swamp

NOTE: Property not surveyed

LA ROCK MINING CORP.

BRANDYWINE GOLD PROPERTY
DRILL PLAN - DAVE'S POND
& MAIN SHOWING

50°50'N, 128°08'W

SCALE	DATE	NTS	FIG
As shown	Nov. 28, 1993	92 J / 3	2