

1710 - 609 GRANVILLE ST
PO BOX 10363
VANCOUVER BC
CANADA V7Y 1G5
(604) 683-7265 FAX 683-5306
BBS 683-7206

George Cross News Letter

"Reliable Reporting"

WESTERN CANADIAN INVESTMENTS

COPYRIGHT
ALL REPRODUCTION
RIGHT RESERVED
PUBLISHED DAILY
SUBSCRIPTION RATE
\$350.00 + G.S.T.
PER YEAR

NO. 137 (1995)
JULY 18, 1995

NO. 137 (1995)
JULY 18, 1995

GETCHELL RESOURCES INC.

[GHS-V] 3,209,833 SHS.

TECK CORP.

[TEK.B-V, T, M] 85,479,189 SHS.

RAINBOW ASSAYS RECEIVED - James T. Gillis, president, reports
Getchell Resources Inc., 30%,


and joint venture partner Teck Corp., 70%, have received assays
from the recently completed 13-hole diamond drill program on the
Rainbow property near Kamloops, B.C. SEE MAPS AND TABLE
OVERLEAF PAGES 1 & 2. The program tested mineralization within
a zone previously drilled by several operators (No.2 Zone). Results
of previous drilling, combined with current results, indicate copper
and gold mineralization is associated with a strongly altered, north-
dipping intrusive dyke. The dyke is apparently wedged-shaped,
increasing from 30 metres in width near surface to greater than 100
metres at depth. Copper mineralization associated with the dyke has
been traced along a 400-metre strike and is present from near surface
to a vertical depth of 120 metres (limit of current drill program).
Copper and gold grades generally increase with depth and are known
to extend below the limits of the present drill program.

Weighted average assays for the 13-holes printed overleaf do
not include results from previous operator's drilling in the same
zone. All holes were drilled at -45°. Teck and Getchell plan to
review the results with nearby Afton Mine personnel to determine
the next stage of drilling. (SEE GCNL NO.114, 14Jun95, P.4 FOR
PREVIOUS RAINBOW PROJECT INFORMATION)

92LINE 28
p. 1 of 3

GETCHELL RESOURCES INCORPORATED

NO. 137 (1995)
JULY 18, 1995



TECK EXPLORATION LTD.
RAINBOW PROPERTY

1995 DRILLING on the RAINBOW ZONE

NO. 137 (1995)
JULY 18, 1995

92 INE 28 p 2 of 3

GETCHELL RESOURCES INCORPORATED

1995 RAINBOW DRILL RESULTS

N.B. - Drill Holes @ -45 degree dip & drilled due south

HOLE #	FROM TO (m)	INTERVAL (m)	g/t Au	Au gmt
R-95-01	78.0 - 197.2	119.2	0.75	0.10
incl.	90.0 - 141.2	51.2	0.66	0.16
incl.	94.3 - 136.3	42.0	0.66	0.19
R-95-02	90.4 - 168.9	78.5	0.27	0.06
incl.	131.7 - 168.9	37.2	0.38	0.10
R-95-03			NSV	NSV
R-95-04	47.9 - 107.4	59.5	0.21	0.05
R-95-05	90.5 - 182.5	92.0	0.36	0.07
incl.	132.5 - 182.5	50.0	0.58	0.12
incl.	132.5 - 159.5	27.0	0.75	0.17
R-95-06	50.0 - 191.6	141.6	0.34	0.07
incl.	74.6 - 155.6	81.0	0.47	0.10
incl.	83.6 - 95.6	12.0	1.20	0.27
R-95-07	19.8 - 64.8	45.0	0.21	0.03
also	104.6 - 137.6	33.0	0.31	0.06
incl.	116.6 - 125.6	9.0	0.72	0.13
R-95-08	11.2 - 35.2	24.0	0.26	0.05
also	71.7 - 98.7	27.0	0.18	0.04
also	134.7 - 146.7	12.0	0.43	0.08
R-95-09	26.6 - 80.6	54.0	0.33	0.05
incl.	26.6 - 65.6	39.0	0.40	0.05
R-95-10	140.9 - 170.9	30.0	0.35	0.06
R-95-11	25.9 - 43.9	18.0	0.35	0.06
R-95-12	35.1 - 122.1	87.0	0.32	0.05
incl.	35.1 - 50.1	15.0	0.96	0.08
R-95-13			NSV	NSV

