

1710 - 609 GRANVILLE ST
PO BOX 10363
VANCOUVER BC
CANADA V7Y 1G5
(604) 683-7265 FAX 683-5306
BBS 683-7206

George Cross News Letter

"Reliable Reporting"

WESTERN CANADIAN INVESTMENTS

COPYRIGHT
ALL REPRODUCTION
RIGHT RESERVED
PUBLISHED DAILY
SUBSCRIPTION RATE
\$350.00 PER YEAR

NO. 100 (1995)
MAY 25, 1995

NO. 100 (1995)
MAY 25, 1995

FAIRFIELD MINERALS LTD.

[FFD-T] 7,063,181 SHS.

EXCELLENT UNDERGROUND - John W. Stollery, P.Eng., president.
ASSAYS RECEIVED Fairfield Minerals Ltd., reports a
\$1,500,000 diamond drilling
program is currently in progress at the 100%-owned Siwash Gold
Mine located near Merritt in southern B.C.

To date, results have been received from 40 holes of the planned
25,000-foot, 200-hole underground program designed to delineate
gold-bearing ore shoots previously indicated by wide-spaced surface
drilling. Holes are being drilled on a 33 by 33-foot (10 by 10
metres) pattern to 650 feet down-dip from the open pit. The pit has
produced over 47,500 ounces gold since 1992 at an average grade of
2.92 ounces per ton over a mining width of 1.8 feet. SEE MINE MAP
OVERLEAF P.4 & ASSAY TABLE OVERLEAF P.5.

Of the 40 holes, 22 (55%) have returned assays greater than
0.50 oz.gold/ton and of these, 14 (35%) returned grades over 1.0 oz/
ton across sample lengths averaging 1.5 feet. Visible gold has been
seen in 13 of the holes including hole 105 which returned 5.8 oz.
gold/ton across 1.1 feet and hole 118 which assayed 7.18 oz.
gold/ton across 1.6 feet.

High grade intercepts greater than 1.00 oz.gold/ton occur in
clusters defining distinct shoots. One such shoot is adjacent to a
surface drill hole intercept which returned 4.20 oz.gold/ton over 2.0
feet. Another shoot which includes holes 104, 105, 108, 109 and
115 is adding to the reserve base in an area which was not identified
by previous wide-spaced drilling.

Prior to the start of this detailed drill program, indicated
reserves were calculated at 184,000 ounces gold based on 40,000 feet
of surface grid drilling at 165-foot (50 m.) centres. Excellent
potential exists to significantly increase this reserve.


In addition to the current underground program, 20,000 feet of
surface diamond drilling will begin in July to further define shoots in
the mine area, test potential for open pit expansion and explore for
other vein systems previously identified by trenching in areas to the
south of the mine.

Following completion of underground drill results, drifting and
raising will be resumed on the Siwash vein in high grade areas
defined by the drilling. (SEE GCNLNO.62, 29Mar95, P.1 FOR
PREVIOUS PROJECT INFORMATION)

92H NE 96

p. 1 of 3

SIWASH MINE PLAN



Fairfield Minerals Ltd.

Siwash Gold Mine

Open Pit & Underground
Development

May 24, 1995

Area of Underground Drilling

Fairfield Minerals Ltd.

924NE 96
p. 2 of 3

92HNE96 p. 3 of 3

FAIRFIELD MINERALS LTD.**SIWASH GOLD MINE****1995 UNDERGROUND DIAMOND DRILLING RESULTS***

Underground Hole Number	Gold (oz/ton)	Silver (oz/ton)	Sample Length (Feet)
85	0.697	0.93	1.5
86	2.784	2.92	1.6
88	2.948	1.87	0.8
89	0.612	0.44	1.4
90	0.685	n/a	3.3
92	1.011	0.53	1.0
93	0.519	0.42	1.5
98	0.837	1.04	2.0
100	2.701	2.84	1.0
102	1.222	1.02	2.0
104	3.007	1.94	1.0
105	5.799	4.38	1.1
106	0.610	1.25	1.3
107	1.084	1.31	1.7
108	3.591	1.36	1.1
109	4.529	2.87	1.6
110	0.626	0.55	1.1
113	0.746	0.62	1.2
115	2.803	1.79	1.3
118(a)	7.176	3.90	1.6
118(b)	3.548	5.91	1.0
119	1.366	n/a	1.7
123	1.101	1.46	1.0

*Notes: (1) Intercepts grading less than 0.5 oz/ton gold not included in table.

(2) Holes 1-84 drilled in 1994.