1710 - 609 GRANVILLE ST
PO BOX 10363
VANCOUVER BC
CANADA V7Y 1G5
(604) 683-7265 FAX 683-5306
BBS 683-7206

George Cross News Letter

"Reliable Reporting"

WESTERN CANADIAN INVESTMENTS

COPYRIGHT
ALL REPRODUCTION
RIGHT RESERVED
PUBLISHED DAILY
SUBSCRIPTION RATE
\$315.00 PER YEAR

NO. 221 (1995) NOVEMBER 17, 1995

NO. 221 (1995) NOVEMBER 17, 1995

INTERNATIONAL TAURUS RESOURCES INC.

[TTU-V] 9,329,847 SHS.

CUSAC GOLD MINES LTD.

CQC-V, T; CUSIF-NASDAQ] 17,268,495 SHS.

HIGH GRADE GOLD INTERCEPTS REPORTED - David Hjerpe, president,

International Taurus Resources Inc., reports further encouraging assay results from the final drill holes of the 1995 exploration season on the 3,500-acre Taurus/Cusac project near Cassiar, northern-B.C. The project is being explored by Cyprus Canada Inc. under agreements with International Taurus Resources Inc. and Cusac Gold Mines Ltd. (SEE GCNL NO.215, 8Nov95, P.1 FOR DETAILS OF CYPRUS/INT'L TAURUS/CUSAC OPTION AGREEMENTS & PREVIOUS DRILL RESULTS) SABLE RESOURCES LTD. [SAE-V] has a 2.5% NSR on 10 claims vended into Int'l Taurus in Nov/93.

The drill results currently being reported, are mainly from the 88 Hill Zone, which with its higher grade intercepts is a promising area for a possible starter pit. SEE DRILL HOLE MAP OVERLEAF P.4 & TABLE OF DRILL RESULTS OVERLEAF P.5. Drill holes 72 through 78, all in the 88 Hill Zone, provided fill-in data between previous drill holes spaced 200 metres (656 ft.) apart and were not intended to extend the size of the mineralized zones. All the holes intersected multiple zones of pyritic quartz vein mineralization, with many of the intercepts averaging from 1.0 to 6.0 grams gold/tonne (0.03 to 0.17 oz/ton) over substantial widths. The best results were from hole 75 which assayed 1.59 grams gold/tonne (0.047 oz/ton) over 80 metres (262 ft.).


The remaining drill holes (70 and 71) were twins of holes 29 and 48, respectively and were drilled to test for geometry and continuity of mineralization. Correlation between the holes was good and the assay results are considered typical of the type of grade expected within the system.

The results from the 88 Hill Zone suggest mineralization appears to be continuous with many high grade intercepts. Contingent upon the results of the current metallurgical testing program, Cyprus Canada expects to start the next phase of drilling in January 1996, with close-spaced drilling to test and confirm a starter pit location. Preliminary metallurgical testing conducted earlier this year indicated that one of the two styles of mineralization may be leachable with a possible recovery rate of better than 70%. The other style of mineralization appeared to be more amenable to milling.

Calculations by an independent consultant hired by Taurus and Cusac indicate the 88 Hill Zone (800 m. by 500 m. [2,624 ft. by 1,640 ft.] contains about 1,400,000 ounces of gold in 50,000,000 tons with an average grade of 1.05 grams gold/tonne (0.031 oz/ton). This calculation uses a cut-off grade of 0.5 grams gold/tonne (0.015

oz/ton). The 88 Hill Zone is open to the south, north and east, continued drilling early next year could increase this estimate significantly. The Taurus West Zone has a higher average grade of 1.4 grams gold/tonne (0.041 oz/ton) and contains about 900,000 ounces in 22,000,000 tons (again using a 0.5 grams gold/tonne cutoff). International Taurus management is of the view these grades and tonnages more than adequate for a possible large open pit mine.

104P12 p 10+3



Non

CEORDS OF A SEC.

برزور المنهر

· ...

!÷ა**£** .na-สเกษ . 45 الجازا

Secretary and the second

of states

INTERNATIONAL TAURUS RESOURCES'LTD. CUSAC GOLD MINES LTD. CYPRUS CANADA INC.

TAURUS PROJECT DRILL RESULTS CASSIAR AREA, NORTHERN B.C.

HOLE #	COLLAR	LENGTH	AZIMUTH	DIP	CLAIM	FROM	10	ASSAY
	LOCATION	(m)			HOLDER	(m)	(m)	g/f Au/m
95 - 70	11+02W, 7+00N	.174.4	357*	-44	Taurus	70.0	146.0	0.53 / 74.0
incl				l		70.0	. 80.0	1.13 / 10.0
incl.	•,		·			96.0	112:0	1.23 / 16.0
ind.						142.0	146.0	1.16 / 4.0
95 - 71	6+00W, 2+80N	188.1	357°	-50	Taurus	12.0	140.0	0.75 / 128.0
ind.	11.20			1 1		12.0	20.0	0.66 / 8.0
incl.						38.0	46.0	3.14 / 8.0
Incl						56.0	74.0	1.06 / 16.0
Incl.						130.0	140.0	4.05 / 10.0
95 - 72	10+00W, 3+00N	198.4	357*	-50	Taurus	8.0	1720	0.28 / 164.0
incl.					•	8.0	28.0	0.25 / 20.0
incl.	•					82.0	86.0	1.39 / 4.0
incl.					• •	154.0	172.0	1.55 / 18.0
95 - 73	5+00W, 1+00N	192.3	357°	-50	Taurus	92.0	98.0	0.34 / 6.0

HOLE #	COLLAR	LENGTH (m)	AZIMUTH	DIP	CLAIM HOLDER	FROM (m)	(m)	ASSAY g/1 Au/m	
95 - 74	7+00W, 2+00N	190.8	357°	-50	Taurus	18.0	120.0	0.31 / 102.0	1
ind.	• •	5.65				0.8)	22.0	0.71 / 4.0	
ind.	. 					38.0	44.0	1.54 / 6.0	1
ind.		l				70.0	78.0	0.52 / 8.0	
95 - 75	5+00W, 2+00N	130.2	357*	-50	Taurus	32.0	112.0	1.59 / 80.0	1
incl.		1	ļ			32.0	38.0	6.20 / 6.0	
Incl.		•		1		72.0	92.0	3.78 / 20.0	
incl						102.0	1120	0.83 / 10.0	
95 - 76	5+00W, 3+00N	160.9	357*	-50	Taurus	56.0	136.0	0.47 / 80.0	7
incl.	4			1	`.`	56.0	86.0	1.15 / 10.0	ł
Incl.						86.0	90.0	0.97 / 4.0	
incl						0.811	136.0	0.97 / 18.0	
95 - 77	7+00W, 1+00N	177.1	357*	-50	Taurus	1100	118.0	1.94/8.0	
ingo	i Atribe i in transition de la companya de la comp Na la companya de la					154.0	160.0	0.98 / 4.0	
95 - 78	7+00W, 3+00N	128.3	357*	-50	Taurus	12.0	72.0	0.59 / 40.0	7
Incl.						26.0	38.0	1.77 / 12.0	

San the process of the