1710 - 609 GRANVILLE ST PO BOX 10363 VANCOUVER BC CANADA V7Y 1G5 (604) 683-7265 FAX 683 5306 BBS 683-7206

George Cross News Letter

"Reliable Reporting"

WESTERN CANADIAN INVESTMENTS

RIGHT RESERVED
PUBLISHED DAILY
SUBSCRIPTION RATE
\$350.00 PER YEAR

NO. 10 (1996) JANUARY 15, 1996

COPYRIGHT

ALL REPRODUCTION

NO. 10 (1996) JANUARY 15, 1996

TEUTON RESOURCES CORP.
[TUO-V] 8,771,050 SHS.
MINVITA ENTERPRISES LTD.
[MVE-V] 4,213,159 SHS.
PRIME RESOURCES GROUP INC.
[PRU-T,V] 71,073,913 shs.
HOMESTAKE CANADA INC.

RED MOUNTAIN HIGH GRADE - Dino Cremonese, president,
GOLD ASSAYS RECEIVED Teuton Resources and 50/50 joint
venture partner Minvita

Enterprises Ltd., has reported diamond drill results on the 100%-owned Red Mountain area property 15 miles east of Stewart, northwest H.C. On Dec. 15, 1995, Homestake Canada Ltd., 51%, and Prime Resources Group Inc., 49%, bought 500,000 shares of Teuton at \$2.64 and 350,000 shares of Minvita at \$3.79 each and received first rights on any sale of the property plus any subsequent funding by either of the companies.

The drilling program which began Oct.29, 1995, tested at depth, a limited portion of the H-1 and S-2B zones exposed by the past summers trenching. Thirteen holes over 3,500 feet were drilled, from a single pad located east of trench No.12. The holes were

drilled on four separate azimuths at various angles. REFER TO THE ATTACHED PROPERTY PLAN VIEW OVERLEAF P.1 FOR THE DRILL COLLAR LOCATION AND OVERLEAF PAGE TWO FOR TABLE OF ASSAYS. The surface trace of the sections drilled (A through D) are shown. Weather conditions prevented the drill from being moved to a second location and the program was halted on November 6, 1995.

A discrete target area, of 40 metres strike length and 20 to 70 metres of dip, was selected to begin testing the H-1 zone. This target only represents 20% of the known strike length of the H-1 zone which appears to be a series of subvertical, en-echelon structures that contain stockwork and breccias, commonly filled with hematite, magnetite and locally native gold. The two southeastern drill sections, C and D, targeted down dip extensions of the H-1 zone exposed in trenches 4, 14 and 15. Significant gold mineralization was intersected within 40 metres of the surface, particularly in holes 95-10, section D, and 95-8, section C, which returned 63.4 opt gold over 4.2 m. estimated true width and 57.4 grams gold/tonne over 1.7 metres true width, respectively. Preliminary interpretation suggests the H-1 zone appears to bottom out at about 40 metres depth on section D. However, surface trench results indicate the zone remains open to the southeast where the H-1 appears to dip steeply to the southwest. To the northwest, on sections A and B, the H-1 zone thins to about 0.6 metres true width, carry between 17.9 and 48.3 grams gold/tonne and is open at depth and to the northwest.

To the southwest of the H-1 zone, subparallel steeply dipping, 0.8 to 1.3-metre intersections of 2.8 grams gold/tonne in several holes are probably the down dip extension of the S-2B zone. The S-1 and S-2A zones are located southwest of the H-1 and S-2B zones and were not tested by any of the drill holes. The combined 470 metres of strike length of the S-1 and S-2A zones and the southeastern extension of the H zone are exploration targets and will be drilled in 1996.

Dino Cremonese, president of both Teuton and Minvita said, "The results are encouraging, and demonstrate down-dip continuity in three out of four sections drilled. However, it should be emphasized the results are from a single drill location and we are still at a very early stage in the exploration of the property. Data plotting and geologic interpretation will continue and should provide a better understanding of all of the "H" and "S" structures before starting the 1996 drill program. (SEE GCNL NO.6, 9Jan95, P.5 FOR PREVIOUS RED MOUNTAIN AREA PROJECT DATA)

General General P. 1073

TEUTON RESOURCES CORP. MINVITA ENTERPRISES LTD.

1

RED MOUNTAIN AREA PROPERTY 1995 DIAMOND DRILLING SUMMARY

DRILL HOLE	DIP	SECTION	ZONE	FROM (m)	TO (m)	WIDTH* (m)	Au(g/t)	Au(opt)
95-1	-45	A	H-1	12.25	13.25	1.0	17.93	0.52
95-2	-55	Α	H-1	15.74	16.74	1.0	48.33	1.41
95-3	-45	В	S-2B	40.50	43.50	3.0	2.89	0.08
95-4	-55	В	H-1	11.00	16.04	5.0	21.05	0.61
including				12.94	15.04	2.1	48.71	1.42
			S-2B	48.50	51.50	3.0	2,80	0.08
95-5	-65	В	H-1	23.00	26.00	3.0	5.19	0.15
including				25.00	25.00	1.0	11.43	0.33 .
			H-1	31.00	35.00	4.0	3.85	0.11
including				32.00	33.00	1.0	11.43	0.33
				84.50	86.00	1.5	11.94	0.35
95-6	-75	В	H-1	16.00	18.00	2.0	16.59	0.48
including				17.00	18.00	1.0	31.37	0.91
L			S-2B	79.00	82.00	3.0	2.89	0.08
95-7	-45	С	H-1	13.00	14.00	1.0	20.47	0.60
			H-1	15.00	18.00	3.0	6.77	0.20
including				16.00	17.00	1.0	11.26	0.33
95-8	-55	С	H-1	14.00	17.00	3.0	57.36	1.67
including				15.00	16.00	1.0	160.56	4.68
95-9	-70	С	H-1	18.00	21.00	3.0	7.00 16.49	0.20 0.48
including				20.00	21.00	1.0		
95-10	-45	D	H-1	15.00	23.00	8.0 3.0	63.44 154.33	1.85 4.50
including				15.00	18.00			0.18
			H-1	24.00	26.00	2.0	6.31	
95-11	-55	D	H-1	15.00	22.00 17.00	7.0 1.0	22.04 77.73	0.64 2.27
including				16.00 19.00	20.00	1.0	42.93	1.25
and			H-1	27.00	29.48	2.5	9.82	0.29
				27.00 37.00	41.00	4.0	30.52	0.89
including			H-1	37.00 38.00	41.00 40.00	4.0 2.0	56.62	1.65
	-65	D	No significant intercepts					
95-12								
95-13	-75	D	No significant intercepts					

^{*} Drill indicated width.

103P Benere 1
103P86
P. Zof3

TEUTON-MINVITA

RED MOUNTAIN AREA PROPERTY NORTHWEST B.C.

A

1995 Diamond drill hole locations

Collar and trace of holes

NO. 10 (1996)

TR-31 TR-29 TR-28 TR-27

S-2A

Trench location

TR-18


TR-36

TR-39

TR-37

TR-34

TRENCHING SUMMARY							
ZONE	STRIKE LENGTH (m)	AVERAGE WIDTH (m)	AVERAGE GRADE (opt Au)				
S-1	142	3.0	0.69				
S-2A	328	2.2	0.78				
H-1	191	4.5	0.84				
H-2	18	1.5	2.62				
Co-Au	N/A	5.3	0.29				



50m

NO. 10 (1996) NEARY 15, 1996