

1710 - 609 GRANVILLE ST
PO BOX 10363
VANCOUVER BC
CANADA V7Y 1G5
(604) 683-7265 FAX 683-5306

George Cross News Letter

"Reliable Reporting"

WESTERN CANADIAN INVESTMENTS

COPYRIGHT
ALL REPRODUCTION
RIGHT RESERVED
PUBLISHED DAILY
SUBSCRIPTION RATE
\$350.00 PER YEAR

NO. 221 (1997)
NOVEMBER 18, 1997

NO. 221 (1997)
NOVEMBER 18, 1997

WEYMIN MINING CORP.

[WEY-V] 14,102,162 SHS.

MINERAL ZONES EXPANDED BY RECENT DRILLING - Geoffrey T.

Trafford,

president, Weymin Mining Corp. has reported results from the 1997 diamond drill program on the McKinnon Creek Project located near Revelstoke, BC. Three diamond drill holes were completed totalling 503.3 meters. These holes were designed to intersect and extend the two known deposits, the Yellowjacket and Main Zones, to the northwest of previous work, structure and mineralization.

The Yellowjacket Zone is a strata-bound carbonate hosted zinc-lead deposit containing a mineral resource of 1,000,000 tonnes grading 52.5 grams silver/tonne, 7.1% zinc and 2.5% lead. This deposit is believed to be in the form of a tight anticline, plunging to the southeast. The holes have extended the known mineralization up plunge and to the northwest of the previously reported mineral resource. This new drilling confirms the knowledge that the zones continue to the northwest, as indicated by the following fire assays (precious metals) and acid digestions with ICP finish (base metals) results. These tests were completed by Acme Labs of Vancouver, BC.

The Yellowjacket Zone weighted assays (SEE OVERLEAF P.3).

The Yellowjacket Zone is hosted in silicified limestones and dolomites containing fluorite veins and minor graphite and argillite bands. The economic mineralization is in the form of honey (yellowjack) and red to black (blackjack) - coloured sphalerite and galena. Other silver minerals are present but are microscopic in size.

The Main Zone is a shear hosted massive sulphide deposit with a mineral resource of 3,600,000 tonnes grading 7.24 grams gold/tonne, 81 grams silver/tonne, 3.9% zinc and 3.0% lead. The Main Zone has a drill indicated strike length of 1.3 km. It is open along strike and down-dip from the present workings. Weymin Mining Corp. has extended the surface trace of the Main Zone by geological and geochemical surveys to the southeast for 3km. The

drilling has extended the Main Zone to the northwest by 30.0 meters. The structure has a good possibility of being extended further to the northwest. It is expected to increase in width and grade as it is explored in this direction. Weymin is planning a surface and underground program to begin in early 1998 designed to expand the resource.

The Main Zone weighted assays (SEE OVERLEAF P.3).

The Main Zone is hosted in an intensely sheared and rehealed structure that is crosscutting the carbonate and phyllite lithology at a low angle and dipping at 55° to the northeast. The major economic minerals are gold bearing arsenopyrite, sphalerite and galena. Further results from testing Main Zone materials will be reported, as they become available. The company reports that the metallurgical bulk sample has been completed and shipped for processing to Process Research Associates Ltd. of Vancouver. Results from this work will be reported, as they become available.

82M3
p. 1 of 2

82M 3 p. 2 of 2

**WEYMIN MINING CORP.
MCKINNON CREEK PROJECT
NEAR REVELSTOKE, BC**

The Yellowjacket Zone weighted assays are as follows:

No. Hole	From (m)	To (m)	True Width (m)	Au (g/T)	Ag (g/T)	Pb (%)	Zn (%)
S-97-1	92.42	95.28	2.86	0.09	18.08	0.89	3.22
	95.28	97.28	2.00	0.00	5.66	0.29	0.08
	98.28	99.28	1.00	0.00	40.46	0.83	0.95
S-97-2	67.15	68.22	1.07	0.07	64.46	3.05	11.94
	75.72	80.50	4.78	0.24	63.06	2.38	14.92
	84.05	86.05	2.00	0.15	33.09	1.98	5.68
S-97-3	75.06	75.54	0.48	0.00	27.77	1.63	3.80
	82.54	87.02	4.48	0.09	52.71	2.43	11.10
	93.55	94.38	0.83	0.34	121.78	5.69	15.19
	96.07	98.92	2.85	0.23	29.10	1.58	5.87

The Main Zone weighted assays are as follows:

Hole No.	From (m)	To (m)	Width (m)	Au (g/T)	Ag (g/T)	Pb (%)	Zn (%)	As (%)
S-97-1	133.05	134.05	1.00	6.65	8.23	1.44	4.70	7.84
	135.95	137.28	1.33	2.30	30.23	1.15	2.31	3.25
S-97-2	99.36	99.70	0.34	4.42	13.71	0.44	1.45	5.59
S-97-3	108.92	109.26	0.34	1.68	32.23	1.87	2.19	1.53
	111.26	112.68	1.42	0.25	6.77	0.08	0.03	0.63