

1710 - 609 GRANVILLE ST  
PO BOX 10363  
VANCOUVER BC  
CANADA V7Y 1G5  
(604) 683-7265 FAX 683-5306

# George Cross News Letter

"Reliable Reporting"

WESTERN CANADIAN INVESTMENTS

COPYRIGHT  
ALL REPRODUCTION  
RIGHT RESERVED  
PUBLISHED DAILY  
SUBSCRIPTION RATE  
\$350.00 + G.S.T.  
PER YEAR

NO. 192 (1997)  
OCTOBER 6, 1997

NO. 192 (1997)  
OCTOBER 6, 1997

## TEUTON RESOURCES CORP.

[TUU-V] 10,881,050 SHS.

## MINVITA ENTERPRISES LTD.

[MVE-V] 578,212 SHS.

MORE CLONE DRILL RESULTS RECEIVED - Dino Cremonese, president, Teuton Resources Corp., and 50/50 joint venture partner Minvita Enterprises Ltd. reports assay results have been received for holes 97-1 to 97-9, and 97-11 from the 1997 drilling program on the Clone property, located 12 miles southeast of Stewart, BC. Results for the final seven holes of the program are pending.

Holes 97-1 to 11 were all collared within the Main zone and were designed to test for mineralization at depths of 200 feet or greater. Results indicate this portion of the program was successful in following both H and S type mineralization to depth. H type mineralization is where hematite is present in significant quantities; S type mineralization occurs where sulphides dominate.

Holes 97-1 and 97-2 were drilled from the same collar at 45° and 50°, respectively, to test for gold-cobalt mineralization below the Trench 81 area at the southeast end of the Main zone. Hole 97-1 was re-entered in an attempt to intersect the up-dip extension of a 16.4 foot interval in hole 97-2 (from 296.9 to 313.3 feet) grading 0.212 ounces gold and 0.125% cobalt. This proved successful when 97-1 intersected a 17.0 foot interval (from 300.2 to 317.2 feet) grading 0.223 oz. gold/ton and 0.125% cobalt. Hole 97-3, also drilled from the same collar as 97-1 and 2, but at a 60° dip and with a slightly different azimuth, was terminated at 250 feet and consequently did not go far enough to reach the projection of the gold-cobalt mineralization encountered at depth in the first two holes.

Holes 97-4 to 7, inclusive, were drilled at varying dips and azimuths in an attempt to intersect H type mineralization below the intersection recorded in Hole 25 of the 1996 program. Two of these holes were successful and confirm that, at depth, cobalt values also occur with the H style of mineralization. Hole 97-5 intersected 58.4 feet grading 0.116 oz. gold/ton with 0.043% cobalt including 8.2 feet of 0.577 oz. gold/ton with 0.148% cobalt. Hole 97-7 cut 13.5 feet of 0.046 oz. gold/ton with 0.037% cobalt.

Hole 97-8 was collared in an attempt to trace the lateral extension of S type mineralization encountered in hole 18 (1996 program) grading 1.80 oz. gold/ton and 0.31% cobalt over 16.4 feet from 403.5 to 419.9 feet. This hole failed to intersect significant S type mineralization so the drill was moved to a new location where three holes were drilled, numbers 97-9, 10 and 11, in accordance with the structural theory which was successful in holes 97-1 and 2. Holes 97-9 and 97-11, drilled at 50° and 55° dips, respectively, both intersected S type gold-cobalt mineralization at 341 and 380 feet, respectively. Hole 97-9 cut 27.2 feet grading 0.130 oz. gold/ton. Hole 97-11 intersected 9.8 feet of 0.417 oz. gold/ton with 0.123% cobalt. A second S structure was encountered at 438 feet in hole 97-11 grading 0.399 oz. gold equivalent/ton over 15.6 feet. Complete assay results are awaited for hole 97-10 drilled at a dip of 45°, as well as holes 97-12 to 97-17. (SEE GCNL NO.179, 17Sept97, P.1 FOR PREVIOUS CLONE PROJECT DRILL RESULTS)

103P 251