

Print File®
ARCHIVAL PRESERVERS

PHOTO PLASTIC PRODUCTS, INC. P.O. BOX 607638 ORLANDO, FLORIDA 32860-7638 • (305) 886-3100

STYLE NO. 2x2-20B

INSERT EMULSION SIDE DOWN

DATE


12 06 91

ASSIGNMENT

R. MEYERS

503858

FILE NO.



J&L GEOLOGICAL RESERVES

Company	Zone	Category	Tonnes	Gold g/t	Silver g/t	Zinc %	Lead %
Equinox	Main	Proven & probable	808,200	7.2	65.7	5.2	2.5
	Main	Proven, probable & possible (50m)	1,478,000	7.9	62.2	4.7	2.3
Noranda	Main & North	Proven, probable & possible	11,438,000	6.7	68.8	4.5	2.6
BP-Selco	Main	Proven, probable & possible	12,370,000	5.9	59.1	4.0	2.2


Based on: 116 drill holes
 959 m drifting on 2 levels
 Trenches and shafts on 3,340 m surface trace

Assumptions: Minimum mining width 1.6 m
 Cut-off grade 6 g/t Au-equivalent
 Specific gravity 3.48 t/m³

YELLOWJACKET ZONE 800 m PLAN


%Zn/%Pb/g/t Ag
drill intercept (m)

- Yellowjacket Zone
- quartzite & limestone
- Phyllite
- J & L Main Zone
- massive sulphide
- Limestone



J & L PROJECT

EQUINOX RESOURCES LTD.




J&L PROJECT SECTION 10,670 E



LEGEND

- Phyllite and schist
- Quartzite
- Massive and disseminated sulphides
- Limestone

Au(g/t) / Ag(g/t) / Zn(%) / Pb(%) / As(%)
Horiz. width (metres)




J&L PROJECT SECTION 10,350 E




LEGEND

- Phyllite and schist*
- Quartzite*
- Massive and disseminated sulphides*
- Limestone*


Au(g/t) / Ag(g/t) / Zn(%) / Pb(%) / As(%)
Horiz. width (metres)






- Undivided Intrusive
- Upper Index Formation (Lardeau)
- Lower Index Formation (Lardeau)
- Badshot Formation
- Mohican Formation
- Hamill Group
- Limestone
- Sulphide Mineralization


J & L REGIONAL GEOLOGY




Long section view of the Howard drift showing ore intersections to date.

Location of the Vault Claims







Siwash North Diamond Drill Section A



Siwash North Diamond Drill Section B




Dill West Area Compilation



as well as skarn-hosted gold


Property Location Map

Siwash North Plan





Siwash North Longitudinal Section

← **SURFACE SAMPLING ACROSS 6.6 FOOT
TRUE WIDTH AVERAGED 0.507 oz/ton
GOLD OVER 1280 FEET** →



J & L PROJECT



PLAN OF UNDERGROUND WORKINGS PROPOSED PROGRAM

EQUINOX RESOURCES LTD.

