

MT. MILLIGAN
 200 million tons @
 0.3 Cu, 0.02 oz/t Au

FIGURE 1
BALL CREEK
PROPERTY LOCATION MAP

521415
 1049/8

<u>Hole Number</u>	<u>Footage From To</u>	<u>Length</u>	<u>Average Assay Values</u>			
			<u>% Cu</u>	<u>oz/ton Au</u>	<u>oz/ton Ag</u>	<u>% Mo</u>
73-1	0-250	250	.02	Tr.	.24	-*
	250-310	60	.08	.010	.18	-
	310-380	70	.10	.010	.14	-
	380-414	34	.15	.020	.09	-
73-2	10-110	100	.13	.011	.23	-
	110-210	100	.175	.012	.14	-
	210-320	110	.11	.013	.17	-
	320-430	110	.14	.014	.19	-
	430-490	60	.11	.019	.15	-
	490-572	85	.20	.019	.14	-
73-3	18-320	302	.05	Tr.	.25	-
	320-360	40	.12	.012	.12	-
	360-450	90	.10	.005	.25	-
	450-480	30	.19	.017	.12	-
	480-570	90	.10	.005	.23	-
	570-670	100	.17	.010	.14	-
	670-730	60	.10	.010	.13	-
	730-875	145	.04	Tr.	Tr.	-
74-1	50-650	600	.02	Tr.	.05	-
	650-730	80	.05	.01	.03	-
	730-800	70	.10	.01	.03	.016
	800-846	46	.01	.006	.12	-
74-2	20-120	100	.11	.027	.09	.003
	120-300	180	.05	.015	.12	-
	300-556	256	.20	.015	.13	-
74-3	40-100	60	.05	.010	.05	-
	100-140	40	.20	.020	.05	.003
	140-240	100	.09	.011	.04	-
	240-350	110	.16	.017	.05	-
	350-731	381	.27	.026	.10	.024
	40-731	691	.20	.02	.076	.014
75-1	20-557	537	.02	.002	-	-
75-2	20-310	290	.03	-	-	-
	310-390	80	.10	-	-	-
	390-830	440	.05	-	-	-
75-3	16-625	609	.02	-	-	-
75-4	26-100	74	.07	-	-	.002
	100-130	30	.04	-	-	Trace
	130-219	89	-----No Sample-----			
75-5	20-100	80	0.10	-	-	.003
	100-230	130	0.06	-	-	.002
	230-329	99	0.147	-	-	.008

* Dashed line indicates that the sample was not assayed for the indicated metal.




FIGURE 2



PLACER DOME INC.	
BALL CREEK PROJECT	
DRAWN BY: R.TURNA	CLAIM MAP
DATE: NOV. 1989	
SCALE 1: 50,000	
REVISED:	
FILE N ^o .	104 G/BW




FIGURE 3
BALL CREEK
GRID LOCATION MAP