

## Copper Queen Group.

BC 2882-46

July 18

①	Breccia zone	porous & lightly mineralized breccia. Pyrite & cpy with carbonates apparently confined mostly to filling of breccia, which is of the acidic type. Rather complex geology. Basalt, in part amygdaloidal, fine grained black to purple magnetic dikes, gneissophyre dikes, occasional stringers of pure magnetite - no specularite. Undoubtedly (RD?) failed EW in valley to North. Numerous cuts trenches and loger stripping. Some Diamond Drilling. Some recent DD with core available (Byles Brothers) probably this spring. A couple of adits $\approx$ 100-150 ft long, pyritic & sl cpy material on dump.					
②	f-mg green andesitic tuffs	& tuffaceous flow rocks intermixed. flows are somewhat porphyritic mafic phenocrysts in aphanitic to lg. dark gray matrix $\approx$ 25%. phenocrysts up to 1/2 cm. Rather general epidotization, especially along slight shears					
③	Foliation in andesitic tuff	533°E / 50°E - intermixed with dark amygdaloidal basal - the amygdaloids of which are badly deformed.					
④	Volcanic Breccia	- of the agglomeratic type - distinct from ① fragment size less than 3" generally around 1-2"					
⑤	Shallow - 15' pit	along westerly shear - exposing Cu carbonates, <del>to</del> chalcocite bornite in dk. gray lg. andesitic tuff.					
⑥	m-coarse grain pyroxene basalt	mostly amygdaloidal, zoned epidote etc. Not Nicola?					
⑦	Foliation in basalt	N 30°W / 75°E					
⑧	Distinct Bedding in 6' layer of tuff. gneiss. mg.	N 27°W / 82°W surrounded by flow agglomerates					
⑨	Nicola Basalt	- very badly deformed amygdules - almost to the point of being unrecognizable: Some flow structure. some feldspathic flows. usually epidotized					
⑩	July 20/1	fine grain dark gray green granitized lithic, tuff or pyroclastic diorite. Contains $\approx$ 10% magnetite.					
⑪	2882-46 #11	Clear cut mg. diorite - jointing and/or shearing N 20°E / near V.					
⑫	2882-46 #12	Faded Contact of diorite and basalt at this spot - Basalt is fine grained reddish basalt with feld. phenocrysts. Feldspar Crystall tuff					
⑬	2882-46 #13	Fg. fresh looking well bedded purple tuff <del>at</del> grey wackish tuff. Bedding N 38°W / 75°E S of Road					
⑭	Same as 13	Strong N-S foliation N of road - vertical foliation Bedding N 10°W / Vert.					

B.C. GOVERNMENT AIR PHOTOGRAPH  
All Rights Reserved

Date of Exposure:

SEP 9 1960

Obtain reprints & tech data from  
Air Division  
Dept. of LANDS & FORESTS, Victoria, B.C.

NARROW ANGLE

20 CHAINS = 1 INCH

(APPROX)

