



CHEMEX LABS LTD.

672763

SWAB

75-115 400
2w-8E 1003

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: 985-0648
AREA CODE: 604
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.,
1124 West 15th Street,
North Vancouver, B. C.
V7P 1M9

TARGET PROJECT

CC. Vanderhoof

CERTIFICATE NO. 44836
INVOICE NO. 27437
RECEIVED August 4, 1978
ANALYSED August 8, 1978

SAMPLE NO. :	PPM Uranium	PPM Molybdenum
78 TAW 0+25E 7+25S	< 0.5	3
7+50	< 0.5	1
7+75	< 0.5	4
7+92	< 0.5	54
8+00	1.5	5
8+25	1.5	2
8+50	8.0	5
8+75	< 0.5	3
9+00	< 0.5	1
9+25	< 0.5	1
78 TAW 0+25E 9+50S	< 0.5	1
78 TAW 0+50E 7+25S	< 0.5	2
7+50	< 0.5	2
7+75	0.5	3
8+00	94	21
8+25	14	7
8+50	< 0.5	2
8+75	< 0.5	1
9+00	< 0.5	1
9+25	< 0.5	2
78 TAW 0+50E 9+50S	< 0.5	1
78 TAW 0+75E 7+25S	< 0.5	4
7+50	< 0.5	3
7+75	1.5	3
8+00	< 0.5	2
8+25	2.5	3
8+50	1.0	3
8+75	86	29
9+00	0.5	2
9+25	< 0.5	1
78 TAW 0+75E 9+50S	< 0.5	2
78 TAW 1+00E 7+25S	< 0.5	2
7+50	< 4.0	3
7+75	1.5	2
8+00	9.0	2
8+25	60	9
8+50	3.0	2
8+75	< 0.5	1
9+00	52	19
78 TAW 1+00E 9+25S	< 0.5	1
STD.	20	5

NOTE: "Uranium", less than 4 detection limit due to fluorescence quenching caused by high concentration of the interfering metals.



MEMBER
CANADIAN TESTING
ASSOCIATION

CERTIFIED BY: Hart Bide



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 44837

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B. C.
 ATTN: V7P 1M9

INVOICE NO. 27437

RECEIVED August 4, 1978

CC. Vanderhoof

TARGET PROJECT

ANALYSED August 14, 1978

SAMPLE NO. :	PPM Molybdenum	PPM Uranium
78 TAW 1+00E 9+50S	1	< 0.5
78 TAW 1+25E 7+50S	1	< 0.5
7+75	2	0.5
8+00	2	< 0.5
8+25	1	< 0.5
8+50	1	< 0.5
8+75	7	1.5
9+00	1	< 0.5
9+25	2	3.0
78 TAW 1+25E 9+50S	1	< 0.5
78 TAW 1+50E 7+50S	2	< 0.5
7+75	38	> 400
8+00	2	2.4
8+25	1	< 0.5
8+50	1	< 0.5
8+75	1	< 0.5
9+00	1	< 0.5
9+25	1	< 0.5
78 TAW 1+50E 9+50S	2	0.5
78 TAW 1+75E 7+00S	2	< 0.5
7+25	2	< 0.5
7+50	2	< 0.5
7+75	1	< 0.5
8+00	12	1.0
8+25	1	< 0.5
8+50	1	< 0.5
8+75	1	0.5
9+00	1	1.0
9+25	2	< 0.5
78 TAW 1+75E 9+50S	1	< 0.5
78 TAW 2+00E 7+00S	3	< 0.5
7+25	12	6.5
7+50	5	9.0
7+75	3	30
8+00	30	54
8+25	1	< 0.5
8+50	1	< 0.5
8+75	1	< 0.5
78 TAW 2+00E 9+00S	1	< 0.5
78 TAW 2+25E 6+50S	1	< 0.5
	4	18



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Hart Bide*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B. C.
 V7P 1M9

ATTN: CC. Vanderhoof

TARGET PROJECT

CERTIFICATE NO. 44838
 INVOICE NO. 27437
 RECEIVED August 4, 1978
 ANALYSED August 14, 1978

SAMPLE NO. :	PPM	PPM
	Molybdenum	Uranium
78 TAW 2+25E 6+75S	3	< 0.5
7+00	3	< 0.5
7+25	4	3.5
7+50	16	43
7+75	4	29
8+00	34	145
8+25	33	14
8+50	4	7.0
8+75	1	< 0.5
78 TAW 2+25E 9+00S	1	< 0.5
78 TAW 2+50E 6+50S	5	< 0.5
6+75	2	< 0.5
7+00	6	< 0.5
7+25	5	3.5
7+50	19	38
8+00	19	35
8+25	7	15
8+50	2	< 0.5
8+75	19	46
78 TAW 2+50E 9+00S	2	1.0
78 TAW 3+00E 4+50S	5	< 0.5
4+75	3	< 0.5
5+00	4	< 0.5
5+25	1	< 0.5
5+50	2	< 0.5
5+75	1	0.5
6+00	1	< 0.5
6+25	2	< 0.5
6+50	3	4.5
78 TAW 3+00E 6+75S	20	> 400
78 TAW 3+50E 4+50S	3	6.0
4+75	3	< 0.5
5+00	3	< 0.5
5+25	2	< 0.5
5+50	1	< 0.5
5+75	2	< 0.5
6+00	1	< 0.5
6+25	1	< 0.5
6+50	1	< 0.5
78 TAW 6+75S	1	0.5
STD.	5	21



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Hartill*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 44839
 INVOICE NO. 27437
 RECEIVED August 4, 1978
 ANALYSED August 14, 1978

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B. C.
 V7P 1M9

TARGET PROJECT

ATTN: CC. Vanderhoof

SAMPLE NO. :	PPM Molybdenum	PPM Uranium
78 TAW 4+00E 9+00S	5	18
9+25	22	32
9+50	1	2.0
78 TAW 4+00E 9+75S	1	< 0.5
78 TAW 4+25E 5+50S	1	0.5
5+75	2	< 0.5
6+00	3	< 0.5
6+25	2	< 0.5
6+50	1	< 0.5
6+75	10	82
7+00	1	0.5
7+25	1	< 0.5
7+50	3	3.5
7+75	1	< 0.5
8+00	1	< 0.5
8+25	1	< 0.5
8+50	5	8.5
8+75	1	< 0.5
9+00	1	< 0.5
9+25	1	< 0.5
9+50	6	12
78 TAW 4+25E 9+75S	4	3.5
78 TAW 4+50E 5+50S	1	0.5
5+75	1	< 0.5
6+00	9	8.0
6+25	1	< 0.5
6+50	1	< 0.5
6+75	1	< 0.5
7+00	1	< 0.5
7+25	1	< 0.5
7+50	1	< 0.5
7+75	1	< 0.5
8+00	1	< 0.5
8+25	1	< 0.5
8+50	1	< 0.5
8+75	1	< 0.5
9+00	2	0.5
9+25	9	19
9+50	20	86
78 TAW 4+50E 9+75S	19	105
STD.	5	19



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Hart Bill*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B. C.
 V7P 1M9

ATTN: CC. Vanderhoof

TARGET PROJECT

CERTIFICATE NO. 44840
 INVOICE NO. 27437
 RECEIVED August 4, 1978
 ANALYSED August 14, 1978

SAMPLE NO. :	PPM Molybdenum	PPM Uranium
78 TAW 4+75E 5+50S	3	< 0.5
5+75	6	0.5
6+00	10	350
6+25	1	< 0.5
6+50	2	< 0.5
6+75	2	< 0.5
7+00	1	< 0.5
7+25	1	< 0.5
7+50	1	< 0.5
7+75	1	< 0.5
8+00	1	< 0.5
8+25	1	< 0.5
8+50	1	< 0.5
8+75	1	< 0.5
9+00	2	< 0.5
9+25	36	88
9+50	18	72
78 TAW 4+75E 9+75S	3	9.0
78 TAW 5+00E 5+50S	4	0.5
5+75	2	< 0.5
6+00	10	< 0.5
6+25	2	< 0.5
6+50	1	< 0.5
6+75	1	< 0.5
7+00	1	< 0.5
7+25	1	< 0.5
7+50	1	< 0.5
7+75	1	< 0.5
8+00	1	< 0.5
8+25	1	< 0.5
78 TAW 5+00E 8+50S	1	< 0.5
78 TAW 0+00E 7+00S	2	< 0.5
7+25	2	< 0.5
7+50	5	< 0.5
7+75	10	2.5
8+00**	30	80
8+25	3	< 0.5
8+50	1	0.5
78 TAW 0+00E 8+75S	4	0.5
**78 TAW 0+00E 7+87	49	215
STD.	6	20



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Hart Bide*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B. C.
 V7P 1M9

ATTN: CC. Vanderhoof

TARGET PROJECT

CERTIFICATE NO. 44841
 INVOICE NO. 27437
 RECEIVED August 4, 1978
 ANALYSED August 14, 1978


SAMPLE NO. :	PPM	
	Molybdenum	Uranium
78 TAW 0+00E 9+00S	2	< 0.5
9+25	1	< 0.5
78 TAW 0+00E 9+50S	2	< 0.5
78 TAW 2+50E 5+25S	1	< 0.5
5+50	3	< 0.5
5+75	5	0.5
6+00	3	< 0.5
6+25	3	< 0.5
6+50	5	< 0.5
6+75	2	< 0.5
78 TAW 2+50E 7+00S	2	< 0.5
78 TAW 0+25W 7+00S	3	< 0.5
7+25	2	< 0.5
7+50	6	< 0.5
7+75	6	2.0
8+00	10	4.5
8+25	1	< 0.5
8+50	1	< 0.5
8+75	1	< 0.5
9+00	1	< 0.5
9+25	1	< 0.5
78 TAW 0+25W 9+50S	8	2.5
78 TAW 0+50W 7+25S	3	< 0.5
7+50	4	< 0.5
7+75	5	< 0.5
8+00	4	< 0.5
8+25	11	9.0
8+50	3	0.5
8+75	3	< 0.5
9+00	2	< 0.5
9+25	23	48
78 TAW 0+50W 9+50S	2	< 0.5
78 TAW 0+75W 7+25S	5	< 0.5
7+50	5	< 0.5
7+75	7	< 0.5
8+00	6	2.5
8+25	86	155
8+50	5	2.5
8+75	11	18
78 TAW 0+75W 9+00S	4	2.5
STD.	6	18

"A" OUR OWN DESIGNATION
 "A" OUR OWN DESIGNATION
 "A" OUR OWN DESIGNATION



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Harold Bill*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B. C.
 ATTN: V7P 1M9

TARGET PROJECT

CC. Vanderhoof

CERTIFICATE NO. 44842
 INVOICE NO. 27437
 RECEIVED August 4, 1978
 ANALYSED August 14, 1978


SAMPLE NO. :	PPM Molybdenum	PPM Uranium	
78 TAW 0+75W 9+25S	19	52	
9+50	5	2.5	
78 TAW 0+75W 9+75S	2	< 0.5	
78 TAW 1+00W 7+50S	10	< 0.5	
7+75	11	< 0.5	
8+00	8	< 0.5	
8+25	25	7.5	
8+50	8	4.0	
8+75	3	< 0.5	
9+00	2	< 0.5	
9+25	2	< 0.5	NOTE: "Uranium", less than 4 detection limit due to fluorescence quenching caused by high concen- tration of the interfering metals.
9+50	4	4.0	
78 TAW 1+00W 9+75S	2	< 0.5	
78 TAW 1+25W 7+50S	12	< 0.5	
7+75	35	< 4.0	
8+00	10	< 0.5	
8+25	15	< 0.5	
8+50	51	86	
8+75	4	1.0	
9+00	1	< 0.5	
9+25	1	< 0.5	
9+50	1	< 0.5	
78 TAW 1+25W 9+75S	59	56	
78 TAW 1+50W 7+50S	16	< 0.5	
7+75	6	< 0.5	
8+00	3	< 0.5	
8+25	2	1.5	
8+50	4	3.5	
8+75	34	120	
9+00	2	1.5	
9+25	27	92	
9+50	3	< 0.5	
78 TAW 1+50W 9+75S	1	< 0.5	
78 TAW 1+75W 7+50S	8	0.5	
7+75	7	< 0.5	
8+00	3	< 0.5	
8+25	1	< 0.5	
8+50	1	0.5	
8+75	1	< 0.5	
78 TAW 1+75W 9+00S	5	5.5	
STD.	5	19	



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY:

Handwritten signature



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.
 1124 West 15th Street
 North Vancouver, B.C.

CERTIFICATE NO. 44878
 INVOICE NO. 27443
 RECEIVED Aug. 7/78
 ANALYSED Aug. 11/78

ATTN: cc: Vanderhoof TARGET PROJECT

SAMPLE NO. :	PPM Mo	PPM U
78 TAW 5+00E 8 + 75S	1	< 0.5
9 00	1	< 0.5
9 25	1	0.5
9 50	3	2.0
9 75	3	1.5
5+00E 10 00	2	1.5
5+50E 5 50	1	0.5
6 00	6	< 0.5
6 50	1	0.5
7 00	2	< 0.5
7 50	1	0.5
8 00	1	0.5
8 50	2	1.0
9 00	2	0.5
9 50	1	< 0.5
5+50E 10 00	1	< 0.5
6+00E 5 50	2	0.5
6 00	3	0.5
6 50	1	< 0.5
7 00	1	< 0.5
7 50	1	< 0.5
8 00	1	0.5
8 50	1	< 0.5
9 00	1	< 0.5
6+00E 9 50	1	< 0.5
6+50E 5 00	1	< 0.5
5 50	5	< 0.5
6 00	19	36
6 50	1	< 0.5
7 00	2	< 0.5
7 50	1	< 0.5
8 00	1	< 0.5
8 50	1	< 0.5
9 00	1	< 0.5
6+50E 9 50	1	< 0.5
7+00E 5 00	1	< 0.5
5 50	10	4.0
6 00	1	< 0.5
6 50	7	64
78 TAW 7+00E 7 + 00S	42	16
STD.	5	18



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *W. A. Biele*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephens Exploration Ltd.
 1124 West 15th Street
 N. Vancouver, B.C.

CERTIFICATE NO. 44879
 INVOICE NO. 27443
 RECEIVED Aug. 7/78
 ANALYSED Aug. 8/78


ATTN: **Mc: Vanderhoof** TARGET PROJECT

SAMPLE NO. :	PPM Mo	PPM U
78 TAW 7400E 7+50S	1	< 0.5
8 00	1	< 0.5
8 50	1	< 0.5
7+00E 9 00	1	< 0.5
7+50E 4 00	11	< 4.0
4 50	1	< 0.5
5 00	1	< 0.5
5 50	10	9.5
6 00	1	< 0.5
6 50	11	60
7 00	1	< 0.5
7 50	14	38
8 00	1	1.5
8 50	1	< 0.5
7+50E 9 00S	1	< 0.5
8+00E 4 00	2	< 0.5
4 50	11	7.5
5 00	5	< 0.5
5 50	6	27
6 00	1	< 0.5
6 50	2	< 0.5
7 00	2	< 0.5
8+00E 7 50S	20	8.5
9+75S 2 25W	1	< 0.5 ✓
2 50	1	< 0.5 ✓
2 75	2	1.0 ✓
3 00	1	< 0.5
3 25	3	1.0
3 50	1	< 0.5
3 75	2	< 0.5
4 00	1	< 0.5
4 25	2	< 0.5
4 50	2	< 0.5
4 75	1	0.5
5 00	1	< 0.5
5 25	1	< 0.5
5 50	1	0.5
5 75	1	< 0.5
6 00	1	< 0.5
78 TAW 9+75S6 25W	1	< 0.5
STD.	6	22



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Hart Riddle*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.
 1124 West 15th Street
 North Vancouver, B.C.

CERTIFICATE NO. 44880
 INVOICE NO. 27443
 RECEIVED Aug. 7/78
 ANALYSED Aug. 8/78

ATTN: cc: Vanderhoof TARGET PROJECT

SAMPLE NO. :	PPM Mo	PPM U
78 TAW 9+75S 6+50W	2	<0.5
6 75	15	37
7 00	5	2.5
7 25	11	12
7 50	3	1.0
7 75	1	0.5
8 00	1	<0.5
8 25	1	<0.5
8 50	1	0.5
8 75	1	<0.5
9 00	1	<0.5
9 25	1	<0.5
9 50	1	<0.5
9 75	1	0.5
10 00	1	<0.5
10 25	2	<0.5
10 50	1	<0.5
9+75S 10 75	1	<0.5
11+00S 2 00	1	<0.5
2 25	1	<0.5
2 50	1	<0.5
2 75	1	0.5
3 00	1	<0.5
3 25	1	<0.5
3 50	1	<0.5
3 75	1	<0.5
4 00	1	<0.5
4 25	1	<0.5
4 50	1	<0.5
4 75	1	<0.5
5 00	1	0.5
5 25	1	1.0
5 50	2	0.5
5 75	2	0.5
6 00	1	0.5
6 25	1	<0.5
6 50	1	1.0
6 75	1	1.0
7 00	1	<0.5
78 TAW 11+00S 7 25W	1	<0.5
STD.	5	25



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Hart Bude*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: 985-0648
AREA CODE: 604
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.
1124 West 15th Street
North Vancouver, B.C.

CERTIFICATE NO. 44881
INVOICE NO. 27.43
RECEIVED Aug. 7/78
ANALYSED Aug. 8/78

ATTN: cc: Vanderhoof TARGET PROJECT

SAMPLE NO. :	PPM Mo	PPM U
78 TAW 11+00S 7+50W	1	< 0.5
7 75	1	< 0.5
8 00	1	< 0.5
8 25	2	< 0.5
8 50	2	< 0.5
8 75	1	< 0.5
9 00	1	< 0.5
9 25	1	1.0
9 50	2	2.0
9 75	3	1.0
10 00	1	< 0.5
10 25	1	< 0.5
10 50	1	< 0.5
11+00S 10 75	2	< 0.5
78 TAW 11+7 S 2 00W	2	< 0.5



CERTIFIED BY: *Hart Biele*