

676436

103P 220

BOND INTERNATIONAL GOLD ANNOUNCES GOLD DISCOVERY PAGE TWO

resources at Red Mountain. The results from the 10 holes at the Willoughby Gossan Zone, holes 89-01 through 89-08 and 89-13 through 89-14, are attached.

A number of other zones of gold mineralization have been identified on the claim holdings by reconnaissance surveys and diamond drilling.

There are not yet sufficient results available to estimate the size, grade or continuity of the mineralized zones but two diamond drill rigs are continuing to evaluate the Fred and Marc zones. The Company has staked or entered into options for approximately 3,600 claim units covering approximately 225,000 acres. A portion of the claims cross the Stewart-Prince George Highway, along which a power line has recently been constructed.

Bond International Gold is a major international gold producing company with mining interests in North and South America and Australia.

(Two Tables To Follow)

Additional Information:
Thomas N. Wachler
Bond Gold Corporation
4600 South Ulster Street, Suite 300
Denver, Colorado 80237
(303) 220-9727

**TABLE I
RED MOUNTAIN PROJECT**

Red Mountain

Holes Marc 06 through 10

Assay results from diamond drill holes Marc 06 through 10 were drilled from a single drill station on Section 6+22 North. Holes Marc 07, 08 and 10 were drilled to the east but holes Marc 06 and 09 were drilled to the east-south-east.

Hole No.	Azimuth (Degrees)	Dip (Degrees)	From (m)	To (m)	Core Length (m)	Assay (grams)		
						Ag	Ac	
Marc-06	113	-45		123.00	200.00	76.20	3.40	13.15
			including	123.00	148.25	24.45	6.76	34.34
			and	171.10	180.70	9.60	5.44	5.03
Marc-07	088	-45		72.00	99.50	26.70	3.10	2.11
			including	86.00	96.50	10.50	5.93	27.23
Marc-08	088	-65		97.00	163.00	66.00	9.88	49.29
			including	97.00	113.50	16.50	23.35	120.87
Marc-09	113	-65		103.00	234.50	131.50	2.38	6.50
			including	103.00	141.00	38.00	5.93	19.10
			including	108.96	133.00	24.94	8.34	26.63
Marc-10	var	-90		133.50	276.00	142.50	1.16	2.74
			including	133.50	167.00	33.50	2.27	8.50
			including	137.75	142.50	4.75	5.32	28.06
			and	154.50	159.00	4.50	4.71	11.13
			and	271.50	276.00	4.50	6.11	1.30

TABLE 2
WILLOUGHBY GOSSAN ZONE

Willoughby Ck

Holes 89-01 through 89-08, 89-13 and 89-14

OCT 05 '89 09:07 MINERAL TITLES VAN.
FROM ABER RESOURCES

The holes were drilled from three separate drill stations on the Willoughby Gossan Zone.

Hole No.	Azimuth (Degrees)	Dip (Degrees)	From (m)	To (m)	Core Length (m)	Assay (g/t)		
						Au	Ag	
89-01	152	-51	25.50	27.00	1.50	1.21	2.00	
89-02	163	-45	45.50	59.00	13.50	1.76	3.74	
			including and	45.50	48.50	3.00	3.25	4.65
			54.50	59.00	4.50	2.82	6.43	
89-03	163	-60	42.50	45.50	3.00	3.23	40.95	
89-04	173	-45	59.50	70.00	10.50	7.56	45.90	
89-05	173	-60	43.50	46.50	3.00	4.99	63.50	
89-06	022	-60	22.00	42.50	20.50	24.98	184.21	
89-07	022	-75	21.50	40.00	18.50	0.59	19.62	
89-08	052	-65	20.50	28.30	7.80	1.58	78.59	
89-13	043	-47	54.00	61.50	7.50	1.46	1.12	
89-14	021	-46	53.70	58.20	4.50	1.70	0.63	