SEE SHEET 6

SEE SHEET 2

Chicken Lake

Smithers

Dahl Cr.

Bigelow Lake

Seymour Lake

Seymour R.

BULKLEY VALLEY

CANADIAN NATIONAL

FAULT

SMITHERS
B.B. 745M
1967'

BON
B.B. 1124
2670'

E. BASE
B.B. 752M
1611'

B.C. 2689

B.C. 1010

B.C. 1020

B.C. 2791


285 000

270 000

25 000

GRID NORTH

KEY PLAN
SCALE
4 3 2 1 0 4 MILES




## LEGEND

| | |
|---|---|
| TRIANGULATION STATION | BON △B.B.1124 2670' |
| BENCH MARK | ↑ |
| GROUND CONTROL POINT | □ |
| AIR PHOTO POINT | • 623 BCA 34 |
| AIR PHOTO CENTRE & FL. NO. | ○ BC 1020 |
| ROAD MAIN — HARD TOP | |
| ROAD SECONDARY HARD TOP | |
| ROAD OTHER | |
| TRAIL | |
| POWER LINE | |
| CREEK | |
| CREEK INTERMITTENT | |
| CREEK INDEFINITE | |
| SWAMP | |
| CONTOURS & ELEVATIONS | 1000 |
| CONTOURS INDEFINITE | |
| CLIFF | |
| CUT | |
| FILL | |
| FENCES | |
| GRAVEL PIT | PIT |
| BUILDINGS | |
| CULTIVATED | |
| ORCHARD | Orch. |
| WOODED AREA | |

## NOTES

GRID ORIGIN :- REFERRED TO 54°00′— 127°00′
DATUM OF ELEVATIONS :- GEODETIC B.M'S.
CONTOUR INTERVAL 50′
AIR PHOTOS :- B.C. GOV'T. 1949
GROUND CONTROL BY :- E.R. McMINN, 1950
AIR PHOTO CENTRES SHOWN 0/17 ARE APPROX

| | |
|---|---|
| COMPILED BY: MULTIPLEX | CHECKED BY: J.C.C. |
| TRACED BY: R.H.F. | REVISED : |

BRITISH COLUMBIA
DEPARTMENT OF LANDS AND FORESTS
SURVEYS & MAPPING BRANCH
TOPOGRAPHIC DIVISION

# HUDSON BAY MTN.

Scale: 1 Inch = 1000 Feet

| | |
|---|---|
| DATE: JUNE 1964 | DRAWING NO. M-161 |

SHEET 1

804158

SEE SHEET 5

SEE SHEET 3

SEE SHEET 1

Sloan Cr.

Glacial Cr.

Henderson Cr.

Sloan Creek

White Swan Cr.

Spruce Camp Cr.

Nymoetz R.

Aldrich Lake

Miller Cr.

Pine Creek

B.C. 1016

B.C. 1018

B.C. 1019

FAULT

SLIDE

TWINKLE BB 1128 5391'

TOES 5507'

265 000

285 000

-85 000

-50 000

GRID NORTH

KEY PLAN

SEE SHEET 1

LEGEND

| | | | |
|---|---|---|---|
| TRIANGULATION STATION | TWINKLE △BB 1128 5391' | CONTOURS & ELEVATIONS | 1000 |
| BENCH MARK | | CONTOURS INDEFINITE | |
| GROUND CONTROL POINT | □ | CLIFF | |
| AIR PHOTO POINT | • 2842' | CUT | |
| AIR PHOTO CENTRE & FL. NO. | B.C. 1016 | FILL | |
| ROAD MAIN — HARD TOP | | FENCES | |
| ROAD SECONDARY HARD TOP | | GRAVEL PIT | |
| ROAD OTHER | | BUILDINGS | |
| TRAIL | | CULTIVATED | |
| POWER LINE | | ORCHARD | Orch. |
| CREEK | | WOODED AREA | |
| CREEK INTERMITTENT | | | |
| CREEK INDEFINITE | | | |
| SWAMP | | | |

inches 0 1 2

centimetres 0 1 2 3 4 5

This reference scale bar was measured on the original image. It will scale at the same ratio on any enlargement and can be used as a reference for the original size.

NOTES

GRID ORIGIN :- REFERRED TO 54°00'— 127°00'
DATUM OF ELEVATIONS :- GEODETIC B.M'S.
CONTOUR INTERVAL 50'
AIR PHOTOS :- B.C. GOV'T. 1949
GROUND CONTROL BY :- E.R. McMINN 1950
AIR PHOTO CENTRES SHOWN ○17 ARE APPROX.

| | |
|---|---|
| COMPILED BY: MULTIPLEX | CHECKED BY: A.L.C. |
| TRACED BY: A.E.G. | REVISED: |

BRITISH COLUMBIA
DEPARTMENT OF LANDS AND FORESTS
SURVEYS & MAPPING BRANCH
TOPOGRAPHIC DIVISION


# HUDSON BAY MTN.

Scale: 1 Inch = 1000 Feet

| | |
|---|---|
| DATE: JUNE 1964 | DRAWING NO. M — 161 |

SHEET 2

SEE SHEET 4




SEE SHEET 2

## KEY PLAN

SEE SHEET 1

## LEGEND

- TRIANGULATION STATION △ BB1131
- BENCH MARK ⊤ 2823'
- GROUND CONTROL POINT □
- AIR PHOTO POINT
- AIR PHOTO CENTRE & FL. NO. ○ BC 1017
- ROAD MAIN — HARD TOP
- ROAD SECONDARY HARD TOP
- ROAD OTHER
- TRAIL
- POWER LINE
- CREEK
- CREEK INTERMITTENT
- CREEK INDEFINITE
- SWAMP
- CONTOURS & ELEVATIONS
- CONTOURS INDEFINITE
- CLIFF
- CUT
- FILL
- FENCES
- GRAVEL PIT
- BUILDINGS
- CULTIVATED
- ORCHARD
- WOODED AREA

## NOTES

GRID ORIGIN :- REFERRED TO 54°00'— 127°00'
DATUM OF ELEVATIONS :- GEODETIC B.M'S.
CONTOUR INTERVAL 50'
AIR PHOTOS :- B.C. GOV'T. 1949
GROUND CONTROL BY :- E.R. McMINN, 1950
AIR PHOTO CENTRES SHOWN ○ 17 ARE APPROX.

| | |
|---|---|
| COMPILED BY: MULTIPLEX | CHECKED BY: A.C.C. |
| TRACED BY: A.E.G. | REVISED : |

BRITISH COLUMBIA
DEPARTMENT OF LANDS AND FORESTS
SURVEYS & MAPPING BRANCH
TOPOGRAPHIC DIVISION

# HUDSON BAY MTN.

Scale: 1 Inch = 1000 Feet

DATE: JUNE 1964 | DRAWING NO. M – 161

SHEET 3

SEE SHEET 8

SEE SHEET 5

SEE SHEET 3

310 000 — 120 000

290 000 — 120 000

GRID NORTH

B.C. 1017

B.C. 1016

B.C. 2790

B.C. 2791

Zymoetz River

Kasbah Creek

Pass Creek

FAULT

WHIP 6749

DOE 5464

TREE TOPS (MELT)

KEY PLAN

SEE SHEET 1

LEGEND

| | |
|---|---|
| TRIANGULATION STATION | CONTOURS & ELEVATIONS |
| BENCH MARK | CONTOURS INDEFINITE |
| GROUND CONTROL POINT | CLIFF |
| AIR PHOTO POINT | CUT |
| AIR PHOTO CENTRE & FL. NO. | FILL |
| ROAD MAIN — HARD TOP | FENCES |
| ROAD SECONDARY HARD TOP | GRAVEL PIT |
| ROAD OTHER | BUILDINGS |
| TRAIL | CULTIVATED |
| POWER LINE | ORCHARD |
| CREEK | WOODED AREA |
| CREEK INTERMITTENT | |
| CREEK INDEFINITE | |
| SWAMP | |

inches / centimetres

This reference scale bar was created from the original image. It will scale at the same ratio as the original and can be used as a reference for the original size.

NOTES

GRID ORIGIN - REFERRED TO 54°00' 127°00'
DATUM OF ELEVATIONS :- GEODETIC B.M'S.
CONTOUR INTERVAL 50'
AIR PHOTOS :- B.C. GOV'T. 1949
GROUND CONTROL BY :- E.R.M^c MINN 1950
AIR PHOTO CENTRES SHOWN ○17 ARE APPROX.

COMPILED BY: MULTIPLEX | CHECKED BY: R.S.C.
TRACED BY: Eddy | REVISED :

BRITISH COLUMBIA
DEPARTMENT OF LANDS AND FORESTS
SURVEYS & MAPPING BRANCH
TOPOGRAPHIC DIVISION

# HUDSON BAY MTN.

Scale: 1 Inch = 1000 Feet

DATE: JUNE 1964 | DRAWING NO. M-161

SEE SHEET 8

SEE SHEET 7

SEE SHEET 4

SEE SHEET 6

SEE SHEET 2

HUDSON BAY

HUDSON BAY MTN.

DASHER BASIN

SLIDE

SLIDE

SLIDE

B.C.2790

B.C.2790

B.C.2790

B.C.2790

B.C.2790

B.C.2790

B.C.2790

B.C.1010

B.C.2790

MAC.


310 000

290 000

85 000

50 000

## KEY PLAN




## LEGEND

| | | | |
|---|---|---|---|
| TRIANGULATION STATION | △HUDSON 748M | CONTOURS & ELEVATIONS | 1000 |
| BENCH MARK | ↑2070' | CONTOURS INDEFINITE | |
| GROUND CONTROL POINT | □ | CLIFF | |
| AIR PHOTO POINT | • 14 6307' | CUT | |
| AIR PHOTO CENTRE & FL. NO. | 75 B.C.1010 | FILL | |
| ROAD MAIN — HARD TOP | | FENCES | |
| ROAD SECONDARY HARD TOP | | GRAVEL PIT | GRAVEL Pit |
| ROAD OTHER | | BUILDINGS | |
| TRAIL | | CULTIVATED | |
| POWER LINE | | ORCHARD | Orch. |
| CREEK | | WOODED AREA | |
| CREEK INTERMITTENT | | | |
| CREEK INDEFINITE | | | |
| SWAMP | | | |

## NOTES

GRID ORIGIN :- REFERRED TO 54 00' — 127 00'
DATUM OF ELEVATIONS :- GEODETIC B.M'S.
CONTOUR INTERVAL 50'
AIR PHOTOS :- B.C. GOV'T, 1949
GROUND CONTROL BY :- E.R.McMINN, 1950
AIR PHOTO CENTRES SHOWN ○ ARE APPROX

| | |
|---|---|
| COMPILED BY: MULTIPLEX | CHECKED BY: |
| TRACED BY: | REVISED : |

BRITISH COLUMBIA
DEPARTMENT OF LANDS AND FORESTS
SURVEYS & MAPPING BRANCH
TOPOGRAPHIC DIVISION

# HUDSON BAY MTN

Scale: 1 Inch = 1000 Feet

| | |
|---|---|
| DATE: JUNE 1964 | DRAWING NO. M-161 |

SHEET 5

SEE SHEET 7

SEE SHEET 5

SEE SHEET 1

310 000

290 000

40 000

25 000

GRID NORTH

KATHLYN LAKE

Kathlyn Lake

Kathlyn Cr.

Chicken Lake Cr.

C.N.R.

CANADIAN NATIONAL

SIMPSON

B.C. 1010

B.C. 1020

B.C. 2790

B.C. 2791

B.C. 2796

W. BASE BB 753M 1637'

1669'

1682'

1636

1644'

1766'

1710

1604'

1764'

1608'

1750

2000

2250

2500

2750

3000

## KEY PLAN

SEE SHEET 1

## LEGEND

| | |
|---|---|
| TRIANGULATION STATION | W. BASE △BB 753M 1637' |
| BENCH MARK | |
| GROUND CONTROL POINT | □ |
| AIR PHOTO POINT | • 1669' |
| AIR PHOTO CENTRE & FL. NO. | ○ B.C. 1020 30 |
| ROAD MAIN — HARD TOP | |
| ROAD SECONDARY HARD TOP | |
| ROAD OTHER | |
| TRAIL | |
| POWER LINE | |
| CREEK | |
| CREEK INTERMITTENT | |
| CREEK INDEFINITE | |
| SWAMP | |
| CONTOURS & ELEVATIONS | 1000 |
| CONTOURS INDEFINITE | |
| CLIFF | |
| CUT | |
| FILL | |
| FENCES | |
| GRAVEL PIT | |
| BUILDINGS | |
| CULTIVATED | |
| ORCHARD | |
| WOODED AREA | |

inches 0 1 2 3 4 5

centimetres 0 1 2

This reference scale bar has been added to the original image. It will scale at the same ratio as the original and may be used as a reference for the original size.

## NOTES

GRID ORIGIN :- REFERRED TO 54°00′ — 127°00′
DATUM OF ELEVATIONS :- GEODETIC B.M'S.
CONTOUR INTERVAL 50′
AIR PHOTOS :- B.C. GOV'T. 1949
GROUND CONTROL BY :- E.R. McMINN, 1950
AIR PHOTO CENTRES SHOWN ○17 ARE APPROX.

COMPILED BY: MULTIPLEX | CHECKED BY: K.C.
TRACED BY: R.A.P. | REVISED:

BRITISH COLUMBIA
DEPARTMENT OF LANDS AND FORESTS
SURVEYS & MAPPING BRANCH
TOPOGRAPHIC DIVISION

# HUDSON BAY MTN.

Scale: 1 Inch = 1000 Feet

DATE: JUNE 1964 | DRAWING NO. M-161

SHEET 6

SEE SHEET 8

SEE SHEET 5

SEE SHEET 6

Owens Creek

Toboggan Creek

Glacier Gulch

EVELYN STATION

Evelyn

CANADIAN NATIONAL

Toboggan Lake

DANCER
BP 1113
6870'

MUM
6475'

330 000

315 000

50 000

GRID NORTH

## KEY PLAN

SEE SHEET 1

## LEGEND

| | |
|---|---|
| TRIANGULATION STATION | DANCER △ BP 1113 6870' |
| BENCH MARK | |
| GROUND CONTROL POINT | MUD □ 6475' |
| AIR PHOTO POINT | • 2713' |
| AIR PHOTO CENTRE & FL. NO. | B.C. 1010 77 |
| ROAD MAIN — HARD TOP | |
| ROAD SECONDARY HARD TOP | |
| ROAD OTHER | |
| TRAIL | |
| POWER LINE | |
| CREEK | |
| CREEK INTERMITTENT | |
| CREEK INDEFINITE | |
| SWAMP | |
| CONTOURS & ELEVATIONS | 1000 |
| CONTOURS INDEFINITE | |
| CLIFF | |
| CUT | |
| FILL | |
| FENCES | |
| GRAVEL PIT | |
| BUILDINGS | |
| CULTIVATED | |
| ORCHARD | |
| WOODED AREA | |

Inches 0 1 2 — centimetres 0 1 2 3 4 5

BRITISH COLUMBIA LANDS SERVICE TOPOGRAPHICAL SURVEY

This reference scale bar is correct when this original image, is still scale at the same rate as the original and may be used as a reference for the original size.

## NOTES

GRID ORIGIN :- REFERRED TO 54°00'—127°00'
DATUM OF ELEVATIONS :- GEODETIC B.M'S.
CONTOUR INTERVAL 50
AIR PHOTOS :- B.C. GOV'T. 1949
GROUND CONTROL BY :- E.R. Mc MINN, 1950
AIR PHOTO CENTRES SHOWN O17 ARE APPROX.

COMPILED BY: MULTIPLEX | CHECKED BY: J.C.C.
TRACED BY: R.M.P. | REVISED :-


BRITISH COLUMBIA
DEPARTMENT OF LANDS AND FORESTS
SURVEYS & MAPPING BRANCH
TOPOGRAPHIC DIVISION

# HUDSON BAY MTN.

Scale: 1 Inch = 1000 Feet

DATE: JUNE 1964 | DRAWING NO. M—161

SHEET 7




SEE SHEET 4

SEE SHEET 5

SEE SHEET 7

## KEY PLAN

SEE SHEET 1

## LEGEND

| | |
|---|---|
| TRIANGULATION STATION | PRANCER △BB 1122 ⊤ 5765' |
| BENCH MARK | |
| GROUND CONTROL POINT | □ UP 6384' |
| AIR PHOTO POINT | • 4139' |
| AIR PHOTO CENTRE & FL. NO. | ○ B.C. 1016 90 |
| ROAD MAIN — HARD TOP | |
| ROAD SECONDARY HARD TOP | |
| ROAD OTHER | |
| TRAIL | |
| POWER LINE | |
| CREEK | |
| CREEK INTERMITTENT | |
| CREEK INDEFINITE | |
| SWAMP | |
| CONTOURS & ELEVATIONS | 1000 |
| CONTOURS INDEFINITE | |
| CLIFF | |
| CUT | |
| FILL | |
| FENCES | |
| GRAVEL PIT | PIT |
| BUILDINGS | |
| CULTIVATED | |
| ORCHARD | ORCH |
| WOODED AREA | |

inches 0 1 2 — centimetres 0 1 2 3 4 5

This reference scale bar has been added to the original image. It will be accurate as long as the image, transcribed, is used as a reference for the original size.

## NOTES

GRID ORIGIN :- REFERRED TO 54°00′ 127°00′
DATUM OF ELEVATIONS :- GEODETIC B.M'S.
CONTOUR INTERVAL 50′
AIR PHOTOS :- B.C. GOV'T. 1949
GROUND CONTROL BY :- E.R. McMINN, 1950
AIR PHOTO CENTRES SHOWN ○17 ARE APPROX.

COMPILED BY: MULTIPLEX | CHECKED BY: J.C.C.
TRACED BY: DAVE | REVISED:

BRITISH COLUMBIA
DEPARTMENT OF LANDS AND FORESTS
SURVEYS & MAPPING BRANCH
TOPOGRAPHIC DIVISION

# HUDSON BAY MTN.

Scale: 1 Inch = 1000 Feet

DATE: JUNE 1964 | DRAWING NO. M – 161