



0 + 80 E

1 + 20 S



I-E

0 + 80 E; 1 + 20 S  
 EL. COLLAR  
 DIP - 90°  
 BEARING N60°E

MINERALIZED INTERSECTIONS

<u>FROM</u>	<u>TO</u>	<u>LENGTH</u>	<u>% CU</u>
170.0	175	5	0.4
175	180	5	0.7
190	195	5	0.45
195	200	5	0.5
200	205	5	0.45
205	210	5	0.4

LEGEND

 0.4% CU +

THESE DIAMOND DRILL SECTIONS HAVE BEEN DRAWN FROM DATA PROVIDED BY GIBRALTAR MINES LTD. IN A FEW INSTANCES, COMPLETE DATA COULD NOT BE FOUND OR PROVIDED FOR SOME DRILL HOLES.


FRANKLIN PRICE  
 PROFESSIONAL MINING ENGINEER

GIBRALTAR MINES LTD.

PLAN & SECTION  
 DIAMOND DRILL HOLES


J.J. DOHERTY, P. ENG. SCALE 1"=100 FT. AUGUST 1968

812732



2-E

1475E, 1400S  
 EL. COLLAR  
 DIP - 55°  
 BEARING N53°E




MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	% Cu
196	212	16	0.2
233.5	246.5	13	0.25

LEGEND


 0.4 % Cu +

FRANKLIN PRICE	
PROFESSIONAL MINING ENGINEER	
<b>GIBRALTAR MINES LTD.</b>	
PLAN & SECTION	
DIAMOND DRILL HOLES	
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT. AUGUST 1968



3-E


0+80E, 1+20S  
 EL. COLLAR  
 DIP -45°  
 BEARING N30E



MINERALIZED INTERSECTIONS

<u>FROM</u>	<u>TO</u>	<u>LENGTH</u>	<u>% Cu</u>
145	160	15	0.6
160	167	7	0.45
195.5	198	2.5	2.10
198	223	25	0.45
223	247	24	0.4
438	456	18	0.4

LEGEND

 0.4 % Cu +

FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968




1+30 E

0+20 N

4-E

1+30 E ; 0+20 N  
EL. COLLAR  
DIP = 90°




MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	% CU
9	44.5	35.5	0.55
44.5	58	13.5	0.70
58	73.5	15.5	0.40
73.5	85.5	12	1.10
85.5	103	17.5	0.35
103	120	17	0.50
120	135	15	0.30
135	140	5	1.30
140	160	20	0.20

LEGEND

 0.4 % CU +


FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



EXACT LOCATION UNKNOWN

HOLE NOT COMPLETED NOR SAMPLED



FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



T-E  
 1+60 E ; 0+50 S  
 EL.  
 DIP - 90°

NO SAMPLING


FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	% Cu
11.5	88	76.5	0.4

LEGEND


 0.4 % Cu +

FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



1+50 S.

3+50 W




9-E

3+50 W ; 1+50 S

EL.

DIP - 90°




NO SAMPLING

FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



A+00E

B  
0+25'S



63-1  
A+00E; 0+25'S  
EL 1079 (B.L. AS 1000)  
DIP -70°  
BEARING N 45 E

MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	% Cu.
31	36	5'	0.29
36	41	5'	0.40
41	50	9'	0.20
50	55	5'	0.68
55	60	5'	0.56
60	65	5'	0.65
65	75	10'	0.16
219	224	5'	0.40
224	229	5'	0.33

LEGEND

□ 0.4 % Cu +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
<b>GIBRALTAR MINES LTD.</b>		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968




A+00E

3.1

0+75N


63-2  
 4+00E, 0+75N  
 EL.  
 DIP -60°  
 BEARING N45E



MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	% Cu
55	65	10'	0.62
65	75	10	0.29
95	105	10	0.28
105	115	10	0.65

LEGEND

 0.4 % cut

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
<b>GIBRALTAR MINES LTD.</b>		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



B. LINE


1+10E

64-1

1+10E; 0+00N

EL

DIP -90°



NOTE SCALE  
1" = 200'

MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	% CU
16	30	14	0.60
30	40	10	1.80
40	50	10	0.45
50	64	14	0.30
124	128	4	0.03
128	129	1	2.08
129	140	11	0.38
140	145	5	0.40
346	351	5	0.42
398	400	2	0.40
475	479	4	0.07
479	483	4	0.45
483	489	6	0.17
489	494.5	5.5	0.40
494.5	504.5	10	0.15
504.5	514	9.5	0.25
514	524	10	0.40
524	538	14	0.17
604.5	611	6.5	0.40
611	620	9	TR.
620	628	8	0.32
628	637	9	0.55
637	648	11	TR.

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER
GIBRALTAR MINES LTD.
PLAN & SECTION DIAMOND DRILL HOLES
J.J. DOHERTY, P. ENG.    SCALE 1"=100 FT.    AUGUST 1968

1+10 N

2+50 E




65-2

2+50 E, 1+10 N

EL COLLAR


DIP -90°



MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	% Cu
38	43	5	2.35
43	46.5	3.5	0.95
46.5	51	4.5	0.90
64	69	5	1.20
69	74	5	1.40
74	77	3	2.50
77	81	4	1.30
81	85	4	2.85
85	88	3	2.35
88	90.5	1.5	0.90
130.5	135	4.5	0.45
135	138	3	0.45

LEGEND.




0.4 % Cu +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER
GIBRALTAR MINES LTD.
PLAN & SECTION DIAMOND DRILL HOLES
J.J. DOHERTY, P. ENG.    SCALE 1"=100 FT.    AUGUST 1968

16+00 E

16+00 N




66-1  
16+00 E, 16+00 N  
EL. 3075  
DIP - 45°  
BEARING S45W

MINERALIZED INTERSECTIONS


<u>FROM</u>	<u>TO</u>	<u>LENGTH</u>	<u>% Cu</u>
89	95	6'	0.26
95	105	10'	0.40
105	115	10'	0.09

LEGEND



0.4 % Cu +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER	
GIBRALTAR MINES LTD.	
PLAN & SECTION DIAMOND DRILL HOLES	
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT. AUGUST 1968




LOW ERRATIC ASSAYS.

FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968

11+00 N



20+00 E



B-1  
 20+00 E ; 11+00 N  
 EL. COLLAR 3076  
 DIP -45°  
 BEARING N45°E


MINERALIZED		INTERSECTIONS	
FROM	TO	LENGTH	% Cu
680	690	10	0.50
820	830	10	0.55
850	860	10	0.45
860	870	10	0.53
870	880	10	0.42

LEGEND

□ 0.4 % Cu +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968


16+00 N



EL. 3149


B-2

20+00 E ; 16+00 N  
 EL. COLLAR 3146  
 DIP - 45°  
 BEARING N 30° E




MINERALIZED		INTERSECTIONS	
FROM	TO	LENGTH	% Cu
330	335	5	0.58
670	680	10	0.64
680	690	10	0.53
690	700	10	0.40
730	740	10	0.56
740	750	10	0.45
750	760	10	0.53
760	790	10	0.56
790	800	10	0.40
800	810	10	0.43
810	820	10	0.52
820	830	10	0.80
830	840	10	0.48
850	860	10	0.51

LEGEND

 0.4 % Cu +

FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968

14+70N



EL. 3070'

O.B.

200

400


586'

B-3

15+20E ; 14+70 N  
EL. COLLAR 3070'  
DIP - 45°  
BEARING N30°E

MINERALIZED		INTERSECTIONS	
FROM	TO	LENGTH	%CU
540'	550'	10'	0.55

LEGEND

 0.4 % cu +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968

17+50 N

24+75 E

EL. 3168'

O.B.

200

400


500

B-4

24+75 E, 17+50 N  
EL. COLLAR 3168'  
DIP - 45°  
BEARING N 30° E

LOW ASSAYS - HIGHEST 0.39 CU.


FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



B-5  
 A+00W, 3+50S  
 EL. 2748'  
 DIP -45°  
 BEARING N45°

MINERALIZED			INTERSECTIONS
FROM	TO	LENGTH	% Cu.
30	40	10	0.29
40	50	10	0.22
50	60	10	0.92
60	70	10	0.56
70	80	10	0.38
80	90	10	0.30
100	110	10	0.38
110	120	10	1.18
120	130	10	0.16
240	250	10	0.26
250	260	10	0.59
260	270	10	0.31
470	480	10	0.13
480	490	10	0.40
490	500	10	0.12

LEGEND


 0.4 % Cu +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968

4+00 W

3+50 S


B.L.



B-6  
 4+00 W, 3+50 S  
 EL. 2748  
 DIP - 60°  
 BEARING N45° E

MINERALIZED			INTERSECTIONS
FROM	TO	LENGTH	% CU
20	30	10	0.11
30	40	10	0.63
40	50	10	0.16
60	70	10	0.06
70	80	10	0.64
80	90	10	0.20
130	140	10	0.12
140	150	10	0.71
150	160	10	0.20
160	170	10	0.11
170	180	10	1.42
180	190	10	0.12
270	280	10	0.28
280	290	10	0.60
290	300	10	0.15

LEGEND




0.4 % Cu +

FRANKLIN PRICE  
 PROFESSIONAL MINING ENGINEER  
 GIBRALTAR MINES LTD.  
 PLAN & SECTION  
 DIAMOND DRILL HOLES

20+00N

21+75E




B-7

21+75E, 20+00N  
 EL. COLLAR 3177'  
 DIP - 45°  
 BEARING NORTH

MINERALIZED		INTERSECTIONS	
FROM	TO	LENGTH	%Cu
160	170	10	0.45

LEGEND



0.4 % Cu +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968


8+00 W

B LINE



B-8


8+00 W, A+50 S  
EL. COLLAR 2699  
DIP -45°  
BEARING N45°E




MINERALIZED INTERSECTIONS

<u>FROM</u>	<u>TO</u>	<u>LENGTH</u>	<u>%CU</u>
190	200	10	0.45
210	220	10	0.59
230	240	10	0.69
250	260	10	0.71
260	270	10	0.59
280	290	10	1.32
300	310	10	0.42
430	440	10	0.51
460	470	10	0.45


LEGEND

 0.4 %CU +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER
GIBRALTAR MINES LTD.
PLAN & SECTION DIAMOND DRILL HOLES
J.J. DOHERTY, P. ENG.    SCALE 1"=100 FT.    AUGUST 1968



B-9  
 2+00 S ; 8+00 W  
 EL. COLLAR 2741  
 DIP -45°  
 BEARING N45° E




MINERALIZED INTERSECTIONS


FROM	TO	LENGTH	%Cu
450	460	10	0.49

LEGEND  
 0.4 %Cu +


FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968




B-10  
 18+75 E ; 23+00 N  
 EL. COLLAR 3168  
 DIP -45°  
 BEARING N30E




LOW ASSAYS - HIGHEST 0.34 CU.




B-11  
 8+00 W; 7+00 N  
 EL. COLLAR 3176  
 DIP -45°  
 BEARING N45°E




<u>MINERALIZED</u>		<u>INTERSECTIONS</u>	
<u>FROM</u>	<u>TO</u>	<u>LENGTH</u>	<u>% Cu</u>
280	290	10	0.41

LEGEND  
 0.4 % Cu +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



B-12  
 6+00 W ; 4+00 S  
 EL COLLAR 2718'  
 DIP -45°  
 BEARING N45E



MINERALIZED		INTERSECTIONS	
FROM	TO	LENGTH	% CU
60	70	10	0.65
170	180	10	0.56
190	200	10	0.44
220	230	10	0.64
240	250	10	0.67
260	270	10	0.56
360	370	10	0.50
470	480	10	0.44

LEGEND  
 0.4 % CU +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



23+00 N

18+00 E


B-13

18+00 E ; 23+00 N

EL COLLAR 3168'


DIP -90°

EL. 3168'




Low Assays To 0.19 Cu

FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J. J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



B-14  
 12+00W ; 4+00S  
 EL. COLLAR 2698'  
 DIP -45°  
 BEARING N45E



MINERALIZED		INTERSECTIONS	
FROM	TO	LENGTH	%CU.
80	90	10	0.45
90	100	10	1.29
100	110	10	0.63
110	120	10	0.66
120	130	10	1.03
130	140	10	1.66
140	150	10	1.31
150	160	10	1.15
160	170	10	0.98
170	180	10	0.97
180	190	10	0.67
190	200	10	0.52
200	210	10	0.98
210	220	10	1.18
220	230	10	0.52
230	240	10	0.90
240	250	10	1.33
250	260	10	0.42
300	310	10	0.85
400	410	10	1.45
410	420	10	0.41
420	430	10	0.61
470	480	10	0.54
510	520	10	0.71
520	530	10	0.70
530	540	10	1.19

LEGEND  
 0.4 % CU+

**FRANKLIN PRICE**  
 PROFESSIONAL MINING ENGINEER

**GIBRALTAR MINES LTD.**

PLAN & SECTION  
 DIAMOND DRILL HOLES

J.J. DOHERTY, P. ENG.    SCALE 1"=100 FT.    AUGUST 1968

A+00S

B LINE



12+00W

B-15

12+00W; A+00S  
EL. COLLAR 2698  
DIP -90°


EL. 2698'



MINERALIZED INTERSECTIONS

<u>FROM</u>	<u>TO</u>	<u>LENGTH</u>	<u>% Cu</u>
100	110	10	1.16
210	220	10	0.79
220	230	10	0.96
230	240	10	0.70
240	250	10	0.70
260	270	10	0.42
310	320	10	1.80
380	390	10	0.59
480	490	10	0.59
670	680	10	0.66
690	700	10	0.80
700	710	10	0.80

LEGEND



0.4 % Cu +


FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



B LINE  
O+40 N

16+00 E

B-16  
16+00 E , 0+40 N  
EL. COLLAR  
DIP -45°  
BEARING N45E




LOW ASSAYS TO 0.26% CU.

FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968

500+8




16+00 E



B-17  
16+00 E ; 8+00 S  
EL. COLLAR 2500'  
DIP -45°  
BEARING N45E

EL. 2500'



ONLY 2 ASSAYS - HIGHEST 0.10% CU.

FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968

14+00W

2+00S

B LINE



B-18

14+00W ; 2+00S  
EL. COLLAR 2754  
DIP -90°

EL. 2754

200

400

600


657

MINERALIZED

INTERSECTIONS

FROM	TO	LENGTH	% CU
210	220	10	0.91
220	230	10	0.61
240	250	10	0.40
350	360	10	0.51
370	380	10	0.46
380	390	10	0.49
400	410	10	0.75
520	530	10	0.65
530	540	10	0.58

LEGEND



0.4% Cu +

FRANKLIN PRICE  
PROFESSIONAL MINING ENGINEER

GIBRALTAR MINES LTD.

PLAN & SECTION  
DIAMOND DRILL HOLES

J.J. DOHERTY, P. ENG.    SCALE 1"=100 FT.    AUGUST 1968

B. LINE




12+00W



B-19


12+00W ; 0+00  
EL. COLLAR 2771  
DIP -90°

EL. 2771'



MINERALIZED		INTERSECTIONS	
FROM	TO	LENGTH	%Cu
458	463	5	0.40
502	508	6	2.20
530	546	10	2.40
565	575	10	0.60
585	593	8	0.60
619	631	12	0.60

LEGEND



0.4% Cu +

FRANKLIN PRICE  
PROFESSIONAL MINING ENGINEER


**GIBRALTAR MINES LTD.**

PLAN & SECTION  
DIAMOND DRILL HOLES

J.J. DOHERTY, P. ENG.    SCALE 1"=100 FT.    AUGUST 1968



B-20  
 14+00 W ; A+00 S  
 EL. COLLAR 2725  
 DIP -90°



MINERALIZED		INTERSECTIONS	
FROM	TO	LENGTH	% Cu
135	140	5	0.52
140	150	10	0.42
177	181.5	4.5	1.00
181.5	187	5.5	0.56
187	193.5	6.5	0.55
206.5	210	3.5	0.45
210	220	10	1.10
220	230	10	0.65
230	234	4	0.65
242.5	246	3.5	2.40
250	258	8	0.95
266.5	270	3.5	1.50
290	293.5	3.5	0.90
310	317	7	0.55
395	398	3	0.80


LEGEND  
 0.4% Cu +

**FRANKLIN PRICE**  
 PROFESSIONAL MINING ENGINEER


**GIBRALTAR MINES LTD.**

PLAN & SECTION  
 DIAMOND DRILL HOLES

J.J. DOHERTY, P. ENG.    SCALE 1"=100 FT.    AUGUST 1968




C-21  
 18+00W, 6100S  
 EL. COLLAR 2693'  
 DIP - 90°



MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	%Cu	
370	377	7'	0.5	
377	382.5	5.5	0.15	
382.5	384	1.5	0.90	
384	390	6.0	0.05	
404	407.5	3.5	1.60	
434	435	1.0	0.75	
438.5	444.5	6.0	0.60	
449.5	451.5	2.0	2.10	
451.5	463.5	12.0	0.05	
463.5	466.5	3.0	0.60	
518	519.5	1.5	2.10	
547	550	3.0	0.60	
550	562	12.0	0.40	
572.5	575	2.5	0.55	
584	587	3.0	0.45	
596	599	3.0	0.60	
633.5	638	4.5	0.60	
645	649	4.0	0.60	
<u>SUMMARY</u>	434	451.5	17.5	0.51

LEGEND

 0.4 % Cu+

**FRANKLIN PRICE**  
 PROFESSIONAL MINING ENGINEER

---


**GIBRALTAR MINES LTD.**

---

*PLAN & SECTION*  
*DIAMOND DRILL HOLES*

---

J.J. DOHERTY, P. ENG.    SCALE 1"=100 FT.    AUGUST 1968




C - 22  
 18+00W ; 2100S.  
 EL. COLLAR 2763  
 DIP - 90°

MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	% Cu	
490	493.5	3.5	1.60	
493.5	495	1.5	0.05	
495	497	2.0	1.10	
497	501.5	4.5	0.25	
520	523	3.0	0.05	
523	524	1.0	1.00	
524	531	7.0	0.05	
531	532.5	1.5	2.20	
532.5	538	5.5	0.15	
552.5	556	3.5	0.50	
<u>Summed</u>	490	501.5	11.5	1.47

LEGEND

 0.4 % Cu +

**FRANKLIN PRICE**  
 PROFESSIONAL MINING ENGINEER

---

**GIBRALTAR MINES LTD.**

---

PLAN & SECTION  
 DIAMOND DRILL HOLES

---


J.J. DOHERTY, P. ENG.    SCALE 1"=100 FT.    AUGUST 1968



18+00W

10+00S


C-23  
 18+00W, 10+00S  
 EL. COLLAR 2590'  
 DIP - 90°



MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	% Cu.
153	153.5	0.5	1.60
403	404	1.0	1.70
404	406	2.0	0.10
406	410	4.0	1.30
410	412.5	2.5	0.10
412.5	413.5	1.0	1.40
413.5	425.0	11.5	0.10
425	427	2.0	2.10
445	451	6.0	0.80
462	464.5	2.5	0.50
477	478.5	1.5	6.00
486	495	9.0	0.70
495	500	5.0	1.20
500	505	5.0	0.25
505	510	5.0	0.40
510	515	5.0	0.60
515	518	3.0	0.55
518	521.5	3.5	0.15
530	535.5	5.5	1.50
535.5	538.5	3.0	3.00
570	574	4.0	0.60
588	592	4.0	1.03
<u>SUMMARY</u>			0.60
486	505	19.0	0.51
462	535.5	73.5	
403	535.5	132.5	

LEGEND



0.4 % Cu +

**FRANKLIN PRICE**  
 PROFESSIONAL MINING ENGINEER

---


**GIBRALTAR MINES LTD.**

---

PLAN & SECTION  
 DIAMOND DRILL HOLES

---

J.J. DOHERTY, P. ENG.    SCALE 1"=100 FT.    AUGUST 1968



C-24  
 14+00W, 10+00S  
 EL. COLLAR 2595'  
 DIP - 90°


MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	% Cu.
300	308	8'	0.10
308	318	10'	1.00
318	320	2'	0.15

CHECK THIS ASSAY →

<u>SUMMARY</u>		LENGTH	% Cu.
291.5	333.5	42'	0.30
308	318	10'	1.00

LEGEND



0.4 % Cu +

FRANKLIN PRICE  
 PROFESSIONAL MINING ENGINEER  
**GIBRALTAR MINES LTD.**  
 PLAN & SECTION  
 DIAMOND DRILL HOLES  
 J.J. DOHERTY, P. ENG. SCALE 1"=100 FT. AUGUST 1968



500+01

10+00 W

C-25

10+00 W, 10+00 S  
EL. COLLAR 2600'  
DIP - 90°

EL. 2600'

O.B.

200'

400'


600'

627'

MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	% Cu	
412	418	6.0	0.65	
418	424.5	6.5	1.60	
424.5	430.5	6.0	0.70	
430.5	433.5	3.0	0.20	
433.5	435.5	2.0	1.60	
435.5	440	4.5	0.05	
461.5	462.5	1.0	1.40	
462.5	474	11.5	0.05	
474	477.5	3.5	1.9	
477.5	484	6.5	.05	
583.5	586	2.5	.65	
586	595	9.0	.50	
604.5	610.5	6.0	1.50	
610.5	615.5	5.0	.45	
615.5	620	4.5	.60	
<b>Summary</b>	412	435.5	23.5	0.95
	461.5	477.5	16.0	0.54
	583.5	620	36.5	0.59

0.4 % Cu +



FRANKLIN PRICE  
PROFESSIONAL MINING ENGINEER

**GIBRALTAR MINES LTD.**

PLAN & SECTION  
DIAMOND DRILL HOLES

J.J. DOHERTY, P. ENG. SCALE 1"=100 FT. AUGUST 1968




9+50 S

6+00 W

C-26


6+00 W, 9+50 S  
 EL. COLLAR 2650  
 DIP - 45°  
 BEARING N45° E



MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	% Cu
219	346	127	0.16
364.5	375	10.5	1.9
346	375	29	0.87
375	417.5	42.5	0.08
417.5	438	20.5	0.73
<u>SUMMARY</u>			
346.0	438	92	0.47
438	695	257	0.14

LEGEND

 0.4 % Cu +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
<b>GIBRALTAR MINES LTD.</b>		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968

8+00W

9+00S



EL. 2625'

O.E.

200'

350'

C-27

8+00W, 9+00S

EL. COLLAR 2625'

DIP - 45°

BEARING N45°E

NO SAMPLING WARRANTED

FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968

22+00 W

8+50 S



C-28

22+00 W, 8+50 S  
EL. COLLAR 2615  
DIP - 90°

EL. 2615

O.B.

200'

400'


600'

660'

MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	% Cu
148	149	1	.40
171	180	9	.10
180	181.5	1.5	2.30
181.5	190	8.5	.20
390.5	393	2.5	2.20
393	404	11	.15
404	415	11	2.20
415	424	9	.10
439	447	8	.05
447	454	7	.75
454	464	10	.10
483	495	12	.25
495	496.5	1.5	5.00
496.5	502	5.5	.10

LEGEND



O.A. % Cu +


390.5	415	24.5	1.28
390.5	496.5	106	0.51

FRANKLIN PRICE  
PROFESSIONAL MINING ENGINEER


**GIBRALTAR MINES LTD.**

PLAN & SECTION  
DIAMOND DRILL HOLES

J.J. DOHERTY, P. ENG. SCALE: 1"=100 FT. AUGUST 1968



C-29  
 26+00W, 2+00 S  
 EL. COLLAR 2726  
 DIP - 90°




MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	%CU.
530	533.5	3.5	0.15
533.5	536	4.5	2.4
536	548	10	0.2
587	591	4	0.05
591	595	4	1.9
595	608	13	1.2
608	622	14	0.15
622	632	10	0.05
632	639	7	.40
639	642	3	.65
642	647	5	0.05
<u>SUMMARY</u> 591	608	17	1.40


LEGEND

[ ] 0.4 % CUT

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER
GIBRALTAR MINES LTD.
PLAN & SECTION DIAMOND DRILL HOLES
SAFETY ENG SCALE 1"=100 FT. AUGUST 1968



C-30  
 10+00 W, 35+00 N  
 EL. COLLAR 3235  
 D.I.P - 90°



MINERALIZED INTERSECTIONS

FROM	TO	LENGTH'	% CU
74	84	10'	.25
84	94	10	.50
94	104	10	.75
104	114	10	.50
114	124	10	.15

LEGEND

0.4% Cu+

FRANKLIN PRICE  
 PROFESSIONAL MINING ENGINEER

GIBRALTAR MINES LTD.

PLAN & SECTION  
 DIAMOND DRILL HOLES

J. J. DOHERTY, P. ENG. SCALE 1"=100 FT. AUGUST 1968

35100 N

10100 W



EL. 3235'

O.B.

200

490

574

C-30

10100 W, 35100 N

EL. COLLAR 3235


DIP - 90°

MINERALIZED INTERSECTIONS			
FROM	TO	LENGTH	% CU
74	84	10'	.25
84	94	10'	.50
94	104	10'	.75
104	114	10'	.50
114	124	10'	.15


LEGEND

0.4% Cu+

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968




C-31  
 10+00W, 27+00N  
 EL. COLLAR 3205'  
 DIP - 90°




MINERALIZED INTERSECTIONS

<u>FROM</u>	<u>TO</u>	<u>LENGTH</u>	<u>%Cu</u>
40	50	10	.15
50	60	10	.15
60	70	10	.30
70	80	10	.05

LEGEND


 0.4 %Cu +

FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



C-32

22+00W, 16+00S  
 EL. COLLAR 2575'  
 DIP - 90°



NO SAMPLING WARRANTED

FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968

14+00 W

16+00 S



EL. 2570'

C-33  
14+00 W ; 16+00 S  
EL. COLLAR 2570'  
DIP -90°

0.8

200'


400'

600'


642'

NO SAMPLING WARRANTED

FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



C-34  
 16+00W, 15+00N  
 EL. COLLAR 3050'  
 DIP - 90°




MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	% CU
120	125	5'	TR
125	131	6'	0.55
131	135	4'	TR
242	246	4'	.05
246	251	5'	2.3


LEGEND

0.4 % CU +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



C-35  
 40+00 E ; 14+00 N  
 EL. COLLAR 3330'  
 DIP - 90°




MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	% CU
125	190	65'	0.13
350	360	10	0.90
345	560	215	0.13


LEGEND

0.4% Cu +

FRANKLIN PRICE	
PROFESSIONAL MINING ENGINEER	
GIBRALTAR MINES LTD.	
PLAN & SECTION	
DIAMOND DRILL HOLES	
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT. AUGUST 1968



C-36  
 32+00E, 30+100N  
 EL. COLLAR 3340'  
 DIP - 45°  
 BEARING N45°E



NO SAMPLING WARRANTED

FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



32+00 S

70+00 E



EL. 2910'

c. 8

194'

C-37  
70+00 E, 32+00 S  
EL. COLLAR 2910'  
DIP - 90°

NO SAMPLING WARRANTED


FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE : 1"=100 FT.	AUGUST 1968



B. LINE

A 400 W

MM-1  
A 400 W. 0400 N  
EL. COLLAR 2787  
DIP - 90°



MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	% Cu
76.5	96.5	20'	0.27
130	150	20	0.39
130	140	10	0.40
110	170	60'	0.30
180	190	10'	0.43
280	300	20	0.15
315	335	20	0.15
365	385	20	0.19

LEGEND

□ 0.27% Cu +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



4100 N

4100 W

MM-2

4100 W, 4100 N  
EL. COLLAR 2877  
DIP - 90°

EL. 2877

08.


200'

392'


MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	% CU
190.0	255.0	65'	0.04
270.0	357.0	87'	0.17
300	310	10'	0.43


LEGEND

 0.4% Cu +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968




MM-3  
 0+00E ; 4+00N  
 EL. COLLAR 2853  
 DIP - 90°



MINERALIZED INTERSECTIONS


<u>FROM</u>	<u>TO</u>	<u>LENGTH</u>	<u>% CU</u>
209.0	311.0	102'	0.19
209.0	311.0	4'	0.41

LEGEND




0.4% Cu +

FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
<b>GIBRALTAR MINES LTD.</b>		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



EL. 2858'

MM-4  
 4+00'E, 4+00N  
 EL. COLLAR 2858'  
 DIP -90°




MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	% CU
130.0	150.0	20'	0.14
225.0	236.0	11'	0.19
265.0	340.0	75'	0.21
365.0	386.0	21'	0.21

LEGEND


□ C.A. % CU +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
<b>GIBRALTAR MINES LTD.</b>		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



MM-5

7+65E, 4100N  
EL COLLAR 2913  
DIP - 90°



MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	% CU
205.0	233.0	28'	0.17 (SLUDGE)
274.0	287.0	13	0.28
368.0	380.0	12'	0.13

LEGEND

 0.4% CU +


FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968

8+15 E

B. LINE

1-2

MM-6  
8+15 E. C+00N  
EL. COLLAR 2871'  
DIP - 90°



MINERALIZED INTERSECTIONS:

FROM	TO	LENGTH	% CU
270.0	290.0	20'	0.24
312.0	410.0	98'	0.21

LEGEND

□ 0.4 % CU +

FRANKLIN PRICE  
PROFESSIONAL MINING ENGINEER

**GIBRALTAR MINES LTD.**


PLAN & SECTION  
DIAMOND DRILL HOLES

J.J. DOHERTY, P. ENG. | SCALE 1"=100 FT. | AUGUST 1968



91+50S

120+00E




MM-7  
120+00E; 91+50S  
EL.  
DIP - 45°  
BEARING N45°E

HOLE ABANDONED - NO BEDROCK

FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968

90+20 S

120+00 E



MM-8  
 120+00 E, 90+20 S  
 EL. 2559  
 DIP - 60°  
 BEARING N45°E

NO SAMPLING WARRANTED


FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968

90+00E

33+00N




MM-9  
90+00E, 33+00N  
EL.  
DIP - 45°  
BEARING N45°E




MINERALIZED INTERSECTIONS

<u>FROM</u>	<u>TO</u>	<u>LENGTH</u>	<u>% Cu.</u>
234	254	20'	0.27
304.5	306.5	2	0.24
389	400	11	0.23

LEGEND

 0.4% Cu +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968




MM-10  
 140+00E, 146+255  
 EL.  
 DIP 45°  
 BEARING N45°E

NO SAMPLING WARRANTED

FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968

31+00 S


40+00 E



MM-11  
 40+00 E ; 31+00 S  
 EL  
 DIP -45°  
 BEARING N45° E

MINERALIZED		INTERSECTIONS	
FROM	TO	LENGTH	% Cu
341	351	10'	0.21

LEGEND




0.4 % Cu +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



S4+00S

35+00E




MM-12  
35+00E; 54+00S  
EL.  
DIP - 45°  
BEARING N45°E

HOLE ABANDONED  
DID NOT REACH BEDROCK

FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968

35+00E


51+00S



MM-13  
35+00E, 51+00S  
EL  
DIP - 90°

HOLE ABANDONED  
DID NOT REACH BEDROCK

FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968




MM-14  
 0+00E ; 3+50 S  
 EL. 2768  
 DIP -45°  
 BEARING N45°E

MINERALIZED INTERSECTIONS			
FROM	TO	LENGTH	% Cu
170	180	10	0.20
265	275	10	0.20
360	370	10	0.20


LEGEND

[ ] 0.4 % Cu +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION DIAMOND DRILL HOLES		
J. ROBERTY P. ENG	SCALE 1"=100 FT.	AUGUST 1968




68-1  
 22+00 W , 5+00 S  
 EL. COLLAR  
 Dip -90°




MINERALIZED INTERSECTIONS

<u>FROM</u>	<u>TO</u>	<u>LENGTH</u>	<u>% C.U.</u>
250	260	10	0.05
260	270	10	0.55
270	280	10	0.13
310	320	10	TR.
320	330	10	0.40
330	340	10	0.20
350	360	10	0.30
360	365	5	0.45
365	370	5	0.27


LEGEND

 0.4% Cu +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
<b>GIBRALTAR MINES LTD.</b>		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968





68-2  
 24+00 W, 3+00 S  
 EL. COLLAR  
 DIP -90°



NO SAMPLING NECESSARY

LEGEND  
 [ ] 0.4% Cu +

FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968




68-3  
 14+00W, 4+00S  
 EL COLLAR  
 DIP -45°  
 BEARING N45E

MINERALIZED INTERSECTIONS


FROM	TO	LENGTH	% CU
260	270	10	0.59
270	280	10	1.32
280	290	10	0.55
290	300	10	0.29
300	310	10	0.50
310	320	10	0.22
380	390	10	0.27
410	420	10	0.26
420	430	10	0.43

LEGEND




0.4 % CU +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER
GIBRALTAR MINES LTD.
PLAN & SECTION DIAMOND DRILL HOLES
J.J. DOHERTY, P. ENG.   SCALE 1"=100 FT.   AUGUST 1968



68-4


16+00 E ; 21+00 N  
EL. COLLAR  
DIP -90°



MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	% CU
60	70	10	0.50
100	110	10	0.47
160	170	10	0.50
170	180	10	0.46
240	250	10	0.40
330	340	10	0.40
430	440	10	0.40
440	450	10	0.57
450	460	10	0.42
460	490	10	0.57
500	510	10	0.55
510	520	10	0.52
550	560	10	0.55
570	580	10	0.42
620	630	10	0.45
630	640	10	0.25
640	650	10	0.55
660	670	10	0.45
950	960	10	0.45

LEGEND

 0.4 % CU +

SCALE 1" = 200'


FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
<b>GIBRALTAR MINES LTD.</b>		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1" = 200' FT.	AUGUST 1968



21+00 N

8+00 E

68-5  
8+00 E, 21+00 N  
EL. COLLAR  
DIP - 90°




MINERALIZED INTERSECTIONS

FROM	TO	LENGTH	% Cu
106	110	4	0.18
110	120	10	0.54
120	130	10	0.17
130	140	10	0.29
140	150	10	0.31
150	160	10	0.64
160	170	10	0.20
200	210	10	0.25
210	220	10	0.46
220	230	10	0.40
230	240	10	0.26
260	270	10	0.29
270	280	10	0.49
280	290	10	0.35
360	370	10	0.31
370	380	10	0.50
380	390	10	0.35
440	450	10	0.24
450	460	10	0.76
460	470	10	0.23


LEGEND

 0.4 % Cu +

FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968




68-6  
 12+00 E, 17+00 N  
 EL COLLAR  
 DIP -70°  
 BEARING N45°E



MINERALIZED INTERSECTION

FROM	TO	LENGTH	% CU.
120	130	10	0.38
240	250	10	0.35
250	260	10	0.30
260	270	10	0.32
300	310	10	0.35
310	320	10	0.30
320	330	10	0.37
370	380	10	0.35
380	390	10	0.42
390	400	10	0.25

LEGEND

 0.4% CU +


FRANKLIN PRICE PROFESSIONAL MINING ENGINEER
<b>GIBRALTAR MINES LTD.</b>
PLAN & SECTION DIAMOND DRILL HOLES
J.J. DOHERTY, P. ENG.    SCALE 1"=100 FT.    AUGUST 1968



41+00 W


12+00 S

C.S.-1  
41+00 W ; 12+00 S  
EL. COLLAR  
DIP -90°



MINERALIZED			INTERSECTIONS	
FROM	TO	LENGTH	% Cu	% MoS
165	171	6'	1.30	0.33
171	176	5	0.30	0.03

LEGEND

 0.4 % Cu +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



49 + 00 W

15 + 35 S

C.S-2

49 + 00 W; 15 + 35 S

EL. COLLAR

DIP - 90°

EL.

2.00'

316'

NO SAMPLING NECESSARY

FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



10+75 S

49+00 W



C.S.-3  
49+00 W, 10+75 S  
EL. COLLAR  
DIP -90°

200'

NO SAMPLING NECESSARY

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968

30+00N

24+00W




C.S.A

24+00W; 30+00N


EL. COLLAR

DIP -90°




MINERALIZED		INTERSECTIONS	
From	To	LENGTH	% Cu
80	84.5	4.5	0.16
84.5	90	5.5	0.47
90	100	10	0.08
109	121	12	0.06
121	125	4	0.66
125	130	5	0.10
300	317	17	0.16
317	327	10	0.36
327	343	16	0.16
640	647	7	0.22
647	649	2	1.20
649	663	14	0.08

LEGEND




0.4 % Cu +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER
<b>GIBRALTAR MINES LTD.</b>
PLAN & SECTION DIAMOND DRILL HOLES




C.S.-5  
 24+00 W, 30+00 N  
 EL.  
 DIP - 45°  
 BEARING N45°E



<u>MINERALIZED</u>			<u>INTERSECTIONS</u>
<u>FROM</u>	<u>TO</u>	<u>LENGTH</u>	<u>% Cu.</u>
60	70	10'	0.07
70	80	10	0.50
80	90	10	0.34
90	100	10	0.17
169	176	7	0.07
176	179	3	0.70
179	191	2	0.05

LEGEND


 0.4 % Cu +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
<b>GIBRALTAR MINES LTD.</b>		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



29+00 N

28+00 W




C-5-6  
 28+00 W, 29+00 N  
 EL. COLLAR  
 DIP - 45°  
 BEARING N45°E

MINERALIZED INTERSECTIONS


FROM	TO	LENGTH	% Cu
101	104	3	0.62
104	111	7	0.19
111	116	5	0.20
116	120	4	0.64
120	130	10	0.16
150	156	6	0.05
156	159	3	0.55
159	160.5	1.5	2.66
250	259	9	0.13
259	266	7	0.81

LEGEND




0.4 % Cu. +

FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968




C-S-7  
 28+00 W, 29+00 N  
 EL. COLLAR  
 DIP - 90°




MINERALIZED INTERSECTIONS  
FROM TO LENGTH %Cu

NO SAMPLING


LEGEND

 0.4 % Cu +

FRANKLIN PRICE PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE 1"=100 FT.	AUGUST 1968



C-5-8  
 32+00W ; 30+25N  
 EL. COLLAR  
 DIP - 45°  
 BEARING N45°E




MINERALIZED INTERSECTIONS  
 FROM TO LENGTH % Cu

NO SAMPLING

LEGEND

□ 0.4 % Cu +


FRANKLIN PRICE		
PROFESSIONAL MINING ENGINEER		
GIBRALTAR MINES LTD.		
PLAN & SECTION		
DIAMOND DRILL HOLES		
J.J. DOHERTY, P. ENG.	SCALE : 1"=100 FT.	AUGUST 1968



C-S-9  
 32+00 W, 26+25 N  
 EL. COLLAR  
 DIP - 45°  
 BEARING N45°E

MINERALIZED		INTERSECTIONS	
FROM	TO	LENGTH	% Cu.
144	146	2'	0.52
146	152	6	0.11
152	157	5	0.09
157	166	9	2.58
166	172	6	0.10
172	182	10	0.54
182	190	8	0.31
190	196	6	0.83
196	202	6	0.06
202	211	9	0.01
211	214	3	0.40
400	408	8	0.30
435	436	1	0.67
439.5	440.5	1	0.37

LEGEND


 0.4 % Cu+

FRANKLIN PRICE  
 PROFESSIONAL MINING ENGINEER


**GIBRALTAR MINES LTD.**

PLAN & SECTION  
 DIAMOND DRILL HOLES

J.J. DOHERTY, P. ENG.    SCALE 1"=100 FT.    AUGUST 1968




C-S-10  
 26+00W, 25+00N  
 EL COLLAR  
 DIP - 45°  
 BEARING N45°E



MINERALIZED		INTERSECTIONS	
FROM	TO	LENGTH	%Cu
61.5	68.5	7	0.10
210	221	11	0.07
242	244	2	0.22
244	249	5	TR.
249	251	2	0.67
258	260	2	0.20
340	350	4	0.22
422	424	2	2.55

LEGEND

 0.4 % Cu +

FRANKLIN PRICE  
 PROFESSIONAL MINING ENGINEER

---



**GIBRALTAR MINES LTD.**

---

PLAN & SECTION  
 DIAMOND DRILL HOLES

---

J.J. DOHERTY, P. ENG. SCALE 1"=100 FT. AUGUST 1968




C-5-12  
 42+00W ; 3+50N  
 EL COLLAR  
 DIP -45°  
 BEARING N45°E

MINERALIZED INTERSECTIONS

From	To	LENGTH	% CU
77	87	10	0.12
87	97	10	0.75
97	107	10	0.07
127	137	10	0.20
137	150	13	0.60
150	160	10	0.15
160	170	10	0.13
170	180	10	1.45
180	190	10	1.50
190	200	10	0.15
200	210	10	0.10

LEGEND



0.4 % Cu +

FRANKLIN PRICE  
 PROFESSIONAL MINING ENGINEER  
**GIBRALTAR MINES LTD.**  
 PLAN & SECTION  
 DIAMOND DRILL HOLES  
 L. J. DOHERTY, P. ENG. SCALE 1"=100 FT. AUGUST 1968