

824605

HOLE: RG089

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
3.66	4.27	0.61	0.00	0%	8	13	1	2	70	6	100	Weath. E
4.27	7.01	2.74	0.00	0%	50	18	1	0	65	7	100	Weath. E
7.01	11.28	4.27	0.00	0%	56	13	0	0	50	6	100	
11.28	13.72	2.44	0.44	18%	50	20	2	1	60	7	100	
13.72	16.76	3.04	0.56	18%	38	13	2	1	75	7	100	
16.76	17.38	0.62	0.00	0%	8	13	0	0	70	7	100	
17.38	20.42	3.04	0.26	9%	68	22	2	1	75	7	100	
20.42	23.47	3.05	0.11	4%	54	18	2	1	65	7	100	
23.47	26.52	3.05	0.11	4%	56	18	3	1	60	7	100	
26.52	29.57	3.05	0.35	11%	62	20	0	0	60	7	100	
29.57	32.61	3.04	0.24	8%	66	22	2	1	60	7	100	
32.61	35.66	3.05	0.34	11%	59	19	0	0	55	7	100	
35.66	38.71	3.05	0.00	0%	80	26	4	1	80	3	100	
38.71	41.75	3.04	0.37	12%	60	20	0	0	60	7	100	
41.75	44.20	2.45	0.27	11%	95	39	6	2	80	6	100	
44.20	45.72	1.52	0.00	0%	60	39	5	3	80	6	100	
45.72	47.85	2.13	0.13	6%	47	22	6	3	60	4	100	
47.85	50.29	2.44	0.24	10%	67	27	8	3	40	6	100	
50.29	52.12	1.83	0.13	7%	52	28	7	4	50	7	100	
52.12	53.04	0.92	0.49	53%	14	15	1	1	50	9	100	
53.04	56.08	3.04	1.65	54%	59	19	2	1	60	10	100	
56.08	59.13	3.05	1.45	48%	50	16	2	1	50	10	100	
59.13	62.33	3.20	1.66	52%	37	12	3	1	45	10	100	
62.33	65.38	3.05	1.10	36%	76	25	6	2	45	9	100	
65.38	68.58	3.20	0.47	15%	100	31	2	1	45	6	100	
68.58	71.63	3.05	0.86	28%	70	23	10	3	45	6	100	
71.63	74.52	2.89	0.30	10%	100	35	6	2	45	6	100	
74.52	77.57	3.05	1.38	45%	57	19	10	3	45	10	100	
77.57	80.77	3.20	1.98	62%	35	11	3	1	60	10	100	
80.77	83.82	3.05	1.15	38%	100	33	4	1	40	6	100	
83.82	86.87	3.05	1.63	53%	41	13	2	1	40	8	100	
86.87	89.92	3.05	1.50	49%	39	13	0	0	60	10	100	

HOLE: RG090

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
5.18	8.53	3.35	1.63	49%	37	11	23	7	80	12	100	
8.53	11.58	3.05	1.82	60%	41	13	15	5	75	12	100	
11.58	14.63	3.05	0.51	17%	48	16	5	2	80	8	100	
14.63	17.68	3.05	2.17	71%	27	9	16	5	75	12	100	
17.68	20.73	3.05	0.36	12%	56	18	5	2	85	8	100	
20.73	23.77	3.04	1.48	49%	40	13	7	2	80	9	100	
23.77	26.82	3.05	1.08	35%	42	14	8	3	80	9	100	
26.82	29.87	3.05	1.98	65%	32	10	20	7	80	12	100	
29.87	32.92	3.05	2.96	97%	24	8	5	2	70	12	100	
32.92	35.97	3.05	2.81	92%	19	6	5	2	80	13	100	
35.97	39.01	3.04	2.86	94%	18	6	11	4	80	13	100	
39.01	42.06	3.05	1.66	54%	35	11	10	3	70	10	100	
42.06	45.11	3.05	1.14	37%	39	13	18	6	70	10	100	
45.11	48.16	3.05	1.75	57%	38	12	6	2	80	10	100	
48.16	51.21	3.05	1.54	50%	52	17	10	3	70	10	100	
51.21	54.25	3.04	0.66	22%	67	22	6	2	70	9	100	
54.25	57.30	3.05	0.78	26%	63	21	8	3	80	9	100	
57.30	60.35	3.05	0.52	17%	59	19	5	2	60	8	100	
60.35	63.40	3.05	0.85	28%	65	21	5	2	70	8	100	
63.40	66.45	3.05	0.91	30%	74	24	7	2	70	9	100	
66.45	69.49	3.04	0.74	24%	43	14	11	4	70	9	100	
69.49	72.54	3.05	2.47	81%	25	8	33	11	80	13	100	
72.54	75.59	3.05	1.49	49%	38	12	16	5	90	12	100	
75.59	78.49	2.90	1.44	50%	30	10	16	6	80	12	100	
78.49	81.53	3.04	1.45	48%	34	11	8	3	80	10	100	
81.53	84.12	2.59	0.57	22%	46	18	9	3	90	8	100	
84.12	86.56	2.44	0.31	13%	57	23	9	4	80	7	100	
86.56	87.78	1.22	0.24	20%	22	18	7	6	80	8	100	
87.78	90.83	3.05	1.23	40%	32	10	4	1	80	10	100	
90.83	93.88	3.05	1.17	38%	23	8	2	1	80	10	80	
93.88	96.79	2.91	0.92	32%	21	7	1	0	80	10	90	
96.79	100.28	3.49	0.67	19%	20	6	0	0	75	9	100	
100.28	102.11	1.83	0.37	20%	18	10	2	1	70	8	65	
102.11	104.55	2.44	0.20	8%	38	16	2	1	70	9	85	
104.55	106.07	1.52	0.62	41%	24	16	0	0	70	9	100	
106.07	109.12	3.05	1.38	45%	34	11	2	1	70	11	100	Fault Zone 108.1 - 108.8
109.12	112.17	3.05	1.51	50%	43	14	2	1	70	10	100	
112.17	114.91	2.74	1.18	43%	41	15	3	1	70	10	100	Fault Zone 112.7 - 113.7
114.91	117.81	2.90	1.53	53%	36	12	3	1	65	11	100	
117.81	121.31	3.50	1.58	45%	26	7	3	1	70	10	100	
121.31	124.36	3.05	1.75	57%	30	10	19	6	70	10	100	
124.36	127.40	3.04	1.65	54%	34	11	11	4	70	10	100	Fault Zone
127.40	130.45	3.05	1.13	37%	50	16	7	2	70	9	100	
130.45	133.50	3.05	1.65	54%	35	11	11	4	70	10	100	

HOLE: RG091

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
18.90	20.42	1.52	0.00	0%	23	15	1	1	80	5	30	
20.42	23.47	3.05	0.20	7%	40	13	1	0	80	5	40	broken
23.47	24.69	1.22	0.21	17%	23	19	0	0	85	9	80	
24.69	26.52	1.83	0.67	37%	30	16	0	0	80	9	100	
26.52	29.57	3.05	0.42	14%	69	23	2	1	80	8	100	
29.57	32.61	3.04	0.12	4%	70	23	3	1	80	7	100	
32.61	35.66	3.05	0.00	0%	20	7	3	1	80	6	30	
35.66	38.71	3.05	0.86	28%	24	8	2	1	70	12	100	Clay gouge in fault
38.71	41.76	3.05	2.62	86%	9	3	0	0	60	14	100	Clay fault gouge
41.76	44.81	3.05	2.09	69%	37	12	8	3	60	12	100	
44.81	47.85	3.04	0.00	0%	48	16	3	1	70	7	40	
47.85	53.34	5.49	0.12	2%	75	14	2	0	70	6	50	

HOLE: RG092

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
29.57	32.61	3.04	1.15	38%	20	7	1	0	55	11	75	
32.61	34.14	1.53	0.84	55%	30	20	0	0	60	7	100	
34.14	35.66	1.52	0.00	0%	11	7	0	0	60	7	70	
35.66	38.71	3.05	1.16	38%	50	16	9	3	45	9	70	
38.71	41.76	3.05	2.44	80%	64	21	2	1	70	10	90	
41.76	44.81	3.05	2.06	68%	26	9	4	1	65	9	100	
44.81	47.86	3.05	2.40	79%	35	11	3	1	70	10	100	
47.86	50.90	3.04	2.48	82%	23	8	1	0	75	12	100	
50.90	53.95	3.05	2.55	84%	20	7	2	1	70	11	100	
53.95	57.00	3.05	1.70	56%	35	11	1	0	70	10	100	
57.00	60.05	3.05	1.30	43%	42	14	3	1	70	9	100	

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
3.05	5.16	2.11	0.00	0%	38	18	0	0	90	6	100	some rubble
5.16	8.23	3.07	1.67	54%	29	9	4	1	90	10	100	
8.23	11.28	3.05	1.80	59%	26	9	4	1	85	12	100	
11.28	14.33	3.05	2.20	72%	24	8	7	2	75	12	100	
14.33	17.37	3.04	1.28	42%	35	12	5	2	45	10	100	
17.37	20.42	3.05	1.72	56%	31	10	9	3	75	10	100	
20.42	23.32	2.90	1.37	47%	32	11	5	2	60	8	100	
23.32	25.30	1.98	0.13	7%	41	21	3	2	85	6	100	
25.30	26.06	0.76	0.00	0%	15	20	1	1	90	6	100	
26.06	29.11	3.05	0.27	9%	39	13	2	1	85	7	100	
29.11	29.57	0.46	0.12	26%	12	26	0	0	70	7	100	
29.57	32.61	3.04	0.81	27%	47	15	4	1	60	8	100	some rubble
32.61	34.14	1.53	0.23	15%	31	20	3	2	80	8	100	
34.14	35.66	1.52	0.26	17%	21	14	2	1	80	7	100	
35.66	36.58	0.92	0.12	13%	16	17	1	1	45	8	100	
36.58	37.95	1.37	0.00	0%	23	17	2	1	60	6	100	
37.95	39.47	1.52	0.24	16%	25	16	0	0	50	5	100	
39.47	40.69	1.22	0.12	10%	24	20	2	2	45	4	100	rubble
40.69	41.45	0.76	0.20	26%	15	20	0	0	60	4	100	
41.45	44.50	3.05	2.33	76%	30	10	6	2	80	9	100	
44.50	46.03	1.53	0.92	60%	18	12	2	1	10	8	100	
46.03	46.63	0.60	0.10	17%	8	13	1	2	60	8	100	
46.63	47.85	1.22	0.50	41%	17	14	2	2	80	8	100	
47.85	49.99	2.14	1.14	53%	23	11	0	0	60	8	100	
49.99	53.04	3.05	2.01	66%	33	11	3	1	45	7	100	
53.04	53.95	0.91	0.30	33%	11	12	1	1	60	8	100	
53.95	55.32	1.37	0.30	22%	22	16	3	2	80	8	100	
55.32	56.99	1.67	0.94	56%	20	12	0	0	80	8	100	
56.99	60.05	3.06	1.44	47%	35	11	1	0	80	7	100	some rubble
60.05	62.79	2.74	1.52	55%	27	10	9	3	85	8	100	
62.79	64.01	1.22	0.48	39%	18	15	4	3	60	7	100	
64.01	65.23	1.22	0.20	16%	30	25	3	2	45	6	100	rubble
65.23	65.84	0.61	0.00	0%	12	20	1	2	45	3	100	lots rubble
65.84	67.67	1.83	0.12	7%	28	15	6	3	80	6	100	
67.67	69.19	1.52	0.70	46%	17	11	5	3	60	8	100	
69.19	71.32	2.13	0.52	24%	21	10	4	2	80	6	100	rubble
71.32	74.37	3.05	1.11	36%	44	14	4	1	80	8	100	rubble
74.37	77.42	3.05	1.09	36%	37	12	6	2	15	7	100	fault gouge & rubble
77.42	78.94	1.52	0.22	14%	16	11	2	1	45	7	100	fault gouge & rubble
78.94	81.38	2.44	0.34	14%	40	16	6	2	80	6	100	
81.38	84.43	3.05	1.88	62%	32	10	9	3	60	8	100	some rubble
84.43	86.87	2.44	1.53	63%	23	9	11	5	60	9	100	
86.87	88.70	1.83	0.56	31%	22	12	6	3	45	7	100	some fault gouge
88.70	90.53	1.83	1.09	60%	21	11	2	1	45	10	100	lots fault gouge
90.53	93.57	3.04	0.93	31%	46	15	7	2	80	8	100	some fault gouge & rubble
93.57	96.62	3.05	1.61	53%	36	12	6	2	60	8	100	
96.62	99.67	3.05	0.80	26%	44	14	5	2	60	5	100	
99.67	102.72	3.05	1.48	49%	35	11	12	4	80	8	100	some rubble
102.72	105.77	3.05	1.94	64%	26	9	11	4	60	11	100	
105.77	108.81	3.04	1.36	45%	29	10	4	1	60	8	100	gouge & rubble
108.81	111.25	2.44	0.62	25%	34	14	5	2	80	7	100	some rubble
111.25	114.30	3.05	1.25	41%	41	13	5	2	60	6	100	fault gouge
114.30	117.35	3.05	1.87	61%	30	10	11	4	45	8	100	
117.35	120.40	3.05	0.77	25%	43	14	8	3	80	6	100	previously sawed - extra frags.
120.40	122.83	2.43	1.16	48%	25	10	4	2	60	8	100	
122.83	124.05	1.22	0.85	70%	14	11	3	2	60	11	100	
124.05	127.10	3.05	2.23	73%	25	8	7	2	60	8	100	
127.10	130.15	3.05	2.31	76%	27	9	5	2	60	10	100	
130.15	133.20	3.05	2.17	71%	30	10	6	2	45	10	100	
133.20	136.25	3.05	1.10	36%	47	15	8	3	60	8	100	
136.25	138.07	1.82	0.47	26%	26	14	3	2	80	8	100	rubble
138.07	141.12	3.05	0.82	27%	44	14	7	2	60	7	100	previously sawed/lots rubble
141.12	142.34	1.22	0.20	16%	11	9	2	2	60	4	100	
142.34	145.39	3.05	1.35	44%	34	11	9	3	80	7	100	previously sawed
145.39	149.05	3.66	0.78	21%	39	11	2	1	45	7	100	lots rubble

HOLE: RG094

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
9.45	11.28	1.83	0.00	0%	20	11	0	0	60	3	20	
11.28	14.33	3.05	0.21	7%	10	3	0	0	60	5	15	lots rubble
14.33	17.37	3.04	0.00	0%	15	5	0	0	60	4	5	lots rubble
17.37	20.42	3.05	0.00	0%	25	8	0	0	60	4	30	lots rubble
20.42	23.47	3.05	0.28	9%	33	11	1	0	60	4	30	some rubble
23.47	24.38	0.91	0.00	0%	34	37	1	1	70	2	10	fault gouge & rubble
24.38	26.52	2.14	0.64	30%	35	16	1	0	80	6	75	some rubble
26.52	29.57	3.05	1.47	48%	41	13	2	1	80	7	100	some rubble
29.57	32.61	3.04	0.70	23%	55	18	6	2	70	6	100	some rubble
32.61	35.66	3.05	2.27	74%	22	7	4	1	70	8	100	
35.66	38.71	3.05	2.29	75%	23	8	3	1	30	8	100	
38.71	41.76	3.05	2.03	67%	30	10	4	1	55	10	100	veins folded
41.76	44.81	3.05	1.71	56%	39	13	2	1	80	8	100	some fault gouge
44.81	47.86	3.05	0.36	12%	53	17	1	0	80	7	100	some rubble
47.86	50.90	3.04	1.66	55%	49	16	4	1	85	8	100	

82 M/4 W

HOLE: RG095 ROCK QUALITY DETERMINATION SHEET - REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
3.66	4.88	1.22	0.00	0%	16	13	3	2	45	4	45	
4.88	7.93	3.05	0.35	11%	50	16	6	2	50	4	80	
7.93	11.28	3.35	0.57	17%	40	12	3	1	45	5	80	
11.28	14.02	2.74	1.10	40%	22	8	4	1	70	6	70	
14.02	17.37	3.35	0.36	11%	53	16	12	4	80	6	90	
17.37	19.96	2.59	0.94	36%	24	9	11	4	80	6	80	
19.96	22.86	2.90	0.31	11%	35	12	3	1	60	6	65	
22.86	23.77	0.91	0.23	25%	15	16	3	3	80	6	100	
23.77	26.52	2.75	0.45	16%	52	19	9	3	50	5	100	
26.52	29.57	3.05	1.70	56%	25	8	5	2	50	8	100	
29.57	32.61	3.04	0.54	18%	20	7	5	2	70	8	100	
32.61	35.05	2.44	0.35	14%	50	20	8	3	60	7	100	
35.05	38.10	3.05	0.10	3%	47	15	6	2	50	6	100	
38.10	41.45	3.35	0.11	3%	49	15	4	1	85	6	100	
41.45	43.59	2.14	0.10	5%	36	17	8	4	50	6	100	
43.59	46.48	2.89	0.38	13%	36	12	3	1	80	7	100	
46.48	47.85	1.37	0.15	11%	21	15	3	2	45	7	100	
47.85	50.29	2.44	0.00	0%	30	12	2	1	60	5	100	
50.29	51.82	1.53	0.41	27%	22	14	7	5	50	6	100	
51.82	53.95	2.13	0.00	0%	20	9	2	1	60	4	100	
53.95	57.00	3.05	0.78	26%	35	11	5	2	60	7	100	
57.00	58.83	1.83	0.57	31%	18	10	4	2	45	8	100	
58.83	61.87	3.04	0.76	25%	40	13	7	2	60	7	100	
61.87	63.09	1.22	0.20	16%	15	12	4	3	60	7	100	
63.09	66.14	3.05	2.00	66%	28	9	16	5	60	8	100	
66.14	69.19	3.05	0.92	30%	35	11	3	1	60	7	100	
69.19	72.24	3.05	1.96	64%	27	9	8	3	45	9	100	
72.24	75.29	3.05	0.46	15%	44	14	12	4	75	6	100	
75.29	78.33	3.04	1.01	33%	37	12	4	1	45	7	100	
78.33	81.38	3.05	0.20	7%	36	12	3	1	80	3	60	lots rubble
81.38	84.43	3.05	1.36	45%	29	10	8	3	70	7	100	
84.43	87.48	3.05	2.44	80%	18	6	10	3	75	10	100	
87.48	88.70	1.22	0.70	57%	14	11	4	3	80	8	100	
88.70	90.53	1.83	0.38	21%	12	7	2	1	45	6	45	
90.53	93.57	3.04	0.00	0%	10	3	0	0	50	3	15	core lost in fault zone
93.57	96.16	2.59	0.00	0%	20	8	1	0	60	4	35	lots rubble
96.16	99.67	3.51	0.23	7%	45	13	4	1	70	5	65	some rubble
99.67	101.80	2.13	0.74	35%	20	9	11	5	80	7	100	
101.80	104.85	3.05	2.64	87%	20	7	12	4	85	10	100	
104.85	108.05	3.20	1.66	52%	22	7	10	3	50	11	100	
108.05	111.10	3.05	1.34	44%	32	10	9	3	50	10	100	
111.10	113.69	2.59	1.54	59%	21	8	6	2	60	9	100	
113.69	114.91	1.22	0.72	59%	12	10	2	2	60	9	100	
114.91	117.50	2.59	1.03	40%	31	12	6	2	70	8	100	
117.50	120.55	3.05	1.26	41%	35	11	5	2	70	8	100	
120.55	123.75	3.20	1.90	59%	28	9	4	1	60	9	100	some gouge
123.75	125.97	2.22	0.11	5%	27	12	4	2	80	6	100	some gouge
125.97	127.10	1.13	0.00	0%	37	33	10	9	70	6	100	
127.10	128.97	1.87	0.22	12%	28	15	5	3	75	6	100	
128.97	129.84	0.87	0.11	13%	8	9	0	0	75	4	65	lots rubble & gouge

129.84	133.20	3.36	0.10	3%		52	15	6	2	80	6	100	some gouge
133.20	135.64	2.44	0.21	9%		40	16	4	2	70	6	100	some gouge
135.64	136.85	1.21	0.15	12%		24	20	3	2	85	6	100	some gouge

HOLE: RG096

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
9.45	11.28	1.83	0.00	0%	8	4	1	1	45	3	20	all rubble
11.28	12.30	1.02	0.00	0%	8	8	1	1	45	1	10	all rubble
12.30	14.02	1.72	0.13	8%	8	5	1	1	45	3	25	some rubble
14.02	15.54	1.52	0.42	28%	30	20	1	1	45	4	85	some rubble
15.54	17.37	1.83	0.49	27%	16	9	3	2	45	4	60	lots rubble
17.37	20.42	3.05	0.17	6%	10	3	2	1	60	4	20	lots rubble
20.42	23.47	3.05	0.00	0%	14	5	1	0	60	3	20	
23.47	26.52	3.05	0.00	0%	43	14	1	0	80	4	50	
26.52	29.57	3.05	1.36	45%	28	9	3	1	45	6	80	some rubble
29.57	32.61	3.04	1.74	57%	30	10	12	4	60	8	100	
32.61	35.66	3.05	0.44	14%	38	12	9	3	60	6	100	
35.66	38.71	3.05	1.96	64%	30	10	13	4	80	8	100	
38.71	41.76	3.05	1.45	48%	38	12	7	2	60	8	100	
41.76	42.67	0.91	0.52	57%	14	15	1	1	60	8	100	

HOLE: RG097

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
6.10	8.23	2.13	0.24	11%	31	15	2	1	30	7	60	Weath. fract.
8.23	10.67	2.44	0.68	28%	26	11	2	1	60	9	95	Weath. Fract.
10.67	11.89	1.22	0.24	20%	27	22	1	1	50	8	100	
11.89	14.37	2.48	0.53	21%	24	10	4	2	50	10	100	
14.37	17.98	3.61	1.33	37%	56	16	2	1	45	11	90	
17.98	20.42	2.44	0.49	20%	18	7	1	0	40	9	60	Fault?
20.42	22.86	2.44	0.59	24%	46	19	2	1	35	7	75	Fault
22.86	25.91	3.05	0.10	3%	18	6	2	1	40	3	30	Fault
25.91	28.96	3.05	0.25	8%	22	7	2	1	50	1	25	Fault
28.96	29.57	0.61	0.00	0%	15	25	2	3	50	6	50	
29.57	32.61	3.04	0.36	12%	31	10	5	2	70	8	50	
32.61	35.66	3.05	2.24	73%	26	9	0	0	80	12	100	
35.66	38.71	3.05	1.63	53%	22	7	0	0	80	12	100	

HOLE: RG098

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
12.50	14.33	1.83	0.00	0%	25	14	4	2	85	6	50	some rubble
14.33	17.37	3.04	0.00	0%	40	13	6	2	85	6	55	
17.37	20.42	3.05	0.00	0%	16	5	2	1	60	4	20	some rubble
20.42	23.47	3.05	0.00	0%	21	7	4	1	60	4	30	some rubble
23.47	26.52	3.05	0.10	3%	35	11	5	2	85	6	40	
26.52	29.57	3.05	0.57	19%	25	8	4	1	60	8	65	
29.57	32.61	3.04	0.20	7%	45	15	15	5	70	5	60	some rubble
32.61	34.29	1.68	0.10	6%	45	27	4	2	80	3	50	lots rubble
34.29	34.75	0.46	0.00	0%	5	11	1	2	65	4	50	all quartz vein
34.75	35.66	0.91	0.78	86%	5	5	2	2	50	11	100	
35.66	38.40	2.74	0.56	20%	26	9	3	1	80	6	60	gouge & rubble
38.40	39.93	1.53	0.15	10%	30	20	3	2	90	6	95	lot rubble
39.93	41.76	1.83	0.12	7%	20	11	3	2	80	6	60	lots rubble
41.76	44.81	3.05	0.70	23%	20	7	5	2	50	7	60	lots rubble
44.81	47.85	3.04	0.00	0%	15	5	5	2	60	4	20	lots rubble
47.85	50.90	3.05	0.00	0%	17	6	2	1	50	4	20	lots rubble
50.90	53.95	3.05	0.00	0%	18	6	5	2	50	3	25	lots rubble
53.95	57.00	3.05	0.98	32%	33	11	3	1	45	6	90	
57.00	60.05	3.05	0.32	10%	33	11	3	1	60	6	80	
60.05	62.48	2.43	0.84	35%	16	7	3	1	70	5	100	
62.48	65.53	3.05	0.86	28%	22	7	4	1	45	6	100	some rubble
65.53	67.67	2.14	0.49	23%	22	10	2	1	60	8	100	
67.67	69.19	1.52	1.11	73%	7	5	2	1	60	11	100	
69.19	72.24	3.05	1.74	57%	25	8	4	1	85	10	100	
72.24	75.29	3.05	1.04	34%	32	10	5	2	60	9	100	

HOLE: RG099

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
6.10	8.23	2.13	0.00	0%	13	6	3	1	60	6	30	
8.23	11.58	3.35	0.00	0%	18	5	3	1	80	3	15	lots rubble
11.58	13.72	2.14	0.00	0%	6	3	2	1	80	6	10	some rubble
13.72	15.55	1.83	0.12	7%	28	15	5	3	60	6	80	some rubble
15.55	17.07	1.52	0.24	16%	17	11	5	3	50	6	75	
17.07	19.20	2.13	0.00	0%	34	16	4	2	75	6	50	some rubble
19.20	20.12	0.92	0.00	0%	26	28	4	4	80	5	80	some rubble
20.12	20.73	0.61	0.00	0%	9	15	1	2	60	6	55	
20.73	23.17	2.44	0.00	0%	35	14	4	2	50	6	90	some rubble
23.17	25.60	2.43	0.00	0%	45	19	6	2	60	6	100	some rubble
25.60	26.21	0.61	0.00	0%	11	18	3	5	85	6	100	
26.21	27.13	0.92	0.00	0%	16	17	3	3	70	6	100	
27.13	28.35	1.22	0.28	23%	20	16	4	3	80	8	100	
28.35	28.96	0.61	0.00	0%	11	18	2	3	60	5	90	
28.96	29.87	0.91	0.13	14%	7	8	1	1	45	3	50	lots rubble
29.87	31.09	1.22	0.00	0%	12	10	2	2	45	5	40	
31.09	32.61	1.52	0.35	23%	18	12	4	3	45	7	100	some rubble
32.61	34.14	1.53	0.78	51%	14	9	4	3	50	9	100	
34.14	35.36	1.22	0.56	46%	16	13	2	2	90	9	100	some rubble
35.36	37.34	1.98	1.07	54%	19	10	5	3	45	10	100	
37.34	39.01	1.67	0.17	10%	21	13	5	3	70	8	100	
39.01	40.54	1.53	0.00	0%	18	12	3	2	60	6	40	
40.54	42.06	1.52	0.81	53%	17	11	4	3	70	9	100	
42.06	45.11	3.05	0.98	32%	36	12	7	2	85	8	100	
45.11	47.55	2.44	0.00	0%	25	10	4	2	85	5	100	lots rubble
47.55	49.38	1.83	0.24	13%	22	12	3	2	80	6	100	
49.38	50.90	1.52	0.13	9%	12	8	1	1	30	4	100	
50.90	53.04	2.14	0.95	44%	27	13	5	2	60	8	100	
53.04	54.25	1.21	0.12	10%	14	12	1	1	90	7	100	
54.25	56.08	1.83	0.14	8%	22	12	4	2	80	8	100	
56.08	57.61	1.53	0.38	25%	22	14	3	2	85	8	100	some rubble
57.61	59.74	2.13	0.87	41%	27	13	5	2	70	8	100	
59.74	63.40	3.66	0.47	13%	15	4	7	2	50	9	30	previously saved
63.40	65.53	2.13	0.12	6%	49	23	4	2	60	6	100	
65.53	68.88	3.35	0.55	16%	52	16	6	2	70	8	100	
68.88	71.02	2.14	0.22	10%	32	15	5	2	70	6	100	some rubble
71.02	72.54	1.52	0.00	0%	32	21	5	3	70	6	100	samples removed
72.54	74.06	1.52	0.00	0%	32	21	5	3	70	6	100	samples removed
74.06	74.96	0.90	0.00	0%	20	22	0	0	55	4	100	
74.96	76.51	1.55	0.10	6%	20	13	1	1	45	3	100	lots rubble
76.51	77.42	0.91	0.00	0%	14	15	1	1	60	3	100	lots rubble
77.42	78.83	1.41	0.47	33%	13	9	2	1	80	5	100	lots rubble
78.83	80.92	2.09	1.03	49%	28	13	3	1	50	7	100	
80.92	81.69	0.77	0.00	0%	16	21	2	3	90	4	100	some rubble
81.69	82.30	0.61	0.00	0%	12	20	0	0	75	4	100	some rubble
82.30	83.21	0.91	0.42	46%	12	13	3	3	85	6	100	
83.21	84.73	1.52	0.11	7%	21	14	2	1	50	6	100	
84.73	85.95	1.22	0.21	17%	14	11	3	2	85	7	100	
85.95	87.78	1.83	0.24	13%	21	11	7	4	60	7	100	
87.78	89.76	1.98	1.01	51%	21	11	2	1	80	8	100	

89.76	90.83	1.07	0.34	32%		11	10	3	3	70	8	100	
90.83	91.44	0.61	0.13	21%		6	10	7	11	80	9	45	
91.44	93.27	1.83	0.22	12%		12	7	5	3	70	6	40	
93.27	93.99	0.72	0.11	15%		9	13	4	6	60	7	100	

HOLE: RG100

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
6.40	8.23	1.83	0.10	5%	27	15	2	1	45	6	50	Some Rubble
8.23	11.28	3.05	0.00	0%	20	7	2	1	45	6	15	lots rubble
11.28	13.72	2.44	0.00	0%	9	4	2	1	60	5	5	lots rubble
13.72	14.33	0.61	0.00	0%	10	16	2	3	80	6	45	some rubble
14.33	15.85	1.52	0.00	0%	17	11	1	1	60	4	30	lots rubble
15.85	17.37	1.52	0.23	15%	27	18	4	3	50	6	80	lots rubble
17.37	20.42	3.05	0.22	7%	45	15	4	1	50	6	60	some rubble
20.42	21.64	1.22	0.14	11%	23	19	3	2	80	6	75	some rubble
21.64	22.56	0.92	0.00	0%	12	13	1	1	70	6	35	
22.56	23.32	0.76	0.10	13%	10	13	1	1	70	5	45	lots rubble
23.32	24.99	1.67	0.23	14%	16	10	2	1	60	7	45	
24.99	26.52	1.53	0.58	38%	15	10	3	2	50	7	90	
26.52	29.57	3.05	1.14	37%	26	9	5	2	60	8	70	
29.57	32.00	2.43	0.39	16%	17	7	4	2	60	7	35	lots rubble
32.00	33.53	1.53	0.10	7%	14	9	2	1	60	5	40	lots rubble
33.53	35.36	1.83	1.88	103%	16	9	5	3	80	7	80	some rubble
35.36	37.80	2.44	1.48	61%	26	11	4	2	70	7	75	
37.80	40.23	2.43	0.72	30%	22	9	5	2	85	7	80	
40.23	41.45	1.22	0.10	8%	7	6	2	2	90	6	55	lots rubble
41.45	43.28	1.83	0.30	16%	9	5	2	1	75	6	40	nearly all quartz
43.28	44.81	1.53	0.66	43%	9	6	3	2	50	10	80	
44.81	47.24	2.43	0.42	17%	21	9	2	1	45	8	80	some rubble
47.24	50.29	3.05	1.38	45%	29	10	7	2	60	9	100	
50.29	53.34	3.05	1.85	61%	23	8	11	4	70	11	100	
53.34	56.39	3.05	1.13	37%	33	11	9	3	60	8	100	
56.39	57.66	1.27	0.22	17%	14	11	6	5	50	8	100	
57.66	60.05	2.39	1.03	43%	15	6	5	2	60	9	100	
60.05	63.09	3.04	0.71	23%	27	9	8	3	75	9	100	some rubble
63.09	66.14	3.05	0.86	28%	35	11	2	1	80	8	100	
66.14	69.19	3.05	1.17	38%	35	11	5	2	60	8	100	
69.19	72.24	3.05	0.97	32%	32	10	3	1	80	9	100	
72.24	75.29	3.05	1.82	60%	20	7	2	1	60	11	100	
75.29	78.33	3.04	2.17	71%	20	7	3	1	80	10	100	
78.33	81.38	3.05	0.56	18%	29	10	3	1	60	8	100	some rubble
81.38	84.43	3.05	0.93	30%	25	8	4	1	50	8	75	some rubble
84.43	87.48	3.05	1.11	36%	32	10	4	1	70	10	100	
87.48	89.92	2.44	1.57	64%	19	8	1	0	45	10	100	

HOLE: RG101

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
3.05	5.18	2.13	0.00	0%	20	9	0	0	0	6	35	
5.18	8.23	3.05	0.58	19%	38	12	7	2	70	6	100	
8.23	10.97	2.74	0.48	18%	37	14	4	1	70	7	100	
10.97	13.72	2.75	0.10	4%	48	17	5	2	70	7	100	
13.72	14.93	1.21	0.10	8%	17	14	5	4	60	7	100	
14.93	17.37	2.44	0.19	8%	32	13	5	2	75	7	100	
17.37	20.12	2.75	0.79	29%	32	12	6	2	50	7	100	
20.12	20.73	0.61	0.00	0%	10	16	1	2	60	7	100	
20.73	21.64	0.91	0.11	12%	14	15	1	1	60	6	100	
21.64	22.25	0.61	0.00	0%	13	21	0	0	0	6	100	
22.25	23.47	1.22	0.24	20%	15	12	4	3	70	8	100	
23.47	26.52	3.05	0.77	25%	37	12	3	1	60	8	100	
26.52	28.04	1.52	0.51	34%	22	14	5	3	70	8	100	
28.04	29.57	1.53	0.12	8%	23	15	2	1	60	8	100	
29.57	32.00	2.43	0.46	19%	27	11	4	2	60	9	100	
32.00	34.14	2.14	0.40	19%	23	11	3	1	45	9	100	
34.14	35.66	1.52	1.40	92%	10	7	3	2	45	11	100	
35.66	37.49	1.83	0.55	30%	21	11	3	2	60	8	100	
37.49	40.54	3.05	0.78	26%	40	13	6	2	60	7	100	
40.54	41.76	1.22	0.35	29%	13	11	2	2	80	8	100	
41.76	43.89	2.13	0.12	6%	28	13	3	1	60	6	100	
43.89	46.33	2.44	0.90	37%	27	11	2	1	80	8	100	
46.33	47.85	1.52	0.41	27%	18	12	4	3	80	8	100	
47.85	48.46	0.61	0.12	20%	9	15	2	3	45	7	85	
48.46	50.90	2.44	0.34	14%	18	7	1	0	45	8	45	
50.90	52.12	1.22	0.00	0%	15	12	0	0	0	6	50	SOME FAULT GOUGE
52.12	53.65	1.53	0.11	7%	18	10	0	0	0	8	55	
53.65	56.85	3.20	0.22	7%	43	13	2	1	60	6	60	
56.85	59.74	2.89	0.00	0%	38	13	2	1	80	5	55	LOTS RUBBLE
59.74	62.78	3.04	0.00	0%	22	7	2	1	60	5	30	LOTS RUBBLE
62.78	64.00	1.22	0.00	0%	14	11	2	2	80	5	55	LOTS RUBBLE
64.00	66.14	2.14	0.00	0%	29	14	1	0	45	6	70	
66.14	69.19	3.05	0.91	30%	48	13	4	1	50	6	100	
69.19	71.78	2.59	0.93	36%	23	9	1	0	30	8	100	SOME RUBBLE
71.78	73.76	1.98	0.00	0%	25	13	0	0	0	5	45	LOT GOUGE
73.76	74.98	1.22	0.00	0%	12	10	2	2	60	5	35	LOTS GOUGE
74.98	76.50	1.52	0.00	0%	12	8	2	1	45	5	35	LOTS GOUGE
76.50	77.72	1.22	0.00	0%	15	12	1	1	80	5	50	LOTS GOUGE
77.72	80.01	2.29	0.10	4%	31	14	4	2	80	7	75	
80.01	81.38	1.37	0.00	0%	11	8	2	1	80	6	30	LOTS RUBBLE
81.38	83.21	1.83	0.00	0%	18	10	1	1	45	6	30	LOTS RUBBLE
83.21	84.43	1.22	0.12	10%	22	18	2	2	60	6	70	
84.43	87.17	2.74	0.00	0%	46	17	3	1	45	6	75	
87.17	90.22	3.05	0.26	9%	61	20	8	3	70	7	90	
90.22	93.27	3.05	0.12	4%	28	10	2	1	60	6	50	SOME RUBBLE
93.27	94.49	1.22	0.44	36%	12	10	4	3	45	8	80	
94.49	95.71	1.22	0.13	11%	17	14	0	0	0	7	75	
95.71	97.84	2.13	0.29	14%	26	12	5	2	80	7	70	
97.84	99.67	1.83	0.32	17%	25	14	5	3	70	7	80	
99.67	102.72	3.05	0.52	17%	29	10	2	1	45	9	95	

102.72	105.16	2.44	1.21	50%		23	9	2	1	60	11	100	
105.16	107.59	2.43	1.76	72%		20	8	3	1	60	10	100	
107.59	108.81	1.22	0.56	46%		11	9	2	2	60	9	100	
108.81	111.86	3.05	1.56	51%		27	9	3	1	45	10	100	
111.86	114.00	2.14	0.21	10%		15	7	1	0	0	6	40	LOTS RUBBLE
114.00	116.74	2.74	0.11	4%		30	11	5	2	50	6	45	LOTS RUBBLE
116.74	117.96	1.22	0.23	19%		11	9	3	2	45	7	80	
117.96	121.01	3.05	0.10	3%		30	10	3	1	85	6	50	LOTS RUBBLE
121.01	122.83	1.82	0.47	26%		25	14	3	2	80	6	100	SOME RUBBLE
122.83	124.05	1.22	0.13	11%		10	8	3	2	60	6	70	SOME RUBBLE
124.05	127.10	3.05	0.31	10%		38	12	4	1	70	6	100	
127.10	130.15	3.05	2.08	68%		25	8	4	1	50	9	100	
130.15	133.20	3.05	2.04	67%		19	6	6	2	80	10	100	
133.20	136.25	3.05	2.75	90%		7	2	3	1	45	12	100	SOME RUBBLE
136.25	139.29	3.04	2.06	68%		19	6	4	1	60	12	100	
139.29	142.34	3.05	2.15	70%		23	8	6	2	70	10	100	
142.34	145.39	3.05	0.94	31%		34	11	5	2	70	7	100	
145.39	148.44	3.05	1.81	59%		23	8	4	1	70	9	100	
148.44	151.49	3.05	1.73	57%		25	8	9	3	60	9	100	
151.49	154.53	3.04	2.34	77%		20	7	9	3	80	11	100	
154.53	156.97	2.44	1.11	45%		18	7	6	2	50	9	100	
156.97	160.02	3.05	1.45	48%		27	9	4	1	45	9	100	
160.02	163.07	3.05	1.98	65%		19	6	8	3	65	11	100	
163.07	163.68	0.61	0.61	100%		8	13	1	2	45	10	100	

HOLE: RG102

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
6.40	8.23	1.83	0.93	51%	10	5	4	2	50	9	70	
8.23	11.28	3.05	1.06	35%	19	6	3	1	50	7	60	lots rubble
11.28	14.02	2.74	0.27	10%	32	12	3	1	70	6	65	lots rubble
14.02	15.55	1.53	0.00	0%	15	10	1	1	45	6	35	
15.55	17.37	1.82	0.00	0%	8	4	0	0	50	6	10	
17.37	19.20	1.83	0.10	5%	27	15	4	2	50	6	70	lots rubble
19.20	20.42	1.22	0.00	0%	15	12	0	0	50	6	45	some rubble
20.42	22.25	1.83	0.00	0%	10	5	0	0	50	6	15	lots rubble
22.25	23.47	1.22	0.38	31%	13	11	3	2	60	7	80	some rubble
23.47	26.06	2.59	0.45	17%	29	11	5	2	60	8	75	
26.06	29.11	3.05	0.65	21%	22	7	2	1	80	7	55	lots rubble
29.11	32.16	3.05	0.23	8%	30	10	1	0	60	7	65	
32.16	34.60	2.44	0.10	4%	22	9	2	1	40	6	50	some rubble
34.60	35.66	1.06	0.35	33%	7	7	3	3	60	8	80	
35.66	38.71	3.05	0.11	4%	14	5	1	0	45	6	20	
38.71	41.76	3.05	0.00	0%	24	8	4	1	70	6	35	
41.76	44.81	3.05	0.14	5%	44	14	6	2	70	6	60	
44.81	47.85	3.04	0.00	0%	53	17	3	1	80	6	70	NC 4'
47.85	50.90	3.05	0.20	7%	51	17	4	1	60	6	70	
50.90	53.95	3.05	0.14	5%	30	10	1	0	50	6	45	
53.95	57.00	3.05	0.00	0%	26	9	1	0	45	6	30	NC 5'
57.00	60.05	3.05	0.00	0%	18	6	1	0	60	5	50	NC 8'
60.05	62.40	2.35	0.00	0%	37	16	2	1	80	6	50	
62.40	64.92	2.52	0.21	8%	47	19	3	1	70	6	100	
64.92	66.14	1.22	0.00	0%	18	15	2	2	60	7	100	
66.14	68.28	2.14	0.00	0%	33	15	4	2	45	7	100	
68.28	70.71	2.43	1.10	45%	24	10	7	3	60	8	100	
70.71	72.24	1.53	0.61	40%	13	8	3	2	70	9	100	
72.24	75.29	3.05	0.35	11%	29	10	7	2	50	7	100	lots rubble, previously sawed
75.29	78.33	3.04	1.45	48%	18	6	3	1	60	10	100	previously sawed
78.33	81.38	3.05	1.76	58%	24	8	9	3	45	10	100	
81.38	84.43	3.05	1.03	34%	34	11	5	2	70	8	100	
84.43	87.48	3.05	0.00	0%	4	1	1	0	50	5	5	mostly rubble
87.48	88.09	0.61	0.00	0%	4	7	1	2	50	1	100	all gouge
88.09	91.14	3.05	0.66	22%	24	8	1	0	30	8	70	
91.14	91.75	0.61	0.00	0%	24	39	2	3	55	2	100	all gouge
91.75	93.57	1.82	0.31	17%	20	11	3	2	80	7	100	
93.57	96.62	3.05	0.10	3%	34	11	4	1	45	6	100	
96.62	99.67	3.05	1.04	34%	32	10	4	1	55	7	100	
99.67	102.72	3.05	0.00	0%	43	14	2	1	80	6	100	
102.72	105.77	3.05	1.57	51%	26	9	1	0	80	8	100	
105.77	108.82	3.05	1.72	56%	29	10	3	1	85	8	100	
108.82	111.86	3.04	0.97	32%	33	11	3	1	60	8	100	

HOLE: RG103

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
3.66	4.57	0.91	0.18	20%	8	9	1	1	60	6	65	
4.57	6.71	2.14	0.00	0%	29	14	3	1	50	6	70	some rubble
6.71	8.23	1.52	0.81	53%	18	12	5	3	50	7	100	
8.23	9.57	1.34	0.60	45%	17	13	3	2	65	8	100	
9.57	11.28	1.71	0.51	30%	18	11	2	1	45	8	100	
11.28	13.41	2.13	0.60	28%	30	14	4	2	50	7	100	
13.41	14.94	1.53	0.12	8%	23	15	3	2	45	6	100	
14.94	17.37	2.43	0.14	6%	38	16	3	1	70	6	100	
17.37	19.51	2.14	0.12	6%	33	15	3	1	45	8	100	
19.51	21.95	2.44	0.13	5%	21	9	5	2	45	8	50	
21.95	23.47	1.52	0.00	0%	20	13	4	3	80	8	70	
23.47	24.99	1.52	0.00	0%	24	16	2	1	65	6	70	
24.99	26.82	1.83	0.00	0%	31	17	1	1	45	7	55	
26.82	29.57	2.75	0.13	5%	47	17	3	1	45	6	100	
29.57	30.79	1.22	0.10	8%	21	17	3	2	40	6	100	
30.79	32.61	1.82	0.46	25%	22	12	2	1	80	8	100	
32.61	35.02	2.41	0.87	36%	27	11	2	1	60	8	100	some rubble
35.02	37.64	2.62	0.50	19%	35	13	1	0	30	7	100	some rubble
37.64	38.41	0.77	0.10	13%	11	14	1	1	30	7	100	
38.41	40.23	1.82	0.10	5%	19	10	0	0	50	5	95	lots rubble
40.23	40.54	0.31	0.00	0%	7	23	1	3	80	6	100	
40.54	41.76	1.22	0.11	9%	14	11	1	1	90	6	100	some rubble
41.76	42.22	0.46	0.00	0%	11	24	0	0	65	6	100	
42.22	43.59	1.37	0.37	27%	15	11	0	0	65	7	100	
43.59	44.35	0.76	0.00	0%	10	13	0	0	65	6	100	
44.35	45.72	1.37	0.26	19%	12	9	1	1	45	7	100	
45.72	47.85	2.13	0.51	24%	23	11	1	0	45	6	100	
47.85	50.90	3.05	0.23	8%	26	9	3	1	60	7	70	some rubble
50.90	52.12	1.22	0.17	14%	14	11	1	1	90	7	100	
52.12	53.95	1.83	0.22	12%	14	8	7	4	60	7	100	
53.95	54.86	0.91	0.00	0%	13	14	6	7	60	6	100	
54.86	55.47	0.61	0.00	0%	5	8	1	2	60	5	35	mostly rubble
55.47	57.00	1.53	0.31	20%	13	8	4	3	60	7	65	
57.00	58.83	1.83	0.16	9%	11	6	2	1	80	6	70	some gouge
58.83	60.05	1.22	0.32	26%	12	10	2	2	60	5	85	mostly gouge
60.05	60.98	0.91	0.00	0%	12	13	0	0	50	6	100	
60.98	61.87	0.91	0.00	0%	5	5	1	1	45	6	20	
61.87	62.33	0.46	0.12	26%	5	11	1	2	60	6	85	
62.33	63.09	0.76	0.00	0%	7	9	1	1	45	6	45	some rubble
63.09	63.70	0.61	0.00	0%	7	11	1	2	50	4	45	mostly rubble
63.70	65.22	1.52	0.13	9%	12	8	0	0	50	6	50	
65.22	68.28	3.06	0.10	3%	12	4	1	0	60	5	25	lots gouge
68.28	69.19	0.91	0.00	0%	11	12	2	2	45	6	70	
69.19	70.10	0.91	0.26	29%	5	5	0	0	45	7	65	
70.10	71.02	0.92	0.00	0%	15	16	0	0	45	6	70	
71.02	71.78	0.76	0.00	0%	11	14	0	0	45	6	100	
71.78	72.54	0.76	0.00	0%	10	13	0	0	45	7	100	
72.54	74.07	1.53	0.12	8%	15	10	3	2	60	6	100	
74.07	75.29	1.22	0.00	0%	17	14	2	2	45	6	100	
75.29	76.51	1.22	0.00	0%	10	8	2	2	80	6	100	lots rubble

76.51	78.03	1.52	0.00	0%	21	14	1	1	60	6	70	
78.03	80.77	2.74	0.28	10%	32	12	7	3	60	6	85	
80.77	82.60	1.83	0.20	11%	17	9	8	4	45	6	50	some rubble
82.60	83.21	0.61	0.12	20%	4	7	2	3	60	6	55	
83.21	84.43	1.22	0.11	9%	11	9	3	2	80	6	65	
84.43	86.87	2.44	0.22	9%	33	14	4	2	45	6	85	
86.87	87.48	0.61	0.00	0%	8	13	3	5	60	6	85	
87.48	88.39	0.91	0.00	0%	12	13	0	0	60	6	40	
88.39	89.92	1.53	0.00	0%	12	8	1	1	60	6	20	some rubble
89.92	90.53	0.61	0.00	0%	3	5	1	2	45	3	20	some rubble & gouge
90.53	92.66	2.13	0.11	5%	25	12	10	5	45	6	100	
92.66	94.18	1.52	0.00	0%	20	13	1	1	45	6	100	
94.18	95.86	1.68	0.00	0%	21	13	3	2	45	6	100	some rubble
95.86	96.47	0.61	0.00	0%	6	10	1	2	90	6	45	some rubble
96.47	96.93	0.46	0.00	0%	6	13	0	0	70	5	45	fall rubble
96.93	99.67	2.74	0.11	4%	17	6	2	1	45	6	45	lots rubble
99.67	102.72	3.05	1.25	41%	27	9	3	1	60	8	100	
102.72	105.16	2.44	0.44	18%	26	11	2	1	45	7	100	
105.16	105.92	0.76	0.00	0%	8	11	0	0	40	6	55	some rubble
105.92	108.81	2.89	0.93	32%	26	9	3	1	30	8	100	some rubble
108.81	110.80	1.99	0.67	34%	18	9	2	1	45	8	100	
110.80	112.47	1.67	0.00	0%	8	5	1	1	30	5	30	mostly rubble
112.47	113.23	0.76	0.00	0%	9	12	1	1	55	6	45	lots rubble
113.23	114.61	1.38	0.11	8%	16	12	0	0	55	6	100	lots rubble
114.61	117.35	2.74	0.36	13%	26	9	0	0	55	7	100	
117.35	119.18	1.83	0.00	0%	18	10	1	1	80	6	100	some rubble
119.18	120.55	1.37	0.00	0%	23	17	0	0	80	6	100	
120.55	123.75	3.20	0.57	18%	36	11	1	0	80	8	100	
123.75	126.80	3.05	0.98	32%	29	10	1	0	60	9	100	
126.80	129.54	2.74	1.09	40%	31	11	2	1	60	8	100	
129.54	132.59	3.05	2.48	81%	18	6	5	2	60	11	100	
132.59	134.72	2.13	0.73	34%	18	8	6	3	60	8	100	
134.72	136.25	1.53	1.19	78%	7	5	5	3	80	11	100	
136.25	139.29	3.04	2.27	75%	17	6	3	1	60	11	100	
139.29	141.58	2.29	0.64	28%	22	10	1	0	45	9	100	
141.58	143.10	1.52	0.80	53%	8	5	5	3	60	9	100	
143.10	145.39	2.29	1.25	55%	19	8	1	0	80	9	100	
145.39	148.44	3.05	0.95	31%	28	9	5	2	80	8	100	
148.44	151.49	3.05	0.84	28%	32	10	5	2	45	8	100	
151.49	154.53	3.04	1.06	35%	29	10	4	1	60	6	100	
154.53	157.58	3.05	0.95	31%	26	9	7	2	60	7	100	
157.58	160.63	3.05	0.85	28%	32	10	13	4	45	8	100	
160.63	163.07	2.44	0.21	9%	27	11	5	2	60	7	100	
163.07	165.51	2.44	1.01	41%	23	9	4	2	60	8	100	
165.51	168.71	3.20	1.15	36%	28	9	5	2	45	8	100	
168.71	171.85	3.14	1.55	49%	21	7	4	1	80	9	100	
171.85	174.96	3.11	1.19	38%	23	7	4	1	60	9	100	
174.96	176.78	1.82	1.70	93%	12	7	2	1	45	10	100	
176.78	178.92	2.14	1.07	50%	14	7	1	0	30	10	100	
178.92	181.97	3.05	1.36	45%	17	6	5	2	60	12	100	
181.97	185.01	3.04	1.21	40%	18	6	4	1	45	11	100	
185.01	187.76	2.75	0.65	24%	22	8	2	1	45	8	100	

HOLE: R6104

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
3.35	5.18	1.83	0.36	20%	14	8	2	1	60	6	45	
5.18	8.23	3.05	1.80	59%	23	8	7	2	45	8	100	
8.23	11.28	3.05	1.17	38%	17	6	2	1	60	8	65	
11.28	14.33	3.05	0.00	0%	12	4	1	0	80	6	25	some rubble NC 6'
14.33	16.76	2.43	0.00	0%	15	6	2	1	45	6	40	some rubble
16.76	17.37	0.61	0.00	0%	5	8	0	0	65	6	65	
17.37	20.42	3.05	0.00	0%	24	8	1	0	80	6	35	
20.42	23.47	3.05	0.00	0%	19	6	3	1	45	6	35	lots rubble
23.47	26.52	3.05	0.00	0%	24	8	4	1	80	5	40	lots rubble
26.52	29.57	3.05	0.00	0%	15	5	0	0	70	6	20	
29.57	32.46	2.89	0.11	4%	29	10	2	1	60	6	70	
32.46	35.66	3.20	0.00	0%	19	6	2	1	60	6	30	
35.66	36.88	1.22	0.00	0%	14	11	0	0	50	6	55	
36.88	38.71	1.83	0.00	0%	11	6	0	0	50	6	25	
38.71	40.23	1.52	0.00	0%	14	9	0	0	50	6	35	lots rubble
40.23	41.76	1.53	0.00	0%	19	12	0	0	50	6	60	some rubble
41.76	43.28	1.52	0.00	0%	11	7	1	1	45	6	40	
43.28	44.81	1.53	0.00	0%	20	13	0	0	45	6	50	
44.81	46.63	1.82	0.00	0%	21	12	1	1	45	6	55	
46.63	47.85	1.22	0.00	0%	12	10	0	0	45	6	60	
47.85	50.90	3.05	0.70	23%	27	9	1	0	45	6	75	
50.90	52.43	1.53	0.00	0%	18	12	2	1	80	6	75	
52.43	53.95	1.52	0.00	0%	16	11	0	0	80	6	60	
53.95	57.00	3.05	0.00	0%	24	8	0	0	80	6	35	some rubble
57.00	59.13	2.13	0.28	13%	20	9	4	2	80	6	65	some gouge
59.13	60.05	0.92	0.13	14%	6	7	1	1	45	6	45	
60.05	63.09	3.04	0.32	11%	29	10	3	1	80	7	70	
63.09	66.14	3.05	1.07	35%	22	7	3	1	60	7	100	
66.14	69.19	3.05	0.45	15%	23	8	5	2	60	7	100	
69.19	71.93	2.74	0.48	18%	18	7	5	2	45	6	100	lots rubble
71.93	73.76	1.83	1.21	66%	9	5	2	1	45	10	100	
73.76	75.29	1.53	1.17	76%	6	4	1	1	60	10	100	all veins
75.29	81.08	5.79	3.86	67%	40	7	1	0	80	8	100	
81.08	84.12	3.04	1.80	59%	22	7	4	1	60	8	100	
84.12	87.17	3.05	2.10	69%	21	7	6	2	60	9	100	
87.17	89.31	2.14	0.30	14%	21	10	2	1	90	6	100	
89.31	90.53	1.22	0.14	11%	14	11	0	0	70	7	100	
90.53	92.05	1.52	0.69	45%	10	7	1	1	70	7	100	
92.05	93.27	1.22	0.47	39%	12	10	0	0	70	7	100	
93.27	94.49	1.22	0.30	25%	10	8	6	5	45	7	100	
94.49	95.40	0.91	0.00	0%	5	5	3	3	45	6	100	
95.40	96.01	0.61	0.13	21%	5	8	0	0	45	7	100	
96.01	99.06	3.05	1.88	62%	17	6	0	0	45	9	100	
99.06	101.80	2.74	0.95	35%	11	4	4	1	45	7	65	lots rubble
101.80	102.72	0.92	0.00	0%	4	4	0	0	45	6	30	

HOLE: RG105

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES (FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
3.66	5.18	1.52	0.77	51%	12	8	2	1	45	9	100	
5.18	8.23	3.05	2.58	85%	18	6	11	4	70	12	100	
8.23	11.27	3.04	1.61	53%	19	6	8	3	50	10	100	
11.27	12.80	1.53	0.00	0%	23	15	3	2	60	6	65	
12.80	15.24	2.44	0.34	14%	32	13	2	1	45	6	65	
15.24	17.37	2.13	0.24	11%	21	10	3	1	35	7	100	some rubble
17.37	20.42	3.05	0.11	4%	20	7	1	0	45	6	35	some rubble
20.42	23.47	3.05	0.00	0%	10	3	0	0	45	5	10	mostly rubble
23.47	24.38	0.91	0.00	0%	10	11	0	0	45	4	5	mostly lost
24.38	26.52	2.14	0.00	0%	10	5	0	0	45	3	5	all rubble
26.52	29.57	3.05	0.00	0%	4	1	0	0	45	5	10	mostly rubble
29.57	30.79	1.22	0.00	0%	10	8	2	2	45	6	45	some rubble
30.79	32.61	1.82	0.00	0%	9	5	1	1	60	6	25	lots rubble
32.61	35.36	2.75	0.00	0%	15	5	2	1	80	6	20	
35.36	36.88	1.52	0.00	0%	23	15	0	0	80	6	50	
36.88	38.25	1.37	0.00	0%	17	12	3	2	45	6	35	
38.25	40.84	2.59	0.13	5%	32	12	2	1	80	6	65	
40.84	41.76	0.92	0.00	0%	11	12	0	0	70	6	50	
41.76	44.81	3.05	0.10	3%	23	8	3	1	80	6	45	some rubble
44.81	45.72	0.91	0.00	0%	17	19	3	3	60	6	70	some rubble
45.72	47.85	2.13	0.12	6%	22	10	0	0	70	6	60	
47.85	50.90	3.05	0.00	0%	32	10	5	2	80	6	55	
50.90	52.12	1.22	0.00	0%	22	18	3	2	80	6	85	
52.12	53.95	1.83	0.23	13%	18	10	3	2	70	6	60	
53.95	55.78	1.83	0.26	14%	24	13	1	1	60	6	80	
55.78	57.91	2.13	0.00	0%	19	9	0	0	50	6	45	
57.91	59.13	1.22	0.00	0%	5	4	0	0	50	4	15	lots gouge
59.13	60.66	1.53	0.00	0%	10	7	1	1	45	6	25	some rubble
60.66	62.18	1.52	0.11	7%	16	11	1	1	30	6	100	
62.18	64.31	2.13	0.67	31%	25	12	1	0	45	8	100	
64.31	66.14	1.83	0.83	45%	16	9	1	1	30	8	100	
66.14	68.28	2.14	0.38	18%	19	9	1	0	30	8	100	
68.28	69.19	0.91	0.56	62%	5	5	2	2	36	10	100	
69.19	69.80	0.61	0.28	46%	5	8	0	0	40	10	100	
69.80	72.24	2.44	1.15	47%	17	7	0	0	40	10	100	
72.24	75.29	3.05	1.71	56%	21	7	2	1	45	10	100	
75.29	75.90	0.61	8.00	0%	6	10	0	0	45	6	55	some rubble
75.90	76.81	0.91	0.24	26%	11	12	0	0	45	6	70	
76.81	78.33	1.52	0.12	8%	9	6	0	0	45	7	50	
78.33	78.64	0.31	0.00	0%	5	16	2	6	45	6	95	
78.64	80.47	1.83	0.23	13%	14	8	0	0	50	8	50	
80.47	81.38	0.91	0.29	32%	15	16	3	3	60	7	100	
81.38	84.43	3.05	0.65	21%	30	10	2	1	60	8	100	
84.43	85.95	1.52	0.65	43%	11	7	3	2	45	9	100	
85.95	87.48	1.53	0.36	24%	14	9	2	1	45	8	100	
87.48	88.09	0.61	0.28	46%	7	11	2	3	45	8	100	some gouge
88.09	88.39	0.30	0.30	100%	4	13	0	0	45	10	100	
88.39	88.70	0.31	0.31	100%	3	10	0	0	45	11	100	
88.70	90.53	1.83	0.68	37%	9	5	1	1	45	10	70	some rubble
90.53	93.57	3.04	1.31	43%	32	11	1	0	45	11	100	

93.57	96.62	3.05	0.98	32%		28	9	2	1	45	10	100	
96.62	99.67	3.05	0.77	25%		26	9	1	0	45	9	100	
99.67	102.72	3.05	2.04	67%		21	7	2	1	60	11	100	
102.72	105.46	2.74	1.50	55%		18	7	6	2	60	10	100	
105.46	108.20	2.74	0.70	26%		25	9	4	1	45	8	100	
108.20	111.25	3.05	1.00	33%		27	9	6	2	45	8	100	
111.25	114.30	3.05	0.98	32%		24	8	4	1	45	8	100	
114.30	117.35	3.05	1.15	38%		25	8	2	1	45	8	100	
117.35	117.65	0.30	0.00	0%		3	10	0	0	50	5	100	
117.65	120.09	2.44	0.32	13%		26	11	2	1	60	6	100	some rubble
120.09	122.23	2.14	0.34	16%		21	10	4	2	45	8	100	
122.23	124.36	2.13	0.57	27%		22	10	4	2	80	6	100	some rubble
124.36	127.10	2.74	0.78	28%		25	9	1	0	30	9	100	
127.10	130.15	3.05	0.56	18%		27	9	0	0	65	6	100	some rubble
130.15	132.56	2.41	0.22	9%		33	14	6	2	70	7	100	some rubble
132.56	134.42	1.86	0.34	18%		18	10	1	1	45	7	100	
134.42	136.25	1.83	0.36	20%		22	12	1	1	60	8	100	some rubble
136.25	139.29	3.04	0.29	10%		22	7	0	0	60	7	100	

HOLE: RG106

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
3.66	4.57	0.91	0.00	0%	17	19	1	1	60	6	100	
4.57	6.10	1.53	0.12	8%	26	17	4	3	60	6	100	
6.10	8.84	2.74	0.62	23%	27	10	4	1	45	7	100	
8.84	10.36	1.52	0.00	0%	22	14	1	1	45	6	100	
10.36	10.67	0.31	0.00	0%	4	13	2	6	45	6	100	
10.67	11.28	0.61	0.00	0%	13	21	1	2	80	6	100	
11.28	13.11	1.83	0.00	0%	29	16	4	2	60	6	100	
13.11	16.31	3.20	0.10	3%	59	18	4	1	80	6	100	
16.31	17.68	1.37	0.11	8%	25	18	2	1	60	6	100	
17.68	19.81	2.13	0.00	0%	42	20	4	2	45	6	100	
19.81	20.42	0.61	0.00	0%	15	25	0	0	50	6	100	
20.42	22.86	2.44	0.00	0%	43	18	4	2	60	6	100	
22.86	24.08	1.22	0.00	0%	29	24	4	3	60	6	100	
24.08	26.21	2.13	0.00	0%	33	15	3	1	45	6	100	
26.21	26.52	0.31	0.00	0%	5	16	0	0	60	6	100	
26.52	27.58	1.06	0.00	0%	15	14	1	1	80	6	100	
27.58	28.04	0.46	0.00	0%	9	20	3	7	80	6	100	
28.04	29.26	1.22	0.00	0%	20	16	1	1	10	6	100	
29.26	32.31	3.05	1.66	54%	29	10	2	1	30	8	100	
32.31	33.07	0.76	0.15	20%	10	13	1	1	90	7	100	
33.07	35.36	2.29	1.44	63%	17	7	3	1	45	10	100	
35.36	35.66	0.30	0.00	0%	4	13	0	0	50	7	100	
35.66	38.40	2.74	1.11	41%	30	11	5	2	60	9	100	
38.40	40.23	1.83	0.12	7%	29	16	1	1	45	7	100	
40.23	41.45	1.22	0.58	48%	11	9	6	5	80	8	100	
41.45	44.50	3.05	0.78	26%	37	12	7	2	60	8	100	
44.50	47.55	3.05	0.98	32%	34	11	5	2	45	8	100	
47.55	50.60	3.05	0.26	9%	37	12	5	2	60	7	100	
50.60	53.04	2.44	0.11	5%	32	13	3	1	80	6	100	
53.04	56.08	3.04	0.24	8%	41	13	2	1	60	6	100	
56.08	58.52	2.44	0.21	9%	25	10	6	2	80	7	100	
58.52	61.42	2.90	1.78	61%	19	7	6	2	60	9	100	
61.42	64.46	3.04	0.64	21%	27	9	4	1	60	6	65	
64.46	67.51	3.05	0.00	0%	9	3	0	0	50	5	15	mostly rubble
67.51	68.88	1.37	0.00	0%	18	13	1	1	45	6	100	
68.88	71.93	3.05	0.54	18%	33	11	2	1	60	7	100	some rubble
71.93	73.15	1.22	0.12	10%	9	7	3	2	60	7	45	some rubble
73.15	76.35	3.20	1.04	33%	29	9	4	1	60	10	100	
76.35	77.88	1.53	0.46	30%	20	13	1	1	80	8	100	
77.88	80.47	2.59	0.00	0%	30	12	4	2	80	6	100	some rubble & gouge
80.47	82.30	1.83	0.34	19%	35	19	2	1	45	6	100	
82.30	86.87	4.57	0.10	2%	36	8	2	0	30	6	55	lot rubble
86.87	89.31	2.44	0.00	0%	35	14	4	2	80	6	70	
89.31	90.83	1.52	0.10	7%	15	10	0	0	80	7	100	
90.83	93.12	2.29	0.20	9%	30	13	1	0	80	6	100	lots rubble
93.12	95.71	2.59	0.55	21%	35	14	1	3	10	7	100	
95.71	97.84	2.13	0.14	7%	19	9	0	0	45	7	50	some rubble
97.84	98.45	0.61	0.00	0%	9	15	1	3	80	5	45	mostly rubble
98.45	100.58	2.13	0.00	0%	21	10	1	0	45	6	50	
100.58	101.50	0.92	0.00	0%	10	11	1	1	45	7	60	lots rubble

101.50	102.11	0.61	0.00	0%		5	8	2	3	45	5	35		mostly rubble
102.11	102.72	0.61	0.00	0%		8	13	1	2	50	5	45		mostly rubble
102.72	103.63	0.91	0.00	0%		4	4	1	1	50	6	25		lots rubble
103.63	104.55	0.92	0.00	0%		10	11	0	0	50	5	25		lots rubble
104.55	107.59	3.04	0.23	8%		43	14	4	1	60	6	100		
107.59	108.20	0.61	0.00	0%		14	23	1	2	70	6	100		some rubble
108.20	109.73	1.53	0.00	0%		16	10	3	2	80	6	60		lots rubble
109.73	111.56	1.83	0.12	7%		22	12	5	3	60	6	65		
111.56	111.86	0.30	0.00	0%		3	10	1	3	80	6	35		
111.86	112.47	0.61	0.00	0%		7	11	1	2	80	5	55		lots rubble
112.47	112.78	0.31	0.00	0%		7	23	2	6	80	6	85		
112.78	113.39	0.61	0.00	0%		12	20	2	3	80	5	60		lots rubble
113.39	114.60	1.21	0.12	10%		15	12	4	2	80	7	100		
114.60	116.74	2.14	0.33	15%		24	11	4	2	60	6	100		
116.74	117.80	1.06	0.15	14%		11	10	3	3	60	6	55		some rubble
117.80	119.63	1.83	0.00	0%		18	10	1	1	50	4	30		mostly gouge
119.63	121.77	2.14	0.50	23%		23	11	2	1	45	7	100		
121.77	123.44	1.67	0.64	38%		10	6	3	2	60	7	100		lots rubble
123.44	126.44	3.00	1.59	53%		24	8	5	2	80	9	100		
126.44	126.95	0.51	0.00	0%		6	12	0	0	70	7	100		
126.95	129.84	2.89	0.10	3%		35	12	3	1	60	6	100		
129.84	132.89	3.05	2.12	70%		18	6	13	4	60	10	100		
132.89	135.94	3.05	1.43	47%		15	5	9	3	45	11	100		
135.94	138.68	2.74	1.25	46%		19	7	9	3	60	9	100		
138.68	140.82	2.14	0.68	32%		22	10	4	2	60	7	100		
140.82	142.34	1.52	0.00	0%		17	11	1	1	80	6	100		
142.34	144.93	2.59	0.00	0%		24	9	4	2	60	7	100		
144.93	147.22	2.29	0.51	22%		18	8	5	3	80	6	100		lots rubble
147.22	149.96	2.74	0.21	8%		23	8	6	2	80	6	100		
149.96	151.18	1.22	0.39	32%		6	5	2	2	60	7	100		
151.18	152.10	0.92	0.00	0%		8	9	4	4	45	7	100		
152.10	154.23	2.13	0.26	12%		22	10	1	0	30	8	100		

HOLE: RG107

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
3.35	5.18	1.83	0.00	0%	6	3	1	1	30	4	20	
5.18	8.23	3.05	0.00	0%	10	3	1	0	35	6	20	lots rubble/all vein
8.23	8.84	0.61	0.00	0%	5	8	1	2	45	5	30	lots rubble
8.84	11.28	2.44	0.00	0%	8	3	1	0	45	5	10	mostly rubble
11.28	12.50	1.22	0.00	0%	11	9	0	0	45	5	45	lots rubble
12.50	12.80	0.30	0.00	0%	10	33	1	3	45	4	60	all rubble & gouge
12.80	14.02	1.22	0.18	15%	10	8	2	2	30	6	65	
14.02	16.76	2.74	0.00	0%	7	3	2	1	30	4	5	all rubble
16.76	17.37	0.61	0.00	0%	4	7	0	0	45	5	25	
17.37	20.42	3.05	0.00	0%	12	4	1	0	45	6	20	
20.42	23.47	3.05	0.21	7%	7	2	1	0	60	6	20	
23.47	24.08	0.61	0.00	0%	5	8	1	2	70	4	20	all rubble
24.08	24.69	0.61	0.12	20%	2	3	0	0	70	6	30	
24.69	25.76	1.07	0.41	38%	13	12	2	2	80	6	95	
25.76	26.21	0.45	0.26	58%	7	16	2	4	60	6	90	
26.21	28.04	1.83	0.23	13%	11	6	1	1	30	6	65	
28.04	29.57	1.53	0.52	34%	5	3	1	1	45	7	50	
29.57	31.09	1.52	0.10	7%	6	4	0	0	45	6	50	lots rubble
31.09	31.70	0.61	0.00	0%	3	5	3	5	45	5	35	lots rubble
31.70	32.61	0.91	0.00	0%	3	3	3	3	45	6	25	lots rubble
32.61	34.44	1.83	0.15	8%	14	8	8	4	45	6	50	
34.44	35.66	1.22	0.31	25%	4	3	3	2	45	6	45	some rubble
35.66	38.10	2.44	1.01	41%	17	7	4	2	45	7	80	some rubble
38.10	39.62	1.52	0.49	32%	12	8	1	1	30	7	100	
39.62	41.76	2.14	1.34	63%	5	2	1	0	60	10	100	
41.76	44.80	3.04	0.42	14%	29	10	4	1	80	7	100	
44.80	47.85	3.05	1.53	50%	15	5	4	1	60	8	100	

HOLE: RG108

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
7.01	8.53	1.52	0.00	0%	6	4	1	1	80	5	20	lots rubble
8.53	11.28	2.75	0.11	4%	17	6	1	0	60	6	40	
11.28	12.80	1.52	0.00	0%	12	8	1	1	60	6	35	
12.80	14.32	1.52	0.25	16%	13	9	1	1	45	8	55	
14.32	16.46	2.14	0.00	0%	8	4	1	0	50	6	15	
16.46	17.37	0.91	0.00	0%	6	7	1	1	60	6	25	
17.37	20.42	3.05	0.00	0%	23	8	1	0	60	6	25	
20.42	21.95	1.53	0.00	0%	6	4	0	0	70	5	10	lots rubble
21.95	23.46	1.51	0.00	0%	10	7	3	2	80	6	30	
23.46	26.51	3.05	0.00	0%	5	2	1	0	80	5	5	lots rubble
26.51	27.74	1.23	0.00	0%	6	5	2	2	80	6	25	lots rubble
27.74	28.96	1.22	0.00	0%	18	15	2	2	80	6	45	
28.96	29.57	0.61	0.12	20%	5	8	0	0	60	6	45	lots rubble
29.57	30.17	0.60	0.00	0%	7	12	1	2	45	5	30	
30.17	32.61	2.44	0.00	0%	14	6	3	1	60	6	30	
32.61	35.66	3.05	0.00	0%	18	6	0	0	70	6	20	
35.66	36.88	1.22	0.00	0%	2	2	1	1	70	5	15	
36.88	38.71	1.83	0.11	6%	3	2	1	1	80	7	10	some rubble
38.71	39.93	1.22	0.62	51%	16	13	4	3	60	8	90	
39.93	41.76	1.83	0.00	0%	2	1	1	1	80	7	25	
41.76	42.98	1.22	0.36	30%	11	9	1	1	45	8	75	
42.98	43.59	0.61	0.00	0%	7	11	0	0	45	7	60	
43.59	44.81	1.22	0.00	0%	18	15	3	2	45	6	90	
44.81	46.33	1.52	0.00	0%	11	7	1	1	90	8	55	
46.33	47.85	1.52	0.43	28%	17	11	0	0	90	7	100	

HOLE: RG109

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
3.66	4.27	0.61	0.00	0%	13	21	2	3	60	6	100	
4.27	4.57	0.30	0.00	0%	6	20	0	0	60	6	100	
4.57	4.88	0.31	0.00	0%	6	19	1	3	60	6	100	
4.88	6.86	1.98	0.00	0%	33	17	3	2	45	6	100	
6.86	7.93	1.07	0.13	12%	17	16	0	0	45	7	100	
7.93	9.30	1.37	0.00	0%	23	17	2	1	45	6	100	
9.30	10.67	1.37	0.00	0%	25	18	3	2	45	7	100	
10.67	11.89	1.22	0.00	0%	20	16	1	1	45	7	100	
11.89	13.41	1.52	0.00	0%	16	11	0	0	50	6	40	
13.41	17.07	3.66	0.00	0%	0	0	0	0	0	0	0	casing
17.07	20.42	3.35	0.36	11%	29	9	6	2	60	7	65	
20.42	23.47	3.05	1.62	53%	26	9	3	1	60	8	100	
23.47	26.52	3.05	0.51	17%	42	14	4	1	60	7	100	
26.52	29.57	3.05	0.41	13%	42	14	4	1	45	7	100	some rubble
29.57	31.70	2.13	0.00	0%	8	4	1	0	80	4	15	mostly rubble
31.70	32.61	0.91	0.00	0%	6	7	0	0	70	5	35	mostly rubble
32.61	34.44	1.83	0.00	0%	14	8	0	0	70	6	35	
34.44	37.49	3.05	1.08	35%	30	10	8	3	60	8	100	some rubble
37.49	38.71	1.22	0.95	78%	17	14	4	3	45	8	100	lots rubble
38.71	41.76	3.05	0.95	31%	30	10	5	2	60	8	100	
41.76	44.81	3.05	2.17	71%	18	6	7	2	60	10	100	
44.81	47.85	3.04	2.82	93%	15	5	4	1	45	11	100	
47.85	50.90	3.05	1.84	60%	23	8	6	2	45	9	100	
50.90	53.95	3.05	1.15	38%	31	10	3	1	60	8	100	
53.95	57.00	3.05	0.90	30%	31	10	1	0	80	7	100	
57.00	59.13	2.13	0.24	11%	29	14	5	2	60	7	100	some rubble
59.13	62.18	3.05	0.90	30%	34	11	8	3	45	8	100	
62.18	65.23	3.05	1.42	47%	28	9	11	4	60	9	100	
65.23	68.28	3.05	0.39	13%	32	10	4	1	60	6	65	some rubble
68.28	71.32	3.04	1.32	43%	33	11	5	2	45	8	100	
71.32	74.37	3.05	2.34	77%	26	9	4	1	45	10	100	
74.37	77.42	3.05	2.42	79%	17	6	6	2	60	11	100	
77.42	80.47	3.05	2.16	71%	21	7	5	2	60	10	100	
80.47	83.82	3.35	2.61	78%	18	5	2	1	80	11	100	
83.82	85.95	2.13	1.16	54%	13	6	2	1	45	9	100	
85.95	87.48	1.53	0.82	54%	18	12	2	1	80	8	100	
87.48	90.53	3.05	1.70	56%	25	8	2	1	60	10	100	
90.53	93.57	3.04	0.82	27%	25	8	3	1	30	8	100	some rubble
93.57	96.62	3.05	1.06	35%	33	11	5	2	30	9	100	
96.62	99.67	3.05	0.99	32%	31	10	4	1	60	7	100	some rubble
99.67	102.26	2.59	0.22	8%	33	13	3	1	45	6	100	lots rubble
102.26	103.63	1.37	0.21	15%	13	9	0	0	60	6	50	mostly rubble
103.63	104.24	0.61	0.00	0%	4	7	1	2	80	5	40	mostly rubble
104.24	104.85	0.61	0.00	0%	6	10	0	0	80	5	40	mostly rubble
104.85	106.07	1.22	0.00	0%	12	10	0	0	80	4	40	mostly rubble
106.07	106.38	0.31	0.11	35%	4	13	0	0	80	5	100	mostly rubble
106.38	106.99	0.61	0.00	0%	4	7	0	0	80	5	30	mostly rubble
106.99	107.29	0.30	0.00	0%	3	10	1	3	80	5	65	mostly rubble
107.29	107.59	0.30	0.00	0%	6	20	1	3	80	4	85	mostly rubble
107.59	108.20	0.61	0.00	0%	3	5	0	0	80	5	30	mostly rubble

108.20	109.12	0.92	0.00	0%	:	12	13	0	0	80	5	50	: mostly rubble
109.12	111.86	2.74	0.00	0%	:	8	3	0	0	80	3	0	: all rubble
111.86	113.08	1.22	0.00	0%	:	8	7	1	1	80	3	10	: all rubble
113.08	114.30	1.22	0.00	0%	:	5	4	1	1	30	6	15	: some rubble
114.30	114.91	0.61	0.00	0%	:	14	23	1	2	80	6	100	: some rubble
114.91	117.50	2.59	0.11	4%	:	43	17	5	2	80	7	100	: some rubble
117.50	119.79	2.29	0.33	14%	:	23	10	5	2	60	6	100	: some rubble
119.79	122.83	3.04	0.57	19%	:	31	10	3	1	60	8	100	: some rubble
122.83	125.58	2.75	0.60	22%	:	20	7	5	2	60	6	60	: lots rubble
125.58	128.63	3.05	0.11	4%	:	18	6	3	1	45	6	55	: lots rubble
128.63	129.54	0.91	0.00	0%	:	10	11	3	3	60	6	75	: some rubble
129.54	132.59	3.05	0.62	20%	:	24	8	6	2	45	7	100	: some rubble
132.59	134.11	1.52	0.00	0%	:	15	10	2	1	80	5	100	: lots rubble
134.11	136.25	2.14	0.71	33%	:	20	9	7	3	60	7	100	: some rubble
136.25	136.86	0.61	0.14	23%	:	6	10	2	3	80	6	100	: lots rubble
136.86	138.68	1.82	0.38	21%	:	25	14	6	3	45	8	100	:
138.68	140.21	1.53	0.68	44%	:	16	10	4	3	45	8	100	:
140.21	140.82	0.61	0.12	20%	:	5	8	1	2	80	6	50	: some rubble
140.82	142.34	1.52	0.83	55%	:	14	9	2	1	60	8	100	:
142.34	143.56	1.22	0.28	23%	:	10	8	2	2	80	6	100	: lots rubble
143.56	144.17	0.61	0.11	18%	:	9	15	1	2	60	6	100	: some rubble
144.17	144.48	0.31	0.13	42%	:	3	10	1	3	60	8	100	: all vein
144.48	144.78	0.30	0.00	0%	:	4	13	2	7	45	7	100	:
144.78	147.22	2.44	0.65	27%	:	24	10	8	3	80	7	100	:
147.22	148.13	0.91	0.00	0%	:	10	11	3	3	60	6	60	: some rubble
148.13	148.75	0.62	0.00	0%	:	10	16	1	2	60	4	15	: all rubble

HOLE: RG110

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
6.10	8.23	2.13	0.00	0%	0	0	0	0	80	4	5	all rubble
8.23	11.28	3.05	0.00	0%	13	4	0	0	80	5	10	mostly rubble
11.28	12.80	1.52	0.12	8%	8	5	0	0	80	5	20	mostly rubble
12.80	13.87	1.07	0.13	12%	13	12	0	0	80	6	70	
13.87	17.37	3.50	0.65	19%	29	8	2	1	80	7	55	some rubble
17.37	19.96	2.59	0.61	24%	26	10	2	1	45	7	80	
19.96	23.15	3.19	1.04	33%	24	8	1	0	45	8	80	some rubble
23.15	24.38	1.23	0.00	0%	5	4	0	0	45	7	45	
24.38	27.13	2.75	0.16	6%	13	5	1	0	45	6	35	
27.13	29.57	2.44	0.75	31%	18	7	4	2	50	7	100	
29.57	31.09	1.52	0.75	49%	14	9	2	1	60	8	100	
31.09	32.61	1.52	0.00	0%	10	7	2	1	60	6	100	
32.61	33.32	0.71	0.22	31%	3	4	1	1	80	8	100	
33.32	33.83	0.51	0.11	22%	6	12	0	0	70	8	100	
33.83	35.66	1.83	0.66	36%	16	9	0	0	70	8	100	
35.66	38.71	3.05	0.77	25%	25	8	2	1	60	7	100	
38.71	40.23	1.52	0.57	38%	12	8	4	3	45	8	100	
40.23	41.76	1.53	0.60	39%	13	8	5	3	45	6	100	lots rubble
41.76	42.37	0.61	0.13	21%	3	5	1	2	45	7	100	all vein
42.37	44.81	2.44	0.68	28%	17	7	2	1	45	8	100	mostly vein
44.81	46.33	1.52	0.70	46%	9	6	3	2	45	8	100	
46.33	47.85	1.52	0.97	64%	10	7	5	3	30	9	100	
47.85	50.90	3.05	1.70	56%	23	8	6	2	60	9	100	
50.90	53.95	3.05	1.58	52%	26	9	3	1	80	8	100	
53.95	55.78	1.83	1.18	64%	14	8	4	2	45	9	100	
55.78	57.00	1.22	0.40	33%	8	7	5	4	60	8	100	
57.00	58.83	1.83	0.70	38%	17	9	2	1	30	7	100	
58.83	60.05	1.22	0.00	0%	4	3	1	1	40	5	10	all rubble
60.05	60.65	0.60	0.00	0%	5	8	1	2	40	4	20	all rubble
60.65	61.87	1.22	0.00	0%	2	2	1	1	40	5	5	
61.87	62.79	0.92	0.00	0%	5	5	1	1	40	5	40	mostly rubble
62.79	64.92	2.13	0.61	29%	26	12	2	1	45	7	100	
64.92	66.14	1.22	0.77	63%	6	5	0	0	45	9	100	

HOLE: R6111

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
6.10	8.23	2.13	0.00	0%	3	1	2	1	45	6	5	mostly rubble
8.23	9.75	1.52	0.24	16%	18	12	0	0	60	6	75	some rubble
9.75	11.28	1.53	0.34	22%	14	9	1	1	80	6	70	some rubble
11.28	12.80	1.52	0.14	9%	15	10	1	1	30	6	60	some rubble
12.80	14.17	1.37	0.11	8%	6	4	1	1	30	5	25	lots rubble
14.17	14.63	0.46	0.00	0%	3	7	0	0	45	6	50	
14.63	14.93	0.30	0.00	0%	4	13	1	3	45	4	35	all rubble
14.93	16.46	1.53	0.00	0%	15	10	0	0	60	5	30	lots rubble
16.46	17.37	0.91	0.11	12%	16	18	1	1	80	6	85	lots rubble
17.37	19.20	1.83	0.00	0%	11	6	1	1	60	6	35	lots rubble
19.20	20.42	1.22	0.15	12%	9	7	1	1	60	6	50	some rubble
20.42	23.47	3.05	0.00	0%	16	5	1	0	60	6	25	lots rubble
23.47	24.99	1.52	0.00	0%	17	11	0	0	60	6	70	
24.99	28.04	3.05	0.00	0%	35	11	1	0	80	6	65	some rubble
28.04	29.26	1.22	0.00	0%	22	18	2	2	60	6	90	
29.26	31.09	1.83	0.00	0%	10	5	1	1	80	6	25	lots rubble
31.09	32.00	0.91	0.00	0%	13	14	0	0	60	6	60	some rubble
32.00	32.61	0.61	0.11	18%	9	15	1	2	60	6	100	
32.61	34.14	1.53	0.49	32%	18	12	2	1	45	7	100	
34.14	35.66	1.52	0.99	65%	9	6	0	0	45	9	100	
35.66	38.71	3.05	1.74	57%	20	7	1	0	45	9	100	
38.71	41.45	2.74	0.26	9%	24	9	1	0	80	7	100	some rubble
41.45	42.06	0.61	0.00	0%	6	10	0	0	80	5	50	lots rubble
42.06	44.20	2.14	0.00	0%	30	14	1	0	80	6	45	lots rubble
44.20	45.57	1.37	0.11	8%	11	8	1	1	45	7	70	
45.57	46.33	0.76	0.19	25%	7	9	3	4	45	6	75	
46.33	47.24	0.91	0.53	58%	7	8	1	1	45	8	90	some rubble
47.24	48.16	0.92	0.00	0%	7	8	2	2	45	6	40	lots rubble
48.16	49.07	0.91	0.14	15%	9	10	1	1	60	6	55	
49.07	50.29	1.22	0.51	42%	6	5	3	2	45	8	100	
50.29	51.51	1.22	0.58	48%	12	10	4	3	45	8	100	
51.51	53.34	1.83	0.81	44%	10	5	2	1	60	8	100	
53.34	54.56	1.22	0.00	0%	8	7	0	0	60	7	100	
54.56	54.86	0.30	0.00	0%	4	13	1	3	80	7	100	some rubble
54.86	56.39	1.53	0.00	0%	8	5	1	1	80	6	25	some rubble
56.39	57.61	1.22	0.00	0%	10	8	1	1	80	6	45	some rubble/all vein
57.61	57.91	0.30	0.42	140%	3	10	1	3	80	8	100	all vein
57.91	58.83	0.92	0.00	0%	6	7	0	0	60	6	45	
58.83	59.74	0.91	0.00	0%	9	10	1	1	60	5	100	lots rubble
59.74	60.65	0.91	0.29	32%	11	12	1	1	60	6	100	some rubble
60.65	63.09	2.44	0.11	5%	16	7	2	1	60	6	50	lots rubble
63.09	65.07	1.98	0.98	49%	14	7	2	1	60	8	80	some rubble
65.07	66.14	1.07	0.12	11%	8	7	2	2	80	6	60	some rubble
66.14	67.36	1.22	0.28	23%	13	11	1	1	45	6	100	some rubble
67.36	69.80	2.44	1.37	56%	16	7	3	1	45	8	100	
69.80	72.24	2.44	1.20	49%	15	6	1	0	30	8	100	
72.24	73.76	1.52	0.11	7%	15	10	2	1	45	7	100	some rubble
73.76	76.81	3.05	1.11	36%	21	7	2	1	60	7	100	
76.81	78.33	1.52	0.11	7%	13	9	0	0	62	6	100	lots rubble
78.33	79.86	1.53	0.77	50%	10	7	0	0	67	7	100	some rubble

79.86	82.91	3.05	1.93	63%	:	23	8	3	1	60	8	100	:
82.91	84.73	1.82	0.42	23%	:	14	8	0	0	60	7	100	: some rubble
84.73	87.48	2.75	0.59	21%	:	24	9	1	0	60	6	100	: some rubble
87.48	88.39	0.91	0.22	24%	:	7	8	1	1	45	6	100	:
88.39	90.37	1.98	0.25	13%	:	17	9	5	3	45	7	100	: some rubble
90.37	91.44	1.07	0.00	0%	:	10	9	1	1	10	6	100	: lots rubble
91.44	93.57	2.13	0.60	28%	:	20	9	3	1	60	6	100	:
93.57	96.62	3.05	0.80	26%	:	21	7	4	1	45	7	100	:
96.62	99.67	3.05	0.27	9%	:	22	7	4	1	60	7	100	:
99.67	102.11	2.44	0.37	15%	:	18	7	3	1	60	6	75	: lots rubble
102.11	103.94	1.83	0.00	0%	:	14	8	0	0	54.5	5	60	: lots rubble
		0.00		ERR	:	0	ERR		0	ERR	0	0	:

HOLE: RG112

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
3.04	5.18	2.14	0.62	29%	19	9	3	1	45	8	65	
5.18	8.23	3.05	0.13	4%	41	13	3	1	45	6	100	
8.23	11.28	3.05	0.20	7%	53	17	7	2	60	6	100	
11.28	14.33	3.05	0.00	0%	52	17	1	0	80	6	100	
14.33	17.37	3.04	0.76	25%	38	13	7	2	60	7	100	
17.37	20.42	3.05	1.95	64%	24	8	4	1	45	9	100	
20.42	23.47	3.05	1.16	38%	32	10	5	2	80	9	100	
23.47	26.52	3.05	1.32	43%	30	10	4	1	45	10	100	
26.52	29.57	3.05	0.79	26%	35	11	9	3	60	8	100	
29.57	32.61	3.04	0.79	26%	43	14	8	3	80	7	100	
32.61	35.66	3.05	0.12	4%	40	13	3	1	60	6	100	some rubble
35.66	38.71	3.05	1.13	37%	42	14	5	2	45	8	100	
38.71	41.76	3.05	0.65	21%	42	14	4	1	80	7	100	
41.76	44.81	3.05	2.01	66%	25	8	7	2	80	8	100	
44.81	47.85	3.04	2.69	88%	20	7	4	1	45	10	100	
47.85	50.90	3.05	1.76	58%	25	8	1	0	60	9	100	
50.90	53.95	3.05	1.08	35%	36	12	0	0	60	7	100	
53.95	57.00	3.05	1.70	56%	29	10	4	1	60	8	100	
57.00	60.05	3.05	0.92	30%	33	11	2	1	60	8	100	
60.05	63.09	3.04	2.24	74%	21	7	7	2	45	10	100	
63.09	66.14	3.05	0.42	14%	41	13	0	0	50	7	100	
66.14	69.19	3.05	0.48	16%	37	12	9	3	60	7	100	
69.19	72.24	3.05	1.89	62%	21	7	6	2	60	10	100	
72.24	75.29	3.05	2.14	70%	24	8	4	1	80	8	100	
75.29	78.33	3.04	0.91	30%	31	10	2	1	45	8	100	some rubble
78.33	81.38	3.05	0.98	32%	31	10	3	1	30	7	100	some rubble
81.38	84.43	3.05	1.62	53%	25	8	5	2	45	9	100	
84.43	87.48	3.05	2.33	76%	21	7	0	0	50	10	100	
87.48	90.53	3.05	2.60	85%	18	6	5	2	60	11	100	
90.53	93.57	3.04	2.56	84%	18	6	2	1	45	11	100	
93.57	96.62	3.05	1.54	50%	18	6	3	1	80	11	100	
96.62	99.67	3.05	2.18	71%	19	6	4	1	45	10	100	
99.67	102.72	3.05	2.54	83%	19	6	3	1	60	10	100	
102.72	105.77	3.05	2.35	77%	18	6	4	1	60	11	100	
105.77	108.81	3.04	1.32	43%	38	13	6	2	60	8	100	
108.81	111.86	3.05	0.75	25%	38	11	3	1	45	7	80	some rubble
111.86	114.91	3.05	1.12	37%	39	13	4	1	60	8	100	
114.91	117.65	2.74	0.54	20%	38	14	4	1	60	7	100	some rubble
117.65	120.85	3.20	1.75	55%	28	9	8	3	45	7	100	
120.85	123.90	3.05	1.72	56%	25	8	6	2	60	8	100	
123.90	126.64	2.74	0.74	27%	31	11	4	1	60	6	100	some rubble
126.64	129.84	3.20	2.14	67%	24	8	1	0	45	10	100	some rubble
129.84	133.05	3.21	1.28	40%	29	9	4	1	45	7	100	some rubble
133.05	135.03	1.98	0.33	17%	11	6	2	1	60	6	50	lots rubble
135.03	135.78	0.75	0.00	0%	7	9	2	3	80	6	60	lots rubble
135.78	138.68	2.90	0.76	26%	26	9	3	1	45	6	100	lots rubble
138.68	140.51	1.83	0.60	33%	16	9	1	1	80	7	100	some rubble
140.51	142.95	2.44	0.15	6%	23	9	6	2	60	6	100	some rubble
142.95	145.08	2.13	0.26	12%	15	7	2	1	60	6	100	lots gouge
145.08	146.46	1.38	0.00	0%	13	9	2	1	60	5	50	lots rubble

146.46	148.13	1.67	0.41	25%	:	13	8	4	2	45	5	100	: some gouge
148.13	151.18	3.05	0.84	28%	:	23	8	1	0	60	7	100	: some gouge
151.18	152.40	1.22	0.00	0%	:	13	11	2	2	45	6	100	: some gouge
152.40	154.24	1.84	0.00	0%	:	13	7	2	1	45	6	60	: lots gouge
154.24	156.06	1.82	0.82	45%	:	11	6	1	1	80	8	100	:
156.06	158.80	2.74	0.33	12%	:	26	9	3	1	60	7	85	:
158.80	161.85	3.05	1.06	35%	:	26	9	1	0	90	8	100	: some rubble
161.85	164.28	2.43	0.31	13%	:	17	7	1	0	75	6	70	: lots rubble
164.28	166.73	2.45	0.00	0%	:	23	9	4	2	60	6	80	: lots rubble

HOLE: RG113

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
18.29	20.42	2.13	0.00	0%	6	3	1	0	45	6	10	lots rubble
20.42	23.47	3.05	0.22	7%	19	6	2	1	45	6	40	lots rubble
23.47	25.00	1.53	0.15	10%	11	7	2	1	45	6	40	
25.00	25.45	0.45	0.12	27%	6	13	1	2	30	6	100	
25.45	27.74	2.29	0.14	6%	24	10	3	1	50	6	100	
27.74	29.87	2.13	0.26	12%	20	9	1	0	60	7	100	lots rubble
29.87	32.61	2.74	0.44	16%	29	11	2	1	60	7	100	lots rubble
32.61	34.14	1.53	0.55	36%	15	10	4	3	60	7	100	lots rubble
34.14	37.19	3.05	0.82	27%	25	8	9	3	45	8	100	
37.19	38.71	1.52	0.59	39%	13	9	5	3	45	8	100	
38.71	39.62	0.91	0.34	37%	5	5	3	3	45	9	100	
39.62	41.76	2.14	1.54	72%	15	7	7	3	60	10	100	
41.76	44.81	3.05	1.87	61%	19	6	8	3	45	10	100	
44.81	47.85	3.04	1.93	63%	19	6	8	3	45	9	100	
47.85	50.60	2.75	0.90	33%	19	7	7	3	45	7	100	some rubble
50.60	51.21	0.61	0.28	46%	6	10	2	3	60	6	100	some rubble
51.21	53.04	1.83	0.54	30%	13	7	7	4	45	9	100	some rubble
53.04	53.95	0.91	0.72	79%	7	8	3	3	80	10	100	
53.95	55.78	1.83	0.00	0%	20	11	6	3	60	6	100	some rubble
55.78	57.30	1.52	0.00	0%	11	7	2	1	30	6	100	some rubble
57.30	60.05	2.75	0.11	4%	20	7	7	3	60	6	60	lots rubble
60.05	63.09	3.04	0.45	15%	31	10	3	1	45	8	100	
63.09	66.14	3.05	1.20	39%	19	6	2	1	80	9	100	
66.14	69.19	3.05	1.42	47%	15	5	2	1	45	9	100	
69.19	72.24	3.05	1.12	37%	18	6	1	0	80	9	100	

HOLE: RG114

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
15.50	17.40	1.90	0.13	7%	13	7	0	0	45	4	15	mostly rubble
17.40	20.40	3.00	0.00	0%	13	4	2	1	45	5	20	lots rubble
20.40	22.30	1.90	0.00	0%	10	5	1	1	45	5	25	lots rubble
22.30	23.50	1.20	0.00	0%	6	5	2	2	30	6	25	lots rubble
23.50	26.50	3.00	0.00	0%	11	4	1	0	45	6	15	lots rubble
26.50	28.30	1.80	0.44	24%	10	6	3	2	60	7	40	
28.30	29.60	1.30	0.00	0%	8	6	2	2	45	6	30	
29.60	32.00	2.40	0.63	26%	17	7	5	2	60	7	55	some rubble
32.00	32.60	0.60	0.54	90%	5	8	1	2	30	8	100	
32.60	34.10	1.50	0.11	7%	10	7	3	2	45	6	40	lots rubble
34.10	35.70	1.60	0.00	0%	6	4	1	1	80	6	20	
35.70	38.70	3.00	0.89	30%	33	11	0	0	60	7	100	
38.70	40.80	2.10	0.82	39%	18	9	3	1	45	7	100	some rubble
40.80	41.80	1.00	0.12	12%	9	9	1	1	30	6	100	

HOLE: RG115

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
3.05	6.10	3.05	0.21	7%	38	12	6	2	60	7	100	
6.10	7.62	1.52	0.00	0%	27	18	3	2	60	6	75	
7.62	9.75	2.13	0.13	6%	17	8	4	2	60	6	100	some rubble
9.75	10.67	0.92	0.00	0%	14	15	2	2	80	6	100	
10.67	11.89	1.22	0.11	9%	15	12	2	2	60	7	100	
11.89	14.02	2.13	0.41	19%	40	19	5	2	60	7	100	
14.02	17.07	3.05	0.44	14%	24	8	3	1	80	7	60	
17.07	20.12	3.05	1.58	52%	33	11	3	1	45	8	100	
20.12	23.17	3.05	2.30	75%	19	6	3	1	60	10	100	
23.17	26.21	3.04	1.81	60%	23	8	7	2	45	9	100	
26.21	29.26	3.05	1.38	45%	34	11	3	1	45	8	100	
29.26	30.48	1.22	0.34	28%	13	11	2	2	60	8	100	
30.48	33.53	3.05	1.46	48%	34	11	8	3	45	8	100	
33.53	34.14	0.61	0.00	0%	5	8	0	0	45	6	100	some rubble
34.14	37.34	3.20	1.99	62%	24	8	6	2	45	9	100	
37.34	38.41	1.07	0.73	68%	10	9	0	0	52.5	8	100	
38.41	41.45	3.04	0.61	20%	38	13	5	2	60	7	100	
41.45	44.50	3.05	1.70	56%	31	10	4	1	45	8	100	
44.50	47.55	3.05	1.60	52%	25	8	7	2	45	9	100	
47.55	50.60	3.05	2.57	84%	20	7	2	1	45	10	100	
50.60	53.65	3.05	2.07	68%	21	7	5	2	60	10	100	
53.65	56.69	3.04	2.01	66%	23	8	2	1	60	10	100	
56.69	59.74	3.05	1.04	34%	36	12	5	2	60	8	100	
59.74	62.79	3.05	2.26	74%	24	8	11	4	45	9	100	
62.79	65.84	3.05	1.59	52%	26	9	1	0	45	9	100	
65.84	68.88	3.04	0.68	22%	33	11	1	0	45	7	100	
68.88	71.93	3.05	1.23	40%	17	6	3	1	45	8	100	some rubble
71.93	74.83	2.90	0.81	28%	34	12	3	1	60	7	100	
74.83	77.88	3.05	0.41	13%	39	13	5	2	45	7	100	
77.88	81.08	3.20	0.51	16%	38	12	1	0	45	7	100	
81.08	83.82	2.74	0.56	20%	28	10	5	2	30	7	100	some rubble
83.82	86.87	3.05	0.60	20%	32	10	2	1	45	8	100	
86.87	89.61	2.74	0.82	30%	19	7	4	1	60	8	100	
89.61	90.22	0.61	0.00	0%	6	10	1	2	45	7	100	
90.22	93.27	3.05	2.05	67%	38	12	9	3	60	8	100	
93.27	96.32	3.05	0.31	10%	17	6	9	3	60	8	100	some rubble
96.32	99.37	3.05	0.38	12%	27	9	5	2	45	7	100	some rubble
99.37	100.28	0.91	0.00	0%	14	15	1	1	80	6	100	some rubble
100.28	101.80	1.52	0.00	0%	6	4	1	1	45	4	15	lots rubble
101.80	103.63	1.83	0.00	0%	29	16	4	2	80	6	100	
103.63	105.16	1.53	0.00	0%	22	14	3	2	60	5	100	some rubble
105.16	105.77	0.61	0.00	0%	5	8	0	0	71.58	5	100	lots rubble
105.77	106.99	1.22	0.00	0%	10	8	2	2	80	6	100	lots rubble
106.99	107.59	0.60	0.00	0%	9	15	0	0	70	6	100	some rubble
107.59	108.51	0.92	0.00	0%	6	7	0	0	60	5	100	lots rubble
108.51	109.12	0.61	0.00	0%	7	11	0	0	52.5	4	40	mostly rubble
109.12	110.95	1.83	0.23	13%	16	9	2	1	45	6	100	lots rubble
110.95	113.69	2.74	0.00	0%	32	12	4	1	60	6	100	lots rubble
113.69	117.04	3.35	0.91	27%	31	9	4	1	60	7	100	some rubble
117.04	120.09	3.05	0.59	19%	37	12	5	2	60	7	100	

120.09	122.53	2.44	0.15	6%	:	42	17	2	1	80	6	100	:	some rubble
122.53	123.75	1.22	0.15	12%	:	20	16	1	1	60	7	100	:	
123.75	126.80	3.05	1.32	43%	:	28	9	10	3	45	8	100	:	
126.80	127.10	0.30	0.12	40%	:	1	3	2	7	60	8	100	:	
127.10	129.84	2.74	1.27	46%	:	24	9	6	2	60	9	100	:	
129.84	132.89	3.05	1.30	43%	:	31	10	4	1	45	8	100	:	
132.89	135.94	3.05	1.23	40%	:	27	9	3	1	45	8	100	:	
135.94	138.99	3.05	1.40	46%	:	32	10	2	1	45	9	100	:	
138.99	141.73	2.74	0.94	34%	:	27	10	2	1	45	8	100	:	
141.73	144.78	3.05	0.32	10%	:	30	10	2	1	45	7	100	:	
144.78	147.83	3.05	0.82	27%	:	29	10	3	1	60	8	100	:	
147.83	150.87	3.04	1.62	53%	:	25	8	1	0	80	8	100	:	
150.87	153.92	3.05	1.26	41%	:	24	8	5	2	60	8	100	:	
153.92	157.12	3.20	1.04	33%	:	31	10	4	1	45	8	100	:	
157.12	160.33	3.21	1.03	32%	:	32	10	3	1	60	8	100	:	
160.33	163.37	3.04	1.03	34%	:	29	10	4	1	80	8	100	:	
163.37	166.42	3.05	0.69	23%	:	29	10	6	2	45	7	100	:	
166.42	169.47	3.05	2.30	75%	:	20	7	6	2	60	9	100	:	
169.47	172.52	3.05	1.79	59%	:	26	9	7	2	45	9	100	:	
172.52	175.57	3.05	1.79	59%	:	26	9	2	1	80	9	100	:	
175.57	178.61	3.04	1.03	34%	:	28	9	2	1	60	8	100	:	
178.61	181.66	3.05	2.27	74%	:	19	6	3	1	45	10	100	:	
181.66	184.71	3.05	0.13	4%	:	41	13	1	0	60	7	100	:	
184.71	187.76	3.05	0.42	14%	:	29	10	2	1	45	7	100	:	
187.76	188.98	1.22	0.53	43%	:	18	15	2	2	60	8	100	:	
188.98	190.20	1.22	0.38	31%	:	10	8	2	2	60	8	100	:	
190.20	191.72	1.52	0.21	14%	:	14	9	1	1	80	7	100	:	
191.72	193.85	2.13	0.00	0%	:	36	17	3	1	60	6	100	:	
193.85	195.38	1.53	0.11	7%	:	25	16	1	1	60	6	100	:	

HOLE: RG116

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
12.19	14.33	2.14	0.12	6%	13	6	1	0	45	6	35	mostly rubble
14.33	15.24	0.91	0.37	41%	7	8	3	3	45	7	85	some rubble
15.24	17.37	2.13	0.35	16%	23	11	6	3	60	7	100	some rubble
17.37	20.42	3.05	0.00	0%	11	4	0	0	45	5	15	lots rubble
20.42	23.47	3.05	0.00	0%	12	4	1	0	45	3	5	all rubble
23.47	25.91	2.44	0.00	0%	12	5	1	0	30	5	10	all rubble
25.91	27.74	1.83	0.17	9%	13	7	1	1	60	7	55	some rubble
27.74	28.35	0.61	0.00	0%	4	7	0	0	50	6	25	lots rubble
28.35	29.57	1.22	0.10	8%	3	2	1	1	50	5	15	lots rubble
29.57	31.09	1.52	0.00	0%	4	3	0	0	50	5	5	all rubble
31.09	31.69	0.60	0.00	0%	6	10	0	0	50	5	35	mostly rubble
31.69	32.61	0.92	0.00	0%	11	12	0	0	50	6	50	
32.61	33.83	1.22	0.14	11%	13	11	1	1	45	7	100	
33.83	34.44	0.61	0.00	0%	14	23	1	2	10	6	100	
34.44	35.05	0.61	0.11	18%	8	13	0	0	25	6	100	
35.05	35.66	0.61	0.00	0%	7	11	1	2	45	6	60	
35.66	37.49	1.83	0.11	6%	16	9	0	0	45	6	100	lots rubble
37.49	38.71	1.22	0.10	8%	11	9	1	1	45	7	100	
38.71	39.93	1.22	0.00	0%	14	11	2	2	80	6	100	
39.93	41.76	1.83	0.13	7%	3	2	1	1	60	5	15	mostly rubble
41.76	42.98	1.22	0.11	9%	12	10	1	1	60	5	35	lots rubble/all vein
42.98	44.81	1.83	0.11	6%	14	8	1	1	45	6	45	some rubble
44.81	45.72	0.91	0.00	0%	9	10	2	2	80	6	50	
45.72	46.63	0.91	0.00	0%	15	16	4	4	60	5	60	lots rubble
46.63	47.85	1.22	0.10	8%	10	8	1	1	60	6	40	some rubble
47.85	50.90	3.05	0.32	10%	15	5	5	2	60	7	45	some rubble
50.90	52.73	1.83	0.00	0%	10	5	1	1	50	4	10	all rubble
52.73	53.34	0.61	0.00	0%	4	7	0	0	50	6	45	
53.34	53.95	0.61	0.00	0%	8	13	1	2	45	7	100	
53.95	54.86	0.91	0.00	0%	13	14	0	0	45	6	100	
54.86	57.00	2.14	1.19	56%	17	8	2	1	45	9	100	
57.00	59.44	2.44	1.60	66%	14	6	1	0	90	10	100	
59.44	62.48	3.04	1.56	51%	19	6	1	0	30	10	100	
62.48	64.92	2.44	0.81	33%	17	7	0	0	40	9	100	
64.92	68.28	3.36	1.03	31%	25	7	2	1	45	7	100	lots rubble
68.28	71.63	3.35	0.97	29%	22	7	3	1	30	8	100	
71.63	72.23	0.60	0.24	40%	11	18	2	3	80	8	100	
72.23	73.76	1.53	0.00	0%	16	10	3	2	45	7	100	
73.76	74.98	1.22	0.40	33%	9	7	3	2	45	7	100	

HOLE: RG117

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
13.70	14.30	0.60	0.00	0%	6	10	0	0	45	3	10	all rubble
14.30	17.40	3.10	0.00	0%	6	2	0	0	45	6	5	mostly rubble
17.40	20.40	3.00	0.00	0%	10	3	1	0	45	5	10	mostly rubble
20.40	23.50	3.10	0.00	0%	21	7	3	1	45	6	20	
23.50	26.50	3.00	0.00	0%	8	3	1	0	80	5	10	lots rubble
26.50	28.30	1.80	0.00	0%	14	8	3	2	60	5	30	lots rubble
28.30	29.00	0.70	0.12	17%	4	6	2	3	10	5	35	lots rubble
29.00	29.60	0.60	0.00	0%	6	10	3	5	45	6	50	some rubble
29.60	31.40	1.80	0.11	6%	12	7	1	1	50	6	35	some rubble
31.40	32.60	1.20	0.00	0%	18	15	3	3	60	6	55	some rubble
32.60	35.70	3.10	0.00	0%	19	6	1	0	50	6	25	some rubble
35.70	38.70	3.00	0.00	0%	5	2	1	0	50	5	10	some rubble
38.70	41.80	3.10	0.14	5%	23	7	0	0	50	6	45	some rubble
41.80	43.90	2.10	0.11	5%	23	11	1	0	45	6	60	
43.90	44.80	0.90	0.11	12%	14	16	1	1	45	7	100	
44.80	46.30	1.50	0.00	0%	20	13	0	0	45	7	100	
46.30	48.20	1.90	0.12	6%	15	8	2	1	45	6	50	some rubble
48.20	49.70	1.50	0.00	0%	21	14	2	1	80	6	60	some rubble
49.70	53.90	4.20	0.26	6%	27	6	2	0	60	6	45	some rubble
53.90	55.40	1.50	0.00	0%	17	11	1	1	30	6	50	some rubble
55.40	58.50	3.10	1.36	44%	26	8	1	0	30	9	100	
58.50	61.60	3.10	2.50	81%	19	6	3	1	45	10	100	
61.60	63.10	1.50	0.30	20%	19	13	3	2	60	8	100	
63.10	66.10	3.00	0.00	0%	15	5	1	0	60	6	30	lots rubble

HOLE: RG118

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
3.05	4.72	1.67	0.52	31%	14	8	4	2	60	9	100	
4.72	7.77	3.05	0.76	25%	44	14	5	2	60	6	100	
7.77	10.97	3.20	0.68	21%	37	12	3	1	80	8	100	
10.97	14.02	3.05	0.65	21%	28	9	3	1	80	7	65	some rubble
14.02	17.07	3.05	0.72	24%	33	11	4	1	60	6	100	
17.07	20.12	3.05	0.11	4%	43	14	5	2	45	6	100	
20.12	21.64	1.52	0.23	15%	17	11	3	2	45	6	100	some rubble
21.64	24.54	2.90	1.25	43%	24	8	5	2	60	8	100	
24.54	26.21	1.67	0.47	28%	18	11	3	2	45	7	100	
26.21	28.04	1.83	0.77	42%	19	10	2	1	45	7	100	some rubble
28.04	29.26	1.22	0.37	30%	13	11	3	2	45	6	100	
29.26	30.17	0.91	0.21	23%	11	12	1	1	45	8	100	
30.17	32.30	2.13	0.66	31%	25	12	3	1	80	7	100	
32.30	34.75	2.45	0.31	13%	31	13	3	1	45	6	100	
34.75	37.79	3.04	2.29	75%	23	8	2	1	45	10	100	
37.79	41.00	3.21	1.70	53%	31	10	3	1	60	8	100	
41.00	44.04	3.04	1.58	52%	26	9	8	3	60	9	100	
44.04	47.09	3.05	0.73	24%	34	11	12	4	45	8	100	
47.09	50.29	3.20	1.45	45%	32	10	6	2	60	7	100	
50.29	53.34	3.05	2.03	67%	24	8	6	2	60	9	100	
53.34	56.39	3.05	2.18	71%	23	8	2	1	45	10	100	
56.39	59.44	3.05	2.27	74%	21	7	2	1	80	10	100	
59.44	62.03	2.59	0.55	21%	22	8	5	2	80	7	100	lots rubble
62.03	64.01	1.98	0.12	6%	22	11	2	1	60	7	100	some rubble
64.01	65.84	1.83	0.35	19%	18	10	1	1	90	7	100	
65.84	68.88	3.04	0.50	16%	31	10	9	3	80	8	100	
68.88	71.32	2.44	0.00	0%	30	12	8	3	80	6	100	some rubble
71.32	73.61	2.29	0.00	0%	22	10	3	1	45	6	100	lots rubble
73.61	75.13	1.52	0.33	22%	18	12	1	1	30	6	100	
75.13	78.03	2.90	0.73	25%	29	10	6	2	60	8	100	
78.03	81.08	3.05	0.98	32%	28	9	5	2	60	8	100	
81.08	84.12	3.04	0.56	18%	36	12	5	2	60	7	100	
84.12	85.95	1.83	0.00	0%	15	8	3	2	45	6	100	lots rubble
85.95	87.17	1.22	0.12	10%	10	8	2	2	60	7	45	
87.17	89.92	2.75	0.00	0%	31	11	3	1	80	6	100	some rubble
89.92	92.96	3.04	0.00	0%	20	7	0	0	50	6	100	lots rubble
92.96	94.79	1.83	0.12	7%	29	16	6	3	45	6	100	some rubble
94.79	96.62	1.83	0.00	0%	19	10	3	2	45	6	100	lots rubble
96.62	99.36	2.74	0.60	22%	37	14	5	2	60	6	100	some rubble
99.36	102.41	3.05	0.27	9%	43	14	8	3	60	7	100	
102.41	105.46	3.05	0.40	13%	35	11	11	4	60	7	100	
105.46	108.51	3.05	0.45	15%	34	11	2	1	30	8	100	
108.51	111.56	3.05	1.30	43%	28	9	4	1	30	9	100	
111.56	114.60	3.04	1.39	46%	23	8	3	1	30	10	100	
114.60	117.35	2.75	0.50	18%	25	9	4	1	45	7	100	lots rubble
117.35	118.87	1.52	0.12	8%	12	8	2	1	60	6	65	lots rubble
118.87	120.70	1.83	0.62	34%	20	11	7	4	60	8	100	
120.70	122.99	2.29	0.21	9%	26	11	5	2	60	7	100	
122.99	126.19	3.20	1.65	52%	27	8	2	1	60	8	100	
126.19	128.93	2.74	0.89	32%	24	9	9	3	60	8	100	

128.93	131.98	3.05	2.34	77%	14	5	10	3	60	11	100	:
131.98	135.18	3.20	2.56	80%	18	6	7	2	60	10	100	:
135.18	138.23	3.05	2.55	84%	15	5	9	3	60	10	100	:
138.23	141.47	3.24	2.08	64%	21	6	5	2	60	9	100	:
141.47	144.41	2.94	2.55	87%	15	5	4	1	60	10	100	:
144.41	147.52	3.11	0.53	17%	30	10	2	1	45	7	100	:
147.52	150.60	3.08	2.07	67%	29	9	4	1	60	8	100	: some rubble
150.60	153.80	3.20	2.16	68%	19	6	1	0	80	9	100	:
153.80	157.00	3.20	2.01	63%	21	7	0	0	70	9	100	:
157.00	160.20	3.20	1.70	53%	24	8	5	2	60	8	100	:
160.20	163.20	3.00	0.97	32%	23	8	3	1	60	7	100	:
163.20	166.40	3.20	0.50	16%	27	8	5	2	60	7	100	:
166.40	169.50	3.10	0.99	32%	29	9	6	2	60	7	100	:
169.50	172.50	3.00	1.86	62%	21	7	7	2	80	9	100	:
172.50	175.60	3.10	1.80	58%	18	6	5	2	60	9	100	:
175.60	178.60	3.00	1.00	33%	28	9	4	1	45	8	100	:
178.60	181.70	3.10	2.69	87%	14	5	4	1	60	10	100	:
181.70	184.70	3.00	2.59	86%	17	6	5	2	45	10	100	:
184.70	187.80	3.10	1.82	59%	16	5	4	1	30	9	100	:
187.80	190.80	3.00	1.71	57%	14	5	4	1	60	10	100	:
190.80	193.90	3.10	1.37	44%	13	4	3	1	45	10	100	:
193.90	196.90	3.00	2.60	87%	14	5	3	1	45	11	100	:
196.90	199.90	3.00	1.36	45%	14	5	3	1	60	11	100	:
199.90	203.00	3.10	2.50	81%	14	5	2	1	45	10	100	:
203.00	206.00	3.00	0.69	23%	27	9	1	0	60	9	100	:
206.00	209.10	3.10	0.76	25%	26	8	3	1	45	9	100	:

HOLE: RG121

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
2.40	4.90	2.50	0.44	18%	20	8	5	2	45	6	70	some rubble
4.90	6.40	1.50	0.11	7%	15	10	2	1	30	6	70	some rubble
6.40	7.90	1.50	0.78	52%	19	13	7	5	60	8	100	
7.90	11.00	3.10	0.98	32%	29	9	5	2	45	8	100	
11.00	13.40	2.40	0.52	22%	33	14	11	5	45	7	100	
13.40	16.30	2.90	0.51	18%	32	11	8	3	30	7	100	
16.30	19.40	3.10	1.37	44%	33	11	5	2	60	8	100	
19.40	22.60	3.20	1.50	47%	26	8	8	3	45	8	100	some rubble
22.60	25.60	3.00	0.69	23%	37	12	9	3	45	8	100	
25.60	28.70	3.10	0.81	26%	34	11	3	1	60	7	100	
28.70	31.70	3.00	1.62	54%	30	10	5	2	60	8	100	
31.70	34.70	3.00	0.77	26%	28	9	9	3	60	8	100	
34.70	37.80	3.10	0.22	7%	30	10	8	3	60	6	100	lots rubble
37.80	40.80	3.00	1.32	44%	29	10	3	1	45	7	100	some rubble
40.80	43.90	3.10	0.77	25%	31	10	4	1	45	7	100	
43.90	46.90	3.00	2.02	67%	21	7	4	1	45	8	100	
46.90	47.50	0.60	0.24	40%	5	8	1	2	60	8	100	
47.50	50.60	3.10	1.84	59%	21	7	4	1	45	8	100	
50.60	53.20	2.60	0.00	0%	32	12	3	1	30	7	100	
53.20	56.20	3.00	1.98	66%	17	6	4	1	45	9	100	
56.20	59.30	3.10	2.14	69%	23	7	2	1	45	9	100	
59.30	62.50	3.20	2.72	85%	19	6	4	1	30	10	100	
62.50	65.50	3.00	1.51	50%	25	8	2	1	45	9	100	
65.50	68.30	2.80	1.06	38%	27	10	1	0	30	8	100	
68.30	71.50	3.20	0.42	13%	32	10	2	1	30	8	100	
71.50	74.70	3.20	0.83	26%	29	9	0	0	37.5	7	100	
74.70	75.90	1.20	0.00	0%	13	11	2	2	45	6	100	
75.90	77.10	1.20	0.00	0%	6	5	1	1	60	6	40	some rubble
77.10	78.00	0.90	0.00	0%	8	9	2	2	60	6	70	some rubble
78.00	81.00	3.00	0.00	0%	18	6	1	0	80	6	65	lots rubble
81.00	84.12	3.12	1.17	38%	26	8	2	1	60	8	100	
84.12	86.26	2.14	0.50	23%	17	8	3	1	45	7	100	
86.26	89.96	3.70	1.54	42%	24	6	1	0	10	9	100	
89.96	92.66	2.70	0.85	31%	25	9	0	0	35	7	100	
92.66	95.71	3.05	1.26	41%	32	10	1	0	60	8	100	
95.71	98.76	3.05	0.00	0%	47	15	4	1	60	6	100	some rubble
98.76	101.80	3.04	1.11	37%	21	7	6	2	80	8	100	
101.80	103.63	1.83	0.00	0%	18	10	2	1	60	6	100	lots rubble
103.63	105.46	1.83	0.11	6%	22	12	0	0	60	6	100	lots rubble
105.46	108.51	3.05	1.28	42%	24	8	0	0	45	8	100	
108.51	111.56	3.05	2.06	68%	16	5	0	0	30	9	100	
111.56	114.60	3.04	1.23	40%	29	10	4	1	30	9	100	
114.60	117.65	3.05	0.69	23%	33	11	3	1	60	8	100	
117.65	120.40	2.75	0.43	16%	33	12	4	1	80	7	100	
120.40	123.44	3.04	1.46	48%	25	8	1	0	60	9	100	
123.44	126.49	3.05	1.44	47%	22	7	3	1	60	8	100	
126.49	129.54	3.05	0.40	13%	30	10	1	0	60	8	100	
129.54	132.59	3.05	0.97	32%	32	10	0	0	52.5	7	100	
132.59	135.64	3.05	0.52	17%	33	11	1	0	45	7	100	some rubble
135.64	138.68	3.04	0.97	32%	30	10	3	1	45	7	100	

138.68	141.73	3.05	1.46	48%	:	23	8	4	1	45	8	100	:
141.73	144.78	3.05	1.68	55%	:	19	6	1	0	60	7	100	:
144.78	147.83	3.05	0.89	29%	:	25	8	1	0	45	7	100	:
147.83	149.66	1.83	0.34	19%	:	14	8	4	2	45	7	100	:
149.66	151.18	1.52	0.39	26%	:	13	9	3	2	45	7	100	:
151.18	153.62	2.44	0.59	24%	:	19	8	2	1	45	7	100	:
153.62	156.67	3.05	0.80	26%	:	22	7	2	1	60	6	100	:
156.67	159.41	2.74	0.44	16%	:	24	9	4	1	60	6	100	:
159.41	162.46	3.05	0.67	22%	:	21	7	5	2	45	7	100	:
162.46	163.37	0.91	0.68	75%	:	4	4	2	2	30	7	100	:
163.37	166.42	3.05	1.25	41%	:	24	8	5	2	45	7	100	:
166.42	169.47	3.05	0.56	18%	:	22	7	3	1	45	8	100	:
169.47	172.52	3.05	1.50	49%	:	17	6	4	1	45	8	100	:
172.52	175.56	3.04	0.53	17%	:	12	4	3	1	45	7	100	:
175.56	178.61	3.05	1.50	49%	:	22	7	2	1	30	8	100	:
178.61	181.66	3.05	0.12	4%	:	16	5	2	1	45	7	100	:
181.66	184.71	3.05	0.65	21%	:	25	8	3	1	60	7	100	:
184.71	187.15	2.44	0.24	10%	:	25	10	6	2	60	7	100	:
187.15	190.19	3.04	1.07	35%	:	29	10	4	1	45	8	100	:

some rubble
some rubble

HOLE: RG123

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
3.66	4.88	1.22	0.54	44%	10	8	2	2	60	7	100	
4.88	7.92	3.04	0.20	7%	39	13	2	1	30	7	100	
7.92	10.97	3.05	0.11	4%	44	14	6	2	45	6	100	lots rubble
10.97	14.02	3.05	0.70	23%	32	10	5	2	45	6	100	
14.02	17.07	3.05	0.38	12%	35	11	4	1	60	6	100	
17.07	18.90	1.83	0.41	22%	20	11	1	1	45	8	100	
18.90	21.95	3.05	1.18	39%	36	12	2	1	45	8	100	
21.95	24.38	2.43	0.62	26%	26	11	3	1	45	7	100	
24.38	26.21	1.83	0.33	18%	24	13	1	1	60	7	100	
26.21	27.43	1.22	0.11	9%	16	13	3	2	45	6	100	
27.43	28.65	1.22	0.00	0%	19	16	3	2	30	6	100	
28.65	31.09	2.44	0.23	9%	4	2	1	0	60	7	100	
31.09	32.31	1.22	0.00	0%	40	33	2	2	45	6	100	lots rubble
32.31	32.92	0.61	0.12	20%	7	11	1	2	10	6	100	lots rubble
32.92	35.36	2.44	0.42	17%	23	9	3	1	60	6	75	
35.36	37.34	1.98	0.37	19%	17	9	2	1	45	7	100	
37.34	38.46	1.12	0.00	0%	3	3	0	0	45	8	20	
38.46	40.69	2.23	0.33	15%	15	7	4	2	45	7	60	
40.69	42.36	1.67	0.11	7%	21	13	3	2	45	7	100	some rubble
42.36	43.59	1.23	0.12	10%	17	14	3	2	45	6	100	
43.59	44.50	0.91	0.00	0%	16	18	0	0	52.5	6	100	some rubble
44.50	45.72	1.22	0.27	22%	15	12	2	2	60	7	100	
45.72	47.55	1.83	0.00	0%	25	14	2	1	45	6	100	
47.55	49.38	1.83	0.00	0%	19	10	2	1	60	6	100	
49.38	50.60	1.22	0.11	9%	21	17	1	1	45	7	100	
50.60	53.64	3.04	0.54	18%	39	13	3	1	45	7	100	
53.64	55.47	1.83	0.44	24%	25	14	2	1	30	7	100	
55.47	56.69	1.22	0.00	0%	18	15	2	2	45	6	100	some rubble
56.69	57.91	1.22	0.00	0%	9	7	0	0	45	6	100	some rubble
57.91	58.67	0.76	0.00	0%	19	25	2	3	45	6	100	
58.67	60.66	1.99	0.00	0%	30	15	6	3	45	6	100	
60.66	61.87	1.21	0.36	30%	10	8	2	2	45	7	100	
61.87	63.70	1.83	0.00	0%	32	17	5	3	45	6	100	some rubble
63.70	64.31	0.61	0.00	0%	10	16	2	3	30	6	100	
64.31	67.36	3.05	0.39	13%	37	12	4	1	45	7	100	
67.36	68.88	1.52	1.14	75%	16	11	3	2	45	8	100	
68.88	71.93	3.05	1.40	46%	36	12	4	1	45	8	100	
71.93	74.37	2.44	0.13	5%	26	11	1	0	60	8	100	
74.37	76.50	2.13	0.44	21%	24	11	3	1	30	7	100	
76.50	78.33	1.83	0.59	32%	15	8	4	2	45	8	100	
78.33	81.07	2.74	1.65	60%	18	7	4	1	45	8	100	
81.07	83.36	2.29	1.26	55%	13	6	2	1	45	9	100	
83.36	86.41	3.05	0.73	24%	27	9	3	1	60	8	100	
86.41	88.70	2.29	0.71	31%	23	10	3	1	60	8	100	
88.70	91.74	3.04	0.69	23%	27	9	3	1	45	8	100	
91.74	93.27	1.53	0.15	10%	16	10	1	1	60	7	100	
93.27	93.57	0.30	0.00	0%	3	10	2	7	60	7	100	
93.57	96.32	2.75	1.03	37%	16	6	4	1	45	8	100	
96.32	98.15	1.83	0.48	26%	19	10	4	2	45	7	100	
98.15	101.19	3.04	0.72	24%	23	8	3	1	45	7	100	

101.19	101.80	0.61	0.00	0%	:	7	11	0	0	52	5	30	:	mostly rubble
101.80	104.24	2.44	0.30	12%	:	27	11	4	2	60	7	100	:	
104.24	104.85	0.61	0.13	21%	:	4	7	2	3	60	6	100	:	
104.85	106.68	1.83	0.00	0%	:	21	11	5	3	45	6	100	:	
106.68	106.98	0.30	0.00	0%	:	4	13	1	3	45	7	100	:	
106.98	110.03	3.05	1.19	39%	:	26	9	4	1	45	8	100	:	
110.03	113.08	3.05	1.26	41%	:	25	8	3	1	45	8	100	:	some rubble
113.08	114.30	1.22	0.29	24%	:	11	9	2	2	60	7	65	:	some rubble
114.30	117.04	2.74	0.74	27%	:	33	12	3	1	60	7	100	:	
117.04	117.80	0.76	0.21	28%	:	6	8	1	1	45	8	100	:	
117.80	119.18	1.38	0.43	31%	:	12	9	1	1	45	8	100	:	
119.18	119.63	0.45	0.11	24%	:	4	9	1	2	60	8	100	:	
119.63	120.70	1.07	0.61	57%	:	9	8	1	1	80	8	100	:	
120.70	121.31	0.61	0.41	67%	:	2	3	0	0	60	9	100	:	
121.31	123.75	2.44	1.70	70%	:	17	7	3	1	45	9	100	:	
123.75	125.58	1.83	0.57	31%	:	15	8	2	1	30	8	100	:	
125.58	126.80	1.22	0.54	44%	:	11	9	2	2	45	8	100	:	

HOLE: RG124

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
3.05	5.18	2.13	0.52	24%	25	12	2	1	45	6	60	some rubble
5.18	6.71	1.53	0.00	0%	29	19	2	1	60	7	100	
6.71	8.23	1.52	0.22	14%	22	14	0	0	55	7	100	
8.23	9.14	0.91	0.11	12%	12	13	0	0	50	6	100	
9.14	11.28	2.14	0.72	34%	23	11	5	2	45	7	100	
11.28	11.73	0.45	0.58	129%	7	16	0	0	52	6	100	
11.73	14.33	2.60	0.77	30%	32	12	4	2	60	7	100	
14.33	17.37	3.04	0.56	18%	39	13	6	2	45	7	100	
17.37	20.42	3.05	0.58	19%	39	13	5	2	45	7	100	
20.42	23.47	3.05	0.70	23%	42	14	7	2	45	7	100	
23.47	29.57	6.10	0.00	0%	102	17	7	1	60	6	100	
29.57	30.94	1.37	0.00	0%	21	15	2	1	30	6	100	
30.94	32.61	1.67	0.21	13%	28	17	1	1	45	6	100	
32.61	35.05	2.44	0.17	7%	35	14	4	2	60	7	100	
35.05	37.49	2.44	0.00	0%	35	14	3	1	30	7	100	
37.49	38.71	1.22	0.00	0%	27	22	2	2	60	6	100	
38.71	41.45	2.74	0.00	0%	45	16	1	0	45	6	100	
41.45	44.35	2.90	0.20	7%	34	12	2	1	45	6	100	
44.35	46.94	2.59	0.41	16%	29	11	3	1	80	6	65	
46.94	47.70	0.76	0.00	0%	12	16	0	0	60	7	100	
47.70	49.07	1.37	0.00	0%	20	15	4	3	45	6	100	
49.07	50.29	1.22	0.11	9%	17	14	2	2	45	7	100	
50.29	53.34	3.05	0.39	13%	48	16	6	2	60	6	100	
53.34	56.54	3.20	0.75	23%	31	10	3	1	60	8	100	
56.54	57.91	1.37	0.11	8%	22	16	2	1	80	7	100	some rubble
57.91	58.83	0.92	0.00	0%	10	11	1	1	60	6	35	lots rubble
58.83	59.44	0.61	0.00	0%	4	7	0	0	60	5	25	mostly rubble
59.44	61.87	2.43	0.11	5%	34	14	3	1	60	6	100	some rubble
61.87	63.09	1.22	0.70	57%	12	10	1	1	45	8	100	
63.09	66.14	3.05	1.79	59%	26	9	3	1	45	9	100	
66.14	69.19	3.05	1.47	48%	27	9	1	0	80	8	100	
69.19	72.24	3.05	0.31	10%	41	13	5	2	45	8	100	
72.24	73.46	1.22	0.00	0%	18	15	3	2	60	6	100	lots rubble
73.46	76.50	3.04	0.44	14%	45	15	1	0	60	7	100	
76.50	77.57	1.07	0.00	0%	14	13	1	1	52	7	100	
77.57	78.94	1.37	0.29	21%	19	14	1	1	45	7	100	some rubble
78.94	80.16	1.22	0.00	0%	17	14	1	1	80	7	100	
80.16	83.21	3.05	0.11	4%	51	17	6	2	60	6	100	some rubble
83.21	85.04	1.83	0.11	6%	25	14	2	1	80	6	55	some rubble
85.04	86.72	1.68	0.00	0%	18	11	3	2	60	6	55	lots rubble
86.72	89.76	3.04	0.74	24%	35	12	3	1	60	7	100	
89.76	92.51	2.75	0.20	7%	28	10	2	1	45	7	60	
92.51	95.71	3.20	0.00	0%	39	12	4	1	60	6	100	some rubble
95.71	98.75	3.04	0.26	9%	39	13	2	1	45	7	100	
98.75	101.50	2.75	0.30	11%	31	11	4	1	80	7	100	
101.50	104.55	3.05	0.40	13%	29	10	5	2	60	7	100	
104.55	106.53	1.98	0.21	11%	24	12	2	1	45	7	100	some rubble
106.53	108.81	2.28	0.11	5%	13	6	1	0	45	6	55	some rubble
108.81	110.64	1.83	0.48	26%	18	10	1	1	45	6	100	lots rubble
110.64	113.69	3.05	0.32	10%	25	8	2	1	45	7	100	

113.69	116.74	3.05	0.81	27%	:	35	11	3	1	45	7	100	:
116.74	117.96	1.22	0.39	32%	:	9	7	2	2	80	8	100	:
117.96	121.01	3.05	1.77	58%	:	21	7	2	1	45	8	100	:
121.01	124.05	3.04	1.34	44%	:	29	10	1	0	60	8	100	:
124.05	127.10	3.05	1.26	41%	:	29	10	1	0	45	8	100	: some rubble
127.10	130.15	3.05	0.71	23%	:	33	11	2	1	45	7	100	:

HOLE: RG126

ROCK QUALITY DETERMINATION SHEET

- REA GOLD OPTION.

FROM (m)	TO (m)	LENGTH (m)	SUM OF LENGTHS > 10.2 cm	RQD	NO. OF FRACTURES	FRACTURES PER METRE	NO. OF VEINS	VEINS PER METRE	ANGLE	DEGREE OF BREAKAGE NO.	CORE RECOVERY %	COMMENTS
3.05	4.88	1.83	0.28	15%	18	10	1	1	45	7	65	SOME RUBBLE
4.88	6.71	1.83	0.66	36%	15	8	2	1	45	8	100	
6.71	7.92	1.21	0.21	17%	15	12	1	1	30	7	100	SOME RUBBLE
7.92	10.97	3.05	0.88	29%	32	10	6	2	45	8	100	
10.97	14.02	3.05	1.71	56%	22	7	3	1	60	9	100	
14.02	17.07	3.05	1.44	47%	26	9	2	1	30	9	100	
17.07	20.12	3.05	1.92	63%	25	8	5	2	45	9	100	
20.12	23.16	3.04	1.26	41%	30	10	6	2	60	8	100	
23.16	26.21	3.05	0.77	25%	38	12	4	1	60	8	100	
26.21	29.26	3.05	2.22	73%	25	8	1	0	45	8	100	
29.26	32.31	3.05	1.53	50%	26	9	0	0	37.5	9	100	
32.31	35.36	3.05	1.65	54%	24	8	2	1	30	9	100	
35.36	38.40	3.04	0.53	17%	28	9	1	0	45	8	75	
38.40	41.30	2.90	0.11	4%	29	10	1	0	60	6	70	LOTS RUBBLE
41.30	44.35	3.05	0.11	4%	12	4	0	0	60	6	30	LOTS RUBBLE
44.35	47.40	3.05	0.21	7%	26	9	1	0	60	7	60	
47.40	49.07	1.67	0.11	7%	22	13	2	1	60	6	65	SOME RUBBLE
49.07	50.29	1.22	0.00	0%	14	11	1	1	45	6	45	SOME RUBBLE
50.29	51.51	1.22	0.42	34%	12	10	0	0	52	7	100	
51.51	52.73	1.22	0.00	0%	12	10	1	1	60	7	50	SOME RUBBLE
52.73	53.34	0.61	0.00	0%	9	15	2	3	60	6	100	
53.34	54.56	1.22	0.00	0%	26	21	2	2	45	6	100	
54.56	57.00	2.44	0.39	16%	30	12	4	2	60	7	100	
57.00	57.91	0.91	0.00	0%	21	23	2	2	30	6	100	
57.91	59.59	1.68	0.22	13%	15	9	4	2	60	7	100	
59.59	60.81	1.22	0.00	0%	13	11	1	1	60	5	40	SOME RUBBLE
60.81	62.48	1.67	0.13	8%	18	11	2	1	45	6	60	SOME RUBBLE
62.48	63.70	1.22	0.00	0%	23	19	0	0	52	6	50	SOME RUBBLE
63.70	66.14	2.44	0.00	0%	37	15	1	0	60	6	100	LOTS RUBBLE
66.14	67.06	0.92	0.00	0%	26	28	0	0	60	6	60	SOME RUBBLE
67.06	67.51	0.45	0.00	0%	9	20	1	2	60	5	45	ALL RUBBLE
67.51	69.19	1.68	0.22	13%	31	18	0	0	60	6	70	LOTS RUBBLE