825556

LOGISTICAL REPORT

INDUCED POLARIZATION/RESISTIVITY SURVEYS

TESTALINDEN PROPERTY

OSOYOOS AREA, BRITISH COLUMBIA

on behalf of

MINNOVA INC.
4th floor - 311 Water Street
Vancouver, B.C. V6B 1B8

Field work completed: July 22 to 28, 1990

by

Alan Scott, Geophysicist
SCOTT GEOPHYSICS LTD.
4013 West 14th Avenue
Vancouver, B.C. V6R 2X3

August 15, 1990

	section
Logistical report and floppy disk with edited data files (ASCII)	1
Induced Polarization Survey: Data Summaries	2
Induced Polarization Survey: Spectral Analysis Summaries	3
Pseudosections	4
Plan Maps (1st separation)	5
Raw data dumps and receiver notes	6
Vellum copy of pseudosections	map roll
Blackline copies of pseudosections	map roll

blackline copies of pseudos & plan maps sent to Cameron Clayton

TABLE OF CONTENTS

		page
1	Introduction	1
2	Claims Location and Access	1
3	Survey Grid and Survey Coverage	1
4	Personnel	1
5	Instrumentation and Procedures	2
6	Recommendations	2

1. INTRODUCTION

Induced polarization and resistivity surveys were conducted over portions of the Testalinden Property, Osoyoos Area, B.C., within the period July 22 to 28, 1990. The work was conducted by Scott Geophysics Ltd. on behalf of Minnova Inc.

The pole dipole electrode array was used on the induced polarization survey. Readings were taken with an "a" spacing 25 meters and at "n" separations of 1 to 5. The current electrode was located to the east of the potential electrodes on all survey lines.

This report describes the instrumentation and procedures, and presents the results of the surveys.

2. CLAIMS LOCATION AND ACCESS

The Testalinden Property is located on the east flank of Mount Kobau, some 7 kms north of Osoyoos, B.C.

3. SURVEY GRID AND SURVEY COVERAGE

A total of 10.0 line kilometers of induced polarization survey were completed on the survey. Details of lines surveyed are given in the production reports.

4. PERSONNEL

Dominique Berube, geophysicist, was the party chief on the survey, and operated the IPR11 receiver. Cameron Clayton, geologist, was the Minnova representative for the survey.

5. INSTRUMENTATION

A Scintrex IPR11 time domain, microprocessor based receiver, and a Scintrex 2.5 kw IPC7 transmitter were used for the induced polarization survey. Readings were taken using a 2 second alternating square wave. The chargeability for the eighth slice (690 to 1050 milliseconds after shutoff; midpoint at 870 milliseconds) is the value that has been plotted on the accompanying plans and pseudosections.

The survey data was archived, processed, and plotted using a Toshiba T1200 microcomputer running Scintrex Soft II and proprietary software. All chargeability responses were analyzed for their spectral characteristics (cole-cole intrinsic chargeability, time constant, and frequency dependence) using Johnson's curve matching procedure (Scintrex Soft II). In areas of low amplitude chargeability response, the spectral parameters are often relatively poorly defined.

6. RECOMMENDATIONS

A preliminary examination of the results indicates most of the survey area is characterized by high background chargeability response (plus 15 mv/v), with more localized strong responses (plus 30 mv/v).

A detailed interpretation of these results, and correlation to geological and geochemical information, is required before any specific recommendations could be made.

Respectfully Submitted,

Alan Scott, Geophysicist

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. = 100

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
25	1	412.9	1440.6	17.7	533.90	1.00	.10	-2000.00	-2000.000	.62	-2000.00
	2	95.2	996.5	19.6	552.61	30.00	.10	-2000.00	-2000.000	.96	-2000.00
	3	37.5	784.2	26.5	677.78	30.00	.10	-2000.00	-2000.000	.79	-2000.00
	4	13.8	482.9	26.7	293.67	3.00	.30	-2000.00	-2000.000	1.65	-2000.00
	5	5.2	269.7	******	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
50	1	907.2	1424.3	16.4	490.94	10.00	.10	-2000.00	-2000.000	1.42	-2000.00
	2	251.4	1184.1	25.5	417.57	1.00	.20	-2000.00	-2000.000	.67	-2000.00
	3	81.6	767.4	27.8	431.83	10.00	.20	-2000.00	-2000.000	.55	-2000.00
	4	28.0	439.3	28.1	436.13	10.00	.20	-2000.00	-2000.000	1.28	-2000.00
	5	15.1	355.1	******	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
75	1	481.2	604.4	18.2	534.82	100.00	.10	-2000.00	-2000.000	2.06	-2000.00
	2	143.0	538.8	21.7	622.36	.30	.10	-2000.00	-2000.000	3.93	-2000.00
	3	40.9	307.3	25.4	649.13	100.00	.10	-2000.00	-2000.000	.85	-2000.00
	4	20.7	259.5	25.8	150.92	3.00	.50	-2000.00	-2000.000	13.78	-2000.00
	5	11.6	218.4	21.4	462.56	.03	.30	-2000.00	-2000.000	16.23	-2000.00
100	1	674.5	814.6	16.0	488.73	3.00	.10	-2000.00	-2000.000	.78	-2000.00
	2	104.8	379.7	22.6	606.07	100.00	.10	-2000.00	-2000.000	.64	-2000.00
	3	42.3	305.9	20.3	563.69	100.00	.10	-2000.00	-2000.000	.95	-2000.00
	4	19.3	233.6	23.8	627.82	100.00	.10	-2000.00	-2000.000	1.80	-2000.00
	5	27.9	505.4	26.6	648.84	100.00	.10	-2000.00	-2000.000	9.34	-2000.00
125	1	858.1	816.5	19.9	565.92	10.00	.10	-2000.00	-2000.000	.80	-2000.00
	2	189.3	540.4	15.7	479.54	10.00	.10	-2000.00	-2000.000	.87	-2000.00
	3	59.6	339.4	21.1	347.12	10.00	.20	-2000.00	-2000.000	1.21	-2000.00
	4	63.6	605.4	21.5	351.26	10.00	.20	-2000.00	-2000.000	1.30	-2000.00
	5	23.5	335.3	13.2	543.92	.01	.10	-2000.00	-2000.000	16.55	-2000.00
150	1	563.6	983.2	16.7	505.13	3.00	.10	-2000.00	-2000.000	.89	-2000.00
	2	104.9	549.0	20.8	573.42	100.00	.10	-2000.00	-2000.000	.62	-2000.00
	3	85.0	888.2	20.5	568.30	100.00	.10	-2000.00	-2000.000	.64	-2000.00
	4	27.0	471.5	13.1	98.57	1.00	.50	-2000.00	-2000.000	4.80	-2000.00
	5	16.2	424.2	22.7	319.83	100.00	.30	-2000.00	-2000.000	12.12	-2000.00
175	1	834.0	1007.2	17.3	526.02	1.00	.10	-2000.00	-2000.000	.80	-2000.00
	2	365.9	1325.7	20.4	569.69	30.00	.10	-2000.00	-2000.000	.63	-2000.00
	3	85.4	617.4	14.8	455.51	30.00	.10	-2000.00	-2000.000	.62	-2000.00
	4	41.3	498.3	19.2	543.39	100.00	.10	-2000.00	-2000.000	1.76	-2000.00
	5	62.9	1138.7	12.6	294.00	.03	.70	-2000.00	-2000.000	93.56	-2000.00
200	1	969.7	1522.4	18.2	544.75	1.00	.10	-2000.00	-2000.000	.88	-2000.00
	2	149.7	705.1	14.8	454.34	30.00	.10	-2000.00	-2000.000	.53	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	57.4	539.2	19.0	539.66	100.00	.10	-2000.00	-2000.000	1.10	-2000.00
	4	75.9	1192.3	15.6	474.62	10.00	.10	-2000.00	-2000.000	.69	-2000.00
	5	29.7	699.7	19.0	623.93	.01	.10	-2000.00	-2000.000	1.03	-2000.00
225	1	557.2	624.9	14.0	446.44	1.00	.10	-2000.00	-2000.000	.80	-2000.00
	2	160.2	539.0	19.0	541.40	100.00	.10	-2000.00	-2000.000	.76	-2000.00
	3	165.2	1109.2	16.6	493.59	30.00	.10	-2000.00	-2000.000	.77	-2000.00
	4	57.9	649.0	20.4	574.50	10.00	.10	-2000.00	-2000.000	.77	-2000.00
	5	26.7	449.3	22.0	597.61	100.00	.10	-2000.00	-2000.000	1.05	-2000.00
250	1	440.7	659.0	16.8	496.97	100.00	.10	-2000.00	-2000.000	1.58	-2000.00
	2	310.8	1394.2	17.1	503.64	100.00	.10	-2000.00	-2000.000	.55	-2000.00
	3	87.3	781.4	21.1	580.69	100.00	.10	-2000.00	-2000.000	.44	-2000.00
	4	33.8	505.2	22.2	361.35	10.00	.20	-2000.00	-2000.000	.70	-2000.00
	5	24.5	549.1	25.1	632.04	100.00	.10	-2000.00	-2000.000	1.97	-2000.00
275	1	626.5	819.7	18.1	525.68	30.00	.10	-2000.00	-2000.000	.85	-2000.00
	2	147.6	579.3	21.6	591.77	30.00	.10	-2000.00	-2000.000	.69	-2000.00
	3	50.7	397.1	22.0	359.52	10.00	.20	-2000.00	-2000.000	.95	-2000.00
	4	33.5	438.4	24.3	390.37	10.00	.20	-2000.00	-2000.000	1.30	-2000.00
	5	35.8	702.4	20.5	577.53	10.00	.10	-2000.00	-2000.000	1.17	-2000.00
300	1	482.5	631.3	23.7	645.76	3.00	.10	-2000.00	-2000.000	.90	-2000.00
	2	116.1	455.7	22.8	369.76	10.00	.20	-2000.00	-2000.000	1.05	-2000.00
	3	56.5	442.6	25.3	401.25	10.00	.20	-2000.00	-2000.000	.99	-2000.00
	4	45.2	591.5	20.8	347.69	10.00	.20	-2000.00	-2000.000	1.26	-2000.00
	5	21.5	421.0	18.2	516.69	100.00	.10	-2000.00	-2000.000	2.79	-2000.00
325	1	544.1	854.2	20.7	581.89	10.00	.10	-2000.00	-2000.000	.82	-2000.00
	2	189.1	890.7	23.1	618.81	30.00	.10	-2000.00	-2000.000	.63	-2000.00
	3	95.6	898.3	19.0	541.21	100.00	.10	-2000.00	-2000.000	.68	-2000.00
	4	32.8	514.6	16.6	498.34	10.00	.10	-2000.00	-2000.000	.97	-2000.00
	5	18.7	439.4	17.5	517.85	100.00	.10	-2000.00	-2000.000	1.79	-2000.00
350	1	537.2	602.4	21.8	635.40	.30	.10	-2000.00	-2000.000	1.71	-2000.00
	2	274.9	924.8	19.5	550.04	100.00	.10	-2000.00	-2000.000	.67	-2000.00
	3	69.3	465.3	18.1	305.98	3.00	.20	-2000.00	-2000.000	.22	-2000.00
	4	35.0	392.6	17.9	521.82	30.00	.10	-2000.00	-2000.000	.27	-2000.00
	5	27.5	462.3	15.6	471.89	10.00	.10	-2000.00	-2000.000	.46	-2000.00
375	1	724.0	757.8	23.1	617.89	30.00	.10	-2000.00	-2000.000	.99	-2000.00
	2	134.9	423.6	21.9	355.21	3.00	.20	-2000.00	-2000.000	.52	-2000.00
	3	57.5	360.6	20.9	577.84	100.00	.10	-2000.00	-2000.000	.61	-2000.00
	4	39.5	413.3	17.7	518.55	10.00	.10	-2000.00	-2000.000	.57	-2000.00
	5	24.9	391.2	19.8	559.34	100.00	.10	-2000.00	-2000.000	.64	-2000.00
400	1	114.5	239.7	20.2	581.53	1.00	.10	-2000.00	-2000.000	1.27	-2000.00
	2	48.5	304.9	20.5	573.24	30.00	.10	-2000.00	-2000.000	.70	-2000.00
	3	27.5	345.2	18.8	537.99	30.00	.10	-2000.00	-2000.000	.67	-2000.00
	4	15.6	327.4	20.9	577.31	100.00	.10	-2000.00	-2000.000	.61	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
					Cole-Cole Parameters						
	5	14.9	467.5	22.1	598.71	100.00	.10	-2000.00	-2000.000	.78	-2000.00
425	1	222.6	303.9	15.1	205.34	100.00	.20	-2000.00	-2000.000	29.08	-2000.00
	2	105.9	433.7	16.9	499.77	100.00	.10	-2000.00	-2000.000	.36	-2000.00
	3	50.5	412.9	19.8	556.16	100.00	.10	-2000.00	-2000.000	.76	-2000.00
	4	41.8	570.0	21.7	353.10	3.00	.20	-2000.00	-2000.000	.69	-2000.00
	5	41.6	851.1	20.4	334.91	3.00	.20	-2000.00	-2000.000	1.12	-2000.00
450	1	176.6	346.6	11.7	404.56	.10	.10	-2000.00	-2000.000	.92	-2000.00
	2	58.5	344.1	16.0	483.47	10.00	.10	-2000.00	-2000.000	.90	-2000.00
	3	46.0	540.4	19.3	550.67	30.00	.10	-2000.00	-2000.000	.75	-2000.00
	4	35.3	692.0	18.7	537.59	30.00	.10	-2000.00	-2000.000	.88	-2000.00
	5	23.0	677.4	24.1	639.86	10.00	.10	-2000.00	-2000.000	.85	-2000.00
475	1	95.1	142.2	15.7	488.62	1.00	.10	-2000.00	-2000.000	.85	-2000.00
	2	91.3	409.3	17.0	508.22	3.00	.10	-2000.00	-2000.000	.72	-2000.00
	3	51.6	461.6	21.2	583.56	30.00	.10	-2000.00	-2000.000	.79	-2000.00
	4	22.5	336.3	23.9	639.71	10.00	.10	-2000.00	-2000.000	.77	-2000.00
	5	10.0	224.0	22.9	622.35	10.00	.10	-2000.00	-2000.000	1.10	-2000.00
500	1	431.5	301.1	13.2	428.76	1.00	.10	-2000.00	-2000.000	.92	-2000.00
	2	175.5	367.4	19.3	554.00	10.00	.10	-2000.00	-2000.000	.76	-2000.00
	3	75.0	313.3	22.6	609.65	30.00	.10	-2000.00	-2000.000	.64	-2000.00
	4	28.3	197.2	22.2	600.61	100.00	.10	-2000.00	-2000.000	.76	-2000.00
	5	31.0	324.4	21.3	613.34	1.00	.10	-2000.00	-2000.000	3.10	-2000.00
525	1	313.9	229.2	20.1	569.45	10.00	.10	-2000.00	-2000.000	.72	-2000.00
	2	88.8	194.6	23.0	617.53	30.00	.10	-2000.00	-2000.000	.88	-2000.00
	3	40.6	177.6	22.3	599.75	100.00	.10	-2000.00	-2000.000	.86	-2000.00
	4	35.5	259.2	23.7	146.48	.30	.70	-2000.00	-2000.000	20.75	-2000.00
	5	35.0	383.3	19.2	252.33	30.00	.40	-2000.00	-2000.000	15.14	-2000.00
550	1	170.7	105.1	22.0	606.93	10.00	.10	-2000.00	-2000.000	.91	-2000.00
	2	65.2	120.4	22.1	415.31	.10	.20	-2000.00	-2000.000	6.53	-2000.00
	3	64.7	238.4	20.6	182.16	3.00	.40	-2000.00	-2000.000	2.80	-2000.00
	4	53.7	330.9	21.5	187.33	3.00	.40	-2000.00	-2000.000	2.10	-2000.00
	5	25.1	231.4	30.7	363.42	30.00	.30	-2000.00	-2000.000	10.05	-2000.00
575	1	167.7	219.4	11.3	373.10	3.00	.10	-2000.00	-2000.000	.87	-2000.00
	2	104.9	411.7	14.3	456.69	1.00	.10	-2000.00	-2000.000	1.04	-2000.00
	3	54.9	429.8	15.8	476.61	100.00	.10	-2000.00	-2000.000	.95	-2000.00
	4	30.1	393.8	21.3	609.18	1.00	.10	-2000.00	-2000.000	3.63	-2000.00
	5	26.1	511.6	18.2	211.19	3.00	.30	-2000.00	-2000.000	3.89	-2000.00
600	1	496.4	389.7	9.2	208.58	.03	.20	-2000.00	-2000.000	3.13	-2000.00
	2	249.0	586.4	11.5	376.25	100.00	.10	-2000.00	-2000.000	.72	-2000.00
	3	117.0	549.9	18.5	531.55	30.00	.10	-2000.00	-2000.000	.66	-2000.00
	4	87.8	689.4	14.2	439.63	100.00	.10	-2000.00	-2000.000	.87	-2000.00
	5	65.7	773.1	14.2	256.95	10.00	.20	-2000.00	-2000.000	6.38	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
625	1	551.5	558.6	5.8	142.70	.01	.30	-2000.00	-2000.000	27.74	-2000.00
	2	261.7	795.2	15.6	472.03	100.00	.10	-2000.00	-2000.000	.31	-2000.00
	3	156.2	947.3	12.4	222.24	10.00	.20	-2000.00	-2000.000	.66	-2000.00
	4	101.9	1032.1	12.5	219.92	3.00	.20	-2000.00	-2000.000	1.23	-2000.00
	5	58.9	894.3	14.3	96.78	1.00	.50	-2000.00	-2000.000	3.81	-2000.00
650	1	1290.0	1157.3	13.2	461.33	.03	.10	-2000.00	-2000.000	.97	-2000.00
	2	464.4	1249.9	12.4	422.17	.10	.10	-2000.00	-2000.000	.55	-2000.00
	3	249.7	1341.2	11.9	394.10	1.00	.10	-2000.00	-2000.000	.59	-2000.00
	4	125.2	1123.2	12.7	419.60	1.00	.10	-2000.00	-2000.000	1.35	-2000.00
	5	56.0	753.1	13.6	134.82	.30	.40	-2000.00	-2000.000	14.44	-2000.00
675	1	1098.0	1499.0	11.7	430.09	.01	.10	-2000.00	-2000.000	1.22	-2000.00
	2	417.6	1710.3	9.9	337.66	1.00	.10	-2000.00	-2000.000	1.13	-2000.00
	3	178.4	1458.2	11.0	199.10	10.00	.20	-2000.00	-2000.000	10.20	-2000.00
	4	74.6	1018.2	10.4	133.10	.30	.30	-2000.00	-2000.000	5.16	-2000.00
	5	53.5	1095.8	10.2	224.58	100.00	.20	-2000.00	-2000.000	8.18	-2000.00
700	1	2009.0	1538.6	11.2	391.58	.10	.10	-2000.00	-2000.000	1.01	-2000.00
	2	626.5	1439.4	12.3	422.62	.10	.10	-2000.00	-2000.000	.99	-2000.00
	3	240.5	1102.8	11.3	371.48	10.00	.10	-2000.00	-2000.000	.98	-2000.00
	4	154.3	1181.7	11.7	389.09	1.00	.10	-2000.00	-2000.000	.82	-2000.00
	5	104.0	1194.7	13.9	436.98	.03	.10	-2000.00	-2000.000	6.88	-2000.00
725	1	1562.0	1167.8	10.6	397.06	.01	.10	-2000.00	-2000.000	1.39	-2000.00
	2	513.8	1152.4	10.1	358.08	.10	.10	-2000.00	-2000.000	1.06	-2000.00
	3	290.1	1298.5	10.7	375.01	.10	.10	-2000.00	-2000.000	.67	-2000.00
	4	221.0	1652.2	11.2	384.44	1.00	.10	-2000.00	-2000.000	1.81	-2000.00
	5	98.7	1106.7	12.3	238.74	100.00	.20	-2000.00	-2000.000	12.72	-2000.00
750	1	474.4	744.8	7.7	55.90	3.00	.50	-2000.00	-2000.000	3.32	-2000.00
	2	433.6	2042.3	8.6	167.43	.03	.30	-2000.00	-2000.000	4.75	-2000.00
	3	185.2	1740.9	10.3	387.41	.01	.10	-2000.00	-2000.000	1.02	-2000.00
	4	82.9	1302.2	12.0	148.12	.30	.30	-2000.00	-2000.000	7.81	-2000.00
	5	50.2	1182.7	18.2	254.74	100.00	.40	-2000.00	-2000.000	38.14	-2000.00
775	1	950.6	1194.0	4.8	88.20	.03	.30	-2000.00	-2000.000	8.41	-2000.00
	2	590.5	2225.0	6.8	155.17	.03	.20	-2000.00	-2000.000	1.34	-2000.00
	3	212.8	1600.3	8.0	291.50	.10	.10	-2000.00	-2000.000	1.18	-2000.00
	4	117.1	1470.8	9.4	325.13	1.00	.10	-2000.00	-2000.000	2.00	-2000.00
	5	69.2	1303.9	11.3	207.12	100.00	.30	-2000.00	-2000.000	20.70	-2000.00
800	1	2224.0	1995.2	5.2	122.19	.03	.20	-2000.00	-2000.000	2.45	-2000.00
	2	636.5	1713.1	6.1	141.09	.03	.20	-2000.00	-2000.000	2.03	-2000.00
	3	305.8	1642.6	7.5	292.24	.01	.10	-2000.00	-2000.000	.60	-2000.00
	4	153.1	1373.5	8.7	320.78	.10	.10	-2000.00	-2000.000	4.10	-2000.00
	5	82.4	1108.9	13.6	97.73	1.00	.50	-2000.00	-2000.000	4.53	-2000.00
825	1	650.6	817.2	2.1	12.43	3.00	.60	-2000.00	-2000.000	11.57	-2000.00
	2	533.6	2010.6	7.6	146.46	.03	.30	-2000.00	-2000.000	5.90	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	493.0	3707.4	8.4	192.10	.03	.20	-2000.00	-2000.000	2.77	-2000.00
	4	98.8	1241.3	9.5	333.71	.30	.10	-2000.00	-2000.000	1.38	-2000.00
	5	52.5	988.3	13.9	94.86	1.00	.50	-2000.00	-2000.000	3.55	-2000.00
850	1	829.1	964.2	4.4	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	2	815.4	2844.8	3.8	40.19	.30	.60	-2000.00	-2000.000	62.00	-2000.00
	3	217.8	1516.5	7.1	268.67	.10	.10	-2000.00	-2000.000	3.09	-2000.00
	4	85.2	990.5	10.8	381.56	.03	.10	-2000.00	-2000.000	1.90	-2000.00
875	1	84.9	296.3	******	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	2	107.4	1124.1	5.3	211.10	.01	.10	-2000.00	-2000.000	3.82	-2000.00
	3	35.9	749.3	8.7	310.46	1.00	.10	-2000.00	-2000.000	1.59	-2000.00
900	1	366.3	1150.2	4.6	98.92	.10	.20	-2000.00	-2000.000	1.54	-2000.00
	2	87.8	827.4	7.3	153.04	.10	.20	-2000.00	-2000.000	2.38	-2000.00
925	1	991.2	798.0	5.4	115.66	.10	.20	-2000.00	-2000.000	1.45	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. = 200

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
25	1	90.7	123.7	31.6	472.32	10.00	.20	-2000.00	-2000.000	1.11	-2000.00
	2	93.7	383.9	19.6	560.09	10.00	.10	-2000.00	-2000.000	.55	-2000.00
	3	56.6	462.0	24.3	636.44	100.00	.10	-2000.00	-2000.000	.51	-2000.00
	4	16.9	230.0	24.3	635.64	100.00	.10	-2000.00	-2000.000	.48	-2000.00
	5	9.6	195.8	24.6	638.17	100.00	.10	-2000.00	-2000.000	.68	-2000.00
50	1	287.2	429.0	17.4	526.05	1.00	.10	-2000.00	-2000.000	.65	-2000.00
	2	104.2	467.0	21.3	591.83	10.00	.10	-2000.00	-2000.000	.53	-2000.00
	3	29.0	259.0	22.0	596.81	100.00	.10	-2000.00	-2000.000	.53	-2000.00
	4	15.8	235.0	20.3	669.34	.01	.10	-2000.00	-2000.000	2.00	-2000.00
	5	10.8	241.0	23.9	386.63	30.00	.20	-2000.00	-2000.000	3.44	-2000.00
75	1	572.1	544.0	23.7	624.74	100.00	.10	-2000.00	-2000.000	.70	-2000.00
	2	89.8	256.2	25.4	651.09	100.00	.10	-2000.00	-2000.000	.70	-2000.00
	3	43.0	244.0	24.6	638.51	100.00	.10	-2000.00	-2000.000	.74	-2000.00
	4	27.9	265.0	21.4	221.14	.30	.40	-2000.00	-2000.000	4.45	-2000.00
	5	24.9	355.0	24.2	405.36	100.00	.20	-2000.00	-2000.000	4.51	-2000.00
100	1	461.2	344.0	21.7	594.60	30.00	.10	-2000.00	-2000.000	.63	-2000.00
	2	103.7	232.0	21.2	582.95	100.00	.10	-2000.00	-2000.000	.62	-2000.00
	3	62.3	278.0	24.0	632.92	30.00	.10	-2000.00	-2000.000	.40	-2000.00
	4	48.1	359.0	19.3	612.05	.03	.10	-2000.00	-2000.000	.78	-2000.00
	5	40.2	451.0	22.2	365.17	10.00	.20	-2000.00	-2000.000	1.70	-2000.00
125	1	707.0	716.0	10.0	346.07	.30	.10	-2000.00	-2000.000	.95	-2000.00
	2	136.5	414.0	18.2	546.05	1.00	.10	-2000.00	-2000.000	.57	-2000.00
	3	54.5	330.0	19.4	562.79	3.00	.10	-2000.00	-2000.000	.71	-2000.00
	4	39.9	404.0	22.6	602.75	100.00	.10	-2000.00	-2000.000	.90	-2000.00
	5	29.8	452.0	19.9	571.32	10.00	.10	-2000.00	-2000.000	1.03	-2000.00
150	1	2145.0	2320.0	9.2	331.60	.10	.10	-2000.00	-2000.000	1.22	-2000.00
	2	193.4	628.0	15.8	481.43	10.00	.10	-2000.00	-2000.000	.87	-2000.00
	3	71.2	461.0	21.2	581.57	100.00	.10	-2000.00	-2000.000	.83	-2000.00
	4	41.4	448.0	18.9	542.28	30.00	.10	-2000.00	-2000.000	.79	-2000.00
	5	36.3	589.0	20.4	570.39	100.00	.10	-2000.00	-2000.000	1.76	-2000.00
175	1	484.3	760.0	13.9	267.44	100.00	.20	-2000.00	-2000.000	2.42	-2000.00
	2	109.7	516.0	10.9	89.99	.30	.70	-2000.00	-2000.000	8.35	-2000.00
	3	49.8	468.0	17.4	508.69	100.00	.10	-2000.00	-2000.000	.67	-2000.00
	4	32.7	513.0	19.8	558.27	100.00	.10	-2000.00	-2000.000	.68	-2000.00
	5	27.9	657.0	18.8	536.57	30.00	.10	-2000.00	-2000.000	4.93	-2000.00
200	1	527.1	551.0	18.6	534.72	100.00	.10	-2000.00	-2000.000	.72	-2000.00
	2	160.2	503.0	15.0	460.23	10.00	.10	-2000.00	-2000.000	.71	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
					Cole-Cole Parameters						
	3	68.6	429.0	20.3	565.17	100.00	.10	-2000.00	-2000.000	.68	-2000.00
	4	48.7	509.0	17.6	517.57	10.00	.10	-2000.00	-2000.000	.81	-2000.00
	5	53.3	836.0	12.5	454.42	.01	.10	-2000.00	-2000.000	.81	-2000.00
225	1	624.0	632.0	17.5	540.00	.30	.10	-2000.00	-2000.000	.66	-2000.00
	2	146.1	443.0	22.3	601.94	100.00	.10	-2000.00	-2000.000	.61	-2000.00
	3	61.2	370.0	18.8	542.35	10.00	.10	-2000.00	-2000.000	.61	-2000.00
	4	59.8	605.0	13.7	440.58	1.00	.10	-2000.00	-2000.000	.72	-2000.00
	5	29.7	451.0	18.2	324.08	.30	.20	-2000.00	-2000.000	1.47	-2000.00
250	1	288.8	335.0	30.1	455.20	10.00	.20	-2000.00	-2000.000	.95	-2000.00
	2	72.6	253.3	22.1	598.32	100.00	.10	-2000.00	-2000.000	.92	-2000.00
	3	61.8	429.0	15.3	467.32	30.00	.10	-2000.00	-2000.000	.86	-2000.00
	4	28.4	330.0	19.6	556.25	30.00	.10	-2000.00	-2000.000	1.18	-2000.00
	5	8.4	147.3	34.9	394.09	30.00	.30	-2000.00	-2000.000	2.80	-2000.00
275	1	202.5	181.0	27.6	427.32	10.00	.20	-2000.00	-2000.000	.96	-2000.00
	2	120.8	325.0	17.9	522.53	100.00	.10	-2000.00	-2000.000	.93	-2000.00
	3	46.4	249.0	21.4	607.94	1.00	.10	-2000.00	-2000.000	1.12	-2000.00
	4	13.6	122.0	30.4	722.40	100.00	.10	-2000.00	-2000.000	.75	-2000.00
	5	11.9	159.0	29.7	477.75	100.00	.20	-2000.00	-2000.000	4.30	-2000.00
300	1	254.1	221.0	21.5	586.38	30.00	.10	-2000.00	-2000.000	.67	-2000.00
	2	83.3	217.8	24.0	392.01	10.00	.20	-2000.00	-2000.000	1.92	-2000.00
	3	23.1	120.0	33.5	484.70	10.00	.20	-2000.00	-2000.000	.92	-2000.00
	4	18.6	162.0	29.9	452.46	10.00	.20	-2000.00	-2000.000	.84	-2000.00
	5	11.8	154.0	28.9	714.87	10.00	.10	-2000.00	-2000.000	.92	-2000.00
325	1	326.2	284.0	15.5	493.94	.30	.10	-2000.00	-2000.000	.67	-2000.00
	2	53.9	141.0	25.2	395.45	10.00	.20	-2000.00	-2000.000	1.27	-2000.00
	3	44.3	231.0	20.1	334.65	10.00	.20	-2000.00	-2000.000	1.15	-2000.00
	4	22.1	192.0	18.5	542.32	100.00	.10	-2000.00	-2000.000	2.24	-2000.00
	5	26.0	339.0	10.8	200.65	30.00	.20	-2000.00	-2000.000	2.64	-2000.00
350	1	134.9	169.0	25.2	398.16	10.00	.20	-2000.00	-2000.000	1.24	-2000.00
	2	100.3	377.0	17.2	298.00	1.00	.20	-2000.00	-2000.000	.48	-2000.00
	3	46.7	351.0	15.7	474.48	30.00	.10	-2000.00	-2000.000	.75	-2000.00
	4	48.4	607.0	4.4	70.80	.10	.30	-2000.00	-2000.000	1.56	-2000.00
	5	27.2	512.0	7.3	280.70	.10	.10	-2000.00	-2000.000	3.06	-2000.00
375	1	406.2	327.0	22.4	602.00	100.00	.10	-2000.00	-2000.000	.90	-2000.00
	2	173.8	419.0	18.2	527.41	30.00	.10	-2000.00	-2000.000	.71	-2000.00
	3	167.5	800.0	4.9	92.44	.03	.30	-2000.00	-2000.000	2.20	-2000.00
	4	79.2	637.0	6.5	138.17	.10	.20	-2000.00	-2000.000	1.16	-2000.00
	5	59.2	714.0	7.7	71.41	.30	.50	-2000.00	-2000.000	2.02	-2000.00
400	1	395.1	413.0	21.2	581.16	100.00	.10	-2000.00	-2000.000	1.14	-2000.00
	2	232.2	729.0	10.2	385.84	.01	.10	-2000.00	-2000.000	.94	-2000.00
	3	93.5	585.0	10.4	366.81	.10	.10	-2000.00	-2000.000	.63	-2000.00
	4	66.0	690.0	11.6	385.72	1.00	.10	-2000.00	-2000.000	1.46	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	29.6	465.0	18.1	314.27	10.00	.20	-2000.00	-2000.000	3.19	-2000.00
425	1	461.4	426.0	15.4	480.46	1.00	.10	-2000.00	-2000.000	.80	-2000.00
	2	167.7	464.0	15.1	462.25	30.00	.10	-2000.00	-2000.000	.71	-2000.00
	3	92.9	513.0	13.2	420.95	3.00	.10	-2000.00	-2000.000	.69	-2000.00
	4	41.7	385.0	20.1	561.78	100.00	.10	-2000.00	-2000.000	.97	-2000.00
	5	35.0	485.0	22.7	377.16	30.00	.20	-2000.00	-2000.000	2.10	-2000.00
450	1	358.1	351.0	20.6	570.99	100.00	.10	-2000.00	-2000.000	.73	-2000.00
	2	164.6	484.0	17.0	500.91	100.00	.10	-2000.00	-2000.000	1.19	-2000.00
	3	65.3	383.0	21.8	593.69	30.00	.10	-2000.00	-2000.000	.46	-2000.00
	4	37.9	371.0	24.6	412.29	100.00	.20	-2000.00	-2000.000	1.67	-2000.00
	5	23.3	343.0	18.4	240.41	.30	.30	-2000.00	-2000.000	.72	-2000.00
475	1	412.5	417.0	15.4	481.10	1.00	.10	-2000.00	-2000.000	.86	-2000.00
	2	185.0	562.0	18.5	534.47	30.00	.10	-2000.00	-2000.000	.85	-2000.00
	3	71.4	432.0	18.3	313.31	1.00	.20	-2000.00	-2000.000	1.29	-2000.00
	4	32.9	333.0	19.0	330.01	30.00	.20	-2000.00	-2000.000	3.59	-2000.00
	5	11.4	173.0	24.2	329.62	100.00	.40	-2000.00	-2000.000	8.15	-2000.00
500	1	258.8	300.0	17.3	509.01	30.00	.10	-2000.00	-2000.000	.71	-2000.00
	2	73.6	256.7	15.6	472.64	30.00	.10	-2000.00	-2000.000	.72	-2000.00
	3	24.0	167.0	18.8	533.60	100.00	.10	-2000.00	-2000.000	.84	-2000.00
	4	8.3	97.0	20.4	583.46	30.00	.10	-2000.00	-2000.000	2.19	-2000.00
	5	10.5	182.0	16.5	130.12	.30	.60	-2000.00	-2000.000	5.75	-2000.00
525	1	128.7	144.0	16.1	483.02	30.00	.10	-2000.00	-2000.000	.80	-2000.00
	2	30.1	101.2	16.7	498.72	10.00	.10	-2000.00	-2000.000	.59	-2000.00
	3	12.9	86.0	22.6	389.07	100.00	.20	-2000.00	-2000.000	2.30	-2000.00
	4	15.7	176.0	23.3	368.57	10.00	.20	-2000.00	-2000.000	1.47	-2000.00
	5	15.9	267.0	18.9	548.94	30.00	.10	-2000.00	-2000.000	1.43	-2000.00
550	1	427.6	516.0	15.9	480.74	10.00	.10	-2000.00	-2000.000	.78	-2000.00
	2	111.7	404.0	22.9	609.14	100.00	.10	-2000.00	-2000.000	.86	-2000.00
	3	118.4	850.0	25.8	406.75	10.00	.20	-2000.00	-2000.000	.96	-2000.00
	4	59.4	717.0	24.3	386.41	10.00	.20	-2000.00	-2000.000	.97	-2000.00
	5	29.4	532.0	23.4	619.72	100.00	.10	-2000.00	-2000.000	.83	-2000.00
575	1	558.3	604.0	19.0	542.96	30.00	.10	-2000.00	-2000.000	.72	-2000.00
	2	425.6	1382.0	23.8	626.87	100.00	.10	-2000.00	-2000.000	.87	-2000.00
	3	186.7	1210.0	24.2	388.20	10.00	.20	-2000.00	-2000.000	1.41	-2000.00
	4	69.9	756.0	23.2	619.93	100.00	.10	-2000.00	-2000.000	.78	-2000.00
	5	29.5	478.0	22.7	370.09	10.00	.20	-2000.00	-2000.000	1.42	-2000.00
600	1	1375.0	1430.0	15.8	479.92	10.00	.10	-2000.00	-2000.000	.84	-2000.00
	2	448.9	1409.0	20.3	566.52	100.00	.10	-2000.00	-2000.000	1.07	-2000.00
	3	135.7	850.0	22.1	596.73	100.00	.10	-2000.00	-2000.000	.55	-2000.00
	4	50.1	524.0	21.4	585.28	100.00	.10	-2000.00	-2000.000	.68	-2000.00
	5	42.4	665.0	18.4	529.73	30.00	.10	-2000.00	-2000.000	.80	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
625	1	1786.0	1800.0	11.7	380.68	10.00	.10	-2000.00	-2000.000	1.01	-2000.00
	2	348.5	1058.0	17.3	507.36	100.00	.10	-2000.00	-2000.000	.87	-2000.00
	3	106.0	640.0	18.4	530.07	100.00	.10	-2000.00	-2000.000	.97	-2000.00
	4	75.4	763.0	16.2	484.12	100.00	.10	-2000.00	-2000.000	.85	-2000.00
	5	32.4	492.0	16.2	484.18	10.00	.10	-2000.00	-2000.000	.79	-2000.00
650	1	1151.0	1440.0	12.6	411.66	1.00	.10	-2000.00	-2000.000	.93	-2000.00
	2	236.0	889.0	15.1	460.15	30.00	.10	-2000.00	-2000.000	.73	-2000.00
	3	141.1	1060.0	13.9	432.59	10.00	.10	-2000.00	-2000.000	.61	-2000.00
	4	53.2	667.0	14.0	437.12	100.00	.10	-2000.00	-2000.000	.89	-2000.00
	5	34.0	639.0	13.8	463.40	1.00	.10	-2000.00	-2000.000	4.23	-2000.00
675	1	1056.0	1220.0	12.5	441.11	.03	.10	-2000.00	-2000.000	.87	-2000.00
	2	415.9	1451.0	12.7	424.85	.30	.10	-2000.00	-2000.000	.71	-2000.00
	3	130.3	900.0	13.8	432.99	10.00	.10	-2000.00	-2000.000	.87	-2000.00
	4	72.3	840.0	14.0	445.66	1.00	.10	-2000.00	-2000.000	1.17	-2000.00
	5	52.3	912.0	15.0	470.56	3.00	.10	-2000.00	-2000.000	1.72	-2000.00
700	1	1169.0	960.0	9.7	354.69	.03	.10	-2000.00	-2000.000	.76	-2000.00
	2	295.4	732.0	12.2	395.04	3.00	.10	-2000.00	-2000.000	.77	-2000.00
	3	146.7	720.0	13.3	430.53	1.00	.10	-2000.00	-2000.000	.80	-2000.00
	4	96.3	795.0	15.1	459.79	10.00	.10	-2000.00	-2000.000	1.10	-2000.00
	5	66.7	826.0	15.7	114.97	1.00	.50	-2000.00	-2000.000	6.15	-2000.00
725	1	579.6	587.0	8.0	310.30	.01	.10	-2000.00	-2000.000	.93	-2000.00
	2	232.6	706.0	10.9	391.65	.03	.10	-2000.00	-2000.000	1.08	-2000.00
	3	137.6	830.0	13.2	446.66	.10	.10	-2000.00	-2000.000	.72	-2000.00
	4	89.4	905.0	15.8	489.92	3.00	.10	-2000.00	-2000.000	2.40	-2000.00
	5	67.8	1030.0	18.6	329.13	.30	.20	-2000.00	-2000.000	1.32	-2000.00
750	1	813.3	729.0	5.2	121.24	.03	.20	-2000.00	-2000.000	1.82	-2000.00
	2	292.0	785.0	9.0	344.01	.01	.10	-2000.00	-2000.000	1.08	-2000.00
	3	159.5	850.0	12.6	251.78	.10	.20	-2000.00	-2000.000	1.12	-2000.00
	4	108.8	970.0	16.1	508.96	.30	.10	-2000.00	-2000.000	.98	-2000.00
	5	52.9	712.0	21.6	592.32	10.00	.10	-2000.00	-2000.000	.90	-2000.00
775	1	705.6	714.0	4.5	103.13	.03	.20	-2000.00	-2000.000	1.44	-2000.00
	2	265.6	807.0	8.4	330.62	.01	.10	-2000.00	-2000.000	1.71	-2000.00
	3	153.7	930.0	12.7	422.49	.30	.10	-2000.00	-2000.000	.90	-2000.00
	4	63.8	646.0	18.8	544.71	10.00	.10	-2000.00	-2000.000	.95	-2000.00
	5	51.0	775.0	17.6	520.16	30.00	.10	-2000.00	-2000.000	1.01	-2000.00
800	1	542.0	567.0	5.6	130.94	.03	.20	-2000.00	-2000.000	.92	-2000.00
	2	264.9	831.0	9.3	353.73	.01	.10	-2000.00	-2000.000	1.24	-2000.00
	3	89.9	563.0	16.2	488.20	10.00	.10	-2000.00	-2000.000	.84	-2000.00
	4	62.5	654.0	16.1	486.63	10.00	.10	-2000.00	-2000.000	.56	-2000.00
	5	47.4	743.0	14.4	448.22	100.00	.10	-2000.00	-2000.000	1.63	-2000.00
825	1	1035.0	1010.0	5.8	124.43	.10	.20	-2000.00	-2000.000	1.95	-2000.00
	2	218.7	643.0	12.0	396.32	1.00	.10	-2000.00	-2000.000	.94	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	112.7	660.0	14.3	442.99	100.00	.10	-2000.00	-2000.000	.80	-2000.00
	4	73.4	720.0	12.2	395.17	10.00	.10	-2000.00	-2000.000	.87	-2000.00
	5	54.7	804.0	12.7	410.44	100.00	.10	-2000.00	-2000.000	1.64	-2000.00
850	1	702.3	958.0	8.2	172.52	.10	.20	-2000.00	-2000.000	1.55	-2000.00
	2	205.5	841.0	13.1	424.55	1.00	.10	-2000.00	-2000.000	.78	-2000.00
	3	107.0	870.0	12.3	403.91	1.00	.10	-2000.00	-2000.000	.71	-2000.00
	4	69.0	942.0	12.7	405.06	10.00	.10	-2000.00	-2000.000	.65	-2000.00
	5	42.7	873.0	12.2	413.73	.10	.10	-2000.00	-2000.000	.82	-2000.00
875	1	978.0	990.0	11.0	397.25	.03	.10	-2000.00	-2000.000	.96	-2000.00
	2	334.7	1017.0	12.6	412.31	1.00	.10	-2000.00	-2000.000	.87	-2000.00
	3	171.0	1030.0	13.6	427.35	10.00	.10	-2000.00	-2000.000	.86	-2000.00
	4	89.4	905.0	12.8	420.51	100.00	.10	-2000.00	-2000.000	6.05	-2000.00
	5	45.9	697.0	12.3	391.25	30.00	.10	-2000.00	-2000.000	2.23	-2000.00
900	1	1057.0	1180.0	10.0	377.30	.01	.10	-2000.00	-2000.000	.77	-2000.00
	2	355.6	1196.0	13.3	424.36	3.00	.10	-2000.00	-2000.000	.70	-2000.00
	3	146.3	980.0	14.5	459.37	1.00	.10	-2000.00	-2000.000	.70	-2000.00
	4	67.7	758.0	13.8	433.52	30.00	.10	-2000.00	-2000.000	1.08	-2000.00
925	1	1295.0	1230.0	7.0	269.23	.03	.10	-2000.00	-2000.000	1.27	-2000.00
	2	373.1	1065.0	11.1	377.87	.30	.10	-2000.00	-2000.000	.85	-2000.00
	3	134.0	760.0	12.0	398.15	1.00	.10	-2000.00	-2000.000	1.23	-2000.00
950	1	700.5	1157.0	7.3	284.35	.01	.10	-2000.00	-2000.000	1.15	-2000.00
	2	159.8	792.0	9.5	324.25	3.00	.10	-2000.00	-2000.000	1.00	-2000.00
975	1	484.0	949.0	5.9	223.62	.10	.10	-2000.00	-2000.000	1.42	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 300

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
25	1	304.4	329.0	24.5	649.43	10.00	.10	-2000.00	-2000.000	.56	-2000.00
	2	182.3	592.0	17.4	512.79	10.00	.10	-2000.00	-2000.000	.57	-2000.00
	3	31.8	205.0	34.1	497.92	10.00	.20	-2000.00	-2000.000	.98	-2000.00
	4	28.1	304.0	23.1	617.07	30.00	.10	-2000.00	-2000.000	.99	-2000.00
	5	25.3	410.0	17.8	533.18	1.00	.10	-2000.00	-2000.000	1.43	-2000.00
50	1	352.7	369.0	23.8	631.36	30.00	.10	-2000.00	-2000.000	.50	-2000.00
	2	44.5	139.7	39.1	546.30	10.00	.20	-2000.00	-2000.000	.78	-2000.00
	3	36.1	226.0	26.3	676.61	30.00	.10	-2000.00	-2000.000	.74	-2000.00
	4	30.3	316.0	19.9	565.41	30.00	.10	-2000.00	-2000.000	.96	-2000.00
	5	16.3	255.0	20.4	576.79	10.00	.10	-2000.00	-2000.000	1.04	-2000.00
75	1	203.3	227.0	34.4	501.49	10.00	.20	-2000.00	-2000.000	.95	-2000.00
	2	100.3	337.0	24.3	645.83	10.00	.10	-2000.00	-2000.000	.65	-2000.00
	3	62.9	422.0	18.1	534.91	3.00	.10	-2000.00	-2000.000	.58	-2000.00
	4	24.9	279.0	19.5	566.07	3.00	.10	-2000.00	-2000.000	.56	-2000.00
	5	16.8	281.0	23.0	612.54	100.00	.10	-2000.00	-2000.000	.77	-2000.00
100	1	298.5	334.0	27.9	694.16	30.00	.10	-2000.00	-2000.000	.53	-2000.00
	2	134.7	453.0	19.0	566.53	1.00	.10	-2000.00	-2000.000	.62	-2000.00
	3	44.5	298.0	19.6	591.13	1.00	.10	-2000.00	-2000.000	1.40	-2000.00
	4	26.2	293.0	23.2	611.50	100.00	.10	-2000.00	-2000.000	.82	-2000.00
	5	18.0	303.0	16.5	528.03	1.00	.10	-2000.00	-2000.000	1.90	-2000.00
125	1	317.2	311.0	23.2	616.96	100.00	.10	-2000.00	-2000.000	.66	-2000.00
	2	62.2	183.1	23.8	627.16	100.00	.10	-2000.00	-2000.000	.69	-2000.00
	3	36.6	214.0	25.5	652.07	100.00	.10	-2000.00	-2000.000	.97	-2000.00
	4	24.1	236.0	19.9	552.30	100.00	.10	-2000.00	-2000.000	.99	-2000.00
	5	8.7	128.3	22.6	603.32	100.00	.10	-2000.00	-2000.000	1.19	-2000.00
150	1	126.3	146.0	22.5	606.00	100.00	.10	-2000.00	-2000.000	.61	-2000.00
	2	48.2	168.1	25.8	407.05	10.00	.20	-2000.00	-2000.000	1.24	-2000.00
	3	29.0	201.0	19.5	552.83	30.00	.10	-2000.00	-2000.000	.40	-2000.00
	4	12.4	144.0	19.7	555.81	10.00	.10	-2000.00	-2000.000	.96	-2000.00
	5	10.7	186.0	23.2	628.70	30.00	.10	-2000.00	-2000.000	1.64	-2000.00
175	1	283.3	306.0	20.0	559.24	100.00	.10	-2000.00	-2000.000	.83	-2000.00
	2	77.1	250.3	17.9	520.94	100.00	.10	-2000.00	-2000.000	.80	-2000.00
	3	32.3	209.0	17.2	506.74	30.00	.10	-2000.00	-2000.000	.29	-2000.00
	4	14.4	155.0	24.2	644.98	10.00	.10	-2000.00	-2000.000	.61	-2000.00
	5	34.2	555.0	20.0	567.53	10.00	.10	-2000.00	-2000.000	.83	-2000.00
200	1	82.6	235.7	14.5	448.47	30.00	.10	-2000.00	-2000.000	.80	-2000.00
	2	27.9	238.7	12.9	408.56	100.00	.10	-2000.00	-2000.000	1.04	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	6.1	104.0	23.2	620.61	100.00	.10	-2000.00	-2000.000	.97	-2000.00
	4	13.6	388.0	17.3	578.18	.03	.10	-2000.00	-2000.000	.97	-2000.00
	5	3.1	130.9	28.6	447.98	30.00	.20	-2000.00	-2000.000	1.83	-2000.00
225	1	537.2	511.0	16.1	482.28	100.00	.10	-2000.00	-2000.000	.90	-2000.00
	2	56.9	162.3	23.6	623.37	100.00	.10	-2000.00	-2000.000	1.00	-2000.00
	3	117.1	660.0	17.7	526.60	3.00	.10	-2000.00	-2000.000	.62	-2000.00
	4	22.2	211.0	28.5	436.71	10.00	.20	-2000.00	-2000.000	1.03	-2000.00
	5	10.1	143.0	39.4	551.92	30.00	.20	-2000.00	-2000.000	.87	-2000.00
250	1	124.1	144.0	16.3	486.69	30.00	.10	-2000.00	-2000.000	.77	-2000.00
	2	202.5	706.0	11.3	406.19	.03	.10	-2000.00	-2000.000	.71	-2000.00
	3	35.3	246.0	21.8	357.79	10.00	.20	-2000.00	-2000.000	1.13	-2000.00
	4	14.2	164.0	33.1	485.05	10.00	.20	-2000.00	-2000.000	.76	-2000.00
	5	21.8	380.0	8.1	218.34	.01	.30	-2000.00	-2000.000	5.93	-2000.00
275	1	315.1	341.0	12.3	410.40	.30	.10	-2000.00	-2000.000	.77	-2000.00
	2	50.1	162.8	20.9	345.05	10.00	.20	-2000.00	-2000.000	.98	-2000.00
	3	21.2	137.0	29.8	450.96	10.00	.20	-2000.00	-2000.000	.87	-2000.00
	4	26.2	284.0	12.8	406.10	100.00	.10	-2000.00	-2000.000	1.28	-2000.00
	5	9.1	147.9	25.1	403.07	30.00	.20	-2000.00	-2000.000	1.61	-2000.00
300	1	518.0	464.0	15.5	471.29	30.00	.10	-2000.00	-2000.000	.83	-2000.00
	2	124.2	334.0	27.2	423.29	10.00	.20	-2000.00	-2000.000	1.18	-2000.00
	3	124.7	660.0	6.9	157.74	.03	.20	-2000.00	-2000.000	1.18	-2000.00
	4	32.0	287.0	21.9	591.94	100.00	.10	-2000.00	-2000.000	.94	-2000.00
	5	39.7	533.0	12.3	422.88	1.00	.10	-2000.00	-2000.000	2.78	-2000.00
325	1	518.4	478.0	31.8	471.85	10.00	.20	-2000.00	-2000.000	1.06	-2000.00
	2	421.7	1168.0	7.2	150.97	.10	.20	-2000.00	-2000.000	1.21	-2000.00
	3	86.1	476.0	23.6	378.19	10.00	.20	-2000.00	-2000.000	.87	-2000.00
	4	96.3	889.0	11.7	428.43	.01	.10	-2000.00	-2000.000	1.54	-2000.00
	5	39.0	540.0	11.1	100.13	1.00	.40	-2000.00	-2000.000	4.51	-2000.00
350	1	1089.0	1360.0	11.6	384.43	1.00	.10	-2000.00	-2000.000	.95	-2000.00
	2	142.1	535.0	20.2	566.18	30.00	.10	-2000.00	-2000.000	.66	-2000.00
	3	127.7	960.0	16.2	488.77	10.00	.10	-2000.00	-2000.000	.97	-2000.00
	4	40.8	512.0	13.7	254.25	.30	.20	-2000.00	-2000.000	.86	-2000.00
	5	29.0	546.0	19.7	329.28	10.00	.20	-2000.00	-2000.000	1.57	-2000.00
375	1	601.7	510.0	18.3	530.27	30.00	.10	-2000.00	-2000.000	.85	-2000.00
	2	299.5	762.0	15.2	485.84	.30	.10	-2000.00	-2000.000	.66	-2000.00
	3	85.0	431.0	14.6	452.50	10.00	.10	-2000.00	-2000.000	.67	-2000.00
	4	56.1	476.0	19.5	551.86	100.00	.10	-2000.00	-2000.000	.70	-2000.00
	5	28.4	361.0	23.5	377.13	10.00	.20	-2000.00	-2000.000	1.13	-2000.00
400	1	1026.0	1530.0	21.4	351.40	10.00	.20	-2000.00	-2000.000	1.40	-2000.00
	2	175.9	789.0	18.6	313.73	10.00	.20	-2000.00	-2000.000	1.10	-2000.00
	3	79.7	713.0	22.3	361.94	10.00	.20	-2000.00	-2000.000	.97	-2000.00
	4	26.9	402.0	24.7	391.87	10.00	.20	-2000.00	-2000.000	1.07	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	12.8	286.0	27.3	416.82	3.00	.20	-2000.00	-2000.000	1.10	-2000.00
425	1	1041.0	860.0	8.3	319.91	.01	.10	-2000.00	-2000.000	1.10	-2000.00
	2	390.7	968.0	14.3	446.09	10.00	.10	-2000.00	-2000.000	1.03	-2000.00
	3	100.1	490.0	22.5	603.92	100.00	.10	-2000.00	-2000.000	.76	-2000.00
	4	24.7	203.0	20.9	341.27	3.00	.20	-2000.00	-2000.000	1.15	-2000.00
	5	12.4	153.0	22.9	394.51	100.00	.20	-2000.00	-2000.000	2.75	-2000.00
450	1	819.3	571.0	12.7	432.06	.10	.10	-2000.00	-2000.000	.89	-2000.00
	2	133.5	279.0	18.6	537.50	10.00	.10	-2000.00	-2000.000	.56	-2000.00
	3	43.8	182.0	17.4	510.59	30.00	.10	-2000.00	-2000.000	.75	-2000.00
	4	17.4	121.0	25.6	656.72	100.00	.10	-2000.00	-2000.000	.73	-2000.00
	5	25.6	268.0	18.5	321.74	30.00	.20	-2000.00	-2000.000	2.71	-2000.00
475	1	283.4	240.0	19.7	554.62	100.00	.10	-2000.00	-2000.000	.66	-2000.00
	2	67.1	170.8	16.7	495.66	100.00	.10	-2000.00	-2000.000	.67	-2000.00
	3	23.6	120.0	26.2	410.71	10.00	.20	-2000.00	-2000.000	1.31	-2000.00
	4	31.2	264.0	17.9	297.70	10.00	.20	-2000.00	-2000.000	1.31	-2000.00
	5	8.6	109.6	9.2	230.19	.01	.30	-2000.00	-2000.000	2.46	-2000.00
500	1	321.6	306.0	12.0	394.96	1.00	.10	-2000.00	-2000.000	.86	-2000.00
	2	92.5	263.9	21.7	590.63	100.00	.10	-2000.00	-2000.000	.46	-2000.00
	3	55.0	313.0	16.6	493.47	100.00	.10	-2000.00	-2000.000	.67	-2000.00
	4	15.8	150.0	14.8	258.59	1.00	.20	-2000.00	-2000.000	.86	-2000.00
	5	18.1	258.0	23.4	376.84	10.00	.20	-2000.00	-2000.000	1.24	-2000.00
525	1	676.9	590.0	19.1	548.10	30.00	.10	-2000.00	-2000.000	.94	-2000.00
	2	225.9	591.0	14.1	437.83	3.00	.10	-2000.00	-2000.000	1.20	-2000.00
	3	57.9	302.0	14.4	446.93	30.00	.10	-2000.00	-2000.000	.86	-2000.00
	4	57.0	496.0	20.6	574.17	30.00	.10	-2000.00	-2000.000	.59	-2000.00
	5	21.8	285.0	13.7	428.23	30.00	.10	-2000.00	-2000.000	.96	-2000.00
550	1	511.6	251.0	12.7	405.63	10.00	.10	-2000.00	-2000.000	.61	-2000.00
	2	170.7	251.0	13.5	424.86	10.00	.10	-2000.00	-2000.000	.67	-2000.00
	3	173.3	500.0	20.4	567.87	100.00	.10	-2000.00	-2000.000	.67	-2000.00
	4	56.3	276.0	10.8	401.91	.01	.10	-2000.00	-2000.000	.58	-2000.00
	5	39.8	292.0	31.9	474.16	10.00	.20	-2000.00	-2000.000	.98	-2000.00
575	1	829.0	542.0	15.0	460.88	30.00	.10	-2000.00	-2000.000	.92	-2000.00
	2	395.2	775.0	22.4	602.80	100.00	.10	-2000.00	-2000.000	.84	-2000.00
	3	130.6	510.0	13.8	432.36	10.00	.10	-2000.00	-2000.000	.89	-2000.00
	4	64.9	424.0	31.5	739.69	100.00	.10	-2000.00	-2000.000	.96	-2000.00
	5	46.9	460.0	26.8	678.35	30.00	.10	-2000.00	-2000.000	.47	-2000.00
600	1	1317.0	590.0	18.5	531.90	100.00	.10	-2000.00	-2000.000	.73	-2000.00
	2	340.9	465.0	10.4	347.27	3.00	.10	-2000.00	-2000.000	.84	-2000.00
	3	161.6	440.0	28.5	696.64	100.00	.10	-2000.00	-2000.000	1.04	-2000.00
	4	96.8	440.0	25.7	656.55	100.00	.10	-2000.00	-2000.000	.86	-2000.00
	5	22.4	152.0	25.2	668.70	3.00	.10	-2000.00	-2000.000	.67	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
625	1	849.4	423.0	9.7	338.03	.30	.10	-2000.00	-2000.000	.94	-2000.00
	2	331.1	495.0	24.8	643.09	100.00	.10	-2000.00	-2000.000	.80	-2000.00
	3	139.2	410.0	25.9	664.84	30.00	.10	-2000.00	-2000.000	.48	-2000.00
	4	31.0	154.0	22.9	288.81	.30	.30	-2000.00	-2000.000	1.74	-2000.00
	5	37.3	278.0	20.0	359.86	100.00	.20	-2000.00	-2000.000	3.32	-2000.00
650	1	1318.0	960.0	19.0	547.97	10.00	.10	-2000.00	-2000.000	.83	-2000.00
	2	246.5	540.0	28.6	706.06	30.00	.10	-2000.00	-2000.000	.59	-2000.00
	3	50.3	219.0	24.2	646.96	10.00	.10	-2000.00	-2000.000	.64	-2000.00
	4	44.7	326.0	18.6	541.73	10.00	.10	-2000.00	-2000.000	.76	-2000.00
	5	27.6	302.0	15.9	529.48	.03	.10	-2000.00	-2000.000	.72	-2000.00
675	1	392.6	286.0	32.9	486.14	10.00	.20	-2000.00	-2000.000	.95	-2000.00
	2	56.3	123.4	23.1	625.74	10.00	.10	-2000.00	-2000.000	.55	-2000.00
	3	63.2	276.0	18.6	537.43	10.00	.10	-2000.00	-2000.000	.50	-2000.00
	4	38.1	278.0	15.7	475.68	10.00	.10	-2000.00	-2000.000	.42	-2000.00
	5	72.8	797.0	15.4	480.32	1.00	.10	-2000.00	-2000.000	.82	-2000.00
700	1	246.9	184.0	22.5	608.12	30.00	.10	-2000.00	-2000.000	.65	-2000.00
	2	118.8	266.0	18.6	546.24	3.00	.10	-2000.00	-2000.000	.69	-2000.00
	3	88.9	397.0	17.4	519.98	3.00	.10	-2000.00	-2000.000	.63	-2000.00
	4	72.8	544.0	17.4	528.97	1.00	.10	-2000.00	-2000.000	.72	-2000.00
	5	65.0	728.0	17.7	515.59	100.00	.10	-2000.00	-2000.000	.77	-2000.00
725	1	1976.0	1210.0	9.2	350.64	.01	.10	-2000.00	-2000.000	1.14	-2000.00
	2	449.3	829.0	11.3	372.31	3.00	.10	-2000.00	-2000.000	.44	-2000.00
	3	286.1	1050.0	15.5	507.03	.10	.10	-2000.00	-2000.000	1.94	-2000.00
	4	155.4	950.0	15.3	471.81	3.00	.10	-2000.00	-2000.000	.66	-2000.00
	5	97.6	900.0	16.9	502.42	30.00	.10	-2000.00	-2000.000	.94	-2000.00
750	1	1253.0	800.0	5.1	99.74	10.00	.20	-2000.00	-2000.000	1.19	-2000.00
	2	453.5	871.0	10.4	260.51	.01	.20	-2000.00	-2000.000	3.88	-2000.00
	3	181.9	690.0	13.2	428.33	1.00	.10	-2000.00	-2000.000	.89	-2000.00
	4	101.0	640.0	14.8	465.64	1.00	.10	-2000.00	-2000.000	.77	-2000.00
	5	76.4	734.0	16.7	495.41	30.00	.10	-2000.00	-2000.000	.98	-2000.00
775	1	1689.0	1230.0	5.7	125.14	.03	.20	-2000.00	-2000.000	3.99	-2000.00
	2	383.8	840.0	7.2	282.81	.01	.10	-2000.00	-2000.000	1.11	-2000.00
	3	186.2	810.0	8.9	312.76	.30	.10	-2000.00	-2000.000	.67	-2000.00
	4	114.5	830.0	12.4	233.01	30.00	.20	-2000.00	-2000.000	3.03	-2000.00
	5	54.8	600.0	10.7	93.83	.30	.50	-2000.00	-2000.000	4.32	-2000.00
800	1	946.8	1748.0	5.4	140.08	.01	.20	-2000.00	-2000.000	2.10	-2000.00
	2	233.5	1293.0	6.0	128.17	.10	.20	-2000.00	-2000.000	2.25	-2000.00
	3	107.6	1180.0	6.7	264.41	.01	.10	-2000.00	-2000.000	1.49	-2000.00
	4	37.7	695.0	7.4	274.22	.03	.10	-2000.00	-2000.000	1.19	-2000.00
	5	26.9	746.0	9.6	336.29	.30	.10	-2000.00	-2000.000	1.14	-2000.00
825	1	1946.0	2030.0	5.4	138.07	.01	.20	-2000.00	-2000.000	1.60	-2000.00
	2	470.3	1476.0	5.0	115.85	.03	.20	-2000.00	-2000.000	1.48	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	147.1	920.0	5.1	108.02	.10	.20	-2000.00	-2000.000	1.06	-2000.00
	4	82.2	859.0	7.3	259.21	3.00	.10	-2000.00	-2000.000	1.27	-2000.00
	5	41.1	645.0	10.3	188.97	10.00	.20	-2000.00	-2000.000	2.09	-2000.00
850	1	2293.0	1940.0	4.1	106.16	.01	.20	-2000.00	-2000.000	1.68	-2000.00
	2	542.2	1380.0	3.5	92.19	.01	.20	-2000.00	-2000.000	1.41	-2000.00
	3	209.0	1060.0	5.3	214.83	.01	.10	-2000.00	-2000.000	1.40	-2000.00
	4	93.3	791.0	6.8	143.82	.10	.20	-2000.00	-2000.000	1.12	-2000.00
	5	43.8	556.0	8.7	321.61	.03	.10	-2000.00	-2000.000	.78	-2000.00
875	1	965.5	1318.0	3.6	95.39	.01	.20	-2000.00	-2000.000	1.93	-2000.00
	2	271.2	1110.0	4.2	99.05	.03	.20	-2000.00	-2000.000	1.59	-2000.00
	3	100.1	810.0	5.7	120.56	.10	.20	-2000.00	-2000.000	1.72	-2000.00
	4	46.5	634.0	7.0	276.58	.01	.10	-2000.00	-2000.000	3.24	-2000.00
900	1	1439.0	1250.0	3.1	82.86	.01	.20	-2000.00	-2000.000	2.71	-2000.00
	2	365.3	955.0	3.8	100.28	.01	.20	-2000.00	-2000.000	2.00	-2000.00
	3	165.9	860.0	4.7	109.49	.03	.20	-2000.00	-2000.000	1.61	-2000.00
925	1	966.6	843.0	2.5	15.96	1.00	.60	-2000.00	-2000.000	13.21	-2000.00
	2	333.4	872.0	3.2	83.65	.01	.20	-2000.00	-2000.000	1.92	-2000.00
950	1	621.7	848.0	2.3	38.18	.10	.30	-2000.00	-2000.000	2.91	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. = 400

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
25	1	1178.0	990.0	7.3	270.52	.10	.10	-2000.00	-2000.000	1.36	-2000.00
	2	392.6	999.0	10.8	362.41	1.00	.10	-2000.00	-2000.000	.96	-2000.00
	3	101.6	510.0	16.9	498.92	100.00	.10	-2000.00	-2000.000	.72	-2000.00
	4	59.2	502.0	18.4	528.22	100.00	.10	-2000.00	-2000.000	.79	-2000.00
	5	32.5	413.0	23.1	613.30	100.00	.10	-2000.00	-2000.000	.99	-2000.00
50	1	1808.0	940.0	5.8	135.72	.03	.20	-2000.00	-2000.000	1.69	-2000.00
	2	401.7	630.0	12.0	395.92	1.00	.10	-2000.00	-2000.000	.87	-2000.00
	3	188.1	580.0	15.1	461.35	100.00	.10	-2000.00	-2000.000	.67	-2000.00
	4	79.8	417.0	21.6	586.41	100.00	.10	-2000.00	-2000.000	.68	-2000.00
	5	34.6	271.0	22.7	610.24	100.00	.10	-2000.00	-2000.000	1.03	-2000.00
75	1	680.7	689.0	6.9	144.33	.10	.20	-2000.00	-2000.000	1.36	-2000.00
	2	185.5	563.0	10.6	358.61	1.00	.10	-2000.00	-2000.000	.83	-2000.00
	3	69.5	421.0	18.7	535.58	100.00	.10	-2000.00	-2000.000	1.15	-2000.00
	4	25.5	257.0	20.9	579.14	30.00	.10	-2000.00	-2000.000	.80	-2000.00
	5	11.7	177.0	31.4	480.26	10.00	.20	-2000.00	-2000.000	2.20	-2000.00
100	1	802.9	536.0	5.3	113.24	.10	.20	-2000.00	-2000.000	1.34	-2000.00
	2	194.4	389.0	13.9	434.32	100.00	.10	-2000.00	-2000.000	.56	-2000.00
	3	62.8	251.0	19.0	545.22	10.00	.10	-2000.00	-2000.000	.47	-2000.00
	4	26.5	177.0	33.0	485.17	10.00	.20	-2000.00	-2000.000	1.03	-2000.00
	5	13.1	130.0	31.0	719.91	100.00	.10	-2000.00	-2000.000	1.91	-2000.00
125	1	734.7	623.0	8.5	328.69	.01	.10	-2000.00	-2000.000	1.21	-2000.00
	2	140.3	357.0	13.7	448.84	.30	.10	-2000.00	-2000.000	.63	-2000.00
	3	45.8	232.0	31.3	464.54	3.00	.20	-2000.00	-2000.000	1.30	-2000.00
	4	17.1	144.0	28.0	455.72	30.00	.20	-2000.00	-2000.000	4.18	-2000.00
	5	22.6	287.0	20.9	257.95	.30	.30	-2000.00	-2000.000	3.18	-2000.00
150	1	699.7	510.0	11.0	223.47	.10	.20	-2000.00	-2000.000	1.03	-2000.00
	2	168.0	368.0	28.1	433.46	10.00	.20	-2000.00	-2000.000	1.08	-2000.00
	3	36.8	161.0	26.9	674.96	100.00	.10	-2000.00	-2000.000	.79	-2000.00
	4	44.8	327.0	19.7	588.99	.30	.10	-2000.00	-2000.000	.43	-2000.00
	5	16.7	182.0	21.4	593.22	10.00	.10	-2000.00	-2000.000	.52	-2000.00
175	1	755.6	551.0	26.2	410.96	10.00	.20	-2000.00	-2000.000	1.00	-2000.00
	2	88.6	194.1	25.3	400.14	10.00	.20	-2000.00	-2000.000	1.16	-2000.00
	3	98.2	429.0	18.2	531.93	10.00	.10	-2000.00	-2000.000	.50	-2000.00
	4	23.5	171.0	20.3	590.70	1.00	.10	-2000.00	-2000.000	.57	-2000.00
	5	32.4	354.0	16.9	514.87	3.00	.10	-2000.00	-2000.000	1.08	-2000.00
200	1	227.2	209.0	28.2	433.56	10.00	.20	-2000.00	-2000.000	.98	-2000.00
	2	165.0	457.0	17.0	511.01	3.00	.10	-2000.00	-2000.000	.58	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
					Cole-Cole Parameters						
	3	36.3	200.0	20.1	561.61	30.00	.10	-2000.00	-2000.000	.62	-2000.00
	4	32.6	301.0	19.2	546.26	10.00	.10	-2000.00	-2000.000	.81	-2000.00
	5	13.2	182.0	26.9	670.38	100.00	.10	-2000.00	-2000.000	.88	-2000.00
225	1	420.2	321.0	19.4	551.61	30.00	.10	-2000.00	-2000.000	.71	-2000.00
	2	57.2	131.3	22.8	609.99	100.00	.10	-2000.00	-2000.000	.54	-2000.00
	3	49.7	227.0	22.0	600.23	100.00	.10	-2000.00	-2000.000	.60	-2000.00
	4	17.1	130.0	28.3	692.01	100.00	.10	-2000.00	-2000.000	.94	-2000.00
	5	15.4	176.0	20.9	607.63	3.00	.10	-2000.00	-2000.000	2.29	-2000.00
250	1	147.8	118.0	20.2	564.48	100.00	.10	-2000.00	-2000.000	.61	-2000.00
	2	73.8	178.3	24.1	631.56	100.00	.10	-2000.00	-2000.000	.58	-2000.00
	3	20.9	100.0	29.7	713.03	100.00	.10	-2000.00	-2000.000	.61	-2000.00
	4	14.8	119.0	24.6	637.99	100.00	.10	-2000.00	-2000.000	.59	-2000.00
	5	13.0	156.0	27.5	683.79	100.00	.10	-2000.00	-2000.000	.64	-2000.00
275	1	445.3	349.0	14.5	448.53	30.00	.10	-2000.00	-2000.000	.64	-2000.00
	2	46.2	108.8	29.2	446.64	10.00	.20	-2000.00	-2000.000	1.15	-2000.00
	3	24.0	112.0	25.0	397.92	10.00	.20	-2000.00	-2000.000	1.06	-2000.00
	4	18.4	144.0	28.1	692.46	100.00	.10	-2000.00	-2000.000	.67	-2000.00
	5	12.5	146.0	27.7	432.32	10.00	.20	-2000.00	-2000.000	1.55	-2000.00
300	1	302.3	220.0	21.7	590.97	100.00	.10	-2000.00	-2000.000	.65	-2000.00
	2	90.0	197.1	15.9	478.29	100.00	.10	-2000.00	-2000.000	.62	-2000.00
	3	49.5	216.0	21.0	576.87	100.00	.10	-2000.00	-2000.000	.54	-2000.00
	4	24.7	180.0	24.1	381.45	10.00	.20	-2000.00	-2000.000	1.01	-2000.00
	5	17.5	192.0	17.4	524.09	10.00	.10	-2000.00	-2000.000	1.56	-2000.00
325	1	763.7	399.0	15.1	463.14	30.00	.10	-2000.00	-2000.000	.94	-2000.00
	2	321.8	505.0	19.1	539.80	100.00	.10	-2000.00	-2000.000	.85	-2000.00
	3	101.7	310.0	16.8	496.85	30.00	.10	-2000.00	-2000.000	.73	-2000.00
	4	63.3	331.0	13.9	435.84	30.00	.10	-2000.00	-2000.000	1.21	-2000.00
	5	55.5	435.0	17.9	295.49	3.00	.20	-2000.00	-2000.000	1.36	-2000.00
350	1	1091.0	610.0	13.2	418.01	100.00	.10	-2000.00	-2000.000	1.04	-2000.00
	2	226.4	380.0	16.5	495.49	10.00	.10	-2000.00	-2000.000	.72	-2000.00
	3	139.7	460.0	13.5	431.61	1.00	.10	-2000.00	-2000.000	.86	-2000.00
	4	90.8	509.0	15.3	477.54	1.00	.10	-2000.00	-2000.000	.71	-2000.00
	5	64.4	541.0	17.5	508.52	30.00	.10	-2000.00	-2000.000	.81	-2000.00
375	1	175.4	305.0	12.2	446.90	.01	.10	-2000.00	-2000.000	.84	-2000.00
	2	109.4	572.0	14.0	449.72	1.00	.10	-2000.00	-2000.000	.82	-2000.00
	3	67.3	703.0	14.3	447.26	10.00	.10	-2000.00	-2000.000	.87	-2000.00
	4	27.0	470.0	18.1	525.25	100.00	.10	-2000.00	-2000.000	1.31	-2000.00
	5	5.6	147.3	28.4	449.88	100.00	.20	-2000.00	-2000.000	3.11	-2000.00
400	1	516.2	540.0	16.5	493.88	30.00	.10	-2000.00	-2000.000	1.00	-2000.00
	2	236.2	741.0	16.1	482.58	30.00	.10	-2000.00	-2000.000	.82	-2000.00
	3	48.0	300.0	22.6	366.41	10.00	.20	-2000.00	-2000.000	.96	-2000.00
	4	17.6	184.0	25.6	656.66	100.00	.10	-2000.00	-2000.000	.95	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	17.3	271.0	21.3	580.23	100.00	.10	-2000.00	-2000.000	1.39	-2000.00
425	1	969.4	742.0	10.3	363.19	.10	.10	-2000.00	-2000.000	.64	-2000.00
	2	91.7	210.5	22.9	368.85	10.00	.20	-2000.00	-2000.000	1.07	-2000.00
	3	45.3	207.0	22.8	608.58	100.00	.10	-2000.00	-2000.000	.88	-2000.00
	4	39.3	301.0	18.2	525.45	100.00	.10	-2000.00	-2000.000	.79	-2000.00
	5	17.1	196.0	17.8	519.78	100.00	.10	-2000.00	-2000.000	1.10	-2000.00
450	1	211.9	170.0	21.7	355.21	10.00	.20	-2000.00	-2000.000	1.23	-2000.00
	2	74.6	180.2	22.3	603.27	100.00	.10	-2000.00	-2000.000	1.27	-2000.00
	3	64.4	310.0	17.8	519.02	100.00	.10	-2000.00	-2000.000	.79	-2000.00
	4	25.7	206.0	17.5	512.88	100.00	.10	-2000.00	-2000.000	.89	-2000.00
	5	11.0	133.0	24.4	632.77	100.00	.10	-2000.00	-2000.000	1.38	-2000.00
475	1	238.3	136.0	24.3	387.55	10.00	.20	-2000.00	-2000.000	.97	-2000.00
	2	151.0	258.0	18.9	537.96	100.00	.10	-2000.00	-2000.000	1.05	-2000.00
	3	54.4	186.0	18.6	533.10	100.00	.10	-2000.00	-2000.000	.91	-2000.00
	4	23.3	132.0	24.4	389.24	10.00	.20	-2000.00	-2000.000	1.24	-2000.00
	5	35.4	302.0	20.5	341.93	10.00	.20	-2000.00	-2000.000	1.26	-2000.00
500	1	604.7	412.0	12.9	408.94	30.00	.10	-2000.00	-2000.000	.78	-2000.00
	2	123.9	253.0	16.1	277.79	10.00	.20	-2000.00	-2000.000	1.29	-2000.00
	3	43.3	177.0	22.9	369.92	10.00	.20	-2000.00	-2000.000	1.30	-2000.00
	4	46.7	318.0	20.0	340.21	30.00	.20	-2000.00	-2000.000	1.97	-2000.00
	5	13.0	133.0	20.8	332.06	10.00	.20	-2000.00	-2000.000	4.00	-2000.00
525	1	724.2	437.0	13.4	423.11	10.00	.10	-2000.00	-2000.000	.79	-2000.00
	2	159.2	288.0	18.2	523.90	100.00	.10	-2000.00	-2000.000	.79	-2000.00
	3	93.0	336.0	19.8	554.39	100.00	.10	-2000.00	-2000.000	1.08	-2000.00
	4	23.6	142.0	20.2	561.24	100.00	.10	-2000.00	-2000.000	1.11	-2000.00
	5	17.8	161.0	25.3	397.40	10.00	.20	-2000.00	-2000.000	1.88	-2000.00
550	1	243.1	224.0	15.1	461.66	30.00	.10	-2000.00	-2000.000	.72	-2000.00
	2	103.8	287.0	17.2	506.69	100.00	.10	-2000.00	-2000.000	.51	-2000.00
	3	27.5	151.0	19.7	330.41	10.00	.20	-2000.00	-2000.000	1.17	-2000.00
	4	12.6	116.0	23.1	377.88	10.00	.20	-2000.00	-2000.000	1.39	-2000.00
	5	11.7	162.0	26.3	409.40	10.00	.20	-2000.00	-2000.000	2.24	-2000.00
575	1	986.1	836.0	10.6	365.10	.30	.10	-2000.00	-2000.000	.94	-2000.00
	2	116.1	295.0	13.0	412.85	30.00	.10	-2000.00	-2000.000	.78	-2000.00
	3	50.3	255.0	19.1	320.56	10.00	.20	-2000.00	-2000.000	1.04	-2000.00
	4	28.2	239.0	22.4	364.31	10.00	.20	-2000.00	-2000.000	.84	-2000.00
	5	23.9	304.0	20.7	576.25	10.00	.10	-2000.00	-2000.000	.73	-2000.00
600	1	803.7	600.0	13.0	416.74	3.00	.10	-2000.00	-2000.000	1.02	-2000.00
	2	175.5	393.0	22.3	363.82	10.00	.20	-2000.00	-2000.000	1.22	-2000.00
	3	96.1	429.0	23.4	376.68	10.00	.20	-2000.00	-2000.000	1.03	-2000.00
	4	41.0	306.0	25.1	648.22	100.00	.10	-2000.00	-2000.000	1.48	-2000.00
	5	9.0	100.8	24.6	424.67	.30	.20	-2000.00	-2000.000	2.35	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
625	1	721.3	481.0	19.1	542.89	100.00	.10	-2000.00	-2000.000	.87	-2000.00
	2	363.1	727.0	20.5	339.89	10.00	.20	-2000.00	-2000.000	1.24	-2000.00
	3	130.7	520.0	21.2	583.67	30.00	.10	-2000.00	-2000.000	.64	-2000.00
	4	19.4	129.0	24.3	645.82	10.00	.10	-2000.00	-2000.000	.83	-2000.00
	5	15.1	150.0	23.0	609.82	100.00	.10	-2000.00	-2000.000	2.17	-2000.00
650	1	694.3	622.0	20.9	344.58	10.00	.20	-2000.00	-2000.000	1.23	-2000.00
	2	166.7	448.0	20.9	579.62	30.00	.10	-2000.00	-2000.000	.68	-2000.00
	3	20.6	110.0	24.8	649.60	30.00	.10	-2000.00	-2000.000	1.36	-2000.00
	4	14.8	132.0	23.6	375.58	10.00	.20	-2000.00	-2000.000	2.98	-2000.00
	5	8.1	108.5	16.8	523.02	30.00	.10	-2000.00	-2000.000	6.55	-2000.00
675	1	774.1	1104.0	15.1	473.90	1.00	.10	-2000.00	-2000.000	.82	-2000.00
	2	26.1	111.7	27.6	692.57	30.00	.10	-2000.00	-2000.000	.51	-2000.00
	3	16.1	138.0	24.5	636.77	100.00	.10	-2000.00	-2000.000	.95	-2000.00
	4	8.0	114.6	18.9	555.07	100.00	.10	-2000.00	-2000.000	1.76	-2000.00
	5	11.0	236.0	17.7	502.02	100.00	.10	-2000.00	-2000.000	3.72	-2000.00
700	1	114.1	76.0	31.0	740.02	30.00	.10	-2000.00	-2000.000	.46	-2000.00
	2	53.5	107.2	25.5	654.91	100.00	.10	-2000.00	-2000.000	.73	-2000.00
	3	35.9	143.0	20.6	575.29	100.00	.10	-2000.00	-2000.000	.76	-2000.00
	4	32.5	216.0	16.9	302.26	3.00	.20	-2000.00	-2000.000	3.15	-2000.00
	5	48.9	490.0	16.5	493.29	100.00	.10	-2000.00	-2000.000	3.04	-2000.00
725	1	209.1	136.0	27.4	689.00	30.00	.10	-2000.00	-2000.000	.59	-2000.00
	2	68.7	134.7	21.6	588.83	100.00	.10	-2000.00	-2000.000	.69	-2000.00
	3	65.6	256.0	18.2	537.39	3.00	.10	-2000.00	-2000.000	.52	-2000.00
	4	65.4	427.0	17.5	514.74	100.00	.10	-2000.00	-2000.000	1.20	-2000.00
	5	45.6	447.0	16.6	492.65	30.00	.10	-2000.00	-2000.000	1.43	-2000.00
750	1	610.3	391.0	15.1	473.85	1.00	.10	-2000.00	-2000.000	.79	-2000.00
	2	294.8	566.0	16.6	496.83	10.00	.10	-2000.00	-2000.000	.80	-2000.00
	3	188.0	720.0	16.8	501.36	10.00	.10	-2000.00	-2000.000	.63	-2000.00
	4	103.0	660.0	16.4	491.17	30.00	.10	-2000.00	-2000.000	.77	-2000.00
	5	80.4	772.0	15.8	476.64	30.00	.10	-2000.00	-2000.000	.84	-2000.00
775	1	1366.0	1420.0	5.6	145.08	.01	.20	-2000.00	-2000.000	1.41	-2000.00
	2	534.1	1677.0	8.1	314.19	.01	.10	-2000.00	-2000.000	1.28	-2000.00
	3	266.0	1660.0	9.8	341.37	.30	.10	-2000.00	-2000.000	1.37	-2000.00
	4	138.6	1450.0	10.5	366.25	.10	.10	-2000.00	-2000.000	1.06	-2000.00
	5	53.8	845.0	12.2	223.52	.30	.20	-2000.00	-2000.000	5.45	-2000.00
800	1	1480.0	1400.0	5.0	128.96	.01	.20	-2000.00	-2000.000	1.50	-2000.00
	2	513.4	1465.0	6.7	140.87	.10	.20	-2000.00	-2000.000	1.39	-2000.00
	3	227.1	1290.0	7.9	296.25	.03	.10	-2000.00	-2000.000	.98	-2000.00
	4	83.5	794.0	9.3	323.67	.30	.10	-2000.00	-2000.000	1.15	-2000.00
	5	66.7	951.0	10.7	360.75	.30	.10	-2000.00	-2000.000	1.81	-2000.00
825	1	2076.0	2170.0	3.8	74.76	.03	.30	-2000.00	-2000.000	2.08	-2000.00
	2	567.2	1781.0	4.6	121.31	.01	.20	-2000.00	-2000.000	1.72	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	178.3	1110.0	6.2	130.78	.10	.20	-2000.00	-2000.000	1.55	-2000.00
	4	117.1	1220.0	7.7	283.93	.10	.10	-2000.00	-2000.000	1.42	-2000.00
	5	94.9	1490.0	9.3	321.88	.30	.10	-2000.00	-2000.000	1.08	-2000.00
850	1	1814.0	2100.0	3.0	58.42	.03	.30	-2000.00	-2000.000	3.11	-2000.00
	2	375.7	1310.0	4.1	107.00	.01	.20	-2000.00	-2000.000	1.30	-2000.00
	3	197.1	1370.0	5.6	118.26	.10	.20	-2000.00	-2000.000	1.33	-2000.00
	4	145.5	1690.0	7.1	279.46	.01	.10	-2000.00	-2000.000	.80	-2000.00
	5	83.3	1453.0	8.5	299.57	1.00	.10	-2000.00	-2000.000	2.45	-2000.00
875	1	795.9	1086.0	2.9	56.66	.03	.30	-2000.00	-2000.000	1.90	-2000.00
	2	283.2	1159.0	4.2	106.26	.01	.20	-2000.00	-2000.000	1.57	-2000.00
	3	190.7	1550.0	5.7	233.64	.01	.10	-2000.00	-2000.000	1.93	-2000.00
	4	103.3	1410.0	7.4	287.64	.01	.10	-2000.00	-2000.000	1.02	-2000.00
	5	84.2	1723.0	10.6	365.18	.30	.10	-2000.00	-2000.000	1.07	-2000.00
900	1	569.7	993.0	2.6	42.19	.10	.30	-2000.00	-2000.000	3.04	-2000.00
	2	282.1	1476.0	4.3	100.34	.03	.20	-2000.00	-2000.000	1.90	-2000.00
	3	130.3	1360.0	6.4	254.98	.01	.10	-2000.00	-2000.000	1.43	-2000.00
	4	97.5	1701.0	9.7	366.74	.01	.10	-2000.00	-2000.000	1.16	-2000.00
925	1	656.8	1374.0	2.9	57.29	.03	.30	-2000.00	-2000.000	2.37	-2000.00
	2	184.4	1158.0	5.4	125.03	.03	.20	-2000.00	-2000.000	1.52	-2000.00
	3	121.7	1520.0	9.6	346.18	.10	.10	-2000.00	-2000.000	1.77	-2000.00
950	1	827.0	1527.0	3.0	48.02	.10	.30	-2000.00	-2000.000	1.74	-2000.00
	2	276.5	1532.0	8.8	336.73	.01	.10	-2000.00	-2000.000	1.36	-2000.00
975	1	535.7	1051.0	6.7	266.08	.01	.10	-2000.00	-2000.000	1.37	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. = 500

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
25	1	208.7	142.0	38.6	541.00	10.00	.20	-2000.00	-2000.000	1.06	-2000.00
	2	38.2	78.2	22.4	603.79	30.00	.10	-2000.00	-2000.000	.55	-2000.00
	3	22.4	91.0	28.3	439.56	30.00	.20	-2000.00	-2000.000	1.04	-2000.00
	4	30.7	209.0	21.4	587.30	100.00	.10	-2000.00	-2000.000	.52	-2000.00
	5	17.0	173.0	23.9	379.73	3.00	.20	-2000.00	-2000.000	.84	-2000.00
50	1	129.0	79.0	25.5	402.94	10.00	.20	-2000.00	-2000.000	1.09	-2000.00
	2	44.4	82.0	29.3	448.12	10.00	.20	-2000.00	-2000.000	1.22	-2000.00
	3	51.0	187.0	23.4	379.01	10.00	.20	-2000.00	-2000.000	1.39	-2000.00
	4	32.0	197.0	23.5	382.52	3.00	.20	-2000.00	-2000.000	1.04	-2000.00
	5	5.8	54.0	39.5	541.96	30.00	.20	-2000.00	-2000.000	5.91	-2000.00
75	1	403.3	316.0	22.9	369.72	10.00	.20	-2000.00	-2000.000	1.09	-2000.00
	2	137.5	323.0	21.9	369.49	30.00	.20	-2000.00	-2000.000	2.90	-2000.00
	3	59.4	279.0	22.2	598.81	100.00	.10	-2000.00	-2000.000	1.09	-2000.00
	4	7.4	57.9	39.2	422.75	30.00	.30	-2000.00	-2000.000	5.63	-2000.00
	5	1.2	14.6	42.3	367.03	.30	.60	-2000.00	-2000.000	16.31	-2000.00
100	1	822.5	679.0	15.2	464.57	100.00	.10	-2000.00	-2000.000	.93	-2000.00
	2	208.0	515.0	16.1	483.86	100.00	.10	-2000.00	-2000.000	.91	-2000.00
	3	25.3	125.0	31.6	469.04	10.00	.20	-2000.00	-2000.000	.80	-2000.00
	4	3.1	25.9	43.2	587.70	10.00	.20	-2000.00	-2000.000	1.17	-2000.00
	5	1.4	17.9	38.8	561.25	100.00	.20	-2000.00	-2000.000	2.42	-2000.00
125	1	2105.0	820.0	7.4	291.14	.01	.10	-2000.00	-2000.000	1.46	-2000.00
	2	160.0	188.0	27.0	418.06	10.00	.20	-2000.00	-2000.000	.99	-2000.00
	3	15.9	37.0	41.4	568.38	10.00	.20	-2000.00	-2000.000	.80	-2000.00
	4	5.5	21.4	37.7	325.07	.30	.40	-2000.00	-2000.000	6.49	-2000.00
	5	4.6	27.0	36.7	493.57	100.00	.30	-2000.00	-2000.000	6.56	-2000.00
150	1	492.7	271.0	25.7	402.70	10.00	.20	-2000.00	-2000.000	1.01	-2000.00
	2	44.6	73.6	38.6	541.19	10.00	.20	-2000.00	-2000.000	.65	-2000.00
	3	11.6	38.0	38.3	538.21	10.00	.20	-2000.00	-2000.000	.92	-2000.00
	4	8.4	46.4	32.1	515.11	.30	.20	-2000.00	-2000.000	1.57	-2000.00
	5	8.6	71.3	39.1	410.74	10.00	.30	-2000.00	-2000.000	2.02	-2000.00
175	1	378.7	160.0	31.2	733.27	100.00	.10	-2000.00	-2000.000	.99	-2000.00
	2	80.0	101.8	31.2	733.20	100.00	.10	-2000.00	-2000.000	.97	-2000.00
	3	44.0	111.0	28.8	441.90	10.00	.20	-2000.00	-2000.000	1.05	-2000.00
	4	35.7	151.0	28.7	706.61	30.00	.10	-2000.00	-2000.000	.35	-2000.00
	5	33.8	215.0	26.7	670.33	100.00	.10	-2000.00	-2000.000	1.03	-2000.00
200	1	188.6	113.0	31.0	464.34	10.00	.20	-2000.00	-2000.000	.80	-2000.00
	2	73.0	132.1	28.1	433.39	10.00	.20	-2000.00	-2000.000	.99	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
					Cole-Cole Parameters						
	3	42.3	153.0	26.9	673.22	100.00	.10	-2000.00	-2000.000	.50	-2000.00
	4	36.7	221.0	26.0	659.00	100.00	.10	-2000.00	-2000.000	.93	-2000.00
	5	34.7	314.0	23.9	631.63	30.00	.10	-2000.00	-2000.000	.37	-2000.00
225	1	293.3	200.0	26.8	417.22	10.00	.20	-2000.00	-2000.000	.95	-2000.00
	2	92.9	190.1	22.5	605.14	100.00	.10	-2000.00	-2000.000	.57	-2000.00
	3	51.3	209.0	23.6	623.56	100.00	.10	-2000.00	-2000.000	.50	-2000.00
	4	36.3	247.0	23.6	624.59	30.00	.10	-2000.00	-2000.000	.48	-2000.00
	5	15.3	156.0	26.3	666.94	100.00	.10	-2000.00	-2000.000	.68	-2000.00
250	1	494.1	298.0	16.0	481.28	100.00	.10	-2000.00	-2000.000	.91	-2000.00
	2	183.4	332.0	16.5	491.03	100.00	.10	-2000.00	-2000.000	.79	-2000.00
	3	71.6	258.0	19.1	543.77	30.00	.10	-2000.00	-2000.000	.58	-2000.00
	4	26.3	158.0	23.3	616.73	100.00	.10	-2000.00	-2000.000	.69	-2000.00
	5	21.0	190.0	25.0	396.41	10.00	.20	-2000.00	-2000.000	1.24	-2000.00
275	1	476.3	373.9	13.7	430.27	100.00	.10	-2000.00	-2000.000	.96	-2000.00
	2	107.4	252.9	16.2	484.71	100.00	.10	-2000.00	-2000.000	.70	-2000.00
	3	31.9	150.1	20.7	573.58	100.00	.10	-2000.00	-2000.000	.55	-2000.00
	4	23.3	183.2	21.1	249.53	1.00	.30	-2000.00	-2000.000	1.07	-2000.00
	5	15.4	180.7	21.6	358.43	30.00	.20	-2000.00	-2000.000	2.93	-2000.00
300	1	510.2	296.7	13.7	430.29	30.00	.10	-2000.00	-2000.000	.91	-2000.00
	2	100.5	175.3	20.4	567.56	100.00	.10	-2000.00	-2000.000	1.03	-2000.00
	3	52.3	182.0	21.3	581.31	100.00	.10	-2000.00	-2000.000	1.03	-2000.00
	4	26.4	153.6	20.9	638.71	.10	.10	-2000.00	-2000.000	1.46	-2000.00
	5	26.8	233.9	20.8	348.84	30.00	.20	-2000.00	-2000.000	.51	-2000.00
325	1	379.5	264.8	14.2	440.03	100.00	.10	-2000.00	-2000.000	.67	-2000.00
	2	137.8	288.5	14.3	444.02	100.00	.10	-2000.00	-2000.000	.66	-2000.00
	3	55.1	230.3	17.0	499.78	100.00	.10	-2000.00	-2000.000	1.08	-2000.00
	4	29.8	208.1	19.6	555.54	30.00	.10	-2000.00	-2000.000	.46	-2000.00
	5	13.9	145.5	25.6	404.86	10.00	.20	-2000.00	-2000.000	.96	-2000.00
350	1	641.8	629.8	9.5	327.53	1.00	.10	-2000.00	-2000.000	.97	-2000.00
	2	185.9	547.2	11.0	362.96	10.00	.10	-2000.00	-2000.000	.86	-2000.00
	3	70.6	414.7	15.1	463.84	10.00	.10	-2000.00	-2000.000	.78	-2000.00
	4	16.6	163.4	24.3	637.21	30.00	.10	-2000.00	-2000.000	1.26	-2000.00
	5	19.3	283.6	23.9	382.00	10.00	.20	-2000.00	-2000.000	1.72	-2000.00
375	1	1094.0	715.7	7.2	260.28	.30	.10	-2000.00	-2000.000	1.05	-2000.00
	2	312.4	613.1	12.0	394.77	1.00	.10	-2000.00	-2000.000	1.06	-2000.00
	3	44.0	172.5	23.7	381.78	10.00	.20	-2000.00	-2000.000	1.05	-2000.00
	4	43.0	281.0	21.7	591.45	100.00	.10	-2000.00	-2000.000	.59	-2000.00
	5	15.3	149.6	26.0	661.40	100.00	.10	-2000.00	-2000.000	.71	-2000.00
400	1	1838.0	1068.8	10.4	377.05	.03	.10	-2000.00	-2000.000	1.17	-2000.00
	2	153.6	267.9	22.5	602.46	100.00	.10	-2000.00	-2000.000	.94	-2000.00
	3	93.9	326.9	22.2	598.90	100.00	.10	-2000.00	-2000.000	.84	-2000.00
	4	26.4	153.5	26.0	409.10	10.00	.20	-2000.00	-2000.000	1.13	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	16.1	140.1	21.6	589.81	100.00	.10	-2000.00	-2000.000	.82	-2000.00
425	1	451.4	308.1	18.8	316.44	10.00	.20	-2000.00	-2000.000	1.33	-2000.00
	2	186.4	381.7	20.1	560.76	100.00	.10	-2000.00	-2000.000	.85	-2000.00
	3	36.9	150.7	26.5	412.13	10.00	.20	-2000.00	-2000.000	1.28	-2000.00
	4	18.7	127.6	21.8	591.27	100.00	.10	-2000.00	-2000.000	.65	-2000.00
	5	13.8	141.3	17.7	514.24	100.00	.10	-2000.00	-2000.000	.64	-2000.00
450	1	1119.0	663.0	13.2	418.44	30.00	.10	-2000.00	-2000.000	1.03	-2000.00
	2	145.6	258.8	19.6	551.31	100.00	.10	-2000.00	-2000.000	.87	-2000.00
	3	41.7	147.8	20.8	344.54	10.00	.20	-2000.00	-2000.000	1.19	-2000.00
	4	24.5	145.4	19.3	314.10	10.00	.20	-2000.00	-2000.000	1.41	-2000.00
	5	22.1	196.8	15.5	488.95	30.00	.10	-2000.00	-2000.000	2.74	-2000.00
475	1	729.7	424.3	15.1	461.20	100.00	.10	-2000.00	-2000.000	.96	-2000.00
	2	135.8	236.9	18.2	523.06	100.00	.10	-2000.00	-2000.000	1.27	-2000.00
	3	49.0	170.7	18.8	537.82	100.00	.10	-2000.00	-2000.000	.69	-2000.00
	4	36.5	211.9	18.0	524.50	100.00	.10	-2000.00	-2000.000	.82	-2000.00
	5	18.0	156.7	22.4	364.38	10.00	.20	-2000.00	-2000.000	1.02	-2000.00
500	1	905.3	546.7	10.7	356.79	3.00	.10	-2000.00	-2000.000	.75	-2000.00
	2	190.0	344.2	13.7	431.72	30.00	.10	-2000.00	-2000.000	.79	-2000.00
	3	84.7	306.3	17.2	506.68	100.00	.10	-2000.00	-2000.000	.77	-2000.00
	4	31.4	189.5	22.2	595.82	100.00	.10	-2000.00	-2000.000	1.33	-2000.00
	5	20.0	181.2	24.9	393.92	10.00	.20	-2000.00	-2000.000	1.13	-2000.00
525	1	609.4	478.0	7.8	304.75	.01	.10	-2000.00	-2000.000	1.33	-2000.00
	2	160.3	377.0	14.5	447.91	30.00	.10	-2000.00	-2000.000	.86	-2000.00
	3	36.0	169.0	23.2	373.61	10.00	.20	-2000.00	-2000.000	.96	-2000.00
	4	21.9	171.0	24.8	391.95	10.00	.20	-2000.00	-2000.000	.84	-2000.00
	5	14.7	172.0	25.7	404.37	10.00	.20	-2000.00	-2000.000	1.22	-2000.00
550	1	588.3	486.1	11.5	389.14	.30	.10	-2000.00	-2000.000	.95	-2000.00
	2	87.4	216.6	20.5	340.99	10.00	.20	-2000.00	-2000.000	1.12	-2000.00
	3	33.5	165.8	24.9	393.54	10.00	.20	-2000.00	-2000.000	.80	-2000.00
	4	19.0	157.2	27.1	367.13	100.00	.30	-2000.00	-2000.000	5.57	-2000.00
	5	18.3	227.2	18.5	164.68	.30	.50	-2000.00	-2000.000	4.39	-2000.00
575	1	442.6	248.0	16.7	288.27	10.00	.20	-2000.00	-2000.000	1.30	-2000.00
	2	125.0	210.0	22.7	366.90	10.00	.20	-2000.00	-2000.000	.90	-2000.00
	3	59.1	198.0	22.1	361.08	10.00	.20	-2000.00	-2000.000	1.05	-2000.00
	4	38.4	215.0	18.0	301.92	3.00	.20	-2000.00	-2000.000	1.22	-2000.00
	5	15.1	127.0	17.6	328.73	100.00	.20	-2000.00	-2000.000	5.37	-2000.00
600	1	228.4	217.0	22.0	358.21	10.00	.20	-2000.00	-2000.000	.90	-2000.00
	2	81.3	231.9	20.4	339.02	10.00	.20	-2000.00	-2000.000	1.19	-2000.00
	3	42.8	243.0	14.5	446.38	100.00	.10	-2000.00	-2000.000	1.06	-2000.00
	4	15.8	150.0	17.4	307.35	30.00	.20	-2000.00	-2000.000	2.42	-2000.00
	5	7.8	111.0	23.9	408.87	.30	.20	-2000.00	-2000.000	1.62	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
625	1	247.1	172.0	21.1	348.48	10.00	.20	-2000.00	-2000.000	1.28	-2000.00
	2	141.3	295.0	14.8	453.31	100.00	.10	-2000.00	-2000.000	1.01	-2000.00
	3	40.4	168.0	19.0	543.38	100.00	.10	-2000.00	-2000.000	.87	-2000.00
	4	13.5	94.0	29.5	448.07	30.00	.20	-2000.00	-2000.000	1.38	-2000.00
	5	14.7	153.0	21.2	362.16	1.00	.20	-2000.00	-2000.000	1.06	-2000.00
650	1	603.9	474.0	16.4	488.99	100.00	.10	-2000.00	-2000.000	1.18	-2000.00
	2	75.2	177.0	25.1	397.39	10.00	.20	-2000.00	-2000.000	.98	-2000.00
	3	21.4	100.0	31.8	477.82	30.00	.20	-2000.00	-2000.000	1.06	-2000.00
	4	14.5	113.0	23.2	375.75	10.00	.20	-2000.00	-2000.000	1.49	-2000.00
	5	17.0	199.0	18.0	520.07	100.00	.10	-2000.00	-2000.000	.72	-2000.00
675	1	414.3	260.0	24.3	387.85	10.00	.20	-2000.00	-2000.000	1.11	-2000.00
	2	79.5	149.7	30.3	457.87	10.00	.20	-2000.00	-2000.000	.89	-2000.00
	3	33.0	123.0	19.7	553.02	100.00	.10	-2000.00	-2000.000	.94	-2000.00
	4	30.2	189.0	18.2	338.25	100.00	.20	-2000.00	-2000.000	2.65	-2000.00
	5	20.4	192.0	18.3	225.92	.30	.30	-2000.00	-2000.000	3.38	-2000.00
700	1	133.3	77.0	31.7	472.38	10.00	.20	-2000.00	-2000.000	.80	-2000.00
	2	52.7	91.9	18.2	525.08	100.00	.10	-2000.00	-2000.000	1.05	-2000.00
	3	40.7	141.0	16.8	498.37	100.00	.10	-2000.00	-2000.000	1.09	-2000.00
	4	17.3	100.0	19.6	326.43	3.00	.20	-2000.00	-2000.000	.91	-2000.00
	5	30.3	264.0	21.7	356.01	10.00	.20	-2000.00	-2000.000	1.22	-2000.00
725	1	69.6	80.8	19.3	547.31	100.00	.10	-2000.00	-2000.000	.64	-2000.00
	2	39.2	136.6	17.8	519.77	100.00	.10	-2000.00	-2000.000	.96	-2000.00
	3	14.6	101.0	20.2	562.88	100.00	.10	-2000.00	-2000.000	.88	-2000.00
	4	19.1	222.0	23.1	381.52	30.00	.20	-2000.00	-2000.000	1.26	-2000.00
	5	24.2	421.0	21.2	579.29	100.00	.10	-2000.00	-2000.000	.87	-2000.00
750	1	1279.0	640.0	11.0	368.30	1.00	.10	-2000.00	-2000.000	.96	-2000.00
	2	297.7	452.0	14.1	437.97	30.00	.10	-2000.00	-2000.000	.75	-2000.00
	3	232.1	700.0	16.7	497.34	30.00	.10	-2000.00	-2000.000	.62	-2000.00
	4	232.1	1170.0	17.9	304.90	10.00	.20	-2000.00	-2000.000	1.65	-2000.00
	5	229.6	1740.0	16.2	488.81	10.00	.10	-2000.00	-2000.000	.62	-2000.00
775	1	865.7	543.0	6.6	263.83	.01	.10	-2000.00	-2000.000	1.56	-2000.00
	2	614.5	1157.0	10.2	359.07	.10	.10	-2000.00	-2000.000	1.07	-2000.00
	3	446.9	1680.0	12.6	411.33	1.00	.10	-2000.00	-2000.000	.95	-2000.00
	4	389.1	2440.0	12.5	408.29	1.00	.10	-2000.00	-2000.000	.95	-2000.00
	5	120.9	1130.0	8.9	342.15	.01	.10	-2000.00	-2000.000	1.11	-2000.00
800	1	1239.0	1760.0	4.4	114.71	.01	.20	-2000.00	-2000.000	2.63	-2000.00
	2	581.5	2489.0	7.0	148.71	.10	.20	-2000.00	-2000.000	1.61	-2000.00
	3	304.9	2600.0	9.6	364.02	.01	.10	-2000.00	-2000.000	1.31	-2000.00
	4	90.1	1285.0	7.7	282.23	.10	.10	-2000.00	-2000.000	1.14	-2000.00
	5	76.6	1640.0	9.0	325.82	.10	.10	-2000.00	-2000.000	1.29	-2000.00
825	1	804.0	1803.0	4.3	111.95	.01	.20	-2000.00	-2000.000	2.23	-2000.00
	2	312.6	2103.0	7.7	305.94	.01	.10	-2000.00	-2000.000	1.82	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
					Cole-Cole Parameters						
	3	64.2	862.0	7.7	295.08	.01	.10	-2000.00	-2000.000	2.17	-2000.00
	4	63.1	1415.0	8.5	315.26	.10	.10	-2000.00	-2000.000	2.25	-2000.00
	5	28.9	970.0	10.2	190.96	1.00	.20	-2000.00	-2000.000	1.96	-2000.00
850	1	1032.0	1540.0	5.4	114.58	.10	.20	-2000.00	-2000.000	2.20	-2000.00
	2	178.4	800.0	7.6	286.34	.03	.10	-2000.00	-2000.000	1.01	-2000.00
	3	116.4	1040.0	9.3	342.82	.03	.10	-2000.00	-2000.000	1.02	-2000.00
	4	57.3	856.0	10.5	350.32	3.00	.10	-2000.00	-2000.000	1.14	-2000.00
	5	55.7	1250.0	11.8	390.84	1.00	.10	-2000.00	-2000.000	1.04	-2000.00
875	1	446.3	609.0	5.5	222.30	.01	.10	-2000.00	-2000.000	1.21	-2000.00
	2	231.7	948.0	8.6	312.54	.10	.10	-2000.00	-2000.000	1.47	-2000.00
	3	86.8	709.0	10.4	347.89	10.00	.10	-2000.00	-2000.000	1.30	-2000.00
	4	89.4	1221.0	11.7	384.64	30.00	.10	-2000.00	-2000.000	1.52	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 600

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
25	1	177.4	92.0	19.0	320.13	10.00	.20	-2000.00	-2000.000	1.12	-2000.00
	2	63.2	99.1	35.3	508.89	10.00	.20	-2000.00	-2000.000	.78	-2000.00
	3	2.2	6.7	40.7	568.93	30.00	.20	-2000.00	-2000.000	1.31	-2000.00
	4	8.4	43.7	22.2	360.47	10.00	.20	-2000.00	-2000.000	.72	-2000.00
	5	14.6	114.0	20.3	564.53	100.00	.10	-2000.00	-2000.000	.48	-2000.00
50	1	270.4	141.0	26.7	416.84	10.00	.20	-2000.00	-2000.000	.88	-2000.00
	2	4.3	6.7	37.5	537.10	10.00	.20	-2000.00	-2000.000	2.39	-2000.00
	3	12.8	40.0	21.2	349.18	10.00	.20	-2000.00	-2000.000	1.08	-2000.00
	4	21.5	112.0	18.9	541.03	100.00	.10	-2000.00	-2000.000	.65	-2000.00
	5	16.5	129.0	20.8	342.05	3.00	.20	-2000.00	-2000.000	.45	-2000.00
75	1	29.6	30.9	39.2	550.43	30.00	.20	-2000.00	-2000.000	.93	-2000.00
	2	15.4	48.2	20.2	570.40	10.00	.10	-2000.00	-2000.000	.77	-2000.00
	3	22.5	140.0	19.2	547.50	100.00	.10	-2000.00	-2000.000	.87	-2000.00
	4	15.2	158.0	21.3	357.63	30.00	.20	-2000.00	-2000.000	1.33	-2000.00
	5	3.5	55.3	34.0	494.40	3.00	.20	-2000.00	-2000.000	1.27	-2000.00
100	1	161.0	84.0	19.9	559.95	100.00	.10	-2000.00	-2000.000	.77	-2000.00
	2	123.0	193.0	20.5	572.11	30.00	.10	-2000.00	-2000.000	.65	-2000.00
	3	53.6	168.0	25.0	395.56	10.00	.20	-2000.00	-2000.000	.87	-2000.00
	4	8.9	46.3	36.8	525.27	10.00	.20	-2000.00	-2000.000	.72	-2000.00
	5	4.8	37.6	53.1	659.45	30.00	.20	-2000.00	-2000.000	.85	-2000.00
125	1	297.7	133.0	20.3	565.18	100.00	.10	-2000.00	-2000.000	.71	-2000.00
	2	94.8	127.5	25.0	395.39	10.00	.20	-2000.00	-2000.000	.79	-2000.00
	3	16.9	45.0	42.1	573.61	30.00	.20	-2000.00	-2000.000	.57	-2000.00
	4	3.6	16.3	55.0	683.80	100.00	.20	-2000.00	-2000.000	1.37	-2000.00
	5	.7	4.6	39.6	855.95	30.00	.10	-2000.00	-2000.000	1.77	-2000.00
150	1	918.4	324.0	13.1	233.36	10.00	.20	-2000.00	-2000.000	1.08	-2000.00
	2	95.8	101.4	34.0	499.43	30.00	.20	-2000.00	-2000.000	.75	-2000.00
	3	18.4	38.0	50.0	635.14	30.00	.20	-2000.00	-2000.000	.63	-2000.00
	4	1.6	5.6	44.3	475.76	1.00	.30	-2000.00	-2000.000	1.97	-2000.00
	5	4.2	22.1	35.4	513.37	10.00	.20	-2000.00	-2000.000	1.17	-2000.00
175	1	390.5	153.0	34.2	501.38	30.00	.20	-2000.00	-2000.000	.75	-2000.00
	2	52.5	61.7	46.0	606.91	30.00	.20	-2000.00	-2000.000	.64	-2000.00
	3	5.3	12.4	51.5	645.48	10.00	.20	-2000.00	-2000.000	.75	-2000.00
	4	10.7	42.0	34.4	511.33	30.00	.20	-2000.00	-2000.000	1.92	-2000.00
	5	7.8	46.0	29.3	323.16	1.00	.30	-2000.00	-2000.000	1.91	-2000.00
200	1	399.7	162.0	39.2	545.85	10.00	.20	-2000.00	-2000.000	.88	-2000.00
	2	19.3	23.6	47.1	623.45	3.00	.20	-2000.00	-2000.000	1.44	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	33.7	82.0	34.6	508.42	30.00	.20	-2000.00	-2000.000	1.71	-2000.00
	4	13.4	54.0	27.7	428.09	10.00	.20	-2000.00	-2000.000	1.07	-2000.00
	5	30.5	186.0	25.1	659.40	10.00	.10	-2000.00	-2000.000	.46	-2000.00
225	1	97.9	51.2	41.0	562.33	10.00	.20	-2000.00	-2000.000	.48	-2000.00
	2	81.8	128.3	30.6	461.29	10.00	.20	-2000.00	-2000.000	1.45	-2000.00
	3	30.2	94.0	25.4	399.82	10.00	.20	-2000.00	-2000.000	.70	-2000.00
	4	48.4	253.0	22.5	612.00	10.00	.10	-2000.00	-2000.000	.46	-2000.00
	5	31.0	243.0	28.7	440.12	10.00	.20	-2000.00	-2000.000	.84	-2000.00
250	1	278.7	175.0	29.2	705.53	100.00	.10	-2000.00	-2000.000	1.04	-2000.00
	2	59.4	111.9	23.5	627.47	100.00	.10	-2000.00	-2000.000	.95	-2000.00
	3	71.8	270.0	20.3	568.00	30.00	.10	-2000.00	-2000.000	.71	-2000.00
	4	28.5	178.0	30.2	720.86	100.00	.10	-2000.00	-2000.000	.96	-2000.00
	5	17.1	160.0	33.4	488.29	10.00	.20	-2000.00	-2000.000	.95	-2000.00
275	1	229.2	179.0	18.7	315.43	10.00	.20	-2000.00	-2000.000	1.16	-2000.00
	2	87.3	205.7	19.1	563.65	1.00	.10	-2000.00	-2000.000	.55	-2000.00
	3	45.0	211.0	27.9	438.13	30.00	.20	-2000.00	-2000.000	1.48	-2000.00
	4	16.7	131.0	33.3	490.82	10.00	.20	-2000.00	-2000.000	.84	-2000.00
	5	13.8	162.0	29.2	440.45	10.00	.20	-2000.00	-2000.000	1.14	-2000.00
300	1	700.9	333.0	10.6	395.68	.01	.10	-2000.00	-2000.000	.76	-2000.00
	2	231.9	330.0	20.9	343.80	10.00	.20	-2000.00	-2000.000	.90	-2000.00
	3	67.1	191.0	27.4	424.36	10.00	.20	-2000.00	-2000.000	.83	-2000.00
	4	50.6	240.0	22.4	363.34	10.00	.20	-2000.00	-2000.000	1.16	-2000.00
	5	41.5	296.0	22.6	607.69	100.00	.10	-2000.00	-2000.000	1.06	-2000.00
325	1	461.6	724.0	18.4	310.62	10.00	.20	-2000.00	-2000.000	1.19	-2000.00
	2	82.3	387.5	26.8	439.33	100.00	.20	-2000.00	-2000.000	2.15	-2000.00
	3	49.0	460.0	16.1	205.99	.30	.30	-2000.00	-2000.000	3.12	-2000.00
	4	15.5	243.0	21.8	594.62	100.00	.10	-2000.00	-2000.000	1.29	-2000.00
	5	10.5	247.0	23.0	378.36	10.00	.20	-2000.00	-2000.000	2.54	-2000.00
350	1	908.8	648.0	23.2	374.76	10.00	.20	-2000.00	-2000.000	1.11	-2000.00
	2	412.5	883.0	13.4	427.26	3.00	.10	-2000.00	-2000.000	.88	-2000.00
	3	64.3	274.0	20.7	344.69	10.00	.20	-2000.00	-2000.000	1.13	-2000.00
	4	31.4	224.0	23.2	374.79	10.00	.20	-2000.00	-2000.000	1.16	-2000.00
	5	13.4	143.0	22.0	354.86	3.00	.20	-2000.00	-2000.000	.98	-2000.00
375	1	2637.0	1650.0	8.1	169.30	.10	.20	-2000.00	-2000.000	1.32	-2000.00
	2	135.0	254.0	21.5	353.11	10.00	.20	-2000.00	-2000.000	.78	-2000.00
	3	54.2	203.0	23.4	377.38	10.00	.20	-2000.00	-2000.000	.86	-2000.00
	4	18.9	118.0	22.8	366.59	3.00	.20	-2000.00	-2000.000	.56	-2000.00
	5	15.3	143.0	21.1	580.60	100.00	.10	-2000.00	-2000.000	1.00	-2000.00
400	1	364.2	190.0	22.0	358.61	10.00	.20	-2000.00	-2000.000	.93	-2000.00
	2	89.5	140.4	24.6	639.57	100.00	.10	-2000.00	-2000.000	.87	-2000.00
	3	27.1	84.0	25.5	406.48	30.00	.20	-2000.00	-2000.000	1.15	-2000.00
	4	22.7	119.0	22.0	381.25	100.00	.20	-2000.00	-2000.000	6.59	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	13.0	102.0	22.2	249.29	3.00	.30	-2000.00	-2000.000	3.16	-2000.00
425	1	770.2	604.0	12.9	418.70	1.00	.10	-2000.00	-2000.000	.95	-2000.00
	2	71.2	167.5	19.6	327.25	10.00	.20	-2000.00	-2000.000	.98	-2000.00
	3	39.7	186.0	18.5	532.03	100.00	.10	-2000.00	-2000.000	.41	-2000.00
	4	15.9	124.0	21.8	356.30	10.00	.20	-2000.00	-2000.000	1.30	-2000.00
	5	14.7	173.0	17.5	512.83	30.00	.10	-2000.00	-2000.000	.72	-2000.00
450	1	335.6	234.0	16.5	492.49	30.00	.10	-2000.00	-2000.000	.65	-2000.00
	2	157.1	328.0	16.2	485.20	30.00	.10	-2000.00	-2000.000	.77	-2000.00
	3	47.7	199.0	21.7	355.96	10.00	.20	-2000.00	-2000.000	.93	-2000.00
	4	31.9	222.0	17.4	518.98	3.00	.10	-2000.00	-2000.000	.70	-2000.00
	5	45.5	475.0	18.9	539.03	100.00	.10	-2000.00	-2000.000	1.17	-2000.00
475	1	676.8	425.0	15.7	474.79	100.00	.10	-2000.00	-2000.000	.94	-2000.00
	2	111.1	209.0	23.1	370.86	10.00	.20	-2000.00	-2000.000	.82	-2000.00
	3	56.8	213.0	19.3	548.81	100.00	.10	-2000.00	-2000.000	.49	-2000.00
	4	63.3	397.0	19.4	324.15	10.00	.20	-2000.00	-2000.000	1.23	-2000.00
	5	8.2	77.5	25.3	395.41	10.00	.20	-2000.00	-2000.000	.81	-2000.00
500	1	931.8	585.0	13.7	428.99	100.00	.10	-2000.00	-2000.000	.76	-2000.00
	2	264.5	498.0	13.0	415.40	10.00	.10	-2000.00	-2000.000	.95	-2000.00
	3	166.1	620.0	13.7	430.57	10.00	.10	-2000.00	-2000.000	.47	-2000.00
	4	14.5	90.0	20.1	564.24	30.00	.10	-2000.00	-2000.000	1.02	-2000.00
	5	27.1	254.0	22.8	370.95	10.00	.20	-2000.00	-2000.000	1.57	-2000.00
525	1	1100.0	760.0	10.9	373.42	.30	.10	-2000.00	-2000.000	.95	-2000.00
	2	353.7	740.0	12.6	404.75	100.00	.10	-2000.00	-2000.000	.83	-2000.00
	3	30.1	125.0	16.0	289.97	.30	.20	-2000.00	-2000.000	1.82	-2000.00
	4	35.8	249.0	19.7	327.06	3.00	.20	-2000.00	-2000.000	.69	-2000.00
	5	23.6	246.0	20.7	347.34	10.00	.20	-2000.00	-2000.000	2.13	-2000.00
550	1	549.9	431.0	18.3	309.92	10.00	.20	-2000.00	-2000.000	1.14	-2000.00
	2	34.7	81.7	19.2	126.66	1.00	.50	-2000.00	-2000.000	4.43	-2000.00
	3	48.2	226.0	20.3	335.31	10.00	.20	-2000.00	-2000.000	.92	-2000.00
	4	14.2	111.0	21.3	343.12	10.00	.20	-2000.00	-2000.000	2.25	-2000.00
	5	18.5	217.0	17.0	300.78	30.00	.20	-2000.00	-2000.000	1.95	-2000.00
575	1	137.5	107.0	17.3	295.26	10.00	.20	-2000.00	-2000.000	1.40	-2000.00
	2	134.0	315.0	18.4	531.75	30.00	.10	-2000.00	-2000.000	.98	-2000.00
	3	36.1	169.0	21.6	586.52	100.00	.10	-2000.00	-2000.000	.88	-2000.00
	4	39.4	309.0	12.5	406.92	3.00	.10	-2000.00	-2000.000	.97	-2000.00
	5	35.8	420.0	11.3	370.16	3.00	.10	-2000.00	-2000.000	1.24	-2000.00
600	1	616.8	484.0	19.7	553.38	100.00	.10	-2000.00	-2000.000	1.07	-2000.00
	2	89.9	211.8	23.6	384.56	30.00	.20	-2000.00	-2000.000	1.26	-2000.00
	3	78.3	368.0	15.9	276.45	10.00	.20	-2000.00	-2000.000	1.16	-2000.00
	4	51.1	400.0	12.5	399.27	10.00	.10	-2000.00	-2000.000	.55	-2000.00
	5	23.6	278.0	17.7	293.76	3.00	.20	-2000.00	-2000.000	1.71	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
625	1	1410.0	980.0	16.2	484.52	100.00	.10	-2000.00	-2000.000	1.27	-2000.00
	2	230.9	483.0	19.8	329.67	10.00	.20	-2000.00	-2000.000	.82	-2000.00
	3	137.5	570.0	17.3	296.15	10.00	.20	-2000.00	-2000.000	.93	-2000.00
	4	44.0	307.0	19.7	327.82	10.00	.20	-2000.00	-2000.000	.94	-2000.00
	5	7.0	73.0	32.8	340.73	3.00	.30	-2000.00	-2000.000	2.11	-2000.00
650	1	1553.0	970.0	17.9	304.23	10.00	.20	-2000.00	-2000.000	1.32	-2000.00
	2	406.0	764.0	17.8	515.99	100.00	.10	-2000.00	-2000.000	.63	-2000.00
	3	111.5	410.0	21.7	373.97	100.00	.20	-2000.00	-2000.000	3.33	-2000.00
	4	12.3	77.0	22.0	169.89	.30	.80	-2000.00	-2000.000	20.20	-2000.00
	5	12.1	113.0	31.3	475.74	3.00	.20	-2000.00	-2000.000	5.21	-2000.00
675	1	764.6	480.0	13.1	414.63	30.00	.10	-2000.00	-2000.000	.98	-2000.00
	2	120.5	227.0	21.2	345.24	10.00	.20	-2000.00	-2000.000	.68	-2000.00
	3	26.2	98.0	31.9	475.38	10.00	.20	-2000.00	-2000.000	.61	-2000.00
	4	5.2	32.7	36.7	537.93	30.00	.20	-2000.00	-2000.000	3.85	-2000.00
	5	26.6	250.0	24.8	388.59	3.00	.20	-2000.00	-2000.000	1.81	-2000.00
700	1	344.1	270.0	15.5	469.32	100.00	.10	-2000.00	-2000.000	1.12	-2000.00
	2	36.5	86.0	28.6	472.57	.30	.20	-2000.00	-2000.000	1.19	-2000.00
	3	16.9	79.0	31.3	362.13	30.00	.30	-2000.00	-2000.000	4.73	-2000.00
	4	23.1	181.0	20.7	575.03	100.00	.10	-2000.00	-2000.000	1.27	-2000.00
	5	20.4	239.0	21.9	622.47	1.00	.10	-2000.00	-2000.000	4.24	-2000.00
725	1	77.0	53.7	30.1	454.37	10.00	.20	-2000.00	-2000.000	.75	-2000.00
	2	29.8	62.2	27.1	422.47	10.00	.20	-2000.00	-2000.000	1.30	-2000.00
	3	45.2	188.0	19.1	544.78	30.00	.10	-2000.00	-2000.000	.51	-2000.00
	4	28.5	198.0	20.5	587.37	3.00	.10	-2000.00	-2000.000	1.26	-2000.00
	5	31.1	325.0	20.3	346.36	30.00	.20	-2000.00	-2000.000	3.25	-2000.00
750	1	36.1	37.8	37.0	541.85	100.00	.20	-2000.00	-2000.000	1.06	-2000.00
	2	41.0	128.6	19.9	554.99	100.00	.10	-2000.00	-2000.000	1.01	-2000.00
	3	24.0	150.0	20.8	586.61	30.00	.10	-2000.00	-2000.000	.99	-2000.00
	4	22.4	234.0	20.9	343.91	10.00	.20	-2000.00	-2000.000	.86	-2000.00
	5	29.4	460.0	20.0	335.18	10.00	.20	-2000.00	-2000.000	1.16	-2000.00
775	1	328.6	312.0	14.4	445.04	30.00	.10	-2000.00	-2000.000	.84	-2000.00
	2	130.2	371.0	15.9	481.14	10.00	.10	-2000.00	-2000.000	.64	-2000.00
	3	84.9	483.0	16.7	287.68	10.00	.20	-2000.00	-2000.000	1.20	-2000.00
	4	78.0	741.0	18.6	532.13	100.00	.10	-2000.00	-2000.000	.87	-2000.00
	5	100.6	1430.0	20.8	343.37	10.00	.20	-2000.00	-2000.000	1.05	-2000.00
800	1	591.2	618.0	6.7	140.97	.10	.20	-2000.00	-2000.000	2.03	-2000.00
	2	268.2	842.0	8.3	296.13	.30	.10	-2000.00	-2000.000	1.09	-2000.00
	3	185.3	1160.0	12.7	405.39	30.00	.10	-2000.00	-2000.000	.76	-2000.00
	4	160.8	1680.0	17.5	298.60	10.00	.20	-2000.00	-2000.000	1.33	-2000.00
	5	47.4	743.0	18.7	315.96	10.00	.20	-2000.00	-2000.000	1.38	-2000.00
825	1	2088.0	2730.0	3.7	59.91	.10	.30	-2000.00	-2000.000	3.06	-2000.00
	2	644.5	2529.0	7.0	276.53	.01	.10	-2000.00	-2000.000	1.55	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	393.1	3070.0	13.8	432.09	100.00	.10	-2000.00	-2000.000	.99	-2000.00
	4	86.9	1136.0	16.9	498.56	100.00	.10	-2000.00	-2000.000	.80	-2000.00
	5	58.3	1143.0	14.4	448.96	30.00	.10	-2000.00	-2000.000	1.17	-2000.00
850	1	2638.0	2070.0	4.9	78.89	.10	.30	-2000.00	-2000.000	2.24	-2000.00
	2	1101.0	2590.0	13.2	426.29	1.00	.10	-2000.00	-2000.000	.97	-2000.00
	3	211.7	990.0	17.5	299.33	10.00	.20	-2000.00	-2000.000	1.28	-2000.00
	4	122.4	960.0	15.1	459.59	30.00	.10	-2000.00	-2000.000	.94	-2000.00
	5	69.6	819.0	14.9	460.09	30.00	.10	-2000.00	-2000.000	1.04	-2000.00
875	1	2568.0	2010.0	9.6	335.98	.30	.10	-2000.00	-2000.000	1.02	-2000.00
	2	400.8	943.0	16.6	286.43	10.00	.20	-2000.00	-2000.000	1.08	-2000.00
	3	203.4	950.0	15.1	462.15	100.00	.10	-2000.00	-2000.000	.84	-2000.00
	4	100.9	790.0	14.8	454.63	100.00	.10	-2000.00	-2000.000	.77	-2000.00
	5	75.0	882.0	15.6	470.56	100.00	.10	-2000.00	-2000.000	.96	-2000.00
900	1	848.7	807.0	13.9	433.76	100.00	.10	-2000.00	-2000.000	.95	-2000.00
	2	316.3	902.0	15.5	467.22	100.00	.10	-2000.00	-2000.000	.82	-2000.00
	3	133.5	760.0	14.9	455.68	100.00	.10	-2000.00	-2000.000	.97	-2000.00
	4	90.2	857.0	15.3	465.14	100.00	.10	-2000.00	-2000.000	.96	-2000.00
925	1	1185.0	930.0	10.9	363.68	3.00	.10	-2000.00	-2000.000	.99	-2000.00
	2	366.8	863.0	13.8	431.27	100.00	.10	-2000.00	-2000.000	1.01	-2000.00
	3	227.5	1060.0	15.0	459.30	100.00	.10	-2000.00	-2000.000	1.04	-2000.00
950	1	462.5	558.0	9.0	307.25	30.00	.10	-2000.00	-2000.000	.91	-2000.00
	2	222.3	805.0	12.0	387.18	30.00	.10	-2000.00	-2000.000	.98	-2000.00
975	1	1151.0	800.0	8.1	305.11	.03	.10	-2000.00	-2000.000	1.13	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. = 700

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
25	1	26.0	13.5	25.3	646.57	100.00	.10	-2000.00	-2000.000	.92	-2000.00
	2	13.3	20.8	25.7	408.16	10.00	.20	-2000.00	-2000.000	1.04	-2000.00
	3	7.7	24.0	26.9	424.25	30.00	.20	-2000.00	-2000.000	.93	-2000.00
	4	9.3	48.8	18.8	318.58	10.00	.20	-2000.00	-2000.000	1.30	-2000.00
	5	12.3	96.0	16.1	485.38	100.00	.10	-2000.00	-2000.000	1.28	-2000.00
50	1	49.0	38.4	29.8	713.98	100.00	.10	-2000.00	-2000.000	.78	-2000.00
	2	16.4	38.5	29.5	453.32	30.00	.20	-2000.00	-2000.000	.93	-2000.00
	3	17.2	80.0	20.7	351.09	30.00	.20	-2000.00	-2000.000	1.22	-2000.00
	4	21.0	164.0	17.0	503.09	10.00	.10	-2000.00	-2000.000	.70	-2000.00
	5	19.3	227.0	23.0	370.18	10.00	.20	-2000.00	-2000.000	.69	-2000.00
75	1	16.6	20.0	29.8	456.41	30.00	.20	-2000.00	-2000.000	.80	-2000.00
	2	13.6	49.1	21.1	347.81	10.00	.20	-2000.00	-2000.000	.75	-2000.00
	3	19.0	137.0	18.4	311.92	10.00	.20	-2000.00	-2000.000	1.34	-2000.00
	4	7.8	94.0	27.4	429.12	10.00	.20	-2000.00	-2000.000	.99	-2000.00
	5	2.5	44.6	38.1	543.56	10.00	.20	-2000.00	-2000.000	.96	-2000.00
100	1	199.0	89.0	23.9	382.53	10.00	.20	-2000.00	-2000.000	1.07	-2000.00
	2	121.8	163.0	19.9	559.78	100.00	.10	-2000.00	-2000.000	.95	-2000.00
	3	41.3	110.0	29.9	449.50	10.00	.20	-2000.00	-2000.000	.65	-2000.00
	4	8.4	37.6	43.3	592.24	100.00	.20	-2000.00	-2000.000	2.16	-2000.00
	5	2.8	18.9	43.5	582.75	10.00	.20	-2000.00	-2000.000	2.01	-2000.00
125	1	950.3	372.0	9.5	321.91	10.00	.10	-2000.00	-2000.000	.97	-2000.00
	2	169.9	200.0	22.2	359.37	10.00	.20	-2000.00	-2000.000	.93	-2000.00
	3	24.9	58.0	39.1	547.29	30.00	.20	-2000.00	-2000.000	.77	-2000.00
	4	5.6	21.9	39.4	421.39	1.00	.30	-2000.00	-2000.000	.81	-2000.00
	5	2.2	13.1	41.5	417.30	3.00	.30	-2000.00	-2000.000	1.25	-2000.00
150	1	679.3	242.0	17.4	296.01	10.00	.20	-2000.00	-2000.000	.82	-2000.00
	2	74.5	79.7	33.7	497.88	30.00	.20	-2000.00	-2000.000	.97	-2000.00
	3	18.0	38.0	36.4	521.10	10.00	.20	-2000.00	-2000.000	.46	-2000.00
	4	3.8	13.6	36.7	537.52	100.00	.20	-2000.00	-2000.000	1.46	-2000.00
	5	12.1	64.0	25.2	652.70	100.00	.10	-2000.00	-2000.000	1.04	-2000.00
175	1	127.7	114.0	35.6	515.11	30.00	.20	-2000.00	-2000.000	.66	-2000.00
	2	23.0	61.9	37.9	534.07	10.00	.20	-2000.00	-2000.000	.48	-2000.00
	3	5.3	28.2	29.7	452.19	10.00	.20	-2000.00	-2000.000	.79	-2000.00
	4	12.6	113.0	25.0	397.69	10.00	.20	-2000.00	-2000.000	1.09	-2000.00
	5	5.6	75.0	36.5	520.05	10.00	.20	-2000.00	-2000.000	.79	-2000.00
200	1	76.7	96.2	32.8	484.89	10.00	.20	-2000.00	-2000.000	.88	-2000.00
	2	13.0	48.9	28.1	694.54	100.00	.10	-2000.00	-2000.000	.48	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	24.4	183.0	29.2	443.50	10.00	.20	-2000.00	-2000.000	.91	-2000.00
	4	4.9	61.1	42.3	575.32	30.00	.20	-2000.00	-2000.000	1.24	-2000.00
	5	3.6	67.0	35.6	505.77	10.00	.20	-2000.00	-2000.000	1.75	-2000.00
225	1	296.0	163.0	24.4	388.55	10.00	.20	-2000.00	-2000.000	1.04	-2000.00
	2	201.0	332.0	25.7	654.69	100.00	.10	-2000.00	-2000.000	.89	-2000.00
	3	34.3	113.0	41.7	569.51	30.00	.20	-2000.00	-2000.000	.79	-2000.00
	4	17.9	98.0	36.9	525.26	10.00	.20	-2000.00	-2000.000	1.05	-2000.00
	5	28.7	237.0	28.2	691.26	100.00	.10	-2000.00	-2000.000	1.00	-2000.00
250	1	461.2	362.0	20.4	565.92	100.00	.10	-2000.00	-2000.000	.96	-2000.00
	2	47.2	111.2	41.0	563.15	30.00	.20	-2000.00	-2000.000	.81	-2000.00
	3	20.0	94.0	39.1	549.79	30.00	.20	-2000.00	-2000.000	1.01	-2000.00
	4	28.1	220.0	28.6	698.54	100.00	.10	-2000.00	-2000.000	.53	-2000.00
	5	24.4	286.0	27.8	429.34	10.00	.20	-2000.00	-2000.000	1.15	-2000.00
275	1	130.9	68.0	46.4	460.78	10.00	.30	-2000.00	-2000.000	1.48	-2000.00
	2	71.7	112.5	32.8	483.48	10.00	.20	-2000.00	-2000.000	.89	-2000.00
	3	88.2	276.0	25.1	397.44	10.00	.20	-2000.00	-2000.000	.94	-2000.00
	4	45.1	236.0	24.3	388.09	10.00	.20	-2000.00	-2000.000	.83	-2000.00
	5	7.2	56.4	23.4	383.45	30.00	.20	-2000.00	-2000.000	2.82	-2000.00
300	1	637.9	400.0	25.1	648.42	100.00	.10	-2000.00	-2000.000	.69	-2000.00
	2	295.1	555.0	22.8	613.56	30.00	.10	-2000.00	-2000.000	.62	-2000.00
	3	111.8	420.0	24.5	635.87	100.00	.10	-2000.00	-2000.000	.89	-2000.00
	4	12.5	78.0	26.5	419.20	30.00	.20	-2000.00	-2000.000	1.14	-2000.00
	5	12.5	117.0	24.7	400.21	1.00	.20	-2000.00	-2000.000	.71	-2000.00
325	1	748.7	391.0	20.9	576.89	100.00	.10	-2000.00	-2000.000	.75	-2000.00
	2	151.6	238.0	26.3	411.41	10.00	.20	-2000.00	-2000.000	.75	-2000.00
	3	21.2	66.0	27.2	420.89	10.00	.20	-2000.00	-2000.000	.69	-2000.00
	4	18.6	97.0	26.7	416.99	10.00	.20	-2000.00	-2000.000	1.15	-2000.00
	5	34.2	268.0	22.5	606.65	100.00	.10	-2000.00	-2000.000	.79	-2000.00
350	1	1212.0	560.0	14.4	445.04	100.00	.10	-2000.00	-2000.000	.70	-2000.00
	2	65.6	92.2	22.0	359.60	10.00	.20	-2000.00	-2000.000	.99	-2000.00
	3	35.6	99.0	24.0	382.44	3.00	.20	-2000.00	-2000.000	.92	-2000.00
	4	53.9	252.0	21.6	588.63	100.00	.10	-2000.00	-2000.000	.99	-2000.00
	5	53.0	372.0	16.2	483.78	100.00	.10	-2000.00	-2000.000	.94	-2000.00
375	1	203.5	106.5	20.0	117.16	3.00	.60	-2000.00	-2000.000	15.28	-2000.00
	2	201.5	316.4	20.2	355.20	.03	.30	-2000.00	-2000.000	11.79	-2000.00
	3	121.4	380.4	19.9	559.06	100.00	.10	-2000.00	-2000.000	1.23	-2000.00
	4	88.1	461.2	15.3	466.72	100.00	.10	-2000.00	-2000.000	.91	-2000.00
	5	59.2	465.0	19.2	541.88	100.00	.10	-2000.00	-2000.000	1.20	-2000.00
400	1	276.9	155.3	23.0	371.06	10.00	.20	-2000.00	-2000.000	.95	-2000.00
	2	189.5	318.8	20.8	343.19	10.00	.20	-2000.00	-2000.000	1.05	-2000.00
	3	114.0	382.7	16.6	286.70	10.00	.20	-2000.00	-2000.000	1.28	-2000.00
	4	64.8	363.3	19.4	324.73	10.00	.20	-2000.00	-2000.000	1.27	-2000.00

Station	Dipole	Vp	Apparent	M7	Cole-Cole Parameters					Fit/IP	Fit/EM
			Resist.		M-IP	TAU-IP	C-IP	M-EM	TAU-EM		
	5	38.9	327.4	17.9	303.03	10.00	.20	-2000.00	-2000.000	1.40	-2000.00
425	1	875.7	687.4	12.3	394.74	30.00	.10	-2000.00	-2000.000	.99	-2000.00
	2	164.9	388.3	15.9	275.81	10.00	.20	-2000.00	-2000.000	1.11	-2000.00
	3	55.1	259.2	19.5	556.25	100.00	.10	-2000.00	-2000.000	1.60	-2000.00
	4	28.4	223.2	18.1	212.75	1.00	.30	-2000.00	-2000.000	1.29	-2000.00
	5	12.7	149.7	25.8	403.84	10.00	.20	-2000.00	-2000.000	1.33	-2000.00
450	1	2024.0	1059.2	9.1	314.48	1.00	.10	-2000.00	-2000.000	2.15	-2000.00
	2	220.4	346.0	18.6	532.11	100.00	.10	-2000.00	-2000.000	.92	-2000.00
	3	80.0	250.7	16.7	288.19	10.00	.20	-2000.00	-2000.000	1.11	-2000.00
	4	26.1	136.7	23.6	381.35	10.00	.20	-2000.00	-2000.000	1.22	-2000.00
	5	18.3	143.3	25.9	407.19	10.00	.20	-2000.00	-2000.000	1.31	-2000.00
475	1	460.8	361.7	20.9	346.00	10.00	.20	-2000.00	-2000.000	1.22	-2000.00
	2	114.7	270.1	18.0	305.34	10.00	.20	-2000.00	-2000.000	.98	-2000.00
	3	26.0	122.2	22.1	361.74	10.00	.20	-2000.00	-2000.000	1.35	-2000.00
	4	16.8	132.2	24.3	384.95	10.00	.20	-2000.00	-2000.000	1.27	-2000.00
	5	17.6	207.5	22.5	606.88	100.00	.10	-2000.00	-2000.000	1.11	-2000.00
500	1	645.2	405.2	22.0	595.27	100.00	.10	-2000.00	-2000.000	.88	-2000.00
	2	86.1	162.1	26.2	351.87	100.00	.30	-2000.00	-2000.000	3.70	-2000.00
	3	48.1	180.7	20.9	341.90	10.00	.20	-2000.00	-2000.000	.82	-2000.00
	4	38.2	239.6	18.5	314.74	10.00	.20	-2000.00	-2000.000	1.10	-2000.00
	5	26.3	247.8	14.2	246.80	10.00	.20	-2000.00	-2000.000	2.11	-2000.00
525	1	514.2	367.0	26.6	414.81	10.00	.20	-2000.00	-2000.000	.93	-2000.00
	2	125.5	268.7	22.6	364.75	10.00	.20	-2000.00	-2000.000	.80	-2000.00
	3	128.6	549.5	20.4	338.82	10.00	.20	-2000.00	-2000.000	1.06	-2000.00
	4	55.8	398.5	14.1	437.82	30.00	.10	-2000.00	-2000.000	.85	-2000.00
	5	52.4	560.5	18.0	307.45	10.00	.20	-2000.00	-2000.000	1.25	-2000.00
550	1	410.1	367.9	22.2	361.72	10.00	.20	-2000.00	-2000.000	1.13	-2000.00
	2	239.2	643.8	20.5	338.90	10.00	.20	-2000.00	-2000.000	1.03	-2000.00
	3	87.9	472.2	16.3	282.53	10.00	.20	-2000.00	-2000.000	1.08	-2000.00
	4	58.9	528.1	18.4	308.85	10.00	.20	-2000.00	-2000.000	1.19	-2000.00
	5	17.9	240.5	22.9	375.59	30.00	.20	-2000.00	-2000.000	2.39	-2000.00
575	1	4584.0	4112.5	8.7	181.55	.10	.20	-2000.00	-2000.000	1.50	-2000.00
	2	552.0	1485.7	16.6	493.73	30.00	.10	-2000.00	-2000.000	.82	-2000.00
	3	188.1	1010.4	20.4	337.33	10.00	.20	-2000.00	-2000.000	1.01	-2000.00
	4	38.1	342.0	24.1	383.93	10.00	.20	-2000.00	-2000.000	1.05	-2000.00
	5	7.7	104.0	22.4	607.14	100.00	.10	-2000.00	-2000.000	2.74	-2000.00
600	1	2911.0	1865.4	12.2	408.35	.30	.10	-2000.00	-2000.000	.84	-2000.00
	2	613.2	1178.8	18.4	527.85	100.00	.10	-2000.00	-2000.000	.99	-2000.00
	3	134.7	516.8	22.2	359.04	10.00	.20	-2000.00	-2000.000	.70	-2000.00
	4	11.7	75.0	28.6	432.14	10.00	.20	-2000.00	-2000.000	1.56	-2000.00
	5	39.6	380.6	23.6	620.84	100.00	.10	-2000.00	-2000.000	.92	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
625	1	1935.0	1350.0	14.9	457.50	100.00	.10	-2000.00	-2000.000	.81	-2000.00
	2	348.7	729.0	20.2	333.80	10.00	.20	-2000.00	-2000.000	1.03	-2000.00
	3	23.1	96.0	29.9	455.98	30.00	.20	-2000.00	-2000.000	.94	-2000.00
	4	50.5	352.0	23.1	374.20	10.00	.20	-2000.00	-2000.000	1.00	-2000.00
	5	14.1	147.0	29.0	436.74	10.00	.20	-2000.00	-2000.000	1.59	-2000.00
650	1	1306.0	1206.1	13.7	429.21	30.00	.10	-2000.00	-2000.000	.89	-2000.00
	2	63.7	176.4	21.6	353.69	10.00	.20	-2000.00	-2000.000	.76	-2000.00
	3	68.7	379.8	20.3	566.42	100.00	.10	-2000.00	-2000.000	.50	-2000.00
	4	13.4	123.3	26.5	415.15	10.00	.20	-2000.00	-2000.000	1.35	-2000.00
	5	14.0	194.5	29.9	715.26	100.00	.10	-2000.00	-2000.000	1.02	-2000.00
675	1	295.1	205.9	28.3	441.88	30.00	.20	-2000.00	-2000.000	1.19	-2000.00
	2	204.2	427.5	22.7	608.53	100.00	.10	-2000.00	-2000.000	.78	-2000.00
	3	37.4	156.2	26.1	661.65	100.00	.10	-2000.00	-2000.000	.92	-2000.00
	4	28.1	196.1	30.0	454.50	10.00	.20	-2000.00	-2000.000	.91	-2000.00
	5	39.6	414.4	26.0	658.61	100.00	.10	-2000.00	-2000.000	1.03	-2000.00
700	1	294.4	210.1	23.2	617.00	100.00	.10	-2000.00	-2000.000	.92	-2000.00
	2	44.3	94.8	26.8	671.41	100.00	.10	-2000.00	-2000.000	.99	-2000.00
	3	34.5	147.6	30.9	464.75	10.00	.20	-2000.00	-2000.000	1.04	-2000.00
	4	44.0	313.6	26.5	665.01	100.00	.10	-2000.00	-2000.000	.95	-2000.00
	5	60.2	644.8	18.0	320.21	.30	.20	-2000.00	-2000.000	2.67	-2000.00
725	1	51.3	39.3	28.1	433.41	10.00	.20	-2000.00	-2000.000	1.01	-2000.00
	2	37.9	87.0	31.4	468.31	10.00	.20	-2000.00	-2000.000	.78	-2000.00
	3	46.5	213.4	27.2	423.27	10.00	.20	-2000.00	-2000.000	.95	-2000.00
	4	60.9	466.3	18.7	532.85	100.00	.10	-2000.00	-2000.000	.79	-2000.00
	5	53.5	614.1	13.9	433.49	100.00	.10	-2000.00	-2000.000	1.11	-2000.00
750	1	676.0	573.7	19.9	559.63	100.00	.10	-2000.00	-2000.000	.89	-2000.00
	2	176.7	449.9	25.4	401.31	10.00	.20	-2000.00	-2000.000	1.07	-2000.00
	3	96.7	491.2	20.1	562.67	100.00	.10	-2000.00	-2000.000	.80	-2000.00
	4	69.5	589.7	14.8	458.09	30.00	.10	-2000.00	-2000.000	1.12	-2000.00
	5	49.2	626.2	15.5	270.61	10.00	.20	-2000.00	-2000.000	1.19	-2000.00
775	1	1640.0	1470.0	17.7	516.12	100.00	.10	-2000.00	-2000.000	1.30	-2000.00
	2	210.2	565.0	21.2	349.58	10.00	.20	-2000.00	-2000.000	1.25	-2000.00
	3	99.5	534.0	18.6	533.42	100.00	.10	-2000.00	-2000.000	.67	-2000.00
	4	62.2	557.0	18.2	307.88	10.00	.20	-2000.00	-2000.000	1.21	-2000.00
	5	25.9	348.0	17.4	299.97	10.00	.20	-2000.00	-2000.000	3.25	-2000.00
800	1	534.2	541.0	18.5	531.66	100.00	.10	-2000.00	-2000.000	.87	-2000.00
	2	141.9	431.0	21.4	352.22	10.00	.20	-2000.00	-2000.000	1.06	-2000.00
	3	73.5	445.0	20.9	345.19	10.00	.20	-2000.00	-2000.000	1.06	-2000.00
	4	28.0	283.0	20.3	335.80	10.00	.20	-2000.00	-2000.000	.93	-2000.00
	5	24.3	368.0	20.0	338.83	10.00	.20	-2000.00	-2000.000	1.41	-2000.00
825	1	586.9	484.0	16.0	481.51	30.00	.10	-2000.00	-2000.000	.65	-2000.00
	2	168.1	416.0	20.4	337.53	10.00	.20	-2000.00	-2000.000	1.26	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	56.8	281.0	20.2	563.72	100.00	.10	-2000.00	-2000.000	.59	-2000.00
	4	42.6	352.0	21.1	348.14	10.00	.20	-2000.00	-2000.000	1.47	-2000.00
	5	29.5	365.0	21.8	586.96	100.00	.10	-2000.00	-2000.000	1.18	-2000.00
850	1	513.4	435.0	11.6	380.00	10.00	.10	-2000.00	-2000.000	.87	-2000.00
	2	112.5	286.0	15.1	460.53	100.00	.10	-2000.00	-2000.000	1.16	-2000.00
	3	99.3	504.0	17.3	505.15	100.00	.10	-2000.00	-2000.000	.88	-2000.00
	4	50.0	424.0	18.4	533.90	30.00	.10	-2000.00	-2000.000	.96	-2000.00
	5	40.5	515.0	19.7	339.39	30.00	.20	-2000.00	-2000.000	2.42	-2000.00
875	1	398.2	357.0	6.3	236.53	.10	.10	-2000.00	-2000.000	.86	-2000.00
	2	220.9	594.0	9.6	326.38	10.00	.10	-2000.00	-2000.000	.81	-2000.00
	3	93.9	504.0	12.7	404.99	30.00	.10	-2000.00	-2000.000	.64	-2000.00
	4	70.6	633.0	14.1	440.58	30.00	.10	-2000.00	-2000.000	.80	-2000.00
	5	45.0	605.0	14.3	444.50	100.00	.10	-2000.00	-2000.000	1.80	-2000.00
900	1	741.5	802.0	5.0	106.10	.10	.20	-2000.00	-2000.000	1.52	-2000.00
	2	210.4	683.0	8.3	299.16	.10	.10	-2000.00	-2000.000	1.12	-2000.00
	3	151.5	980.0	10.0	355.32	.10	.10	-2000.00	-2000.000	1.07	-2000.00
	4	79.1	856.0	10.5	358.25	.30	.10	-2000.00	-2000.000	2.06	-2000.00
925	1	601.4	590.0	4.7	109.71	.03	.20	-2000.00	-2000.000	1.65	-2000.00
	2	295.3	869.0	6.8	269.63	.01	.10	-2000.00	-2000.000	1.48	-2000.00
	3	152.3	890.0	7.5	294.64	.01	.10	-2000.00	-2000.000	1.40	-2000.00
950	1	970.1	1087.0	3.4	55.58	.10	.30	-2000.00	-2000.000	2.34	-2000.00
	2	365.6	1229.0	4.5	104.57	.03	.20	-2000.00	-2000.000	1.90	-2000.00
975	1	723.5	1262.0	3.3	53.62	.10	.30	-2000.00	-2000.000	3.29	-2000.00

Cole-Cole Parameters: M-IP, TAU-IP, C-IP, M-EM, TAU-EM

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. = 800

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
25	1	422.0	358.0	20.4	337.92	10.00	.20	-2000.00	-2000.000	1.01	-2000.00
	2	31.6	80.5	26.5	413.46	10.00	.20	-2000.00	-2000.000	.77	-2000.00
	3	28.6	145.0	26.3	664.40	100.00	.10	-2000.00	-2000.000	.93	-2000.00
	4	15.8	133.0	27.8	428.71	10.00	.20	-2000.00	-2000.000	.73	-2000.00
	5	2.1	26.4	37.9	804.20	100.00	.10	-2000.00	-2000.000	2.09	-2000.00
50	1	1036.0	470.0	13.4	424.60	100.00	.10	-2000.00	-2000.000	.89	-2000.00
	2	171.8	234.0	25.9	408.02	10.00	.20	-2000.00	-2000.000	1.16	-2000.00
	3	60.2	164.0	29.3	445.26	10.00	.20	-2000.00	-2000.000	.87	-2000.00
	4	6.5	29.6	40.9	565.23	10.00	.20	-2000.00	-2000.000	.97	-2000.00
	5	1.2	7.8	46.5	884.10	30.00	.10	-2000.00	-2000.000	5.46	-2000.00
75	1	402.2	166.2	24.4	389.08	10.00	.20	-2000.00	-2000.000	1.00	-2000.00
	2	117.7	145.9	30.0	453.21	10.00	.20	-2000.00	-2000.000	.82	-2000.00
	3	9.2	22.7	42.0	585.91	3.00	.20	-2000.00	-2000.000	.98	-2000.00
	4	1.9	7.6	47.3	501.39	100.00	.30	-2000.00	-2000.000	5.69	-2000.00
	5	4.6	28.5	29.6	710.29	100.00	.10	-2000.00	-2000.000	2.12	-2000.00
100	1	404.1	162.0	16.8	288.40	10.00	.20	-2000.00	-2000.000	.96	-2000.00
	2	16.3	19.7	34.6	502.89	10.00	.20	-2000.00	-2000.000	.61	-2000.00
	3	4.0	9.5	37.5	392.31	10.00	.30	-2000.00	-2000.000	1.34	-2000.00
	4	8.1	32.6	26.5	438.27	100.00	.20	-2000.00	-2000.000	2.17	-2000.00
	5	10.7	64.0	24.6	408.34	100.00	.20	-2000.00	-2000.000	2.19	-2000.00
125	1	67.8	33.2	29.5	448.66	10.00	.20	-2000.00	-2000.000	.78	-2000.00
	2	12.4	18.2	26.9	418.80	10.00	.20	-2000.00	-2000.000	1.17	-2000.00
	3	22.7	66.0	19.5	550.83	100.00	.10	-2000.00	-2000.000	.44	-2000.00
	4	20.1	98.0	17.1	499.83	10.00	.10	-2000.00	-2000.000	1.02	-2000.00
	5	9.6	70.4	21.6	361.29	3.00	.20	-2000.00	-2000.000	2.33	-2000.00
150	1	40.0	22.8	23.8	382.42	10.00	.20	-2000.00	-2000.000	1.05	-2000.00
	2	43.0	73.5	19.6	551.72	100.00	.10	-2000.00	-2000.000	1.31	-2000.00
	3	30.8	105.0	19.4	328.16	30.00	.20	-2000.00	-2000.000	2.28	-2000.00
	4	10.4	59.0	22.0	393.53	.30	.20	-2000.00	-2000.000	4.83	-2000.00
	5	2.1	18.0	45.7	583.93	100.00	.20	-2000.00	-2000.000	5.80	-2000.00
175	1	171.3	114.0	21.3	349.95	10.00	.20	-2000.00	-2000.000	.98	-2000.00
	2	49.3	98.7	21.1	347.62	10.00	.20	-2000.00	-2000.000	.98	-2000.00
	3	20.4	81.0	25.7	410.30	30.00	.20	-2000.00	-2000.000	1.18	-2000.00
	4	2.4	15.9	50.2	476.24	30.00	.30	-2000.00	-2000.000	7.73	-2000.00
	5	1.9	18.5	37.7	607.00	100.00	.20	-2000.00	-2000.000	9.12	-2000.00
200	1	747.0	459.0	5.1	108.94	.10	.20	-2000.00	-2000.000	1.45	-2000.00
	2	123.7	228.0	12.4	396.14	100.00	.10	-2000.00	-2000.000	.73	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
					Cole-Cole Parameters						
	3	9.8	36.2	37.8	533.72	30.00	.20	-2000.00	-2000.000	.95	-2000.00
	4	5.4	33.3	35.1	509.20	10.00	.20	-2000.00	-2000.000	.65	-2000.00
	5	3.6	33.6	41.9	560.03	10.00	.20	-2000.00	-2000.000	1.54	-2000.00
225	1	522.9	298.0	13.4	422.69	100.00	.10	-2000.00	-2000.000	.83	-2000.00
	2	30.9	52.8	37.9	537.45	30.00	.20	-2000.00	-2000.000	.76	-2000.00
	3	23.4	80.0	31.6	471.99	10.00	.20	-2000.00	-2000.000	.64	-2000.00
	4	17.0	96.0	33.8	766.76	100.00	.10	-2000.00	-2000.000	.93	-2000.00
	5	16.4	140.0	27.8	686.35	100.00	.10	-2000.00	-2000.000	1.22	-2000.00
250	1	123.8	125.0	38.7	543.39	30.00	.20	-2000.00	-2000.000	.75	-2000.00
	2	68.5	208.0	30.9	463.02	10.00	.20	-2000.00	-2000.000	.66	-2000.00
	3	37.1	225.0	34.5	500.37	10.00	.20	-2000.00	-2000.000	.64	-2000.00
	4	27.7	280.0	27.5	683.22	100.00	.10	-2000.00	-2000.000	.98	-2000.00
	5	4.6	70.6	42.9	598.60	100.00	.20	-2000.00	-2000.000	2.26	-2000.00
275	1	1523.0	1010.0	25.1	396.72	10.00	.20	-2000.00	-2000.000	.77	-2000.00
	2	321.8	644.0	29.0	443.30	10.00	.20	-2000.00	-2000.000	.82	-2000.00
	3	131.1	520.0	25.6	655.08	100.00	.10	-2000.00	-2000.000	.83	-2000.00
	4	24.9	166.0	41.6	572.61	30.00	.20	-2000.00	-2000.000	.86	-2000.00
	5	21.2	212.0	33.4	492.04	10.00	.20	-2000.00	-2000.000	.80	-2000.00
300	1	804.2	505.0	28.2	432.90	10.00	.20	-2000.00	-2000.000	.87	-2000.00
	2	198.2	373.0	26.1	410.85	10.00	.20	-2000.00	-2000.000	1.01	-2000.00
	3	33.1	124.0	42.6	577.89	30.00	.20	-2000.00	-2000.000	.91	-2000.00
	4	26.9	168.0	34.6	501.83	10.00	.20	-2000.00	-2000.000	.82	-2000.00
	5	13.3	125.0	35.9	513.00	10.00	.20	-2000.00	-2000.000	.70	-2000.00
325	1	921.6	535.0	20.9	345.93	10.00	.20	-2000.00	-2000.000	1.20	-2000.00
	2	70.8	123.5	38.7	543.39	30.00	.20	-2000.00	-2000.000	.69	-2000.00
	3	54.1	188.0	32.3	476.90	10.00	.20	-2000.00	-2000.000	1.03	-2000.00
	4	23.3	135.0	34.0	489.58	10.00	.20	-2000.00	-2000.000	1.05	-2000.00
	5	9.6	83.8	33.4	510.32	100.00	.20	-2000.00	-2000.000	4.30	-2000.00
350	1	306.6	125.0	31.9	477.71	30.00	.20	-2000.00	-2000.000	.85	-2000.00
	2	168.6	206.0	29.9	450.98	10.00	.20	-2000.00	-2000.000	.89	-2000.00
	3	64.2	156.0	32.5	486.02	30.00	.20	-2000.00	-2000.000	.87	-2000.00
	4	20.8	84.0	31.9	478.60	30.00	.20	-2000.00	-2000.000	1.13	-2000.00
	5	30.5	186.0	21.3	592.44	100.00	.10	-2000.00	-2000.000	1.60	-2000.00
375	1	1920.0	830.0	21.3	350.78	10.00	.20	-2000.00	-2000.000	1.18	-2000.00
	2	509.4	666.0	22.4	364.56	10.00	.20	-2000.00	-2000.000	1.14	-2000.00
	3	110.1	280.0	21.0	577.68	100.00	.10	-2000.00	-2000.000	.72	-2000.00
	4	118.4	510.0	12.5	426.93	.10	.10	-2000.00	-2000.000	.82	-2000.00
	5	69.1	451.0	12.7	430.58	.10	.10	-2000.00	-2000.000	.67	-2000.00
400	1	525.2	299.0	29.1	449.08	30.00	.20	-2000.00	-2000.000	.93	-2000.00
	2	117.7	201.0	27.7	433.56	30.00	.20	-2000.00	-2000.000	1.04	-2000.00
	3	128.7	430.0	17.6	514.89	30.00	.10	-2000.00	-2000.000	.48	-2000.00
	4	64.7	369.0	17.0	503.93	30.00	.10	-2000.00	-2000.000	.85	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
					Cole-Cole Parameters						
	5	26.7	228.0	15.8	190.71	1.00	.30	-2000.00	-2000.000	1.53	-2000.00
425	1	551.1	384.0	23.4	375.80	10.00	.20	-2000.00	-2000.000	.92	-2000.00
	2	248.7	520.0	17.7	517.23	30.00	.10	-2000.00	-2000.000	.58	-2000.00
	3	117.4	490.0	17.8	517.74	30.00	.10	-2000.00	-2000.000	.62	-2000.00
	4	36.1	251.0	17.9	519.45	100.00	.10	-2000.00	-2000.000	.88	-2000.00
	5	33.3	349.0	11.9	411.37	.10	.10	-2000.00	-2000.000	1.35	-2000.00
450	1	700.2	610.0	16.8	496.36	100.00	.10	-2000.00	-2000.000	1.00	-2000.00
	2	147.6	386.0	19.2	544.19	100.00	.10	-2000.00	-2000.000	.85	-2000.00
	3	38.4	200.0	19.0	542.61	100.00	.10	-2000.00	-2000.000	.67	-2000.00
	4	28.9	251.0	13.2	425.67	1.00	.10	-2000.00	-2000.000	1.33	-2000.00
	5	27.7	362.0	20.2	551.74	100.00	.10	-2000.00	-2000.000	1.90	-2000.00
475	1	660.8	305.0	18.2	307.95	10.00	.20	-2000.00	-2000.000	1.11	-2000.00
	2	100.0	138.0	20.3	337.50	10.00	.20	-2000.00	-2000.000	1.02	-2000.00
	3	61.8	170.0	17.3	224.74	30.00	.30	-2000.00	-2000.000	2.29	-2000.00
	4	55.7	257.0	16.6	367.47	.03	.20	-2000.00	-2000.000	1.91	-2000.00
	5	35.5	246.0	19.7	570.16	30.00	.10	-2000.00	-2000.000	1.52	-2000.00
500	1	699.1	439.0	13.1	415.31	100.00	.10	-2000.00	-2000.000	.79	-2000.00
	2	126.6	238.5	13.7	430.72	100.00	.10	-2000.00	-2000.000	.83	-2000.00
	3	66.1	248.3	19.4	546.88	100.00	.10	-2000.00	-2000.000	.97	-2000.00
	4	34.5	216.4	20.0	559.75	100.00	.10	-2000.00	-2000.000	1.00	-2000.00
	5	31.5	297.0	23.1	379.19	10.00	.20	-2000.00	-2000.000	1.49	-2000.00
525	1	572.5	449.4	6.0	126.05	.10	.20	-2000.00	-2000.000	1.26	-2000.00
	2	162.9	383.6	12.6	403.90	100.00	.10	-2000.00	-2000.000	.63	-2000.00
	3	47.3	222.5	16.4	486.92	100.00	.10	-2000.00	-2000.000	.52	-2000.00
	4	33.1	259.8	21.5	353.89	10.00	.20	-2000.00	-2000.000	1.35	-2000.00
	5	9.8	115.8	28.3	437.25	30.00	.20	-2000.00	-2000.000	1.54	-2000.00
550	1	1844.0	1110.0	11.2	369.17	10.00	.10	-2000.00	-2000.000	.88	-2000.00
	2	272.0	492.0	12.9	410.99	100.00	.10	-2000.00	-2000.000	.54	-2000.00
	3	147.6	530.0	16.7	493.21	100.00	.10	-2000.00	-2000.000	.65	-2000.00
	4	29.4	177.0	23.7	384.22	10.00	.20	-2000.00	-2000.000	.95	-2000.00
	5	18.7	169.0	21.8	356.20	10.00	.20	-2000.00	-2000.000	1.86	-2000.00
575	1	1683.0	730.0	13.5	425.15	30.00	.10	-2000.00	-2000.000	.75	-2000.00
	2	650.8	851.0	16.3	487.09	100.00	.10	-2000.00	-2000.000	.72	-2000.00
	3	99.8	260.0	22.4	363.81	10.00	.20	-2000.00	-2000.000	.94	-2000.00
	4	50.5	220.0	20.4	566.10	100.00	.10	-2000.00	-2000.000	.85	-2000.00
	5	44.0	288.0	14.4	450.27	30.00	.10	-2000.00	-2000.000	1.46	-2000.00
600	1	2421.0	1520.0	12.3	395.95	30.00	.10	-2000.00	-2000.000	.89	-2000.00
	2	210.6	396.0	22.3	362.67	10.00	.20	-2000.00	-2000.000	.83	-2000.00
	3	72.4	272.0	22.5	365.45	10.00	.20	-2000.00	-2000.000	.89	-2000.00
	4	53.7	337.0	16.6	495.09	100.00	.10	-2000.00	-2000.000	1.10	-2000.00
	5	25.7	241.0	25.1	392.76	10.00	.20	-2000.00	-2000.000	1.55	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
625	1	915.5	638.0	16.0	479.98	100.00	.10	-2000.00	-2000.000	.99	-2000.00
	2	167.5	350.0	20.8	341.77	10.00	.20	-2000.00	-2000.000	.99	-2000.00
	3	111.5	460.0	14.4	444.54	30.00	.10	-2000.00	-2000.000	.65	-2000.00
	4	44.2	308.0	23.3	374.24	10.00	.20	-2000.00	-2000.000	.98	-2000.00
	5	33.7	352.0	20.6	332.90	10.00	.20	-2000.00	-2000.000	1.82	-2000.00
650	1	318.8	250.0	23.7	379.32	10.00	.20	-2000.00	-2000.000	.84	-2000.00
	2	165.7	390.0	16.0	480.07	100.00	.10	-2000.00	-2000.000	.66	-2000.00
	3	70.5	331.0	24.6	398.64	30.00	.20	-2000.00	-2000.000	1.13	-2000.00
	4	50.1	393.0	21.2	347.73	10.00	.20	-2000.00	-2000.000	.71	-2000.00
	5	25.9	304.0	25.6	403.53	10.00	.20	-2000.00	-2000.000	1.41	-2000.00
675	1	411.0	307.0	16.1	483.61	100.00	.10	-2000.00	-2000.000	.76	-2000.00
	2	132.1	296.0	24.3	387.06	10.00	.20	-2000.00	-2000.000	.84	-2000.00
	3	82.0	367.0	21.8	355.62	10.00	.20	-2000.00	-2000.000	.84	-2000.00
	4	31.6	236.0	25.9	405.61	10.00	.20	-2000.00	-2000.000	1.03	-2000.00
	5	26.6	298.0	25.9	408.69	10.00	.20	-2000.00	-2000.000	1.44	-2000.00
700	1	894.4	802.0	16.8	496.62	100.00	.10	-2000.00	-2000.000	1.02	-2000.00
	2	266.8	718.0	16.2	280.91	10.00	.20	-2000.00	-2000.000	1.17	-2000.00
	3	61.5	330.0	24.0	382.44	10.00	.20	-2000.00	-2000.000	.81	-2000.00
	4	34.7	311.0	25.1	395.58	10.00	.20	-2000.00	-2000.000	.98	-2000.00
	5	30.3	407.0	22.1	598.40	100.00	.10	-2000.00	-2000.000	.99	-2000.00
725	1	1300.0	1100.0	11.6	384.43	1.00	.10	-2000.00	-2000.000	.97	-2000.00
	2	116.6	296.0	20.3	337.71	10.00	.20	-2000.00	-2000.000	1.09	-2000.00
	3	51.0	258.0	22.6	364.48	10.00	.20	-2000.00	-2000.000	1.06	-2000.00
	4	40.6	344.0	21.0	345.56	10.00	.20	-2000.00	-2000.000	.97	-2000.00
	5	29.1	370.0	20.6	340.33	10.00	.20	-2000.00	-2000.000	.90	-2000.00
750	1	498.8	401.0	19.1	544.09	100.00	.10	-2000.00	-2000.000	.89	-2000.00
	2	77.8	187.9	24.2	385.43	10.00	.20	-2000.00	-2000.000	.85	-2000.00
	3	61.7	297.0	23.4	376.15	10.00	.20	-2000.00	-2000.000	.81	-2000.00
	4	36.7	295.0	21.2	346.65	10.00	.20	-2000.00	-2000.000	1.26	-2000.00
	5	24.7	298.0	22.9	613.86	100.00	.10	-2000.00	-2000.000	1.08	-2000.00
775	1	181.7	139.0	25.5	400.36	10.00	.20	-2000.00	-2000.000	1.02	-2000.00
	2	120.1	275.0	25.9	405.44	10.00	.20	-2000.00	-2000.000	.87	-2000.00
	3	53.1	243.0	20.6	340.63	10.00	.20	-2000.00	-2000.000	.98	-2000.00
	4	33.3	254.0	23.2	614.80	100.00	.10	-2000.00	-2000.000	.87	-2000.00
	5	19.9	229.0	24.3	388.59	10.00	.20	-2000.00	-2000.000	1.08	-2000.00
800	1	459.3	379.0	27.1	427.64	30.00	.20	-2000.00	-2000.000	1.09	-2000.00
	2	115.5	286.0	22.4	364.63	10.00	.20	-2000.00	-2000.000	.72	-2000.00
	3	36.0	178.0	28.5	437.89	10.00	.20	-2000.00	-2000.000	.78	-2000.00
	4	21.4	177.0	26.6	673.66	100.00	.10	-2000.00	-2000.000	.69	-2000.00
	5	14.0	173.0	15.0	280.16	30.00	.20	-2000.00	-2000.000	5.09	-2000.00
825	1	546.1	489.0	16.4	488.73	100.00	.10	-2000.00	-2000.000	.80	-2000.00
	2	71.2	191.6	28.7	438.39	10.00	.20	-2000.00	-2000.000	.75	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	36.6	196.0	28.4	436.97	10.00	.20	-2000.00	-2000.000	.87	-2000.00
	4	21.3	190.0	17.0	518.18	3.00	.10	-2000.00	-2000.000	2.92	-2000.00
	5	25.8	347.0	18.4	199.82	3.00	.30	-2000.00	-2000.000	3.84	-2000.00
850	1	406.8	375.0	27.0	418.82	10.00	.20	-2000.00	-2000.000	.85	-2000.00
	2	80.2	222.1	28.2	434.01	10.00	.20	-2000.00	-2000.000	.80	-2000.00
	3	57.7	319.0	20.7	342.33	10.00	.20	-2000.00	-2000.000	.99	-2000.00
	4	44.6	412.0	16.5	495.24	100.00	.10	-2000.00	-2000.000	.81	-2000.00
	5	41.6	576.0	19.8	550.75	10.00	.10	-2000.00	-2000.000	1.77	-2000.00
875	1	286.4	249.0	21.1	579.61	100.00	.10	-2000.00	-2000.000	.72	-2000.00
	2	149.0	389.0	13.7	429.30	100.00	.10	-2000.00	-2000.000	.60	-2000.00
	3	99.5	519.0	10.8	358.44	100.00	.10	-2000.00	-2000.000	.75	-2000.00
	4	74.4	648.0	14.2	443.11	10.00	.10	-2000.00	-2000.000	.49	-2000.00
	5	35.6	465.0	14.9	455.53	100.00	.10	-2000.00	-2000.000	1.07	-2000.00
900	1	413.2	360.0	9.6	326.08	3.00	.10	-2000.00	-2000.000	.68	-2000.00
	2	166.8	436.0	11.9	386.39	30.00	.10	-2000.00	-2000.000	.71	-2000.00
	3	130.2	670.0	15.2	464.34	100.00	.10	-2000.00	-2000.000	.68	-2000.00
	4	41.2	359.0	14.7	261.33	10.00	.20	-2000.00	-2000.000	1.47	-2000.00
925	1	467.8	699.0	10.0	346.30	.30	.10	-2000.00	-2000.000	.98	-2000.00
	2	165.0	740.0	13.3	428.86	1.00	.10	-2000.00	-2000.000	.91	-2000.00
	3	49.3	441.0	13.3	418.02	100.00	.10	-2000.00	-2000.000	1.28	-2000.00
950	1	427.6	745.0	8.3	320.85	.01	.10	-2000.00	-2000.000	1.26	-2000.00
	2	103.5	541.0	8.7	298.54	1.00	.10	-2000.00	-2000.000	1.19	-2000.00
975	1	301.1	590.0	5.8	230.92	.01	.10	-2000.00	-2000.000	1.13	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. = 900

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
25	1	31.9	33.3	29.4	445.22	10.00	.20	-2000.00	-2000.000	.79	-2000.00
	2	23.2	72.8	23.7	622.42	100.00	.10	-2000.00	-2000.000	.78	-2000.00
	3	9.0	56.2	26.9	686.02	10.00	.10	-2000.00	-2000.000	.58	-2000.00
	4	4.3	45.4	27.5	313.40	1.00	.30	-2000.00	-2000.000	1.00	-2000.00
	5	4.1	64.5	15.9	154.73	.30	.50	-2000.00	-2000.000	3.45	-2000.00
50	1	222.8	82.0	27.5	425.15	10.00	.20	-2000.00	-2000.000	.82	-2000.00
	2	37.1	41.0	27.9	429.87	3.00	.20	-2000.00	-2000.000	.91	-2000.00
	3	15.6	34.0	28.9	442.97	3.00	.20	-2000.00	-2000.000	.34	-2000.00
	4	13.4	49.0	20.0	253.99	.30	.30	-2000.00	-2000.000	2.10	-2000.00
	5	13.8	76.0	22.3	387.35	.30	.20	-2000.00	-2000.000	1.47	-2000.00
75	1	86.4	27.4	29.5	447.96	10.00	.20	-2000.00	-2000.000	1.11	-2000.00
	2	21.5	20.4	31.6	469.82	10.00	.20	-2000.00	-2000.000	.85	-2000.00
	3	22.5	42.0	24.1	391.61	30.00	.20	-2000.00	-2000.000	1.33	-2000.00
	4	16.8	53.0	26.6	437.62	100.00	.20	-2000.00	-2000.000	1.88	-2000.00
	5	3.2	15.2	38.5	454.26	100.00	.30	-2000.00	-2000.000	3.48	-2000.00
100	1	108.9	71.0	23.1	373.16	10.00	.20	-2000.00	-2000.000	1.00	-2000.00
	2	28.5	55.8	24.2	385.40	10.00	.20	-2000.00	-2000.000	.82	-2000.00
	3	14.5	56.0	27.5	447.61	100.00	.20	-2000.00	-2000.000	1.83	-2000.00
	4	2.6	16.8	33.7	274.97	3.00	.40	-2000.00	-2000.000	6.02	-2000.00
	5	3.0	29.5	32.2	481.73	30.00	.20	-2000.00	-2000.000	6.12	-2000.00
125	1	540.8	269.0	19.9	331.01	10.00	.20	-2000.00	-2000.000	1.03	-2000.00
	2	56.0	83.6	23.8	389.10	30.00	.20	-2000.00	-2000.000	1.35	-2000.00
	3	9.6	28.7	28.1	437.81	30.00	.20	-2000.00	-2000.000	1.27	-2000.00
	4	10.1	50.0	28.1	454.19	100.00	.20	-2000.00	-2000.000	1.72	-2000.00
	5	3.4	25.2	28.7	484.75	100.00	.20	-2000.00	-2000.000	7.23	-2000.00
150	1	171.8	101.0	19.5	326.09	10.00	.20	-2000.00	-2000.000	.97	-2000.00
	2	17.3	30.8	27.1	427.21	30.00	.20	-2000.00	-2000.000	1.08	-2000.00
	3	16.0	56.0	26.5	673.43	10.00	.10	-2000.00	-2000.000	1.11	-2000.00
	4	2.9	17.0	33.4	421.66	100.00	.40	-2000.00	-2000.000	6.22	-2000.00
	5	1.8	15.7	14.4	223.33	.03	.40	-2000.00	-2000.000	21.59	-2000.00
175	1	97.7	51.1	23.4	374.32	10.00	.20	-2000.00	-2000.000	.90	-2000.00
	2	65.8	103.2	25.0	395.81	10.00	.20	-2000.00	-2000.000	.86	-2000.00
	3	6.8	21.1	28.9	441.65	10.00	.20	-2000.00	-2000.000	.97	-2000.00
	4	4.1	21.2	14.8	263.90	10.00	.20	-2000.00	-2000.000	2.72	-2000.00
	5	5.6	44.1	10.4	362.41	100.00	.10	-2000.00	-2000.000	4.09	-2000.00
200	1	145.1	75.0	27.9	429.17	10.00	.20	-2000.00	-2000.000	.81	-2000.00
	2	4.9	7.7	23.8	387.01	3.00	.20	-2000.00	-2000.000	.65	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	7.5	23.5	13.8	480.59	.03	.10	-2000.00	-2000.000	.78	-2000.00
	4	5.5	28.7	10.1	110.15	.30	.40	-2000.00	-2000.000	1.80	-2000.00
	5	12.5	97.0	13.1	177.12	.30	.30	-2000.00	-2000.000	2.01	-2000.00
225	1	25.3	10.1	24.0	384.51	10.00	.20	-2000.00	-2000.000	1.11	-2000.00
	2	29.0	34.9	17.8	518.58	100.00	.10	-2000.00	-2000.000	.91	-2000.00
	3	20.1	48.0	15.4	468.58	100.00	.10	-2000.00	-2000.000	1.24	-2000.00
	4	18.7	75.0	16.6	287.17	10.00	.20	-2000.00	-2000.000	1.79	-2000.00
	5	10.9	65.0	22.4	362.67	10.00	.20	-2000.00	-2000.000	1.13	-2000.00
250	1	391.0	157.0	13.7	429.11	100.00	.10	-2000.00	-2000.000	.99	-2000.00
	2	97.6	117.8	14.7	452.25	100.00	.10	-2000.00	-2000.000	.61	-2000.00
	3	63.6	153.0	19.4	325.11	10.00	.20	-2000.00	-2000.000	1.02	-2000.00
	4	24.2	97.0	25.2	405.75	30.00	.20	-2000.00	-2000.000	1.21	-2000.00
	5	13.4	80.0	30.0	456.06	30.00	.20	-2000.00	-2000.000	1.34	-2000.00
275	1	921.9	459.0	5.5	221.13	.01	.10	-2000.00	-2000.000	1.27	-2000.00
	2	269.6	403.0	9.4	321.96	100.00	.10	-2000.00	-2000.000	.60	-2000.00
	3	80.0	238.0	18.5	312.67	10.00	.20	-2000.00	-2000.000	1.01	-2000.00
	4	30.8	153.0	24.1	385.12	10.00	.20	-2000.00	-2000.000	1.00	-2000.00
	5	6.5	48.2	37.9	536.41	30.00	.20	-2000.00	-2000.000	2.16	-2000.00
300	1	1831.0	1000.0	7.5	264.34	10.00	.10	-2000.00	-2000.000	.65	-2000.00
	2	364.4	602.0	16.2	278.97	10.00	.20	-2000.00	-2000.000	.94	-2000.00
	3	110.7	360.0	21.0	344.74	10.00	.20	-2000.00	-2000.000	.93	-2000.00
	4	15.7	86.0	33.5	490.93	10.00	.20	-2000.00	-2000.000	1.05	-2000.00
	5	13.1	107.0	31.0	241.75	.30	.50	-2000.00	-2000.000	8.71	-2000.00
325	1	608.6	516.0	22.8	375.21	30.00	.20	-2000.00	-2000.000	.98	-2000.00
	2	129.0	328.0	26.4	418.78	30.00	.20	-2000.00	-2000.000	.98	-2000.00
	3	18.3	92.0	35.4	513.61	30.00	.20	-2000.00	-2000.000	.69	-2000.00
	4	13.5	114.0	30.1	453.56	10.00	.20	-2000.00	-2000.000	1.91	-2000.00
	5	11.8	150.0	27.4	690.53	30.00	.10	-2000.00	-2000.000	1.95	-2000.00
350	1	475.8	292.0	29.1	447.97	30.00	.20	-2000.00	-2000.000	.80	-2000.00
	2	59.5	109.9	33.9	499.90	30.00	.20	-2000.00	-2000.000	.93	-2000.00
	3	46.9	172.0	29.1	445.13	10.00	.20	-2000.00	-2000.000	.91	-2000.00
	4	34.7	213.0	26.0	659.39	100.00	.10	-2000.00	-2000.000	.71	-2000.00
	5	23.4	216.0	22.0	598.56	100.00	.10	-2000.00	-2000.000	1.76	-2000.00
375	1	139.5	78.0	31.5	468.65	10.00	.20	-2000.00	-2000.000	.96	-2000.00
	2	86.9	146.2	28.1	433.03	10.00	.20	-2000.00	-2000.000	1.00	-2000.00
	3	73.6	246.0	25.5	653.51	100.00	.10	-2000.00	-2000.000	.79	-2000.00
	4	27.5	154.0	20.7	573.63	100.00	.10	-2000.00	-2000.000	.92	-2000.00
	5	6.1	51.5	28.7	694.37	100.00	.10	-2000.00	-2000.000	12.58	-2000.00
400	1	408.8	279.0	23.1	373.41	10.00	.20	-2000.00	-2000.000	1.14	-2000.00
	2	148.4	303.0	28.3	435.98	10.00	.20	-2000.00	-2000.000	1.03	-2000.00
	3	41.7	170.0	24.6	392.05	10.00	.20	-2000.00	-2000.000	.91	-2000.00
	4	6.7	45.8	33.4	496.16	30.00	.20	-2000.00	-2000.000	1.35	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	10.1	103.0	30.0	450.78	10.00	.20	-2000.00	-2000.000	1.23	-2000.00
425	1	483.4	370.0	17.1	504.91	100.00	.10	-2000.00	-2000.000	.64	-2000.00
	2	80.3	184.3	19.4	546.21	100.00	.10	-2000.00	-2000.000	1.00	-2000.00
	3	10.6	48.0	32.5	485.23	30.00	.20	-2000.00	-2000.000	.88	-2000.00
	4	13.5	103.0	29.2	441.50	10.00	.20	-2000.00	-2000.000	.71	-2000.00
	5	11.2	128.0	28.5	439.95	10.00	.20	-2000.00	-2000.000	1.12	-2000.00
450	1	914.7	1148.0	11.1	385.45	.10	.10	-2000.00	-2000.000	.79	-2000.00
	2	78.6	295.9	24.3	388.48	10.00	.20	-2000.00	-2000.000	1.11	-2000.00
	3	77.8	585.0	23.1	373.09	10.00	.20	-2000.00	-2000.000	1.07	-2000.00
	4	27.5	345.0	23.7	624.48	100.00	.10	-2000.00	-2000.000	.96	-2000.00
	5	9.6	180.5	23.2	618.21	100.00	.10	-2000.00	-2000.000	.93	-2000.00
475	1	658.3	350.0	21.0	345.92	10.00	.20	-2000.00	-2000.000	1.13	-2000.00
	2	493.2	787.0	17.1	503.44	100.00	.10	-2000.00	-2000.000	.85	-2000.00
	3	128.3	400.0	20.0	331.73	10.00	.20	-2000.00	-2000.000	1.02	-2000.00
	4	49.0	260.0	19.6	328.42	10.00	.20	-2000.00	-2000.000	1.27	-2000.00
	5	33.8	270.0	18.2	312.24	10.00	.20	-2000.00	-2000.000	2.80	-2000.00
500	1	764.7	521.0	17.8	516.52	100.00	.10	-2000.00	-2000.000	.94	-2000.00
	2	183.8	376.0	20.4	337.31	10.00	.20	-2000.00	-2000.000	.93	-2000.00
	3	64.1	262.0	19.5	549.65	100.00	.10	-2000.00	-2000.000	.52	-2000.00
	4	39.3	268.0	17.7	520.47	10.00	.10	-2000.00	-2000.000	.46	-2000.00
	5	60.6	620.0	14.6	467.54	3.00	.10	-2000.00	-2000.000	1.41	-2000.00
525	1	1103.0	550.0	16.9	289.32	10.00	.20	-2000.00	-2000.000	1.04	-2000.00
	2	123.9	188.0	20.7	571.64	100.00	.10	-2000.00	-2000.000	.85	-2000.00
	3	72.9	221.0	18.4	529.30	30.00	.10	-2000.00	-2000.000	.42	-2000.00
	4	91.0	461.0	15.7	274.87	1.00	.20	-2000.00	-2000.000	.55	-2000.00
	5	16.6	126.0	30.2	727.64	30.00	.10	-2000.00	-2000.000	.89	-2000.00
550	1	377.0	328.0	26.8	417.06	10.00	.20	-2000.00	-2000.000	.86	-2000.00
	2	124.5	325.0	20.5	568.77	100.00	.10	-2000.00	-2000.000	.86	-2000.00
	3	111.2	580.0	17.7	515.07	100.00	.10	-2000.00	-2000.000	.94	-2000.00
	4	18.6	161.0	32.9	488.99	30.00	.20	-2000.00	-2000.000	.99	-2000.00
	5	21.3	278.0	20.9	352.36	30.00	.20	-2000.00	-2000.000	1.42	-2000.00
575	1	684.2	477.0	17.5	513.09	30.00	.10	-2000.00	-2000.000	.62	-2000.00
	2	303.4	635.0	16.0	481.43	30.00	.10	-2000.00	-2000.000	.65	-2000.00
	3	45.7	190.0	29.7	450.23	10.00	.20	-2000.00	-2000.000	.77	-2000.00
	4	37.9	264.0	17.9	530.44	3.00	.10	-2000.00	-2000.000	.44	-2000.00
	5	25.3	264.0	18.4	536.46	10.00	.10	-2000.00	-2000.000	.59	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. = 1000

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
25	1	294.8	128.0	24.0	382.85	10.00	.20	-2000.00	-2000.000	1.00	-2000.00
	2	2.3	3.0	******	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	3	99.3	259.0	25.7	403.20	10.00	.20	-2000.00	-2000.000	.81	-2000.00
	4	28.3	123.0	32.8	488.47	30.00	.20	-2000.00	-2000.000	.92	-2000.00
	5	8.0	52.5	30.3	453.77	10.00	.20	-2000.00	-2000.000	1.58	-2000.00
50	1	80.2	31.4	28.2	453.64	100.00	.20	-2000.00	-2000.000	.97	-2000.00
	2	174.0	204.0	22.7	367.72	10.00	.20	-2000.00	-2000.000	.90	-2000.00
	3	40.8	95.0	31.1	465.34	10.00	.20	-2000.00	-2000.000	.90	-2000.00
	4	10.8	42.0	28.9	701.65	100.00	.10	-2000.00	-2000.000	.87	-2000.00
	5	27.4	161.0	21.7	591.43	100.00	.10	-2000.00	-2000.000	.71	-2000.00
75	1	464.2	208.0	16.4	492.34	10.00	.10	-2000.00	-2000.000	.76	-2000.00
	2	61.9	83.2	29.5	455.37	30.00	.20	-2000.00	-2000.000	1.26	-2000.00
	3	19.4	52.0	29.3	446.01	10.00	.20	-2000.00	-2000.000	1.11	-2000.00
	4	20.8	93.0	20.4	349.28	30.00	.20	-2000.00	-2000.000	2.26	-2000.00
	5	9.2	62.0	27.3	447.06	100.00	.20	-2000.00	-2000.000	2.84	-2000.00
100	1	137.5	67.0	33.7	496.73	30.00	.20	-2000.00	-2000.000	.79	-2000.00
	2	22.6	33.2	32.2	477.14	10.00	.20	-2000.00	-2000.000	.60	-2000.00
	3	20.8	61.0	20.6	240.07	1.00	.30	-2000.00	-2000.000	.82	-2000.00
	4	7.1	35.0	22.9	233.90	.30	.40	-2000.00	-2000.000	2.65	-2000.00
	5	10.0	73.2	15.6	167.29	.30	.40	-2000.00	-2000.000	2.72	-2000.00
125	1	469.8	295.0	21.9	357.45	10.00	.20	-2000.00	-2000.000	.99	-2000.00
	2	44.4	83.6	24.5	390.77	10.00	.20	-2000.00	-2000.000	1.01	-2000.00
	3	10.6	39.0	30.5	460.68	10.00	.20	-2000.00	-2000.000	.99	-2000.00
	4	10.9	68.0	19.7	553.84	100.00	.10	-2000.00	-2000.000	1.10	-2000.00
	5	5.4	50.7	22.2	681.65	.03	.10	-2000.00	-2000.000	6.70	-2000.00
150	1	321.4	108.0	24.3	388.68	10.00	.20	-2000.00	-2000.000	1.12	-2000.00
	2	39.3	39.7	34.3	503.53	30.00	.20	-2000.00	-2000.000	.89	-2000.00
	3	30.9	62.0	23.4	377.10	10.00	.20	-2000.00	-2000.000	.94	-2000.00
	4	13.0	43.0	25.4	400.11	10.00	.20	-2000.00	-2000.000	.97	-2000.00
	5	1.8	8.8	43.0	591.40	100.00	.20	-2000.00	-2000.000	2.33	-2000.00
175	1	241.1	116.0	27.2	420.17	10.00	.20	-2000.00	-2000.000	.84	-2000.00
	2	83.3	120.6	24.7	391.76	10.00	.20	-2000.00	-2000.000	.78	-2000.00
	3	16.8	48.0	27.9	431.43	30.00	.20	-2000.00	-2000.000	1.08	-2000.00
	4	2.5	11.9	40.7	588.43	100.00	.20	-2000.00	-2000.000	1.74	-2000.00
	5	4.4	31.9	34.6	801.67	1.00	.10	-2000.00	-2000.000	7.02	-2000.00
200	1	581.8	702.0	10.3	343.82	100.00	.10	-2000.00	-2000.000	.87	-2000.00
	2	49.2	178.2	16.2	279.81	10.00	.20	-2000.00	-2000.000	1.13	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	4.1	29.8	29.0	245.96	1.00	.40	-2000.00	-2000.000	1.49	-2000.00
	4	4.5	53.8	24.5	739.57	.03	.10	-2000.00	-2000.000	.75	-2000.00
	5	1.2	21.7	12.2	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
225	1	744.7	251.0	15.7	271.53	10.00	.20	-2000.00	-2000.000	.88	-2000.00
	2	54.1	54.8	26.8	423.74	30.00	.20	-2000.00	-2000.000	1.10	-2000.00
	3	36.7	74.0	26.2	410.23	10.00	.20	-2000.00	-2000.000	.94	-2000.00
	4	8.1	27.4	19.3	549.79	30.00	.10	-2000.00	-2000.000	.79	-2000.00
	5	16.5	83.0	14.5	444.24	30.00	.10	-2000.00	-2000.000	.65	-2000.00
250	1	168.4	52.8	22.4	364.61	10.00	.20	-2000.00	-2000.000	1.03	-2000.00
	2	59.7	56.3	23.8	382.44	10.00	.20	-2000.00	-2000.000	1.10	-2000.00
	3	22.0	41.3	15.4	464.81	30.00	.10	-2000.00	-2000.000	1.27	-2000.00
	4	25.6	80.4	11.2	365.18	10.00	.10	-2000.00	-2000.000	1.00	-2000.00
	5	15.1	71.3	13.7	433.23	100.00	.10	-2000.00	-2000.000	2.85	-2000.00
275	1	49.9	47.4	17.3	295.99	10.00	.20	-2000.00	-2000.000	.85	-2000.00
	2	9.0	25.7	15.3	465.46	100.00	.10	-2000.00	-2000.000	1.22	-2000.00
	3	9.8	56.0	11.1	377.69	.30	.10	-2000.00	-2000.000	2.15	-2000.00
	4	4.3	40.8	13.2	211.42	30.00	.30	-2000.00	-2000.000	17.67	-2000.00
	5	3.1	44.0	25.9	674.95	.10	.10	-2000.00	-2000.000	12.49	-2000.00
300	1	91.6	31.6	15.0	457.66	100.00	.10	-2000.00	-2000.000	.94	-2000.00
	2	57.8	59.8	11.8	398.14	.30	.10	-2000.00	-2000.000	.57	-2000.00
	3	22.7	46.0	15.4	470.84	100.00	.10	-2000.00	-2000.000	2.09	-2000.00
	4	9.9	34.0	27.2	415.88	10.00	.20	-2000.00	-2000.000	2.29	-2000.00
	5	13.7	70.0	20.8	582.91	30.00	.10	-2000.00	-2000.000	1.86	-2000.00
325	1	1245.0	410.0	17.6	300.62	10.00	.20	-2000.00	-2000.000	1.17	-2000.00
	2	200.3	200.0	19.0	319.23	10.00	.20	-2000.00	-2000.000	.89	-2000.00
	3	38.3	76.0	34.2	500.85	30.00	.20	-2000.00	-2000.000	.91	-2000.00
	4	45.4	151.0	24.3	394.45	30.00	.20	-2000.00	-2000.000	1.05	-2000.00
	5	13.8	68.0	28.7	464.31	100.00	.20	-2000.00	-2000.000	3.42	-2000.00
350	1	1514.0	560.0	9.6	325.30	3.00	.10	-2000.00	-2000.000	.81	-2000.00
	2	192.4	215.0	21.9	355.98	10.00	.20	-2000.00	-2000.000	1.00	-2000.00
	3	193.7	430.0	18.4	310.07	10.00	.20	-2000.00	-2000.000	.88	-2000.00
	4	55.5	207.0	20.1	334.28	10.00	.20	-2000.00	-2000.000	1.01	-2000.00
	5	9.9	55.7	36.2	530.20	100.00	.20	-2000.00	-2000.000	4.08	-2000.00
375	1	1560.0	475.0	25.4	408.02	30.00	.20	-2000.00	-2000.000	1.25	-2000.00
	2	1019.0	931.0	15.8	274.44	10.00	.20	-2000.00	-2000.000	1.09	-2000.00
	3	259.9	474.0	17.1	293.11	10.00	.20	-2000.00	-2000.000	.93	-2000.00
	4	34.6	105.4	30.7	462.93	10.00	.20	-2000.00	-2000.000	1.39	-2000.00
	5	10.2	46.4	37.7	830.22	100.00	.10	-2000.00	-2000.000	5.05	-2000.00
400	1	1377.0	1000.0	19.8	330.14	10.00	.20	-2000.00	-2000.000	1.06	-2000.00
	2	168.6	369.0	20.8	342.15	10.00	.20	-2000.00	-2000.000	.76	-2000.00
	3	21.6	94.0	33.0	490.27	30.00	.20	-2000.00	-2000.000	.74	-2000.00
	4	8.7	63.4	40.8	560.07	10.00	.20	-2000.00	-2000.000	.84	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	12.2	134.0	28.3	420.95	10.00	.20	-2000.00	-2000.000	2.16	-2000.00
425	1	436.9	304.0	16.7	286.63	10.00	.20	-2000.00	-2000.000	1.00	-2000.00
	2	42.5	88.9	30.7	462.32	10.00	.20	-2000.00	-2000.000	.75	-2000.00
	3	16.4	68.0	39.6	553.41	30.00	.20	-2000.00	-2000.000	.87	-2000.00
	4	17.8	123.0	28.5	436.76	30.00	.20	-2000.00	-2000.000	1.34	-2000.00
	5	10.6	110.0	19.9	588.91	1.00	.10	-2000.00	-2000.000	1.38	-2000.00
450	1	233.1	128.0	27.0	419.26	10.00	.20	-2000.00	-2000.000	.85	-2000.00
	2	50.6	83.6	39.5	549.83	10.00	.20	-2000.00	-2000.000	.79	-2000.00
	3	49.9	164.0	28.2	433.57	10.00	.20	-2000.00	-2000.000	.68	-2000.00
	4	25.1	138.0	21.5	351.71	10.00	.20	-2000.00	-2000.000	1.12	-2000.00
	5	21.2	175.0	19.7	122.09	1.00	.60	-2000.00	-2000.000	7.30	-2000.00
475	1	662.7	341.0	27.5	425.83	10.00	.20	-2000.00	-2000.000	.96	-2000.00
	2	153.2	236.0	26.8	416.05	10.00	.20	-2000.00	-2000.000	.67	-2000.00
	3	38.8	119.0	22.8	368.87	10.00	.20	-2000.00	-2000.000	.53	-2000.00
	4	31.8	163.0	20.5	568.61	100.00	.10	-2000.00	-2000.000	1.04	-2000.00
	5	17.8	137.0	25.6	396.00	10.00	.20	-2000.00	-2000.000	3.46	-2000.00
500	1	316.2	354.0	21.6	588.73	100.00	.10	-2000.00	-2000.000	.86	-2000.00
	2	16.4	55.2	20.8	344.25	10.00	.20	-2000.00	-2000.000	1.08	-2000.00
	3	19.4	130.0	17.2	505.37	100.00	.10	-2000.00	-2000.000	.57	-2000.00
	4	8.6	95.8	26.0	408.54	10.00	.20	-2000.00	-2000.000	1.02	-2000.00
	5	8.1	137.0	25.2	767.91	.10	.10	-2000.00	-2000.000	14.17	-2000.00
525	1	309.0	236.0	12.8	409.68	100.00	.10	-2000.00	-2000.000	1.03	-2000.00
	2	76.2	175.0	14.8	453.90	100.00	.10	-2000.00	-2000.000	.88	-2000.00
	3	29.5	135.0	24.4	387.46	10.00	.20	-2000.00	-2000.000	.69	-2000.00
	4	12.4	95.0	28.6	439.28	10.00	.20	-2000.00	-2000.000	2.27	-2000.00
	5	11.4	131.0	26.6	421.19	30.00	.20	-2000.00	-2000.000	1.68	-2000.00
550	1	983.5	1029.0	8.5	317.40	.03	.10	-2000.00	-2000.000	1.08	-2000.00
	2	200.4	629.0	14.3	442.86	100.00	.10	-2000.00	-2000.000	.60	-2000.00
	3	68.0	426.0	15.6	271.54	10.00	.20	-2000.00	-2000.000	1.02	-2000.00
	4	27.4	286.0	16.9	290.71	10.00	.20	-2000.00	-2000.000	1.02	-2000.00
	5	16.0	251.0	22.2	357.37	10.00	.20	-2000.00	-2000.000	1.00	-2000.00
575	1	485.7	391.0	14.4	444.20	100.00	.10	-2000.00	-2000.000	.96	-2000.00
	2	162.9	393.0	14.2	251.05	10.00	.20	-2000.00	-2000.000	1.09	-2000.00
	3	59.4	286.0	15.2	462.22	100.00	.10	-2000.00	-2000.000	.80	-2000.00
	4	26.8	215.0	21.1	355.56	30.00	.20	-2000.00	-2000.000	1.42	-2000.00
	5	17.7	213.0	20.3	564.08	100.00	.10	-2000.00	-2000.000	.67	-2000.00
600	1	276.4	377.0	16.3	485.72	100.00	.10	-2000.00	-2000.000	1.09	-2000.00
	2	58.7	240.5	15.7	474.06	100.00	.10	-2000.00	-2000.000	.53	-2000.00
	3	28.8	235.0	20.5	339.77	10.00	.20	-2000.00	-2000.000	.90	-2000.00
	4	14.3	195.0	19.1	548.65	10.00	.10	-2000.00	-2000.000	.71	-2000.00
	5	8.3	169.5	23.6	408.17	100.00	.20	-2000.00	-2000.000	4.03	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
625	1	392.7	352.0	18.0	306.11	10.00	.20	-2000.00	-2000.000	1.09	-2000.00
	2	117.2	315.0	24.1	383.94	10.00	.20	-2000.00	-2000.000	1.10	-2000.00
	3	56.5	303.0	23.5	376.03	10.00	.20	-2000.00	-2000.000	.72	-2000.00
	4	19.3	172.0	26.0	406.37	10.00	.20	-2000.00	-2000.000	.85	-2000.00
	5	11.4	153.0	29.0	438.31	10.00	.20	-2000.00	-2000.000	.65	-2000.00
650	1	688.7	540.0	15.6	471.92	100.00	.10	-2000.00	-2000.000	.88	-2000.00
	2	155.5	366.0	21.1	346.57	10.00	.20	-2000.00	-2000.000	.94	-2000.00
	3	48.8	229.0	25.5	401.06	10.00	.20	-2000.00	-2000.000	.58	-2000.00
	4	20.6	162.0	26.4	412.59	10.00	.20	-2000.00	-2000.000	.57	-2000.00
	5	13.4	157.0	24.3	640.66	3.00	.10	-2000.00	-2000.000	3.22	-2000.00
675	1	749.7	273.0	19.0	318.64	10.00	.20	-2000.00	-2000.000	.94	-2000.00
	2	150.7	165.0	24.2	386.47	10.00	.20	-2000.00	-2000.000	.87	-2000.00
	3	75.2	164.0	26.1	409.92	10.00	.20	-2000.00	-2000.000	.94	-2000.00
	4	30.6	111.0	22.9	370.05	10.00	.20	-2000.00	-2000.000	.90	-2000.00
	5	47.2	258.0	27.0	418.38	10.00	.20	-2000.00	-2000.000	.82	-2000.00
700	1	662.9	289.0	18.2	524.39	100.00	.10	-2000.00	-2000.000	1.05	-2000.00
	2	161.9	211.0	21.5	586.38	100.00	.10	-2000.00	-2000.000	.87	-2000.00
	3	87.0	227.0	20.5	567.28	100.00	.10	-2000.00	-2000.000	.99	-2000.00
	4	48.0	209.0	24.9	395.11	10.00	.20	-2000.00	-2000.000	.96	-2000.00
	5	33.7	220.0	28.6	436.67	10.00	.20	-2000.00	-2000.000	.94	-2000.00
725	1	1113.0	470.0	15.9	480.96	30.00	.10	-2000.00	-2000.000	.88	-2000.00
	2	230.5	297.0	19.3	544.76	100.00	.10	-2000.00	-2000.000	1.10	-2000.00
	3	100.2	250.0	23.7	379.87	10.00	.20	-2000.00	-2000.000	.82	-2000.00
	4	66.9	287.0	27.8	428.86	10.00	.20	-2000.00	-2000.000	.92	-2000.00
	5	44.5	287.0	23.5	383.25	30.00	.20	-2000.00	-2000.000	1.05	-2000.00
750	1	680.5	281.0	19.5	325.93	10.00	.20	-2000.00	-2000.000	1.14	-2000.00
	2	231.4	286.0	23.2	373.70	10.00	.20	-2000.00	-2000.000	.77	-2000.00
	3	130.2	320.0	28.1	430.80	10.00	.20	-2000.00	-2000.000	.89	-2000.00
	4	73.9	305.0	23.1	380.60	30.00	.20	-2000.00	-2000.000	1.21	-2000.00
	5	64.5	399.0	24.6	398.21	30.00	.20	-2000.00	-2000.000	1.19	-2000.00
775	1	1164.0	790.0	17.3	509.10	100.00	.10	-2000.00	-2000.000	.76	-2000.00
	2	309.3	633.0	27.1	420.40	10.00	.20	-2000.00	-2000.000	.91	-2000.00
	3	129.6	520.0	23.9	381.35	10.00	.20	-2000.00	-2000.000	.81	-2000.00
	4	82.2	561.0	23.9	382.93	10.00	.20	-2000.00	-2000.000	.90	-2000.00
	5	67.5	691.0	25.4	400.14	10.00	.20	-2000.00	-2000.000	1.13	-2000.00
800	1	1639.0	1110.0	18.2	526.43	30.00	.10	-2000.00	-2000.000	.80	-2000.00
	2	373.5	764.0	19.5	326.07	10.00	.20	-2000.00	-2000.000	1.09	-2000.00
	3	226.4	920.0	21.2	349.67	10.00	.20	-2000.00	-2000.000	.87	-2000.00
	4	108.2	730.0	24.1	386.99	10.00	.20	-2000.00	-2000.000	.99	-2000.00
	5	67.4	689.0	20.6	339.42	10.00	.20	-2000.00	-2000.000	1.56	-2000.00
825	1	704.5	921.0	15.8	475.38	100.00	.10	-2000.00	-2000.000	.81	-2000.00
	2	278.1	1091.0	18.1	522.48	100.00	.10	-2000.00	-2000.000	.85	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
					Cole-Cole Parameters						
	3	106.0	830.0	22.7	368.30	10.00	.20	-2000.00	-2000.000	.90	-2000.00
	4	50.5	660.0	19.4	325.39	10.00	.20	-2000.00	-2000.000	.94	-2000.00
	5	18.0	354.0	28.6	440.66	10.00	.20	-2000.00	-2000.000	1.99	-2000.00
850	1	2022.0	1440.0	13.4	427.67	3.00	.10	-2000.00	-2000.000	.76	-2000.00
	2	527.6	1129.0	19.5	549.97	100.00	.10	-2000.00	-2000.000	.77	-2000.00
	3	231.6	980.0	17.1	293.74	10.00	.20	-2000.00	-2000.000	1.13	-2000.00
	4	66.5	474.0	26.9	418.47	10.00	.20	-2000.00	-2000.000	.96	-2000.00
	5	58.4	625.0	22.4	358.91	10.00	.20	-2000.00	-2000.000	4.08	-2000.00
875	1	1344.0	790.0	15.9	478.25	100.00	.10	-2000.00	-2000.000	.57	-2000.00
	2	451.2	801.0	14.7	452.52	100.00	.10	-2000.00	-2000.000	.69	-2000.00
	3	171.0	600.0	23.1	373.34	10.00	.20	-2000.00	-2000.000	.98	-2000.00
	4	96.8	573.0	18.8	538.98	100.00	.10	-2000.00	-2000.000	.95	-2000.00
	5	54.2	481.0	21.9	355.69	10.00	.20	-2000.00	-2000.000	1.68	-2000.00
900	1	1448.0	1330.0	13.2	435.68	.30	.10	-2000.00	-2000.000	.70	-2000.00
	2	243.2	673.0	24.7	393.64	10.00	.20	-2000.00	-2000.000	1.15	-2000.00
	3	150.9	830.0	18.6	532.66	100.00	.10	-2000.00	-2000.000	.81	-2000.00
	4	58.3	538.0	21.6	360.71	30.00	.20	-2000.00	-2000.000	1.24	-2000.00
925	1	520.3	680.0	20.4	568.09	100.00	.10	-2000.00	-2000.000	.72	-2000.00
	2	121.2	475.0	18.7	536.09	100.00	.10	-2000.00	-2000.000	.74	-2000.00
	3	63.7	499.0	20.1	561.08	100.00	.10	-2000.00	-2000.000	.99	-2000.00
950	1	166.3	372.0	21.1	348.00	10.00	.20	-2000.00	-2000.000	1.32	-2000.00
	2	47.8	321.4	20.0	558.96	100.00	.10	-2000.00	-2000.000	1.19	-2000.00
975	1	70.4	245.0	23.7	379.36	10.00	.20	-2000.00	-2000.000	.88	-2000.00



MINNOVA INC.
TESTALINDEN GRID
LINE: 100N
INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/08/01
Pole-Dipole Array
Scintrex IPR-11
Pulse Rate: 2 sec
current electrode east of potential electrodes
0 25 50 100 150
METERS
CHARGEABILITY
(mV/V - M7)
RESISTIVITY
(ohm-m)
a n
925W 900W 875W 850W 825W 800W 775W 750W 725W 700W 675W 650W 625W 600W 575W 550W 525W 500W 475W 450W 425W 400W 375W 350W 325W 300W 275W 250W 225W 200W 175W 150W 125W 100W 75W 50W 25W
Contour levels
2.5 30
5
7.5
10
12.5
15
17.5
20
25
Contour levels
150
200
300
500
750
1000
1500
2000
3000



MINNOVA INC.
TESTALINDEN GRID
LINE: 200N
INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/08/01
Pole-Dipole Array
Scintrex IPR-11
Pulse Rate: 2 sec
current electrode east of potential electrodes
METERS
CHARGEABILITY (mV/V - M7)
RESISTIVITY (ohm-m)
Contour levels
5 7.5 10 12.5 15 17.5 20 25 30
100 150 200 300 500 750 1000 1500 2000
inches
centimetres
This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.


MINNOVA INC.
TESTALINDEN GRID
LINE: 300N
INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/08/01
Pole–Dipole Array
Scintrex IPR–11
Pulse Rate: 2 sec
current electrode east of potential electrodes
0 25 50 100 150
METERS
CHARGEABILITY
(mV/V – M7)
RESISTIVITY
(ohm–m)
a n
950W 925W 900W 875W 850W 825W 800W 775W 750W 725W 700W 675W 650W 625W 600W 575W 550W 525W 500W 475W 450W 425W 400W 375W 350W 325W 300W 275W 250W 225W 200W 175W 150W 125W 100W 75W 50W 25W
Contour levels
2.5 5 7.5 10 12.5 15 17.5 20 25 30 35
Contour levels
150 200 300 500 750 1000 1500 2000


inches
0 1
0 1 2
centimetres
This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.


MINNOVA INC.
TESTALINDEN GRID
LINE: 400N
INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/08/01
current electrode east of potential electrodes
Pole-Dipole Array
Scintrex IPR-11
Pulse Rate: 2 sec
METERS
0 25 50 100 150
975W 950W 925W 900W 875W 850W 825W 800W 775W 750W 725W 700W 675W 650W 625W 600W 575W 550W 525W 500W 475W 450W 425W 400W 375W 350W 325W 300W 275W 250W 225W 200W 175W 150W 125W 100W 75W 50W 25W
a n
CHARGEABILITY (mV/V - M7)
Contour levels
5 7.5 10 12.5 15 17.5 20 25 30
RESISTIVITY (ohm-m)
Contour levels
100 150 200 300 500 750 1000 1500 2000


inches
0 1
0 1 2
centimetres
This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.


MINNOVA INC.
TESTALINDEN GRID
LINE: 500N
INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/08/01
Pole-Dipole Array
Scintrex IPR-11
Pulse Rate: 2 sec
current electrode east of potential electrodes
METERS
CHARGEABILITY (mV/V - M7)
RESISTIVITY (ohm-m)
a n
875W 850W 825W 800W 775W 750W 725W 700W 675W 650W 625W 600W 575W 550W 525W 500W 475W 450W 425W 400W 375W 350W 325W 300W 275W 250W 225W 200W 175W 150W 125W 100W 75W 50W 25W
Contour levels
5 7.5 10 12.5 15 17.5 20 25 30 35 40
15 20 30 50 75 100 150 200 300 500 750 1000 1500 2000


inches
centimetres
This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.


MINNOVA INC.
TESTALINDEN GRID
LINE: 600N
INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/08/01
Pole-Dipole Array
Scintrex IPR-11
Pulse Rate: 2 sec
current electrode east of potential electrodes
METERS
CHARGEABILITY (mV/V - M7)
RESISTIVITY (ohm-m)
Contour levels
Contour levels


inches
centimetres
This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

MINNOVA INC.

TESTALINDEN GRID

LINE: 700N

INDUCED POLARIZATION SURVEY

SCOTT GEOPHYSICS LTD.

90/08/01

Pole–Dipole Array

Scintrex IPR-11

Pulse Rate: 2 sec

current electrode east of potential electrodes



inches

0 1

0 1 2

centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.



MINNOVA INC.
TESTALINDEN GRID
LINE: 800N
INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/08/01
current electrode east of potential electrodes
Pole-Dipole Array
Scintrex IPR-11
Pulse Rate: 2 sec
METERS
CHARGEABILITY (mV/V - M7)
RESISTIVITY (ohm-m)
975W 950W 925W 900W 875W 850W 825W 800W 775W 750W 725W 700W 675W 650W 625W 600W 575W 550W 525W 500W 475W 450W 425W 400W 375W 350W 325W 300W 275W 250W 225W 200W 175W 150W 125W 100W 75W 50W 25W
Contour levels
7.5 10 12.5 15 17.5 20 25 30 35 40 50
Contour levels
10 15 20 30 50 75 100 150 200 300 500 750 1000 1500
inches
centimetres
This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.



inches
centimetres
This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.


MINNOVA INC.
TESTALINDEN GRID
LINE: 1000N
INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/08/01
Pole-Dipole Array
Scintrex IPR-11
Pulse Rate: 2 sec
current electrode east of potential electrodes
METERS
CHARGEABILITY (mV/V - M7)
RESISTIVITY (ohm-m)
Contour levels
10 12.5 15 17.5 20 25 30 35 40
Contour levels
10 15 20 30 50 75 100 150 200 300 500 750 1000


inches
centimetres
This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA - TESTALINDEN GRID

INDEX FILE : A:100N.IND
DATA FILE : A:100N.DAT

LINE NO. : 100

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
25	2	1	65.0	55.3	49.2	45.1	36.1	27.3	22.3	17.7	13.8	11.3	412.9	-2.	1441.
		2	70.6	59.6	53.2	48.7	39.2	29.9	24.5	19.6	15.1	12.6	95.2	-19.	997.
		3	94.1	82.3	74.0	67.4	54.1	40.6	33.4	26.5	21.2	17.1	37.5	28.	784.
		4	89.6	77.2	68.9	64.0	53.9	41.6	32.7	26.7	20.6	16.8	13.8	35.	483.
		5	91.2	109.7	98.7	121.4	65.5	52.6	22.9	******	30.2	18.4	5.2	-8.	270.
50	2	1	60.5	50.5	44.8	40.9	32.9	24.9	20.4	16.4	12.8	10.5	907.2	-20.	1424.
		2	92.1	81.1	72.7	66.6	53.1	40.2	32.6	25.5	19.9	16.2	251.4	-17.	1184.
		3	95.4	83.0	74.9	68.9	55.9	42.8	35.2	27.8	22.0	18.1	81.6	89.	767.
		4	97.5	84.4	74.6	68.1	56.6	44.0	35.4	28.1	22.5	18.5	28.0	-12.	439.
		5	82.2	64.9	42.6	68.5	49.4	60.4	31.4	******	23.5	41.2	15.1	-55.	355.
75	2	1	67.7	57.1	50.8	45.6	37.3	28.7	23.1	18.2	15.2	11.8	481.2	-3.	604.
		2	76.2	66.1	59.5	54.3	43.8	33.6	27.6	21.7	14.8	14.2	143.0	74.	539.
		3	88.3	76.0	68.2	62.5	50.5	38.7	31.7	25.4	19.6	16.4	40.9	-18.	307.
		4	69.9	53.4	45.8	43.2	42.1	38.2	27.6	25.8	12.8	15.9	20.7	-66.	259.
		5	107.7	103.3	96.8	87.0	57.5	33.7	34.1	21.4	26.6	14.6	11.6	81.	218.
100	2	1	58.7	49.7	44.1	40.7	32.5	24.8	20.2	16.0	12.5	10.2	674.5	77.	815.
		2	80.4	68.8	61.3	56.3	45.2	34.5	28.3	22.6	17.6	14.5	104.8	-10.	380.
		3	71.3	61.2	54.3	50.0	40.4	30.7	25.2	20.3	15.9	13.1	42.3	-84.	306.
		4	84.9	72.1	63.9	58.1	47.1	36.2	30.9	23.8	18.9	15.5	19.3	93.	234.
		5	87.7	83.3	66.1	56.4	58.8	34.2	29.2	26.6	18.4	18.1	27.9	-61.	505.
125	2	1	72.6	61.9	55.0	50.2	40.3	30.6	25.0	19.9	15.6	12.8	858.1	-20.	816.
		2	57.6	48.9	43.6	40.0	32.0	24.3	19.8	15.7	12.5	10.1	189.3	-84.	540.
		3	72.8	63.2	56.5	51.4	41.7	32.0	26.7	21.1	16.3	13.7	59.6	89.	339.
		4	73.2	62.8	56.8	53.4	41.7	32.5	27.3	21.5	16.6	14.0	63.6	-48.	605.
		5	66.6	48.4	45.4	38.1	38.5	24.8	14.5	13.2	16.3	9.4	23.5	8.	335.
150	2	1	61.6	52.2	46.3	42.4	34.0	25.7	21.0	16.7	13.1	10.7	563.6	-43.	983.

		2	73.0	62.8	56.0	51.5	41.4	31.7	26.1	20.8	16.3	13.3	104.9	29.	549.
		3	72.1	61.8	55.3	50.7	40.9	31.3	25.7	20.5	16.0	13.2	85.0	-62.	888.
		4	48.8	40.2	36.5	33.0	28.7	22.5	19.0	13.1	9.8	8.0	27.0	20.	472.
		5	76.6	58.5	49.5	51.6	34.7	29.7	23.1	22.7	19.3	17.9	16.2	20.	424.
175	2	1	64.3	54.3	48.4	44.1	35.3	26.7	21.8	17.3	13.5	11.1	834.0	22.	1007.
		2	73.3	62.4	55.9	51.0	41.0	31.2	25.6	20.4	16.0	13.1	365.9	-67.	1326.
		3	53.3	45.6	40.8	37.2	30.1	22.7	18.6	14.8	11.6	9.6	85.4	9.	617.
		4	68.1	58.3	51.7	47.8	38.4	28.8	23.3	19.2	15.5	12.1	41.3	23.	498.
		5	76.7	54.7	49.4	57.1	26.2	9.5	2.8	12.6	10.7	-1.3	62.9	-20.	1139.
200	2	1	67.0	56.7	50.5	46.1	36.9	28.0	22.9	18.2	14.2	11.7	969.7	-83.	1522.
		2	53.1	45.3	40.5	37.2	29.9	22.7	18.6	14.8	11.6	9.5	149.7	9.	705.
		3	66.3	56.8	50.9	46.7	37.8	28.8	23.7	19.0	15.0	12.3	57.4	17.	539.
		4	56.6	48.1	42.9	39.3	31.5	24.0	19.7	15.6	12.2	10.0	75.9	-25.	1192.
		5	70.7	59.4	53.5	48.4	38.8	29.1	23.1	19.0	14.4	11.7	29.7	11.	700.
225	2	1	51.8	43.8	38.9	35.6	28.5	21.5	17.7	14.0	10.9	8.9	557.2	4.	625.
		2	67.5	57.5	51.5	47.1	38.0	29.0	23.8	19.0	14.9	12.3	160.2	16.	539.
		3	59.8	50.8	45.4	41.5	33.4	25.3	20.8	16.6	13.0	10.7	165.2	-32.	1109.
		4	74.2	62.9	56.2	51.4	41.3	31.2	25.6	20.4	15.9	13.1	57.9	24.	649.
		5	77.8	66.5	59.5	54.6	43.9	33.9	27.8	22.0	17.4	14.4	26.7	9.	449.
250	2	1	61.3	51.0	45.4	41.6	33.3	25.4	20.9	16.8	13.3	10.7	440.7	27.	659.
		2	60.6	52.0	46.4	42.6	34.3	26.1	21.4	17.1	13.4	11.0	310.8	-30.	1394.
		3	74.6	64.2	57.4	52.7	42.4	32.3	26.5	21.1	16.5	13.6	87.3	29.	781.
		4	75.9	65.6	58.9	54.5	43.9	33.7	27.7	22.2	17.6	14.4	33.8	1.	505.
		5	85.8	73.6	66.1	59.6	48.4	36.3	29.6	25.1	19.3	15.1	24.5	-17.	549.
275	2	1	65.6	55.6	49.7	45.4	36.4	27.7	22.7	18.1	14.2	11.7	626.5	2.	820.
		2	77.7	66.1	59.1	54.0	43.4	33.0	27.1	21.6	16.9	13.9	147.6	28.	579.
		3	76.2	65.4	58.8	53.9	43.6	33.5	27.5	22.0	17.4	14.3	50.7	-6.	397.
		4	85.3	73.0	65.2	59.8	48.5	37.3	30.4	24.3	19.3	16.0	33.5	-6.	438.
		5	74.3	64.1	56.6	51.6	41.1	31.6	26.6	20.5	16.0	13.0	35.8	1.	702.
300	2	1	87.3	73.9	65.7	59.9	48.0	36.5	29.9	23.7	18.5	15.2	482.5	41.	631.
		2	79.2	68.1	61.0	55.9	45.3	34.7	28.6	22.8	17.9	14.8	116.1	-5.	456.
		3	87.8	75.7	67.8	62.2	50.5	38.6	31.7	25.3	19.9	16.5	56.5	-9.	443.
		4	72.3	63.0	56.5	52.4	42.4	31.6	26.7	20.8	16.5	13.8	45.2	-1.	591.
		5	64.1	54.4	48.1	42.9	35.2	28.7	21.6	18.2	14.0	11.0	21.5	30.	421.
325	2	1	75.9	64.2	57.9	52.4	42.0	31.8	26.0	20.7	16.2	13.3	544.1	-18.	854.
		2	83.0	70.5	63.4	57.7	46.5	35.4	29.1	23.1	18.1	14.9	189.1	12.	891.
		3	67.6	57.6	51.6	47.1	37.9	29.0	23.9	19.0	14.9	12.2	95.6	3.	898.
		4	61.0	51.8	46.4	41.5	33.8	25.6	20.9	16.6	13.0	10.7	32.8	26.	515.
		5	64.3	54.2	48.7	43.0	35.7	26.8	22.5	17.5	14.3	11.4	18.7	-4.	439.
350	2	1	83.5	68.5	60.8	55.2	44.2	33.5	27.3	21.8	17.0	14.0	537.2	-3.	602.
		2	68.0	58.7	52.8	48.2	39.0	29.8	24.4	19.5	15.3	12.6	274.9	-5.	925.
		3	63.2	55.0	49.5	45.3	36.6	27.9	22.8	18.1	14.2	11.6	69.3	24.	465.

		4	64.0	55.0	49.6	45.0	36.2	27.6	22.6	17.9	14.0	11.5	35.0	4.	393.
		5	55.6	47.9	43.0	39.0	31.3	23.9	19.5	15.6	12.0	9.9	27.5	-21.	462.
375	2	1	83.1	70.6	62.9	57.5	46.2	35.1	29.0	23.1	18.0	15.0	724.0	-2.	758.
		2	76.0	65.7	59.0	54.2	43.7	33.4	27.4	21.9	17.1	13.8	134.9	25.	424.
		3	74.5	63.9	57.0	52.3	42.0	32.0	26.2	20.9	16.4	13.5	57.5	-3.	361.
		4	63.6	54.4	48.5	44.4	35.7	27.1	22.2	17.7	13.7	11.3	39.5	-16.	413.
		5	70.8	60.7	54.2	49.7	40.0	30.5	25.0	19.8	15.6	12.9	24.9	23.	391.
400	2	1	72.8	62.2	55.9	51.0	40.6	30.7	24.3	20.2	15.6	12.7	114.5	21.	240.
		2	74.0	62.8	56.3	51.6	41.4	31.6	25.8	20.5	16.1	13.3	48.5	-4.	305.
		3	67.5	57.2	51.2	46.9	37.8	28.8	23.6	18.8	14.7	12.0	27.5	-22.	345.
		4	74.3	63.3	56.8	52.2	42.0	32.0	26.2	20.9	16.4	13.5	15.6	22.	327.
		5	77.8	66.7	59.7	54.9	44.5	33.9	27.9	22.1	17.5	14.3	14.9	-8.	468.
425	2	1	38.5	26.2	28.0	22.6	16.9	10.1	15.4	15.1	4.7	9.8	222.6	13.	304.
		2	59.7	51.3	46.0	42.3	34.0	26.0	21.3	16.9	13.2	10.8	105.9	-26.	434.
		3	68.9	59.6	53.5	49.1	39.7	30.4	24.8	19.8	15.6	12.8	50.5	16.	413.
		4	75.5	65.2	58.5	53.7	43.5	33.5	27.2	21.7	17.0	13.6	41.8	-7.	570.
		5	70.5	60.8	54.4	49.8	40.8	31.5	25.4	20.4	16.1	12.8	41.6	4.	851.
450	2	1	44.5	37.4	33.2	30.2	24.2	18.1	14.8	11.7	9.1	7.5	176.6	-12.	347.
		2	58.6	49.6	44.3	40.4	32.2	24.5	20.1	16.0	12.5	10.2	58.5	4.	344.
		3	70.1	59.5	53.3	48.7	39.1	29.7	24.3	19.3	15.1	12.5	46.0	-2.	540.
		4	67.9	57.5	51.5	46.9	37.5	28.6	23.5	18.7	14.7	12.0	35.3	-2.	692.
		5	86.3	74.3	67.8	60.0	48.3	36.7	30.0	24.1	18.6	15.3	23.0	-5.	677.
475	2	1	57.9	49.0	43.6	40.0	32.0	24.2	19.8	15.7	12.3	10.1	95.1	7.	142.
		2	62.0	52.5	46.9	42.8	34.3	26.0	21.3	17.0	13.1	10.7	91.3	-1.	409.
		3	76.1	64.7	57.7	52.9	42.4	32.3	26.5	21.2	16.6	13.6	51.6	-54.	462.
		4	86.9	74.0	66.1	60.6	48.6	36.5	30.0	23.9	18.7	15.4	22.5	31.	336.
		5	83.3	69.9	64.1	57.7	46.8	36.1	28.4	22.9	18.0	14.6	10.0	-26.	224.
500	2	1	49.5	41.9	37.1	33.7	27.1	20.5	16.7	13.2	10.3	8.5	431.5	-6.	301.
		2	70.5	59.9	53.4	48.7	39.1	29.7	24.3	19.3	15.1	12.4	175.5	-44.	367.
		3	81.3	69.3	61.9	56.5	45.5	34.6	28.3	22.6	17.7	14.5	75.0	35.	313.
		4	79.2	67.5	60.4	56.2	44.5	34.0	27.8	22.2	17.4	14.3	28.3	-23.	197.
		5	82.9	67.8	59.0	53.7	43.1	32.7	26.6	21.3	16.2	14.4	31.0	22.	324.
525	2	1	73.3	62.2	55.6	50.7	40.7	30.9	25.3	20.1	15.7	12.9	313.9	-24.	229.
		2	83.6	70.8	63.2	57.8	46.4	35.2	28.8	23.0	18.0	14.8	88.8	-4.	195.
		3	77.3	66.7	60.0	55.1	44.6	34.0	27.9	22.3	17.5	14.4	40.6	-19.	178.
		4	86.6	73.6	65.6	59.6	47.3	35.7	30.3	23.7	15.0	5.8	35.5	31.	259.
		5	67.8	57.7	51.7	46.9	38.7	30.2	23.6	19.2	18.7	22.1	35.0	-12.	383.
550	2	1	80.7	68.3	61.1	55.8	44.7	34.1	27.5	22.0	17.3	14.2	170.7	-11.	105.
		2	100.2	73.1	63.8	57.5	45.5	31.5	27.6	22.1	17.3	14.2	65.2	-4.	120.
		3	61.0	59.4	54.4	50.1	40.9	32.8	25.9	20.6	16.3	13.4	64.7	4.	238.
		4	65.0	61.2	55.6	51.6	42.0	33.2	26.9	21.5	16.7	13.8	53.7	-4.	331.
		5	97.5	82.0	71.9	66.1	59.4	38.0	43.1	30.7	29.9	18.8	25.1	42.	231.

575	2	1	41.7	35.2	31.5	28.7	22.9	17.4	14.2	11.3	8.9	7.2	167.7	-2.	219.
		2	53.7	45.0	40.4	36.6	29.4	22.1	18.1	14.3	11.1	9.3	104.9	7.	412.
		3	56.2	47.6	43.0	39.1	31.5	24.1	19.8	15.8	12.4	10.3	54.9	-15.	430.
		4	78.0	66.9	60.2	55.0	43.6	30.9	25.2	21.3	16.4	14.5	30.1	41.	394.
		5	61.2	51.5	46.1	42.3	34.5	29.2	24.2	18.2	14.6	11.1	26.1	13.	512.
600	2	1	40.2	31.5	27.4	24.5	19.6	14.5	11.6	9.2	7.1	5.8	496.4	-1.	390.
		2	40.7	35.1	31.4	28.6	23.0	17.5	14.3	11.5	9.1	7.4	249.0	-16.	586.
		3	65.6	56.5	50.6	46.3	37.3	28.4	22.8	18.5	14.5	11.8	117.0	36.	550.
		4	49.4	43.0	38.4	34.8	28.2	21.7	17.7	14.2	11.1	9.2	87.8	4.	689.
		5	50.3	43.0	37.9	36.5	29.4	23.0	18.4	14.2	10.0	10.8	65.7	-38.	773.
625	2	1	52.0	24.7	18.4	15.3	11.3	8.5	8.3	5.8	5.1	3.1	551.5	-12.	559.
		2	54.6	47.2	42.5	39.0	31.4	24.0	19.6	15.6	12.2	10.0	261.7	32.	795.
		3	41.9	36.8	33.1	30.5	24.7	18.8	15.5	12.4	9.7	7.9	156.2	6.	947.
		4	42.7	37.3	33.8	30.9	25.0	18.7	15.5	12.5	9.5	8.1	101.9	-41.	1032.
		5	45.1	38.7	35.5	34.7	27.4	19.8	17.7	14.3	9.7	8.2	58.9	3.	894.
650	2	1	50.8	42.7	37.8	34.4	27.3	20.6	16.7	13.2	10.3	8.4	1290.0	37.	1157.
		2	46.4	39.5	35.1	31.9	25.5	19.2	15.6	12.4	9.6	7.8	464.4	-2.	1250.
		3	44.2	37.5	33.5	30.4	24.4	18.5	15.1	11.9	9.3	7.6	249.7	-42.	1341.
		4	48.0	40.6	35.9	33.0	25.9	19.9	16.4	12.7	10.2	8.3	125.2	3.	1123.
		5	50.0	46.0	42.6	29.6	25.4	20.4	22.2	13.6	9.4	6.2	56.0	25.	753.
675	2	1	45.5	38.0	33.5	30.4	24.2	18.1	14.7	11.7	9.1	7.4	1098.0	-9.	1499.
		2	36.9	31.0	27.6	25.1	20.1	15.2	12.4	9.9	7.7	6.4	417.6	-47.	1710.
		3	41.2	34.7	20.9	28.1	22.4	16.9	13.9	11.0	8.6	7.1	178.4	4.	1458.
		4	37.8	31.9	28.2	26.4	20.3	15.4	14.1	10.4	7.3	5.6	74.6	31.	1018.
		5	39.1	33.1	29.6	25.5	22.0	17.2	11.8	10.2	9.3	8.4	53.5	-1.	1096.
700	2	1	43.0	36.1	32.1	29.1	23.2	17.5	14.2	11.2	8.7	7.2	2009.0	-60.	1539.
		2	46.8	39.4	35.0	31.8	25.4	19.1	15.6	12.3	9.7	7.9	626.5	-3.	1439.
		3	41.5	35.1	31.3	28.6	23.0	17.3	14.2	11.3	8.9	7.3	240.5	27.	1103.
		4	43.6	36.8	33.0	30.2	23.9	18.2	14.7	11.7	9.2	7.5	154.3	3.	1182.
		5	48.7	40.5	33.3	29.0	26.1	19.1	17.3	13.9	9.5	7.2	104.0	-11.	1195.
725	2	1	41.8	34.7	30.7	27.8	22.0	16.5	13.4	10.6	8.2	6.7	1562.0	-7.	1168.
		2	38.5	32.2	28.7	25.9	20.8	15.7	12.8	10.1	7.9	6.5	513.8	28.	1152.
		3	40.4	34.0	30.3	27.6	22.2	16.6	13.6	10.7	8.3	6.8	290.1	-5.	1299.
		4	43.6	36.8	32.5	29.5	23.7	17.6	14.6	11.2	9.2	7.4	221.0	-5.	1652.
		5	49.0	32.6	30.4	28.1	24.2	14.8	12.8	12.3	11.2	8.3	98.7	17.	1107.
750	2	1	19.1	19.8	18.0	16.6	14.6	11.4	9.8	7.7	6.3	4.9	474.4	27.	745.
		2	45.1	33.6	29.4	26.3	19.4	14.1	10.9	8.6	6.4	5.4	433.6	-7.	2042.
		3	40.2	33.6	29.8	27.0	21.5	16.1	13.0	10.3	8.0	6.5	185.2	-6.	1741.
		4	43.6	37.3	31.0	27.9	23.2	20.1	12.1	12.0	8.5	6.4	82.9	19.	1302.
		5	54.3	68.9	38.8	11.2	35.4	19.0	30.3	18.2	13.9	13.0	50.2	0.	1183.
775	2	1	24.2	17.4	14.4	12.2	9.8	8.0	5.2	4.8	3.4	2.8	950.6	-1.	1194.
		2	27.5	23.2	20.0	18.3	14.4	10.7	8.6	6.8	5.2	4.2	590.5	-6.	2225.

		3	30.4	25.8	22.8	20.5	16.4	12.4	10.0	8.0	6.1	5.1	212.8	10.	1600.
		4	35.3	30.1	26.4	23.6	18.8	14.9	12.0	9.4	7.2	6.2	117.1	0.	1471.
		5	38.7	34.0	30.5	28.4	23.4	16.3	13.2	11.3	9.3	14.2	69.2	7.	1304.
800	2	1	22.4	18.4	15.8	14.4	11.1	8.2	6.6	5.2	4.0	3.3	2224.0	-17.	1995.
		2	25.8	21.1	18.3	16.6	12.9	9.6	7.7	6.1	4.7	3.8	636.5	11.	1713.
		3	28.4	24.3	21.4	19.7	15.6	11.7	9.5	7.5	5.8	4.7	305.8	-3.	1643.
		4	34.6	28.7	25.3	23.9	18.3	13.0	10.9	8.7	6.7	6.1	153.1	3.	1374.
		5	47.3	41.9	36.8	32.3	26.8	22.2	17.4	13.6	10.8	7.5	82.4	16.	1109.
825	2	1	3.9	4.1	4.6	4.5	4.0	3.0	2.5	2.1	2.0	1.2	650.6	9.	817.
		2	40.7	29.4	24.8	21.8	16.6	12.3	10.0	7.6	5.6	4.6	533.6	-13.	2011.
		3	33.4	29.8	25.9	23.5	18.1	13.4	10.5	8.4	6.2	5.5	493.0	3.	3707.
		4	35.8	30.6	27.1	24.3	19.9	14.5	12.0	9.5	7.4	6.2	98.8	23.	1241.
		5	46.5	39.4	35.6	32.3	26.7	20.6	16.7	13.9	9.8	7.5	52.5	-19.	988.
850	2	1	21.0	11.9	11.1	10.4	8.8	6.6	-3.6	4.4	3.8	3.3	829.1	14.	964.
		2	32.4	19.4	15.7	13.1	9.0	6.3	18.1	3.8	2.7	2.1	815.4	-19.	2845.
		3	27.7	23.0	20.6	18.6	14.7	11.1	10.0	7.1	5.6	4.6	217.8	9.	1517.
		4	39.3	33.5	30.2	27.4	22.0	16.6	12.8	10.8	8.4	6.6	85.2	4.	990.
875	2	1	17.4	-28.4	-29.1	-34.2	-32.9	-22.3	-16.4	******	-8.0	-9.3	84.9	-2.	296.
		2	20.7	16.1	15.8	13.2	10.5	7.9	6.7	5.3	4.3	3.2	107.4	9.	1124.
		3	33.0	27.6	25.2	22.7	18.4	13.9	11.4	8.7	6.9	5.9	35.9	1.	749.
900	2	1	18.5	15.0	13.4	12.5	9.9	7.3	5.9	4.6	3.6	2.9	366.3	10.	1150.
		2	30.1	24.1	21.0	19.4	15.3	11.4	9.3	7.3	5.7	4.6	87.8	-3.	827.
925	2	1	22.0	18.2	16.2	14.5	11.4	8.6	6.9	5.4	4.2	3.4	991.2	-7.	798.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA - TESTALINDEN GRID

INDEX FILE : A:200N.IND
DATA FILE : A:200N.DAT

LINE NO. : 200

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
25	2	1	109.9	94.3	84.6	77.5	62.8	48.0	39.5	31.6	24.8	20.5	90.7	105.	124.
		2	71.0	60.6	54.3	49.5	39.8	30.2	24.7	19.6	15.4	12.6	93.7	-28.	384.
		3	86.7	74.2	66.5	60.8	49.0	37.3	30.6	24.3	19.1	15.7	56.6	-40.	462.
		4	86.0	73.8	66.2	60.5	48.9	37.3	30.6	24.3	19.1	15.7	16.9	9.	230.
		5	86.1	73.8	66.4	60.7	49.1	37.6	30.9	24.6	19.3	15.8	9.6	53.	196.
50	2	1	63.8	54.2	48.4	44.0	35.3	26.8	21.8	17.4	13.5	11.1	287.2	-44.	429.
		2	77.2	65.9	59.0	53.7	43.2	32.8	26.7	21.3	16.6	13.6	104.2	-23.	467.
		3	78.0	66.9	60.0	54.7	44.1	33.7	27.6	22.0	17.3	14.2	29.0	16.	259.
		4	76.9	65.9	59.0	53.7	42.7	31.7	25.4	20.3	16.6	12.4	15.8	62.	235.
		5	82.0	68.2	60.7	55.4	45.5	35.8	30.2	23.9	17.6	16.3	10.8	-35.	241.
75	2	1	84.0	71.9	64.2	58.6	47.4	36.2	29.7	23.7	18.6	15.3	572.1	-26.	544.
		2	89.2	76.7	68.6	62.7	50.7	38.7	31.8	25.4	19.9	16.4	89.8	5.	256.
		3	86.3	74.2	66.5	60.6	49.1	37.5	30.8	24.6	19.3	15.9	43.0	62.	244.
		4	86.2	73.2	63.9	57.8	46.4	37.5	30.1	21.4	15.5	12.1	27.9	-24.	265.
		5	79.8	68.7	62.8	57.7	47.1	32.4	28.0	24.2	19.7	16.2	24.9	-21.	355.
100	2	1	78.4	66.9	59.8	54.4	43.9	33.3	27.3	21.7	17.0	13.9	461.2	6.	344.
		2	75.6	64.7	58.0	52.7	42.6	32.4	26.6	21.2	16.6	13.7	103.7	48.	232.
		3	85.7	73.4	65.8	59.9	48.4	36.8	30.1	24.0	18.7	15.3	62.3	2.	278.
		4	71.2	60.6	54.2	49.2	39.4	29.8	24.2	19.3	14.8	11.8	48.1	-10.	359.
		5	78.7	67.3	60.1	54.7	44.4	33.8	27.9	22.2	17.7	14.8	40.2	-45.	451.
125	2	1	37.5	31.4	28.1	25.5	20.4	15.4	12.6	10.0	7.8	6.4	707.0	43.	716.
		2	67.2	57.2	50.8	46.6	37.3	28.2	23.0	18.2	14.2	11.6	136.5	2.	414.
		3	71.2	60.6	54.0	49.2	39.4	29.9	24.4	19.4	15.2	12.4	54.5	-12.	330.
		4	79.3	67.7	60.4	55.2	44.6	34.2	28.2	22.6	17.6	14.4	39.9	-29.	404.
		5	73.0	62.7	56.1	51.5	41.2	31.0	25.1	19.9	15.8	13.1	29.8	-13.	452.
150	2	1	35.5	29.6	26.2	23.9	19.0	14.3	11.7	9.2	7.2	5.9	2145.0	-13.	2320.

		2	58.2	49.2	43.9	40.2	32.2	24.4	20.0	15.8	12.4	10.2	193.4	-11.	628.
		3	75.0	64.0	57.3	52.5	42.3	32.2	26.5	21.2	16.7	13.7	71.2	-30.	461.
		4	68.2	57.9	51.8	47.4	38.2	29.0	23.9	18.9	14.8	12.3	41.4	-4.	448.
		5	72.9	62.0	55.4	50.5	40.7	31.2	25.5	20.4	16.2	13.7	36.3	-5.	589.
175	2	1	46.1	39.2	34.8	32.2	27.0	20.3	17.1	13.9	11.2	9.6	484.3	-28.	760.
		2	64.8	55.3	48.4	41.3	28.5	22.3	15.8	10.9	7.2	4.0	109.7	-25.	516.
		3	61.4	52.7	47.0	43.0	34.7	26.5	21.7	17.4	13.6	11.2	49.8	0.	468.
		4	70.9	60.6	54.0	49.4	39.9	30.4	24.9	19.8	15.6	12.8	32.7	0.	513.
		5	72.8	56.8	51.8	43.3	36.1	28.0	23.4	18.8	14.2	12.8	27.9	1.	657.
200	2	1	66.6	56.9	50.7	46.5	37.3	28.5	23.3	18.6	14.6	12.0	527.1	-42.	551.
		2	54.3	46.3	41.2	37.8	30.2	23.0	18.8	15.0	11.7	9.6	160.2	0.	503.
		3	71.5	61.4	54.7	50.4	40.6	31.0	25.4	20.3	15.9	13.1	68.6	13.	429.
		4	63.9	54.3	48.3	44.3	35.5	26.9	22.1	17.6	13.7	11.3	48.7	4.	509.
		5	47.6	40.5	35.7	32.9	25.9	19.5	15.8	12.5	9.8	7.8	53.3	44.	836.
225	2	1	64.8	55.1	48.9	44.5	35.7	27.0	22.0	17.5	13.6	11.1	624.0	-24.	632.
		2	79.2	68.0	60.6	55.5	44.7	34.1	28.0	22.3	17.5	14.4	146.1	8.	443.
		3	67.9	58.1	51.7	47.2	38.0	28.8	23.6	18.8	14.7	12.0	61.2	5.	370.
		4	50.7	43.3	38.4	34.9	27.9	21.2	17.4	13.7	10.7	8.8	59.8	57.	605.
		5	67.8	56.3	51.3	46.9	37.7	28.5	23.2	18.2	13.7	10.9	29.7	-319.	451.
250	2	1	103.2	88.6	79.6	73.2	59.3	45.6	37.6	30.1	23.9	19.7	288.8	-6.	335.
		2	78.4	66.8	59.8	54.8	44.2	33.7	27.7	22.1	17.4	14.4	72.6	2.	253.
		3	55.8	47.2	42.2	38.7	31.0	23.5	19.3	15.3	12.0	9.9	61.8	64.	429.
		4	71.3	60.4	53.9	49.4	39.5	30.0	24.3	19.6	15.6	12.7	28.4	-306.	330.
		5	106.9	91.7	82.5	76.3	62.8	49.9	42.8	34.9	27.8	24.3	8.4	377.	147.
275	2	1	95.3	81.8	73.5	67.3	54.6	41.8	34.5	27.6	21.8	18.0	202.5	-4.	181.
		2	64.4	54.9	49.0	44.7	36.1	27.4	22.5	17.9	14.3	11.6	120.8	60.	325.
		3	77.1	65.8	58.9	53.8	43.3	32.9	27.0	21.4	16.1	13.7	46.4	-304.	249.
		4	106.0	91.0	81.7	74.9	60.6	46.5	38.1	30.4	23.8	19.5	13.6	389.	122.
		5	100.7	86.0	77.2	70.6	56.9	43.5	35.9	29.7	24.9	21.9	11.9	50.	159.
300	2	1	76.2	65.3	58.3	53.2	42.7	32.6	26.8	21.5	16.7	13.6	254.1	43.	221.
		2	85.1	72.7	65.0	59.9	49.1	37.4	30.5	24.0	19.4	16.6	83.3	-304.	218.
		3	111.7	96.4	86.5	79.5	64.9	50.2	41.6	33.5	25.9	21.1	23.1	392.	120.
		4	102.3	88.1	79.0	72.5	58.9	45.4	37.3	29.9	23.6	19.5	18.6	63.	162.
		5	101.3	87.7	78.7	72.2	58.3	44.0	36.2	28.9	22.6	17.9	11.8	-122.	154.
325	2	1	57.7	49.1	43.6	39.6	31.7	24.0	19.6	15.5	12.1	9.9	326.2	-321.	284.
		2	85.2	73.3	65.8	60.2	48.8	37.6	31.1	25.2	19.9	16.4	53.9	386.	141.
		3	69.8	60.2	53.9	49.1	39.9	30.5	25.1	20.1	15.8	13.1	44.3	66.	231.
		4	67.7	58.3	52.1	47.3	38.0	28.9	23.1	18.5	15.0	12.8	22.1	-110.	192.
		5	36.7	30.8	27.6	25.0	20.2	15.4	13.3	10.8	8.5	6.9	26.0	-45.	339.
350	2	1	86.3	74.1	66.4	60.8	49.4	38.0	31.4	25.2	20.0	16.6	134.9	292.	169.
		2	62.7	53.7	48.0	44.0	35.1	26.6	21.7	17.2	13.3	10.8	100.3	83.	377.
		3	56.6	48.4	43.0	39.1	31.6	24.1	19.7	15.7	12.3	10.1	46.7	-107.	351.

		4	19.4	16.3	14.1	12.6	9.9	7.2	5.7	4.4	3.3	2.6	48.4	-31.	607.
		5	29.2	24.8	22.0	19.6	15.8	11.9	9.9	7.3	5.6	5.1	27.2	-27.	512.
375	2	1	78.9	67.4	60.3	55.2	44.6	34.1	28.0	22.4	17.6	14.5	406.2	69.	327.
		2	65.7	55.9	49.9	45.6	36.7	27.9	22.8	18.2	14.3	11.7	173.8	-109.	419.
		3	21.7	17.8	15.5	13.9	10.8	7.9	6.3	4.9	3.6	2.8	167.5	-29.	800.
		4	26.2	21.9	19.4	17.5	13.9	10.3	8.3	6.5	5.1	4.1	79.2	-17.	637.
		5	33.7	28.3	25.1	22.6	17.7	13.0	10.1	7.7	5.6	4.3	59.2	28.	714.
400	2	1	74.9	63.6	57.1	52.2	42.1	32.1	26.5	21.2	16.7	13.8	395.1	-130.	413.
		2	39.9	33.4	29.8	27.0	21.4	16.1	13.0	10.2	8.0	6.4	232.2	-45.	729.
		3	39.4	33.2	29.7	27.0	21.5	16.2	13.2	10.4	8.1	6.6	93.5	2.	585.
		4	43.4	36.5	32.5	29.5	23.5	17.6	14.6	11.6	9.2	7.5	66.0	37.	690.
		5	66.4	54.1	50.1	46.7	36.8	28.1	22.5	18.1	14.4	12.7	29.6	-58.	465.
425	2	1	56.7	48.2	42.8	39.0	31.3	23.7	19.4	15.4	11.9	9.9	461.4	-43.	426.
		2	54.4	46.5	41.5	37.8	30.5	23.2	19.0	15.1	11.9	9.8	167.7	-14.	464.
		3	48.2	41.1	36.6	33.2	26.7	20.3	16.6	13.2	10.3	8.4	92.9	34.	513.
		4	70.9	60.7	54.3	49.6	40.1	30.6	25.1	20.1	15.8	13.1	41.7	-39.	385.
		5	77.3	66.2	59.5	54.3	44.1	34.0	28.2	22.7	18.2	15.6	35.0	31.	485.
450	2	1	72.9	62.3	55.7	51.0	41.2	31.4	25.8	20.6	16.2	13.3	358.1	-7.	351.
		2	60.0	51.2	45.8	41.8	33.7	25.8	21.2	17.0	13.4	11.1	164.6	28.	484.
		3	77.3	66.4	59.4	54.4	44.0	33.5	27.4	21.8	16.9	13.8	65.3	-38.	383.
		4	80.6	69.5	62.5	57.5	46.7	36.2	30.1	24.6	19.8	16.5	37.9	42.	371.
		5	71.5	61.1	54.3	49.7	39.7	29.6	24.0	18.4	13.9	11.2	23.3	-21.	343.
475	2	1	57.0	48.1	42.9	39.1	31.3	23.7	19.4	15.4	12.0	9.9	412.5	2.	417.
		2	67.2	56.9	50.9	46.5	37.3	28.4	23.3	18.5	14.5	12.0	185.0	-53.	562.
		3	66.9	56.9	51.1	46.7	37.5	28.4	23.0	18.3	14.3	11.1	71.4	51.	432.
		4	65.5	55.8	49.9	45.8	36.7	28.4	23.7	19.0	14.8	13.7	32.9	-2.	333.
		5	69.2	58.1	52.2	45.1	39.7	31.1	28.9	24.2	21.0	19.5	11.4	-25.	173.
500	2	1	62.6	53.3	47.5	43.4	35.0	26.6	21.7	17.3	13.5	11.1	258.8	-9.	300.
		2	56.2	48.0	42.8	39.1	31.4	23.9	19.6	15.6	12.2	10.1	73.6	15.	257.
		3	65.5	56.2	50.2	45.9	37.2	28.4	23.4	18.8	14.6	12.0	24.0	-15.	167.
		4	74.9	64.8	58.2	53.1	42.6	32.3	26.3	20.4	16.3	14.3	8.3	-12.	97.
		5	73.0	61.2	54.3	48.5	38.5	29.0	22.9	16.5	10.8	7.4	10.5	-8.	182.
525	2	1	58.1	49.3	44.0	40.3	32.4	24.6	20.2	16.1	12.7	10.3	128.7	19.	144.
		2	59.8	51.3	46.1	42.3	34.1	25.9	21.3	16.7	12.9	10.6	30.1	4.	101.
		3	75.1	64.4	57.9	53.1	43.0	33.1	27.4	22.6	18.5	15.2	12.9	-7.	86.
		4	78.5	67.3	60.7	55.5	44.9	33.8	28.3	23.3	18.1	14.7	15.7	3.	176.
		5	69.1	58.4	52.7	48.5	39.1	30.6	24.4	18.9	15.3	12.2	15.9	-5.	267.
550	2	1	57.5	49.3	43.6	39.9	32.0	24.5	19.9	15.9	12.4	10.2	427.6	-7.	516.
		2	79.9	68.8	61.4	56.3	45.5	34.6	28.8	22.9	17.9	14.7	111.7	-18.	404.
		3	89.4	76.7	68.9	63.2	51.1	39.3	32.3	25.8	20.4	16.8	118.4	20.	850.
		4	83.5	71.7	64.2	58.9	47.6	36.7	30.3	24.3	19.1	15.7	59.4	-4.	717.
		5	82.7	70.9	63.5	58.4	46.5	36.0	29.8	23.4	18.4	14.8	29.4	-19.	532.

575	2	1	68.5	58.3	52.0	47.6	38.2	29.1	23.8	19.0	14.9	12.2	558.3	-21.	604.
		2	84.2	72.0	64.4	59.0	47.6	36.3	29.9	23.8	18.7	15.5	425.6	8.	1382.
		3	84.7	72.5	64.6	59.3	48.0	36.7	30.3	24.2	19.1	16.0	186.7	-1.	1210.
		4	83.0	70.9	63.4	58.1	46.9	35.8	29.4	23.2	18.3	15.2	69.9	-10.	756.
		5	79.6	68.0	60.9	55.9	44.8	34.4	28.8	22.7	18.0	15.0	29.5	7.	478.
600	2	1	57.9	49.2	43.7	39.9	32.0	24.3	19.9	15.8	12.4	10.1	1375.0	-8.	1430.
		2	72.0	61.6	54.9	50.3	40.5	31.0	25.4	20.3	16.0	13.3	448.9	-8.	1409.
		3	78.2	67.0	59.9	54.8	44.2	33.6	27.6	22.1	17.3	14.1	135.7	-4.	850.
		4	75.7	64.9	57.9	53.0	42.8	32.6	26.8	21.4	16.8	13.8	50.1	16.	524.
		5	65.9	56.1	50.1	45.8	37.0	27.8	23.1	18.4	14.4	11.8	42.4	7.	665.
625	2	1	43.0	36.3	32.5	29.4	23.6	17.9	14.7	11.7	9.1	7.5	1786.0	-19.	1800.
		2	61.4	52.3	46.8	42.8	34.5	26.3	21.6	17.3	13.6	11.2	348.5	-14.	1058.
		3	65.1	55.5	49.7	45.5	36.8	28.1	23.1	18.4	14.5	12.0	106.0	26.	640.
		4	57.4	48.9	43.7	40.0	32.4	24.6	20.2	16.2	12.8	10.4	75.4	19.	763.
		5	57.7	49.1	43.9	40.6	32.3	24.9	20.3	16.2	12.5	10.2	32.4	-20.	492.
650	2	1	46.9	39.8	35.3	32.0	25.7	19.4	15.8	12.6	9.8	8.1	1151.0	-21.	1440.
		2	54.3	46.4	41.4	37.6	30.3	23.1	18.9	15.1	11.7	9.7	236.0	20.	889.
		3	49.8	42.6	38.0	34.6	27.9	21.2	17.4	13.9	10.8	8.8	141.1	23.	1060.
		4	50.1	42.9	38.2	34.7	28.1	21.3	17.5	14.0	11.1	9.0	53.2	-5.	667.
		5	52.2	46.6	40.6	38.8	33.1	22.0	18.1	13.8	11.3	9.6	34.0	-22.	639.
675	2	1	47.8	40.5	35.9	32.5	25.9	19.5	15.8	12.5	9.7	8.0	1056.0	12.	1220.
		2	47.7	40.6	36.1	32.8	26.2	20.0	16.3	12.7	9.9	8.2	415.9	13.	1451.
		3	50.2	42.8	38.2	34.7	27.9	21.2	17.2	13.8	10.8	8.9	130.3	1.	900.
		4	51.0	43.8	38.6	35.4	28.6	21.7	17.4	14.0	10.7	9.1	72.3	-13.	840.
		5	56.4	47.5	42.8	38.5	30.5	23.3	19.2	15.0	12.3	9.5	52.3	-15.	912.
700	2	1	37.0	31.0	27.6	25.1	20.0	15.1	12.3	9.7	7.5	6.1	1169.0	13.	960.
		2	44.8	37.8	33.8	30.8	24.7	18.7	15.3	12.2	9.5	7.7	295.4	-7.	732.
		3	49.3	41.7	37.2	33.9	27.2	20.6	16.8	13.3	10.4	8.6	146.7	-5.	720.
		4	54.6	46.2	41.5	37.6	29.9	22.9	18.6	15.1	11.7	9.6	96.3	1.	795.
		5	58.6	47.6	42.8	40.8	36.8	24.4	20.9	15.7	12.5	8.6	66.7	-41.	826.
725	2	1	31.1	26.0	23.2	21.0	16.6	12.5	10.1	8.0	6.2	5.0	579.6	-7.	587.
		2	41.7	34.8	31.0	28.2	22.4	16.8	13.7	10.9	8.5	6.9	232.6	-14.	706.
		3	50.1	42.1	37.6	34.2	27.3	20.6	16.7	13.2	10.3	8.4	137.6	3.	830.
		4	61.4	49.6	44.2	40.2	32.1	24.6	20.2	15.8	12.9	10.2	89.4	-25.	905.
		5	66.6	58.8	52.3	47.7	38.4	28.7	23.1	18.6	13.8	11.5	67.8	-5.	1030.
750	2	1	21.7	17.5	15.8	14.3	11.1	8.2	6.6	5.2	4.1	3.2	813.3	-16.	729.
		2	34.9	28.8	25.8	23.5	18.6	14.1	11.4	9.0	7.0	5.7	292.0	-6.	785.
		3	49.2	40.9	36.5	33.2	26.3	19.8	16.1	12.6	9.7	7.8	159.5	-16.	850.
		4	60.5	50.5	45.3	41.4	33.0	25.0	20.3	16.1	12.7	10.2	108.8	8.	970.
		5	77.8	65.7	58.9	53.7	43.4	32.6	26.8	21.6	16.5	13.6	52.9	10.	712.
775	2	1	18.2	14.9	13.2	12.1	9.4	7.0	5.6	4.5	3.4	2.7	705.6	-16.	714.
		2	33.9	28.2	25.1	22.6	17.9	13.3	10.8	8.4	6.7	5.4	265.6	-19.	807.

		3	47.6	40.2	35.8	32.7	26.0	19.6	16.0	12.7	10.0	8.1	153.7	19.	930.
		4	68.7	58.2	52.0	47.7	38.2	29.0	23.6	18.8	15.0	12.0	63.8	19.	646.
		5	64.5	54.7	49.2	45.2	36.1	27.1	22.3	17.6	14.1	11.5	51.0	-10.	775.
800	2	1	23.3	19.4	17.2	15.4	12.1	9.0	7.2	5.6	4.3	3.5	542.0	-38.	567.
		2	36.2	30.1	26.6	24.0	19.2	14.5	11.8	9.3	7.2	5.9	264.9	7.	831.
		3	59.1	50.2	44.8	40.7	32.8	24.8	20.3	16.2	12.7	10.4	89.9	29.	563.
		4	58.6	49.9	44.6	40.6	32.8	24.9	20.3	16.1	12.6	10.3	62.5	1.	654.
		5	52.6	44.0	39.1	35.7	29.4	21.8	18.1	14.4	11.4	9.5	47.4	-9.	743.
825	2	1	24.1	19.7	17.4	15.7	12.4	9.2	7.4	5.8	4.5	3.7	1035.0	-20.	1010.
		2	44.8	37.7	33.7	30.7	24.4	18.5	15.1	12.0	9.4	7.7	218.7	19.	643.
		3	51.1	43.3	38.7	35.5	28.6	21.8	17.9	14.3	11.2	9.2	112.7	10.	660.
		4	44.7	37.9	33.9	31.1	24.7	18.8	15.4	12.2	9.6	7.9	73.4	2.	720.
		5	45.6	38.8	35.0	32.4	25.8	19.6	16.0	12.7	10.0	8.6	54.7	-34.	804.
850	2	1	33.6	27.9	24.5	22.2	17.5	13.0	10.5	8.2	6.4	5.2	702.3	19.	958.
		2	48.6	41.2	36.6	33.4	26.7	20.2	16.5	13.1	10.2	8.4	205.5	1.	841.
		3	45.3	38.5	34.2	31.3	25.1	19.1	15.6	12.3	9.6	7.9	107.0	9.	870.
		4	45.9	39.2	34.8	31.9	25.7	19.5	15.9	12.7	9.9	8.1	69.0	-23.	942.
		5	45.0	38.2	34.2	31.3	25.0	19.0	15.3	12.2	9.2	7.6	42.7	4.	873.
875	2	1	42.4	35.7	31.5	28.7	22.8	17.2	14.0	11.0	8.6	7.0	978.0	1.	990.
		2	47.0	39.8	35.2	32.2	25.8	19.5	15.9	12.6	9.8	8.1	334.7	-2.	1017.
		3	49.6	42.0	37.3	34.2	27.6	20.9	17.1	13.6	10.5	8.7	171.0	-13.	1030.
		4	47.8	40.7	35.8	32.7	26.2	19.8	16.2	12.8	12.2	8.1	89.4	14.	905.
		5	44.3	37.7	32.6	29.8	24.7	18.9	15.6	12.3	9.1	7.9	45.9	-15.	697.
900	2	1	38.6	32.5	29.0	26.1	20.7	15.6	12.7	10.0	7.8	6.3	1057.0	6.	1180.
		2	48.8	41.5	37.0	33.6	27.1	20.5	16.7	13.3	10.4	8.5	355.6	-29.	1196.
		3	53.3	45.2	40.3	36.7	29.7	22.5	18.3	14.5	11.3	9.3	146.3	23.	980.
		4	50.0	42.4	38.1	34.7	28.3	21.8	17.3	13.8	11.0	8.8	67.7	-2.	758.
925	2	1	27.3	22.5	20.3	18.3	14.5	11.0	8.9	7.0	5.5	4.5	1295.0	-27.	1230.
		2	41.7	34.8	31.2	28.5	22.8	17.2	14.0	11.1	8.6	7.1	373.1	18.	1065.
		3	44.8	37.2	33.7	30.8	24.6	19.0	15.1	12.0	9.5	7.8	134.0	-1.	760.
950	2	1	28.3	23.7	20.9	19.0	15.1	11.3	9.2	7.3	5.6	4.5	700.5	17.	1157.
		2	35.2	29.7	26.5	24.1	19.3	14.6	12.0	9.5	7.5	6.1	159.8	-2.	792.
975	2	1	22.8	18.8	16.8	15.1	12.2	9.1	7.5	5.9	4.6	3.8	484.0	-5.	949.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA - TESTALINDEN GRID

INDEX FILE : A:300N.IND
DATA FILE : A:300N.DAT

LINE NO. : 300

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
25	2	1	88.5	75.6	67.5	61.7	49.7	37.7	30.8	24.5	19.2	15.7	304.4	108.	329.
		2	62.7	53.9	47.9	43.7	35.2	26.6	21.8	17.4	13.5	11.1	182.3	-82.	592.
		3	117.6	101.5	91.0	83.4	67.6	51.6	42.5	34.1	26.7	22.2	31.8	107.	205.
		4	83.1	71.0	63.2	57.7	46.3	35.0	28.6	23.1	17.9	14.9	28.1	-16.	304.
		5	64.6	55.4	49.0	44.8	36.1	27.0	21.9	17.8	13.6	11.6	25.3	-42.	410.
50	2	1	85.6	73.2	65.4	59.8	48.2	36.6	30.0	23.8	18.6	15.3	352.7	-91.	369.
		2	134.0	115.4	103.6	95.3	77.2	59.2	48.8	39.1	30.6	25.4	44.5	93.	140.
		3	94.7	81.6	73.0	66.8	53.8	40.8	33.9	26.3	21.1	17.0	36.1	13.	226.
		4	72.8	62.4	55.5	50.7	40.6	30.6	25.3	19.9	15.8	13.0	30.3	-72.	316.
		5	74.4	63.4	56.2	51.7	41.3	31.2	26.3	20.4	16.1	13.1	16.3	54.	255.
75	2	1	119.0	102.5	92.2	84.6	68.3	52.3	43.1	34.4	27.0	22.2	203.3	91.	227.
		2	88.1	75.0	66.8	60.9	49.7	37.5	30.7	24.3	18.9	15.5	100.3	-3.	337.
		3	66.3	56.4	50.4	46.0	36.9	27.9	23.0	18.1	14.1	11.4	62.9	-47.	422.
		4	71.5	61.0	54.5	49.8	39.9	30.3	25.0	19.5	15.2	12.4	24.9	30.	279.
		5	80.9	69.3	62.1	57.0	45.9	35.0	29.2	23.0	18.1	14.7	16.8	-7.	281.
100	2	1	99.1	85.2	75.9	69.5	56.0	42.7	34.9	27.9	21.7	17.9	298.5	-3.	334.
		2	70.2	60.2	53.4	48.8	39.2	29.7	24.2	19.0	15.0	12.3	134.7	-63.	453.
		3	74.4	63.7	56.7	51.8	41.6	31.8	25.8	19.6	16.1	13.1	44.5	47.	298.
		4	81.0	69.4	61.9	56.7	45.7	35.3	28.8	23.2	17.8	14.7	26.2	-33.	293.
		5	63.4	54.8	48.5	44.5	35.8	27.1	22.2	16.5	13.8	11.3	18.0	4.	303.
125	2	1	82.4	70.1	63.0	57.8	46.5	35.5	29.1	23.2	18.2	15.0	317.2	-76.	311.
		2	84.6	72.0	64.6	59.4	47.7	36.4	29.9	23.8	18.7	15.4	62.2	41.	183.
		3	89.3	76.1	68.4	62.8	50.9	38.9	31.9	25.5	20.0	16.5	36.6	-9.	214.
		4	69.8	59.2	53.3	49.0	39.1	29.7	24.5	19.9	15.4	12.4	24.1	-29.	236.
		5	79.5	67.8	60.3	55.2	44.4	34.2	28.0	22.6	17.8	14.5	8.7	-437.	128.
150	2	1	80.4	68.6	61.4	56.1	45.2	34.5	28.3	22.5	17.7	14.5	126.3	39.	146.

		2	90.1	77.2	69.3	63.4	51.3	39.2	32.2	25.8	20.3	16.8	48.2	-31.	168.
		3	69.7	59.7	53.5	48.8	39.4	30.0	24.5	19.5	15.3	12.5	29.0	19.	201.
		4	69.7	59.7	53.4	48.7	39.5	30.0	24.6	19.7	15.4	12.2	12.4	-472.	144.
		5	84.9	72.4	64.6	59.1	47.9	36.0	29.7	23.2	18.4	15.8	10.7	614.	186.
175	2	1	70.8	60.2	54.0	49.4	39.8	30.4	25.0	20.0	15.7	12.9	283.3	-32.	306.
		2	64.1	54.4	48.8	44.6	35.9	27.4	22.4	17.9	14.1	11.6	77.1	1.	250.
		3	61.2	52.5	47.3	43.3	34.8	26.5	21.7	17.2	13.5	11.0	32.3	-439.	209.
		4	87.7	74.7	66.8	61.5	49.0	37.2	30.6	24.2	19.0	15.5	14.4	580.	155.
		5	72.8	62.2	55.4	50.5	40.5	30.7	25.0	20.0	15.6	12.9	34.2	-50.	555.
200	2	1	52.6	44.6	39.9	36.4	29.3	22.3	18.3	14.5	11.3	9.4	82.6	6.	236.
		2	46.0	39.1	34.9	31.8	25.5	19.4	16.0	12.9	10.1	8.2	27.9	-443.	239.
		3	82.6	70.9	63.5	57.8	47.0	35.9	29.3	23.2	18.5	15.3	6.1	601.	104.
		4	66.3	56.4	50.2	45.6	37.0	27.5	22.6	17.3	13.8	11.1	13.6	-79.	388.
		5	98.2	84.5	74.6	68.9	56.5	43.6	35.4	28.6	23.4	19.1	3.1	-121.	131.
225	2	1	57.1	48.6	43.5	39.7	32.1	24.5	20.1	16.1	12.7	10.4	537.2	-449.	511.
		2	83.3	71.1	63.8	58.3	47.1	36.0	29.6	23.6	18.6	15.4	56.9	588.	162.
		3	64.9	55.1	49.3	44.9	36.0	27.3	22.3	17.7	13.8	11.3	117.1	-58.	660.
		4	97.8	83.9	75.5	69.2	56.1	43.1	35.4	28.5	22.4	18.7	22.2	-144.	211.
		5	131.5	113.3	102.2	94.1	77.1	59.0	49.6	39.4	31.4	25.8	10.1	176.	143.
250	2	1	58.6	50.0	44.5	40.6	32.7	24.9	20.4	16.3	12.7	10.5	124.1	580.	144.
		2	43.2	36.6	32.4	29.5	23.5	17.7	14.4	11.3	8.8	7.2	202.5	-64.	706.
		3	75.1	64.6	57.9	53.2	43.1	33.2	27.4	21.8	17.5	14.4	35.3	-119.	246.
		4	112.0	96.8	87.2	79.8	65.0	49.7	41.1	33.1	26.1	21.4	14.2	144.	164.
		5	44.6	37.3	31.6	28.1	21.4	15.3	13.6	8.1	7.2	5.2	21.8	3.	380.
275	2	1	45.9	38.8	34.5	31.4	25.1	19.0	15.5	12.3	9.6	7.8	315.1	-71.	341.
		2	72.4	62.1	55.8	51.1	41.4	31.8	26.1	20.9	16.5	13.6	50.1	-128.	163.
		3	101.2	87.1	78.5	72.2	58.7	45.1	37.1	29.8	23.6	19.5	21.2	165.	137.
		4	45.6	38.8	34.7	31.4	25.6	19.4	15.5	12.8	10.0	8.2	26.2	-22.	284.
		5	85.2	72.9	64.7	60.0	48.5	37.7	31.0	25.1	20.1	16.2	9.1	29.	148.
300	2	1	56.4	47.6	42.7	39.1	31.3	23.8	19.5	15.5	12.2	10.0	518.0	-135.	464.
		2	94.8	80.9	72.7	66.8	53.9	41.1	34.1	27.2	21.5	17.7	124.2	153.	334.
		3	28.0	23.1	20.5	18.7	14.7	11.0	8.9	6.9	5.3	4.2	124.7	5.	660.
		4	76.7	65.7	59.1	53.9	43.3	33.3	27.3	21.9	16.9	14.2	32.0	-1.	287.
		5	49.2	40.5	36.3	32.8	27.2	20.1	17.3	12.3	10.1	8.4	39.7	-11.	533.
325	2	1	107.6	92.4	83.4	76.6	62.2	47.9	39.6	31.8	25.2	20.8	518.4	142.	478.
		2	29.0	24.0	21.3	19.3	15.2	11.3	9.2	7.2	5.5	4.5	421.7	-9.	1168.
		3	81.0	69.4	62.5	57.2	46.4	35.7	29.5	23.6	18.6	15.3	86.1	26.	476.
		4	45.0	37.5	33.5	30.6	24.1	18.3	14.5	11.7	8.8	7.5	96.3	-40.	889.
		5	39.3	33.0	29.6	25.8	22.2	16.1	14.6	11.1	8.6	6.2	39.0	-11.	540.
350	2	1	43.2	36.5	32.3	29.5	23.6	17.8	14.6	11.6	9.0	7.4	1089.0	-20.	1360.
		2	72.5	61.8	55.1	50.5	40.6	31.2	25.4	20.2	15.8	13.0	142.1	17.	535.
		3	59.4	50.4	44.9	41.1	32.9	24.7	20.3	16.2	12.7	10.4	127.7	-32.	960.

		4	51.4	43.7	38.9	35.6	28.5	21.0	17.5	13.7	10.5	8.4	40.8	-42.	512.
		5	68.8	58.7	52.4	48.2	38.9	29.5	24.5	19.7	15.6	13.0	29.0	-174.	546.
375	2	1	66.2	56.0	50.2	45.9	36.9	28.1	23.0	18.3	14.4	11.9	601.7	10.	510.
		2	56.6	47.7	42.7	38.9	31.1	23.5	19.2	15.2	11.8	9.7	299.5	-16.	762.
		3	53.2	45.2	40.5	36.9	29.6	22.5	18.4	14.6	11.4	9.4	85.0	-47.	431.
		4	69.8	59.3	53.3	48.7	39.2	29.8	24.4	19.5	15.3	12.6	56.1	-191.	476.
		5	81.4	69.6	62.7	57.1	46.2	35.5	29.4	23.5	18.5	15.1	28.4	107.	361.
400	2	1	75.0	63.8	57.0	52.4	42.3	32.4	26.7	21.4	16.8	13.9	1026.0	-25.	1530.
		2	64.5	55.1	49.3	45.4	36.7	28.2	23.2	18.6	14.7	12.1	175.9	-43.	789.
		3	76.8	65.8	59.0	54.3	43.9	33.7	27.8	22.3	17.5	14.5	79.7	-182.	713.
		4	84.6	72.6	65.2	60.0	48.4	37.3	30.7	24.7	19.5	16.2	26.9	88.	402.
		5	93.3	80.0	71.7	66.1	53.2	40.7	33.4	27.3	20.7	17.0	12.8	154.	286.
425	2	1	32.3	27.0	23.8	21.6	17.2	12.9	10.5	8.3	6.4	5.2	1041.0	-50.	860.
		2	52.8	44.6	39.7	36.2	29.0	22.0	18.0	14.3	11.2	9.2	390.7	-179.	968.
		3	79.8	68.1	60.8	55.7	44.8	34.3	28.1	22.5	17.6	14.5	100.1	136.	490.
		4	73.2	62.7	56.3	51.7	41.5	32.4	26.4	20.9	15.9	13.0	24.7	96.	203.
		5	77.2	65.8	58.9	54.2	43.7	33.4	27.9	22.9	18.9	15.6	12.4	-25.	153.
450	2	1	48.1	40.5	35.9	32.6	26.1	19.7	16.1	12.7	9.9	8.1	819.3	72.	571.
		2	67.0	57.1	51.0	46.6	37.5	28.6	23.4	18.6	14.5	11.8	133.5	51.	279.
		3	62.3	53.3	47.6	43.5	34.7	26.7	22.1	17.4	13.6	11.2	43.8	34.	182.
		4	90.3	77.6	69.7	63.7	51.6	39.4	32.1	25.6	20.2	16.7	17.4	-39.	121.
		5	63.3	54.3	48.5	44.3	34.5	27.6	23.5	18.5	15.0	12.6	25.6	67.	268.
475	2	1	70.1	59.8	53.5	48.9	39.4	30.1	24.7	19.7	15.4	12.7	283.4	57.	240.
		2	59.7	50.9	45.5	41.6	33.5	25.5	20.9	16.7	13.1	10.7	67.1	24.	171.
		3	90.0	77.1	69.3	63.5	51.4	39.5	32.6	26.2	20.9	17.3	23.6	-23.	120.
		4	59.3	50.9	45.7	42.0	34.2	26.7	22.2	17.9	13.8	11.3	31.2	36.	264.
		5	48.0	40.1	35.2	31.4	23.2	15.9	12.5	9.2	7.1	5.6	8.6	18.	110.
500	2	1	44.1	37.5	33.4	30.4	24.3	18.5	15.0	12.0	9.4	7.7	321.6	-6.	306.
		2	76.6	66.1	59.1	54.2	43.5	33.2	27.0	21.7	17.0	13.9	92.5	15.	264.
		3	58.7	50.5	45.1	41.3	33.1	25.3	20.8	16.6	13.1	10.7	55.0	18.	313.
		4	52.5	45.4	40.4	37.1	29.7	22.7	18.6	14.8	11.4	9.1	15.8	-1.	150.
		5	80.5	69.6	62.2	57.0	46.0	35.2	29.1	23.4	18.6	15.4	18.1	-1.	258.
525	2	1	69.8	59.2	52.9	48.6	38.8	29.4	24.0	19.1	15.1	12.4	676.9	4.	590.
		2	50.7	42.8	38.1	35.1	27.9	21.6	17.7	14.1	10.8	8.7	225.9	19.	591.
		3	52.5	44.4	39.7	36.6	29.2	22.2	18.1	14.4	11.3	9.3	57.9	6.	302.
		4	74.0	62.9	56.4	51.9	41.5	31.7	26.0	20.6	16.2	13.2	57.0	-30.	496.
		5	49.5	41.7	37.3	34.5	27.4	21.0	17.2	13.7	10.8	8.7	21.8	8.	285.
550	2	1	46.0	39.4	35.0	32.0	25.7	19.6	15.9	12.7	9.9	8.1	511.6	5.	251.
		2	49.0	41.8	37.2	34.0	27.3	20.7	16.9	13.5	10.5	8.6	170.7	10.	251.
		3	72.3	61.9	55.3	50.7	40.8	31.2	25.6	20.4	16.0	13.2	173.3	-13.	500.
		4	41.2	35.1	31.0	28.2	22.5	16.9	13.7	10.8	8.3	6.8	56.3	-19.	276.
		5	109.1	93.9	84.2	77.3	62.7	48.2	39.8	31.9	25.2	20.9	39.8	-54.	292.

575	2	1	54.8	46.6	41.4	37.8	30.4	23.1	18.9	15.0	11.8	9.7	829.0	4.	542.
		2	79.5	67.9	60.6	55.4	44.7	34.1	28.0	22.4	17.6	14.5	395.2	-15.	775.
		3	50.4	42.6	38.0	34.6	27.8	21.1	17.4	13.8	10.8	8.8	130.6	-12.	510.
		4	111.4	95.4	85.3	78.1	63.1	48.0	39.5	31.5	24.8	20.6	64.9	-69.	424.
		5	95.5	81.8	73.2	66.9	54.0	41.2	33.9	26.8	20.9	17.1	46.9	141.	460.
600	2	1	66.0	56.6	50.3	46.0	37.1	28.2	23.1	18.5	14.5	11.9	1317.0	-22.	590.
		2	38.0	32.4	28.6	26.1	21.0	16.0	13.1	10.4	8.1	6.6	340.9	-10.	465.
		3	99.5	85.5	76.4	70.1	56.7	43.4	35.6	28.5	22.4	18.5	161.6	-61.	440.
		4	90.5	77.6	69.3	63.8	51.3	39.2	32.2	25.7	20.2	16.7	96.8	118.	440.
		5	91.5	78.2	69.6	63.3	50.9	38.6	31.7	25.2	19.5	15.7	22.4	36.	152.
625	2	1	36.5	30.7	27.4	24.9	19.8	15.0	12.2	9.7	7.6	6.2	849.4	-12.	423.
		2	88.1	75.0	67.3	61.5	49.6	37.9	31.1	24.8	19.5	16.1	331.1	-61.	495.
		3	92.7	79.1	70.9	65.0	52.2	39.8	32.5	25.9	20.3	16.6	139.2	128.	410.
		4	87.7	74.7	66.9	61.0	48.8	36.8	29.7	22.9	17.1	13.2	31.0	11.	154.
		5	68.6	58.2	52.2	47.6	38.4	29.5	24.4	20.0	16.5	14.1	37.3	10.	278.
650	2	1	69.6	58.7	52.6	48.0	38.5	29.2	23.9	19.0	14.9	12.2	1318.0	-75.	960.
		2	102.6	87.2	78.3	71.6	57.6	43.8	35.9	28.6	22.4	18.4	246.5	130.	540.
		3	88.6	75.0	67.4	61.6	49.4	37.5	30.7	24.2	19.0	15.6	50.3	15.	219.
		4	68.2	57.5	51.9	47.4	37.9	28.7	23.6	18.6	14.7	12.0	44.7	-14.	326.
		5	59.9	50.1	45.0	40.9	32.6	24.5	19.9	15.9	12.2	9.9	27.6	4.	302.
675	2	1	113.8	98.3	88.0	80.6	65.3	50.1	41.2	32.9	25.9	21.3	392.6	150.	286.
		2	83.8	72.0	64.1	58.5	46.9	35.6	29.1	23.1	18.0	14.8	56.3	21.	123.
		3	66.9	57.4	51.2	46.6	37.5	28.5	23.3	18.6	14.5	11.8	63.2	-11.	276.
		4	56.4	48.4	43.2	39.4	31.8	24.1	19.7	15.7	12.2	10.0	38.1	-11.	278.
		5	56.4	48.2	42.8	38.9	31.2	23.7	19.3	15.4	12.0	9.9	72.8	-4.	797.
700	2	1	81.2	69.0	61.9	56.4	45.3	34.5	28.2	22.5	17.6	14.4	246.9	14.	184.
		2	68.2	57.9	51.8	47.2	37.8	28.7	23.4	18.6	14.6	11.9	118.8	-4.	266.
		3	63.7	54.0	48.3	44.1	35.4	26.8	22.0	17.4	13.6	11.1	88.9	4.	397.
		4	64.2	54.5	48.7	44.4	35.6	26.9	22.0	17.4	13.7	11.2	72.8	-24.	544.
		5	63.0	53.5	48.0	43.8	35.3	27.0	22.2	17.7	13.9	11.4	65.0	0.	728.
725	2	1	35.9	29.8	26.5	24.2	19.1	14.3	11.6	9.2	7.1	5.8	1976.0	-18.	1210.
		2	40.7	35.1	31.5	28.9	23.0	17.4	14.2	11.3	8.8	7.2	449.3	0.	829.
		3	60.5	49.3	43.6	39.7	31.6	23.9	19.5	15.5	12.1	10.0	286.1	-13.	1050.
		4	56.1	47.3	42.4	38.8	31.1	23.6	19.3	15.3	11.9	9.7	155.4	-22.	950.
		5	61.5	52.5	46.6	42.6	34.2	26.0	21.2	16.9	13.3	11.0	97.6	8.	900.
750	2	1	16.9	15.3	13.9	12.7	10.3	7.8	6.4	5.1	4.0	3.3	1253.0	-13.	800.
		2	48.4	36.8	31.9	28.6	22.3	16.4	13.2	10.4	8.0	6.4	453.5	-11.	871.
		3	49.4	41.6	37.1	33.8	27.0	20.4	16.7	13.2	10.3	8.5	181.9	-9.	690.
		4	54.3	46.0	41.1	37.5	30.1	22.8	18.5	14.8	11.5	9.5	101.0	-9.	640.
		5	60.4	51.1	45.7	41.6	33.4	25.5	21.0	16.7	13.2	10.6	76.4	16.	734.
775	2	1	23.0	18.1	16.1	14.4	11.3	8.5	7.0	5.7	4.3	3.1	1689.0	16.	1230.
		2	28.1	23.5	21.0	18.9	14.9	11.2	9.1	7.2	5.6	4.5	383.8	-7.	840.

		3	32.9	27.8	24.9	22.7	18.2	13.9	11.3	8.9	6.9	5.6	186.2	-5.	810.
		4	43.1	36.5	32.8	29.9	24.1	18.4	15.3	12.4	10.1	8.7	114.5	1.	830.
		5	42.8	36.4	32.4	29.5	23.4	17.6	13.9	10.7	7.6	5.4	54.8	6.	600.
800	2	1	23.9	19.1	16.7	15.2	11.7	8.6	6.9	5.4	4.2	3.3	946.8	7.	1748.
		2	25.0	20.3	17.9	16.3	12.7	9.4	7.6	6.0	4.7	3.8	233.5	10.	1293.
		3	26.3	21.6	19.2	17.6	13.8	10.3	8.5	6.7	5.2	4.2	107.6	-19.	1180.
		4	27.4	23.0	20.5	18.8	14.9	11.1	9.2	7.4	5.6	4.5	37.7	-1.	695.
		5	36.3	30.5	27.2	25.0	19.8	14.7	12.2	9.6	7.5	6.2	26.9	10.	746.
825	2	1	22.9	18.6	16.4	14.8	11.5	8.5	6.9	5.4	4.1	3.3	1946.0	5.	2030.
		2	20.7	17.0	15.0	13.6	10.6	7.8	6.3	5.0	3.8	3.1	470.3	-19.	1476.
		3	20.0	16.6	14.9	13.5	10.7	8.0	6.5	5.1	3.9	3.2	147.1	6.	920.
		4	27.1	22.8	20.4	18.6	14.8	11.2	9.1	7.3	5.8	4.7	82.2	-9.	859.
		5	36.2	30.6	27.3	24.9	20.0	15.3	12.7	10.3	8.1	6.8	41.1	15.	645.
850	2	1	17.7	14.5	12.5	11.3	8.8	6.5	5.2	4.1	3.1	2.5	2293.0	-25.	1940.
		2	14.9	12.5	10.8	9.8	7.7	5.6	4.5	3.5	2.7	2.2	542.2	14.	1380.
		3	20.7	17.5	15.2	13.9	11.0	8.3	6.7	5.3	4.1	3.4	209.0	-7.	1060.
		4	27.3	23.1	20.2	18.3	14.5	10.8	8.7	6.8	5.2	4.3	93.3	-7.	791.
		5	32.6	27.7	24.5	22.4	17.9	13.6	11.1	8.7	6.7	5.4	43.8	4.	556.
875	2	1	16.1	12.9	11.3	10.2	8.0	5.8	4.7	3.6	2.8	2.2	965.5	6.	1318.
		2	17.9	14.5	12.8	11.6	9.1	6.7	5.4	4.2	3.2	2.6	271.2	-14.	1110.
		3	22.9	18.8	16.6	15.2	12.0	8.9	7.2	5.7	4.5	3.5	100.1	7.	810.
		4	27.1	24.8	19.8	18.1	14.4	10.9	8.8	7.0	5.5	4.4	46.5	-18.	634.
900	2	1	14.2	11.4	9.9	8.9	6.9	5.0	4.0	3.1	2.4	1.9	1439.0	-19.	1250.
		2	16.8	13.6	11.9	10.7	8.3	6.1	4.9	3.8	2.9	2.4	365.3	12.	955.
		3	19.7	16.0	14.1	12.7	10.0	7.4	6.0	4.7	3.6	2.9	165.9	-19.	860.
925	2	1	6.4	9.5	8.4	7.3	5.7	4.1	3.3	2.5	1.9	1.5	966.6	10.	843.
		2	13.8	11.2	9.9	8.7	6.9	5.1	4.1	3.2	2.4	2.0	333.4	-19.	872.
950	2	1	10.8	8.6	7.5	6.8	5.2	3.8	3.0	2.3	1.8	1.4	621.7	-20.	848.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA - TESTALINDEN GRID

INDEX FILE : A:400N.IND
DATA FILE : A:400N.DAT

LINE NO. : 400

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
25	2	1	28.0	23.7	20.8	18.7	15.0	11.3	9.2	7.3	5.7	4.7	1178.0	5.	990.
		2	40.1	33.9	30.0	27.3	21.9	16.6	13.6	10.8	8.4	6.9	392.6	-4.	999.
		3	59.8	51.4	45.8	41.7	33.7	25.7	21.2	16.9	13.2	10.9	101.6	16.	510.
		4	65.1	55.6	49.7	45.1	36.6	28.0	23.0	18.4	14.4	11.8	59.2	-49.	502.
		5	80.4	69.2	62.1	56.8	46.1	34.9	29.1	23.1	18.2	14.9	32.5	38.	413.
50	2	1	24.3	19.7	17.8	15.9	12.4	9.3	7.5	5.8	4.5	3.7	1808.0	-2.	940.
		2	44.6	37.4	33.7	30.6	24.4	18.5	15.1	12.0	9.4	7.7	401.7	4.	630.
		3	53.8	45.7	41.1	37.6	30.2	23.1	18.9	15.1	11.9	9.7	188.1	-21.	580.
		4	75.8	64.6	58.1	53.2	42.9	32.8	27.0	21.6	16.8	13.8	79.8	2.	417.
		5	81.3	69.0	62.2	56.7	45.6	34.6	28.4	22.7	17.9	14.9	34.6	-62.	271.
75	2	1	27.6	22.7	20.2	18.2	14.4	10.8	8.8	6.9	5.3	4.3	680.7	6.	689.
		2	39.6	33.1	30.0	27.1	21.7	16.4	13.4	10.6	8.3	6.8	185.5	-23.	563.
		3	66.1	56.0	50.5	45.9	37.3	28.6	23.5	18.7	14.9	12.1	69.5	9.	421.
		4	75.1	64.0	57.6	51.6	42.1	32.2	26.3	20.9	16.5	13.3	25.5	-87.	257.
		5	113.2	96.3	86.6	78.9	63.9	49.0	40.0	31.4	25.4	21.8	11.7	44.	177.
100	2	1	21.4	18.0	15.8	14.4	11.2	8.4	6.7	5.3	4.1	3.3	802.9	-38.	536.
		2	49.5	42.4	37.8	34.7	27.9	21.3	17.4	13.9	10.9	8.9	194.4	12.	389.
		3	68.0	58.6	52.1	47.8	38.3	29.2	23.8	19.0	14.8	12.0	62.8	-67.	251.
		4	111.5	96.9	86.7	80.0	64.6	49.8	41.2	33.0	26.5	21.3	26.5	16.	177.
		5	106.1	91.3	80.6	74.0	59.4	46.1	36.6	31.0	23.6	19.7	13.1	97.	130.
125	2	1	33.4	27.8	24.6	22.3	17.7	13.3	10.8	8.5	6.6	5.4	734.7	2.	623.
		2	51.3	43.4	38.7	35.2	28.2	21.3	17.3	13.7	10.7	8.7	140.3	-63.	357.
		3	106.5	91.6	82.3	75.5	61.2	47.2	38.9	31.3	24.3	19.4	45.8	-6.	232.
		4	101.1	86.7	77.7	71.5	57.5	43.6	35.7	28.0	23.2	21.2	17.1	101.	144.
		5	76.9	65.2	58.8	53.7	43.1	32.9	26.6	20.9	14.8	11.4	22.6	-16.	287.
150	2	1	43.2	36.3	32.3	29.1	23.0	17.3	14.0	11.0	8.5	6.9	699.7	-71.	510.

		2	97.7	83.8	75.2	68.9	55.8	42.8	35.1	28.1	22.1	18.2	168.0	23.	368.
		3	94.7	81.3	72.9	66.6	53.7	41.2	33.7	26.9	21.1	17.5	36.8	75.	161.
		4	72.3	61.8	55.2	50.2	40.2	30.6	24.9	19.7	15.2	12.4	44.8	-33.	327.
		5	77.4	66.0	59.0	54.0	43.3	32.8	27.0	21.4	16.7	13.6	16.7	37.	182.
175	2	1	90.8	77.8	70.1	63.9	51.9	39.8	32.8	26.2	20.6	17.0	755.6	27.	551.
		2	87.8	75.4	67.6	61.9	50.1	38.3	31.4	25.3	20.0	16.4	88.6	65.	194.
		3	65.9	56.3	50.5	45.9	37.0	28.1	23.0	18.2	14.3	11.7	98.2	-30.	429.
		4	73.7	63.4	56.9	52.1	41.7	31.4	25.7	20.3	15.7	13.1	23.5	17.	171.
		5	62.5	53.6	47.5	43.3	34.8	26.5	21.8	16.9	13.7	10.9	32.4	-2.	354.
200	2	1	97.3	83.6	74.9	68.7	55.7	42.7	35.1	28.2	22.2	18.3	227.2	52.	209.
		2	62.2	53.0	47.2	43.1	34.6	26.2	21.4	17.0	13.3	10.8	165.0	-24.	457.
		3	71.7	61.3	54.7	50.1	40.2	30.7	25.1	20.1	15.6	12.7	36.3	32.	200.
		4	68.5	58.5	52.1	47.6	38.2	29.3	23.9	19.2	14.9	12.0	32.6	-33.	301.
		5	94.2	80.7	71.8	65.5	53.0	40.9	33.5	26.9	20.9	17.0	13.2	105.	182.
225	2	1	70.2	59.5	53.3	48.8	39.1	29.8	24.4	19.4	15.2	12.5	420.2	-20.	321.
		2	80.6	68.9	61.9	56.8	45.7	34.9	28.6	22.8	17.9	14.7	57.2	31.	131.
		3	79.1	67.5	60.5	55.5	44.7	34.1	27.9	22.0	17.4	14.3	49.7	-19.	227.
		4	99.0	84.8	75.8	69.2	56.1	43.3	34.9	28.3	22.0	18.2	17.1	77.	130.
		5	77.7	66.5	59.7	55.4	44.3	34.0	27.7	20.9	17.8	13.5	15.4	30.	176.
250	2	1	71.9	61.3	54.9	50.3	40.5	31.0	25.3	20.2	15.9	13.0	147.8	29.	118.
		2	85.2	72.9	65.4	59.9	48.3	36.8	30.3	24.1	19.0	15.5	73.8	-28.	178.
		3	104.3	89.1	80.2	73.5	59.1	45.5	37.1	29.7	23.3	18.9	20.9	103.	100.
		4	86.9	74.1	66.6	61.1	49.0	37.6	30.8	24.6	19.3	15.6	14.8	-2.	119.
		5	97.2	83.0	74.8	68.4	55.1	42.1	34.6	27.5	21.8	17.5	13.0	-430.	156.
275	2	1	52.2	44.5	39.8	36.4	29.3	22.3	18.3	14.5	11.4	9.4	445.3	-31.	349.
		2	101.9	87.2	78.3	71.8	58.2	44.5	36.5	29.2	23.0	19.0	46.2	105.	109.
		3	86.8	74.4	67.0	61.4	49.7	38.1	31.2	25.0	19.9	16.4	24.0	7.	112.
		4	98.8	84.6	76.3	69.7	56.3	43.0	35.2	28.1	22.1	18.2	18.4	-456.	144.
		5	97.3	82.5	74.3	67.7	55.5	42.5	34.8	27.7	22.3	18.6	12.5	444.	146.
300	2	1	76.9	66.0	58.7	54.0	43.4	33.2	27.2	21.7	17.0	14.0	302.3	95.	220.
		2	56.3	48.4	43.0	39.5	31.8	24.3	19.9	15.9	12.5	10.2	90.0	-4.	197.
		3	73.8	63.7	56.7	52.5	41.9	32.0	26.2	21.0	16.3	13.4	49.5	-442.	216.
		4	81.2	70.6	62.9	59.3	46.8	36.0	29.8	24.1	18.6	15.4	24.7	418.	180.
		5	63.9	55.7	49.9	46.2	35.9	27.5	22.1	17.4	14.1	11.6	17.5	-3.	192.
325	2	1	54.9	46.1	41.5	38.1	30.6	23.2	19.1	15.1	12.0	9.8	763.7	-1.	399.
		2	67.7	57.3	51.4	47.2	37.9	28.8	23.6	19.1	14.8	12.1	321.8	-255.	505.
		3	60.4	50.8	46.0	42.3	33.9	25.7	21.1	16.8	13.0	10.7	101.7	222.	310.
		4	51.0	42.7	38.7	35.4	28.3	21.3	17.5	13.9	10.8	9.1	63.3	-13.	331.
		5	61.6	52.0	47.2	43.4	34.9	26.8	21.8	17.9	13.7	10.9	55.5	-52.	435.
350	2	1	47.0	39.8	35.7	32.7	26.3	20.1	16.6	13.2	10.4	8.6	1091.0	-319.	610.
		2	60.3	51.0	45.7	41.8	33.5	25.4	20.8	16.5	12.9	10.6	226.4	294.	380.
		3	49.5	41.6	37.4	34.2	27.3	20.7	16.9	13.5	10.3	8.6	139.7	-17.	460.

		4	55.9	47.5	42.5	38.8	31.1	23.5	19.4	15.3	11.8	9.8	90.8	-76.	509.
		5	61.8	52.1	47.6	43.4	34.9	26.8	21.8	17.5	13.4	11.1	64.4	-31.	541.
375	2	1	47.3	39.6	35.1	32.0	25.5	19.1	15.5	12.2	9.5	7.7	175.4	235.	305.
		2	52.5	44.2	39.4	36.0	28.8	21.8	17.8	14.0	11.0	9.0	109.4	-26.	572.
		3	52.5	44.6	39.7	36.4	29.3	22.1	18.1	14.3	11.2	9.3	67.3	-74.	703.
		4	64.4	55.5	49.4	45.0	36.4	27.7	22.6	18.1	14.0	12.0	27.0	-73.	470.
		5	90.5	76.8	71.1	68.7	54.5	38.7	34.2	28.4	22.3	18.6	5.6	217.	147.
400	2	1	60.4	50.9	45.5	41.7	33.4	25.3	20.8	16.5	13.0	10.7	516.2	-39.	540.
		2	58.2	49.2	44.0	40.4	32.4	24.5	20.2	16.1	12.6	10.3	236.2	-117.	741.
		3	77.9	66.8	60.0	55.1	44.6	34.2	28.2	22.6	17.9	14.7	48.0	59.	300.
		4	90.1	77.1	69.4	63.5	51.3	39.5	32.4	25.6	20.4	16.6	17.6	133.	184.
		5	75.3	64.5	57.4	52.6	42.1	31.7	26.0	21.3	16.4	13.8	17.3	1.	271.
425	2	1	38.6	32.9	29.2	26.6	21.2	16.0	13.0	10.3	8.0	6.6	969.4	-126.	742.
		2	77.9	66.9	60.2	55.3	44.8	34.5	28.4	22.9	18.1	15.0	91.7	110.	211.
		3	80.3	68.6	61.6	56.3	45.3	34.7	28.4	22.8	17.8	14.8	45.3	102.	207.
		4	64.6	55.1	49.4	45.1	36.3	27.8	22.7	18.2	14.2	11.8	39.3	-22.	301.
		5	63.5	54.0	49.3	45.0	35.8	26.8	22.3	17.8	14.1	11.6	17.1	1.	196.
450	2	1	75.5	64.3	58.3	53.2	43.0	32.8	26.9	21.7	17.1	14.1	211.9	120.	170.
		2	79.0	67.3	60.6	55.3	44.7	34.0	28.0	22.3	17.8	14.7	74.6	90.	180.
		3	63.4	53.9	48.6	44.3	35.7	27.3	22.3	17.8	14.0	11.6	64.4	-14.	310.
		4	61.9	52.7	47.9	43.5	35.1	26.7	21.9	17.5	13.9	11.4	25.7	-21.	206.
		5	85.8	72.5	65.2	59.5	48.0	37.1	30.3	24.4	18.8	15.9	11.0	0.	133.
475	2	1	83.9	72.0	64.7	59.3	48.0	36.8	30.3	24.3	19.1	15.8	238.3	77.	136.
		2	66.0	56.6	50.8	46.5	37.5	28.8	23.6	18.9	14.8	12.3	151.0	-11.	258.
		3	65.1	55.8	50.4	45.9	37.1	28.3	23.4	18.6	14.6	12.1	54.4	-11.	186.
		4	84.6	72.4	65.3	59.6	47.9	36.8	30.5	24.4	19.2	16.0	23.3	-27.	132.
		5	71.7	61.2	56.1	50.5	41.1	31.2	25.9	20.5	16.2	13.5	35.4	15.	302.
500	2	1	46.2	39.6	35.1	32.1	25.8	19.7	16.2	12.9	10.1	8.3	604.7	-12.	412.
		2	56.0	46.4	42.9	39.4	31.9	24.4	20.1	16.1	12.6	10.4	123.9	-8.	253.
		3	79.2	65.7	60.8	56.1	45.3	34.8	28.6	22.9	18.0	15.0	43.3	-30.	177.
		4	68.9	55.8	52.6	48.6	39.2	30.3	24.9	20.0	15.8	13.1	46.7	-1.	318.
		5	71.7	54.2	53.4	49.3	40.5	30.4	25.0	20.8	16.1	12.2	13.0	-8.	133.
525	2	1	48.7	41.2	36.8	33.9	27.1	20.6	16.8	13.4	10.5	8.6	724.2	-16.	437.
		2	64.2	54.7	49.0	45.0	36.1	27.6	22.7	18.2	14.2	11.7	159.2	-32.	288.
		3	69.3	59.0	53.1	48.9	39.3	30.0	24.5	19.8	15.6	12.8	93.0	8.	336.
		4	70.4	60.0	54.3	49.6	40.0	30.5	25.1	20.2	15.8	13.1	23.6	-31.	142.
		5	85.5	74.1	67.5	61.8	49.4	37.7	30.8	25.3	19.3	16.9	17.8	71.	161.
550	2	1	54.7	46.6	41.6	37.8	30.5	23.2	19.0	15.1	11.8	9.7	243.1	-41.	224.
		2	61.2	52.4	47.0	42.9	34.7	26.3	21.6	17.2	13.5	11.1	103.8	7.	287.
		3	68.8	59.1	53.1	48.6	39.3	30.0	24.8	19.7	15.5	12.9	27.5	-29.	151.
		4	79.4	69.6	63.3	58.8	47.7	35.2	29.6	23.1	18.3	15.3	12.6	47.	116.
		5	91.0	77.5	69.3	62.7	50.7	40.6	33.1	26.3	21.1	16.2	11.7	-67.	162.

575	2	1	40.1	33.4	30.0	27.4	21.8	16.5	13.4	10.6	8.3	6.8	986.1	0.	836.
		2	47.1	39.7	35.8	32.8	26.2	20.0	16.3	13.0	10.2	8.4	116.1	-5.	295.
		3	66.2	56.7	51.2	46.9	37.8	29.1	23.8	19.1	15.0	12.3	50.3	33.	255.
		4	77.3	66.2	59.9	55.0	44.3	34.4	28.3	22.4	17.6	14.4	28.2	-91.	239.
		5	74.3	62.7	56.4	51.8	41.6	31.7	25.8	20.7	15.9	13.0	23.9	-219.	304.
600	2	1	48.1	40.4	36.0	33.0	26.3	20.0	16.3	13.0	10.2	8.3	803.7	-14.	600.
		2	78.0	66.5	59.8	54.9	44.3	33.9	27.9	22.3	17.6	14.5	175.5	-4.	393.
		3	80.8	69.1	62.2	57.1	46.2	35.5	29.1	23.4	18.5	15.3	96.1	-87.	429.
		4	88.9	75.7	67.9	62.2	49.9	38.0	31.2	25.1	20.1	16.5	41.0	-236.	306.
		5	91.3	77.5	69.9	64.3	52.6	40.5	32.4	24.6	18.9	14.9	9.0	238.	101.
625	2	1	67.5	57.6	51.6	47.2	38.1	29.1	23.9	19.1	15.0	12.4	721.3	31.	481.
		2	71.6	61.2	54.8	50.3	40.6	31.1	25.7	20.5	16.1	13.3	363.1	-106.	727.
		3	76.2	64.9	58.0	53.1	42.6	32.5	26.5	21.2	16.5	13.5	130.7	-243.	520.
		4	88.2	75.2	66.6	61.9	49.2	37.5	30.4	24.3	19.1	15.4	19.4	214.	129.
		5	81.6	69.3	60.0	55.0	45.6	34.9	28.9	23.0	17.6	15.1	15.1	119.	150.
650	2	1	72.7	62.0	55.6	51.0	41.2	31.6	26.0	20.9	16.5	13.6	694.3	-97.	622.
		2	75.2	64.0	57.3	52.4	42.1	32.0	26.2	20.9	16.4	13.5	166.7	-192.	448.
		3	89.7	76.4	68.4	62.4	50.1	37.9	31.1	24.8	19.3	16.5	20.6	183.	110.
		4	82.0	69.6	59.1	56.2	47.1	34.9	30.9	23.6	18.0	14.9	14.8	90.	132.
		5	66.6	54.7	53.7	45.4	34.7	25.8	20.4	16.8	15.0	12.6	8.1	48.	109.
675	2	1	55.7	47.2	42.0	38.3	30.7	23.3	19.0	15.1	11.8	9.7	774.1	-222.	1104.
		2	99.2	84.8	76.1	69.3	55.7	42.4	34.8	27.6	21.7	17.8	26.1	221.	112.
		3	86.2	73.6	67.4	60.7	48.7	36.8	30.5	24.5	19.3	15.8	16.1	99.	138.
		4	70.1	59.7	53.7	49.8	39.2	30.0	25.1	18.9	15.8	12.7	8.0	24.	115.
		5	62.5	52.2	45.1	40.2	33.7	26.8	20.8	17.7	12.7	11.4	11.0	23.	236.
700	2	1	110.7	94.4	85.1	77.5	62.4	47.6	38.9	31.0	24.3	19.9	114.1	177.	76.
		2	90.8	77.3	69.8	63.4	51.2	38.9	32.0	25.5	20.2	16.5	53.5	102.	107.
		3	73.9	62.8	56.8	51.6	41.8	31.8	26.1	20.6	16.5	13.4	35.9	29.	143.
		4	62.3	53.8	49.0	44.1	36.7	28.5	22.5	16.9	13.4	12.1	32.5	0.	216.
		5	59.4	50.9	45.3	41.3	32.5	24.8	20.5	16.5	14.0	10.3	48.9	55.	490.
725	2	1	98.6	84.4	75.5	68.7	55.3	41.9	34.7	27.4	21.4	17.6	209.1	107.	136.
		2	77.1	65.7	58.6	53.6	43.2	33.0	27.1	21.6	16.9	13.8	68.7	40.	135.
		3	66.4	56.7	50.7	46.5	37.0	28.1	22.9	18.2	14.2	11.6	65.6	4.	256.
		4	63.3	53.4	47.4	43.8	35.0	27.4	22.2	17.5	13.8	11.4	65.4	27.	427.
		5	58.9	51.2	46.5	41.4	33.8	24.5	20.7	16.6	13.0	10.6	45.6	8.	447.
750	2	1	55.6	47.2	42.0	38.3	30.7	23.3	19.0	15.1	11.8	9.7	610.3	25.	391.
		2	60.6	51.5	45.8	41.8	33.6	25.5	20.8	16.6	13.0	10.6	294.8	15.	566.
		3	61.2	52.1	46.4	42.4	34.1	25.9	21.2	16.8	13.1	10.7	188.0	28.	720.
		4	59.5	50.7	45.2	41.3	33.1	25.3	20.6	16.4	12.9	10.6	103.0	-15.	660.
		5	57.2	48.8	43.4	39.5	31.9	24.1	19.8	15.8	12.4	10.1	80.4	4.	772.
775	2	1	24.0	19.8	17.2	15.7	12.2	9.0	7.2	5.6	4.3	3.5	1366.0	9.	1420.
		2	31.7	26.5	23.3	21.4	16.8	12.6	10.2	8.1	6.3	5.1	534.1	47.	1677.

		3	37.1	31.4	27.6	25.3	20.0	15.1	12.2	9.8	7.7	6.3	266.0	-24.	1660.
		4	39.4	33.3	29.3	26.8	21.4	16.3	13.0	10.5	8.1	6.6	138.6	-13.	1450.
		5	43.8	37.9	33.7	31.0	24.7	19.1	14.5	12.2	10.1	6.5	53.8	7.	845.
800	2	1	21.2	17.6	15.3	13.7	10.8	7.9	6.4	5.0	3.8	3.1	1480.0	22.	1400.
		2	26.8	22.4	19.6	17.7	14.1	10.5	8.5	6.7	5.2	4.2	513.4	-14.	1465.
		3	30.1	25.4	22.4	20.3	16.3	12.2	9.9	7.9	6.1	5.0	227.1	-5.	1290.
		4	34.7	29.2	25.8	23.5	18.9	14.1	11.7	9.3	7.2	5.9	83.5	-16.	794.
		5	39.4	33.3	29.1	26.5	21.1	16.8	13.4	10.7	8.1	6.6	66.7	9.	951.
825	2	1	18.2	14.4	12.6	11.4	8.7	6.2	5.0	3.8	2.9	2.3	2076.0	-22.	2170.
		2	20.2	16.3	14.4	13.1	10.2	7.5	5.9	4.6	3.6	2.9	567.2	5.	1781.
		3	24.9	20.5	18.2	16.5	13.0	9.6	7.9	6.2	4.8	3.9	178.3	-16.	1110.
		4	29.6	24.4	21.9	20.0	15.7	12.0	9.9	7.7	6.1	4.9	117.1	-16.	1220.
		5	34.5	28.7	25.7	23.7	18.9	14.1	11.6	9.3	7.1	5.8	94.9	11.	1490.
850	2	1	14.3	11.7	9.9	8.3	6.8	4.9	3.9	3.0	2.2	1.8	1814.0	-2.	2100.
		2	17.7	14.7	12.7	11.6	9.0	6.6	5.2	4.1	3.1	2.5	375.7	-11.	1310.
		3	22.2	18.7	16.3	14.8	11.6	8.8	7.1	5.6	4.3	3.5	197.1	-12.	1370.
		4	27.3	23.2	20.5	18.7	14.7	11.1	9.0	7.1	5.5	4.5	145.5	-12.	1690.
		5	32.8	27.4	24.1	21.0	17.1	13.2	10.9	8.5	6.8	5.5	83.3	7.	1453.
875	2	1	13.4	11.2	9.4	8.4	6.6	4.8	3.8	2.9	2.2	1.7	795.9	-31.	1086.
		2	17.3	14.5	12.5	11.3	8.8	6.5	5.2	4.2	3.1	2.5	283.2	10.	1159.
		3	23.0	19.4	16.9	15.3	12.2	9.0	7.3	5.7	4.5	3.7	190.7	-13.	1550.
		4	28.2	24.1	20.9	19.0	15.3	11.6	9.3	7.4	5.7	4.6	103.3	-13.	1410.
		5	40.2	33.7	30.0	27.2	21.9	16.3	13.5	10.6	8.3	6.8	84.2	9.	1723.
900	2	1	11.9	9.6	8.2	7.5	5.8	4.2	3.3	2.6	1.9	1.6	569.7	-10.	993.
		2	17.8	14.6	12.7	11.6	9.1	6.7	5.5	4.3	3.3	2.7	282.1	-1.	1476.
		3	25.0	20.8	18.3	16.9	13.3	9.9	8.1	6.4	5.0	4.1	130.3	-2.	1360.
		4	37.7	31.5	27.7	25.5	20.2	15.2	12.3	9.7	7.4	6.1	97.5	-21.	1701.
925	2	1	13.6	11.0	9.7	8.5	6.6	4.8	3.8	2.9	2.2	1.8	656.8	-3.	1374.
		2	22.3	18.3	16.2	14.5	11.5	8.5	6.9	5.4	4.2	3.3	184.4	-3.	1158.
		3	37.7	31.3	27.9	24.8	20.0	15.0	12.2	9.6	7.5	6.3	121.7	-20.	1520.
950	2	1	13.0	10.9	9.2	8.5	6.6	4.8	3.9	3.0	2.2	1.8	827.0	-5.	1527.
		2	34.2	28.6	25.1	22.8	18.1	13.6	11.1	8.8	6.8	5.6	276.5	-21.	1532.
975	2	1	26.5	22.0	19.5	17.7	14.0	10.5	8.5	6.7	5.2	4.2	535.7	-23.	1051.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA - TESTALINDEN GRID

INDEX FILE : a:500n.IND
DATA FILE : a:500n.DAT

LINE NO. : 500

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
25	2	1	130.9	113.0	101.4	93.0	75.6	58.2	48.1	38.6	30.6	25.3	208.7	129.	142.
		2	79.3	67.8	60.8	55.8	45.0	34.4	28.0	22.4	17.3	14.3	38.2	8.	78.
		3	94.6	81.7	73.4	67.5	54.9	42.4	35.1	28.3	22.2	18.6	22.4	37.	91.
		4	75.9	65.6	58.3	53.4	43.1	32.9	27.0	21.4	16.9	13.8	30.7	-21.	209.
		5	82.4	71.3	63.5	58.4	47.5	36.2	29.8	23.9	18.5	15.2	17.0	-185.	173.
50	2	1	88.7	76.0	68.3	62.4	50.6	38.8	31.9	25.5	20.1	16.5	129.0	-9.	79.
		2	101.5	87.1	78.3	71.6	58.1	44.7	36.8	29.3	23.0	19.5	44.4	39.	82.
		3	82.2	70.2	63.3	57.7	46.7	35.6	29.2	23.4	18.7	15.3	51.0	-22.	187.
		4	84.0	71.7	65.1	59.3	48.1	36.9	30.5	23.5	18.3	15.4	32.0	-187.	197.
		5	127.4	110.1	99.8	91.0	73.7	56.6	45.5	39.5	35.0	23.0	5.8	101.	54.
75	2	1	78.7	67.3	60.6	55.4	45.0	34.6	28.5	22.9	18.1	15.0	403.3	36.	316.
		2	75.5	64.5	58.0	53.2	43.1	33.1	27.3	21.9	18.9	14.3	137.5	-22.	323.
		3	77.8	66.5	59.8	54.7	44.2	33.7	27.8	22.2	17.6	14.4	59.4	-200.	279.
		4	121.9	104.9	93.9	86.2	69.9	51.7	43.2	39.2	31.4	26.9	7.4	109.	58.
		5	187.2	167.1	155.2	143.6	119.3	103.5	84.7	42.3	34.2	20.5	1.2	-97.	15.
100	2	1	54.3	46.3	41.2	37.8	30.4	23.3	19.1	15.2	12.0	9.9	822.5	-41.	679.
		2	57.3	49.1	43.7	40.0	32.2	24.6	20.2	16.1	12.7	10.5	208.0	-184.	515.
		3	106.1	91.8	82.6	76.0	61.9	47.8	39.5	31.6	24.9	20.5	25.3	89.	125.
		4	148.0	127.9	114.7	105.9	85.8	66.0	54.3	43.2	34.9	28.7	3.1	-89.	26.
		5	127.5	109.5	99.4	89.3	75.3	59.5	48.6	38.8	30.4	27.3	1.4	53.	18.
125	2	1	29.3	24.1	21.5	19.5	15.4	11.5	9.4	7.4	5.8	4.7	2105.0	-205.	820.
		2	91.2	78.4	70.8	65.0	52.8	40.7	33.6	27.0	21.4	17.6	160.0	111.	188.
		3	142.3	122.0	110.0	100.9	81.8	62.9	51.7	41.4	32.7	26.9	15.9	-118.	37.
		4	128.1	111.3	99.2	86.2	70.7	52.5	44.2	37.7	24.2	17.9	5.5	57.	21.
		5	126.3	105.8	98.4	95.6	76.9	61.8	49.6	36.7	35.9	32.2	4.6	-87.	27.
150	2	1	86.8	74.8	67.3	61.9	50.2	38.7	32.0	25.7	20.3	16.8	492.7	97.	271.

		2	131.1	113.2	101.9	93.7	76.0	58.5	48.2	38.6	30.4	25.1	44.6	-94.	74.
		3	130.2	112.5	100.8	92.6	75.1	57.8	47.7	38.3	30.3	25.0	11.6	28.	38.
		4	115.4	99.6	89.2	81.8	66.3	49.8	40.7	32.1	23.9	19.2	8.4	-64.	46.
		5	125.2	108.4	97.2	89.4	74.4	61.0	49.6	39.1	31.5	26.7	8.6	231.	71.
175	2	1	108.6	93.4	83.7	76.7	62.1	47.5	39.1	31.2	24.5	20.2	378.7	-102.	160.
		2	108.6	93.4	83.8	76.7	62.1	47.5	39.0	31.2	24.5	20.2	80.0	11.	102.
		3	100.1	86.1	77.2	70.7	57.3	43.8	36.1	28.8	22.7	18.7	44.0	28.	111.
		4	102.0	87.7	78.5	71.8	58.0	44.2	36.0	28.7	22.3	18.3	35.7	151.	151.
		5	93.1	80.0	71.8	65.5	53.0	40.6	33.5	26.7	21.0	17.3	33.8	81.	215.
200	2	1	105.8	91.0	82.2	75.2	61.0	47.0	38.6	31.0	24.5	20.2	188.6	-6.	113.
		2	97.4	83.7	75.3	68.9	55.8	42.8	35.1	28.1	22.1	18.2	73.0	108.	132.
		3	94.3	80.9	72.7	66.5	53.7	41.1	33.7	26.9	21.0	17.2	42.3	77.	153.
		4	90.7	77.7	70.0	64.0	51.6	39.4	32.3	26.0	20.4	16.8	36.7	77.	221.
		5	85.0	72.8	65.5	59.8	48.1	36.8	30.0	23.9	18.7	15.3	34.7	-3.	314.
225	2	1	91.9	79.0	70.9	65.0	52.8	40.5	33.4	26.8	21.2	17.5	293.3	115.	200.
		2	79.8	68.4	61.2	55.9	45.1	34.4	28.2	22.5	17.7	14.5	92.9	88.	190.
		3	83.6	71.7	64.1	58.7	47.4	36.2	29.6	23.6	18.5	15.2	51.3	60.	209.
		4	83.9	71.9	64.3	58.7	47.3	36.0	29.5	23.6	18.3	15.0	36.3	13.	247.
		5	93.0	79.9	71.6	65.5	52.9	40.4	32.8	26.3	20.7	17.1	15.3	6.	156.
250	2	1	57.2	49.0	43.5	39.7	32.1	24.4	20.0	16.0	12.5	10.4	494.1	70.	298.
		2	58.3	50.4	44.7	40.7	33.0	25.2	20.6	16.5	12.9	10.7	183.4	49.	332.
		3	68.3	58.6	52.1	47.6	38.4	29.2	23.9	19.1	14.9	12.2	71.6	14.	258.
		4	81.5	70.2	62.8	57.3	46.5	35.6	29.2	23.3	18.2	15.0	26.3	14.	158.
		5	86.9	74.8	67.0	61.1	49.4	37.9	31.1	25.0	19.6	16.2	21.0	-36.	190.
275	2	1	49.3	41.7	37.3	34.1	27.5	20.9	17.2	13.7	10.7	8.9	476.3	42.	374.
		2	57.8	49.1	44.1	40.1	32.4	24.7	20.3	16.2	12.7	10.4	107.4	22.	253.
		3	73.6	62.7	56.4	51.4	41.6	31.7	26.0	20.7	16.3	13.3	31.9	7.	150.
		4	76.6	65.3	58.7	53.5	43.7	33.7	27.3	21.1	16.3	13.3	23.3	-35.	183.
		5	73.3	62.5	56.3	51.5	41.2	30.7	25.8	21.6	17.4	14.3	15.4	-50.	181.
300	2	1	49.8	42.1	37.6	34.4	27.7	21.0	17.3	13.7	10.8	8.9	510.2	5.	297.
		2	72.0	61.4	55.0	50.5	40.7	31.1	25.5	20.4	16.1	13.3	100.5	0.	175.
		3	74.2	63.3	56.9	52.3	42.3	32.4	26.7	21.3	16.7	13.7	52.3	-29.	182.
		4	80.8	66.9	59.4	54.1	43.3	32.5	26.5	20.9	16.5	13.6	26.4	-41.	154.
		5	67.1	59.1	53.6	49.9	40.5	31.4	26.1	20.8	16.4	13.6	26.8	-36.	234.
325	2	1	50.4	42.9	38.5	35.1	28.3	21.6	17.8	14.2	11.1	9.1	379.5	-3.	265.
		2	51.0	43.4	39.0	35.5	28.7	21.9	18.0	14.3	11.3	9.2	137.8	-30.	288.
		3	59.4	50.8	45.7	41.6	33.7	25.8	21.2	17.0	13.4	11.0	55.1	-54.	230.
		4	70.4	60.1	53.9	49.1	39.7	30.2	24.7	19.6	15.4	12.6	29.8	-25.	208.
		5	88.8	76.2	68.6	62.7	50.9	38.9	32.2	25.6	20.3	16.7	13.9	68.	145.
350	2	1	35.5	29.9	26.6	24.3	19.4	14.7	12.0	9.5	7.5	6.1	641.8	-43.	630.
		2	40.2	34.1	30.4	27.8	22.3	16.9	13.8	11.0	8.6	7.1	185.9	-63.	547.
		3	55.2	46.8	41.8	38.1	30.6	23.2	19.0	15.1	11.8	9.7	70.6	-19.	415.

		4	86.4	73.9	66.3	60.7	49.0	37.7	30.7	24.3	18.3	15.7	16.6	71.	163.
		5	81.9	70.1	62.8	57.6	46.7	35.6	29.6	23.9	19.4	15.6	19.3	-7.	284.
375	2	1	27.0	22.7	20.2	18.3	14.6	11.1	9.0	7.2	5.6	4.6	1094.0	-56.	716.
		2	44.4	37.4	33.4	30.4	24.2	18.4	15.0	12.0	9.4	7.7	312.4	-33.	613.
		3	82.6	70.8	63.6	58.3	47.2	36.2	29.8	23.7	18.7	15.4	44.0	68.	172.
		4	77.3	66.0	59.2	54.1	43.6	33.2	27.3	21.7	16.9	14.0	43.0	-3.	281.
		5	91.5	78.4	70.4	64.4	52.0	39.9	32.7	26.0	20.6	16.7	15.3	-24.	150.
400	2	1	40.1	33.4	29.7	26.8	21.4	16.1	13.1	10.4	8.1	6.6	1838.0	-39.	1069.
		2	78.6	67.2	60.3	55.2	44.7	34.2	28.2	22.5	17.6	14.5	153.6	71.	268.
		3	78.1	66.8	59.9	54.8	44.3	33.9	27.8	22.2	17.4	14.4	93.9	-14.	327.
		4	90.4	77.5	69.5	63.7	51.6	39.5	32.5	26.0	20.4	17.0	26.4	-18.	153.
		5	76.3	65.3	58.6	53.6	43.3	33.1	27.2	21.6	16.9	14.1	16.1	-34.	140.
425	2	1	65.4	55.9	49.9	45.8	37.1	28.3	23.4	18.8	14.8	12.3	451.4	63.	308.
		2	70.6	60.5	54.0	49.6	40.0	30.6	25.2	20.1	15.7	13.0	186.4	-19.	382.
		3	89.8	77.2	69.3	63.7	51.7	39.8	32.9	26.5	21.3	17.1	36.9	-18.	151.
		4	76.3	65.5	58.8	53.8	43.5	33.3	27.3	21.8	17.1	14.0	18.7	-31.	128.
		5	62.7	53.5	47.9	43.8	35.2	26.9	22.1	17.7	13.8	11.3	13.8	-54.	141.
450	2	1	48.4	40.8	36.5	33.1	26.7	20.3	16.6	13.2	10.4	8.5	1119.0	-28.	663.
		2	68.7	58.7	52.8	48.2	39.1	29.9	24.5	19.6	15.3	12.7	145.6	-14.	259.
		3	72.4	62.0	55.8	51.0	41.3	31.6	26.0	20.8	16.4	13.7	41.7	-41.	148.
		4	63.6	54.3	49.5	45.3	36.8	28.4	23.7	19.3	14.4	12.0	24.5	-50.	145.
		5	60.1	50.8	45.1	40.8	32.9	24.7	20.1	15.5	13.1	10.9	22.1	55.	197.
475	2	1	53.7	45.6	40.8	37.3	30.1	23.1	18.9	15.1	11.9	9.8	729.7	-43.	424.
		2	63.4	54.3	48.8	44.7	36.2	27.1	22.6	18.2	14.3	11.8	135.8	-26.	237.
		3	66.3	56.6	50.9	46.8	37.6	28.9	23.8	18.8	14.8	12.1	49.0	-55.	171.
		4	64.2	54.7	49.1	45.2	36.3	27.8	22.7	18.0	14.2	11.8	36.5	57.	212.
		5	77.4	66.2	59.7	55.1	44.3	33.7	28.2	22.4	17.7	14.6	18.0	106.	157.
500	2	1	39.4	33.4	29.8	27.1	21.7	16.5	13.5	10.7	8.4	6.8	905.3	-59.	547.
		2	50.0	42.6	38.1	34.6	27.9	21.2	17.3	13.7	10.8	8.9	190.0	-40.	344.
		3	61.5	52.4	46.9	42.8	34.5	26.3	21.5	17.2	13.6	11.1	84.7	49.	306.
		4	77.0	66.0	59.2	54.2	43.9	33.4	27.5	22.2	17.7	14.1	31.4	109.	190.
		5	84.9	73.0	65.7	60.3	49.3	37.8	31.6	24.9	19.1	16.3	20.0	-96.	181.
525	2	1	30.6	25.2	22.5	20.4	16.2	12.2	9.9	7.8	6.1	5.0	609.4	-57.	478.
		2	52.7	44.5	39.9	36.4	29.2	22.2	18.2	14.5	11.4	9.3	160.3	38.	377.
		3	80.1	68.5	61.7	56.6	45.8	35.1	28.9	23.2	18.3	15.0	36.0	113.	169.
		4	84.4	72.2	65.3	59.9	48.6	37.4	30.9	24.8	19.5	16.1	21.9	-93.	171.
		5	89.0	75.7	68.4	62.5	50.6	38.7	31.9	25.7	20.3	16.8	14.7	-9.	172.
550	2	1	43.3	36.3	32.3	29.5	23.5	17.8	14.5	11.5	9.0	7.3	588.3	33.	486.
		2	71.4	61.1	54.9	50.6	40.7	31.3	25.7	20.5	16.2	13.5	87.4	123.	217.
		3	84.7	72.9	65.5	60.3	48.9	37.6	31.0	24.9	19.6	16.2	33.5	-115.	166.
		4	80.6	68.3	60.4	55.2	43.7	40.7	33.7	27.1	22.9	20.2	19.0	2.	157.
		5	78.8	68.5	61.6	57.0	47.1	28.5	23.3	18.5	13.0	9.6	18.3	-147.	227.

575	2	1	58.6	49.8	44.8	41.0	33.2	25.4	20.9	16.7	13.2	10.9	442.6	85.	248.
		2	77.4	66.5	59.9	55.0	44.6	34.3	28.3	22.7	18.0	14.8	125.0	-111.	210.
		3	76.8	65.8	59.0	54.2	43.8	33.6	27.7	22.1	17.5	14.4	59.1	-27.	198.
		4	61.9	53.2	48.0	44.4	36.2	27.9	22.8	18.0	14.1	11.2	38.4	-121.	215.
		5	62.7	53.3	46.8	42.2	33.6	25.2	21.0	17.6	15.1	12.5	15.1	194.	127.
600	2	1	75.5	64.7	58.2	53.5	43.3	33.3	27.4	22.0	17.4	14.3	228.4	-100.	217.
		2	71.2	60.9	54.6	50.2	40.5	31.0	25.5	20.4	16.1	13.3	81.3	-80.	232.
		3	50.8	43.4	38.8	35.7	28.8	22.1	18.1	14.5	11.4	9.4	42.8	-116.	243.
		4	60.1	51.4	46.0	42.3	34.0	26.1	21.5	17.4	13.8	12.0	15.8	217.	150.
		5	88.3	75.6	67.5	61.6	49.5	37.1	30.1	23.9	18.6	14.1	7.8	206.	111.
625	2	1	74.0	63.0	56.5	52.0	42.0	32.1	26.4	21.1	16.7	13.7	247.1	-87.	172.
		2	52.2	44.3	39.8	36.5	29.4	22.5	18.5	14.8	11.6	9.6	141.3	-141.	295.
		3	68.0	57.8	51.7	47.6	38.2	29.1	23.9	19.0	15.0	12.4	40.4	310.	168.
		4	97.3	83.3	75.1	68.7	56.6	43.0	35.8	29.5	23.1	19.1	13.5	136.	94.
		5	79.4	67.5	59.8	56.0	44.3	33.9	27.6	21.2	16.8	13.6	14.7	-25.	153.
650	2	1	57.9	49.3	44.2	40.4	32.6	25.0	20.5	16.4	13.0	10.7	603.9	-198.	474.
		2	86.7	74.4	66.8	61.2	49.6	38.0	31.3	25.1	19.8	16.3	75.2	398.	177.
		3	106.7	92.0	82.8	76.1	61.9	47.8	39.3	31.8	25.2	20.8	21.4	92.	100.
		4	80.6	69.4	62.3	57.3	46.0	34.9	28.7	23.2	18.6	15.3	14.5	-27.	113.
		5	63.5	54.3	48.6	44.6	35.9	27.4	22.4	18.0	13.9	11.6	17.0	-23.	199.
675	2	1	84.3	72.0	64.7	59.4	47.9	36.8	30.3	24.3	19.2	15.8	414.3	329.	260.
		2	104.7	90.1	81.0	74.4	60.2	46.1	37.9	30.3	23.8	19.6	79.5	106.	150.
		3	69.3	59.0	52.9	48.6	39.1	29.9	24.6	19.7	15.5	12.7	33.0	-29.	123.
		4	62.5	53.3	47.9	44.2	35.8	27.8	22.7	18.2	15.1	12.9	30.2	-12.	189.
		5	66.8	57.0	50.9	46.8	37.1	27.7	22.9	18.3	13.0	9.7	20.4	-5.	192.
700	2	1	108.9	93.4	84.3	77.2	62.6	48.1	39.6	31.7	25.0	20.6	133.3	69.	77.
		2	64.8	54.8	49.3	44.9	36.1	27.6	22.7	18.2	14.3	11.8	52.7	-24.	92.
		3	59.6	50.6	46.0	41.6	33.5	25.5	21.1	16.8	13.3	11.0	40.7	7.	141.
		4	68.4	58.7	53.5	48.9	40.0	30.6	25.0	19.6	15.3	12.3	17.3	-11.	100.
		5	75.5	64.4	58.5	53.3	42.9	32.8	27.1	21.7	17.2	14.2	30.3	0.	264.
725	2	1	68.9	58.6	52.5	48.1	38.7	29.5	24.2	19.3	15.1	12.4	69.6	-37.	81.
		2	63.9	54.2	48.5	44.4	35.7	27.2	22.4	17.8	14.1	11.6	39.2	-15.	137.
		3	71.3	60.4	54.3	50.0	40.3	30.8	25.3	20.2	15.9	13.0	14.6	1.	101.
		4	78.8	67.3	60.6	55.8	45.3	35.1	29.1	23.1	18.4	15.2	19.1	7.	222.
		5	74.7	64.0	57.1	52.5	42.0	32.0	26.1	21.2	16.5	13.6	24.2	19.	421.
750	2	1	41.0	34.5	30.7	28.0	22.4	16.9	13.8	11.0	8.6	7.0	1279.0	-21.	640.
		2	50.8	43.2	38.6	35.2	28.3	21.6	17.7	14.1	11.0	9.1	297.7	-3.	452.
		3	60.3	51.3	45.9	42.0	33.9	25.8	21.0	16.7	13.1	10.8	232.1	-3.	700.
		4	63.0	53.7	47.9	43.8	35.2	27.0	22.3	17.9	14.2	11.7	232.1	23.	1170.
		5	59.0	50.2	44.9	41.1	33.0	25.0	20.4	16.2	12.6	10.4	229.6	-31.	1740.
775	2	1	26.3	21.8	19.3	17.4	13.7	10.4	8.4	6.6	5.2	4.2	865.7	-20.	543.
		2	38.7	32.4	28.8	26.2	20.8	15.7	12.8	10.2	7.9	6.5	614.5	-10.	1157.

		3	46.6	39.3	35.1	32.0	25.6	19.4	15.8	12.6	9.9	8.1	446.9	26.	1680.
		4	46.3	39.0	34.8	31.7	25.5	19.2	15.6	12.5	9.8	8.0	389.1	-30.	2440.
		5	34.7	29.0	25.8	23.4	18.5	13.9	11.3	8.9	6.9	5.7	120.9	-6.	1130.
800	2	1	19.8	15.8	13.7	12.4	9.5	7.0	5.6	4.4	3.3	2.7	1239.0	-2.	1760.
		2	28.6	23.6	20.7	18.9	14.9	11.2	9.1	7.0	5.4	4.5	581.5	5.	2489.
		3	37.4	31.2	27.5	25.1	19.9	14.9	12.0	9.6	7.5	6.1	304.9	-25.	2600.
		4	29.3	24.6	21.7	19.8	15.7	11.9	9.7	7.7	6.0	4.9	90.1	-2.	1285.
		5	34.7	29.0	25.6	23.4	18.6	14.0	11.4	9.0	7.1	5.8	76.6	-5.	1640.
825	2	1	19.1	15.3	13.3	12.0	9.3	6.8	5.5	4.3	3.3	2.6	804.0	-12.	1803.
		2	30.8	25.6	22.6	20.5	16.3	12.2	9.9	7.7	6.1	5.1	312.6	-21.	2103.
		3	29.5	24.6	21.7	19.7	15.7	11.9	9.7	7.7	6.0	4.5	64.2	-4.	862.
		4	34.0	28.3	24.9	22.6	17.8	13.4	10.9	8.5	6.7	5.7	63.1	-4.	1415.
		5	38.6	32.4	28.9	26.4	21.5	16.2	13.3	10.2	8.3	6.3	28.9	6.	970.
850	2	1	22.2	18.2	15.9	14.3	11.3	8.4	6.8	5.4	4.1	3.4	1032.0	-40.	1540.
		2	29.0	24.3	21.6	19.5	15.6	11.7	9.6	7.6	5.9	4.8	178.4	-17.	800.
		3	35.7	30.0	26.4	24.0	19.2	14.5	11.8	9.3	7.2	5.9	116.4	6.	1040.
		4	38.8	32.6	28.9	26.3	21.2	16.1	13.2	10.5	8.2	6.7	57.3	7.	856.
		5	44.1	37.3	33.1	30.0	24.0	18.2	14.8	11.8	9.2	7.6	55.7	-5.	1250.
875	2	1	21.5	18.0	15.9	14.2	11.5	8.6	7.0	5.5	4.3	3.5	446.3	-21.	609.
		2	33.1	27.6	24.5	22.0	17.7	13.3	10.9	8.6	6.7	5.6	231.7	7.	948.
		3	38.5	32.4	28.9	26.2	21.1	16.0	13.1	10.4	8.1	6.8	86.8	3.	709.
		4	43.8	36.7	32.8	29.6	23.8	18.1	14.9	11.7	9.3	7.7	89.4	-4.	1221.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA - TESTALINDEN GRID

INDEX FILE : A:600N.IND
DATA FILE : A:600N.DAT

LINE NO. : 600

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
25	2	1	66.2	56.8	51.0	46.8	37.8	28.9	23.8	19.0	15.0	12.3	177.4	-70.	92.
		2	119.9	103.4	93.0	85.5	69.4	53.4	44.1	35.3	27.9	23.0	63.2	-382.	99.
		3	137.3	119.0	107.3	98.6	80.3	61.9	51.7	40.7	32.9	27.7	2.2	265.	7.
		4	75.8	65.5	59.1	54.0	43.8	33.6	27.6	22.2	17.4	14.4	8.4	191.	44.
		5	71.2	61.0	55.1	50.3	40.5	31.0	25.4	20.3	15.9	13.0	14.6	21.	114.
50	2	1	92.1	78.8	71.1	65.2	52.9	40.5	33.4	26.7	21.1	17.4	270.4	-394.	141.
		2	131.2	113.5	102.4	93.7	76.0	57.2	46.6	37.5	28.9	25.8	4.3	249.	7.
		3	73.7	63.1	57.0	52.2	42.2	32.2	26.5	21.2	16.7	13.7	12.8	215.	40.
		4	67.3	57.4	51.6	47.2	38.1	28.9	23.8	18.9	15.0	12.2	21.5	7.	112.
		5	72.8	62.5	56.4	51.8	41.8	31.9	26.2	20.8	16.3	13.2	16.5	-82.	129.
75	2	1	131.5	113.6	102.2	94.2	76.6	59.1	48.8	39.2	31.1	25.7	29.6	228.	31.
		2	73.0	62.6	55.5	50.9	40.7	30.9	25.4	20.2	15.7	13.0	15.4	214.	48.
		3	67.7	58.5	52.1	48.4	38.5	29.6	24.2	19.2	15.3	12.5	22.5	23.	140.
		4	71.6	62.1	55.2	51.7	41.3	32.0	26.5	21.3	16.9	14.2	15.2	-93.	158.
		5	114.4	100.4	89.0	82.8	67.1	51.7	42.7	34.0	25.8	21.2	3.5	-37.	55.
100	2	1	71.4	60.9	54.3	49.7	40.0	30.5	25.0	19.9	15.6	12.9	161.0	167.	84.
		2	73.8	63.1	56.1	51.4	41.4	31.4	25.8	20.5	16.0	13.2	123.0	12.	193.
		3	85.8	74.0	66.0	60.9	49.3	37.8	31.2	25.0	19.7	16.2	53.6	-111.	168.
		4	126.2	109.4	97.6	90.4	73.2	56.0	46.0	36.8	28.9	23.9	8.9	-22.	46.
		5	174.9	152.6	135.4	126.6	102.4	79.8	66.1	53.1	41.8	34.8	4.8	-232.	38.
125	2	1	71.9	61.3	55.0	50.3	40.5	30.9	25.4	20.3	15.9	13.1	297.7	-10.	133.
		2	85.6	73.7	66.2	60.8	49.2	37.8	31.2	25.0	19.7	16.2	94.8	-110.	128.
		3	139.0	120.5	108.7	100.2	81.8	63.3	52.3	42.1	33.2	27.4	16.9	-61.	45.
		4	181.2	157.7	142.1	131.1	107.0	82.5	68.2	55.0	44.5	37.2	3.6	-188.	16.
		5	143.6	124.7	110.4	103.0	82.2	62.3	50.4	39.6	31.0	27.0	.7	215.	5.
150	2	1	45.3	38.8	34.7	31.9	25.8	19.8	16.3	13.1	10.3	8.5	918.4	-150.	324.

		2	112.3	97.4	87.9	80.9	66.0	51.0	42.2	34.0	26.9	22.4	95.8	-51.	101.
		3	163.0	141.7	128.1	117.9	96.5	74.7	61.8	50.0	39.5	32.5	18.4	-161.	38.
		4	161.6	140.1	127.3	115.9	94.4	73.2	60.6	44.3	35.8	28.9	1.6	186.	6.
		5	122.9	105.3	95.4	86.2	70.3	53.9	44.4	35.4	28.1	23.4	4.2	232.	22.
175	2	1	113.4	98.3	88.8	81.3	66.4	51.3	42.5	34.2	27.0	22.4	390.5	-123.	153.
		2	152.3	132.2	119.3	109.8	89.6	69.1	57.2	46.0	36.4	30.1	52.5	-106.	62.
		3	169.2	147.8	133.7	122.8	99.8	76.9	63.8	51.5	39.8	32.7	5.3	239.	12.
		4	118.4	101.4	91.3	83.7	68.4	52.9	43.3	34.4	27.4	23.8	10.7	170.	42.
		5	104.0	89.3	79.3	72.4	58.6	45.0	36.5	29.3	22.4	17.1	7.8	-41.	46.
200	2	1	131.9	114.0	102.8	94.3	76.9	59.2	48.9	39.2	30.9	25.6	399.7	-122.	162.
		2	158.1	137.9	124.6	114.6	93.5	72.3	59.6	47.1	36.3	29.3	19.3	216.	24.
		3	116.5	100.7	90.5	82.9	67.3	51.6	42.7	34.6	27.8	23.4	33.7	189.	82.
		4	95.6	82.3	74.0	67.4	54.7	41.9	34.5	27.7	21.7	18.1	13.4	-45.	54.
		5	89.9	77.3	69.1	63.1	51.0	38.8	31.9	25.1	19.6	16.0	30.5	60.	186.
225	2	1	138.3	120.0	107.9	98.9	80.8	62.1	51.3	41.0	32.1	26.4	97.9	214.	51.
		2	104.8	90.3	81.1	74.1	60.2	46.1	38.0	30.6	24.4	20.4	81.8	158.	128.
		3	86.6	75.0	67.3	61.3	50.1	38.5	31.8	25.4	19.9	16.4	30.2	-84.	94.
		4	80.4	69.2	61.7	56.2	45.5	34.6	28.3	22.5	17.4	14.3	48.4	102.	253.
		5	98.9	85.5	76.9	70.1	57.0	43.6	36.0	28.7	22.6	18.6	31.0	88.	243.
250	2	1	101.7	87.2	78.1	71.7	57.9	44.3	36.5	29.2	23.0	18.8	278.7	84.	175.
		2	83.9	72.3	64.8	59.7	48.2	36.6	29.7	23.5	18.6	15.6	59.4	2.	112.
		3	72.9	62.3	55.6	50.8	40.7	31.0	25.5	20.3	15.9	13.1	71.8	-47.	270.
		4	105.2	90.5	81.3	74.6	60.4	46.1	37.8	30.2	23.8	19.6	28.5	146.	178.
		5	112.3	97.5	87.8	80.8	65.1	50.2	41.4	33.4	26.4	21.8	17.1	8.	160.
275	2	1	65.2	55.6	50.0	45.8	37.1	28.4	23.4	18.7	14.7	12.1	229.2	-36.	179.
		2	69.8	59.4	53.1	48.6	39.0	29.5	24.1	19.1	14.7	12.2	87.3	18.	206.
		3	94.5	81.2	73.0	67.1	54.5	41.9	34.6	27.9	22.4	18.7	45.0	106.	211.
		4	115.1	99.0	89.0	81.8	66.2	50.7	41.8	33.3	26.3	21.7	16.7	-4.	131.
		5	99.0	84.9	76.0	70.1	58.1	43.7	35.5	29.2	22.6	18.6	13.8	-38.	162.
300	2	1	40.7	34.3	30.4	27.7	22.0	16.5	13.4	10.6	8.2	6.7	700.9	-131.	333.
		2	71.6	61.6	55.2	50.8	41.1	31.6	26.0	20.9	16.5	13.6	231.9	192.	330.
		3	93.3	80.6	72.5	66.6	54.1	41.5	34.2	27.4	21.6	18.0	67.1	12.	191.
		4	77.4	66.5	59.4	55.5	44.1	33.9	28.0	22.4	17.6	14.3	50.6	-45.	240.
		5	79.4	68.1	61.0	56.2	45.3	34.7	28.5	22.6	17.9	14.8	41.5	23.	296.
325	2	1	63.8	54.2	48.9	44.5	36.2	27.8	23.0	18.4	14.5	12.0	461.6	-39.	724.
		2	87.0	75.0	67.8	62.3	51.1	39.7	33.1	26.8	21.5	18.7	82.3	51.	388.
		3	60.5	51.7	46.4	42.0	33.7	25.3	20.5	16.1	12.1	8.7	49.0	-14.	460.
		4	76.7	65.8	59.1	54.4	44.1	33.7	27.0	21.8	17.3	14.4	15.5	-14.	243.
		5	83.3	71.4	62.4	56.4	45.8	35.2	29.3	23.0	19.0	15.4	10.5	-56.	247.
350	2	1	80.7	69.0	62.1	56.8	46.0	35.2	29.0	23.2	18.3	15.1	908.8	2.	648.
		2	49.4	41.8	37.3	33.9	27.2	20.6	16.9	13.4	10.5	8.6	412.5	18.	883.
		3	72.4	62.2	56.1	51.2	41.7	31.8	26.1	20.7	16.3	13.6	64.3	-9.	274.

		4	80.8	68.7	62.0	56.7	45.9	35.3	29.1	23.2	18.2	15.2	31.4	-62.	224.
		5	76.5	65.9	58.2	53.9	43.7	33.1	27.6	22.0	17.0	13.8	13.4	-2.	143.
375	2	1	32.7	27.0	24.0	21.7	17.1	12.8	10.3	8.1	6.3	5.1	2637.0	-30.	1650.
		2	74.1	63.9	57.7	52.9	42.8	32.8	26.9	21.5	17.0	13.9	135.0	-3.	254.
		3	80.7	69.7	62.9	57.7	46.6	35.8	29.3	23.4	18.3	15.2	54.2	-48.	203.
		4	79.4	68.1	61.4	56.5	45.3	34.8	28.6	22.8	17.6	14.4	18.9	-13.	118.
		5	75.2	63.9	56.9	52.1	42.2	32.5	26.3	21.1	16.6	13.7	15.3	-47.	143.
400	2	1	75.8	64.9	58.3	53.6	43.4	33.3	27.5	22.0	17.4	14.3	364.2	-29.	190.
		2	86.0	73.9	66.4	61.0	49.4	37.8	31.0	24.6	19.3	16.0	89.5	-39.	140.
		3	84.3	72.7	65.4	60.3	48.9	38.0	31.5	25.5	20.4	16.7	27.1	-2.	84.
		4	77.1	51.4	59.0	54.4	43.5	33.0	27.6	22.0	17.5	14.5	22.7	-54.	119.
		5	74.8	64.1	56.9	51.8	43.7	34.8	28.5	22.2	16.0	14.0	13.0	54.	102.
425	2	1	47.6	40.2	35.9	32.6	26.2	19.8	16.2	12.9	10.1	8.3	770.2	-79.	604.
		2	67.6	58.5	52.5	48.1	38.9	29.8	24.4	19.6	15.4	12.6	71.2	8.	168.
		3	65.3	56.0	50.3	46.1	37.2	28.4	23.3	18.5	14.5	11.9	39.7	-43.	186.
		4	75.0	64.4	57.9	53.0	42.9	32.8	27.0	21.8	17.3	14.4	15.9	39.	124.
		5	62.5	53.7	48.3	43.9	35.1	26.7	21.8	17.5	13.8	11.3	14.7	-45.	173.
450	2	1	59.5	50.5	45.2	41.5	33.3	25.4	20.8	16.5	13.0	10.6	335.6	-42.	234.
		2	58.6	49.7	44.4	40.8	32.7	24.8	20.3	16.2	12.6	10.4	157.1	-33.	328.
		3	74.7	64.2	57.7	53.2	43.0	33.0	27.2	21.7	17.2	14.3	47.7	55.	199.
		4	63.4	53.8	47.8	44.1	35.5	26.9	21.9	17.4	13.6	11.0	31.9	-61.	222.
		5	66.3	56.8	50.9	46.8	37.4	28.7	23.7	18.9	15.0	12.3	45.5	-40.	475.
475	2	1	56.0	47.5	42.6	38.9	31.4	23.9	19.7	15.7	12.4	10.2	676.8	-68.	425.
		2	78.2	67.2	60.6	55.6	45.3	34.9	28.8	23.1	18.2	15.0	111.1	66.	209.
		3	68.6	58.6	52.8	48.2	39.0	29.7	24.3	19.3	15.2	12.5	56.8	-51.	213.
		4	67.5	57.6	51.8	47.3	38.3	29.3	24.2	19.4	15.2	12.5	63.3	-50.	397.
		5	84.8	72.9	65.8	61.0	49.9	37.8	31.7	25.3	19.6	16.0	8.2	323.	78.
500	2	1	48.9	41.6	37.1	34.0	27.4	20.9	17.1	13.7	10.7	8.8	931.8	32.	585.
		2	47.9	40.7	36.2	33.0	26.5	20.0	16.4	13.0	10.2	8.4	264.5	-53.	498.
		3	49.5	42.2	37.8	34.6	27.9	21.2	17.4	13.7	10.7	8.7	166.1	-27.	620.
		4	71.2	61.4	55.4	51.1	40.2	30.4	25.4	20.1	15.6	13.1	14.5	306.	90.
		5	79.2	67.3	61.7	54.4	45.4	35.1	28.5	22.8	18.4	15.0	27.1	-57.	254.
525	2	1	41.2	34.6	30.7	28.1	22.4	16.9	13.8	10.9	8.5	7.0	1100.0	-99.	760.
		2	45.2	38.5	34.4	31.5	25.3	19.3	15.8	12.6	9.9	8.2	353.7	40.	740.
		3	58.4	50.5	45.3	41.7	33.5	25.4	20.5	16.0	11.9	9.5	30.1	258.	125.
		4	69.3	59.2	53.5	48.7	39.9	30.5	24.9	19.7	15.2	12.5	35.8	-56.	249.
		5	73.6	62.9	55.8	52.9	41.1	31.5	26.0	20.7	16.9	13.9	23.6	-55.	246.
550	2	1	62.9	54.0	48.5	44.4	36.1	27.7	22.9	18.3	14.5	12.1	549.9	164.	431.
		2	60.7	52.7	47.5	43.6	35.5	27.2	23.1	19.2	14.2	9.9	34.7	118.	82.
		3	68.7	59.4	53.4	49.0	39.8	30.7	25.2	20.3	16.0	13.3	48.2	-95.	226.
		4	72.3	62.9	54.3	49.5	41.7	31.5	25.2	21.3	16.6	13.4	14.2	-16.	111.
		5	57.7	49.3	45.8	41.7	32.2	25.9	21.7	17.0	13.6	11.2	18.5	-34.	217.

575	2	1	59.8	51.3	46.1	42.2	34.1	26.1	21.7	17.3	13.3	11.4	137.5	-16.	107.
		2	66.2	56.5	50.5	46.1	37.2	28.4	23.2	18.4	14.7	11.6	134.0	-78.	315.
		3	74.8	64.6	58.2	53.5	43.1	32.8	27.0	21.6	17.1	13.6	36.1	10.	169.
		4	46.2	39.4	34.8	32.1	25.5	19.5	15.9	12.5	10.0	8.0	39.4	-37.	309.
		5	41.5	34.9	30.9	28.0	23.1	17.5	14.0	11.3	8.7	7.1	35.8	-48.	420.
600	2	1	69.0	59.0	52.9	48.4	39.2	30.0	24.6	19.7	15.5	12.8	616.8	-134.	484.
		2	78.4	67.5	60.8	55.7	45.5	35.2	29.2	23.6	18.9	15.6	89.9	29.	212.
		3	55.4	47.5	42.6	38.9	31.6	24.2	19.9	15.9	12.5	10.4	78.3	-36.	368.
		4	45.1	38.4	34.4	31.3	25.3	19.2	15.6	12.5	9.7	7.9	51.1	-50.	400.
		5	61.2	52.1	47.0	42.8	34.4	26.3	22.2	17.7	13.7	10.7	23.6	-229.	278.
625	2	1	57.3	48.8	43.7	39.7	32.2	24.6	20.2	16.2	12.8	10.6	1410.0	-40.	980.
		2	67.9	58.5	52.7	48.1	39.1	30.0	24.7	19.8	15.6	12.9	230.9	-20.	483.
		3	59.7	51.4	46.2	42.2	34.3	26.3	21.6	17.3	13.7	11.3	137.5	-44.	570.
		4	67.7	58.2	52.4	47.8	38.7	29.8	24.6	19.7	15.4	12.8	44.0	-241.	307.
		5	106.8	91.5	83.4	75.7	63.5	49.7	40.4	32.8	23.8	20.3	7.0	123.	73.
650	2	1	62.6	53.2	47.8	43.8	35.4	27.1	22.3	17.9	14.1	11.6	1553.0	-73.	970.
		2	62.4	53.3	48.0	43.9	35.5	27.1	22.3	17.8	13.9	11.4	406.0	-32.	764.
		3	69.9	60.1	54.3	49.9	40.5	30.9	25.4	21.7	18.2	14.6	111.5	-229.	410.
		4	108.1	93.5	84.1	77.5	62.6	49.5	41.1	22.0	8.5	8.8	12.3	110.	77.
		5	110.1	89.3	83.2	81.5	69.0	45.7	43.2	31.3	23.5	20.8	12.1	228.	113.
675	2	1	47.3	40.2	35.7	32.7	26.3	20.0	16.4	13.1	10.3	8.5	764.6	-74.	480.
		2	71.4	61.7	55.3	50.9	41.5	32.1	26.5	21.2	16.5	13.5	120.5	-280.	227.
		3	108.7	94.2	84.7	77.9	63.3	48.6	40.1	31.9	25.2	20.9	26.2	179.	98.
		4	130.0	112.7	96.3	86.4	73.3	57.0	48.0	36.7	32.2	24.0	5.2	247.	33.
		5	84.4	71.8	65.4	61.3	49.0	37.4	30.8	24.8	18.4	16.0	26.6	84.	250.
700	2	1	54.6	46.5	41.6	38.1	30.9	23.7	19.4	15.5	12.2	10.1	344.1	-312.	270.
		2	104.7	89.8	80.4	73.5	58.7	44.5	36.5	28.6	21.6	17.2	36.5	233.	86.
		3	95.9	82.4	73.8	67.7	54.7	42.5	36.1	31.3	26.1	22.1	16.9	311.	79.
		4	73.7	62.7	56.2	52.0	41.9	31.1	26.1	20.7	16.4	13.6	23.1	2.	181.
		5	83.4	66.8	63.3	54.5	42.3	36.6	25.9	21.9	17.1	14.2	20.4	-13.	239.
725	2	1	103.2	88.7	79.8	73.3	59.4	45.6	37.6	30.1	23.6	19.5	77.0	202.	54.
		2	93.6	80.1	72.0	66.1	53.6	41.0	33.8	27.1	21.6	18.0	29.8	314.	62.
		3	68.3	58.2	52.3	47.8	38.5	29.3	24.1	19.1	14.9	12.3	45.2	15.	188.
		4	74.8	63.6	57.6	52.7	41.3	32.3	26.8	20.5	16.1	13.0	28.5	-30.	198.
		5	69.0	59.4	52.3	49.3	42.0	29.7	24.2	20.3	16.8	13.7	31.1	-15.	325.
750	2	1	120.9	104.6	94.4	87.2	71.2	55.1	46.0	37.0	29.5	24.4	36.1	274.	38.
		2	70.1	59.7	53.2	49.0	39.6	30.1	24.4	19.9	15.4	12.8	41.0	23.	129.
		3	76.5	65.0	58.8	53.8	42.8	32.6	27.0	20.8	16.8	13.7	24.0	-19.	150.
		4	71.5	61.7	55.8	50.7	41.8	32.0	26.0	20.9	16.5	13.3	22.4	-19.	234.
		5	69.5	59.5	53.5	50.2	39.8	30.4	25.4	20.0	15.9	13.2	29.4	-6.	460.
775	2	1	51.9	44.0	39.3	35.8	28.9	22.1	18.1	14.4	11.3	9.3	328.6	-7.	312.
		2	57.6	49.1	44.2	39.8	32.1	24.4	20.0	15.9	12.4	10.2	130.2	-5.	371.

		3	58.2	49.9	44.8	40.8	33.2	25.3	20.9	16.7	13.2	10.8	84.9	-12.	483.
		4	65.3	55.9	50.1	45.7	37.0	28.2	23.3	18.6	14.6	12.0	78.0	-12.	741.
		5	71.8	61.7	55.5	50.5	41.0	31.5	26.0	20.8	16.4	13.6	100.6	-5.	1430.
800	2	1	27.4	22.4	19.7	18.0	14.0	10.4	8.4	6.7	5.2	4.2	591.2	-36.	618.
		2	31.4	26.4	23.3	21.4	17.0	12.8	10.5	8.3	6.5	5.3	268.2	-1.	842.
		3	46.0	39.0	34.9	32.0	25.6	19.5	16.0	12.7	9.9	8.2	185.3	-11.	1160.
		4	61.2	52.1	46.7	42.9	34.6	26.5	21.8	17.5	13.8	11.3	160.8	-2.	1680.
		5	65.2	55.8	49.9	45.8	37.2	28.1	23.3	18.7	14.8	12.3	47.4	-4.	743.
825	2	1	17.2	13.5	12.0	10.5	8.2	6.0	4.8	3.7	2.8	2.2	2088.0	-42.	2730.
		2	27.8	23.0	20.4	18.4	14.6	10.9	8.9	7.0	5.4	4.4	644.5	-2.	2529.
		3	49.3	41.7	37.5	34.2	27.6	21.0	17.3	13.8	10.8	9.0	393.1	6.	3070.
		4	59.4	50.7	45.6	41.6	33.8	25.8	21.1	16.9	13.3	10.9	86.9	-11.	1136.
		5	52.9	44.6	40.1	36.4	29.1	22.3	18.4	14.4	11.3	9.5	58.3	-5.	1143.
850	2	1	22.1	18.0	15.6	14.0	10.9	7.9	6.3	4.9	3.7	3.0	2638.0	-54.	2070.
		2	48.7	41.2	36.6	33.3	26.8	20.3	16.6	13.2	10.3	8.5	1101.0	12.	2590.
		3	61.2	52.4	46.9	42.8	34.7	26.6	21.9	17.5	13.8	11.4	211.7	-2.	990.
		4	54.6	46.3	41.2	37.5	30.3	23.0	18.8	15.1	11.8	9.6	122.4	-15.	960.
		5	54.3	46.3	41.3	37.5	30.1	23.1	19.1	14.9	11.7	9.8	69.6	-9.	819.
875	2	1	36.3	30.4	27.1	24.6	19.7	14.9	12.2	9.6	7.5	6.2	2568.0	-33.	2010.
		2	57.8	49.4	44.4	40.7	32.9	25.3	20.8	16.6	13.1	10.8	400.8	9.	943.
		3	54.0	45.9	41.1	37.5	30.2	23.1	19.0	15.1	11.9	9.8	203.4	-8.	950.
		4	52.6	44.9	40.2	36.7	29.6	22.6	18.5	14.8	11.6	9.6	100.9	-13.	790.
		5	55.7	46.7	42.1	38.5	31.1	23.7	19.4	15.6	12.2	10.0	75.0	-24.	882.
900	2	1	49.1	41.7	37.6	34.3	27.7	21.2	17.4	13.9	11.0	9.0	848.7	-31.	807.
		2	54.5	46.2	41.6	38.2	30.7	23.5	19.3	15.5	12.1	9.9	316.3	2.	902.
		3	52.5	44.6	40.2	36.7	29.7	22.6	18.6	14.9	11.8	9.6	133.5	-3.	760.
		4	55.0	46.5	41.6	37.9	30.6	23.3	19.0	15.3	12.0	9.8	90.2	-35.	857.
925	2	1	40.6	33.9	30.5	27.8	22.2	16.9	13.8	10.9	8.6	7.0	1185.0	-2.	930.
		2	49.1	41.4	37.3	34.1	27.4	21.0	17.3	13.8	10.9	8.9	366.8	1.	863.
		3	54.0	45.2	40.7	37.2	30.0	22.9	18.8	15.0	11.8	9.7	227.5	-32.	1060.
950	2	1	32.5	27.7	24.5	22.5	18.1	13.7	11.3	9.0	7.0	5.8	462.5	1.	558.
		2	43.5	37.0	32.7	30.1	24.1	18.3	15.0	12.0	9.4	7.7	222.3	-34.	805.
975	2	1	31.1	26.4	23.2	21.1	16.7	12.7	10.2	8.1	6.3	5.2	1151.0	-40.	800.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA - TESTALINDEN GRID

INDEX FILE : A:700N.IND
DATA FILE : A:700N.DAT

LINE NO. : 700

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
25	2	1	87.6	75.4	67.4	61.9	50.2	38.4	31.5	25.3	19.7	16.2	26.0	178.	14.
		2	88.9	77.0	69.2	63.3	51.3	39.4	32.4	25.7	20.6	17.1	13.3	-73.	21.
		3	89.8	78.1	70.1	64.3	52.3	40.4	33.5	26.9	21.3	17.5	7.7	437.	24.
		4	64.7	56.3	50.9	46.3	37.5	28.8	23.4	18.8	14.8	12.6	9.3	23.	49.
		5	56.9	49.3	44.5	40.4	32.6	24.9	19.9	16.1	12.6	10.7	12.3	-38.	96.
50	2	1	103.5	88.8	80.2	73.5	59.4	45.6	37.4	29.8	23.4	19.0	49.0	-107.	38.
		2	98.3	85.2	76.7	70.5	57.3	44.3	36.5	29.5	23.4	19.4	16.4	428.	39.
		3	70.1	60.5	54.4	49.9	40.6	31.4	25.8	20.7	16.7	13.7	17.2	30.	80.
		4	60.9	52.2	46.7	42.7	34.3	26.3	21.5	17.0	13.0	10.7	21.0	-50.	164.
		5	78.5	67.9	61.0	55.9	45.3	35.0	28.8	23.0	18.0	14.7	19.3	-160.	227.
75	2	1	99.3	85.5	77.6	71.2	58.3	44.8	36.9	29.8	23.6	19.5	16.6	393.	20.
		2	72.6	62.8	56.6	51.7	42.1	32.3	26.5	21.1	16.5	13.7	13.6	51.	49.
		3	62.9	53.4	49.4	44.5	36.9	28.2	23.2	18.4	14.4	12.3	19.0	-56.	137.
		4	93.6	80.5	74.6	67.6	55.9	42.9	35.2	27.4	21.8	18.1	7.8	-150.	94.
		5	130.1	113.6	102.8	94.2	76.4	59.7	49.1	38.1	30.9	25.2	2.5	-161.	45.
100	2	1	82.1	70.2	63.2	58.2	47.0	36.1	29.8	23.9	18.9	15.7	199.0	19.	89.
		2	70.5	60.2	54.0	49.6	39.9	30.5	24.9	19.9	15.8	13.0	121.8	-41.	163.
		3	101.0	87.4	78.7	72.5	58.9	45.2	37.3	29.9	23.2	18.9	41.3	-140.	110.
		4	140.6	121.8	109.0	100.7	81.6	63.6	51.6	43.3	35.5	28.0	8.4	-165.	38.
		5	146.1	128.6	115.2	104.2	82.5	64.2	52.7	43.5	34.8	28.2	2.8	264.	19.
125	2	1	34.9	29.5	26.3	24.0	19.2	14.6	11.9	9.5	7.4	6.1	950.3	-73.	372.
		2	74.7	64.5	58.0	53.5	43.5	33.5	27.6	22.2	17.5	14.5	169.9	-120.	200.
		3	128.8	111.5	100.4	92.9	76.0	58.4	48.6	39.1	31.1	25.6	24.9	-127.	58.
		4	140.7	121.0	108.1	99.9	81.3	62.0	50.3	39.4	30.5	24.8	5.6	216.	22.
		5	137.6	119.0	107.5	101.7	81.9	62.0	52.1	41.5	31.9	25.8	2.2	130.	13.
150	2	1	59.4	51.2	45.9	42.1	34.2	26.3	21.7	17.4	13.7	11.3	679.3	-121.	242.

		2	113.0	98.0	88.2	81.1	66.0	50.7	42.0	33.7	26.6	22.0	74.5	-57.	80.
		3	124.1	107.7	96.9	89.2	72.4	55.5	45.6	36.4	28.7	23.5	18.0	184.	38.
		4	120.2	103.9	92.8	85.5	70.0	54.0	45.3	36.7	29.0	24.3	3.8	87.	14.
		5	89.6	78.0	68.5	63.4	51.1	38.6	32.1	25.2	19.8	16.6	12.1	-180.	64.
175	2	1	118.0	102.4	92.5	84.8	69.3	53.5	44.3	35.6	28.1	23.2	127.7	-56.	114.
		2	128.7	111.4	100.4	91.9	75.0	57.6	47.5	37.9	29.7	24.3	23.0	156.	62.
		3	101.5	87.9	78.9	72.1	59.0	45.5	37.9	29.7	23.6	19.4	5.3	55.	28.
		4	87.0	74.8	67.2	61.1	49.9	38.1	31.7	25.0	19.8	16.1	12.6	-173.	113.
		5	122.7	106.5	96.0	87.4	71.9	55.4	46.0	36.5	28.9	23.5	5.6	125.	75.
200	2	1	113.3	97.5	87.6	80.4	65.1	49.9	41.0	32.8	25.8	21.3	76.7	189.	96.
		2	99.3	85.4	76.7	70.5	56.9	43.5	35.7	28.1	22.2	18.0	13.0	-1.	49.
		3	100.3	85.9	77.1	71.1	57.3	44.1	36.5	29.2	22.9	18.7	24.4	-104.	183.
		4	140.7	121.3	109.6	101.0	81.7	63.1	51.7	42.3	33.2	28.0	4.9	79.	61.
		5	121.1	101.4	91.8	84.6	68.8	53.5	45.0	35.6	27.4	22.0	3.6	20.	67.
225	2	1	84.5	72.0	64.9	59.6	48.2	36.9	30.4	24.4	19.2	15.8	296.0	-33.	163.
		2	89.3	76.9	69.0	63.3	51.2	39.1	32.2	25.7	20.1	16.6	201.0	-94.	332.
		3	136.6	118.4	106.9	98.7	80.6	62.3	51.7	41.7	33.0	27.4	34.3	113.	113.
		4	125.5	108.1	97.1	89.3	72.5	55.7	46.1	36.9	29.2	24.3	17.9	-15.	98.
		5	98.3	84.3	75.5	69.1	55.9	42.8	35.2	28.2	22.1	18.2	28.7	-40.	237.
250	2	1	71.4	61.1	54.7	50.2	40.6	31.0	25.5	20.4	16.0	13.2	461.2	-108.	362.
		2	134.0	116.2	105.0	96.8	79.1	61.3	50.8	41.0	32.5	26.9	47.2	89.	111.
		3	131.3	112.9	102.3	93.5	76.3	58.9	48.7	39.1	31.1	25.8	20.0	17.	94.
		4	100.8	85.8	77.8	70.6	57.3	43.8	35.8	28.6	22.4	18.3	28.1	-55.	220.
		5	96.7	82.0	74.8	67.6	55.2	42.2	34.7	27.8	21.9	17.9	24.4	89.	286.
275	2	1	145.6	127.2	115.5	106.9	87.8	68.7	57.1	46.4	37.4	31.4	130.9	191.	68.
		2	111.1	95.9	86.3	79.6	64.5	49.7	40.9	32.8	26.0	21.5	71.7	-6.	113.
		3	86.7	74.6	66.7	61.8	49.7	38.1	31.4	25.1	19.7	16.2	88.2	-46.	276.
		4	83.6	72.2	64.4	60.0	48.2	37.0	30.4	24.3	19.1	15.8	45.1	80.	236.
		5	77.6	70.4	57.5	58.3	45.4	35.0	29.1	23.4	18.9	15.2	7.2	19.	56.
300	2	1	89.8	76.5	68.4	62.6	50.4	38.4	31.5	25.1	19.7	16.2	637.9	-43.	400.
		2	81.8	69.8	62.4	57.0	45.9	35.0	28.6	22.8	17.9	14.7	295.1	-45.	555.
		3	85.3	73.3	65.7	60.3	48.8	37.3	30.7	24.5	19.2	15.8	111.8	95.	420.
		4	88.4	77.1	68.6	63.4	51.3	39.4	32.9	26.5	21.0	17.3	12.5	2.	78.
		5	88.3	75.5	68.3	63.4	50.1	38.0	30.9	24.7	18.8	15.4	12.5	-58.	117.
325	2	1	74.5	63.3	56.7	51.8	41.9	31.9	26.2	20.9	16.4	13.5	748.7	-77.	391.
		2	90.2	77.5	69.7	64.0	52.0	39.9	32.9	26.3	20.7	17.1	151.6	116.	238.
		3	92.1	79.9	71.4	65.8	53.6	41.1	34.0	27.2	21.5	17.6	21.2	9.	66.
		4	92.4	78.9	71.1	65.4	52.8	40.5	33.3	26.7	20.9	17.6	18.6	-66.	97.
		5	80.3	68.1	61.2	56.1	45.3	34.5	28.5	22.5	17.8	14.6	34.2	-6.	268.
350	2	1	50.9	43.4	39.0	35.6	28.8	22.0	18.0	14.4	11.3	9.3	1212.0	74.	560.
		2	76.3	65.4	59.1	54.1	43.7	33.5	27.5	22.0	17.3	14.3	65.6	26.	92.
		3	82.9	71.5	64.1	58.9	47.8	36.6	30.2	24.0	18.7	15.4	35.6	-58.	99.

		4	75.7	64.8	58.2	53.3	43.1	32.9	27.1	21.6	17.1	14.0	53.9	-20.	252.
		5	57.0	48.7	43.6	39.9	32.2	24.6	20.3	16.2	12.7	10.5	53.0	-34.	372.
375	2	1	30.2	49.2	50.9	49.1	40.0	31.3	27.0	20.0	16.9	13.2	203.5	-13.	106.
		2	114.8	74.0	59.1	51.4	40.8	30.3	23.5	20.2	14.7	12.7	201.5	-47.	316.
		3	70.5	60.0	53.8	49.3	39.7	30.3	24.9	19.9	15.7	13.1	121.4	-6.	380.
		4	54.9	46.6	41.5	38.1	30.6	23.5	19.2	15.3	12.1	9.9	88.1	-48.	461.
		5	67.6	57.8	51.5	47.5	37.8	29.0	23.4	19.2	14.9	12.4	59.2	121.	465.
400	2	1	79.1	67.9	61.0	55.8	45.3	34.8	28.7	23.0	18.1	15.0	276.9	-85.	155.
		2	72.0	61.7	55.5	50.7	41.1	31.5	25.9	20.8	16.4	13.5	189.5	5.	319.
		3	58.1	49.7	44.6	40.7	33.0	25.2	20.8	16.6	13.1	10.8	114.0	-36.	383.
		4	67.5	57.9	51.5	47.6	38.2	29.3	24.2	19.4	15.3	12.6	64.8	110.	363.
		5	61.6	52.9	47.1	43.4	35.0	26.8	22.2	17.9	14.0	11.8	38.9	21.	327.
425	2	1	44.6	38.1	33.6	30.7	24.7	18.8	15.4	12.3	9.6	7.9	875.7	-19.	687.
		2	55.2	47.5	42.4	38.8	31.4	24.2	19.9	15.9	12.5	10.3	164.9	-60.	388.
		3	69.4	60.3	53.7	49.3	39.5	29.9	24.3	19.5	15.7	13.1	55.1	148.	259.
		4	62.7	54.8	48.7	44.6	36.1	27.8	22.8	18.1	13.9	11.1	28.4	2.	223.
		5	87.8	76.4	68.1	62.3	51.0	39.3	31.4	25.8	19.9	16.9	12.7	94.	150.
450	2	1	34.3	28.6	24.2	23.5	18.6	14.1	11.5	9.1	7.1	5.8	2024.0	-70.	1059.
		2	65.2	55.5	49.9	45.9	37.1	28.3	23.3	18.6	14.6	12.0	220.4	137.	346.
		3	58.2	49.7	44.7	41.2	33.2	25.3	21.0	16.7	13.2	10.9	80.0	18.	251.
		4	81.8	69.7	63.1	58.1	46.9	36.0	29.7	23.6	19.2	15.4	26.1	78.	137.
		5	89.1	76.1	69.0	62.7	51.0	39.3	32.1	25.9	20.4	17.2	18.3	-32.	143.
475	2	1	73.2	62.4	56.3	51.3	41.6	31.9	26.2	20.9	16.5	13.6	460.8	100.	362.
		2	62.2	53.1	48.1	43.8	35.6	27.2	22.5	18.0	14.2	11.7	114.7	29.	270.
		3	76.7	65.3	59.5	53.8	43.9	33.3	27.9	22.1	17.5	14.7	26.0	93.	122.
		4	83.4	71.2	64.6	58.8	47.7	36.5	29.9	24.3	19.2	15.3	16.8	-45.	132.
		5	79.3	67.8	62.3	56.2	45.4	33.9	28.8	22.5	17.9	14.6	17.6	-36.	207.
500	2	1	76.7	65.9	59.3	54.5	44.2	33.6	27.5	22.0	17.2	14.3	645.2	9.	405.
		2	74.6	64.3	57.9	53.2	43.1	36.4	32.0	26.2	21.9	18.2	86.1	70.	162.
		3	70.7	60.8	54.8	50.3	40.8	31.4	25.9	20.9	16.4	13.5	48.1	-31.	181.
		4	64.8	55.5	49.8	45.7	37.1	28.3	23.4	18.5	14.7	12.1	38.2	-31.	240.
		5	48.1	42.2	37.5	33.2	27.7	21.6	16.8	14.2	10.9	9.1	26.3	-9.	248.
525	2	1	91.1	78.2	70.2	64.6	52.3	40.3	33.2	26.6	21.0	17.4	514.2	33.	367.
		2	77.2	66.4	59.5	54.8	44.4	34.1	28.1	22.6	17.7	14.6	125.5	-1.	269.
		3	70.9	60.8	54.3	50.1	40.5	31.1	25.5	20.4	16.1	13.3	128.6	-40.	549.
		4	50.7	43.0	38.3	35.8	28.6	21.7	17.6	14.1	11.0	9.0	55.8	-20.	398.
		5	62.9	53.8	47.6	44.1	35.7	27.8	22.8	18.0	14.4	11.8	52.4	-139.	560.
550	2	1	77.1	66.0	59.2	54.2	44.0	33.7	27.7	22.2	17.4	14.5	410.1	-62.	368.
		2	70.9	60.7	54.5	49.8	40.5	31.0	25.6	20.5	16.1	13.3	239.2	-15.	644.
		3	56.7	48.5	43.6	39.8	32.3	24.9	20.5	16.3	12.9	10.7	87.9	3.	472.
		4	63.0	53.8	48.6	43.7	36.0	28.1	23.1	18.4	14.4	11.7	58.9	-160.	528.
		5	75.9	68.1	58.7	56.1	44.2	33.4	27.9	22.9	17.7	15.3	17.9	-201.	240.

575	2	1	35.4	29.1	25.8	23.4	18.5	13.7	11.1	8.7	6.8	5.5	4584.0	-80.	4113.
		2	60.2	50.9	45.5	41.6	33.5	25.4	20.8	16.6	13.0	10.6	552.0	8.	1486.
		3	70.2	59.9	54.0	49.6	40.1	30.8	25.4	20.4	16.1	13.3	188.1	-154.	1010.
		4	82.2	70.5	63.2	57.9	47.4	36.5	30.1	24.1	18.9	15.8	38.1	-196.	342.
		5	79.4	68.0	61.7	58.1	45.4	34.4	27.5	22.4	18.9	14.1	7.7	122.	104.
600	2	1	45.7	38.5	34.2	31.3	24.9	18.9	15.4	12.2	9.5	7.8	2911.0	-15.	1865.
		2	64.6	55.1	49.3	45.3	36.5	27.9	23.0	18.4	14.4	11.9	613.2	-132.	1179.
		3	74.8	64.6	58.1	53.5	43.5	33.5	27.7	22.2	17.5	14.3	134.7	-290.	517.
		4	95.9	83.2	74.8	68.6	55.7	43.0	35.4	28.6	22.4	17.4	11.7	192.	75.
		5	82.4	70.6	63.2	57.9	46.9	35.9	29.5	23.6	18.6	15.1	39.6	178.	381.
625	2	1	53.5	45.5	40.5	37.1	29.9	22.8	18.7	14.9	11.7	9.6	1935.0	-115.	1350.
		2	68.3	59.0	52.8	48.6	39.6	30.4	25.2	20.2	16.0	13.2	348.7	-389.	729.
		3	97.6	84.9	76.5	70.5	57.8	44.8	37.2	29.9	23.6	19.8	23.1	252.	96.
		4	80.3	69.2	61.9	56.8	46.0	35.3	29.1	23.1	18.2	15.0	50.5	75.	352.
		5	98.7	84.2	75.9	68.7	56.4	42.6	35.1	29.0	22.2	18.7	14.1	234.	147.
650	2	1	49.8	42.3	37.6	34.4	27.6	21.0	17.2	13.7	10.7	8.8	1306.0	-253.	1206.
		2	73.9	63.8	57.2	52.7	42.7	32.8	27.0	21.6	17.1	14.1	63.7	121.	176.
		3	72.3	61.8	55.3	50.8	40.8	31.2	25.5	20.3	15.9	13.0	68.7	228.	380.
		4	91.3	78.4	70.3	65.1	52.4	40.0	32.8	26.5	21.1	17.6	13.4	124.	123.
		5	104.8	89.9	80.3	73.2	59.4	45.4	37.5	29.9	23.1	19.4	14.0	-15.	194.
675	2	1	95.9	82.3	74.2	68.3	55.4	42.7	35.3	28.3	22.5	18.6	295.1	102.	206.
		2	80.5	68.5	61.5	56.6	45.4	34.7	28.4	22.7	17.9	14.7	204.2	206.	427.
		3	91.3	78.2	70.1	64.5	52.0	39.8	32.7	26.1	20.5	16.9	37.4	150.	156.
		4	103.6	88.9	79.7	73.6	59.4	45.5	37.5	30.0	23.7	19.5	28.1	-16.	196.
		5	90.3	77.5	69.5	63.9	51.6	39.6	32.3	26.0	20.5	16.7	39.6	-5.	414.
700	2	1	82.0	69.8	62.8	57.5	46.4	35.4	29.2	23.2	18.3	15.1	294.4	207.	210.
		2	93.5	80.0	72.0	65.9	53.2	40.7	33.5	26.8	21.1	17.3	44.3	151.	95.
		3	106.2	91.1	82.1	75.4	61.1	46.8	38.6	30.9	24.5	20.4	34.5	-19.	148.
		4	92.0	78.6	70.7	64.8	52.5	40.3	33.1	26.5	20.7	16.9	44.0	2.	314.
		5	65.9	56.0	50.3	46.2	37.5	28.4	23.5	18.0	12.8	11.0	60.2	-10.	645.
725	2	1	97.4	83.6	75.1	68.9	55.7	42.7	35.1	28.1	22.1	18.3	51.3	131.	39.
		2	107.3	92.4	83.0	76.3	61.8	47.5	39.1	31.4	24.7	20.4	37.9	-35.	87.
		3	93.9	80.6	72.5	66.5	53.9	41.3	34.0	27.2	21.6	17.8	46.5	20.	213.
		4	65.3	55.9	50.1	46.0	37.1	28.5	23.4	18.7	14.5	12.0	60.9	-5.	466.
		5	48.8	41.7	37.4	34.3	27.8	21.2	17.5	13.9	10.8	9.1	53.5	2.	614.
750	2	1	71.4	60.4	54.1	49.6	39.9	30.4	25.0	19.9	15.7	12.9	676.0	-39.	574.
		2	88.2	75.2	67.7	62.2	50.3	38.5	31.7	25.4	20.0	16.5	176.7	18.	450.
		3	71.8	60.7	54.7	50.2	40.3	30.6	25.2	20.1	15.8	13.0	96.7	-5.	491.
		4	54.5	45.9	41.2	37.8	30.3	22.8	18.6	14.8	11.8	9.6	69.5	4.	590.
		5	54.0	46.2	41.3	37.9	30.6	23.8	19.8	15.5	12.2	10.0	49.2	-18.	626.
775	2	1	62.7	52.9	47.7	43.7	35.3	26.9	22.3	17.7	14.0	11.6	1640.0	-13.	1470.
		2	74.3	63.0	56.8	52.1	42.2	32.2	26.6	21.2	16.7	13.8	210.2	-29.	565.

		3	65.7	55.9	50.4	46.1	37.3	28.4	23.4	18.6	14.6	12.0	99.5	26.	534.
		4	63.0	53.4	48.4	43.9	35.6	27.6	23.0	18.2	14.4	11.8	62.2	-16.	557.
		5	62.0	50.9	46.0	43.7	36.0	26.1	21.8	17.4	13.3	12.1	25.9	10.	348.
800	2	1	65.2	55.8	49.9	45.7	37.0	28.3	23.2	18.5	14.6	12.0	534.2	-31.	541.
		2	74.5	63.9	57.3	52.7	42.6	32.6	26.8	21.4	16.9	13.9	141.9	26.	431.
		3	72.6	62.2	55.8	51.2	41.4	31.8	26.1	20.9	16.5	13.6	73.5	-9.	445.
		4	69.4	59.4	53.9	49.5	39.9	30.7	25.2	20.3	15.9	13.3	28.0	11.	283.
		5	69.5	60.5	54.0	49.5	40.6	31.4	25.9	20.0	16.6	13.2	24.3	-17.	368.
825	2	1	57.8	49.1	44.0	40.1	32.4	24.5	20.2	16.0	12.5	10.3	586.9	-2.	484.
		2	71.0	60.6	54.3	49.7	40.3	30.8	25.4	20.4	16.1	13.1	168.1	-26.	416.
		3	71.5	61.0	54.8	50.2	40.6	30.9	25.5	20.2	15.7	13.0	56.8	28.	281.
		4	73.3	62.6	56.1	51.5	41.7	31.8	26.2	21.1	16.8	14.0	42.6	-12.	352.
		5	75.4	64.9	58.6	53.7	43.4	33.4	26.4	21.8	17.0	13.5	29.5	-11.	365.
850	2	1	42.7	36.2	32.3	29.4	23.6	17.9	14.7	11.6	9.1	7.5	513.4	-25.	435.
		2	53.1	45.4	40.7	37.1	30.1	23.0	18.9	15.1	11.8	9.9	112.5	29.	286.
		3	60.2	51.6	46.4	42.3	34.4	26.3	21.7	17.3	13.5	11.1	99.3	-13.	504.
		4	66.1	57.1	51.4	46.5	37.4	28.4	23.7	18.4	14.2	12.0	50.0	-13.	424.
		5	68.7	57.8	51.2	47.6	38.8	30.7	24.0	19.7	16.1	13.2	40.5	-2.	515.
875	2	1	23.9	20.2	17.9	16.3	13.0	9.8	7.9	6.3	4.9	4.0	398.2	15.	357.
		2	35.1	30.1	26.7	24.4	19.5	14.9	12.1	9.6	7.6	6.2	220.9	-23.	594.
		3	45.7	39.0	34.8	31.8	25.6	19.5	16.0	12.7	9.9	8.2	93.9	7.	504.
		4	51.3	43.7	39.0	35.4	28.5	21.9	18.0	14.1	11.1	9.1	70.6	-1.	633.
		5	51.0	43.9	39.0	35.6	29.0	21.3	17.6	14.3	11.3	9.5	45.0	-1.	605.
900	2	1	20.2	16.7	14.7	13.3	10.5	7.8	6.3	5.0	3.8	3.1	741.5	-24.	802.
		2	31.3	26.2	23.1	21.2	16.9	12.7	10.4	8.3	6.4	5.2	210.4	10.	683.
		3	38.3	32.3	28.5	26.0	20.8	15.5	12.7	10.0	7.7	6.4	151.5	-2.	980.
		4	39.3	33.0	29.1	26.1	21.4	15.6	13.6	10.5	8.0	6.7	79.1	-2.	856.
925	2	1	19.3	16.0	14.0	12.8	10.0	7.4	6.0	4.7	3.7	2.9	601.4	12.	590.
		2	26.9	22.3	19.7	18.0	14.1	10.6	8.6	6.8	5.3	4.3	295.3	-3.	869.
		3	29.6	24.5	21.7	19.8	15.6	11.8	9.5	7.5	5.8	4.8	152.3	-3.	890.
950	2	1	15.2	12.9	11.0	9.6	7.6	5.6	4.4	3.4	2.6	2.1	970.1	-5.	1087.
		2	18.7	15.5	13.4	11.9	9.5	7.1	5.7	4.5	3.4	2.8	365.6	-3.	1229.
975	2	1	15.4	12.1	10.7	9.5	7.3	5.3	4.2	3.3	2.5	2.0	723.5	-5.	1262.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA - TESTALINDEN GRID

INDEX FILE : A:800N.IND
DATA FILE : A:800N.DAT

LINE NO. = 800

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
25	2	1	70.7	60.4	54.5	50.0	40.4	30.9	25.5	20.4	16.0	13.2	422.0	-103.	358.
		2	90.9	78.2	70.3	64.6	52.3	40.1	33.1	26.5	20.9	17.1	31.6	139.	81.
		3	91.8	78.5	70.9	64.8	52.3	40.1	32.9	26.3	20.7	17.0	28.6	29.	145.
		4	95.3	81.5	74.0	67.7	54.8	42.2	34.8	27.8	21.9	18.0	15.8	-299.	133.
		5	128.5	114.3	103.4	89.5	72.5	56.8	44.8	37.9	29.2	23.6	2.1	-248.	26.
50	2	1	48.4	40.9	36.8	33.5	27.0	20.5	16.9	13.4	10.6	8.7	1036.0	147.	470.
		2	90.3	77.2	69.6	63.6	51.5	39.3	32.4	25.9	20.4	16.8	171.8	23.	234.
		3	99.8	85.5	77.5	70.9	57.6	44.3	36.5	29.3	23.2	19.1	60.2	-294.	164.
		4	140.7	120.5	109.1	99.9	81.1	62.3	51.1	40.9	32.4	27.0	6.5	-243.	30.
		5	156.2	141.1	114.5	101.8	87.9	62.2	58.0	46.5	31.4	28.1	1.2	510.	8.
75	2	1	84.5	72.5	65.1	59.7	48.3	37.0	30.5	24.4	19.2	15.8	402.2	-24.	166.
		2	102.0	87.9	79.2	72.6	59.0	45.4	37.5	30.0	23.7	19.6	117.7	-272.	146.
		3	144.9	126.3	114.5	105.5	86.1	65.1	53.0	42.0	33.5	27.2	9.2	-203.	23.
		4	128.3	109.5	97.1	85.1	71.8	61.6	55.6	47.3	37.4	30.6	1.9	499.	8.
		5	103.2	87.4	79.6	72.4	59.4	43.2	38.0	29.6	23.7	18.6	4.6	46.	28.
100	2	1	58.1	49.7	44.7	41.0	33.2	25.5	21.0	16.8	13.2	10.9	404.1	-294.	162.
		2	118.2	102.1	91.9	84.4	68.5	52.6	43.3	34.6	27.3	22.5	16.3	-174.	20.
		3	117.5	100.9	92.3	85.2	70.4	55.4	46.3	37.5	29.9	24.9	4.0	511.	10.
		4	87.9	73.9	68.3	62.6	50.7	40.3	32.5	26.5	21.6	18.4	8.1	40.	33.
		5	79.4	66.4	61.5	56.5	45.9	35.1	30.1	24.6	19.6	16.5	10.7	-64.	64.
125	2	1	101.5	87.1	78.3	72.2	58.4	44.9	36.9	29.5	23.2	19.2	67.8	-99.	33.
		2	92.1	79.5	71.1	65.2	52.8	40.5	33.6	26.9	21.4	17.7	12.4	481.	18.
		3	68.9	59.2	53.0	48.6	39.2	29.7	24.5	19.5	15.3	12.5	22.7	62.	66.
		4	59.9	51.4	46.5	42.2	34.3	25.3	21.1	17.1	13.0	10.7	20.1	-79.	98.
		5	78.4	68.6	59.6	53.1	45.7	34.3	29.0	21.6	17.5	14.0	9.6	-46.	70.
150	2	1	82.4	70.8	63.7	58.6	47.2	36.1	29.6	23.8	18.9	15.5	40.0	384.	23.

		2	69.7	59.8	51.8	48.0	39.3	30.1	24.6	19.6	15.3	12.6	43.0	17.	74.
		3	65.3	56.3	48.0	44.7	37.1	28.6	24.1	19.4	15.2	12.6	30.8	-88.	105.
		4	87.3	75.7	58.3	55.1	48.9	37.3	28.6	22.0	17.2	14.3	10.4	-13.	59.
		5	140.8	118.1	99.8	97.8	80.3	61.4	51.2	45.7	30.0	30.0	2.1	12.	18.
175	2	1	73.6	63.1	56.6	52.0	42.1	32.3	26.6	21.3	16.8	13.9	171.3	0.	114.
		2	72.9	62.4	56.1	51.6	41.7	32.0	26.4	21.1	16.7	13.8	49.3	-50.	99.
		3	86.5	74.3	67.1	61.8	49.9	38.6	31.8	25.7	20.2	16.8	20.4	-46.	81.
		4	146.5	126.1	94.4	100.8	86.5	66.9	53.1	50.2	33.7	33.3	2.4	10.	16.
		5	136.7	118.7	129.2	105.7	85.2	69.3	57.3	37.7	41.9	27.9	1.9	5.	19.
200	2	1	20.5	16.9	15.2	13.6	10.7	8.0	6.5	5.1	4.0	3.2	747.0	-93.	459.
		2	43.2	37.0	33.3	30.5	24.6	18.9	15.5	12.4	9.7	7.9	123.7	-46.	228.
		3	124.1	107.4	96.6	89.1	72.6	56.4	46.5	37.8	29.8	24.8	9.8	44.	36.
		4	120.2	104.0	94.1	85.5	70.4	53.5	44.6	35.1	27.7	22.7	5.4	-5.	33.
		5	136.5	117.9	106.2	100.0	80.4	60.6	50.0	41.9	31.9	26.5	3.6	7.	34.
225	2	1	47.7	40.5	36.3	33.3	26.8	20.5	16.8	13.4	10.5	8.7	522.9	-16.	298.
		2	126.2	109.1	98.3	90.6	73.9	57.0	47.2	37.9	30.1	24.7	30.9	74.	53.
		3	108.5	93.4	84.2	77.3	62.6	48.3	39.7	31.6	24.9	20.5	23.4	-30.	80.
		4	117.9	101.2	91.0	83.2	67.4	51.9	42.2	33.8	26.7	21.8	17.0	16.	96.
		5	97.8	83.1	74.9	68.7	55.4	42.6	34.4	27.8	21.4	18.2	16.4	-69.	140.
250	2	1	127.5	110.3	99.8	91.6	75.0	57.9	48.0	38.7	30.6	25.4	123.8	53.	125.
		2	105.2	90.6	81.7	74.9	61.0	46.8	38.7	30.9	24.3	20.1	68.5	-42.	208.
		3	117.4	101.2	91.1	83.5	67.9	52.2	43.2	34.5	27.1	22.3	37.1	36.	225.
		4	95.9	82.4	74.1	68.0	55.1	41.9	34.6	27.5	21.6	17.9	27.7	-73.	280.
		5	141.1	124.4	114.0	103.6	84.9	65.3	51.6	42.9	35.2	29.3	4.6	-62.	71.
275	2	1	85.9	73.8	66.5	61.0	49.5	38.0	31.3	25.1	19.8	16.3	1523.0	-15.	1010.
		2	99.8	85.7	77.3	70.9	57.4	44.1	36.2	29.0	22.9	18.9	321.8	-30.	644.
		3	90.0	76.9	69.3	63.4	51.2	39.1	32.1	25.6	20.2	16.6	131.1	-7.	520.
		4	139.8	120.3	108.9	100.2	81.8	63.0	52.2	41.6	32.9	27.4	24.9	-80.	166.
		5	114.4	99.0	89.1	82.1	65.9	51.2	42.1	33.4	26.3	22.0	21.2	-52.	212.
300	2	1	96.1	82.6	74.4	68.3	55.4	42.6	35.2	28.2	22.3	18.4	804.2	-47.	505.
		2	90.7	77.9	70.1	64.2	51.9	39.8	32.7	26.1	20.6	17.0	198.2	-9.	373.
		3	139.8	121.1	109.6	100.7	82.3	63.8	52.8	42.6	33.9	28.1	33.1	-105.	124.
		4	117.3	101.1	91.5	83.7	68.2	52.3	43.0	34.6	27.4	22.6	26.9	-19.	168.
		5	121.1	104.3	94.2	86.2	70.3	54.4	45.1	35.9	28.0	23.1	13.3	-50.	125.
325	2	1	73.0	62.7	56.1	51.4	41.6	31.8	26.2	20.9	16.5	13.6	921.6	-20.	535.
		2	127.2	110.3	99.5	91.7	75.0	58.1	48.0	38.7	30.6	25.4	70.8	-132.	124.
		3	109.2	94.3	84.8	77.9	63.1	48.3	40.3	32.3	25.5	21.1	54.1	13.	188.
		4	113.5	98.3	88.1	80.9	65.5	50.5	42.5	34.0	26.1	21.4	23.3	-51.	135.
		5	111.3	94.0	84.7	78.5	61.7	46.4	41.7	33.4	28.2	23.6	9.6	-159.	84.
350	2	1	105.3	91.0	82.2	75.6	61.7	47.8	39.6	31.9	25.3	21.0	306.6	-131.	125.
		2	101.0	87.0	78.5	72.0	58.6	45.1	37.2	29.9	23.6	19.5	168.6	3.	206.
		3	109.0	94.0	84.9	78.0	63.5	49.1	40.6	32.5	25.8	21.3	64.2	-46.	156.

		4	107.4	92.0	82.9	76.4	61.7	48.4	39.8	31.9	25.1	20.7	20.8	-150.	84.
		5	76.5	66.0	58.9	53.6	43.8	33.4	26.9	21.3	17.6	14.2	30.5	86.	186.
375	2	1	74.3	63.8	57.0	52.4	42.3	32.4	26.7	21.3	16.8	13.8	1920.0	-44.	830.
		2	77.8	66.8	59.8	55.6	44.4	34.0	28.0	22.4	17.6	14.5	509.4	-82.	666.
		3	73.8	63.3	56.7	52.0	42.0	32.0	26.3	21.0	16.4	13.6	110.1	-110.	280.
		4	47.3	40.1	35.5	32.4	25.8	19.4	15.8	12.5	9.8	7.9	118.4	80.	510.
		5	47.7	40.3	35.8	32.7	26.1	19.8	16.0	12.7	9.8	8.0	69.1	177.	451.
400	2	1	97.4	83.9	75.8	69.5	56.7	43.7	36.2	29.1	23.0	19.1	525.2	-106.	299.
		2	93.1	80.2	72.2	66.3	54.0	41.7	34.5	27.7	21.8	18.1	117.7	-124.	201.
		3	63.1	53.9	48.3	44.0	35.6	27.0	22.1	17.6	13.8	11.3	128.7	111.	430.
		4	61.4	52.1	46.7	42.6	34.4	26.1	21.4	17.0	13.4	11.1	64.7	178.	369.
		5	57.4	49.0	43.7	40.4	32.3	24.9	20.0	15.8	12.3	9.5	26.7	175.	228.
425	2	1	79.9	68.6	61.7	56.7	46.0	35.4	29.2	23.4	18.5	15.3	551.1	-122.	384.
		2	63.5	54.1	48.4	44.4	35.7	27.2	22.3	17.7	13.9	11.4	248.7	62.	520.
		3	63.7	54.2	48.5	44.5	35.7	27.2	22.3	17.8	13.9	11.4	117.4	216.	490.
		4	63.4	53.9	48.3	44.4	35.8	27.3	22.3	17.9	14.2	11.5	36.1	167.	251.
		5	44.9	38.1	33.7	30.7	24.7	18.6	15.7	11.9	9.3	7.5	33.3	25.	349.
450	2	1	59.1	50.3	45.2	41.5	33.4	25.5	21.0	16.8	13.2	10.9	700.2	66.	610.
		2	67.7	57.6	51.8	47.5	38.2	29.2	24.0	19.2	15.1	12.4	147.6	202.	386.
		3	67.5	57.5	51.6	47.5	38.2	29.2	23.9	19.0	15.0	12.3	38.4	198.	200.
		4	48.6	40.7	36.3	34.0	27.0	20.6	16.6	13.2	10.0	8.5	28.9	13.	251.
		5	70.2	59.5	52.8	47.7	39.2	29.8	24.0	20.2	15.6	12.3	27.7	-25.	362.
475	2	1	63.1	54.0	48.5	44.4	35.9	27.5	22.7	18.2	14.3	11.8	660.8	181.	305.
		2	70.5	60.6	54.2	49.9	40.4	30.9	25.4	20.3	16.0	13.2	100.0	164.	138.
		3	51.8	45.0	40.4	37.2	31.1	25.4	20.7	17.3	13.7	11.2	61.8	51.	170.
		4	69.3	59.0	51.6	46.9	37.1	26.6	22.4	16.6	13.1	10.9	55.7	-29.	257.
		5	71.8	62.4	56.8	51.4	41.9	31.3	25.7	19.7	16.4	13.0	35.5	-5.	246.
500	2	1	46.9	39.7	35.7	32.4	26.2	20.0	16.4	13.1	10.3	8.4	699.1	160.	439.
		2	49.1	41.5	37.6	34.0	27.5	21.0	17.2	13.7	10.8	8.9	126.6	42.	239.
		3	67.7	57.7	52.1	47.5	38.6	29.6	24.3	19.4	15.2	12.5	66.1	-19.	248.
		4	70.1	59.7	54.2	49.3	40.0	30.5	25.0	20.0	15.8	13.0	34.5	-2.	216.
		5	82.3	69.7	63.4	58.1	47.0	36.0	29.2	23.1	18.6	15.4	31.5	-78.	297.
525	2	1	23.9	19.9	17.5	15.8	12.5	9.4	7.6	6.0	4.6	3.7	572.5	-18.	449.
		2	45.0	38.4	34.3	31.4	25.3	19.3	15.8	12.6	9.9	8.1	162.9	-12.	384.
		3	57.6	49.5	44.2	40.6	32.7	25.1	20.5	16.4	12.7	10.4	47.3	16.	223.
		4	75.2	64.5	57.7	52.8	42.6	32.5	27.0	21.5	17.0	14.1	33.1	-72.	260.
		5	94.6	81.5	72.8	67.0	54.2	42.5	34.4	28.3	22.5	18.0	9.8	-108.	116.
550	2	1	41.2	35.0	31.1	28.4	22.8	17.3	14.1	11.2	8.8	7.2	1844.0	-22.	1110.
		2	45.9	39.3	35.1	32.1	25.9	19.8	16.2	12.9	10.1	8.3	272.0	21.	492.
		3	58.7	50.3	45.0	41.2	33.2	25.3	20.8	16.7	13.0	10.7	147.6	-69.	530.
		4	82.3	71.3	63.7	58.3	47.7	36.6	30.1	23.7	19.0	15.7	29.4	-111.	177.
		5	74.5	65.0	58.5	53.3	42.6	34.7	26.6	21.8	17.0	14.1	18.7	144.	169.

575	2	1	48.9	41.4	37.0	34.2	27.3	20.8	17.0	13.5	10.6	8.7	1683.0	-11.	730.
		2	58.0	49.4	44.1	40.7	32.6	24.9	20.4	16.3	12.8	10.5	650.8	-116.	851.
		3	77.1	66.1	59.3	54.8	44.1	33.9	28.0	22.4	17.7	14.6	99.8	-63.	260.
		4	71.5	61.3	54.7	50.5	40.7	31.2	25.4	20.4	15.9	13.2	50.5	141.	220.
		5	53.5	45.0	40.0	36.9	29.2	22.1	18.4	14.4	11.6	9.4	44.0	19.	288.
600	2	1	44.8	37.9	34.0	31.0	24.8	18.9	15.4	12.3	9.7	7.9	2421.0	-124.	1520.
		2	76.7	65.9	59.4	54.6	44.0	33.9	27.8	22.3	17.6	14.5	210.6	-77.	396.
		3	77.6	66.6	60.1	55.1	44.4	34.2	28.1	22.5	17.8	14.6	72.4	149.	272.
		4	58.7	49.9	45.0	41.2	33.6	25.4	21.0	16.6	13.3	10.8	53.7	24.	337.
		5	84.5	72.8	66.3	60.2	47.3	37.6	30.8	25.1	19.8	16.0	25.7	23.	241.
625	2	1	56.2	48.2	43.1	39.3	31.9	24.4	20.0	16.0	12.6	10.4	915.5	-105.	638.
		2	71.4	61.4	55.2	50.6	41.1	31.6	26.0	20.8	16.0	13.4	167.5	129.	350.
		3	51.5	44.1	39.4	35.8	29.0	22.0	18.1	14.4	11.2	9.3	111.5	44.	460.
		4	79.2	68.4	61.5	56.0	45.8	35.3	28.9	23.3	18.5	15.2	44.2	15.	308.
		5	69.7	59.2	52.3	48.0	39.4	30.9	24.8	20.6	15.9	12.8	33.7	-317.	352.
650	2	1	81.0	69.7	62.6	57.4	46.6	35.8	29.6	23.7	18.7	15.4	318.8	183.	250.
		2	56.4	48.3	43.5	39.5	31.9	24.4	20.0	16.0	12.6	10.3	165.7	37.	390.
		3	83.0	71.6	64.4	59.2	48.1	37.1	30.6	24.6	19.5	16.2	70.5	6.	331.
		4	72.6	62.7	56.2	51.6	41.9	32.2	26.5	21.2	16.6	13.7	50.1	-316.	393.
		5	88.0	75.8	67.8	61.4	50.6	39.0	31.5	25.6	20.5	16.8	25.9	211.	304.
675	2	1	57.5	49.0	43.7	40.1	32.3	24.6	20.2	16.1	12.7	10.4	411.0	9.	307.
		2	83.4	71.7	64.3	59.2	47.9	36.8	30.3	24.3	19.1	15.8	132.1	15.	296.
		3	74.6	64.2	57.6	53.0	42.9	33.0	27.2	21.8	17.2	14.2	82.0	-304.	367.
		4	88.4	76.1	68.2	62.7	51.1	38.6	32.3	25.9	20.5	16.8	31.6	177.	236.
		5	89.4	76.7	68.5	62.1	51.1	39.6	33.0	25.9	20.9	17.0	26.6	163.	298.
700	2	1	59.0	50.4	45.0	41.6	33.4	25.6	21.1	16.8	13.2	10.9	894.4	2.	802.
		2	56.6	48.4	43.4	39.9	32.2	24.7	20.3	16.2	12.8	10.5	266.8	-226.	718.
		3	81.6	70.2	63.0	58.2	47.1	36.2	29.9	24.0	18.9	15.6	61.5	134.	330.
		4	85.2	73.2	65.7	60.6	49.1	37.8	31.2	25.1	19.9	16.3	34.7	134.	311.
		5	79.1	67.1	59.8	54.7	44.4	33.9	28.1	22.1	17.5	14.0	30.3	-115.	407.
725	2	1	43.0	36.3	32.3	29.4	23.5	17.8	14.6	11.6	9.1	7.4	1300.0	-276.	1100.
		2	70.6	60.5	54.3	49.8	40.3	30.9	25.4	20.3	16.0	13.3	116.6	156.	296.
		3	76.7	66.0	59.4	54.6	44.1	33.9	27.9	22.6	17.9	14.7	51.0	173.	258.
		4	72.5	62.2	55.9	51.3	41.3	31.8	26.3	21.0	16.5	13.6	40.6	-118.	344.
		5	70.8	60.9	54.4	50.8	40.6	31.3	25.8	20.6	16.1	13.4	29.1	-53.	370.
750	2	1	68.1	57.9	51.8	47.5	38.3	29.1	23.9	19.1	15.1	12.4	498.8	173.	401.
		2	82.4	70.8	63.7	58.6	47.6	36.6	30.2	24.2	19.1	15.8	77.8	144.	188.
		3	80.3	68.9	62.0	56.9	46.2	35.5	29.2	23.4	18.5	15.2	61.7	-104.	297.
		4	73.3	62.6	55.9	51.2	41.8	31.8	26.2	21.2	16.5	13.7	36.7	-54.	295.
		5	80.1	69.1	62.5	56.9	46.0	35.5	28.9	22.9	18.4	14.9	24.7	171.	298.
775	2	1	86.2	74.3	66.8	61.4	49.9	38.4	31.7	25.5	20.1	16.7	181.7	55.	139.
		2	87.8	75.7	68.0	62.5	50.8	39.1	32.3	25.9	20.4	16.9	120.1	-76.	275.

		3	70.9	61.0	54.7	50.0	40.7	31.2	25.8	20.6	16.2	13.5	53.1	-24.	243.
		4	80.9	69.5	62.4	57.1	46.3	35.3	28.9	23.2	18.2	15.0	33.3	151.	254.
		5	84.3	72.4	65.5	59.8	48.0	36.9	30.5	24.3	19.1	15.8	19.9	61.	229.
800	2	1	91.3	78.9	71.0	65.2	53.0	40.9	33.7	27.1	21.5	17.7	459.3	-93.	379.
		2	77.0	66.4	59.8	54.8	44.4	34.1	28.2	22.4	17.7	14.6	115.5	-41.	286.
		3	98.1	84.7	76.2	69.8	56.6	43.4	35.6	28.5	22.5	18.5	36.0	177.	178.
		4	94.2	80.8	72.6	66.6	53.9	41.3	34.0	26.6	21.0	17.3	21.4	52.	177.
		5	53.6	47.0	41.0	37.2	30.4	23.8	17.8	15.0	13.7	10.3	14.0	-17.	173.
825	2	1	57.8	49.6	44.2	40.6	32.7	25.0	20.6	16.4	12.9	10.6	546.1	-58.	489.
		2	97.6	84.2	75.6	69.6	56.5	43.4	35.8	28.7	22.6	18.7	71.2	169.	192.
		3	98.1	84.4	75.7	69.7	56.3	43.2	35.6	28.4	22.4	18.5	36.6	66.	196.
		4	62.5	54.6	49.1	44.9	35.6	26.3	21.7	17.0	14.4	10.4	21.3	-16.	190.
		5	58.0	48.9	43.4	40.8	33.4	26.1	21.3	18.4	12.4	11.2	25.8	-1.	347.
850	2	1	91.9	79.1	71.3	65.2	53.0	40.8	33.7	27.0	21.3	17.6	406.8	177.	375.
		2	97.1	83.5	75.2	68.9	55.9	42.9	35.2	28.2	22.2	18.3	80.2	40.	222.
		3	71.7	61.6	55.5	50.7	41.1	31.4	25.9	20.7	16.3	13.4	57.7	6.	319.
		4	58.2	50.2	45.3	41.5	33.6	25.7	21.0	16.5	13.2	10.8	44.6	6.	412.
		5	68.2	59.1	53.0	48.4	38.9	28.6	24.6	19.8	15.2	12.0	41.6	9.	576.
875	2	1	74.4	63.6	57.0	52.2	42.1	32.2	26.4	21.1	16.6	13.6	286.4	35.	249.
		2	48.7	41.7	37.2	34.1	27.4	20.9	17.2	13.7	10.7	8.8	149.0	1.	389.
		3	38.3	32.9	29.3	26.8	21.6	16.5	13.5	10.8	8.5	7.0	99.5	25.	519.
		4	51.4	43.8	39.2	36.0	28.9	22.0	18.0	14.2	11.1	9.1	74.4	-11.	648.
		5	52.4	44.8	40.2	36.6	29.5	22.9	18.4	14.9	11.8	9.6	35.6	6.	465.
900	2	1	35.3	29.9	26.7	24.4	19.5	14.8	12.1	9.6	7.5	6.1	413.2	-19.	360.
		2	43.1	36.7	32.8	29.9	24.1	18.3	15.0	11.9	9.4	7.7	166.8	4.	436.
		3	54.3	46.2	41.4	37.9	30.5	23.3	19.1	15.2	12.0	9.8	130.2	38.	670.
		4	51.9	44.4	39.9	36.7	29.6	22.7	18.4	14.7	11.7	9.8	41.2	-11.	359.
925	2	1	37.6	31.5	28.1	25.6	20.4	15.4	12.6	10.0	7.8	6.4	467.8	11.	699.
		2	49.3	41.4	37.1	33.8	27.0	20.4	16.7	13.3	10.4	8.5	165.0	20.	740.
		3	47.7	40.1	35.8	32.7	26.3	20.2	16.4	13.3	10.5	8.4	49.3	-8.	441.
950	2	1	32.1	27.4	23.8	21.6	17.2	12.9	10.5	8.3	6.4	5.3	427.6	22.	745.
		2	31.5	27.1	23.7	21.5	17.4	13.2	10.8	8.7	6.6	5.5	103.5	-10.	541.
975	2	1	22.3	18.6	16.4	15.2	11.9	9.0	7.3	5.8	4.5	3.6	301.1	-12.	590.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA - TESTALINDEN GRID

INDEX FILE : A:900N.IND
DATA FILE : A:900N.DAT

LINE NO. : 900

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
25	2	1	99.6	85.8	77.2	71.0	57.7	44.3	36.5	29.4	23.1	19.1	31.9	41.	33.
		2	82.2	70.8	63.6	58.4	47.2	36.2	29.7	23.7	18.5	15.2	23.2	-226.	73.
		3	95.4	82.2	73.8	67.5	54.6	41.6	33.9	26.9	20.7	16.9	9.0	217.	56.
		4	100.2	86.5	77.3	70.3	57.0	43.0	35.2	27.5	21.2	17.0	4.3	82.	45.
		5	71.6	61.6	55.5	50.6	41.0	29.4	22.4	15.9	12.6	9.9	4.1	-71.	65.
50	2	1	94.1	80.9	72.9	66.7	54.2	41.6	34.3	27.5	21.7	17.9	222.8	-237.	82.
		2	96.3	82.8	74.6	68.3	55.5	42.5	35.0	27.9	21.8	17.8	37.1	188.	41.
		3	100.7	86.8	78.3	71.7	58.2	44.4	36.3	28.9	22.4	18.3	15.6	97.	34.
		4	74.3	64.0	57.6	52.3	42.3	31.7	26.1	20.0	14.9	11.6	13.4	-63.	49.
		5	82.3	71.0	64.1	58.1	47.1	35.3	28.3	22.3	16.8	13.3	13.8	85.	76.
75	2	1	100.7	86.5	77.8	71.3	57.9	44.5	36.8	29.5	23.4	19.4	86.4	153.	27.
		2	106.9	92.2	83.2	76.2	61.9	47.6	39.6	31.6	24.9	20.6	21.5	99.	20.
		3	80.7	69.4	62.5	57.3	46.6	36.0	29.8	24.1	19.3	16.0	22.5	7.	42.
		4	88.8	76.2	68.6	62.6	51.2	39.4	32.8	26.6	21.4	17.8	16.8	7.	53.
		5	108.4	92.2	86.3	77.9	70.7	55.6	42.7	38.5	30.1	25.9	3.2	-168.	15.
100	2	1	80.1	68.5	61.6	56.6	45.7	35.1	28.9	23.1	18.2	15.0	108.9	91.	71.
		2	83.1	71.3	64.1	58.9	47.7	36.6	30.4	24.2	18.9	15.6	28.5	-10.	56.
		3	91.0	78.4	70.6	65.0	52.9	40.5	33.7	27.5	22.3	18.5	14.5	9.	56.
		4	110.8	94.8	81.7	72.2	64.4	56.4	41.7	33.7	27.7	20.0	2.6	-159.	17.
		5	106.2	91.5	88.9	80.7	63.0	41.2	41.2	32.2	24.6	22.6	3.0	-74.	30.
125	2	1	68.6	58.7	52.8	48.3	39.2	30.1	24.8	19.9	15.7	13.0	540.8	-34.	269.
		2	80.5	69.3	62.4	57.3	46.4	35.7	29.5	23.8	18.9	15.8	56.0	-25.	84.
		3	93.1	80.1	72.6	66.8	54.3	42.0	34.8	28.1	22.4	18.8	9.6	-106.	29.
		4	92.4	79.6	71.8	66.3	53.6	41.5	34.7	28.1	22.7	19.1	10.1	-97.	50.
		5	104.8	93.1	82.9	72.7	56.2	40.9	37.5	28.7	26.0	22.7	3.4	252.	25.
150	2	1	67.4	57.7	51.9	47.5	38.5	29.6	24.4	19.5	15.4	12.7	171.8	-45.	101.

		2	91.1	78.6	70.9	65.0	52.9	40.8	33.6	27.1	21.4	17.8	17.3	-131.	31.
		3	92.1	79.8	72.4	66.2	52.3	39.8	32.8	26.5	20.4	16.2	16.0	-85.	56.
		4	94.0	77.5	69.6	65.3	60.7	49.0	42.0	33.4	30.4	28.8	2.9	265.	17.
		5	61.7	51.9	52.8	35.2	38.6	20.8	9.9	14.4	6.1	7.8	1.8	171.	16.
175	2	1	78.8	67.9	61.2	56.3	45.8	35.3	29.1	23.4	18.5	15.2	97.7	-63.	51.
		2	85.8	73.6	66.2	61.0	49.3	37.8	31.2	25.0	19.7	16.3	65.8	-175.	103.
		3	99.4	85.2	76.5	70.6	57.0	43.7	36.0	28.9	22.8	18.9	6.8	355.	21.
		4	52.2	44.4	39.2	37.5	29.9	22.9	18.6	14.8	11.6	10.4	4.1	111.	21.
		5	40.2	34.0	29.8	27.8	21.5	15.9	13.1	10.4	9.1	7.3	5.6	-19.	44.
200	2	1	94.8	81.6	73.5	67.5	54.8	42.2	34.8	27.9	22.0	18.2	145.1	-206.	75.
		2	84.8	73.0	65.8	60.3	49.0	37.4	30.7	23.8	18.9	15.5	4.9	374.	8.
		3	52.4	44.7	39.7	36.3	29.2	21.9	17.9	13.8	10.7	8.8	7.5	94.	24.
		4	43.1	36.2	31.7	28.2	22.7	16.7	13.6	10.1	7.5	5.9	5.5	-25.	29.
		5	51.9	44.2	39.0	36.2	29.1	20.9	17.5	13.1	10.2	7.7	12.5	-21.	97.
225	2	1	82.5	70.8	63.6	58.6	47.4	36.4	30.0	24.0	18.9	15.9	25.3	348.	10.
		2	62.9	53.7	48.3	44.1	35.7	27.2	22.3	17.8	14.1	11.6	29.0	108.	35.
		3	55.0	46.7	41.8	38.1	30.9	23.3	19.2	15.4	12.2	10.1	20.1	-44.	48.
		4	58.2	49.4	44.5	40.4	33.2	24.9	20.6	16.6	13.2	11.1	18.7	7.	75.
		5	76.3	65.9	58.8	53.7	44.1	33.8	27.8	22.4	17.9	14.5	10.9	-124.	65.
250	2	1	48.2	41.0	36.9	34.0	27.3	20.9	17.2	13.7	10.8	8.9	391.0	89.	157.
		2	52.5	44.5	40.1	36.7	29.5	22.5	18.4	14.7	11.5	9.4	97.6	-50.	118.
		3	67.2	57.4	51.7	47.5	38.4	29.4	24.3	19.4	15.3	12.7	63.6	0.	153.
		4	85.3	73.1	66.0	60.5	49.2	37.9	31.4	25.2	20.0	16.6	24.2	-110.	97.
		5	99.9	86.2	77.0	69.9	58.4	44.9	36.5	30.0	23.6	19.5	13.4	-314.	80.
275	2	1	21.3	17.8	15.8	14.3	11.3	8.5	6.9	5.5	4.3	3.5	921.9	-48.	459.
		2	33.5	28.7	25.7	23.5	18.9	14.5	11.8	9.4	7.4	6.1	269.6	-22.	403.
		3	63.3	54.6	49.1	45.1	36.5	28.0	23.1	18.5	14.7	12.2	80.0	-121.	238.
		4	81.8	70.7	63.5	58.2	47.5	36.7	30.2	24.1	19.1	15.9	30.8	-274.	153.
		5	126.6	109.1	98.1	90.6	74.2	56.5	44.9	37.9	29.7	25.5	6.5	209.	48.
300	2	1	27.2	23.4	20.8	19.1	15.2	11.6	9.4	7.5	5.9	4.8	1831.0	-48.	1000.
		2	55.0	47.4	42.6	39.2	31.7	24.5	20.2	16.2	12.8	10.6	364.4	-122.	602.
		3	71.1	61.4	55.3	50.8	41.2	31.7	26.1	21.0	16.7	13.7	110.7	-243.	360.
		4	114.1	98.0	87.8	81.7	65.5	50.9	41.8	33.5	26.5	22.0	15.7	196.	86.
		5	111.5	111.3	92.2	68.6	66.8	48.5	33.4	31.0	19.9	14.4	13.1	23.	107.
325	2	1	76.2	65.5	59.1	54.3	44.3	34.2	28.3	22.8	18.1	15.0	608.6	-180.	516.
		2	88.5	76.3	68.8	63.1	51.4	39.7	32.8	26.4	20.9	17.3	129.0	-165.	328.
		3	117.5	101.7	91.9	84.5	68.9	53.2	44.1	35.4	28.0	23.2	18.3	188.	92.
		4	104.0	88.0	78.7	71.0	58.4	45.8	38.7	30.1	23.9	19.2	13.5	20.	114.
		5	98.3	85.1	75.8	69.5	54.9	40.9	34.7	27.4	21.2	18.4	11.8	144.	150.
350	2	1	96.4	83.3	75.1	69.2	56.4	43.6	36.1	29.1	23.0	19.1	475.8	-12.	292.
		2	113.7	98.4	88.6	81.6	66.4	51.2	42.2	33.9	26.8	22.1	59.5	124.	110.
		3	100.8	86.8	77.9	71.6	58.0	44.5	36.5	29.1	22.9	18.8	46.9	0.	172.

		4	90.8	78.0	69.9	64.1	51.8	39.7	32.6	26.0	20.3	16.7	34.7	156.	213.
		5	77.5	66.8	59.6	56.1	43.6	34.3	27.7	22.0	17.0	14.7	23.4	33.	216.
375	2	1	106.4	91.8	82.6	76.0	61.7	47.5	39.2	31.5	24.9	20.6	139.5	98.	78.
		2	97.3	83.7	75.1	68.9	55.8	42.7	35.1	28.1	22.0	18.2	86.9	-20.	146.
		3	89.4	76.7	68.8	63.2	51.1	39.0	32.1	25.5	20.1	16.5	73.6	188.	246.
		4	72.8	62.4	55.9	51.3	41.5	31.7	26.1	20.7	16.3	13.5	27.5	8.	154.
		5	110.2	105.5	65.7	56.8	52.7	38.9	38.4	28.7	24.3	18.2	6.1	-153.	52.
400	2	1	80.4	68.8	61.9	56.6	45.8	35.1	28.8	23.1	18.2	15.0	408.8	-8.	279.
		2	97.6	83.9	75.5	69.1	56.0	43.0	35.3	28.3	22.7	18.4	148.4	184.	303.
		3	85.2	73.1	65.9	60.4	48.9	37.5	30.8	24.6	19.4	15.9	41.7	-9.	170.
		4	113.0	97.2	86.7	80.0	65.3	50.3	41.6	33.4	26.6	22.3	6.7	-131.	46.
		5	102.0	87.9	79.7	70.5	58.8	45.4	37.5	30.0	23.3	19.2	10.1	84.	103.
425	2	1	61.2	51.9	46.8	42.7	34.4	26.2	21.5	17.1	13.5	11.0	483.4	146.	370.
		2	67.5	57.8	52.0	47.5	38.4	29.4	24.2	19.4	15.2	12.5	80.3	-95.	184.
		3	108.7	93.8	84.7	77.8	63.4	48.9	40.4	32.5	25.7	21.3	10.6	-26.	48.
		4	98.6	84.9	76.8	70.4	57.3	44.0	35.9	29.2	22.9	18.6	13.5	56.	103.
		5	99.4	85.0	76.8	70.0	57.2	43.7	36.1	28.5	22.3	18.8	11.2	-73.	128.
450	2	1	41.9	35.3	31.4	28.5	22.7	17.2	14.0	11.1	8.6	7.0	914.7	-101.	1148.
		2	84.5	72.4	65.0	59.6	48.2	36.9	30.3	24.3	19.2	15.8	78.6	-19.	296.
		3	80.2	68.8	61.9	56.7	45.9	35.1	28.9	23.1	18.1	14.9	77.8	2.	585.
		4	83.0	71.1	63.9	58.5	47.3	36.3	29.7	23.7	18.7	15.4	27.5	-16.	345.
		5	82.6	70.5	63.4	58.0	46.8	35.4	29.4	23.2	18.0	15.2	9.6	123.	181.
475	2	1	72.9	62.2	55.8	51.3	41.5	31.8	26.2	21.0	16.5	13.7	658.3	26.	350.
		2	60.3	51.3	46.2	42.3	34.2	26.2	21.5	17.1	13.4	11.1	493.2	-90.	787.
		3	68.7	58.8	53.0	48.6	39.3	30.1	24.8	20.0	15.8	13.0	128.3	45.	400.
		4	68.6	58.5	52.4	48.1	38.9	29.8	24.5	19.6	15.5	12.8	49.0	129.	260.
		5	66.3	55.0	48.3	44.1	36.0	29.1	22.7	18.2	14.8	12.0	33.8	98.	270.
500	2	1	62.4	53.5	47.8	43.7	35.4	27.1	22.3	17.8	14.0	11.5	764.7	-91.	521.
		2	69.9	60.2	54.0	49.4	40.2	30.8	25.4	20.4	16.1	13.3	183.8	42.	376.
		3	68.7	58.9	52.7	48.2	39.0	29.8	24.4	19.5	15.2	12.5	64.1	135.	262.
		4	64.0	54.8	49.1	44.8	36.0	27.4	22.3	17.7	13.7	11.3	39.3	94.	268.
		5	55.0	46.6	41.8	38.1	30.8	23.6	19.3	14.6	12.0	9.6	60.6	-8.	620.
525	2	1	58.2	50.0	44.6	41.1	33.3	25.5	21.0	16.9	13.3	11.0	1103.0	13.	550.
		2	72.4	62.4	55.8	50.8	41.2	31.5	25.9	20.7	16.2	13.4	123.9	123.	188.
		3	65.3	56.0	50.1	46.0	37.0	28.2	23.1	18.4	14.3	11.7	72.9	99.	221.
		4	57.0	48.7	43.4	39.8	32.0	24.3	19.8	15.7	12.1	9.9	91.0	2.	461.
		5	107.2	91.9	82.2	75.4	60.7	46.6	38.2	30.2	23.8	18.9	16.6	77.	126.
550	2	1	92.0	79.2	71.0	65.2	52.8	40.6	33.4	26.8	21.1	17.4	377.0	109.	328.
		2	71.8	61.7	55.2	50.7	40.9	31.3	25.7	20.5	16.1	13.3	124.5	96.	325.
		3	61.9	53.2	47.6	43.7	35.3	27.0	22.2	17.7	13.9	11.5	111.2	14.	580.
		4	110.2	95.2	85.7	78.9	64.2	49.4	40.8	32.9	25.9	21.5	18.6	84.	161.
		5	70.4	60.7	54.5	50.1	40.6	31.3	25.8	20.9	16.8	13.9	21.3	44.	278.

575	2	1	62.9	53.6	47.9	43.8	35.3	26.9	22.0	17.5	13.7	11.3	684.2	79.	477.
		2	57.8	49.2	44.0	40.1	32.3	24.6	20.1	16.0	12.5	10.3	303.4	-1.	635.
		3	102.0	87.9	78.9	72.4	58.7	45.1	37.1	29.7	23.3	19.2	45.7	91.	190.
		4	65.0	55.6	49.7	45.6	36.5	27.6	22.6	17.9	13.9	11.4	37.9	32.	264.
		5	66.3	57.0	50.7	46.5	37.6	28.7	23.5	18.4	14.4	11.8	25.3	-23.	264.
600	2	1	67.8	57.8	51.6	47.2	38.1	29.0	23.8	19.0	14.9	12.3	1037.0	-7.	630.
		2	112.6	97.2	87.5	80.4	65.3	50.2	41.4	33.2	26.2	21.6	102.8	69.	189.
		3	77.2	66.3	59.6	54.4	44.0	33.7	27.7	22.1	17.4	14.3	92.1	28.	339.
		4	74.5	64.0	57.4	52.6	42.7	32.8	27.0	21.7	17.2	14.2	43.1	2.	265.
		5	110.8	95.2	86.0	78.0	64.2	47.8	40.8	32.9	26.3	21.1	25.9	-56.	239.
625	2	1	86.3	74.3	66.5	61.2	49.4	37.9	31.1	24.9	19.6	16.2	406.0	75.	289.
		2	59.7	51.3	45.8	42.1	33.8	25.8	21.1	16.8	13.2	10.8	186.4	16.	399.
		3	64.0	55.0	49.2	45.3	36.6	28.0	22.9	18.4	14.5	12.0	79.2	11.	338.
		4	100.1	86.6	77.6	71.5	58.0	44.6	36.7	29.4	23.0	18.9	39.8	-75.	283.
		5	108.2	93.8	84.5	77.3	62.6	48.4	40.2	32.7	25.6	21.3	19.2	38.	205.
650	2	1	64.2	54.8	49.0	44.9	36.2	27.6	22.6	18.1	14.2	11.6	1333.0	9.	570.
		2	69.9	59.9	53.7	49.2	39.8	30.5	25.1	20.1	15.8	13.0	333.4	-5.	430.
		3	103.0	88.7	79.7	73.3	59.5	45.8	37.8	30.3	23.9	19.7	141.8	-66.	360.
		4	114.6	99.0	89.4	82.1	66.8	51.7	42.7	34.4	27.3	22.6	53.4	50.	229.
		5	82.4	70.0	63.6	58.1	47.8	36.3	32.4	24.7	20.5	16.5	30.0	16.	193.
675	2	1	56.9	48.7	43.6	40.1	32.2	24.6	20.2	16.1	12.7	10.4	730.4	-19.	337.
		2	99.1	85.2	76.6	70.9	56.8	43.7	35.9	28.7	22.6	18.7	186.2	-74.	257.
		3	114.3	98.8	89.0	81.8	66.5	51.2	42.2	33.8	26.7	22.0	71.0	73.	196.
		4	77.9	66.8	59.4	54.5	43.7	33.2	27.3	22.0	16.8	14.1	35.4	13.	163.
		5	77.8	66.2	60.6	54.8	44.8	34.3	27.7	20.6	18.5	14.1	24.4	-25.	169.
700	2	1	77.1	65.9	59.3	54.9	44.1	33.8	27.9	22.2	17.6	14.5	385.8	-65.	252.
		2	99.5	85.9	77.3	71.4	58.0	44.7	37.0	29.7	23.4	19.5	112.5	92.	220.
		3	63.6	54.3	48.8	44.8	36.0	27.5	22.5	17.9	14.1	11.6	49.0	-21.	191.
		4	68.2	58.9	52.9	48.5	38.8	29.9	24.8	20.0	15.6	13.2	25.7	7.	167.
		5	75.8	61.1	55.7	52.7	42.9	33.6	25.6	21.1	16.9	13.9	23.2	-65.	227.
725	2	1	107.2	92.6	83.4	76.6	62.4	48.1	39.7	31.9	25.2	20.8	567.3	68.	323.
		2	72.8	62.4	56.0	51.3	41.4	31.6	26.0	20.7	16.2	13.4	169.6	-15.	290.
		3	77.6	66.8	60.1	55.1	44.7	34.3	28.3	22.7	17.9	14.7	76.6	6.	261.
		4	82.8	71.1	64.0	58.8	47.7	36.7	30.2	24.2	19.1	15.9	51.4	-57.	293.
		5	85.2	73.4	66.3	61.1	49.6	38.3	31.7	25.4	20.1	16.7	39.8	-24.	341.
750	2	1	71.1	61.2	54.6	50.1	40.4	30.9	25.3	20.2	15.8	13.0	840.2	-58.	361.
		2	76.4	66.0	59.2	54.3	44.0	33.8	27.8	22.3	17.5	14.4	264.2	18.	340.
		3	85.1	73.5	65.8	60.5	49.0	37.6	30.9	24.7	19.4	16.0	144.9	-80.	370.
		4	89.0	76.9	68.9	63.4	51.3	39.4	32.4	25.9	20.3	16.7	87.9	7.	378.
		5	93.1	80.4	72.0	66.5	53.6	41.1	33.6	26.8	21.1	17.3	50.7	-6.	327.
775	2	1	50.4	42.8	38.2	35.2	28.3	21.6	17.7	14.1	11.1	9.1	1296.0	-3.	730.
		2	67.4	57.6	51.6	47.6	38.3	29.3	24.1	19.3	15.2	12.5	401.2	-84.	687.

		3	80.7	69.5	62.6	57.7	47.0	36.3	30.0	24.2	19.1	15.9	175.5	7.	590.
		4	91.9	79.2	71.3	65.9	53.8	41.7	34.6	27.9	22.2	18.4	70.3	0.	401.
		5	78.6	67.7	61.3	56.5	46.2	36.0	29.9	24.0	19.0	15.9	86.0	79.	736.
800	2	1	54.5	46.3	41.3	37.7	30.3	23.0	18.8	15.0	11.7	9.6	1327.0	-125.	750.
		2	73.4	62.8	56.4	51.7	41.8	32.0	26.4	21.1	16.6	13.6	387.3	-48.	663.
		3	85.1	73.1	65.8	60.3	49.0	37.6	30.9	24.7	19.5	16.0	110.0	98.	370.
		4	65.1	55.6	49.9	45.7	36.8	28.0	22.9	18.2	14.3	11.7	138.9	65.	790.
		5	51.2	43.4	38.8	35.5	28.4	21.5	17.7	14.0	10.8	8.9	73.2	-58.	627.
825	2	1	65.6	56.0	50.4	45.8	37.1	28.5	23.4	18.7	14.7	12.1	1216.0	-71.	930.
		2	87.3	75.1	67.8	62.0	50.4	38.9	32.0	25.7	20.1	16.5	183.5	75.	421.
		3	57.2	48.8	44.0	39.8	32.2	24.6	20.0	16.0	12.6	10.4	232.2	86.	1060.
		4	42.3	35.7	32.3	29.0	23.3	17.8	14.5	11.5	9.0	7.3	107.2	-49.	820.
		5	63.2	54.2	48.8	43.3	35.2	27.2	21.6	18.3	14.3	11.7	22.1	-88.	253.
850	2	1	79.5	68.0	61.3	56.2	45.5	34.9	28.7	23.0	18.0	14.8	318.7	-7.	357.
		2	50.1	42.8	38.3	35.1	28.4	21.8	18.0	14.6	11.6	9.6	318.5	43.	1071.
		3	35.5	30.2	26.9	24.5	19.7	14.9	12.2	9.7	7.6	6.3	128.4	-58.	860.
		4	54.3	46.4	41.5	38.3	30.6	23.2	19.1	15.7	12.5	10.3	21.8	-58.	244.
		5	71.2	60.2	53.7	49.9	40.4	31.6	26.2	19.9	16.2	13.4	18.3	66.	307.
875	2	1	71.3	61.2	55.0	50.5	40.9	31.5	26.0	20.8	16.4	13.6	674.5	32.	847.
		2	50.7	43.3	38.8	35.6	28.6	21.9	17.9	14.3	11.3	9.3	226.2	-50.	852.
		3	61.0	52.2	46.8	42.9	34.5	26.4	21.7	17.3	13.6	11.2	35.0	-51.	263.
		4	72.9	62.3	55.7	51.1	41.4	31.6	25.8	20.9	16.2	13.5	25.8	51.	324.
900	2	1	66.0	56.0	50.9	46.3	37.5	28.8	23.7	18.9	14.9	12.3	362.3	-62.	632.
		2	66.6	56.6	51.2	46.7	37.7	28.9	23.7	18.9	14.7	11.9	41.9	-25.	219.
		3	75.6	64.4	58.4	52.5	42.7	32.5	26.3	20.8	16.1	13.0	31.1	57.	324.
925	2	1	74.2	63.4	57.1	52.4	42.5	32.6	26.9	21.6	17.0	14.1	142.2	-31.	223.
		2	77.2	65.7	59.1	54.1	43.7	33.4	27.6	22.0	17.3	14.2	63.3	54.	298.
950	2	1	83.4	72.0	64.7	59.2	48.1	37.0	30.6	24.8	19.6	16.2	78.0	53.	188.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA - TESTALINDEN GRID

INDEX FILE : A:1000N.IND
DATA FILE : A:1000N.DAT

LINE NO. : 1000

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
25	2	1	81.7	70.1	63.1	58.0	47.1	36.2	29.9	24.0	19.0	15.7	294.8	-39.	128.
		2	194.3	173.0	159.5	148.8	124.4	98.8	83.1	******	54.9	45.9	2.3	75.	3.
		3	87.4	75.0	67.6	62.3	50.5	38.8	32.0	25.7	20.3	16.7	99.3	-76.	259.
		4	109.9	94.5	85.4	78.7	64.0	49.2	40.9	32.8	26.0	21.5	28.3	-62.	123.
		5	103.9	88.4	78.9	72.9	59.3	46.1	36.5	30.3	24.0	19.3	8.0	53.	53.
50	2	1	91.8	79.6	72.2	66.4	54.3	42.1	34.9	28.2	22.4	18.6	80.2	10.	31.
		2	78.2	67.0	60.4	55.3	44.8	34.4	28.4	22.7	17.9	14.8	174.0	-110.	204.
		3	105.6	90.9	82.0	75.3	61.2	47.1	38.8	31.1	24.6	20.4	40.8	-27.	95.
		4	100.7	88.0	77.4	71.0	57.2	44.3	36.1	28.9	22.6	18.5	10.8	48.	42.
		5	76.5	65.9	59.2	54.4	43.9	33.0	27.6	21.7	16.8	14.0	27.4	-168.	161.
75	2	1	59.8	50.7	45.3	41.3	33.1	25.2	20.6	16.4	12.8	10.5	464.2	-144.	208.
		2	100.0	86.2	77.6	71.2	57.8	44.5	36.7	29.5	23.5	19.4	61.9	-27.	83.
		3	100.3	86.1	77.5	71.0	57.6	44.2	36.5	29.3	23.2	19.3	19.4	62.	52.
		4	70.4	60.4	54.3	49.5	40.2	30.8	25.4	20.4	16.2	14.1	20.8	-177.	93.
		5	90.5	78.5	70.5	64.4	52.4	39.9	33.4	27.3	21.9	19.3	9.2	451.	62.
100	2	1	112.2	97.2	87.5	80.5	65.7	50.7	41.8	33.7	26.6	22.0	137.5	-31.	67.
		2	109.5	94.6	85.0	78.2	63.6	48.9	40.3	32.2	25.4	20.9	22.6	47.	33.
		3	72.8	62.8	56.1	51.6	41.5	31.7	25.8	20.6	15.8	12.7	20.8	-79.	61.
		4	91.4	79.1	70.5	64.3	51.7	37.9	30.8	22.9	16.4	12.5	7.1	371.	35.
		5	62.4	54.6	48.6	44.4	35.2	26.3	20.6	15.6	12.5	9.0	10.0	-82.	73.
125	2	1	75.7	64.8	58.4	53.4	43.2	33.2	27.3	21.9	17.3	14.2	469.8	76.	295.
		2	84.7	72.7	65.5	59.9	48.5	37.2	30.5	24.5	19.4	16.0	44.4	-12.	84.
		3	104.0	90.3	82.0	74.1	60.6	46.4	38.0	30.5	24.1	20.2	10.6	251.	39.
		4	69.8	59.8	54.0	48.8	39.3	29.9	24.1	19.7	15.4	12.8	10.9	-68.	68.
		5	83.8	70.0	63.6	58.8	46.5	28.4	30.9	22.2	17.6	13.5	5.4	-257.	51.
150	2	1	84.6	72.5	65.1	59.6	48.2	36.9	30.4	24.3	19.2	15.8	321.4	-38.	108.

		2	114.7	99.0	89.4	82.2	66.9	51.6	42.6	34.3	27.2	22.5	39.3	227.	40.
		3	80.8	69.3	62.4	57.1	46.3	35.5	29.3	23.4	18.5	15.3	30.9	-46.	62.
		4	87.0	74.8	67.3	61.8	49.8	38.3	31.5	25.4	20.1	16.5	13.0	-253.	43.
		5	139.7	116.6	107.4	96.8	82.1	64.1	53.8	43.0	33.9	29.5	1.8	299.	9.
175	2	1	92.5	79.6	71.5	65.8	53.2	41.0	33.7	27.2	21.4	17.6	241.1	134.	116.
		2	84.2	72.5	65.2	60.0	48.6	37.4	30.8	24.7	19.5	16.1	83.3	-82.	121.
		3	91.4	78.9	71.1	65.6	53.2	41.1	34.1	27.9	22.0	18.1	16.8	-211.	48.
		4	136.5	118.2	108.0	99.3	83.1	64.3	52.8	40.7	34.2	28.5	2.5	291.	12.
		5	112.5	102.3	89.4	88.9	63.4	53.7	34.8	34.6	23.8	21.9	4.4	-428.	32.
200	2	1	36.5	30.9	27.9	25.5	20.5	15.7	12.7	10.3	8.1	6.6	581.8	-104.	702.
		2	55.8	48.1	43.5	39.4	32.1	24.6	20.6	16.2	12.5	10.5	49.2	-228.	178.
		3	100.5	87.4	78.5	71.5	58.2	44.8	36.2	29.0	21.8	17.0	4.1	318.	30.
		4	92.6	78.6	70.6	64.1	51.1	38.9	31.5	24.5	18.8	15.6	4.5	-432.	54.
		5	58.9	56.2	43.7	39.4	37.8	19.9	14.3	12.2	3.9	-2.9	1.2	383.	22.
225	2	1	53.5	46.0	41.3	38.0	30.8	23.7	19.5	15.7	12.4	10.2	744.7	-113.	251.
		2	90.2	77.9	70.1	64.4	52.3	40.3	33.3	26.8	21.2	17.5	54.1	194.	55.
		3	90.5	77.6	69.7	64.0	51.8	39.7	32.7	26.2	20.6	16.9	36.7	-477.	74.
		4	68.7	59.0	52.7	48.8	39.1	29.7	24.4	19.3	15.0	12.6	8.1	416.	27.
		5	51.2	43.8	39.2	36.2	28.9	22.0	18.2	14.5	11.2	9.2	16.5	138.	83.
250	2	1	77.6	66.4	59.8	54.7	44.3	34.0	28.0	22.4	17.8	14.6	168.4	136.	53.
		2	82.9	70.8	63.8	58.4	47.3	36.2	29.8	23.8	18.7	15.5	59.7	-499.	56.
		3	55.1	46.8	42.1	38.4	30.5	23.2	18.9	15.4	12.2	9.7	22.0	492.	41.
		4	40.5	34.2	30.7	28.0	22.4	17.1	13.9	11.2	8.8	7.0	25.6	90.	80.
		5	49.2	41.9	37.8	33.1	28.0	20.1	18.2	13.7	11.0	9.1	15.1	-127.	71.
275	2	1	59.5	51.3	45.8	42.2	34.3	26.3	21.7	17.3	13.7	11.3	49.9	-111.	47.
		2	54.5	46.8	42.0	38.0	30.2	23.2	19.0	15.3	11.9	10.0	9.0	188.	26.
		3	41.1	35.4	31.7	27.0	22.8	17.7	14.1	11.1	8.4	7.2	9.8	19.	56.
		4	50.1	53.9	25.3	38.9	25.8	25.6	22.9	13.2	13.0	10.7	4.3	-93.	41.
		5	87.1	61.1	81.1	56.9	52.8	31.0	25.2	25.9	16.7	15.1	3.1	36.	44.
300	2	1	52.5	45.1	40.2	37.2	29.8	22.8	18.7	15.0	11.8	9.7	91.6	165.	32.
		2	44.0	37.4	33.3	30.6	24.3	18.4	14.9	11.8	9.2	7.5	57.8	0.	60.
		3	55.0	46.9	42.0	38.6	30.8	23.5	19.2	15.4	12.1	10.5	22.7	-65.	46.
		4	91.4	78.8	71.3	65.2	52.7	40.9	33.2	27.2	21.8	16.3	9.9	27.	34.
		5	76.5	66.0	57.5	51.2	42.5	32.4	26.6	20.8	16.3	13.9	13.7	0.	70.
325	2	1	61.4	52.6	47.2	43.1	35.0	26.8	22.0	17.6	13.9	11.4	1245.0	-11.	410.
		2	65.4	56.2	50.6	46.3	37.6	28.8	23.7	19.0	15.0	12.4	200.3	-61.	200.
		3	112.5	97.4	88.0	80.8	66.1	51.3	42.4	34.2	27.1	22.6	38.3	26.	76.
		4	81.3	70.4	63.6	58.2	47.3	36.5	30.2	24.3	19.2	16.1	45.4	-2.	151.
		5	97.9	81.7	76.6	69.6	54.6	41.3	35.7	28.7	23.2	20.1	13.8	-221.	68.
350	2	1	35.2	29.7	26.6	24.2	19.4	14.7	12.1	9.6	7.5	6.1	1514.0	-144.	560.
		2	74.4	63.8	57.5	52.7	42.9	33.0	27.3	21.9	17.3	14.3	192.4	95.	215.
		3	62.9	54.0	48.6	44.6	36.2	27.8	22.9	18.4	14.5	12.0	193.7	1.	430.

		4	69.3	59.3	53.3	48.9	39.8	30.5	25.1	20.1	15.9	13.2	55.5	-219.	207.
		5	116.6	94.6	89.3	84.8	70.7	54.3	41.0	36.2	28.3	25.3	9.9	26.	56.
375	2	1	86.1	73.7	66.5	61.1	49.7	38.2	31.6	25.4	20.1	16.7	1560.0	58.	475.
		2	55.0	46.9	42.3	38.8	31.4	24.0	19.8	15.8	12.4	10.2	1019.0	-5.	931.
		3	59.2	50.7	45.6	41.8	33.9	26.0	21.4	17.1	13.5	11.1	259.9	-214.	474.
		4	106.0	91.5	82.1	75.3	60.4	46.2	38.0	30.7	24.6	20.2	34.6	23.	105.
		5	139.0	116.7	106.2	96.7	80.5	64.4	45.5	37.7	29.5	27.7	10.2	-31.	46.
400	2	1	68.7	58.9	52.9	48.4	39.2	30.1	24.7	19.8	15.6	12.8	1377.0	-71.	1000.
		2	70.9	61.1	55.0	50.5	40.9	31.4	25.9	20.8	16.4	13.5	168.6	-195.	369.
		3	109.9	95.5	86.2	79.2	64.6	49.8	41.1	33.0	26.0	21.5	21.6	59.	94.
		4	136.6	118.1	106.5	98.2	80.5	61.5	50.7	40.8	32.2	26.5	8.7	-40.	63.
		5	93.4	80.3	71.0	64.4	52.7	41.0	33.5	28.3	21.2	17.8	12.2	115.	134.
425	2	1	57.3	49.2	44.2	40.3	32.9	25.2	20.9	16.7	13.2	10.9	436.9	-95.	304.
		2	105.6	91.0	81.9	75.2	61.0	46.7	38.5	30.7	24.1	20.0	42.5	-65.	89.
		3	132.2	114.3	103.1	94.7	77.3	59.6	49.1	39.6	31.4	26.0	16.4	-17.	68.
		4	94.3	80.4	71.9	66.2	54.9	42.4	35.2	28.5	22.1	18.0	17.8	140.	123.
		5	73.1	63.5	58.0	53.1	40.9	31.2	25.2	19.9	15.8	13.0	10.6	10.	110.
450	2	1	92.8	79.6	71.6	65.8	53.3	40.9	33.6	27.0	21.2	17.5	233.1	-140.	128.
		2	134.1	115.6	104.1	95.8	77.7	59.8	49.3	39.5	31.2	25.8	50.6	19.	84.
		3	96.6	83.2	74.8	68.8	55.8	42.8	35.3	28.2	22.2	18.3	49.9	180.	164.
		4	74.1	63.3	56.9	52.4	42.3	32.5	26.7	21.5	16.8	14.1	25.1	-31.	138.
		5	67.6	58.4	53.0	52.5	43.3	39.6	25.1	19.7	17.1	12.6	21.2	133.	175.
475	2	1	94.9	81.4	73.1	67.0	54.3	41.7	34.3	27.5	21.7	17.9	662.7	7.	341.
		2	90.7	78.4	70.6	64.8	52.6	40.6	33.4	26.8	21.1	17.4	153.2	181.	236.
		3	77.7	67.3	60.6	55.6	45.1	34.7	28.6	22.8	18.0	14.8	38.8	53.	119.
		4	71.6	61.5	55.2	50.5	40.7	31.3	25.7	20.5	16.2	13.3	31.8	58.	163.
		5	86.4	74.9	67.4	62.2	49.8	36.5	29.9	25.6	18.7	17.1	17.8	19.	137.
500	2	1	76.1	65.2	58.3	53.3	43.1	32.9	27.1	21.6	17.0	14.0	316.2	213.	354.
		2	71.3	61.5	55.2	50.5	41.1	31.7	26.2	20.8	16.5	13.8	16.4	-58.	55.
		3	60.9	52.4	46.8	42.8	34.4	26.3	21.7	17.2	13.5	10.9	19.4	66.	130.
		4	89.2	77.1	69.0	64.1	51.8	39.3	32.6	26.0	20.2	17.1	8.6	66.	96.
		5	101.0	90.1	80.1	73.3	59.2	41.9	40.0	25.2	14.9	22.3	8.1	113.	137.
525	2	1	46.3	39.0	34.9	32.0	25.6	19.6	16.1	12.8	10.1	8.3	309.0	36.	236.
		2	52.4	44.6	40.0	36.6	29.5	22.5	18.5	14.8	11.6	9.6	76.2	-46.	175.
		3	83.2	71.4	64.4	59.1	48.0	37.0	30.5	24.4	19.1	15.8	29.5	49.	135.
		4	99.5	84.6	76.6	69.7	56.3	43.2	35.3	28.6	22.0	19.5	12.4	133.	95.
		5	89.2	76.6	69.3	63.3	51.3	40.2	33.6	26.6	21.7	16.9	11.4	-26.	131.
550	2	1	32.8	27.4	24.3	22.1	17.6	13.2	10.7	8.5	6.6	5.4	983.5	-51.	1029.
		2	50.7	43.3	38.8	35.5	28.6	21.8	17.9	14.3	11.2	9.2	200.4	-119.	629.
		3	53.8	46.2	41.5	38.0	30.8	23.6	19.5	15.6	12.4	10.2	68.0	291.	426.
		4	58.7	50.4	45.2	41.5	33.6	25.7	21.2	16.9	13.3	11.0	27.4	-41.	286.
		5	75.0	64.5	58.0	53.1	43.2	33.1	27.2	22.2	17.3	14.3	16.0	-40.	251.

575	2	1	50.8	42.9	38.8	35.6	28.6	21.9	18.0	14.4	11.3	9.3	485.7	-126.	391.
		2	49.5	42.1	38.0	34.9	28.2	21.6	17.8	14.2	11.2	9.2	162.9	290.	393.
		3	53.5	45.5	41.0	37.6	30.3	23.1	19.1	15.2	11.9	9.8	59.4	-40.	286.
		4	71.8	61.3	55.5	50.9	41.3	31.6	26.3	21.1	16.8	14.0	26.8	-40.	215.
		5	70.7	60.6	54.8	50.3	40.6	30.9	25.5	20.3	15.9	13.0	17.7	-2.	213.
600	2	1	57.0	48.9	43.7	40.0	32.4	24.8	20.4	16.3	12.8	10.6	276.4	150.	377.
		2	55.3	47.5	42.5	39.0	31.5	24.0	19.8	15.7	12.3	10.1	58.7	-46.	241.
		3	70.8	61.1	54.6	50.0	40.7	31.2	25.9	20.5	16.1	13.3	28.8	-8.	235.
		4	68.5	59.4	52.3	47.9	39.0	29.7	24.2	19.1	14.8	12.1	14.3	-8.	195.
		5	80.5	66.9	60.7	56.9	47.5	33.6	32.3	23.6	19.0	16.6	8.3	90.	170.
625	2	1	62.6	53.7	48.2	44.1	35.7	27.4	22.5	18.0	14.2	11.7	392.7	-50.	352.
		2	81.8	70.4	63.3	57.9	47.2	36.4	30.0	24.1	19.1	15.8	117.2	-13.	315.
		3	80.0	69.0	62.1	56.8	46.2	35.5	29.2	23.5	18.4	15.2	56.5	19.	303.
		4	88.6	76.3	68.7	63.0	51.0	39.1	32.3	26.0	20.3	16.9	19.3	68.	172.
		5	96.8	83.5	75.7	69.9	56.9	43.8	36.1	29.0	22.6	18.3	11.4	-70.	153.
650	2	1	55.1	47.1	42.0	38.7	31.1	23.8	19.6	15.6	12.3	10.1	688.7	-30.	540.
		2	72.7	62.2	55.9	51.4	41.6	31.9	26.3	21.1	16.6	13.7	155.5	-8.	366.
		3	86.6	74.9	67.3	62.0	50.3	38.6	31.8	25.5	20.1	16.5	48.8	84.	229.
		4	89.9	78.2	70.1	64.3	52.3	40.0	33.1	26.4	20.8	17.1	20.6	-55.	162.
		5	87.7	72.1	62.9	57.6	49.0	35.6	30.8	24.3	18.6	14.2	13.4	-35.	157.
675	2	1	65.6	56.1	50.5	46.3	37.5	28.8	23.7	19.0	14.9	12.3	749.7	18.	273.
		2	83.2	71.5	64.3	59.0	47.8	36.7	30.2	24.2	19.1	15.8	150.7	30.	165.
		3	90.3	77.3	69.6	63.8	51.7	39.7	32.6	26.1	20.6	17.0	75.2	-74.	164.
		4	79.0	67.4	60.8	55.9	45.4	34.8	28.5	22.9	18.0	14.9	30.6	0.	111.
		5	92.4	79.2	71.7	65.3	53.0	40.8	33.6	27.0	21.2	17.4	47.2	56.	258.
700	2	1	63.8	54.3	48.9	44.7	36.2	27.7	22.8	18.2	14.3	11.8	662.9	18.	289.
		2	75.8	64.5	58.0	53.1	42.8	32.7	26.9	21.5	16.9	13.9	161.9	-84.	211.
		3	71.5	60.9	55.1	50.3	40.7	31.2	25.7	20.5	16.1	13.2	87.0	18.	227.
		4	85.8	73.6	66.2	60.7	49.2	37.7	31.1	24.9	19.6	16.3	48.0	49.	209.
		5	96.9	83.0	75.1	69.1	56.1	43.1	35.6	28.6	22.7	18.6	33.7	10.	220.
725	2	1	58.1	49.1	43.9	40.1	32.2	24.5	20.1	15.9	12.5	10.3	1113.0	-107.	470.
		2	67.4	57.5	51.6	47.3	38.3	29.3	24.1	19.3	15.1	12.5	230.5	47.	297.
		3	81.4	69.8	62.8	57.7	46.8	35.9	29.6	23.7	18.7	15.4	100.2	29.	250.
		4	95.1	81.5	73.4	67.6	54.7	42.1	34.7	27.8	22.0	18.2	66.9	18.	287.
		5	78.8	67.4	60.8	56.1	45.6	35.2	29.1	23.5	18.6	15.3	44.5	19.	287.
750	2	1	67.8	58.0	52.1	47.7	38.6	29.6	24.3	19.5	15.3	12.6	680.5	70.	281.
		2	79.5	68.4	61.5	56.4	45.8	35.2	29.0	23.2	18.3	15.1	231.4	-30.	286.
		3	95.0	81.9	73.7	67.7	55.0	42.4	35.0	28.1	22.2	18.3	130.2	28.	320.
		4	78.3	67.3	60.6	55.7	45.2	34.9	28.8	23.1	18.3	15.2	73.9	35.	305.
		5	83.0	71.5	64.4	59.1	48.1	36.9	30.6	24.6	19.4	16.2	64.5	-13.	399.
775	2	1	62.1	52.7	47.4	43.0	34.8	26.5	21.7	17.3	13.6	11.2	1164.0	-22.	790.
		2	93.2	79.7	72.0	65.7	53.4	41.0	33.8	27.1	21.3	17.6	309.3	41.	633.

		3	81.6	69.8	63.3	57.7	47.0	36.1	29.8	23.9	18.8	15.5	129.6	16.	520.
		4	82.4	70.5	63.9	58.2	47.3	36.4	29.8	23.9	18.8	15.6	82.2	-1.	561.
		5	87.9	74.6	67.9	61.4	50.4	38.2	31.9	25.4	19.8	16.4	67.5	-54.	691.
800	2	1	65.7	55.6	49.7	45.4	36.6	27.8	22.8	18.2	14.2	11.7	1639.0	4.	1110.
		2	67.8	57.9	52.1	47.7	38.7	29.6	24.4	19.5	15.3	12.6	373.5	14.	764.
		3	73.5	62.9	56.7	52.0	42.3	32.4	26.6	21.2	16.8	13.8	226.4	9.	920.
		4	83.9	71.9	64.6	59.3	48.1	36.8	30.3	24.1	19.1	15.7	108.2	-80.	730.
		5	71.4	60.2	54.1	49.5	40.3	31.7	25.3	20.6	16.1	13.5	67.4	-218.	689.
825	2	1	55.8	47.6	42.6	39.1	31.5	24.0	19.7	15.8	12.4	10.2	704.5	0.	921.
		2	63.4	54.3	48.7	44.7	36.0	27.6	22.6	18.1	14.2	11.7	278.1	18.	1091.
		3	78.5	67.5	60.7	55.8	45.1	34.5	28.4	22.7	17.9	14.7	106.0	-68.	830.
		4	67.2	57.6	51.9	47.6	38.5	29.5	24.3	19.4	15.4	12.6	50.5	-219.	660.
		5	99.6	84.3	77.6	71.3	57.9	42.6	35.0	28.6	22.7	19.1	18.0	-103.	354.
850	2	1	49.3	41.8	37.4	33.8	27.3	20.7	17.0	13.4	10.5	8.6	2022.0	-12.	1440.
		2	68.7	58.7	52.7	48.1	38.9	29.8	24.3	19.5	15.3	12.6	527.6	-76.	1129.
		3	59.6	51.1	46.0	41.8	34.0	26.0	21.5	17.1	13.5	11.1	231.6	-215.	980.
		4	92.2	79.0	71.0	65.2	53.0	40.6	33.9	26.9	21.2	17.6	66.5	-95.	474.
		5	76.2	65.3	59.2	54.1	45.1	30.5	26.0	22.4	18.1	14.5	58.4	125.	625.
875	2	1	56.3	48.1	43.1	39.6	31.8	24.3	19.9	15.9	12.5	10.2	1344.0	-86.	790.
		2	51.8	44.4	39.8	36.6	29.4	22.5	18.5	14.7	11.6	9.5	451.2	-164.	801.
		3	80.0	68.6	61.5	56.6	45.7	35.1	28.9	23.1	18.3	15.0	171.0	-115.	600.
		4	66.4	56.8	51.0	46.8	37.7	28.8	23.7	18.8	14.9	12.3	96.8	120.	573.
		5	75.5	64.7	57.9	53.2	43.0	33.0	26.3	21.9	17.3	14.2	54.2	38.	481.
900	2	1	49.5	41.8	37.2	33.9	27.1	20.5	16.7	13.2	10.3	8.4	1448.0	-209.	1330.
		2	86.1	73.6	66.1	60.6	49.0	37.5	30.9	24.7	19.5	16.1	243.2	-108.	673.
		3	65.6	56.0	50.1	45.9	37.1	28.3	23.3	18.6	14.6	12.0	150.9	173.	830.
		4	73.1	62.1	55.7	51.3	42.4	32.8	26.9	21.6	17.1	14.2	58.3	6.	538.
925	2	1	72.7	61.8	55.5	50.7	40.8	31.2	25.6	20.4	16.0	13.2	520.3	-113.	680.
		2	66.6	56.5	50.8	46.4	37.5	28.6	23.5	18.7	14.7	12.1	121.2	173.	475.
		3	71.1	60.2	54.0	49.6	40.0	30.7	25.1	20.1	15.8	13.0	63.7	7.	499.
950	2	1	73.8	62.9	56.4	51.8	41.8	32.0	26.3	21.1	16.6	13.8	166.3	174.	372.
		2	70.9	59.6	53.7	49.5	39.9	30.2	24.9	20.0	15.7	13.0	47.8	6.	321.
975	2	1	81.3	70.0	62.8	57.3	46.6	35.9	29.6	23.7	18.7	15.3	70.4	4.	245.

```
84 >     59.58    89.  5.10E+2
85 > 4:   73.2  62.8  56.8  53.4  41.7  32.5  27.3  21.5  16.6  14.0
86 >     63.62   -48.  7.26E+2
87 > 5:   66.6  48.4  45.4  38.1  38.5  24.8  14.5  13.2  16.3   9.4
88 >     23.49     8.  2.23E+2

89 > H:  100.  150.  180. 3142. 9422. 2833. 3773. 3143. 8292.    4.
90 > 1:   61.6  52.2  46.3  42.4  34.0  25.7  21.0  16.7  13.1  10.7
91 >     563.6   -43.  9.83E+2
92 > 2:   73.0  62.8  56.0  51.5  41.4  31.7  26.1  20.8  16.3  13.3
93 >     104.9    29.  5.48E+2
94 > 3:   72.1  61.8  55.3  50.7  40.9  31.3  25.7  20.5  16.0  13.2
95 >     85.04   -62.  1.337E+3
96 > 4:   48.8  40.2  36.5  33.0  28.7  22.5  19.0  13.1   9.8   8.0
97 >     27.03    20.  5.66E+2
98 > 5:   76.6  58.5  49.5  51.6  34.7  29.7  23.1  22.7  19.3  17.9
99 >     16.21    20.  2.82E+2

100 > H:  100.  175.  260. 3142. 9422. 2833. 3773. 3143. 8292.    6.
101 > 1:   64.3  54.3  48.4  44.1  35.3  26.7  21.8  17.3  13.5  11.1
102 >     834.0    22.  1.007E+3
103 > 2:   73.3  62.4  55.9  51.0  41.0  31.2  25.6  20.4  16.0  13.1
104 >     365.9   -67.  1.325E+3
105 > 3:   53.3  45.6  40.8  37.2  30.1  22.7  18.6  14.8  11.6   9.6
106 >     85.39     9.  9.29E+2
107 > 4:   68.1  58.3  51.7  47.8  38.4  28.8  23.3  19.2  15.5  12.1
108 >     41.26    23.  5.98E+2
109 > 5:   76.7  54.7  49.4  57.1  26.2   9.5   2.8  12.6  10.7  -1.4
110 >     62.86   -20.  7.59E+2

111 > H:  100.  200.  200. 3142. 9422. 2833. 3773. 3143. 8292.    6.
112 > 1:   67.0  56.7  50.5  46.1  36.9  28.0  22.9  18.2  14.2  11.7
113 >     969.7   -83.  1.522E+3
114 > 2:   53.1  45.3  40.5  37.2  29.9  22.7  18.6  14.8  11.6   9.5
115 >     149.7     9.  7.05E+2
116 > 3:   66.3  56.8  50.9  46.7  37.8  28.8  23.7  19.0  15.0  12.3
117 >     57.36    17.  8.11E+2
118 > 4:   56.6  48.1  42.9  39.3  31.5  24.0  19.7  15.6  12.2  10.0
119 >     75.94   -25.  1.431E+3
120 > 5:   70.7  59.4  53.5  48.4  38.8  29.1  23.1  19.0  14.4  11.7
121 >     29.71    11.  4.66E+2

122 > H:  100.  225.  280. 3142. 9422. 2833. 3773. 3143. 8292.    4.
123 > 1:   51.8  43.8  38.9  35.6  28.5  21.5  17.7  14.0  10.9   8.9
124 >     557.2     4.  6.24E+2
125 > 2:   67.5  57.5  51.5  47.1  38.0  29.0  23.8  19.0  14.9  12.3
126 >     160.2    16.  5.38E+2
127 > 3:   59.8  50.8  45.4  41.5  33.4  25.3  20.8  16.6  13.0  10.7
128 >     165.2   -32.  1.66E+3
129 > 4:   74.2  62.9  56.2  51.4  41.3  31.2  25.6  20.4  15.9  13.1
130 >     57.87    24.  7.79E+2
131 > 5:   77.8  66.5  59.5  54.6  43.9  33.9  27.8  22.0  17.4  14.4
132 >     26.71     9.  2.99E+2

133 > H:  100.  250.  210. 3142. 9422. 2833. 3773. 3143. 8292.    6.
134 > 1:   61.3  51.0  45.4  41.6  33.3  25.4  20.9  16.8  13.3  10.7
135 >     440.7    27.  6.58E+2
136 > 2:   60.6  52.0  46.4  42.6  34.3  26.1  21.4  17.1  13.4  11.0
137 >     310.8   -30.  1.394E+3
138 > 3:   74.6  64.2  57.4  52.7  42.4  32.3  26.5  21.1  16.5  13.6
139 >     87.28    29.  1.176E+3
140 > 4:   75.9  65.6  58.9  54.5  43.9  33.7  27.7  22.2  17.6  14.4
141 >     33.79     1.  6.06E+2
142 > 5:   85.8  73.6  66.1  59.6  48.4  36.3  29.6  25.1  19.3  15.1
143 >     24.48   -17.  3.66E+2

144 > H:  100.  275.  240. 3142. 9422. 2833. 3773. 3143. 8292.    6.
145 > 1:   65.6  55.6  49.7  45.4  36.4  27.7  22.7  18.1  14.2  11.7
146 >     626.5     2.  8.19E+2
147 > 2:   77.7  66.1  59.1  54.0  43.4  33.0  27.1  21.6  16.9  13.9
148 >     147.6    28.  5.79E+2
149 > 3:   76.2  65.4  58.8  53.9  43.6  33.5  27.5  22.0  17.4  14.3
150 >     50.69    -6.  5.97E+2
151 > 4:   85.3  73.0  65.2  59.8  48.5  37.3  30.4  24.3  19.3  16.0
152 >     33.51    -6.  5.26E+2
153 > 5:   74.3  64.1  56.6  51.6  41.1  31.6  26.6  20.5  16.0  13.0
154 >     35.79     1.  4.68E+2

155 > H:  100.  300.  240. 3142. 9422. 2833. 3773. 3143. 8292.    4.
156 > 1:   87.3  73.9  65.7  59.9  48.0  36.5  29.9  23.7  18.5  15.2
157 >     482.5    41.  6.31E+2
158 > 2:   79.2  68.1  61.0  55.9  45.3  34.7  28.6  22.8  17.9  14.8
159 >     116.1    -5.  4.55E+2
160 > 3:   87.8  75.7  67.8  62.2  50.5  38.6  31.7  25.3  19.9  16.5
161 >     56.50    -9.  6.66E+2
162 > 4:   72.3  63.0  56.5  52.4  42.4  31.6  26.7  20.8  16.5  13.8
163 >     45.21    -1.  7.10E+2
164 > 5:   64.1  54.4  48.1  42.9  35.2  28.7  21.6  18.2  14.0  11.0
165 >     21.45    30.  2.80E+2

166 > H:  100.  325.  200. 3142. 9422. 2833. 3773. 3143. 8292.    4.
167 > 1:   75.9  64.2  57.9  52.4  42.0  31.8  26.0  20.7  16.2  13.3
168 >     544.1   -18.  8.54E+2
169 > 2:   83.0  70.5  63.4  57.7  46.5  35.4  29.1  23.1  18.1  14.9
170 >     189.1    12.  8.90E+2
171 > 3:   67.6  57.6  51.6  47.1  37.9  29.0  23.9  19.0  14.9  12.2
172 >     95.56     3.  1.352E+3
173 > 4:   61.0  51.8  46.4  41.5  33.8  25.6  20.9  16.6  13.0  10.7
174 >     32.78    26.  6.17E+2
175 > 5:   64.3  54.2  48.7  43.0  35.7  26.8  22.5  17.5  14.3  11.4
176 >     18.66    -4.  2.92E+2

177 > H:  100.  350.  280. 3142. 9422. 2833. 3773. 3143. 8292.    4.
178 > 1:   83.5  68.5  60.8  55.2  44.2  33.5  27.3  21.8  17.0  14.0
179 >     537.2    -3.  6.02E+2
180 > 2:   68.0  58.7  52.8  48.2  39.0  29.8  24.4  19.5  15.3  12.6
181 >     274.9    -5.  9.24E+2
182 > 3:   63.2  55.0  49.5  45.3  36.6  27.9  22.8  18.1  14.2  11.6
183 >     69.30    24.  7.00E+2
184 > 4:   64.0  55.0  49.6  45.0  36.2  27.6  22.6  17.9  14.0  11.5
185 >     35.01     4.  4.71E+2
186 > 5:   55.6  47.9  43.0  39.0  31.3  23.9  19.5  15.6  12.0   9.9
187 >     27.48   -21.  3.08E+2

188 > H:  100.  375. 3000. 3142. 9422. 2833. 3773. 3143. 8292.    6.
189 > 1:   83.1  70.6  62.9  57.5  46.2  35.1  29.0  23.1  18.0  15.0
190 >     724.0    -2.  7.57E+1
191 > 2:   76.0  65.7  59.0  54.2  43.7  33.4  27.4  21.9  17.1  13.8
192 >     134.9    25.  4.23E+1
193 > 3:   74.5  63.9  57.0  52.3  42.0  32.0  26.2  20.9  16.4  13.5
194 >     57.54    -3.  5.42E+1
195 > 4:   63.6  54.4  48.5  44.4  35.7  27.1  22.2  17.7  13.7  11.3
196 >     39.49   -16.  4.96E+1
197 > 5:   70.8  60.7  54.2  49.7  40.0  30.5  25.0  19.8  15.6  12.9
198 >     24.92    23.  2.60E+1

199 > H:  100.  400.  150. 3142. 9422. 2833. 3773. 3143. 8292.    6.
200 > 1:   72.8  62.2  55.9  51.0  40.6  30.7  24.3  20.2  15.6  12.7
201 >     114.5    21.  2.39E+2
202 > 2:   74.0  62.8  56.3  51.6  41.4  31.6  25.8  20.5  16.1  13.3
203 >     48.55    -4.  3.048E+2
204 > 3:   67.5  57.2  51.2  46.9  37.8  28.8  23.6  18.8  14.7  12.0
205 >     27.54   -22.  5.19E+2
206 > 4:   74.3  63.3  56.8  52.2  42.0  32.0  26.2  20.9  16.4  13.5
207 >     15.64    22.  3.93E+2
208 > 5:   77.8  66.7  59.7  54.9  44.5  33.9  27.9  22.1  17.5  14.3
209 >     14.89    -8.  3.11E+2

210 > H:  100.  425.  230. 3142. 9422. 2833. 3773. 3143. 8292.    4.
211 > 1:   38.5  26.2  28.0  22.6  16.9  10.1  15.4  15.1   4.7   9.8
212 >     222.6    13.  3.03E+2
213 > 2:   59.7  51.3  46.0  42.3  34.0  26.0  21.3  16.9  13.2  10.8
214 >     105.9   -26.  4.33E+2
215 > 3:   68.9  59.6  53.5  49.1  39.7  30.4  24.8  19.8  15.6  12.8
216 >     50.52    16.  6.21E+2
217 > 4:   75.5  65.2  58.5  53.7  43.5  33.5  27.2  21.7  17.0  13.6
218 >     41.75    -7.  6.84E+2
219 > 5:   70.5  60.8  54.4  49.8  40.8  31.5  25.4  20.4  16.1  12.8
220 >     41.56     4.  5.67E+2

221 > H:  100.  450.  160. 3142. 9422. 2833. 3773. 3143. 8292.    4.
222 > 1:   44.5  37.4  33.2  30.2  24.2  18.1  14.8  11.7   9.1   7.5
223 >     176.6   -12.  3.46E+2
224 > 2:   58.6  49.6  44.3  40.4  32.2  24.5  20.1  16.0  12.5  10.2
225 >     58.45     4.  3.441E+2
226 > 3:   70.1  59.5  53.3  48.7  39.1  29.7  24.3  19.3  15.1  12.5
227 >     45.99    -2.  8.13E+2
228 > 4:   67.9  57.5  51.5  46.9  37.5  28.6  23.5  18.7  14.7  12.0
229 >     35.26    -2.  8.30E+2
230 > 5:   86.3  74.3  67.8  60.0  48.3  36.7  30.0  24.1  18.6  15.3
231 >     23.01    -5.  4.51E+2

232 > H:  100.  475.  210. 3142. 9422. 2833. 3773. 3143. 8292.    6.
233 > 1:   57.9  49.0  43.6  40.0  32.0  24.2  19.8  15.7  12.3  10.1
234 >     95.12     7.  1.422E+2
235 > 2:   62.0  52.5  46.9  42.8  34.3  26.0  21.3  17.0  13.1  10.7
236 >     91.25    -1.  4.093E+2
237 > 3:   76.1  64.7  57.7  52.9  42.4  32.3  26.5  21.2  16.6  13.6
238 >     51.56   -54.  6.94E+2
239 > 4:   86.9  74.0  66.1  60.6  48.6  36.5  30.0  23.9  18.7  15.4
240 >     22.49    31.  4.03E+2
241 > 5:   83.3  69.9  64.1  57.7  46.8  36.1  28.4  22.9  18.0  14.6
```

[illegible]

```
181 > 2:   86.0  73.9  66.4  61.0  49.4  37.8  31.0  24.6  19.3  16.0
182 >      89.48  -39.  1.404E+2
183 > 3:   84.3  72.7  65.4  60.3  48.9  38.0  31.5  25.5  20.4  16.7
184 >      27.11   -2.   8.4E+1
185 > 4:   77.1  51.4  59.0  54.4  43.5  33.0  27.6  22.0  17.5  14.5
186 >      22.74  -54.  1.19E+2
187 > 5:   74.8  64.1  56.9  51.8  43.7  34.8  28.5  22.2  16.0  14.0
188 >      13.02   54.  1.02E+2

189 > H:  600.  425.  400. 3142. 9422. 1883. 3143. 4713. 8292.    6.
190 > 1:   47.6  40.2  35.9  32.6  26.2  19.8  16.2  12.9  10.1   8.3
191 >      770.2  -79.  6.04E+2
192 > 2:   67.6  58.5  52.5  48.1  38.9  29.8  24.4  19.6  15.4  12.6
193 >      71.15    8.  1.675E+2
194 > 3:   65.3  56.0  50.3  46.1  37.2  28.4  23.3  18.5  14.5  11.9
195 >      39.67  -43.  1.86E+2
196 > 4:   75.0  64.4  57.9  53.0  42.9  32.8  27.0  21.8  17.3  14.4
197 >      15.91   39.  1.24E+2
198 > 5:   62.5  53.7  48.3  43.9  35.1  26.7  21.8  17.5  13.8  11.3
199 >      14.70  -45.  1.73E+2

200 > H:  600.  450.  450. 3142. 9422. 1883. 3143. 4713. 8292.    2.
201 > 1:   59.5  50.5  45.2  41.5  33.3  25.4  20.8  16.5  13.0  10.6
202 >      335.6  -42.  2.34E+2
203 > 2:   58.6  49.7  44.4  40.8  32.7  24.8  20.3  16.2  12.6  10.4
204 >      157.1  -33.  3.28E+2
205 > 3:   74.7  64.2  57.7  53.2  43.0  33.0  27.2  21.7  17.2  14.3
206 >      47.68   55.  1.99E+2
207 > 4:   63.4  53.8  47.8  44.1  35.5  26.9  21.9  17.4  13.6  11.0
208 >      31.88  -61.  2.22E+2
209 > 5:   66.3  56.8  50.9  46.8  37.4  28.7  23.7  18.9  15.0  12.3
210 >      45.46  -40.  4.75E+2

211 > H:  600.  475.  500. 3142. 9422. 1883. 3143. 4713. 8292.    4.
212 > 1:   56.0  47.5  42.6  38.9  31.4  23.9  19.7  15.7  12.4  10.2
213 >      676.8  -68.  4.25E+2
214 > 2:   78.2  67.2  60.6  55.6  45.3  34.9  28.8  23.1  18.2  15.0
215 >      111.1   66.  2.09E+2
216 > 3:   68.6  58.6  52.8  48.2  39.0  29.7  24.3  19.3  15.2  12.5
217 >      56.81  -51.  2.13E+2
218 > 4:   67.5  57.6  51.8  47.3  38.3  29.3  24.2  19.4  15.2  12.5
219 >      63.33  -50.  3.97E+2
220 > 5:   84.8  72.9  65.8  61.0  49.9  37.8  31.7  25.3  19.6  16.0
221 >      8.235  323.  7.75E+1

222 > H:  600.  500.  500. 3142. 9422. 1883. 3143. 4713. 8292.    4.
223 > 1:   48.9  41.6  37.1  34.0  27.4  20.9  17.1  13.7  10.7   8.8
224 >      931.8   32.  5.85E+2
225 > 2:   47.9  40.7  36.2  33.0  26.5  20.0  16.4  13.0  10.2   8.4
226 >      264.5  -53.  4.98E+2
227 > 3:   49.5  42.2  37.8  34.6  27.9  21.2  17.4  13.7  10.7   8.7
228 >      166.1  -27.   6.2E+2
229 > 4:   71.2  61.4  55.4  51.1  40.2  30.4  25.4  20.1  15.6  13.1
230 >      14.46  306.   9.0E+1
231 > 5:   79.2  67.3  61.7  54.4  45.4  35.1  28.5  22.8  18.4  15.0
232 >      27.06  -57.  2.54E+2

233 > H:  600.  525.  450. 3142. 9422. 1883. 3143. 4713. 8292.    4.
234 > 1:   41.2  34.6  30.7  28.1  22.4  16.9  13.8  10.9   8.5   7.0
235 >      1100.  -99.   7.6E+2
236 > 2:   45.2  38.5  34.4  31.5  25.3  19.3  15.8  12.6   9.9   8.2
237 >      353.7   40.  7.40E+2
238 > 3:   58.4  50.5  45.3  41.7  33.5  25.4  20.5  16.0  11.9   9.5
239 >      30.10  258.  1.25E+2
240 > 4:   69.3  59.2  53.5  48.7  39.9  30.5  24.9  19.7  15.2  12.5
241 >      35.76  -56.  2.49E+2
242 > 5:   73.6  62.9  55.8  52.9  41.1  31.5  26.0  20.7  16.9  13.9
243 >      23.56  -55.  2.46E+2

244 > H:  600.  550.  400. 3142. 9422. 1883. 3143. 4713. 8292.    4.
245 > 1:   62.9  54.0  48.5  44.4  36.1  27.7  22.9  18.3  14.5  12.1
246 >      549.9  164.  4.31E+2
247 > 2:   60.7  52.7  47.5  43.6  35.5  27.2  23.1  19.2  14.2   9.9
248 >      34.71  118.  8.17E+1
249 > 3:   68.7  59.4  53.4  49.0  39.8  30.7  25.2  20.3  16.0  13.3
250 >      48.22  -95.  2.26E+2
251 > 4:   72.3  62.9  54.3  49.5  41.7  31.5  25.2  21.3  16.6  13.4
252 >      14.23  -16.  1.11E+2
253 > 5:   57.7  49.3  45.8  41.7  32.2  25.9  21.7  17.0  13.6  11.2
254 >      18.49  -34.  2.17E+2

255 > H:  600.  575.  400. 3142. 9422. 1883. 3143. 4713. 8292.    4.
256 > 1:   59.8  51.3  46.1  42.2  34.1  26.1  21.7  17.3  13.3  11.4
257 >      137.5  -16.  1.07E+2
258 > 2:   66.2  56.5  50.5  46.1  37.2  28.4  23.2  18.4  14.7  11.6
259 >      134.0  -78.  3.15E+2
260 > 3:   74.8  64.6  58.2  53.5  43.1  32.8  27.0  21.6  17.1  13.6
261 >      36.06   10.  1.69E+2
262 > 4:   46.2  39.4  34.8  32.1  25.5  19.5  15.9  12.5  10.0   8.0
263 >      39.38  -37.  3.09E+2
264 > 5:   41.5  34.9  30.9  28.0  23.1  17.5  14.0  11.3   8.7   7.1
265 >      35.75  -48.  4.20E+2

266 > H:  600.  600.  400. 3142. 9422. 1883. 3143. 4713. 8292.    4.
267 > 1:   69.0  59.0  52.9  48.4  39.2  30.0  24.6  19.7  15.5  12.8
268 >      616.8 -134.  4.84E+2
269 > 2:   78.4  67.5  60.8  55.7  45.5  35.2  29.2  23.6  18.9  15.6
270 >      89.95   29. 2.118E+2
271 > 3:   55.4  47.5  42.6  38.9  31.6  24.2  19.9  15.9  12.5  10.4
272 >      78.31  -36.  3.68E+2
273 > 4:   45.1  38.4  34.4  31.3  25.3  19.2  15.6  12.5   9.7   7.9
274 >      51.08  -50.  4.00E+2
275 > 5:   61.2  52.1  47.0  42.8  34.4  26.3  22.2  17.7  13.7  10.7
276 >      23.64 -229.  2.78E+2

277 > H:  600.  625.  450. 3142. 9422. 1883. 3143. 4713. 8292.    4.
278 > 1:   57.3  48.8  43.7  39.7  32.2  24.6  20.2  16.2  12.8  10.6
279 >      1410.  -40.   9.8E+2
280 > 2:   67.9  58.5  52.7  48.1  39.1  30.0  24.7  19.8  15.6  12.9
281 >      230.9  -20.  4.83E+2
282 > 3:   59.7  51.4  46.2  42.2  34.3  26.3  21.6  17.3  13.7  11.3
283 >      137.5  -44.   5.7E+2
284 > 4:   67.7  58.2  52.4  47.8  38.7  29.8  24.6  19.7  15.4  12.8
285 >      44.00 -241.  3.07E+2
286 > 5:  106.8  91.5  83.4  75.7  63.5  49.7  40.4  32.8  23.8  20.3
287 >      6.978  123.  7.30E+1

288 > H:  600.  650.  500. 3142. 9422. 1883. 3143. 4713. 8292.    4.
289 > 1:   62.6  53.2  47.8  43.8  35.4  27.1  22.3  17.9  14.1  11.6
290 >      1553.  -73.   9.7E+2
291 > 2:   62.4  53.3  48.0  43.9  35.5  27.1  22.3  17.8  13.9  11.4
292 >      406.0  -32.  7.64E+2
293 > 3:   69.9  60.1  54.3  49.9  40.5  30.9  25.4  21.7  18.2  14.6
294 >      111.5 -229.   4.1E+2
295 > 4:  108.1  93.5  84.1  77.5  62.6  49.5  41.1  22.0   8.5   8.8
296 >      12.27  110.   7.7E+1
297 > 5:  110.1  89.3  83.2  81.5  69.0  45.7  43.2  31.3  23.5  20.8
298 >      12.09  228.  1.13E+2

299 > H:  600.  675.  500. 3142. 9422. 1883. 3143. 4713. 8292.    4.
300 > 1:   47.3  40.2  35.7  32.7  26.3  20.0  16.4  13.1  10.3   8.5
301 >      764.6  -74.  4.80E+2
302 > 2:   71.4  61.7  55.3  50.9  41.5  32.1  26.5  21.2  16.5  13.5
303 >      120.5 -280.  2.27E+2
304 > 3:  108.7  94.2  84.7  77.9  63.3  48.6  40.1  31.9  25.2  20.9
305 >      26.18  179.   9.8E+1
306 > 4:  130.0 112.7  96.3  86.4  73.3  57.0  48.0  36.7  32.2  24.0
307 >      5.212  247.  3.27E+1
308 > 5:   84.4  71.8  65.4  61.3  49.0  37.4  30.8  24.8  18.4  16.0
309 >      26.62   84.  2.50E+2

310 > H:  600.  700.  400. 3142. 9422. 1883. 3143. 4713. 8292.    6.
311 > 1:   54.6  46.5  41.6  38.1  30.9  23.7  19.4  15.5  12.2  10.1
312 >      344.1 -312.  2.70E+2
313 > 2:  104.7  89.8  80.4  73.5  58.7  44.5  36.5  28.6  21.6  17.2
314 >      36.55  233.  8.60E+1
315 > 3:   95.9  82.4  73.8  67.7  54.7  42.5  36.1  31.3  26.1  22.1
316 >      16.90  311.   7.9E+1
317 > 4:   73.7  62.7  56.2  52.0  41.9  31.1  26.1  20.7  16.4  13.6
318 >      23.11    2.  1.81E+2
319 > 5:   83.4  66.8  63.3  54.5  42.3  36.6  25.9  21.9  17.1  14.2
320 >      20.36  -13.  2.39E+2

321 > H:  600.  725.  450. 3142. 9422. 1883. 3143. 4713. 8292.    4.
322 > 1:  103.2  88.7  79.8  73.3  59.4  45.6  37.6  30.1  23.6  19.5
323 >      77.00  202.  5.37E+1
324 > 2:   93.6  80.1  72.0  66.1  53.6  41.0  33.8  27.1  21.6  18.0
325 >      29.76  314.  6.22E+1
326 > 3:   68.3  58.2  52.3  47.8  38.5  29.3  24.1  19.1  14.9  12.3
327 >      45.15   15.  1.88E+2
328 > 4:   74.8  63.6  57.6  52.7  41.3  32.3  26.8  20.5  16.1  13.0
329 >      28.46  -30.  1.98E+2
330 > 5:   69.0  59.4  52.3  49.3  42.0  29.7  24.2  20.3  16.8  13.7
331 >      31.07  -15.  3.25E+2

332 > H:  600.  750.  300. 3142. 9422. 1883. 3143. 4713. 8292.    4.
333 > 1:  120.9 104.6  94.4  87.2  71.2  55.1  46.0  37.0  29.5  24.4
334 >      36.12  274.  3.78E+1
335 > 2:   70.1  59.7  53.2  49.0  39.6  30.1  24.4  19.9  15.4  12.8
336 >      40.96   23. 1.286E+2
337 > 3:   76.5  65.0  58.8  53.8  42.8  32.6  27.0  20.8  16.8  13.7
338 >      23.99  -19.  1.50E+2
339 > 4:   71.5  61.7  55.8  50.7  41.8  32.0  26.0  20.9  16.5  13.3
340 >      22.41  -19.  2.34E+2
341 > 5:   69.5  59.5  53.5  50.2  39.8  30.4  25.4  20.0  15.9  13.2
342 >      29.35   -6.  4.60E+2

343 > H:  600.  775.  330. 3142. 9422. 1883. 3143. 4713. 8292.    4.
344 > 1:   51.9  44.0  39.3  35.8  28.9  21.9  18.0  14.3  11.2   9.1
345 >      314.7   -8.  2.99E+2
346 > 2:   57.6  48.9  43.7  -2.8  32.2  24.5  20.0  15.9  12.4  10.1
347 >      124.7  -12.  3.55E+2
348 > 3:   58.5  50.0  44.9  41.1  33.3  25.4  20.9  16.6  13.0  10.7
349 >      81.06  -12.  4.61E+2
350 > 4:   65.3  55.8  50.1  45.9  37.1  28.4  23.4  18.7  14.6  12.1
351 >      74.71  -12.  7.10E+2
352 > 5:   72.1  61.8  55.5  50.8  41.3  31.8  26.1  20.9  16.5  13.5
353 >      95.99   -5. 1.370E+3

354 > H:  600.  775.  330. 3142. 9422. 1883. 3143. 4713. 8292.    6.
355 > 1:   51.9  44.0  39.3  35.8  28.9  22.1  18.1  14.4  11.3   9.3
356 >      328.6   -7.  3.12E+2
357 > 2:   57.6  49.1  44.2  39.8  32.1  24.4  20.0  15.9  12.4  10.2
358 >      130.2   -5.  3.71E+2
359 > 3:   58.2  49.9  44.8  40.8  33.2  25.3  20.9  16.7  13.2  10.8
360 >      84.94  -12.  4.83E+2
361 > 4:   65.3  55.9  50.1  45.7  37.0  28.2  23.3  18.6  14.6  12.0
362 >      77.97  -12.  7.41E+2
363 > 5:   71.8  61.7  55.5  50.5  41.0  31.5  26.0  20.8  16.4  13.6
364 >      100.6   -5.  1.43E+3

365 > H:  600.  800.  300. 3142. 9422. 1883. 3143. 4713. 8292.    4.
366 > 1:   27.4  22.4  19.7  18.0  14.0  10.4   8.4   6.7   5.2   4.2
367 >      591.2  -36.  6.18E+2
368 > 2:   31.4  26.4  23.3  21.4  17.0  12.8  10.5   8.3   6.5   5.3
369 >      268.2   -1.  8.42E+2
370 > 3:   46.0  39.0  34.9  32.0  25.6  19.5  16.0  12.7   9.9   8.2
371 >      185.3  -11.  1.16E+3
372 > 4:   61.2  52.1  46.7  42.9  34.6  26.5  21.8  17.5  13.8  11.3
373 >      160.8   -2.  1.68E+3
374 > 5:   65.2  55.8  49.9  45.8  37.2  28.1  23.3  18.7  14.8  12.3
375 >      47.37   -4.  7.43E+2

376 > H:  600.  825.  240. 3142. 9422. 1883. 3143. 4713. 8292.    4.
377 > 1:   17.2  13.5  12.0  10.5   8.2   6.0   4.8   3.7   2.8   2.2
378 >      2088.  -42.  2.73E+3
379 > 2:   27.8  23.0  20.4  18.4  14.6  10.9   8.9   7.0   5.4   4.4
380 >      644.5   -2. 2.529E+3
381 > 3:   49.3  41.7  37.5  34.2  27.6  21.0  17.3  13.8  10.8   9.0
382 >      393.1    6.  3.07E+3
383 > 4:   59.4  50.7  45.6  41.6  33.8  25.8  21.1  16.9  13.3  10.9
384 >      86.87  -11. 1.136E+3
385 > 5:   52.9  44.6  40.1  36.4  29.1  22.3  18.4  14.4  11.3   9.5
386 >      58.27   -5. 1.143E+3

387 > H:  600.  850.  400. 3142. 9422. 1883. 3143. 4713. 8292.    4.
388 > 1:   22.1  18.0  15.6  14.0  10.9   7.9   6.3   4.9   3.7   3.0
389 >      2638.  -54.  2.07E+3
390 > 2:   48.7  41.2  36.6  33.3  26.8  20.3  16.6  13.2  10.3   8.5
391 >      1101.   12.  2.59E+3
392 > 3:   61.2  52.4  46.9  42.8  34.7  26.6  21.9  17.5  13.8  11.4
393 >      211.7   -2.   9.9E+2
394 > 4:   54.6  46.3  41.2  37.5  30.3  23.0  18.8  15.1  11.8   9.6
395 >      122.4  -15.   9.6E+2
396 > 5:   54.3  46.3  41.3  37.5  30.1  23.1  19.1  14.9  11.7   9.8
397 >      69.56   -9.  8.19E+2

398 > H:  600.  875.  400. 3142. 9422. 1883. 3143. 4713. 8292.    4.
399 > 1:   36.3  30.4  27.1  24.6  19.7  14.9  12.2   9.6   7.5   6.2
400 >      2568.  -33.  2.01E+3
401 > 2:   57.8  49.4  44.4  40.7  32.9  25.3  20.8  16.6  13.1  10.8
402 >      400.8    9.  9.43E+2
403 > 3:   54.0  45.9  41.1  37.5  30.2  23.1  19.0  15.1  11.9   9.8
404 >      203.4   -8.   9.5E+2
405 > 4:   52.6  44.9  40.2  36.7  29.6  22.6  18.5  14.8  11.6   9.6
406 >      100.9  -13.   7.9E+2
407 > 5:   55.7  46.7  42.1  38.5  31.1  23.7  19.4  15.6  12.2  10.0
408 >      74.97  -24.  8.82E+2

409 > H:  600.  900.  330. 3142. 9422. 1883. 3143. 8292.    2.
410 > 1:   49.1  41.7  37.6  34.3  27.7  21.2  17.4  13.9  11.0   9.0
411 >      848.7  -31.  8.07E+2
412 > 2:   54.5  46.2  41.6  38.2  30.7  23.5  19.3  15.5  12.1   9.9
413 >      316.3    2.  9.02E+2
414 > 3:   52.5  44.6  40.2  36.7  29.7  22.6  18.6  14.9  11.8   9.6
415 >      133.5   -3.   7.6E+2
416 > 4:   55.0  46.5  41.6  37.9  30.6  23.3  19.0  15.3  12.0   9.8
417 >      90.17  -35.  8.57E+2

418 > H:  600.  925.  400. 3142. 9422. 1883. 8292.    2.
419 > 1:   40.6  33.9  30.5  27.8  22.2  16.9  13.8  10.9   8.6   7.0
420 >      1185.   -2.   9.3E+2
421 > 2:   49.1  41.4  37.3  34.1  27.4  21.0  17.3  13.8  10.9   8.9
422 >      366.8    1.  8.63E+2
423 > 3:   54.0  45.2  40.7  37.2  30.0  22.9  18.8  15.0  11.8   9.7
424 >      227.5  -32.  1.06E+3

425 > H:  600.  950.  260. 3142. 9422. 8292.    2.
426 > 1:   32.5  27.7  24.5  22.5  18.1  13.7  11.3   9.0   7.0   5.8
427 >      462.5    1.  5.58E+2
428 > 2:   43.5  37.0  32.7  30.1  24.1  18.3  15.0  12.0   9.4   7.7
429 >      222.3  -34.  8.05E+2

430 > H:  600.  975.  450. 3142. 8292.    2.
431 > 1:   31.1  26.4  23.2  21.1  16.7  12.7  10.2   8.1   6.3   5.2
432 >      1151.  -40.   8.0E+2

433 > H:   26.    7. 1990. 3142. 9422. 1883. 3143. 4713. 8292.    6.
434 > 1:   24.6  24.7  24.6  24.5  24.6  24.6  24.6  24.6  24.6  24.6
435 >      200.4 -1021.  3.16E+1
436 > 2:   24.9  24.7  24.8  24.7  24.7  24.7  24.7  24.7  24.7  24.7
437 >     -200.2 1009.  9.47E+1
438 > 3:   24.7  24.8  24.5  24.5  24.7  24.7  24.7  24.7  24.7  24.7
439 >      200.7 -1017.  1.89E+2
440 > 4:   24.7  24.4  24.6  24.6  24.4  24.5  24.4  24.4  24.5  24.4
441 >     -200.0 1019.  3.15E+2
442 > 5:   24.6  24.8  24.5  24.5  24.6  24.6  24.6  24.6  24.6  24.6
443 >      202.6 -1021.  4.79E+2

444 > H:  700.   25.  600. 3142. 9422. 1883. 3143. 4713. 8292.    4.
445 > 1:   87.6  75.4  67.4  61.9  50.2  38.4  31.5  25.3  19.7  16.2
446 >      25.98  178.  1.35E+1
447 > 2:   88.9  77.0  69.2  63.3  51.3  39.4  32.4  25.7  20.6  17.1
448 >      13.25  -73.  2.08E+1
449 > 3:   89.8  78.1  70.1  64.3  52.3  40.4  33.5  26.9  21.3  17.5
450 >      7.676  437.  2.40E+1
451 > 4:   64.7  56.3  50.9  46.3  37.5  28.8  23.4  18.8  14.8  12.6
452 >      9.335   23.  4.88E+1
453 > 5:   56.9  49.3  44.5  40.4  32.6  24.9  19.9  16.1  12.6  10.7
454 >      12.30  -38.   9.6E+1

455 > H:  700.   50.  400. 3142. 9422. 1883. 3143. 4713. 8292.    4.
456 > 1:  103.5  88.8  80.2  73.5  59.4  45.6  37.4  29.8  23.4  19.0
457 >      48.99 -107.  3.84E+1
458 > 2:   98.3  85.2  76.7  70.5  57.3  44.3  36.5  29.5  23.4  19.4
459 >      16.38  428.  3.85E+1
460 > 3:   70.1  60.5  54.4  49.9  40.6  31.4  25.8  20.7  16.7  13.7
461 >      17.21   30.   8.0E+1
462 > 4:   60.9  52.2  46.7  42.7  34.3  26.3  21.5  17.0  13.0  10.7
463 >      21.00  -50.  1.64E+2
464 > 5:   78.5  67.9  61.0  55.9  45.3  35.0  28.8  23.0  18.0  14.7
465 >      19.28 -160.  2.27E+2

466 > H:  700.   75.  260. 3142. 9422. 1883. 3143. 4713. 8292.    4.
467 > 1:   99.3  85.5  77.6  71.2  58.3  44.8  36.9  29.8  23.6  19.5
468 >      16.63  393.  2.00E+1
469 > 2:   72.6  62.8  56.6  51.7  42.1  32.3  26.5  21.1  16.5  13.7
470 >      13.57   51.  4.91E+1
471 > 3:   62.9  53.4  49.4  44.5  36.9  28.2  23.2  18.4  14.4  12.3
472 >      19.05  -56.  1.37E+2
473 > 4:   93.6  80.5  74.6  67.6  55.9  42.9  35.2  27.4  21.8  18.1
474 >      7.789 -150.  9.40E+1
475 > 5:  130.1 113.6 102.8  94.2  76.4  59.7  49.1  38.1  30.9  25.2
476 >      2.462 -161.  4.46E+1

477 > H:  700.  100.  700. 3142. 9422. 1883. 3143. 4713. 8292.    4.
478 > 1:   82.1  70.2  63.2  58.2  47.0  36.1  29.8  23.9  18.9  15.7
479 >      199.0   19.   8.9E+1
480 > 2:   70.5  60.2  54.0  49.6  39.9  30.5  24.9  19.9  15.8  13.0
481 >      121.8  -41.  1.63E+2
482 > 3:  101.0  87.4  78.7  72.5  58.9  45.2  37.3  29.9  23.2  18.9
483 >      41.28 -140.  1.10E+2
484 > 4:  140.6 121.8 109.0 100.7  81.6  63.6  51.6  43.3  35.5  28.0
485 >      8.387 -165.  3.76E+1
486 > 5:  146.1 128.6 115.2 104.2  82.5  64.2  52.7  43.5  34.8  28.2
487 >      2.811  264.  1.89E+1

488 > H:  700.  125.  800. 3142. 9422. 1883. 3143. 4713. 8292.    4.
489 > 1:   34.9  29.5  26.3  24.0  19.2  14.6  11.9   9.5   7.4   6.1
490 >      950.3  -73.  3.72E+2
491 > 2:   74.7  64.5  58.0  53.5  43.5  33.5  27.6  22.2  17.5  14.5
492 >      169.9 -120.  2.00E+2
493 > 3:  128.8 111.5 100.4  92.9  76.0  58.4  48.6  39.1  31.1  25.6
494 >      24.86 -127.   5.8E+1
495 > 4:  140.7 121.0 108.1  99.9  81.3  62.0  50.3  39.4  30.5  24.8
496 >      5.596  216.  2.19E+1
497 > 5:  137.6 119.0 107.5 101.7  81.9  62.0  52.1  41.5  31.9  25.8
498 >      2.235  130.  1.31E+1

499 > H:  700.  150.  880. 3142. 9422. 1883. 3143. 4713. 8292.    4.
500 > 1:   59.4  51.2  45.9  42.1  34.2  26.3  21.7  17.4  13.7  11.3
501 >      679.3 -121.  2.42E+2
502 > 2:  113.0  98.0  88.2  81.1  66.0  50.7  42.0  33.7  26.6  22.0
503 >      74.53  -57.  7.97E+1
504 > 3:  124.1 107.7  96.9  89.2  72.4  55.5  45.6  36.4  28.7  23.5
505 >      18.05  184.   3.8E+1
506 > 4:  120.2 103.9  92.8  85.5  70.0  54.0  45.3  36.7  29.0  24.3
507 >      3.823   87.  1.36E+1
508 > 5:   89.6  78.0  68.5  63.4  51.1  38.6  32.1  25.2  19.8  16.6
509 >      12.05 -150.   6.4E+1

510 > H:  700.  175.  350. 3142. 9422. 1883. 3143. 4713. 8292.    4.
511 > 1:  118.0 102.4  92.5  84.8  69.3  53.5  44.3  35.6  28.1  23.2
512 >      127.7  -56.  1.14E+2
513 > 2:  128.7 111.4 100.4  91.9  75.0  57.6  47.5  37.9  29.7  24.3
514 >      23.01  156.  6.19E+1
515 > 3:  101.5  87.9  78.9  72.1  59.0  45.5  37.9  29.7  23.6  19.4
516 >      5.250   55.  2.82E+1
517 > 4:   87.0  74.8  67.2  61.1  49.9  38.1  31.7  25.0  19.8  16.1
518 >      12.61 -173.  1.13E+2
519 > 5:  122.7 106.5  96.0  87.4  71.9  55.4  46.0  36.5  28.9  23.5
520 >      5.577  125.  7.50E+1

521 > H:  700.  200.  250. 3142. 9422. 1883. 3143. 4713. 8292.    4.
522 > 1:  113.3  97.5  87.6  80.4  65.1  49.9  41.0  32.8  25.8  21.3
523 >      76.66  189.  9.62E+1
524 > 2:   99.3  85.4  76.7  70.5  56.9  43.5  35.7  28.1  22.2  18.0
525 >      12.99   -1.  4.89E+1
526 > 3:  100.3  85.9  77.1  71.1  57.3  44.1  36.5  29.2  22.9  18.7
527 >      24.37 -104.  1.83E+2
528 > 4:  140.7 121.3 109.6 101.0  81.7  63.1  51.7  42.3  33.2  28.0
529 >      4.865   79.  6.11E+1
530 > 5:  121.1 101.4  91.8  84.6  68.8  53.5  45.0  35.6  27.4  22.0
531 >      3.561   20.  6.70E+1

532 > H:  700.  225.  570. 3142. 9422. 1883. 3143. 4713. 8292.    6.
533 > 1:   84.5  72.0  64.9  59.6  48.2  36.9  30.4  24.4  19.2  15.8
534 >      296.0  -33.  1.63E+2
535 > 2:   89.3  76.9  69.0  63.3  51.2  39.1  32.2  25.7  20.1  16.6
536 >      201.0  -94.  3.32E+2
537 > 3:  136.6 118.4 106.9  98.7  80.6  62.3  51.7  41.7  33.0  27.4
538 >      34.30  113.  1.13E+2
539 > 4:  125.5 108.1  97.1  89.3  72.5  55.7  46.1  36.9  29.2  24.3
540 >      17.91  -15.   9.8E+1
541 > 5:   98.3  84.3  75.5  69.1  55.9  42.8  35.2  28.2  22.1  18.2
542 >      28.72  -40.  2.37E+2

543 > H:  700.  250.  400. 3142. 9422. 1883. 3143. 4713. 8292.    4.
544 > 1:   71.4  61.1  54.7  50.2  40.6  31.0  25.5  20.4  16.0  13.2
545 >      461.2 -108.  3.62E+2
546 > 2:  134.0 116.2 105.0  96.8  79.1  61.3  50.8  41.0  32.5  26.9
547 >      47.24   89. 1.112E+2
548 > 3:  131.3 112.9 102.3  93.5  76.3  58.9  48.7  39.1  31.1  25.8
549 >      20.04   17.   9.4E+1
550 > 4:  100.8  85.8  77.8  70.6  57.3  43.8  35.8  28.6  22.4  18.3
551 >      28.10  -55.  2.20E+2
552 > 5:   96.7  82.0  74.8  67.6  55.2  42.2  34.7  27.8  21.9  17.9
553 >      24.37   89.  2.86E+2

554 > H:  700.  275.  600. 3142. 9422. 1883. 3143. 4713. 8292.    2.
555 > 1:  145.6 127.2 115.5 106.9  87.8  68.7  57.1  46.4  37.4  31.4
556 >      130.9  191.   6.8E+1
557 > 2:  111.1  95.9  86.3  79.6  64.5  49.7  40.9  32.8  26.0  21.5
558 >      71.66   -6. 1.125E+2
559 > 3:   86.7  74.6  66.7  61.8  49.7  38.1  31.4  25.1  19.7  16.2
560 >      88.20  -46.  2.76E+2
561 > 4:   83.6  72.2  64.4  60.0  48.2  37.0  30.4  24.3  19.1  15.8
562 >      45.12   80.  2.36E+2
563 > 5:   77.6  70.4  57.5  58.3  45.4  35.0  29.1  23.4  18.9  15.2
564 >      7.187   19.  5.64E+1

565 > H:  700.  300.  500. 3142. 9422. 1883. 3143. 4713. 8292.    4.
566 > 1:   89.8  76.5  68.4  62.6  50.4  38.4  31.5  25.1  19.7  16.2
567 >      637.9  -43.  4.00E+2
568 > 2:   81.8  69.8  62.4  57.0  45.9  35.0  28.6  22.8  17.9  14.7
569 >      295.1  -45.  5.55E+2
570 > 3:   85.3  73.3  65.7  60.3  48.8  37.3  30.7  24.5  19.2  15.8
571 >      111.8   95.   4.2E+2
572 > 4:   88.4  77.1  68.6  63.4  51.3  39.4  32.9  26.5  21.0  17.3
573 >      12.47    2.   7.8E+1
574 > 5:   88.3  75.5  68.3  63.4  50.1  38.0  30.9  24.7  18.8  15.4
575 >      12.46  -58.  1.17E+2

576 > H:  700.  325.  600. 3142. 9422. 1883. 3143. 4713. 8292.    4.
577 > 1:   74.5  63.3  56.7  51.8  41.9  31.9  26.2  20.9  16.4  13.5
578 >      748.7  -77.  3.91E+2
579 > 2:   90.2  77.5  69.7  64.0  52.0  39.9  32.9  26.3  20.7  17.1
580 >      151.6  116.  2.38E+2
581 > 3:   92.1  79.9  71.4  65.8  53.6  41.1  34.0  27.2  21.5  17.6
582 >      21.20    9.   6.6E+1
583 > 4:   92.4  78.9  71.1  65.4  52.8  40.5  33.3  26.7  20.9  17.6
584 >      18.60  -66.   9.7E+1
585 > 5:   80.3  68.1  61.2  56.1  45.3  34.5  28.5  22.5  17.8  14.6
586 >      34.16   -6.  2.68E+2

587 > H:  700.  350.  670. 3142. 9422. 1883. 3143. 4713. 8292.    4.
588 > 1:   50.9  43.4  39.0  35.6  28.8  22.0  18.0  14.4  11.3   9.3
589 >      1212.   74.   5.6E+2
590 > 2:   76.3  65.4  59.1  54.1  43.7  33.5  27.5  22.0  17.3  14.3
591 >      65.61   26.  9.22E+1
592 > 3:   82.9  71.5  64.1  58.9  47.8  36.6  30.2  24.0  18.7  15.4
593 >      35.59  -58.   9.9E+1
594 > 4:   75.7  64.8  58.2  53.3  43.1  32.9  27.1  21.6  17.1  14.0
595 >      53.89  -20.  2.52E+2
596 > 5:   57.0  48.7  43.6  39.9  32.2  24.6  20.3  16.2  12.7  10.5
597 >      53.02  -34.  3.72E+2

598 > H:  700.  375.  600.    9. 8292.    4.
599 > 1:   30.2  49.2  50.9  49.1  40.0  31.3  27.0  20.0  16.9  13.2
600 >      203.5  -13.   0.E+7
601 > 2:  114.8  74.0  59.1  51.4  40.8  30.3  23.5  20.2  14.7  12.7
602 >      201.5  -47.  2.78E+2
603 > 3:   70.5  60.0  53.8  49.3  39.7  30.3  24.9  19.9  15.7  13.1
604 >      121.4   -6.   0.E+2
605 > 4:   54.9  46.6  41.5  38.1  30.6  23.5  19.2  15.3  12.1   9.9
606 >      88.13  -48.   4.4E+0
607 > 5:   67.6  57.8  51.5  47.5  37.8  29.0  23.4  19.2  14.9  12.4
608 >      59.24  121.   4.8E+0

609 > H:  700.  400.  560.    9. 8292.    4. 3143. 4713. 8292.    4.
610 > 1:   79.1  67.9  61.0  55.8  45.3  34.8  28.7  23.0  18.1  15.0
611 >      276.9  -85.   0.E+7
612 > 2:   72.0  61.7  55.5  50.7  41.1  31.5  25.9  20.8  16.4  13.5
613 >      189.5    5.  2.80E+2
614 > 3:   58.1  49.7  44.6  40.7  33.0  25.2  20.8  16.6  13.1  10.8
615 >      114.0  -36.   0.E+2
616 > 4:   67.5  57.9  51.5  47.6  38.2  29.3  24.2  19.4  15.3  12.6
617 >      64.79  110.  3.63E+2
618 > 5:   61.6  52.9  47.1  43.4  35.0  26.8  22.2  17.9  14.0  11.8
619 >      38.93   21.  3.27E+2

620 > H:  700.  425.  400.    9. 8292.    4. 3143. 4713. 8292.    4.
621 > 1:   44.6  38.1  33.6  30.7  24.7  18.8  15.4  12.3   9.6   7.9
622 >      875.7  -19.   0.E+7
623 > 2:   55.2  47.5  42.4  38.8  31.4  24.2  19.9  15.9  12.5  10.3
624 >      164.9  -60.  3.41E+2
625 > 3:   69.4  60.3  53.7  49.3  39.5  29.9  24.3  19.5  15.7  13.1
626 >      55.14  148.   0.E+1
627 > 4:   62.7  54.8  48.7  44.6  36.1  27.8  22.8  18.1  13.9  11.1
628 >      28.43    2.  2.23E+2
629 > 5:   87.8  76.4  68.1  62.3  51.0  39.3  31.4  25.8  19.9  16.9
630 >      12.71   94.  1.49E+2

631 > H:  700.  450.  600.    9. 8292.    4. 3143. 4713. 8292.    4.
632 > 1:   34.3  28.6  24.2  23.5  18.6  14.1  11.5   9.1   7.1   5.8
633 >      2024.  -70.   0.E+8
634 > 2:   65.2  55.5  49.9  45.9  37.1  28.3  23.3  18.6  14.6  12.0
635 >      220.4  137.  3.04E+2
636 > 3:   58.2  49.7  44.7  41.2  33.2  25.3  21.0  16.7  13.2  10.9
637 >      80.00   18.   0.E+1
638 > 4:   81.8  69.7  63.1  58.1  46.9  36.0  29.7  23.6  19.2  15.4
639 >      26.12   78.  1.36E+2
640 > 5:   89.1  76.1  69.0  62.7  51.0  39.3  32.1  25.9  20.4  17.2
641 >      18.26  -32.  1.43E+2

642 > H:  700.  475.  400.    9. 8292.    4. 3143. 4713. 8292.    4.
643 > 1:   73.2  62.4  56.3  51.3  41.6  31.9  26.2  20.9  16.5  13.6
644 >      460.8  100.   0.E+7
645 > 2:   62.2  53.1  48.1  43.8  35.6  27.2  22.5  18.0  14.2  11.7
646 >      114.7   29.  2.37E+2
647 > 3:   76.7  65.3  59.5  53.8  43.9  33.3  27.9  22.1  17.5  14.7
648 >      26.01   93.   0.E+1
649 > 4:   83.4  71.2  64.6  58.8  47.7  36.5  29.9  24.3  19.2  15.3
650 >      16.84  -45.  1.32E+2
651 > 5:   79.3  67.8  62.3  56.2  45.4  33.9  28.8  22.5  17.9  14.6
652 >      17.62  -36.  2.07E+2

653 > H:  700.  500.  500.    9. 8292.    4. 3143. 4713. 8292.    4.
654 > 1:   76.7  65.9  59.3  54.5  44.2  33.6  27.5  22.0  17.2  14.3
655 >      645.2    9.   0.E+7
656 > 2:   74.6  64.3  57.9  53.2  43.1  36.4  32.0  26.2  21.9  18.2
657 >      86.05   70. 1.426E+2
658 > 3:   70.7  60.8  54.8  50.3  40.8  31.4  25.9  20.9  16.4  13.5
659 >      48.06  -31.   0.E+1
660 > 4:   64.8  55.5  49.8  45.7  37.1  28.3  23.4  18.5  14.7  12.1
661 >      38.15  -31.  2.39E+2
662 > 5:   48.1  42.2  37.5  33.2  27.7  21.6  16.8  14.2  10.9   9.1
663 >      26.31   -9.  2.47E+2

664 > H:  700.  525.  440.    9. 8292.    4. 3143. 4713. 8292.    2.
665 > 1:   91.1  78.2  70.2  64.6  52.3  40.3  33.2  26.6  21.0  17.4
666 >      514.2   33.   0.E+7
667 > 2:   77.2  66.4  59.5  54.8  44.4  34.1  28.1  22.6  17.7  14.6
668 >      125.5   -1.  2.36E+2
669 > 3:   70.9  60.8  54.3  50.1  40.5  31.1  25.5  20.4  16.1  13.3
670 >      128.6  -40.   0.E+2
671 > 4:   50.7  43.0  38.3  35.8  28.6  21.7  17.6  14.1  11.0   9.0
672 >      55.84  -20.  3.98E+2
673 > 5:   62.9  53.8  47.6  44.1  35.7  27.8  22.8  18.0  14.4  11.8
674 >      52.36 -139.  5.60E+2

675 > H:  700.  550.   99.    9. 8292.    4. 3143. 4713. 8292.    2.
676 > 1:   77.1  66.0  59.2  54.2  44.0  33.7  27.7  22.2  17.4  14.5
677 >      410.1  -62.   0.E+8
678 > 2:   70.9  60.7  54.5  49.8  40.5  31.0  25.6  20.5  16.1  13.3
679 >      239.2  -15.  2.00E+3
680 > 3:   56.7  48.5  43.6  39.8  32.3  24.9  20.5  16.3  12.9  10.7
681 >      87.91    3.   0.E+2
682 > 4:   63.0  53.8  48.6  43.7  36.0  28.1  23.1  18.4  14.4  11.7
683 >      58.86 -160.  1.86E+3
684 > 5:   75.9  68.1  58.7  56.1  44.2  33.4  27.9  22.9  17.7  15.3
685 >      17.87 -201.   8.5E+2

686 > H:  700.  575.  600.    9. 8292.    4. 3143. 4713. 8292.    4.
687 > 1:   50.3  41.9  37.1  33.6  26.5  19.8  16.0  12.6   9.7   7.9
688 >      5424.  -94.   0.E+8
689 > 2:   48.3  40.9  36.7  33.4  26.8  20.5  17.0  13.5  10.7   8.8
690 >      1526.    4.  2.10E+3
691 > 3:   70.9  60.9  54.8  50.2  40.7  31.3  25.7  20.6  16.2  13.4
692 >      337.0 -156.   0.E+2
693 > 4:   81.6  70.5  63.4  58.3  47.4  36.5  30.2  24.4  19.3  15.9
694 >      69.31 -196.  3.62E+2
695 > 5:   91.4  79.5  72.9  67.0  56.6  44.3  36.6  28.7  23.4  19.3
696 >      9.997  122.  7.84E+1

697 > H:  700.  575.  358.    9. 8292.    4. 3143. 4713. 8292.    4.
698 > 1:   35.4  29.1  25.8  23.4  18.5  13.7  11.1   8.7   6.8   5.5
699 >      4584.  -80.   0.E+8
700 > 2:   60.2  50.9  45.5  41.6  33.5  25.4  20.8  16.6  13.0  10.6
701 >      552.0    8. 1.278E+3
702 > 3:   70.2  59.9  54.0  49.6  40.1  30.8  25.4  20.4  16.1  13.3
703 >      188.1 -154.   0.E+2
704 > 4:   82.2  70.5  63.2  57.9  47.4  36.5  30.1  24.1  18.9  15.8
705 >      38.12 -196.  3.34E+2
706 > 5:   79.4  68.0  61.7  58.1  45.4  34.4  27.5  22.4  18.9  14.1
707 >      7.726  122. 1.016E+2

708 > H:  700.  600.  480.    9. 8292.    4. 3143. 4713. 8292.    4.
709 > 1:   45.1  38.0  33.9  30.6  24.5  18.5  15.1  11.9   9.3   7.6
710 >      3505.  -35.   0.E+8
711 > 2:   67.9  58.1  52.2  47.6  38.6  29.6  24.3  19.5  15.3  12.6
712 >      513.0 -113.  8.85E+2
713 > 3:   75.2  65.1  58.8  53.9  44.0  33.9  28.1  22.6  17.9  14.8
714 >      150.3 -305.   0.E+2
715 > 4:   91.2  79.2  71.3  65.5  53.9  42.0  34.7  28.1  22.3  18.1
716 >      15.49  183.  1.01E+2
717 > 5:   81.3  69.8  62.5  57.1  46.2  35.3  28.9  23.0  18.1  14.6
718 >      35.67  113.  3.50E+2
```

July 22 90240101

1001	25	90			11:25
1001	50	200			
1001	75	240			11:38
	100	260			11:48
1001	125	310			
	150	180			11:58
100	175	240			12:04
	200	190			12:45
100	225	280			12:53
	250	230			
100	275	240			
	300	240			1:05
100	325	200			
	350	280			
100	375	300			
	400	140			1:31
	425	270			
	450	160			
	475	210			
	500	450			2:22
100	525	430			
100	550	510			
100	575	240			
100	600	380			2:47

100	625	310			2:52
100	650	350			
100	675	230			
	700	410			3:04
100	725	420			
	750	200			
100	775	230			
	800	350			3:28
	825	280			
100	850	270	n=4		
	875	90	=3		
	900	120	=2		
100	925	390	n=1		3:54
100					
100					

July 23, 20240107

200	25	230			10:10
200	50	210			
200	75	330			
200	100	420			10:25
	125	310			
	150	290			
200	175	200			
	200	300			10:40
	225	310			
200	250	270			
	275	350			
	300	360			10:53
200	325	360			
	350	250			
	375	390			
200	400	300			11:09
200	425	340			
	450	320			
	475	320			
200	500	270			11:37
	525	310			
	550	260			
200	575	290			
200	600	300			12:10

200	625	310			12:45
200	650	290			
200	675	270			
	700	380			12:58
	725	310			
200	750	350			
	775	310			
	800	300			1:12
200	825	320			
	850	230			
	875	310			
200	900	280	n=4		1:28
200	925	330	3		
200	950	190	2		
200	975	160	1		1:38
300	25	290			3:00
300	50	300			
300	75	280			
	100	280			3:09
300	125	320			
	150	270			
300	175	290			
300	200	110			3:22
300	225	330			

300	250	270			
300	275	290			
300	300	350			3:40
300	325	340			
	350	290			3:56

July 2[illegible], 90240103

300	350	250			10:35
300	375	370			
300	400	210			10:44
300	425	380			
300	450	450			
300	475	370			
	500	330			11:05
	525	360			
300	550	640			
	575	480			
300	600	690			11:23
	625	630			
300	650	430			
	675	430			
300	700	420			11:49
	725	510			
	750	490			
300	775	430			
	800	170			12:09
300	825	300			
	850	370			
300	875	230	n=4		
300	900	360	3		12:30
	925	360	2		
	950	230	1		

400	25	370			2:05
	50	600			
400	75	310			
	100	470			2:14
400	125	370			
	150	430			
400	175	430	error in flagging		
	200	340			2:25
	225	560	grid 75 m ahead		
	250	390			
400	275	400	p4		
	300	430	450		2:41
	325	600	475		
	350	580	500		
400	375	180	525		
	400	300	550		2:55
	425	410	575		
	450	390	600		
	475	550	?		
	500	460	625		3:10
400	525	520	650		
	550	340	:		
	575	370		Flagging all wrong	
	600	420	700		3:35
	625	470			
	650	350	:		
400	675	220	750		
	700	330	775		4:00
	725	490	800		
	750	490			
400	775	300	850		
	800	330			4:19
	825	300			
400	850	270			
	875	230			
	900	180	n=4		4:34
400	925	150	3		
400	950	170	2		
400	975	160	1		4:45

July 25, 90 240104

500N	25W	460			10:45
500	50	510			
500	75	400			
500	100	380			11:00
	125	800			
500	150	570			
	175	740			
	200	460			11:15
500	225	460			
	250	520			
	275	400			
	300	~~640~~ 540			11:40
500	325	~~530~~	450		
	350	320			
	375	480			
	400	540			11:55
500	425	460		lunch	
	450	530			12:33
	475	540			
500	500	520			12:42
	525	400			
500	550	380			
500	575	560			
500	600	300			12:58
500	625	480			

500	650	400	~~[illegible]~~	!?	1:13
500	675	500			
500	700	540			1:21
	725	270			
500	750	620			
	775	500			
500	800	240			1:36
	825	140			
500	850	170			
	875	230	n:4		
500	900	290	n:3		
500			2		
500			1		

NEVILLE CROSBY INDUSTRIES

July 26, 90240105

600	25	600			10:30
600	50	600			
600	75	300			10:45
600	100	600			
	125	700			
600	150	890			
	175	800			
	200	700			11:00
600	225	600			
	250	500			
	275	400			
	300	600			11:16
600	325	200			
	350	400			
	375	500			
	400	600			11:32
600	425	400			
	450	400			
	475	500			
600	500	500			11:47
	525	400			
600	550	400			
600	575	400			
600	600	400			12:00
600	625	400			

600	650	500			
600	675	500			
600	700	400			12:17
	725	400	Lunch		
600	750	300			1:00
	775	300			
600	800	300			1:13
	825	240			
600	850	400			
	875	400			
600	900	330	n=4		1:30
600	925	400	3		
600	950	260	2		
600	975	400	1		1:39
700	25	600			2:45
700	50	400			
700	75	240			
	100	700			3:04
700	125	800			
	150	880			
700	175	400			
	200	270			3:26
700	225	500			
700	250	400			
700	275	600			

700	300	500			3:43
700	325	600			
700	350	670			
	375	600			
700	400	500			3:55
	425	400			
700	450	600			
700	475	400			
700	500	500			4:15
	525	400			
700	550	350			
700	575	350			
700	600	400			4:33

July 27, 90240106

700	600	490			9:53
700	625	450			
700	650	340			
700	675	450			
	700	440			10:07
	725	410			
700	750	370			
	775	350			
	800	310			10:18
700	825	380			
	850	370			
	875	350			
700	900	290	n=4		10:30
700	925	320	3		
700	950	280	0		
700	975	180	1		10:38
800	25	370			11:35
800	50	690			
800	75	760			
	100	780			11:49
800	125	640			
	150	550			
800	175	480			
800	200	510			
800	225	490			

800	250	310			
800	275	470			
800	300	500			12:40
800	325	540			
	350	770			
800	375	720			
	400	550	Lunch		12:55
	425	450			1:30
800	450	360			
	475	680			
	500	500			1:48
	525	400			
800	550	520			
	575	720			
	600	500			2:03
	625	450			
800	650	400			
	675	420			
	700	350			2:25
800	725	350			
	750	390			
800	775	410			
800	800	380			2:42
800	825	350			
800	850	340			

800	875	360			
800	900	360	n=4		2:55
800	925	210	3		
800	950	180	2		
800	975	160	1		3:07

July 28, 90240107

900N	25	300			8:45
900	50	850			
900	75	990			
900	100	440			9:00
	125	630			
900	150	530			
	175	600			
	200	600			9:20
900	225	780			
	250	780			
	275	630			
	300	570			9:42
900	325	370			
	350	510			
	375	560			
	400	460			9:58
900	425	410			
	450	250			
	475	590			
900	500	460			10:22
	525	620			
900	550	360			
900	575	480			
900	600	510			10:36
900	625	440			

900	650	730			
900	675	680			
900	700	480			10:50
	725	550			
900	750	730			
	775	550			
	800	550			11:06
900	825	350			
	850	280			
	875	250	n=4		
900	900	180	3		11:20
900	925	200	2		
900	950	130	1		11:25
1000	25	660			12:43
1000	50	800			
1000	75	690			
1000	100	640			12:55
	125	500			
1000	150	930			
	175	650			
	200	260			1:10
1000	225	930			
	250	1000			
1000	275	330			
1000	300	910			1:27

NEVILLE CROSBY INDUSTRIES

1000	325	940			
1000	350	840			
1000	375	1030			
	400	430			1:46
1000	425	450			
	450	570			
	475	610			
1000	500	280			2:05
	525	410			
	550	300			
	575	390			
1000	600	230			2:20
	625	350			
	650	400			
	675	860			
1000	700	720			2:41
	725	730			
1000	750	760			
	775	460			
1000	800	460			3:03
1000	825	240			
1000	850	440			
1000	875	530			
1000	900	340	n=4		3:16
1000	925	240	3		

1000	950	140	n=2		
1000	975	90	n=1		3:25