


DDH 72-5	FEET	CREST		
		Cu%	Ag ^{oz.}	
	20-25	0.04		
	25-30	0.11		
	30-35	0.05		
	35-40	0.06		
	40-45	0.09		
	45-50	0.11		
	50-55	0.38		
	55-60	0.80	0.1	
	60-65	1.40	0.1	
	65-70	1.44	0.1	1.22
	70-75	1.16	0.1	1.00
	75-80	0.96	0.1	0.87
	80-85	0.53	0.1	
	85-90	0.35		
	90-95	0.80		
	95-100	0.55		
	100-102	0.56		



826671

Fig 1
 WHITE RIVER MINES LTD (NPL)
 VANCOUVER
 To accompany Report on DAGO - OPEN CLAIMS
 ASPEN GROVE 92 H 15 BC
 by SECTION 76+27N


55-60	0.77	0.76	0.72
60-65	0.39	0.37	0.32
65-70	0.08	0.11	0.08
70-75	0.20	0.22	0.26
75-80	0.27	0.28	0.35
80-85	0.63	0.72	0.40
85-90	0.10	0.12	0.05
90-95	0.07	0.08	0.08
95-100	0.06	0.07	0.04

105-110	0.96	1.03
110-115	2.14	2.00
115-120	0.55	1.61
120-125	1.00	
125-129	0.04	
162-165	0.05	
165-170	0.13	
170-175	0.02	
175-180	0.03	
180-185	0.03	
185-190	0.04	
190-195	0.05	
195-200	0.12	0.1
200-205	0.05	
205-210	0.98	0.3
210-215	2.04	0.7
215-220	0.62	0.2
220-225	0.15	0.1
225-230	0.20	
230-235	0.05	
235-240	0.07	
240-245	0.03	
245-250	0.03	

DDH 72-2

CREST			
	Cu%	Au ^{oz}	Ag ^{oz}
305-310	0.13		
310-315	0.26		
315-320	3.97	0.07	0.8
320-325	0.03		

4.35 } 5m-1.45%



Depa
Mines and Po
ASSESS...
NO. 3789

Fig 2
WHITE RIVER MINES LTD
VANCOUVER.
To accompany Report on
DAGO - OPEN CLAIM
ASPEN GROVE, 92 H 15 B
SECTION 72+56
LOOKING NORTH
1" = 50' & 1" = 10% Cu
July 1972

by
C. A. R. LAMBLE
PROFESSIONAL ENGINEER
BRITISH COLUMBIA
JUL 27 1972

72-2

A

c \ \ .

A \ \ I

•X;

•4; vw^nif / -tii /;n

L&g &n S

M&R.OON BRECCIA.

BLACK. AMOESITE - Diocite 8*..

DACITE TyfTF

PURPLE, PveOKEWE BASALT 7^-/4
-4a-

»2
^ z

TUFF > LIMEATOWE; GCEVWACKE

JOIM7|Me; 37 EEP £ IKJOL.-ME.D

F^UL-T
SSIL ITv

mat- - &th.'te.

** *. ". PnrC>*t.3w?j| b/oede* &at**eifr -S3*A#<^ *

J C**tt7\lf fa Af &y<i> |
A^/ Tsar*//* E/fitJt. Z^EA.

A WMwM Jvas'fi/* 6qS*S*i CA Aj**

At Trench Ep (n***&

t Oft- C*r* Sjbtrn diss fy in - W/I ^- - ,

I Oh - M> SURn *ff - t j4SE*/

*/trie Slack /n>EA/c

JIL