827531

LOGISTICAL REPORT

INDUCED POLARIZATION/RESISTIVITY SURVEYS

LARA PROJECT, VANCOUVER ISLAND AREA, B.C.

on behalf of

MINNOVA INC.
4th floor - 311 Water Street
Vancouver, B.C. V6B 1B8

Field work completed: April 22 to May 4, 1990

by

Alan Scott, Geophysicist
SCOTT GEOPHYSICS LTD.
4013 West 14th Avenue
Vancouver, B.C. V6R 2X3

May 6, 1990

TABLE OF CONTENTS

		page
1	Introduction	1
2	Survey Location	1
3	Survey Grid and Survey Coverage	1
4	Personnel	1
5	Instrumentation and procedures	2
6	Recommendations	2

1. INTRODUCTION

Induced polarization and resistivity surveys were conducted over portions of the Lara Project, Vancouver Island Area, B.C., within the period April 22 to May 4, 1990. The work was conducted by Scott Geophysics Ltd. on behalf of Minnova Inc.

The pole dipole electrode array was used, with an "a" spacing of 25 meters and "n" separations of 1 to 5 on all lines except line 5900W, which was read at "n" separations of 1 to 8. The current electrode was to the south of the receiving electrodes on lines 3800W to 4500W and 5900W, and to the north of the receiving electrodes on all other survey lines.

2. SURVEY LOCATION

The Lara Project is located about 15 kilometers west southwest of Chemainus, B.C. Access is via secondary mining and logging roads north from the main Chemainus River haul road.

3. SURVEY GRID AND SURVEY COVERAGE

A total of 18.8 line kilometers of induced polarization survey were completed on the present survey of the Lara Project. Details of lines surveyed are given in the production reports.

4. PERSONNEL

Ken Moir, technician, was the party chief on the survey and operated the IPR11 receiver. Gary Wells, geologist, was the Minnova representative for the project.

5. INSTRUMENTATION AND PROCEDURES

A Scintrex IPR11 time domain microprocessor based receiver and a Scintrex 10.0 kw TSQ4 transmitter were used for the induced polarization survey. Readings were taken using a 2 second alternating square wave. The chargeability for the eighth slice (690 to 1050 milliseconds after shutoff; midpoint at 870 milliseconds) is the value that has been plotted on the accompanying plans and pseudosections.

The survey data was archived, processed, and plotted using a Toshiba 3200SX microcomputer running Scintrex Soft II and proprietary software. All chargeability values were analyzed for their spectral characteristics using a curve matching procedure (Soft II).


6. RECOMMENDATIONS

A preliminary examination of the results of the induced polarization survey indicates the presence of moderate to strong chargeability highs.

A detailed interpretation of the results of this survey, and correlation to geological and geochemical information, is required before any specific recommendations could be made.

Fill in surveying is recommended prior to testing of the chargeability highs detected on lines 9600W to 12400W.

Respectfully Submitted,



Alan Scott, Geophysicist

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:59W.IND
DATA FILE : A:59W.DAT

LINE NO. : 59

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5	M6	M7	M8	M9	Vp	SP	Apparent
								mV/V					mV	mV	Resist.
10825	2	1	3.4	3.0	3.0	2.6	2.3	1.7	1.4	1.1	.8	.7	337.7	-1.	120.
		2	8.8	6.9	6.2	5.4	4.3	3.1	2.5	1.9	1.5	1.1	90.5	16.	97.
		3	8.8	7.3	6.5	5.9	4.7	3.6	2.9	2.2	1.7	1.3	52.0	-24.	111.
		4	9.8	7.4	6.6	6.1	4.8	3.7	3.0	2.3	1.8	1.3	32.4	28.	115.
10850	2	1	6.1	4.9	4.3	3.8	2.8	2.1	1.7	1.3	1.0	.8	433.8	31.	174.
		2	9.0	7.3	6.4	5.6	4.5	3.1	2.6	2.0	1.6	1.2	142.4	-29.	171.
		3	9.2	7.5	6.5	5.9	4.9	3.7	3.1	2.4	1.9	1.6	68.6	25.	165.
		4	10.7	9.1	7.8	6.9	6.0	4.6	3.9	3.1	2.5	2.1	42.9	-24.	172.
10875	2	1	6.3	5.1	4.2	3.8	2.8	2.1	1.6	1.2	.9	.7	663.7	-23.	285.
		2	8.6	6.9	6.0	5.3	4.1	3.0	2.4	1.9	1.4	1.1	202.2	21.	260.
		3	9.7	8.2	7.2	6.6	5.1	3.9	3.0	2.5	1.8	1.5	101.6	-19.	260.
		4	10.6	8.9	7.9	7.3	5.8	4.5	3.4	2.9	2.1	1.8	53.0	-18.	227.
10900	2	1	6.6	5.1	4.2	3.7	2.8	2.0	1.6	1.2	.9	.7	563.1	27.	280.
		2	9.4	7.7	6.7	5.8	4.6	3.4	2.7	2.0	1.5	1.2	197.4	-18.	295.
		3	10.5	9.2	8.0	7.1	5.7	4.2	3.4	2.7	2.1	1.6	85.9	-21.	256.
		4	10.9	9.8	8.5	7.4	6.0	4.5	3.7	2.9	2.3	1.8	49.9	18.	248.
10925	2	1	7.1	5.2	4.5	4.2	3.1	2.2	1.7	1.3	1.0	.7	456.2	-11.	311.
		2	10.5	8.3	7.1	6.6	5.1	3.6	2.8	2.2	1.6	1.3	138.9	-20.	284.
		3	11.6	9.6	8.0	7.4	5.9	4.2	3.2	2.5	1.8	1.4	66.4	18.	271.
		4	11.5	9.6	7.6	7.1	5.8	3.9	2.7	2.2	1.4	1.0	37.8	-5.	257.
10950	2	1	7.4	5.8	5.0	4.6	3.4	2.5	2.0	1.6	1.2	1.0	404.2	-14.	317.
		2	10.5	8.3	7.3	6.7	5.2	3.9	3.2	2.5	2.0	1.7	136.4	17.	321.
		3	11.5	9.3	8.3	7.5	6.0	4.7	3.9	3.1	2.5	2.2	66.5	1.	312.
		4	11.0	8.7	7.8	7.1	5.9	4.7	4.0	3.2	2.8	2.6	38.5	-15.	302.
10975	2	1	7.4	5.9	4.9	4.4	3.4	2.5	1.9	1.5	1.1	.9	750.0	17.	294.

		2	10.2	8.2	7.2	6.4	5.1	3.7	3.0	2.3	1.7	1.4	260.8	3.	307.
		3	10.1	8.3	7.4	6.6	5.3	4.0	3.2	2.5	1.9	1.5	130.2	-13.	300.
		4	10.1	7.9	7.0	6.3	5.1	3.8	3.1	2.3	1.8	1.5	83.5	-6.	327.
11000	2	1	6.9	5.5	4.7	4.2	3.2	2.3	1.8	1.4	1.0	.8	610.9	4.	304.
		2	8.7	7.0	6.1	5.5	4.2	3.1	2.4	1.9	1.4	1.1	219.6	-14.	328.
		3	8.5	6.9	6.1	5.4	4.1	3.0	2.3	1.7	1.2	1.0	121.7	-8.	360.
		4	9.4	7.1	6.3	5.5	4.1	3.2	2.5	1.9	1.3	1.1	73.6	18.	366.
11025	2	1	6.5	5.0	4.3	3.8	2.9	2.1	1.7	1.3	.9	.7	916.6	-6.	342.
		2	8.5	6.6	5.7	5.1	3.9	2.7	2.2	1.7	1.2	.9	358.0	-7.	401.
		3	9.3	7.4	6.3	5.7	4.3	3.0	2.5	1.8	1.3	1.0	187.6	22.	410.
		4	8.4	6.5	5.5	5.0	3.7	2.6	2.2	1.6	1.1	.8	128.3	11.	470.
11050	2	1	7.2	5.4	4.8	4.1	3.1	2.2	1.7	1.3	1.0	.8	593.4	-1.	332.
		2	9.3	7.1	6.3	5.5	4.2	3.0	2.4	1.9	1.5	1.2	221.6	24.	372.
		3	8.6	6.7	6.0	5.1	4.0	2.9	2.4	1.8	1.5	1.2	134.4	9.	450.
		4	12.5	9.8	8.8	7.7	6.1	4.5	3.8	2.9	2.4	2.0	106.6	-10.	590.
11075	2	1	6.8	5.6	4.7	4.3	3.2	2.3	1.8	1.4	1.1	.8	517.6	27.	306.
		2	8.8	6.9	5.7	5.3	3.9	2.9	2.3	1.8	1.4	1.1	235.4	9.	418.
		3	11.8	9.8	8.4	7.8	6.0	4.5	3.6	2.8	2.2	1.8	161.2	-15.	570.
		4	15.1	12.4	10.6	9.9	7.6	5.8	4.7	3.7	2.9	2.3	101.8	8.	600.
11100	2	1	7.2	5.7	4.7	4.1	3.2	2.2	1.8	1.4	1.1	.9	607.3	8.	366.
		2	11.7	9.7	8.2	7.3	5.8	4.3	3.5	2.7	2.1	1.8	293.6	-16.	531.
		3	15.1	12.6	10.7	9.7	7.7	5.7	4.7	3.7	3.0	2.5	161.9	9.	580.
		4	15.2	12.9	10.9	9.9	8.0	6.0	5.0	3.9	3.2	2.6	102.6	-19.	610.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:59W5T8.IND
DATA FILE : A:59W5T8.DAT

LINE NO. : 59

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
10825	2	1	10.7	9.1	8.4	7.4	5.9	4.4	3.6	2.8	2.2	1.8	50.0	-6.	131.
		2	10.8	9.0	8.4	7.5	6.1	4.4	3.6	2.9	2.3	2.0	35.3	-21.	129.
		3	9.7	8.4	7.8	6.8	5.6	4.0	3.4	2.8	2.2	2.0	29.6	18.	144.
		4	9.2	7.8	7.5	6.5	5.4	3.8	3.3	2.8	2.2	2.1	24.0	-4.	151.
10850	2	1	10.4	8.9	7.8	7.0	5.5	4.0	3.3	2.5	1.9	1.5	42.0	-17.	180.
		2	10.7	8.6	7.7	6.8	5.4	3.9	3.2	2.3	1.7	1.2	31.9	17.	191.
		3	9.7	7.9	7.1	6.2	4.8	3.4	2.8	1.9	1.5	1.0	24.5	1.	196.
		4	8.1	6.1	5.7	4.8	3.6	2.5	2.2	1.4	1.1	.6	18.9	-15.	195.
10875	2	1	10.3	8.5	7.5	7.0	5.4	3.9	3.0	2.2	1.6	1.2	58.0	17.	210.
		2	10.0	8.1	7.1	6.7	5.0	3.6	2.9	2.0	1.5	1.0	42.1	2.	214.
		3	8.0	6.5	5.5	5.5	3.9	2.8	2.2	1.5	1.1	.7	31.7	-15.	214.
		4	7.0	5.3	4.5	4.7	3.0	2.0	1.5	.8	.6	.2	26.3	-7.	229.
10900	2	1	10.6	8.9	8.1	7.0	5.5	4.1	3.3	2.6	2.0	1.7	69.5	5.	246.
		2	9.5	7.8	7.3	6.1	4.8	3.6	3.0	2.3	1.8	1.6	49.5	-13.	245.
		3	8.0	6.7	6.4	5.0	3.9	2.9	2.4	1.8	1.4	1.4	39.8	-8.	263.
		4	8.9	6.9	6.9	5.3	4.1	3.0	2.5	1.8	1.4	1.3	30.5	20.	259.
10925	2	1	10.0	7.8	7.0	6.6	5.1	3.6	3.0	2.2	1.5	1.1	56.2	-6.	265.
		2	9.7	6.9	6.4	6.2	4.6	3.0	2.6	1.8	1.3	.9	43.3	-7.	285.
		3	10.2	7.3	6.7	6.4	4.8	3.1	2.7	1.8	1.2	.8	32.5	22.	286.
		4	10.0	6.4	6.1	6.3	4.5	2.7	2.5	1.6	1.0	.7	27.6	11.	312.
10950	2	1	9.3	7.7	6.9	6.2	4.9	3.6	2.9	2.1	1.4	1.1	55.2	0.	317.
		2	10.1	8.3	7.3	6.5	5.1	3.8	3.0	2.3	1.5	1.1	39.7	24.	319.
		3	9.4	8.1	7.1	6.2	5.0	3.6	2.9	2.0	1.3	1.0	33.0	10.	353.
		4	14.1	11.8	10.7	9.3	7.6	5.6	4.6	3.5	2.5	2.0	32.9	-10.	453.
10975	2	1	8.8	7.6	6.6	6.2	4.8	3.6	2.9	2.3	1.8	1.5	103.7	28.	376.

		2	10.6	8.5	7.0	6.4	5.0	3.8	3.1	2.5	1.9	1.7	83.1	10.	421.
		3	13.8	11.9	10.1	9.3	7.4	5.7	4.6	3.7	2.9	2.6	80.8	-16.	546.
		4	17.2	14.5	12.3	11.4	9.1	7.0	5.8	4.7	3.7	3.2	61.4	9.	533.
11000	2	1	8.8	7.1	6.1	5.5	4.3	3.1	2.5	1.8	1.4	1.1	132.0	10.	432.
		2	13.8	11.3	9.8	9.0	7.0	5.3	4.2	3.2	2.5	2.0	125.8	-15.	576.
		3	16.7	13.8	12.0	11.0	8.7	6.5	5.2	4.0	3.1	2.4	94.4	11.	576.
		4	17.5	14.5	12.6	11.7	9.4	7.1	5.8	4.4	3.3	2.5	70.7	-17.	555.
11025	2	1	12.7	10.9	9.3	8.2	6.6	4.9	3.9	3.0	2.3	1.8	221.9	-16.	626.
		2	16.3	13.6	11.9	10.5	8.4	6.3	5.0	3.9	2.9	2.4	161.2	13.	636.
		3	16.5	13.9	12.1	10.5	8.5	6.4	5.0	3.9	2.9	2.3	118.9	-20.	626.
11050	2	1	15.8	13.1	11.7	10.3	8.3	6.5	4.6	4.0	3.1	2.6	164.9	11.	647.
		2	16.7	13.7	12.4	10.8	8.8	7.0	4.9	4.3	3.3	2.8	118.8	-19.	652.
11075	2	1	15.8	13.0	11.5	11.1	8.5	6.3	5.1	4.1	3.4	2.8	70.9	-20.	630.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:38W.IND
DATA FILE : A:38W.DAT

LINE NO. : 38

Station	Receive Dipole : Mode		M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
11525	2	1	23.4	19.3	17.3	15.5	12.5	9.4	7.7	6.1	4.7	3.9	838.7	-19.	822.
		2	20.2	16.8	15.0	13.6	10.9	8.2	6.8	5.4	4.2	3.5	242.5	0.	713.
		3	19.7	16.2	14.4	12.9	10.3	7.7	6.4	5.0	3.9	3.1	121.0	-21.	710.
		4	17.6	14.4	12.5	11.3	8.8	6.3	5.2	3.9	2.9	2.5	86.8	9.	851.
		5	20.1	16.5	14.7	13.1	10.6	7.8	6.6	5.2	4.0	3.3	69.1	9.	1016.
11550	2	1	24.0	20.1	17.7	16.3	13.0	9.9	8.1	6.4	5.0	4.1	553.6	-18.	668.
		2	21.0	17.6	15.4	14.2	11.3	8.5	6.9	5.4	4.1	3.4	144.2	-12.	522.
		3	18.4	15.3	13.2	12.3	9.9	7.5	6.2	4.9	3.8	3.1	92.1	-24.	665.
		4	20.8	17.2	14.7	13.6	10.7	7.9	6.4	5.0	3.8	3.1	69.0	21.	833.
		5	19.8	16.4	13.8	12.9	10.1	7.4	6.0	4.6	3.5	2.8	48.8	17.	884.
11575	2	1	22.6	18.8	16.8	15.3	12.4	9.4	7.8	6.2	4.8	4.0	634.7	-17.	586.
		2	18.5	15.2	13.6	12.4	10.2	7.7	6.3	4.9	3.9	3.3	218.6	11.	605.
		3	21.3	17.4	15.5	14.0	11.2	8.2	6.7	5.3	4.2	3.5	126.9	-53.	700.
		4	20.6	16.7	14.7	13.3	10.5	7.7	6.2	4.9	3.8	3.0	82.3	48.	759.
		5	19.4	15.6	13.8	12.5	10.0	7.3	6.0	4.7	3.7	2.9	63.8	8.	883.
11600	2	1	19.0	16.1	14.1	13.1	10.5	7.9	6.6	5.2	4.1	3.3	765.5	-19.	572.
		2	21.1	17.7	15.5	14.3	11.3	8.6	7.0	5.5	4.3	3.5	277.6	-9.	622.
		3	20.3	17.0	14.8	13.5	10.5	7.9	6.4	5.0	3.8	3.1	152.3	-49.	680.
		4	19.6	16.3	14.1	13.0	10.2	7.6	6.3	4.9	3.7	3.0	110.3	52.	820.
		5	17.6	14.3	12.3	11.4	8.8	6.5	5.4	4.0	3.2	2.6	93.9	35.	1053.
11625	2	1	22.0	18.6	16.5	14.8	11.9	9.0	7.4	5.9	4.6	3.7	665.6	-20.	549.
		2	20.3	17.1	15.1	13.6	10.9	8.2	6.6	5.3	4.1	3.3	195.0	34.	483.
		3	18.9	15.8	13.9	12.6	9.9	7.4	5.9	4.6	3.5	2.8	141.5	-82.	700.
		4	17.8	14.7	13.0	11.9	9.4	7.0	5.6	4.5	3.5	2.9	105.7	79.	870.
		5	20.6	17.0	14.9	13.6	10.7	8.2	6.4	5.0	4.0	3.3	76.4	-5.	946.
11650	2	1	20.8	17.3	15.5	14.0	11.2	8.5	7.0	5.6	4.4	3.6	372.0	14.	507.

		2	18.6	15.5	13.7	12.5	9.9	7.5	6.0	4.8	3.6	2.8	150.8	-38.	617.
		3	16.1	13.6	12.0	10.8	8.5	6.4	5.2	4.1	3.1	2.5	97.9	-14.	800.
		4	20.0	16.5	14.4	12.9	10.2	7.6	6.1	4.8	3.9	3.3	66.0	32.	900.
		5	25.8	21.5	19.0	17.2	13.4	10.2	8.1	6.5	4.9	3.8	54.3	-2.	1112.
11675	2	1	19.4	15.8	14.5	13.1	10.4	7.8	6.4	5.1	4.0	3.2	637.5	-31.	500.
		2	16.5	13.4	12.1	10.9	8.5	6.3	5.2	4.1	3.2	2.6	287.3	54.	676.
		3	19.1	15.5	13.9	12.4	9.8	7.2	5.9	4.6	3.5	2.9	176.3	-52.	820.
		4	25.5	20.9	18.9	17.0	13.4	10.0	8.2	6.4	5.0	4.0	128.0	10.	1000.
		5	28.2	23.2	20.7	18.7	14.7	11.0	9.0	7.1	5.5	4.5	78.3	34.	921.
11700	2	1	16.1	13.4	11.6	10.6	8.4	6.3	5.1	4.0	3.1	2.5	1060.0	28.	470.
		2	18.1	15.1	13.1	12.0	9.4	7.0	5.7	4.4	3.4	2.8	484.7	-24.	652.
		3	24.0	20.1	17.6	16.0	12.7	9.5	7.6	6.0	4.6	3.8	323.3	-21.	860.
		4	27.6	23.0	20.2	18.4	14.7	11.0	8.9	6.9	5.3	4.1	186.5	30.	830.
		5	30.7	25.5	22.3	20.3	16.2	12.0	9.8	7.8	6.1	5.2	169.1	6.	1130.
11725	2	1	16.5	13.5	11.9	10.8	8.6	6.4	5.2	4.0	3.1	2.5	1053.0	-18.	420.
		2	22.8	18.8	16.6	15.1	12.0	8.9	7.2	5.7	4.4	3.5	543.2	-30.	664.
		3	26.0	21.4	18.9	17.2	13.7	10.2	8.3	6.5	5.0	4.1	289.7	4.	700.
		4	29.8	24.5	21.6	19.6	15.6	11.6	9.4	7.3	5.7	4.6	249.9	22.	1010.
		5	34.6	28.6	25.3	23.1	18.3	13.7	11.1	8.7	6.8	5.5	175.6	15.	1070.
11750	2	1	20.2	16.7	14.9	13.5	10.6	8.0	6.4	5.1	3.9	3.2	1172.0	-36.	460.
		2	24.1	20.0	17.8	16.2	12.7	9.6	7.7	6.1	4.7	3.9	470.7	38.	554.
		3	28.4	23.5	20.9	18.9	14.9	11.2	9.0	7.1	5.5	4.5	368.6	-26.	860.
		4	32.2	26.5	23.4	21.3	16.8	12.6	10.1	8.0	6.2	5.0	242.7	21.	950.
		5	35.4	29.5	26.3	24.0	19.0	14.4	11.7	9.3	7.2	5.9	178.5	-31.	1050.
11775	2	1	18.8	15.6	13.9	12.5	9.8	7.4	5.9	4.7	3.7	3.0	967.6	5.	337.
		2	24.9	20.8	18.2	16.5	13.0	9.7	7.8	6.2	4.8	3.9	692.6	-15.	724.
		3	30.6	25.5	22.9	20.7	16.0	12.2	9.7	7.8	6.0	4.9	419.7	5.	870.
		4	32.1	26.7	23.5	21.2	16.8	12.6	10.1	8.1	6.3	5.1	282.8	-31.	980.
		5	36.6	30.6	27.3	24.8	19.6	15.0	12.0	9.7	7.5	6.1	224.9	-6.	1170.
11800	2	1	19.0	15.9	13.9	12.7	10.0	7.5	6.1	4.8	3.7	3.0	1442.0	-3.	490.
		2	25.6	21.4	18.8	17.0	13.4	10.0	8.1	6.5	5.0	4.1	749.9	16.	767.
		3	28.9	24.1	21.1	19.2	15.1	11.5	9.2	7.2	5.3	4.4	451.6	-36.	920.
		4	34.3	28.7	25.3	23.0	18.2	13.6	11.0	8.7	6.9	5.6	325.3	-23.	1110.
		5	33.5	28.0	24.8	22.5	17.8	13.4	10.9	8.6	6.7	5.4	173.4	29.	880.
11825	2	1	19.6	16.0	14.2	12.8	10.2	7.5	6.1	4.8	3.7	3.0	1088.0	2.	370.
		2	24.9	20.6	18.1	16.3	12.9	9.6	7.8	6.1	4.7	3.8	657.3	-27.	687.
		3	31.9	26.2	23.4	21.1	16.8	12.6	10.2	8.0	6.3	5.1	427.3	-32.	890.
		4	32.4	26.7	23.7	21.4	17.0	12.7	10.4	8.2	6.3	5.1	213.7	23.	740.
		5	34.2	28.2	24.9	22.5	17.8	13.2	10.6	8.3	6.4	5.2	275.9	-5.	1440.
11850	2	1	18.7	15.5	13.4	12.1	9.6	7.4	5.8	4.5	3.5	2.9	1067.0	-5.	510.
		2	28.0	23.3	20.3	18.4	14.6	11.4	8.9	7.0	5.4	4.4	607.3	-19.	880.
		3	28.6	24.0	20.5	18.7	14.8	11.8	9.0	7.1	5.4	4.4	293.7	10.	840.

		4	33.2	27.9	24.1	21.8	17.4	14.2	10.7	8.5	6.7	5.6	282.2	-17.	1360.
		5	44.3	37.2	32.1	28.9	22.7	18.2	13.4	10.4	7.8	6.2	295.8	-7.	2140.
11875	2	1	21.9	18.0	16.1	14.7	11.5	8.7	7.0	5.5	4.3	3.5	728.8	-22.	673.
		2	24.6	20.4	18.0	16.5	13.0	9.9	7.9	6.3	4.9	4.0	245.5	12.	680.
		3	29.3	24.4	21.4	19.5	15.3	11.6	9.3	7.3	5.7	4.6	254.4	-26.	1400.
		4	41.6	34.5	30.6	27.7	22.1	16.7	13.4	10.6	8.1	6.6	224.8	-5.	2070.
		5	58.0	48.6	43.2	39.6	31.1	23.3	18.6	14.8	11.4	9.2	171.8	10.	2370.
11900	2	1	16.9	14.3	12.4	11.2	8.9	6.7	5.5	4.4	3.4	2.8	326.3	14.	487.
		2	23.2	19.4	16.9	15.3	12.1	9.1	7.4	5.9	4.5	3.8	257.8	1.	1156.
		3	35.7	30.2	26.4	23.8	18.9	14.2	11.6	9.2	7.2	5.9	204.5	-35.	1830.
		4	52.8	44.2	39.0	35.4	28.2	21.3	17.4	13.9	10.9	8.9	144.4	5.	2150.
		5	71.8	60.6	54.0	49.0	39.2	29.8	24.5	19.5	15.0	12.6	74.5	40.	1671.
11925	2	1	15.7	12.7	11.2	9.9	8.0	5.8	4.7	3.6	2.8	2.3	731.1	-11.	717.
		2	27.2	22.4	19.6	17.6	14.0	10.3	8.3	6.4	4.9	4.0	599.7	-28.	1765.
		3	45.4	37.8	33.3	30.0	24.0	17.8	14.5	11.3	8.7	7.1	373.0	-1.	2190.
		4	65.1	54.6	48.3	43.8	35.0	26.4	21.5	17.1	13.3	10.8	173.7	27.	1700.
		5	80.1	67.6	60.3	54.9	44.1	33.1	27.1	21.0	16.4	13.1	150.0	6.	2200.
11950	2	1	19.8	16.1	14.1	12.8	10.1	7.4	6.0	4.6	3.5	2.9	1925.0	-35.	1720.
		2	37.0	30.8	27.1	24.5	19.3	14.4	11.7	9.1	7.1	5.7	871.2	17.	2344.
		3	58.0	48.6	43.1	39.5	31.6	23.7	19.4	15.3	12.0	9.8	351.3	-6.	1880.
		4	76.0	64.2	57.0	52.1	41.7	31.5	25.7	20.5	16.0	13.1	261.6	10.	2340.
		5	80.1	68.3	61.1	56.3	45.5	35.2	28.6	22.7	18.0	14.7	33.4	14.	449.
11975	2	1	31.4	26.4	22.9	20.8	16.4	12.2	9.8	7.7	5.9	4.8	1694.0	7.	1560.
		2	51.1	43.1	38.2	34.8	27.7	20.8	16.9	13.3	10.3	8.4	702.2	0.	1945.
		3	72.0	61.1	54.0	49.3	39.6	29.9	24.4	19.4	15.1	12.4	452.3	-4.	2500.
		4	75.9	64.4	57.3	52.4	42.3	32.4	26.6	21.8	17.1	13.9	45.3	9.	417.
		5	92.2	78.7	70.6	64.4	52.9	40.5	33.1	26.8	21.2	17.6	66.6	11.	922.
12000	2	1	36.6	30.5	27.0	24.1	19.2	14.4	11.6	9.1	7.0	5.7	1770.0	3.	2640.
		2	59.9	50.6	45.0	40.7	32.5	24.5	19.9	15.7	12.2	10.0	923.3	20.	4141.
		3	71.2	61.6	55.2	50.4	41.1	31.5	26.1	20.6	16.1	13.3	63.4	-25.	567.
		4	103.7	88.4	79.0	72.2	58.6	45.0	37.2	29.6	23.4	19.5	68.3	14.	1021.
12025	2	1	42.8	35.7	31.6	28.7	22.6	17.0	13.7	10.8	8.4	6.8	2885.0	0.	3930.
		2	61.6	52.6	47.0	43.0	34.4	26.1	21.4	17.0	13.2	10.8	178.9	-11.	732.
		3	106.0	91.3	81.8	75.2	60.7	46.7	38.5	30.9	24.3	20.1	144.3	-12.	1170.
12050	2	1	36.6	31.1	28.0	25.4	20.4	15.7	12.8	10.2	8.0	6.6	742.5	-15.	971.
		2	96.2	81.8	73.1	66.8	53.8	41.3	33.9	27.1	21.3	17.5	358.0	-22.	1405.
12075	2	1	77.5	66.3	58.8	53.9	43.4	33.1	27.2	21.7	17.0	14.0	1021.0	-40.	1520.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:39W.IND
DATA FILE : A:39W.DAT

LINE NO. : 39

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
11725	2	1	19.6	15.9	14.2	12.7	9.9	7.3	5.9	4.6	3.5	2.8	862.4	6.	846.
		2	26.9	22.2	19.8	17.9	14.2	10.7	8.6	6.8	5.3	4.3	379.7	0.	1118.
		3	35.2	29.2	26.1	23.6	18.8	14.1	11.5	9.2	7.2	5.9	163.0	-9.	958.
		4	41.3	34.3	30.5	27.3	21.8	16.4	13.3	10.5	8.4	6.8	108.7	11.	1067.
		5	45.5	37.6	33.7	30.8	24.1	18.3	15.0	11.9	9.3	7.5	74.2	11.	1093.
11750	2	1	21.9	18.1	15.9	14.4	11.4	8.4	6.8	5.4	4.1	3.4	1217.0	6.	889.
		2	31.6	26.3	23.4	21.2	16.9	12.7	10.4	8.2	6.4	5.2	337.8	-10.	740.
		3	39.6	33.0	29.3	26.6	21.2	15.9	13.0	10.3	8.0	6.5	203.5	6.	890.
		4	44.7	37.5	33.2	30.2	24.1	18.1	14.7	11.7	9.1	7.5	130.2	4.	951.
		5	44.9	37.7	33.5	30.4	24.3	18.2	14.9	11.9	9.2	7.6	103.9	-5.	1138.
11775	2	1	23.3	19.1	17.1	15.4	12.2	9.2	7.5	5.9	4.6	3.7	1161.0	-6.	570.
		2	35.1	28.9	25.7	23.2	18.3	13.6	11.0	8.7	6.8	5.5	508.0	-2.	759.
		3	42.0	35.0	31.2	28.2	22.5	17.0	13.8	11.0	8.5	7.0	292.5	3.	870.
		4	42.7	35.4	31.4	28.4	22.6	16.9	13.7	10.8	8.4	6.9	228.0	-20.	1130.
		5	41.0	34.0	30.4	27.3	21.8	16.2	13.2	10.4	8.1	6.5	176.9	18.	1320.
11800	2	1	23.7	19.5	17.2	15.5	12.2	9.1	7.3	5.7	4.4	3.6	1083.0	-6.	700.
		2	36.5	30.4	27.0	24.4	19.5	14.5	11.8	9.4	7.3	6.0	384.7	-1.	754.
		3	38.4	31.9	28.2	25.4	20.4	15.3	12.3	9.7	7.5	6.1	280.2	-31.	1090.
		4	37.2	30.8	27.2	24.6	19.4	14.5	11.6	9.1	7.1	5.7	207.1	22.	1350.
		5	43.8	36.2	31.9	28.8	22.9	17.0	13.7	10.8	8.3	6.7	123.2	-9.	1200.
11825	2	1	30.8	25.6	22.7	20.4	16.3	12.2	10.0	7.9	6.1	5.0	518.3	-28.	464.
		2	35.3	29.5	26.2	23.6	18.9	14.2	11.6	9.1	7.2	5.9	306.2	-4.	824.
		3	34.0	28.3	25.1	22.6	17.9	13.3	10.9	8.5	6.6	5.3	235.8	3.	1260.
		4	41.3	34.3	30.3	27.2	21.7	16.3	13.3	10.4	8.1	6.5	127.6	-16.	1140.
		5	53.2	44.3	39.2	35.2	28.2	21.1	17.3	13.5	10.6	8.5	166.0	27.	2230.
11850	2	1	24.5	20.3	17.8	16.2	12.9	9.6	7.8	6.2	4.8	3.9	670.5	-15.	701.

		2	26.2	21.7	19.0	17.2	13.6	10.1	8.2	6.4	4.9	4.0	423.8	9.	1330.
		3	34.4	28.4	24.9	22.6	17.9	13.2	10.6	8.4	6.4	5.2	189.2	-29.	1180.
		4	47.4	39.6	35.0	31.6	25.1	18.8	15.3	12.0	9.2	7.4	210.5	16.	2200.
		5	65.6	54.9	48.5	44.2	35.6	26.7	21.5	17.2	13.3	11.0	98.9	16.	1552.
11875	2	1	17.5	14.4	12.4	11.3	8.8	6.5	5.2	4.1	3.1	2.5	1242.0	12.	950.
		2	27.1	22.5	19.5	17.9	13.8	10.1	8.1	6.3	4.8	3.9	489.2	-18.	1123.
		3	39.5	33.1	28.9	26.6	20.9	15.6	12.4	9.7	7.5	6.1	454.3	2.	2080.
		4	59.6	50.3	44.4	40.7	32.2	24.1	19.7	15.6	12.0	9.8	197.4	11.	1510.
		5	71.1	60.4	53.5	49.2	39.1	29.6	24.1	19.1	14.8	12.1	134.7	14.	1540.
11900	2	1	22.9	18.9	16.4	14.8	11.6	8.5	6.9	5.3	4.0	3.3	709.1	-22.	927.
		2	34.5	28.7	25.2	22.9	18.2	13.5	10.9	8.6	6.6	5.3	498.7	8.	1957.
		3	55.8	47.1	41.6	37.9	30.4	22.8	18.7	14.9	11.5	9.4	180.8	-3.	1410.
		4	69.1	58.3	51.6	47.1	37.9	28.5	23.3	18.6	14.3	11.7	111.8	7.	1460.
		5	78.5	66.0	58.4	53.6	43.7	33.1	26.8	21.6	16.9	13.7	23.3	11.	457.
11925	2	1	26.6	21.5	18.9	17.7	13.6	10.1	8.1	6.3	4.9	3.9	3012.0	8.	1710.
		2	48.7	40.7	36.2	33.4	26.4	19.8	16.1	12.8	10.0	8.1	806.7	4.	1381.
		3	65.4	55.0	49.1	45.3	36.0	27.4	22.3	17.8	14.0	11.4	411.3	-9.	1400.
		4	76.6	64.8	57.9	53.4	42.8	32.7	26.8	21.4	16.9	13.9	78.6	0.	448.
		5	82.6	70.0	62.6	57.6	46.4	35.6	29.2	23.5	18.6	15.4	86.0	12.	736.
11950	2	1	31.8	27.0	23.6	21.8	17.2	12.9	10.5	8.3	6.4	5.2	1723.0	-3.	2160.
		2	55.4	47.4	41.9	38.5	30.8	23.4	19.2	15.3	11.9	9.7	435.3	-2.	1640.
		3	70.8	60.9	54.2	49.7	40.1	30.6	25.2	20.2	16.0	13.3	62.8	-14.	472.
		4	82.8	71.2	63.6	58.2	47.2	36.3	30.0	24.1	19.2	15.8	58.5	7.	735.
		5	82.6	71.2	63.8	58.1	47.4	36.6	30.4	24.5	19.6	16.3	46.4	7.	874.
11975	2	1	38.7	32.7	29.0	26.1	20.9	15.7	12.8	10.1	7.8	6.3	2011.0	-11.	2630.
		2	59.0	50.2	44.9	40.9	32.9	24.9	20.5	16.2	12.6	10.3	185.2	1.	726.
		3	80.0	68.4	61.2	55.6	45.0	34.3	28.4	22.6	17.8	14.7	128.6	-14.	1000.
		4	84.2	72.1	64.5	59.0	47.7	36.5	30.4	24.2	19.1	15.8	89.7	2.	1172.
		5	91.8	79.0	70.4	65.4	52.6	40.2	33.7	26.8	21.1	17.5	42.5	18.	834.
12000	2	1	38.7	32.8	29.1	26.4	21.1	15.9	13.0	10.3	7.9	6.5	540.4	0.	707.
		2	68.8	58.7	52.3	47.8	38.5	29.4	24.1	19.3	15.1	12.4	298.0	-5.	1169.
		3	76.5	65.4	58.5	53.4	43.3	33.2	27.3	21.9	17.2	14.3	174.6	-27.	1360.
		4	89.0	76.2	68.1	62.2	50.4	38.7	31.9	25.7	20.2	16.8	73.0	19.	955.
		5	109.9	94.6	84.8	76.8	61.9	47.1	37.7	31.1	25.1	20.9	47.4	15.	930.
12025	2	1	51.9	43.7	39.1	35.8	28.6	21.7	17.8	14.1	11.1	9.1	1712.0	-18.	1160.
		2	65.6	55.6	49.8	45.6	36.7	28.1	23.1	18.5	14.5	11.9	786.4	-8.	1610.
		3	79.8	67.9	60.7	55.7	44.9	34.4	28.3	22.7	18.0	14.9	279.7	-24.	1140.
		4	104.8	89.2	80.0	73.4	59.4	45.5	37.5	30.1	23.8	19.6	161.9	20.	1100.
		5	118.6	101.0	90.8	83.4	67.8	52.1	43.0	34.5	27.3	22.6	99.3	14.	1017.
12050	2	1	48.2	40.7	36.4	33.1	26.7	20.4	16.7	13.3	10.5	8.6	1083.0	-10.	750.
		2	66.4	56.2	50.5	46.0	37.1	28.4	23.4	18.6	14.6	12.1	393.0	-2.	822.
		3	94.5	80.3	72.2	65.9	53.2	40.7	33.5	26.9	21.2	17.5	210.9	-22.	880.

		4	112.2	95.7	86.1	78.7	63.7	48.8	40.3	32.2	25.4	20.9	121.9	18.	850.
		5	125.3	106.9	96.3	88.1	71.4	55.0	45.4	36.4	28.8	23.8	96.8	3.	1013.
12075	2	1	37.6	31.6	28.1	25.9	20.7	15.7	13.0	10.3	8.1	6.7	624.8	-4.	784.
		2	72.4	61.3	54.8	50.4	40.5	30.9	25.5	20.4	16.0	13.2	239.7	3.	903.
		3	95.1	81.0	72.5	66.8	53.9	41.2	34.0	27.3	21.6	17.8	122.0	-20.	910.
		4	113.7	97.1	87.0	80.2	64.8	49.4	40.9	33.1	26.4	22.0	87.9	7.	1104.
		5	121.5	103.8	93.0	86.0	69.8	54.2	45.3	35.9	28.4	23.4	57.9	14.	1091.
12100	2	1	44.3	37.4	33.1	30.5	24.2	18.4	15.0	11.9	9.3	7.6	539.8	-9.	770.
		2	74.5	63.3	56.4	51.9	41.7	31.8	26.1	20.8	16.3	13.3	178.3	-7.	763.
		3	98.1	83.7	74.5	68.8	55.3	42.4	34.9	28.0	22.0	18.1	112.8	-23.	960.
		4	109.9	94.0	83.4	77.0	62.2	47.7	39.4	31.5	25.0	20.6	68.6	23.	978.
		5	112.5	96.0	85.1	78.7	63.5	48.9	40.6	32.8	25.7	21.2	31.3	25.	669.
12125	2	1	43.1	36.5	32.5	29.5	23.8	18.0	14.8	11.7	9.2	7.5	506.2	-7.	691.
		2	75.0	63.8	56.8	51.9	41.9	32.0	26.3	21.0	16.5	13.7	228.3	-2.	935.
		3	92.3	78.7	70.3	64.3	52.0	39.8	32.9	26.3	20.7	17.2	124.1	-23.	1010.
		4	99.6	84.9	75.7	69.2	56.1	43.2	35.8	29.0	22.9	19.0	52.4	31.	714.
		5	95.8	81.6	73.2	67.5	57.1	40.8	37.9	26.6	21.5	17.8	27.1	14.	554.
12150	2	1	40.9	34.2	30.6	27.7	22.2	16.8	13.7	10.9	8.5	7.0	860.3	-12.	964.
		2	67.0	56.6	50.5	46.1	37.0	28.1	23.0	18.4	14.4	11.9	314.0	-15.	1056.
		3	77.1	65.2	58.2	53.1	42.7	32.5	26.6	21.2	16.6	13.7	116.7	8.	780.
		4	79.8	67.6	60.5	55.3	44.4	33.8	27.8	22.4	17.6	15.1	53.3	14.	597.
		5	79.1	66.3	58.7	53.7	44.1	33.6	26.7	21.4	16.8	13.2	32.5	6.	546.
12175	2	1	46.2	38.4	34.3	30.9	24.7	18.6	15.2	12.0	9.3	7.6	1120.0	1.	970.
		2	60.2	50.2	44.9	40.6	32.5	24.7	20.2	16.1	12.6	10.2	325.0	17.	850.
		3	66.0	55.4	50.0	45.3	36.4	27.7	22.7	18.1	14.2	11.7	120.5	-27.	620.
		4	68.2	56.8	51.0	46.2	37.1	28.2	23.1	18.4	14.5	11.9	65.8	16.	574.
		5	69.5	57.9	52.5	47.2	38.2	28.9	23.6	18.9	14.8	12.2	56.5	30.	738.
12200	2	1	42.1	33.9	29.4	26.3	20.4	14.9	11.9	9.2	7.0	5.7	3047.0	19.	2120.
		2	47.4	39.8	35.2	32.2	25.7	19.4	15.9	12.6	9.8	8.1	391.0	-4.	818.
		3	53.1	44.6	39.4	36.0	28.8	21.7	17.8	14.1	11.1	9.1	168.5	-30.	700.
		4	54.6	45.1	39.6	35.9	27.8	20.8	17.1	14.1	11.1	10.9	126.4	42.	880.
12225	2	1	29.5	24.7	21.9	20.1	15.9	12.1	9.8	7.8	6.1	5.0	600.0	-6.	819.
		2	39.7	33.0	29.2	26.7	21.0	15.9	12.8	10.1	7.9	6.4	167.8	-2.	687.
		3	45.5	37.7	33.3	30.3	23.9	18.2	14.8	11.7	9.3	7.6	115.6	-15.	940.
12250	2	1	19.5	13.4	12.3	10.9	8.2	5.9	4.8	3.9	3.3	2.4	380.0	10.	542.
		2	39.6	36.2	32.2	29.0	23.5	17.9	14.6	11.2	8.3	7.0	231.6	8.	991.
12275	2	1	12.7	13.1	10.8	10.1	19.2	8.5	7.7	7.5	7.6	6.9	883.8	-44.	792.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:40WB.IND
DATA FILE : A:40WB.DAT

LINE NO. : 40

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
12125	2	1	42.9	35.8	31.8	28.6	22.9	17.3	14.1	11.1	8.7	7.1	343.9	-5.	514.
		2	61.0	51.4	45.8	41.6	33.4	25.4	20.9	16.6	13.0	10.7	165.1	16.	740.
		3	72.7	61.6	54.9	50.1	40.4	30.9	25.3	20.2	15.9	13.1	75.2	-23.	673.
		4	78.3	66.3	59.1	54.0	43.3	33.1	27.2	21.6	17.1	13.9	28.5	26.	425.
		5	79.4	67.2	59.7	54.7	43.9	33.6	27.5	21.8	17.2	14.1	22.7	21.	510.
12150	2	1	41.8	34.4	30.0	27.0	21.1	15.6	12.6	9.9	7.6	6.1	1989.0	1.	2490.
		2	50.9	42.9	38.1	34.6	27.7	21.1	17.3	13.8	10.8	8.9	269.6	-5.	1015.
		3	62.2	53.2	47.4	43.3	34.7	26.5	21.7	17.4	13.7	11.3	72.5	-17.	545.
		4	67.5	57.2	51.0	46.5	37.2	28.6	23.2	18.7	14.7	12.2	54.2	30.	681.
		5	71.2	60.4	53.9	49.3	39.3	30.3	24.6	19.8	15.6	12.9	36.9	-2.	695.
12175	2	1	33.8	28.1	24.9	22.5	17.9	13.5	11.0	8.7	6.8	5.6	799.9	-8.	897.
		2	48.7	40.9	36.5	33.1	26.5	20.1	16.5	13.1	10.2	8.4	163.5	12.	550.
		3	57.6	48.4	43.2	39.2	31.3	23.8	19.4	15.5	12.1	10.0	105.9	-26.	710.
		4	63.4	54.0	48.3	43.8	35.0	26.5	21.7	17.3	13.4	11.1	59.5	15.	666.
		5	69.8	58.8	52.6	47.8	38.3	28.9	23.8	19.2	14.8	12.3	38.1	0.	641.
12200	2	1	27.6	22.3	20.3	18.1	14.4	10.8	8.7	6.9	5.4	4.4	830.6	-2.	1043.
		2	40.5	33.5	29.9	26.8	21.4	16.0	12.9	10.2	8.0	6.5	227.3	-4.	856.
		3	50.5	42.1	37.7	33.9	27.1	20.3	16.4	13.0	10.1	8.2	105.0	-17.	780.
		4	59.0	48.8	43.5	39.2	31.5	23.5	19.3	15.4	11.7	9.6	59.0	-2.	740.
12225	2	1	23.7	19.4	17.3	15.2	12.1	9.0	7.2	5.7	4.4	3.6	661.0	-6.	830.
		2	35.7	29.4	26.3	23.4	18.7	14.0	11.3	8.9	7.0	5.7	216.8	1.	816.
		3	47.1	38.7	34.6	30.8	24.6	18.5	15.0	11.9	9.4	7.7	102.9	-37.	770.
12250	2	1	21.3	17.6	15.4	13.9	10.8	8.1	6.5	5.1	3.9	3.2	1427.0	4.	840.
		2	35.0	29.0	25.3	22.8	18.0	13.6	10.9	8.7	6.7	5.5	436.3	-34.	775.
12275	2	1	21.6	17.1	15.2	13.7	10.7	7.9	6.4	5.0	3.9	3.2	1075.0	-50.	800.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:40W.IND
DATA FILE : A:40W.DAT

LINE NO. : 40

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
11875	2	1	27.3	22.5	19.7	17.9	13.9	10.4	8.3	6.5	5.1	4.1	3018.0	-11.	1970.
		2	31.1	26.1	23.1	21.0	16.6	12.6	10.2	8.0	6.2	5.0	540.6	5.	1060.
		3	38.8	32.6	29.0	26.5	20.9	15.4	12.6	10.0	7.8	6.3	335.8	-36.	1310.
		4	49.5	41.8	37.1	33.9	26.9	20.5	16.9	13.1	10.3	8.6	180.4	4.	1180.
		5	67.1	56.7	50.5	46.0	37.0	27.7	22.5	18.2	14.2	11.4	126.3	24.	1230.
11900	2	1	22.2	18.4	16.5	14.8	11.6	8.7	7.0	5.5	4.2	3.4	855.3	-2.	1074.
		2	28.7	23.8	21.3	19.2	15.1	11.4	9.1	7.1	5.5	4.4	380.0	-2.	1431.
		3	38.4	32.3	28.8	26.2	20.9	15.8	12.8	10.1	7.9	6.4	178.9	-41.	1340.
		4	60.0	50.5	45.1	41.1	32.8	24.9	20.3	16.2	12.6	10.4	107.1	26.	1340.
		5	73.1	62.0	55.5	50.8	40.7	31.4	25.6	20.5	16.0	13.2	60.0	6.	1130.
11925	2	1	20.3	16.8	14.9	13.4	10.5	7.8	6.3	4.9	3.7	3.0	1024.0	-6.	1230.
		2	29.1	24.2	21.6	19.5	15.4	11.6	9.4	7.4	5.6	4.5	380.0	-3.	1376.
		3	51.1	43.2	38.6	35.1	27.9	21.2	17.3	13.8	10.7	8.8	211.2	-32.	1520.
		4	66.9	56.8	51.0	46.3	37.1	28.3	23.1	18.4	14.5	11.9	101.1	17.	1220.
		5	79.2	67.2	60.2	54.8	43.9	33.4	27.4	21.8	17.1	14.0	71.7	17.	1298.
11950	2	1	21.6	18.0	16.0	14.3	11.4	8.5	6.9	5.4	4.2	3.4	610.4	2.	709.
		2	44.3	37.1	33.0	29.8	23.8	18.0	14.6	11.6	9.0	7.3	325.0	-10.	1133.
		3	61.1	52.0	46.5	42.2	34.0	26.0	21.4	17.0	13.3	11.0	148.9	-37.	1030.
		4	76.8	65.1	58.3	53.0	43.4	33.9	26.8	20.7	16.4	13.7	98.0	29.	1139.
11975	2	1	35.3	29.3	25.6	23.5	18.4	13.7	11.1	8.7	6.8	5.5	589.2	-12.	880.
		2	53.4	45.0	39.9	36.9	29.5	22.4	18.4	14.7	11.5	9.5	188.7	-5.	846.
		3	68.5	57.8	51.1	47.0	37.6	28.6	23.3	18.7	14.7	12.0	114.4	-35.	1020.
12000	2	1	32.1	26.9	23.7	21.7	17.3	13.0	10.7	8.4	6.6	5.4	651.6	-6.	852.
		2	53.5	44.8	39.5	36.1	28.9	21.9	17.9	14.3	11.3	9.3	229.4	-21.	900.
12025	2	1	32.1	26.2	22.7	20.5	16.0	11.8	9.5	7.4	5.7	4.6	1035.0	-19.	1540.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:41W.IND
DATA FILE : A:41W.DAT

LINE NO. : 41

Station	Receive Dipole : Mode		M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
11425	2	1	10.5	8.4	7.1	6.3	4.8	3.5	2.7	2.1	1.5	1.2	1133.0	-26.	378.
		2	1.5	1.5	1.3	1.2	.9	.8	.6	.5	.4	.4	485.8	2.	68.
		3	6.6	5.9	5.2	4.7	3.9	3.0	2.4	1.9	1.5	1.2	146.8	1.	267.
		4	21.9	18.4	16.1	14.6	11.5	8.6	6.9	5.5	4.2	3.4	264.4	35.	806.
		5	22.9	19.4	16.9	15.3	12.1	9.1	7.4	5.8	4.3	3.4	742.8	2.	3396.
11450	2	1	9.0	7.1	6.3	5.6	4.2	3.1	2.4	1.9	1.4	1.1	1007.0	-6.	410.
		2	11.9	9.6	8.5	7.6	5.9	4.4	3.5	2.7	2.1	1.7	382.8	-9.	65.
		3	14.3	11.8	10.6	9.6	7.6	5.8	4.7	3.8	2.8	2.2	243.4	51.	540.
		4	22.5	18.6	16.5	14.9	11.8	8.8	7.1	5.5	4.3	3.5	770.0	-16.	2870.
		5	28.5	23.7	21.1	19.2	15.3	11.5	9.3	7.4	5.7	4.7	405.0	-7.	2270.
11475	2	1	8.4	6.7	5.9	5.3	4.1	3.0	2.4	1.8	1.4	1.1	796.4	-25.	351.
		2	12.9	10.5	9.2	8.4	6.6	5.0	4.0	3.2	2.4	2.0	383.0	41.	70.
		3	21.1	17.4	15.3	13.9	11.0	8.3	6.7	******	4.1	3.3	987.4	-1.	2370.
		4	28.0	23.4	20.9	18.9	15.0	11.3	9.2	7.3	5.7	4.7	488.5	-25.	1960.
		5	15.5	12.8	11.3	10.2	8.2	6.1	4.9	3.9	3.1	2.5	88.0	-6.	531.
11500	2	1	8.7	7.1	6.3	5.7	4.5	3.4	2.7	2.2	1.7	1.4	500.8	21.	351.
		2	18.4	15.1	13.2	12.0	9.5	7.1	5.7	4.4	3.4	2.8	961.8	-7.	282.
		3	26.8	22.4	19.7	17.9	14.4	10.8	8.8	7.0	5.5	4.5	419.3	-7.	1600.
		4	14.9	12.3	10.7	9.8	8.0	6.0	4.9	3.9	2.9	2.5	72.0	-22.	461.
		5	19.8	16.7	14.4	12.5	10.5	7.7	6.4	5.1	4.0	3.4	71.0	9.	682.
11525	2	1	15.2	12.3	10.8	9.7	7.7	5.6	4.6	3.6	2.7	2.2	2242.0	-27.	1280.
		2	23.0	19.1	17.1	15.6	12.4	9.3	7.6	6.0	4.6	3.8	859.6	-17.	206.
		3	14.1	11.7	10.5	9.7	7.9	6.2	5.0	4.0	3.2	2.6	124.5	-6.	390.
		4	20.0	16.4	14.6	13.4	10.7	8.2	6.7	5.3	4.2	3.4	110.5	-10.	570.
		5	39.7	33.3	29.6	27.1	21.7	16.3	13.4	10.6	8.3	6.9	119.0	24.	930.
11550	2	1	19.3	16.1	14.2	12.9	10.2	7.7	6.3	5.0	3.8	3.2	956.9	-31.	968.

		2	13.0	11.2	9.9	9.2	7.4	5.7	4.7	3.8	3.0	2.5	114.9	-13.	48.
		3	18.7	16.1	14.3	13.1	10.5	8.1	6.4	5.2	4.2	3.4	89.2	12.	493.
		4	37.9	32.2	28.5	26.0	20.7	15.6	12.9	10.3	8.0	6.5	89.2	-4.	823.
		5	47.7	40.5	35.9	32.9	26.2	19.9	16.3	13.1	10.2	8.4	46.7	32.	647.
11575	2	1	18.2	15.3	13.4	12.3	9.8	7.3	6.0	4.7	3.6	3.0	1345.0	-24.	570.
		2	26.1	21.8	19.2	17.6	14.1	10.7	8.7	6.9	5.4	4.4	871.5	-3.	156.
		3	43.4	37.1	32.8	29.9	23.9	18.1	14.8	11.8	9.2	7.5	669.5	16.	1570.
		4	54.1	45.8	40.7	37.2	29.8	22.6	18.5	14.8	11.6	9.5	283.1	9.	1110.
		5	44.9	37.9	33.6	30.7	24.6	18.6	15.2	12.1	9.5	7.7	195.6	2.	1150.
11600	2	1	23.2	19.3	17.3	15.7	12.5	9.4	7.7	6.0	4.7	3.8	1931.0	11.	1300.
		2	42.4	35.5	31.6	28.8	22.9	17.3	14.1	11.1	8.7	7.1	1189.0	-9.	330.
		3	55.2	46.6	41.5	37.8	30.3	23.1	18.8	15.0	11.7	9.6	515.4	-7.	1890.
		4	42.8	36.0	32.2	29.3	23.5	17.7	14.5	11.5	8.9	7.3	189.7	16.	1160.
		5	40.4	34.0	30.2	27.7	21.9	16.4	13.3	10.5	8.2	6.6	142.6	9.	1310.
11625	2	1	36.0	30.0	26.3	23.9	19.2	14.6	11.6	9.3	7.2	5.8	1666.0	-48.	970.
		2	50.0	42.4	37.8	34.4	27.6	20.9	17.1	13.6	10.7	8.8	770.3	-18.	188.
		3	39.5	33.2	29.5	26.8	21.7	16.4	13.4	10.6	8.4	6.9	215.9	35.	680.
		4	38.5	32.5	28.7	26.2	21.1	15.9	13.0	10.3	8.0	6.6	181.2	-10.	960.
		5	45.3	36.8	34.1	31.7	25.5	19.9	14.1	12.4	10.0	7.6	57.3	10.	457.
11650	2	1	43.6	36.6	32.7	29.5	23.7	17.9	14.5	11.5	8.9	7.2	953.9	-19.	863.
		2	38.1	31.9	28.6	25.8	20.7	15.6	12.7	10.3	8.1	6.7	250.8	29.	95.
		3	38.4	32.2	29.0	26.0	21.0	16.0	13.1	10.2	8.0	6.5	182.5	3.	900.
		4	47.8	40.0	35.8	32.4	26.0	19.8	16.0	13.0	10.2	8.2	59.2	-24.	489.
		5	46.2	38.9	35.0	31.7	25.5	19.5	15.9	12.7	10.0	8.2	70.9	22.	878.
11675	2	1	40.2	33.6	29.8	27.2	21.6	16.3	13.3	10.5	8.2	6.7	1994.0	11.	607.
		2	42.9	36.0	31.9	29.0	23.1	17.5	14.2	11.2	8.7	7.1	1015.0	-2.	928.
		3	52.5	44.2	39.2	35.8	28.7	21.6	17.7	14.2	11.1	9.0	279.9	-40.	510.
		4	51.7	43.7	38.8	35.5	28.5	21.6	17.6	14.0	11.0	9.1	294.4	33.	897.
		5	59.9	50.6	45.0	41.4	33.2	25.2	20.7	16.6	13.0	10.8	200.8	5.	918.
11700	2	1	29.6	24.1	21.3	19.4	15.2	11.3	9.2	7.2	5.6	4.5	2845.0	-16.	920.
		2	45.8	37.8	33.3	30.2	23.8	17.8	14.4	11.4	8.8	7.2	511.0	-17.	496.
		3	46.9	39.7	35.5	32.4	26.0	19.7	16.1	12.8	10.1	8.3	556.5	-24.	1070.
		4	60.9	51.3	45.7	41.8	33.5	25.4	20.8	16.6	13.0	10.6	303.3	26.	980.
		5	58.9	49.5	44.1	40.2	32.3	24.5	20.1	16.0	12.5	10.3	199.5	-10.	960.
11725	2	1	29.0	24.0	20.9	18.9	14.8	11.0	8.9	7.0	5.4	4.4	867.6	-19.	378.
		2	39.8	33.4	29.6	26.8	21.4	16.1	13.1	10.4	8.1	6.6	577.1	8.	755.
		3	54.7	46.3	41.2	37.6	30.2	22.9	18.9	15.0	11.7	9.7	316.0	-23.	820.
		4	55.5	46.8	41.8	38.1	30.6	23.4	18.9	15.1	11.9	9.7	193.0	10.	840.
		5	56.8	47.8	42.6	38.7	30.9	23.4	19.1	15.2	11.9	9.7	362.3	21.	2370.
11750	2	1	30.1	24.1	20.8	18.7	14.7	10.9	8.9	7.0	5.4	4.4	1098.0	19.	450.
		2	39.8	35.4	31.9	29.3	23.7	18.1	14.7	11.9	9.4	7.8	613.6	2.	770.
		3	51.1	43.8	39.0	35.6	28.7	21.8	17.9	14.0	11.0	9.0	268.6	-37.	670.

		4	53.6	45.6	40.3	36.6	29.4	22.2	18.1	14.4	11.3	9.4	479.0	25.	2000.
		5	52.4	44.6	39.4	35.8	28.8	21.8	18.0	14.3	11.1	9.1	216.4	-14.	1350.
11775	2	1	35.5	29.8	26.2	24.0	19.2	14.5	11.9	9.5	7.4	6.1	443.6	36.	302.
		2	44.1	37.3	32.8	30.0	24.1	18.2	14.9	11.9	9.3	7.7	194.7	-30.	398.
		3	48.1	40.8	36.0	33.0	26.5	20.1	16.6	13.2	10.4	8.6	340.2	3.	1390.
		4	48.2	40.8	36.1	33.0	26.6	20.2	16.6	13.2	10.3	8.5	149.2	-11.	1010.
		5	59.2	50.2	44.5	40.7	32.7	24.7	20.3	16.3	12.8	10.5	160.4	3.	1640.
11800	2	1	25.7	21.1	18.7	16.9	13.4	10.0	8.2	6.5	5.0	4.1	365.3	-19.	286.
		2	36.0	30.0	26.7	24.4	19.4	14.7	12.0	9.5	7.4	6.1	551.0	8.	1297.
		3	37.0	31.1	27.5	25.1	20.0	15.1	12.4	9.9	7.7	6.4	230.1	-30.	1080.
		4	50.6	42.4	37.7	34.4	27.4	20.9	17.1	13.5	10.6	8.7	220.9	4.	1730.
		5	55.7	46.9	41.6	38.0	30.3	23.1	18.8	15.0	11.7	9.7	69.2	4.	814.
11825	2	1	23.0	19.3	16.6	15.4	12.1	9.1	7.4	5.8	4.5	3.7	1333.0	8.	970.
		2	26.3	22.3	19.5	17.8	14.2	10.7	8.8	6.9	5.4	4.4	469.4	-14.	1028.
		3	41.3	34.8	30.8	28.3	22.5	17.0	13.7	10.7	8.4	6.9	392.2	-15.	1710.
		4	48.2	40.8	36.0	32.9	26.2	19.7	16.2	12.9	10.0	8.3	118.4	6.	860.
		5	56.0	47.2	40.9	37.7	30.4	22.9	18.8	14.9	11.6	9.5	172.2	-15.	1880.
11850	2	1	19.7	18.2	16.4	14.9	11.7	8.6	7.2	5.6	4.4	3.7	730.1	-17.	559.
		2	36.7	28.3	24.6	22.5	17.8	13.5	10.8	8.7	6.6	5.3	602.6	-9.	1384.
		3	44.0	36.9	32.8	29.9	23.9	18.0	14.7	11.7	9.2	7.5	164.5	-26.	750.
		4	52.3	43.9	39.0	35.6	28.2	21.2	17.4	13.8	10.8	8.7	232.0	4.	1770.
		5	56.2	47.2	42.0	38.4	30.5	23.1	18.8	14.9	11.7	9.6	75.9	21.	871.
11875	2	1	29.2	24.3	21.5	19.3	15.2	11.3	9.1	7.1	5.5	4.4	1288.0	-1.	960.
		2	39.7	33.3	29.6	26.7	21.2	15.9	12.8	10.0	7.8	6.4	306.8	2.	688.
		3	47.4	39.7	35.5	31.9	25.3	19.1	15.3	12.1	9.3	7.5	384.8	-45.	1720.
		4	52.3	44.0	39.1	35.4	28.1	21.1	17.1	13.4	10.4	8.5	117.8	31.	880.
		5	54.5	45.9	40.9	37.0	29.4	22.2	18.0	14.2	11.1	9.0	97.3	16.	1090.
11900	2	1	34.5	28.9	25.3	23.0	18.2	13.6	11.1	8.7	6.7	5.5	1149.0	23.	720.
		2	43.9	37.0	32.4	29.6	23.5	17.5	14.3	11.3	8.7	7.2	886.6	-23.	1670.
		3	49.1	41.6	36.4	33.2	26.6	20.0	16.2	12.9	10.0	8.2	260.2	-23.	970.
		4	51.8	43.6	38.4	35.1	28.0	21.1	17.2	13.7	10.6	8.7	209.0	37.	1310.
		5	65.9	55.8	49.2	44.9	36.1	27.3	22.3	17.8	14.0	11.5	126.2	-7.	1180.
11925	2	1	32.2	26.9	23.6	21.3	16.9	12.6	10.2	8.0	6.2	5.0	1142.0	-11.	940.
		2	42.1	35.4	31.2	28.3	22.5	16.8	13.6	10.7	8.3	6.8	346.8	26.	859.
		3	42.9	36.0	31.9	28.9	23.1	17.3	14.2	11.2	8.6	7.0	254.9	-39.	1260.
		4	60.2	50.8	45.1	40.9	32.9	24.8	20.3	16.1	12.5	10.2	139.5	9.	1150.
		5	73.9	62.6	55.7	50.6	40.8	31.0	25.5	20.3	15.9	13.1	90.4	9.	1120.
11950	2	1	31.6	26.3	23.5	20.9	16.6	12.4	10.0	7.9	6.1	4.9	645.7	4.	471.
		2	37.2	31.0	27.7	24.8	19.8	14.9	12.0	9.5	7.3	5.9	434.8	17.	952.
		3	52.8	44.4	39.8	35.9	28.8	21.8	17.8	14.3	11.2	9.1	243.5	-46.	1060.
		4	68.9	58.0	51.9	47.0	37.8	28.6	23.3	18.5	14.4	11.9	141.2	30.	1030.
		5	84.3	71.1	63.9	58.1	47.1	36.0	29.5	23.6	18.7	15.4	91.5	-17.	1002.

11975	2	1	22.8	18.9	16.6	15.0	11.8	8.8	7.1	5.5	4.3	3.4	773.0	1.	551.
		2	41.7	35.0	31.0	28.2	22.5	16.9	13.8	10.9	8.4	6.9	396.1	-21.	848.
		3	60.0	50.7	45.1	41.0	33.0	25.0	20.5	16.4	12.9	10.5	210.3	-24.	890.
		4	78.0	66.3	58.9	53.6	43.1	33.0	27.0	21.6	17.0	13.9	125.7	5.	890.
		5	91.8	78.0	69.5	63.5	51.4	39.2	32.3	25.8	20.3	16.8	102.4	12.	1090.
12000	2	1	27.7	23.3	20.4	18.6	14.7	11.0	8.9	7.1	5.5	4.5	589.7	-7.	487.
		2	49.6	42.0	37.1	34.0	27.1	20.4	16.8	13.4	10.5	8.6	294.4	8.	729.
		3	70.2	60.1	53.2	49.0	39.3	30.1	24.5	19.6	15.5	12.9	169.7	-61.	830.
		4	87.3	74.6	66.2	60.9	48.8	37.3	30.6	24.5	19.2	15.8	98.8	38.	816.
		5	95.4	81.7	72.7	67.0	53.9	41.3	34.0	27.2	21.5	17.7	78.0	11.	966.
12025	2	1	41.8	35.1	31.1	28.2	22.6	17.1	14.0	11.1	8.7	7.1	466.2	20.	348.
		2	63.0	53.4	47.6	43.4	35.0	26.7	21.9	17.5	13.7	11.3	256.1	-35.	574.
		3	80.2	68.3	61.1	55.8	45.0	34.5	28.4	22.7	17.9	14.8	138.8	-16.	620.
		4	90.2	76.9	68.9	62.6	51.0	39.0	32.1	25.7	20.3	16.8	104.1	32.	770.
		5	98.5	84.0	75.4	68.9	55.6	42.7	35.1	28.1	22.0	18.2	80.3	-3.	900.
12050	2	1	45.1	38.1	33.7	30.7	24.7	18.8	15.4	12.3	9.6	7.9	604.1	-27.	451.
		2	70.5	60.1	53.4	48.8	39.2	29.9	24.5	19.6	15.3	12.6	235.8	16.	528.
		3	84.1	71.8	64.0	58.8	47.4	36.2	29.7	23.8	18.8	15.5	165.3	-36.	730.
		4	94.9	81.1	72.3	66.4	53.6	41.1	33.8	27.0	21.2	17.5	105.8	27.	790.
		5	105.1	89.6	79.7	73.9	59.0	45.3	37.3	29.8	23.5	19.4	60.6	1.	679.
12075	2	1	43.1	36.2	32.2	29.2	23.4	17.7	14.5	11.5	9.0	7.4	597.4	15.	416.
		2	69.3	59.0	52.7	48.1	38.8	29.7	24.4	19.5	15.3	12.6	291.1	-3.	609.
		3	85.4	72.8	65.2	59.5	48.1	36.9	30.3	24.1	19.1	15.8	186.0	-38.	770.
		4	98.8	84.3	75.5	68.9	55.7	42.7	35.3	28.3	22.4	18.5	92.9	30.	648.
		5	106.4	91.0	81.4	74.6	60.4	46.6	38.6	31.2	24.8	20.4	57.7	-5.	603.
12100	2	1	31.4	26.1	23.3	21.2	17.0	12.9	10.5	8.4	6.6	5.4	1131.0	-1.	800.
		2	59.4	49.8	44.6	40.7	32.6	24.8	20.4	16.2	12.8	10.5	382.9	-1.	819.
		3	78.8	66.6	59.7	54.5	43.8	33.5	27.5	22.0	17.4	14.4	159.8	-31.	680.
		4	94.6	80.1	72.1	66.0	53.5	41.2	33.8	27.2	21.5	17.6	88.4	17.	631.
		5	92.8	77.8	71.1	63.5	51.9	39.6	30.8	22.2	19.1	15.0	38.4	29.	410.
12125	2	1	35.3	29.8	26.1	23.8	19.1	14.4	11.8	9.4	7.3	6.0	881.4	3.	691.
		2	60.2	50.9	45.2	41.2	33.1	25.1	20.7	16.4	12.8	10.6	292.4	-4.	688.
		3	78.9	67.2	59.9	54.9	44.3	33.9	27.9	22.4	17.7	14.6	144.0	-38.	670.
		4	84.7	71.9	64.3	58.6	47.3	36.1	30.0	23.9	18.8	15.6	54.4	52.	426.
		5	88.8	75.3	67.5	61.4	49.7	38.0	31.4	25.1	19.7	16.5	48.5	-5.	571.
12150	2	1	40.6	34.2	30.1	27.3	22.0	16.6	13.6	10.8	8.4	6.9	1692.0	-10.	620.
		2	65.5	55.7	49.5	45.2	36.4	27.7	22.7	18.1	14.2	11.7	620.0	-13.	687.
		3	73.6	62.8	55.8	50.9	41.2	31.4	25.9	20.7	16.4	13.6	194.3	5.	420.
		4	81.1	68.9	61.3	56.0	45.1	34.4	28.4	22.7	17.8	14.7	161.2	5.	590.
		5	83.3	70.9	63.1	57.7	46.8	35.8	29.6	23.7	18.7	15.5	107.0	-3.	590.
12175	2	1	41.4	35.1	31.1	28.2	22.7	17.3	14.2	11.3	8.9	7.3	835.9	-4.	1049.
		2	61.7	52.4	46.5	42.2	34.1	26.0	21.4	17.1	13.3	11.0	123.4	14.	464.

		3	71.3	60.6	53.9	49.0	39.7	30.2	24.8	19.8	15.6	12.9	89.3	-14.	671.
		4	77.6	66.1	58.6	53.4	43.4	33.3	27.5	21.9	17.1	14.2	52.4	6.	658.
		5	77.7	65.9	58.1	52.8	43.2	33.0	26.9	21.3	16.5	13.6	32.6	6.	614.
12200	2	1	39.4	32.8	29.3	26.5	21.3	16.1	13.3	10.6	8.3	6.9	411.7	18.	497.
		2	59.6	49.8	44.6	40.5	32.6	24.8	20.3	16.2	12.7	10.5	191.6	0.	694.
		3	69.2	58.3	52.3	47.7	38.4	29.4	24.2	19.3	15.1	12.4	94.6	-32.	684.
		4	73.6	61.1	55.1	50.6	40.4	30.8	25.6	20.2	16.4	13.7	49.3	16.	595.
12225	2	1	34.9	29.2	25.9	23.5	18.4	14.1	11.5	9.2	7.1	5.9	639.2	-3.	872.
		2	54.7	45.8	40.9	37.1	29.6	22.5	18.4	14.7	11.6	9.5	211.7	-15.	867.
		3	66.4	55.7	49.9	45.3	36.4	27.7	22.7	18.1	14.4	12.1	87.4	-10.	714.
12250	2	1	31.8	26.7	23.6	21.3	17.1	12.9	10.6	8.4	6.6	5.4	792.5	-19.	995.
		2	56.6	47.4	41.8	37.9	30.4	22.9	18.7	14.8	11.6	9.5	185.2	-8.	697.
12275	2	1	39.0	31.7	27.9	25.3	19.7	14.8	12.0	9.5	7.3	5.8	453.1	61.	677.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:42W.IND
DATA FILE : A:42W.DAT

LINE NO. : 42

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
11450	2	1	12.6	10.0	8.9	7.9	6.1	4.5	3.6	2.8	2.2	1.7	898.5	28.	486.
		2	16.9	13.8	12.4	11.0	8.7	6.5	5.1	4.1	3.1	2.5	854.7	-3.	1386.
		3	24.8	20.6	18.6	16.8	13.4	10.1	8.3	6.5	5.0	4.1	591.3	-38.	1910.
		4	19.4	15.9	14.1	12.7	10.1	7.5	6.0	4.8	3.7	3.0	132.6	7.	710.
		5	15.5	12.5	11.1	9.9	7.8	5.8	4.8	3.4	2.4	2.9	81.6	30.	662.
11475	2	1	12.2	9.7	8.5	7.6	5.8	4.3	3.4	2.6	2.0	1.6	1502.0	12.	770.
		2	22.9	18.7	16.8	15.2	12.0	9.0	7.3	5.8	4.5	3.6	849.7	-15.	1312.
		3	17.6	14.5	13.0	11.9	9.4	7.1	5.7	4.5	3.4	2.7	173.5	-33.	530.
		4	14.8	11.9	10.6	9.6	7.2	5.4	4.3	3.3	2.5	2.0	101.4	43.	520.
		5	18.2	14.8	12.8	11.6	9.3	6.8	5.5	4.2	3.2	2.5	100.5	3.	770.
11500	2	1	20.0	16.6	14.7	13.4	10.6	8.0	6.5	5.1	4.0	3.2	1508.0	-20.	890.
		2	19.4	16.2	14.4	13.1	10.4	7.8	6.3	5.0	3.9	3.1	242.6	-22.	431.
		3	15.0	12.6	11.2	10.1	8.0	6.0	4.8	3.8	2.9	2.3	132.8	9.	470.
		4	18.2	15.1	13.3	12.0	9.3	7.0	5.6	4.4	3.3	2.5	117.7	15.	690.
		5	56.6	47.8	42.5	38.8	31.0	23.5	19.2	15.3	12.0	9.9	188.8	-41.	1670.
11525	2	1	23.5	19.2	17.0	15.4	12.2	9.0	7.4	5.8	4.5	3.7	963.1	-16.	414.
		2	21.3	17.3	15.3	13.7	10.9	8.0	6.5	5.1	3.9	3.2	385.7	24.	497.
		3	21.2	17.4	15.4	13.8	10.9	8.0	6.5	5.0	3.9	3.1	320.4	-11.	820.
		4	59.4	49.9	44.4	40.3	32.3	24.3	19.9	15.8	12.4	10.2	439.1	-36.	1880.
		5	90.6	76.5	68.4	62.4	50.5	38.5	31.8	25.5	20.1	16.6	159.3	-3.	1020.
11550	2	1	12.7	10.3	8.9	8.2	6.2	4.6	3.6	2.8	2.2	1.7	937.5	26.	525.
		2	15.7	12.8	11.1	10.1	7.7	5.7	4.5	3.5	2.6	2.0	582.1	-6.	979.
		3	54.5	45.7	40.6	37.2	29.5	22.3	18.1	14.4	11.2	9.2	649.6	-72.	2180.
		4	90.0	76.1	67.8	62.2	50.0	38.3	31.4	25.3	20.0	16.5	207.5	26.	1160.
		5	69.3	58.6	52.3	48.0	38.6	29.5	24.1	19.3	15.2	12.5	122.2	36.	1020.
11575	2	1	9.6	7.4	6.5	5.6	4.3	3.1	2.4	1.8	1.4	1.0	580.9	19.	414.

		2	48.6	40.6	36.0	32.6	26.0	19.6	16.0	12.7	9.9	8.1	654.3	-47.	1400.
		3	88.4	74.7	66.7	60.9	49.2	37.6	31.0	24.8	19.6	16.2	173.9	-29.	740.
		4	68.1	57.4	51.1	46.7	37.7	28.8	23.7	18.9	14.9	12.3	105.8	65.	750.
		5	39.4	32.5	28.7	26.5	21.2	16.1	13.2	10.5	8.2	6.7	40.5	23.	434.
11600	2	1	41.4	34.7	30.6	27.9	22.2	16.8	13.7	10.9	8.5	6.9	1344.0	-28.	840.
		2	84.7	71.9	64.1	58.7	47.3	36.2	29.8	23.9	18.9	15.7	322.4	-13.	607.
		3	65.9	56.0	50.0	45.8	36.9	28.1	23.2	18.4	14.5	11.9	166.3	5.	620.
		4	38.6	32.7	29.2	27.0	21.8	16.6	13.8	11.3	8.9	7.2	53.8	53.	337.
		5	49.2	41.6	37.0	33.9	27.1	20.4	16.7	13.2	10.5	8.4	117.8	-8.	1100.
11625	2	1	83.9	71.0	63.8	57.9	46.8	35.9	29.6	23.8	18.8	15.6	679.7	-20.	381.
		2	66.6	56.5	50.5	46.2	37.4	28.6	23.6	18.9	15.0	12.4	261.1	49.	439.
		3	37.2	31.2	27.6	24.9	20.0	14.8	11.8	9.3	7.1	6.4	73.4	-38.	246.
		4	52.1	42.6	37.8	34.4	27.9	21.2	17.4	14.0	11.0	8.7	160.2	36.	890.
		5	47.6	39.9	35.4	32.1	26.1	19.7	16.1	12.9	10.0	8.2	130.4	19.	1090.
11650	2	1	84.6	72.1	64.5	59.2	47.9	36.8	30.4	24.5	19.4	16.1	1144.0	0.	390.
		2	53.1	45.3	40.5	37.2	30.0	22.9	18.9	15.2	12.0	9.9	208.1	9.	213.
		3	63.7	54.1	48.1	44.0	35.4	27.0	22.2	17.7	13.9	11.4	434.1	-72.	880.
		4	61.4	52.1	46.5	42.5	34.2	26.1	21.5	17.1	13.5	11.1	327.4	68.	1110.
		5	52.8	44.8	39.8	36.4	29.2	22.1	18.2	14.4	11.3	9.3	314.7	-1.	1610.
11675	2	1	70.1	59.7	53.4	48.7	39.4	30.2	24.9	20.0	15.8	13.0	324.9	2.	188.
		2	72.7	61.2	54.4	49.4	39.8	30.3	24.8	19.8	15.5	12.8	431.7	-2.	753.
		3	71.2	60.3	53.7	48.9	39.5	30.1	24.9	19.9	15.7	12.9	296.4	-26.	1030.
		4	62.3	52.9	47.1	42.7	34.6	26.3	21.5	17.2	13.5	11.1	256.0	35.	1480.
		5	69.0	58.5	51.9	47.0	37.8	28.7	23.5	18.7	14.7	12.1	145.8	14.	1270.
11700	2	1	53.5	44.4	38.9	35.4	28.0	21.1	17.1	13.6	10.6	8.7	1979.0	-32.	1090.
		2	66.8	56.5	50.0	45.8	36.6	27.8	22.7	18.2	14.2	11.8	972.3	-13.	1606.
		3	66.4	56.0	49.5	45.3	36.2	27.5	22.4	17.9	13.9	11.4	630.1	-32.	2070.
		4	74.5	63.1	55.9	51.1	40.8	30.9	25.1	20.1	15.8	13.0	273.8	55.	1500.
		5	69.8	59.3	52.6	48.3	38.8	29.7	24.1	19.4	15.3	12.6	133.8	-3.	1100.
11725	2	1	48.1	40.3	35.7	32.5	25.9	19.6	16.0	12.7	9.9	8.2	845.5	-10.	577.
		2	53.9	44.9	39.7	36.2	28.8	21.7	17.7	14.1	11.0	9.0	832.5	22.	1704.
		3	67.4	56.4	50.1	45.5	36.2	27.3	22.3	17.7	13.8	11.4	321.0	-69.	1310.
		4	65.2	55.2	49.2	45.1	36.2	27.6	22.6	18.0	14.0	11.5	143.5	66.	970.
		5	55.5	47.0	42.1	38.5	30.9	23.6	19.3	15.4	12.0	9.9	95.1	-4.	974.
11750	2	1	39.8	32.9	28.9	26.1	20.6	15.3	12.4	9.8	7.6	6.2	3924.0	-21.	2280.
		2	63.0	52.6	46.4	42.1	33.5	25.1	20.5	16.2	12.6	10.3	1168.0	-32.	2030.
		3	68.9	57.5	50.7	46.1	36.7	27.7	22.7	18.0	14.0	11.6	401.4	-62.	1390.
		4	54.4	46.2	41.0	37.3	30.1	22.9	18.8	14.9	11.7	9.7	217.2	69.	1260.
		5	64.6	54.7	48.6	44.3	35.8	27.2	22.4	17.9	14.1	11.7	99.5	12.	868.
11775	2	1	62.0	51.3	45.2	40.9	32.3	24.1	19.5	15.4	12.0	9.8	2184.0	-8.	1240.
		2	70.4	58.9	52.2	47.5	37.9	28.7	23.4	18.6	14.6	11.9	671.4	19.	1149.
		3	57.3	47.8	42.5	38.7	30.9	23.5	19.2	15.4	12.0	9.9	316.3	-98.	1080.

		4	64.3	54.4	48.6	44.4	35.6	27.1	22.1	17.7	13.9	11.4	124.0	91.	700.
		5	53.0	44.7	39.9	36.4	29.1	22.2	18.1	14.5	11.3	9.4	76.2	2.	652.
11800	2	1	71.8	60.4	53.7	48.8	39.2	29.5	19.7	18.1	15.2	12.9	905.0	6.	536.
		2	65.7	55.1	48.8	44.2	35.5	26.7	29.6	19.2	13.2	10.0	527.5	-42.	937.
		3	66.5	55.8	49.5	45.1	36.3	27.5	22.7	17.9	14.0	11.6	134.3	-27.	470.
		4	55.9	47.2	42.0	38.1	30.7	23.1	19.0	15.0	11.7	9.7	113.9	57.	670.
		5	58.3	49.3	43.9	39.9	32.2	24.5	20.2	16.1	12.8	10.6	56.2	8.	499.
11825	2	1	57.5	48.4	42.9	38.8	31.0	23.4	19.0	15.1	11.8	9.6	2144.0	-49.	1180.
		2	61.3	51.5	45.7	41.4	33.1	25.0	20.4	16.2	12.6	10.3	434.8	33.	718.
		3	58.7	48.9	43.2	39.0	31.0	23.4	19.1	15.2	11.8	9.7	233.5	-76.	770.
		4	63.2	53.6	47.6	43.2	34.7	26.3	21.4	17.1	13.4	11.0	111.4	71.	610.
		5	51.3	43.2	38.3	34.7	27.9	21.1	17.2	13.7	10.7	8.9	30.6	0.	252.
11850	2	1	37.6	31.1	27.5	24.8	19.6	14.8	11.9	9.4	7.3	5.9	1777.0	-9.	1130.
		2	48.4	40.2	35.7	32.2	25.6	19.4	15.5	12.4	9.5	7.8	430.4	-60.	827.
		3	64.8	54.1	47.9	43.5	34.7	26.6	21.2	17.0	13.4	11.0	162.9	-13.	620.
		4	53.6	45.2	40.2	36.6	29.3	22.9	18.0	14.5	11.5	9.4	39.3	63.	251.
		5	76.9	64.9	57.8	52.6	42.2	32.9	25.8	20.9	16.4	13.5	70.0	0.	672.
11875	2	1	37.8	31.5	27.7	25.1	19.8	14.8	12.0	9.4	7.2	5.9	1093.0	-61.	760.
		2	71.3	60.1	53.4	48.6	38.9	29.4	24.0	19.1	14.9	12.3	316.3	40.	662.
		3	63.8	53.9	47.8	43.6	34.9	26.5	21.7	17.3	13.6	11.2	61.8	-57.	258.
		4	77.0	65.1	57.9	52.9	42.4	32.2	26.4	21.0	16.5	13.6	81.1	53.	566.
		5	110.1	93.3	83.2	76.0	61.1	46.6	38.3	30.6	24.0	19.8	152.4	-2.	1590.
11900	2	1	77.6	65.5	58.4	53.3	42.8	32.5	26.6	21.2	16.7	13.7	686.4	1.	439.
		2	78.3	66.1	59.1	53.9	43.4	33.0	27.1	21.7	17.0	14.0	147.7	-39.	283.
		3	79.6	66.9	59.6	54.3	43.6	33.2	27.3	21.7	17.0	13.9	164.3	-22.	630.
		4	119.4	101.2	90.5	82.7	66.7	51.0	41.9	33.5	26.5	21.9	237.7	51.	1520.
		5	99.4	84.6	75.9	69.6	56.4	43.3	35.8	28.7	22.8	18.8	153.7	8.	1470.
11925	2	1	59.4	50.3	44.8	40.7	32.7	24.8	20.4	16.3	12.8	10.5	384.0	-26.	231.
		2	69.0	58.0	51.5	46.8	37.5	28.5	23.3	18.5	14.5	12.0	259.7	27.	470.
		3	110.5	93.9	83.9	76.5	61.7	47.0	38.8	31.1	24.4	20.2	404.7	-63.	1460.
		4	98.0	83.8	75.2	68.9	55.8	43.0	35.5	28.5	22.5	18.7	173.5	55.	1040.
		5	101.0	86.5	77.9	71.6	58.1	44.9	37.3	30.0	23.9	19.8	59.1	-14.	535.
11950	2	1	36.8	30.7	27.1	24.6	19.5	14.6	11.9	9.4	7.3	6.0	533.8	11.	335.
		2	94.9	80.0	71.2	65.0	52.1	39.7	32.5	26.0	20.4	16.8	664.3	-74.	1251.
		3	90.7	77.2	69.0	63.3	51.2	39.3	32.4	26.0	20.6	17.1	216.5	24.	810.
		4	97.0	82.9	74.7	68.5	55.6	43.0	35.5	28.7	22.8	18.9	68.5	15.	430.
		5	87.6	74.5	66.9	61.6	49.7	38.5	32.0	25.9	20.2	16.5	55.7	15.	524.
11975	2	1	83.0	69.8	62.1	56.5	45.3	34.4	28.1	22.4	17.6	14.4	1248.0	-56.	690.
		2	79.2	67.3	60.4	55.2	44.7	34.2	28.2	22.6	17.9	14.8	303.2	65.	510.
		3	97.2	82.7	74.0	67.9	55.2	42.6	35.3	28.5	22.6	18.7	123.7	-55.	410.
		4	83.7	71.1	63.5	58.3	47.4	36.5	30.2	24.2	19.1	15.8	67.9	45.	380.

12000	2	1	71.9	60.8	54.1	49.3	39.5	30.0	24.6	19.6	15.4	12.7	444.9	24.	607.
		2	95.2	80.3	71.9	66.2	53.4	41.0	33.9	27.1	21.5	17.8	87.5	-58.	358.
		3	78.1	65.6	58.7	53.9	43.5	33.3	27.6	22.3	17.6	14.5	40.7	20.	332.
12025	2	1	98.7	83.8	75.0	68.8	55.7	42.7	35.3	28.3	22.4	18.7	561.0	-71.	503.
		2	78.1	65.9	58.7	54.0	43.8	33.7	27.8	22.5	17.7	14.1	165.8	10.	446.
12050	2	1	96.2	81.5	73.3	67.2	54.4	41.8	34.6	27.8	22.0	18.2	561.9	-25.	735.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:43W.IND
DATA FILE : A:43W.DAT

LINE NO. : 43

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
11425	2	1	5.8	5.0	4.2	3.7	3.0	2.2	1.8	1.4	1.0	.8	1017.0	0.	720.
		2	14.3	11.6	10.0	9.0	7.1	5.3	4.2	3.3	2.5	2.1	302.3	-7.	647.
		3	23.9	19.5	16.9	15.3	12.1	9.0	7.3	5.7	4.4	3.6	288.6	-69.	1230.
		4	35.5	30.1	26.5	24.0	19.2	14.5	11.8	9.3	7.3	6.0	170.0	109.	1210.
		5	40.0	33.8	29.9	27.2	21.8	16.5	13.5	10.7	8.3	6.8	90.3	-42.	966.
11450	2	1	9.2	7.5	6.5	6.0	4.6	3.3	2.7	2.1	1.6	1.3	506.9	6.	289.
		2	21.6	17.4	15.2	13.6	10.7	8.0	6.4	5.0	3.7	3.1	428.1	1.	733.
		3	33.9	28.4	25.2	22.9	18.1	13.6	11.2	8.9	6.9	5.6	251.5	-36.	850.
		4	38.7	32.4	28.9	26.2	21.0	15.9	12.9	10.2	8.0	6.6	127.1	34.	720.
		5	50.5	42.5	37.9	34.6	27.6	21.0	17.2	13.6	10.7	8.8	77.9	22.	667.
11475	2	1	12.5	9.8	8.6	8.0	5.9	4.3	3.4	2.7	2.0	1.7	686.2	2.	468.
		2	26.4	21.8	19.3	17.7	14.0	10.5	8.5	6.8	5.3	4.4	325.3	25.	666.
		3	37.2	30.3	26.9	24.5	19.4	14.6	11.9	9.4	7.3	6.0	152.2	-108.	620.
		4	47.3	39.6	35.4	32.3	25.9	19.8	16.3	13.1	10.5	8.7	88.1	112.	601.
		5	49.4	41.2	36.8	33.7	26.9	20.5	16.8	13.4	10.7	8.9	51.8	-20.	530.
11500	2	1	17.8	14.5	13.0	11.8	9.3	7.0	5.6	4.5	3.5	2.8	388.1	38.	451.
		2	32.0	26.1	23.3	21.1	16.7	12.6	10.3	8.2	6.4	5.3	140.6	-29.	490.
		3	42.8	35.9	32.1	29.4	23.4	18.0	14.7	11.8	9.3	7.7	72.6	-49.	505.
		4	44.9	37.6	33.6	31.0	24.4	18.7	15.1	12.1	9.5	8.0	39.0	65.	453.
		5	76.9	65.0	58.3	53.7	42.8	33.1	27.1	21.9	17.3	14.3	91.8	6.	1601.
11525	2	1	24.9	20.6	18.1	16.4	13.0	9.7	7.9	6.3	4.9	4.0	344.9	-24.	235.
		2	38.9	32.7	29.2	26.4	21.2	16.0	13.1	10.4	8.1	6.7	174.6	14.	357.
		3	41.6	34.7	30.9	27.9	22.4	16.9	13.9	11.0	8.7	7.2	88.8	-70.	362.
		4	74.8	63.2	56.5	51.2	41.3	31.4	25.7	20.6	16.2	13.3	193.2	83.	1310.
		5	59.5	50.3	45.0	40.8	33.0	25.1	20.6	16.4	13.0	10.6	60.3	-18.	617.
11550	2	1	24.4	20.1	18.0	16.4	13.0	9.8	8.0	6.3	5.0	4.0	535.0	26.	305.

		2	34.4	28.2	25.1	22.8	18.0	13.6	11.1	8.6	6.8	5.5	227.6	-4.	389.
		3	68.0	57.1	51.1	46.6	37.2	28.2	23.1	18.4	14.4	11.8	420.2	-53.	1430.
		4	59.5	50.1	44.8	41.1	32.7	24.8	20.2	16.1	12.7	10.4	116.0	50.	660.
		5	47.9	40.2	36.1	33.1	26.2	19.9	16.2	12.8	10.0	8.2	91.9	-7.	787.
11575	2	1	14.5	12.0	10.4	9.3	7.3	5.4	4.4	3.4	2.7	2.1	515.4	19.	330.
		2	51.8	43.6	38.6	35.2	28.1	21.3	17.4	13.8	10.8	8.9	727.8	-6.	1399.
		3	55.6	47.0	41.9	38.3	30.6	23.2	19.0	15.0	11.8	9.5	137.2	-74.	520.
		4	46.5	39.2	34.8	31.9	25.4	19.4	15.9	12.6	9.9	8.2	112.2	70.	710.
		5	47.1	39.5	35.2	32.3	25.7	19.6	16.0	12.7	10.0	8.1	96.7	7.	929.
11600	2	1	45.7	38.5	33.9	31.0	24.8	18.8	15.4	12.2	9.6	7.9	1022.0	-45.	610.
		2	52.3	43.7	38.6	35.0	28.1	21.4	17.6	14.0	11.0	9.1	199.9	1.	362.
		3	45.0	38.0	33.7	30.6	24.7	18.8	15.5	12.4	9.9	8.2	146.6	-82.	530.
		4	45.6	38.7	34.5	31.4	25.5	19.4	16.1	12.9	10.3	8.5	119.1	87.	710.
		5	53.9	45.7	40.5	36.8	29.6	22.5	18.5	14.8	11.7	9.8	170.8	-4.	1540.
11625	2	1	46.5	39.1	34.6	31.6	25.3	19.1	15.7	12.4	9.7	8.0	629.9	-15.	439.
		2	43.9	36.6	32.2	29.4	23.5	17.7	14.5	11.4	8.9	7.3	273.3	-20.	572.
		3	44.6	37.5	33.1	30.1	24.2	18.2	14.9	11.9	9.2	7.5	186.4	-46.	770.
		4	52.3	44.0	38.7	35.2	28.2	21.2	17.3	13.7	10.7	8.8	241.0	68.	1680.
		5	49.3	41.6	36.5	33.4	26.8	20.2	16.5	13.1	10.3	8.4	130.3	-8.	1360.
11650	2	1	48.9	40.8	36.0	32.7	25.9	19.5	15.9	12.6	9.8	8.0	1501.0	-18.	810.
		2	53.5	44.7	39.6	36.0	28.6	21.5	17.5	13.9	10.8	8.8	702.0	14.	1140.
		3	60.2	50.5	44.6	40.6	32.3	24.4	19.8	15.7	12.2	10.0	715.4	-63.	2310.
		4	58.0	48.9	43.2	39.4	31.4	23.7	19.3	15.3	11.9	9.8	338.6	56.	1830.
		5	57.5	48.5	42.9	39.1	31.2	23.6	19.3	15.3	11.9	9.8	185.5	-12.	1500.
11675	2	1	33.1	26.7	23.4	21.1	16.5	12.2	9.8	7.7	6.0	4.9	1495.0	-26.	880.
		2	44.4	36.7	32.6	29.7	23.4	17.5	14.2	11.2	8.8	7.1	1137.0	-25.	2020.
		3	45.7	38.1	33.8	30.7	24.5	18.6	15.1	11.9	9.3	7.5	495.9	-79.	1750.
		4	48.1	40.2	35.7	32.6	25.8	19.4	15.8	12.6	9.9	8.1	255.5	85.	1510.
		5	51.9	43.4	38.6	35.2	28.0	21.1	17.2	13.7	10.7	8.8	162.0	-5.	1430.
11700	2	1	29.0	23.8	21.0	18.8	14.8	11.0	8.8	6.9	5.4	4.3	1961.0	-11.	1230.
		2	33.3	27.6	24.4	22.0	17.5	13.1	10.7	8.4	6.5	5.3	668.3	16.	1259.
		3	37.5	31.3	27.7	25.1	19.9	14.9	12.2	9.6	7.5	6.1	322.5	-99.	1210.
		4	43.1	35.9	32.0	28.9	23.1	17.5	14.3	11.3	8.8	7.3	197.0	90.	1230.
		5	45.7	38.1	33.9	30.7	24.5	18.5	15.1	11.9	9.3	7.6	128.5	15.	1210.
11725	2	1	23.5	19.3	17.1	15.5	12.3	9.2	7.4	5.8	4.5	3.7	1147.0	-1.	690.
		2	31.5	26.0	22.9	20.9	16.5	12.2	9.9	7.9	6.2	5.0	479.7	-30.	868.
		3	38.4	31.9	28.3	25.7	20.5	15.5	12.7	10.1	7.8	6.4	273.5	-68.	980.
		4	42.3	35.2	31.3	28.5	22.6	17.0	13.7	10.9	8.5	7.0	170.8	101.	1030.
		5	44.0	36.7	32.7	29.9	23.9	18.0	14.5	11.6	9.2	7.3	108.4	-14.	980.
11750	2	1	23.9	19.9	17.4	15.4	12.3	9.1	7.3	5.8	4.4	3.6	1817.0	-18.	600.
		2	33.6	28.1	24.8	22.2	17.5	13.2	10.6	8.4	6.5	5.3	853.1	16.	845.
		3	39.4	33.0	29.1	26.2	21.1	15.8	12.5	9.9	7.7	6.3	474.6	-60.	930.

		4	42.1	35.4	31.3	28.2	22.5	17.0	14.0	11.1	8.6	7.0	285.0	62.	940.
		5	47.2	39.8	35.1	31.7	25.3	19.0	15.4	12.2	9.5	7.8	152.3	-2.	750.
11775	2	1	22.1	18.2	15.9	14.4	11.4	8.5	6.9	5.4	4.2	3.4	837.3	4.	505.
		2	33.6	27.9	24.6	22.3	17.7	13.3	10.8	8.5	6.6	5.3	381.6	-3.	691.
		3	37.6	31.5	27.9	25.4	20.2	15.1	12.3	9.8	7.6	6.2	213.0	-63.	770.
		4	43.1	36.0	31.8	29.0	23.0	17.3	14.0	11.1	8.7	7.0	109.2	70.	650.
		5	48.5	40.6	35.8	32.7	26.1	19.7	16.0	12.5	9.7	8.0	52.7	11.	476.
11800	2	1	23.7	19.2	17.1	15.6	12.2	9.1	7.4	5.8	4.5	3.6	461.0	-6.	413.
		2	33.5	27.5	24.5	22.1	17.4	13.0	10.6	8.3	6.5	5.3	210.9	13.	567.
		3	39.6	32.6	29.2	26.5	20.9	15.6	12.7	9.9	7.6	6.1	100.7	-56.	540.
		4	44.8	37.0	33.2	30.3	24.0	18.0	14.7	11.7	9.3	7.6	46.6	77.	418.
		5	51.8	43.1	38.5	34.9	27.8	20.8	17.0	13.4	10.5	8.5	61.0	-9.	820.
11825	2	1	21.6	17.8	15.7	14.2	11.2	8.3	6.8	5.3	4.1	3.3	535.9	-5.	323.
		2	33.1	27.5	24.1	21.9	17.4	13.0	10.6	8.3	6.4	5.2	207.7	-15.	376.
		3	39.1	32.7	29.0	26.4	20.9	15.6	12.7	10.0	7.8	6.4	87.9	-26.	317.
		4	47.2	39.5	35.0	32.0	25.5	19.2	15.6	12.4	9.6	7.8	108.7	54.	650.
		5	80.4	67.7	60.3	55.1	44.2	33.5	27.5	21.9	17.2	14.2	217.2	-21.	1960.
11850	2	1	19.6	15.8	13.9	12.4	9.6	7.1	5.8	4.4	3.4	2.7	367.2	-23.	240.
		2	28.8	23.7	21.0	19.0	15.1	11.3	9.1	7.2	5.5	4.5	151.8	24.	297.
		3	38.6	32.1	28.5	25.8	20.5	15.4	12.5	9.9	7.7	6.3	169.4	-65.	660.
		4	74.5	62.6	55.8	50.8	40.8	31.0	25.4	20.2	15.8	13.1	303.3	45.	1980.
		5	96.7	81.9	73.2	66.8	53.9	41.2	33.9	27.2	21.3	17.7	182.7	-7.	1790.
11875	2	1	11.6	9.4	8.0	6.9	5.4	4.0	3.1	2.4	1.8	1.4	410.7	6.	222.
		2	23.8	19.7	17.3	15.5	12.2	9.2	7.3	5.8	4.5	3.6	367.1	-27.	596.
		3	69.0	58.4	51.7	46.9	37.7	28.6	23.6	18.7	14.6	12.0	400.0	-47.	1290.
		4	92.2	78.5	70.0	63.8	51.4	39.3	32.3	25.8	20.4	16.7	242.7	48.	1310.
		5	95.4	81.3	72.6	66.3	53.4	40.9	33.7	26.9	21.3	17.6	72.1	-4.	585.
11900	2	1	12.5	9.8	8.7	7.7	6.0	4.5	3.6	2.7	2.1	1.7	464.0	4.	364.
		2	60.7	50.4	45.1	40.9	32.6	24.8	20.3	16.1	12.7	10.4	335.6	-5.	790.
		3	88.0	74.2	66.5	60.6	48.8	37.2	30.6	24.4	19.2	15.9	194.7	-37.	910.
		4	93.9	79.1	71.1	64.8	52.4	40.1	33.1	26.5	21.0	17.3	46.0	42.	360.
		5	90.5	76.2	68.2	62.5	50.3	38.6	31.7	25.3	20.3	17.4	13.3	3.	157.
11925	2	1	44.1	36.8	32.7	29.6	23.7	17.9	14.7	11.6	9.1	7.5	731.6	-6.	417.
		2	83.2	70.2	62.7	57.2	46.1	35.1	28.9	23.1	18.2	15.0	319.7	-16.	547.
		3	89.7	76.0	68.1	62.2	50.1	38.3	31.6	25.3	20.0	16.5	87.6	-32.	299.
		4	89.5	75.8	68.1	62.3	50.2	38.6	31.9	25.6	20.3	16.8	21.4	51.	122.
		5	100.9	85.4	76.8	70.4	56.7	43.6	36.0	28.7	22.2	18.6	63.3	-13.	541.
11950	2	1	67.5	57.2	50.8	46.3	37.4	28.5	23.4	18.7	14.7	12.1	470.4	-7.	314.
		2	82.6	70.3	62.5	57.1	46.2	35.2	29.0	23.2	18.3	15.1	105.8	9.	212.
		3	83.2	71.1	63.2	57.8	46.9	35.9	29.7	23.9	18.9	15.7	24.6	-30.	98.
		4	97.0	83.1	74.1	68.0	55.4	42.5	35.3	28.4	22.6	18.7	67.6	33.	451.
		5	96.9	83.5	74.4	68.3	56.0	43.0	35.8	28.8	22.7	19.1	25.4	21.	254.

11975	2	1	56.3	46.9	42.0	38.0	30.4	23.0	18.8	15.0	11.8	9.7	457.5	1.	342.
		2	63.2	52.9	47.3	43.0	34.5	26.4	21.7	17.4	13.7	11.3	89.4	-5.	201.
		3	83.0	70.3	63.0	57.5	46.4	35.6	29.5	23.6	18.7	15.5	186.0	-45.	830.
		4	97.8	83.3	75.1	68.7	55.3	42.7	35.6	28.6	22.7	18.9	44.7	68.	334.
		5	89.4	76.2	68.8	62.9	50.5	39.0	32.5	25.9	20.5	17.1	37.0	7.	414.
12000	2	1	22.4	19.0	16.6	14.8	11.9	8.9	7.2	5.7	4.4	3.6	781.7	4.	409.
		2	48.2	40.6	36.0	32.7	26.3	20.0	16.4	13.1	10.3	8.5	1191.0	-2.	1860.
		3	87.4	74.3	66.3	60.6	49.0	37.5	30.9	24.9	19.7	16.3	164.9	-40.	510.
		4	80.3	68.7	61.5	56.2	45.6	35.0	28.9	23.3	18.4	15.3	113.7	68.	590.
		5	84.2	72.0	64.4	58.7	47.5	36.3	29.8	24.1	19.0	15.7	113.0	-10.	880.
12025	2	1	29.4	24.5	21.4	19.5	15.5	11.6	9.5	7.5	5.8	4.8	2385.0	-6.	1410.
		2	74.3	63.0	56.0	51.3	41.4	31.7	26.1	21.0	16.6	13.7	254.4	1.	452.
		3	71.6	60.7	54.1	49.6	40.0	30.7	25.4	20.3	16.0	13.2	156.8	-20.	550.
		4	76.4	64.8	57.6	52.7	42.5	32.5	26.7	21.4	16.9	13.9	147.9	33.	870.
		5	76.3	64.6	57.5	52.7	42.4	32.5	26.8	21.5	17.0	14.0	52.0	-6.	462.
12050	2	1	67.0	56.6	50.7	46.4	37.5	28.8	23.8	19.1	15.2	12.6	251.6	12.	225.
		2	66.8	56.3	50.5	46.1	37.2	28.4	23.6	18.9	15.0	12.4	129.3	21.	348.
		3	71.7	60.7	54.4	49.6	39.9	30.4	25.3	20.2	16.0	13.2	116.4	-46.	620.
		4	73.0	61.8	55.4	50.6	40.5	31.0	25.7	20.6	16.3	13.5	39.3	37.	352.
		5	73.0	61.8	55.5	50.7	40.5	30.9	25.8	20.6	16.5	13.6	31.2	-15.	420.
12075	2	1	56.1	48.0	42.6	38.8	31.4	24.0	19.7	15.9	12.5	10.3	475.1	17.	552.
		2	62.5	53.2	47.0	42.9	34.5	26.3	21.5	17.3	13.6	11.2	294.9	-25.	1028.
		3	65.5	55.8	49.2	45.0	36.4	27.7	22.7	18.2	14.3	11.8	75.8	-32.	528.
		4	65.2	55.4	48.7	44.5	36.1	27.4	22.5	18.2	14.4	11.8	51.7	34.	601.
12100	2	1	28.9	24.6	21.5	19.0	15.2	11.3	9.1	7.2	5.5	4.5	1481.0	-23.	1720.
		2	42.5	35.9	31.6	28.5	22.9	17.4	14.1	11.2	8.7	7.1	245.1	8.	855.
		3	44.3	37.3	32.9	29.6	23.8	18.0	14.7	11.8	9.3	7.6	142.1	-70.	980.
12125	2	1	27.7	23.4	20.6	18.7	15.0	11.3	9.2	7.3	5.7	4.7	1271.0	-4.	1170.
		2	34.8	29.2	25.6	23.2	18.6	14.0	11.4	9.0	7.0	5.7	421.6	-48.	1168.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:44W.IND
DATA FILE : A:44W.DAT

LINE NO. : 44

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
11425	2	1	80.5	68.0	60.7	55.2	44.5	33.8	27.7	22.1	17.3	14.2	794.5	-29.	831.
		2	84.9	72.0	64.5	58.6	47.4	36.1	29.6	23.7	18.6	15.4	98.0	-27.	308.
		3	161.2	102.5	76.7	61.1	39.0	24.6	18.5	14.0	10.6	8.6	73.2	115.	458.
		4	-143.7	-39.4	2.2	21.7	44.4	46.1	41.4	******	29.3	24.5	30.4	8.	318.
		5	63.4	54.3	49.5	44.4	36.8	27.8	22.3	18.0	14.2	11.5	46.9	-3.	736.
11450	2	1	79.0	67.0	59.9	54.7	44.1	33.8	27.8	22.3	17.6	14.5	511.2	63.	445.
		2	66.7	54.2	47.3	42.4	33.2	24.8	20.2	16.1	12.6	10.4	217.9	76.	570.
		3	213.6	225.7	222.6	219.1	197.6	165.6	141.5	******	95.0	80.3	14.0	20.	72.
		4	68.9	58.8	52.6	48.5	39.1	30.1	24.7	19.7	15.5	12.8	87.3	-6.	761.
		5	60.3	51.2	45.6	42.1	33.9	26.1	21.4	17.0	13.5	11.3	51.2	-12.	669.
11475	2	1	77.5	65.4	58.5	53.2	43.0	32.9	27.2	21.8	17.2	14.2	720.3	67.	376.
		2	66.7	58.3	53.2	48.9	40.2	31.3	25.9	21.0	16.7	13.8	357.1	-22.	560.
		3	76.4	65.2	58.5	53.4	43.3	33.1	27.4	22.0	17.3	14.3	257.7	40.	800.
		4	70.1	59.9	53.6	49.0	39.6	30.3	25.0	20.1	15.8	13.0	133.2	-16.	690.
		5	64.8	55.2	49.4	45.0	36.4	27.8	22.9	18.4	14.6	11.9	102.6	3.	800.
11500	2	1	31.1	26.0	23.1	21.1	16.9	12.8	10.5	8.4	6.6	5.4	946.7	24.	743.
		2	58.5	49.2	43.9	39.9	32.0	24.2	19.9	15.8	12.4	10.2	393.6	32.	926.
		3	71.7	60.6	54.4	49.5	39.9	30.4	25.0	19.9	15.6	12.8	140.0	-6.	650.
		4	69.3	58.5	52.6	47.7	38.5	29.2	24.0	19.1	15.0	12.2	89.1	5.	699.
		5	62.8	52.9	47.7	43.1	34.7	26.3	21.5	17.2	13.5	11.0	69.1	-19.	813.
11525	2	1	34.2	28.9	25.5	23.1	18.4	13.9	11.3	9.0	7.0	5.8	849.3	44.	740.
		2	62.6	53.2	47.3	42.9	34.4	26.2	21.4	17.1	13.4	11.0	258.5	-45.	676.
		3	65.2	55.6	49.6	45.1	36.2	27.7	22.7	18.1	14.3	11.8	136.0	46.	710.
		4	61.4	52.4	46.7	42.2	33.9	25.8	21.2	17.0	13.4	11.1	90.3	-19.	787.
		5	60.1	51.4	45.9	41.6	33.4	25.5	20.9	16.7	13.1	10.8	83.7	-4.	1094.
11550	2	1	55.0	46.4	40.8	37.5	29.7	22.4	18.2	14.4	11.2	9.2	1406.0	-32.	470.

		2	62.8	53.1	46.9	43.1	34.3	26.0	21.3	16.9	13.2	10.8	664.2	41.	680.
		3	60.4	51.0	45.2	41.5	33.3	25.2	20.7	16.4	12.9	10.6	373.2	-14.	760.
		4	60.1	50.6	45.0	41.3	32.9	25.0	20.5	16.3	12.7	10.5	321.0	-14.	1090.
		5	58.1	49.0	43.4	40.1	32.0	24.2	19.9	15.8	12.3	10.1	250.4	-13.	1280.
11575	2	1	36.5	30.4	27.0	24.2	19.4	14.6	11.9	9.4	7.3	6.0	808.9	63.	507.
		2	43.7	36.6	32.5	29.3	23.4	17.6	14.3	11.3	8.8	7.3	376.2	-93.	708.
		3	45.5	38.2	34.0	30.7	24.6	18.6	15.1	12.0	9.3	7.6	318.0	79.	1190.
		4	47.3	39.7	35.2	31.9	25.6	19.3	15.7	12.5	9.8	8.1	178.6	-21.	1120.
		5	50.1	42.2	37.4	33.8	27.1	20.6	16.7	13.3	10.4	8.6	145.6	19.	1370.
11600	2	1	25.7	20.7	18.3	16.7	13.2	9.8	8.0	6.2	4.8	4.0	682.8	-37.	466.
		2	32.1	26.2	23.3	21.1	16.8	12.6	10.2	8.0	6.3	5.1	471.4	83.	965.
		3	33.9	28.0	25.0	22.6	18.0	13.5	11.0	8.7	6.7	5.6	310.3	-5.	1260.
		4	39.1	32.2	28.6	25.8	20.6	15.5	12.7	9.9	7.7	6.3	204.9	13.	1390.
		5	50.6	42.1	37.6	34.1	27.3	20.6	17.0	13.4	10.5	8.6	202.5	9.	2070.
11625	2	1	17.6	13.8	12.4	11.1	8.7	6.5	5.3	4.1	3.2	2.6	452.1	71.	567.
		2	23.0	18.4	16.4	14.7	11.6	8.6	7.0	5.5	4.2	3.4	279.0	-71.	1051.
		3	29.2	24.0	21.4	19.3	15.4	11.5	9.5	7.4	5.7	4.7	186.5	72.	1400.
		4	43.0	35.4	31.7	28.7	22.9	17.2	14.1	11.1	8.6	7.0	140.7	17.	1760.
		5	57.5	48.0	42.8	39.1	31.4	23.7	19.6	15.4	12.0	9.8	83.8	-16.	1579.
11650	2	1	13.2	11.1	9.4	8.4	6.6	4.9	3.9	3.1	2.3	1.9	568.8	-11.	372.
		2	20.5	17.3	14.8	13.4	10.6	7.9	6.3	5.1	3.8	3.1	478.0	97.	938.
		3	34.0	29.0	25.3	23.0	18.3	13.8	11.3	9.0	6.7	5.5	438.3	15.	1710.
		4	51.4	43.9	38.5	35.1	28.1	21.3	17.4	13.8	10.9	9.1	218.5	-18.	1420.
		5	47.8	40.7	35.9	32.9	26.3	19.9	16.3	12.9	10.1	8.3	107.3	-4.	1050.
11675	2	1	11.7	9.4	8.2	7.5	5.7	4.2	3.3	2.6	2.0	1.6	816.0	79.	640.
		2	25.8	21.5	19.0	17.2	13.5	10.2	8.2	6.5	5.0	4.0	693.5	-46.	1633.
		3	44.4	37.4	33.2	30.3	24.3	18.4	15.0	12.0	9.4	7.7	303.4	51.	1420.
		4	44.6	37.7	33.6	30.8	24.5	18.6	15.2	12.0	9.3	7.6	129.8	-9.	1010.
		5	37.6	31.7	28.1	25.6	20.2	15.3	12.4	9.9	7.8	6.3	88.9	-9.	1047.
11700	2	1	21.6	17.8	15.6	14.3	11.3	8.4	6.8	5.4	4.1	3.4	544.7	32.	684.
		2	39.4	33.0	29.2	26.8	21.4	16.2	13.2	10.4	8.1	6.7	379.5	34.	1429.
		3	41.8	35.3	31.3	28.8	23.0	17.5	14.4	11.5	8.9	7.4	152.7	-3.	1140.
		4	35.7	29.9	26.4	24.3	19.4	14.5	12.0	9.6	7.5	6.1	99.7	-6.	1251.
		5	44.9	37.8	33.5	30.9	24.5	18.7	14.8	11.7	9.0	7.5	64.0	-2.	1205.
11725	2	1	28.5	23.5	21.0	19.1	15.1	11.4	9.2	7.3	5.7	4.6	671.9	57.	602.
		2	39.5	33.1	29.6	27.1	21.6	16.4	13.4	10.6	8.3	6.8	219.8	-59.	591.
		3	33.6	28.1	25.1	22.9	18.2	13.8	11.3	8.8	6.8	5.6	128.9	54.	690.
		4	43.8	36.7	32.8	29.9	23.9	18.0	14.7	11.6	9.2	7.4	78.6	-3.	705.
		5	45.4	37.9	33.8	30.8	24.4	18.5	15.0	11.8	9.3	7.5	54.6	1.	734.
11750	2	1	34.4	28.6	25.7	23.4	18.7	14.1	11.5	9.1	7.1	5.8	310.7	-34.	216.
		2	34.2	28.5	25.5	23.1	18.5	14.0	11.4	9.1	7.2	6.0	212.5	95.	444.
		3	42.7	35.7	32.0	29.1	23.2	17.6	14.2	11.0	8.6	7.0	128.9	-3.	530.

		4	45.7	38.2	34.1	30.9	24.6	18.5	15.1	12.2	9.6	7.8	80.7	7.	562.
		5	56.4	47.0	41.9	38.0	30.3	22.8	18.6	14.7	11.5	9.4	96.2	2.	1006.
11775	2	1	20.8	16.9	15.1	13.5	10.7	8.0	6.5	5.1	4.0	3.2	388.5	57.	329.
		2	31.9	26.4	23.5	21.2	16.9	12.7	10.3	8.1	6.3	5.1	199.5	-86.	507.
		3	38.2	31.7	28.0	25.6	20.4	15.2	12.4	9.8	7.6	6.2	107.7	93.	540.
		4	51.5	42.8	38.1	34.4	27.4	20.6	16.9	13.3	10.4	8.4	115.4	-2.	970.
		5	85.9	72.4	64.7	58.9	47.3	35.9	29.5	23.5	18.4	15.2	136.3	-44.	1730.
11800	2	1	15.8	12.9	11.5	10.3	8.1	6.0	4.8	3.7	2.9	2.3	304.4	-10.	273.
		2	25.3	20.6	18.2	16.6	13.0	9.7	7.8	6.1	4.8	3.9	158.5	82.	426.
		3	42.0	34.9	31.0	28.2	22.3	16.8	13.7	10.8	8.4	6.9	162.3	23.	870.
		4	81.6	68.7	61.5	56.2	45.1	34.3	28.1	22.5	17.7	14.6	141.3	-60.	1260.
		5	102.4	86.8	78.0	71.5	57.7	44.4	36.6	29.4	23.3	19.3	117.2	-119.	1570.
11825	2	1	11.9	9.7	8.5	7.5	5.9	4.3	3.4	2.7	2.1	1.7	213.0	51.	176.
		2	27.3	22.5	19.8	17.8	14.0	10.5	8.5	6.6	5.1	4.2	234.6	-41.	581.
		3	69.9	59.0	52.5	47.7	38.3	29.1	23.9	19.1	15.0	12.4	199.7	5.	980.
		4	96.7	82.2	73.4	66.9	54.3	41.6	34.3	27.6	21.8	18.1	139.3	-118.	1150.
		5	115.1	99.0	89.1	81.8	65.8	51.1	42.1	33.8	26.5	22.7	25.9	71.	321.
11850	2	1	14.1	11.9	9.8	8.8	6.8	5.0	3.9	3.1	2.3	1.9	505.0	14.	466.
		2	55.8	46.6	41.4	37.8	30.1	22.8	18.7	14.9	11.7	9.6	324.2	0.	898.
		3	89.0	75.4	67.3	61.7	49.7	38.1	31.3	25.2	19.9	16.5	185.9	-106.	1020.
		4	113.7	96.9	86.9	79.9	64.6	50.0	41.1	33.2	26.2	21.7	31.1	77.	287.
		5	92.1	77.8	69.7	64.7	52.3	40.6	33.1	27.2	21.9	17.5	15.1	25.	208.
11875	2	1	44.1	36.8	32.5	29.6	23.6	17.8	14.6	11.6	9.1	7.5	600.7	18.	471.
		2	84.4	71.5	63.7	58.4	47.0	36.0	29.6	23.7	18.7	15.4	294.3	-155.	693.
		3	109.5	93.7	83.8	77.2	62.4	48.1	39.8	31.9	25.2	20.9	42.7	126.	200.
		4	91.5	78.2	70.0	65.0	52.5	40.7	33.8	27.0	21.9	18.7	19.1	18.	150.
		5	80.4	68.5	61.0	57.0	45.5	35.3	29.5	23.3	18.6	15.8	12.2	18.	144.
11900	2	1	78.4	66.4	59.0	54.2	43.5	33.2	27.3	21.9	17.2	14.2	895.9	-76.	468.
		2	108.3	93.1	83.6	76.8	62.4	48.1	39.7	32.2	25.6	21.4	108.2	131.	169.
		3	86.6	74.4	66.7	61.3	49.9	38.4	31.8	25.7	20.4	17.0	39.2	32.	122.
		4	78.0	66.8	60.0	54.8	44.8	34.3	28.5	23.1	18.4	15.2	23.0	16.	120.
		5	72.2	61.7	55.2	50.4	41.2	31.4	25.9	21.1	16.6	13.8	39.1	27.	307.
11925	2	1	109.0	93.3	84.1	77.7	63.1	48.8	40.5	32.6	25.9	21.5	735.0	118.	288.
		2	92.5	79.4	71.7	66.0	53.6	41.7	34.7	28.1	22.4	18.6	141.4	-39.	166.
		3	82.2	70.5	63.8	58.7	47.7	37.1	30.8	24.8	19.8	16.5	61.4	87.	144.
		4	73.4	62.7	56.5	51.7	41.8	32.4	26.9	21.6	17.3	14.3	91.3	25.	358.
		5	74.6	63.4	57.1	52.2	42.0	32.4	26.9	21.6	17.2	14.3	80.4	-25.	473.
11950	2	1	98.0	83.9	75.8	69.6	56.7	44.0	36.6	29.6	23.5	19.6	209.1	38.	89.
		2	91.3	78.2	70.7	64.8	52.9	41.1	34.1	27.6	22.0	18.3	101.4	86.	130.
		3	76.2	65.3	58.8	53.7	43.9	33.9	28.1	22.6	18.0	15.0	126.6	35.	320.
		4	76.9	65.5	59.0	54.0	43.7	33.7	27.8	22.4	17.8	14.9	103.9	-25.	440.
		5	78.3	66.5	59.8	54.5	44.1	33.9	28.0	22.5	17.8	14.9	104.8	-4.	670.

11975	2	1	88.4	75.0	67.4	61.7	49.8	38.2	31.5	25.2	20.0	16.4	508.3	82.	532.
		2	77.0	65.5	58.6	53.7	43.4	33.3	27.4	22.0	17.4	14.4	234.8	-20.	737.
		3	72.5	61.8	55.1	50.5	40.8	31.4	25.9	20.7	16.4	13.6	122.7	29.	760.
		4	73.7	62.6	55.6	51.0	41.0	31.7	26.1	21.0	17.0	14.0	101.1	-14.	1050.
		5	73.9	63.5	56.3	51.7	41.6	31.7	25.8	20.2	15.4	12.8	51.6	-18.	809.
12000	2	1	42.0	35.2	31.8	28.9	23.2	17.7	14.5	11.6	9.2	7.6	415.5	52.	543.
		2	50.1	41.8	37.7	34.3	27.5	21.0	17.2	13.8	10.8	8.8	211.0	24.	828.
		3	55.3	46.3	41.6	37.9	30.5	23.2	18.9	15.2	12.0	9.9	151.6	-8.	1180.
		4	59.1	49.4	44.6	40.7	32.7	25.0	20.4	16.5	13.0	10.6	69.4	-16.	908.
12025	2	1	21.1	17.3	15.2	13.9	11.0	8.1	6.6	5.2	4.0	3.2	1620.0	26.	2030.
		2	28.8	23.6	20.9	19.0	15.1	11.3	9.1	7.2	5.6	4.6	533.9	-15.	2011.
		3	33.9	28.1	25.0	22.9	18.4	13.9	11.4	9.1	7.2	5.9	180.1	-8.	1350.
12050	2	1	15.2	12.4	10.8	9.8	7.7	5.6	4.6	3.6	2.7	2.2	2149.0	-9.	3060.
		2	19.9	16.5	14.5	13.2	10.5	7.8	6.4	5.0	3.9	3.1	491.2	-18.	2103.
12075	2	1	17.9	15.0	13.2	12.0	9.5	7.1	5.8	4.5	3.5	2.8	1868.0	-23.	2340.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:45W.IND
DATA FILE : A:45W.DAT

LINE NO. : 45

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
11425	2	1	46.8	39.3	34.9	31.8	25.4	19.2	15.7	12.4	9.7	8.0	3193.0	33.	2000.
		2	78.0	67.9	61.3	56.3	45.7	35.1	28.9	23.2	18.2	15.0	342.5	-28.	645.
		3	84.7	72.1	64.5	59.2	47.6	36.4	29.9	24.0	19.0	15.7	228.0	29.	850.
		4	117.8	100.4	89.9	82.8	66.6	51.0	41.8	33.6	26.5	21.8	83.5	7.	524.
		5	67.4	57.3	51.2	47.4	38.1	29.3	23.9	19.4	15.3	12.6	74.1	-10.	698.
11450	2	1	39.4	32.9	29.3	26.6	21.3	16.1	13.1	10.4	8.1	6.7	2538.0	-3.	1500.
		2	69.8	58.6	52.1	47.5	37.9	28.7	23.5	18.7	14.7	12.0	756.7	23.	1344.
		3	141.2	120.9	108.3	99.3	80.1	61.4	50.5	40.5	32.0	26.5	154.4	12.	540.
		4	82.0	69.9	62.7	57.4	46.3	35.4	29.2	23.3	18.2	15.1	114.5	-9.	670.
		5	55.6	47.1	42.0	38.6	31.0	23.7	19.5	15.6	12.2	10.1	79.6	-9.	707.
11475	2	1	46.9	38.8	34.5	31.2	24.8	18.6	15.1	12.0	9.3	7.6	2391.0	27.	1630.
		2	94.3	80.1	71.8	65.6	52.9	40.3	33.1	26.4	20.8	17.1	465.4	-20.	953.
		3	90.4	77.4	69.7	63.9	52.0	39.9	32.9	26.3	20.8	17.1	172.3	24.	700.
		4	62.3	53.1	47.9	43.8	35.5	27.2	22.6	18.2	14.5	12.1	96.4	-8.	658.
		5	54.6	46.2	41.6	37.9	30.8	23.5	19.4	15.5	12.3	10.1	102.7	-24.	1050.
11500	2	1	79.7	67.6	59.7	54.9	43.8	33.2	27.1	21.6	16.9	13.9	1711.0	4.	1010.
		2	89.1	76.5	68.5	63.1	51.0	39.1	32.3	25.9	20.6	17.0	390.0	17.	693.
		3	64.9	56.1	50.2	46.5	37.6	29.0	23.9	19.1	15.0	12.4	170.5	-2.	600.
		4	57.4	49.3	43.9	40.6	32.7	24.8	20.5	16.3	12.8	10.4	151.8	-3.	890.
		5	57.0	48.9	43.2	40.1	32.1	24.3	19.9	15.8	12.3	10.0	117.5	-18.	1040.
11525	2	1	90.8	76.5	68.2	62.3	49.6	37.6	30.7	24.4	19.1	15.6	1750.0	23.	1160.
		2	71.4	60.9	54.6	50.2	40.4	30.9	25.4	20.3	16.0	13.2	428.2	-44.	858.
		3	62.8	53.4	47.8	44.0	35.5	27.1	22.2	17.9	14.1	11.7	303.8	27.	1210.
		4	62.3	52.7	47.0	43.0	34.5	26.2	21.3	17.0	13.3	10.8	192.0	-9.	1280.
		5	57.9	48.8	43.6	40.0	32.2	24.6	20.1	16.1	12.7	10.4	104.6	10.	1040.
11550	2	1	53.1	44.6	39.6	36.1	28.8	21.7	17.7	14.1	11.0	9.0	1958.0	-21.	1750.

		2	57.8	48.7	43.3	39.5	31.5	23.9	19.5	15.6	12.1	9.9	823.6	17.	2216.
		3	60.3	51.1	45.5	41.5	33.1	25.1	20.6	16.3	12.8	10.5	398.3	8.	2130.
		4	56.4	47.6	42.4	38.6	30.9	23.5	19.1	15.2	11.9	9.8	157.7	0.	1410.
		5	61.6	52.3	46.7	42.6	34.1	26.0	21.3	17.0	13.3	10.8	100.9	0.	1350.
11575	2	1	32.2	26.9	23.5	21.3	16.9	12.7	10.3	8.1	6.3	5.1	1785.0	33.	2660.
		2	44.5	37.5	33.1	30.1	23.9	18.0	14.6	11.5	8.9	7.3	533.2	-38.	2391.
		3	47.4	40.0	35.6	32.4	26.0	19.7	16.1	12.8	10.0	8.2	160.3	48.	1430.
		4	53.0	44.5	39.8	36.3	29.1	22.0	17.8	14.2	10.9	8.9	81.3	0.	1215.
		5	64.0	53.3	47.8	43.7	35.1	26.6	21.6	17.2	13.4	11.0	46.9	10.	1052.
11600	2	1	37.0	30.8	27.1	24.5	19.2	14.3	11.5	9.0	6.9	5.6	3515.0	-11.	5250.
		2	46.5	39.1	34.7	31.4	24.9	18.7	15.1	12.1	9.4	7.7	420.2	42.	1884.
		3	48.1	41.0	36.5	33.4	26.6	20.3	16.5	13.0	10.2	8.3	133.8	9.	1190.
		4	60.1	51.0	45.2	41.4	32.9	24.9	20.4	16.3	12.8	10.4	68.0	9.	1017.
		5	56.0	47.4	41.6	38.2	30.7	23.2	18.8	15.2	11.8	9.6	48.2	-19.	1081.
11625	2	1	48.2	39.9	35.0	31.5	24.7	18.4	14.8	11.6	8.9	7.3	2735.0	17.	3730.
		2	49.6	42.1	37.4	34.1	27.2	20.7	16.8	13.3	10.3	8.5	332.8	-53.	1363.
		3	59.6	50.7	45.2	41.2	33.0	25.3	20.7	16.4	12.8	10.5	128.5	72.	1050.
		4	54.6	46.1	41.1	37.4	29.9	22.8	18.6	14.6	11.4	9.2	80.6	-15.	1099.
		5	61.8	52.3	46.5	42.1	33.8	25.8	21.2	16.5	12.8	10.3	46.3	-26.	947.
11650	2	1	51.0	42.8	37.8	34.3	27.2	20.4	16.6	13.1	10.2	8.3	987.7	-45.	1409.
		2	63.2	53.6	47.6	43.3	34.7	26.3	21.6	17.2	13.4	11.0	236.7	79.	1013.
		3	56.7	48.3	43.0	39.2	31.4	23.8	19.6	15.5	12.1	10.0	120.3	-5.	1020.
		4	63.7	54.3	48.4	44.0	35.3	26.7	22.2	17.7	13.8	11.2	56.2	-14.	801.
		5	76.6	65.5	58.4	53.1	42.7	32.7	27.1	21.2	16.5	13.9	44.0	9.	942.
11675	2	1	61.0	51.3	45.3	41.1	32.8	24.7	20.1	16.0	12.4	10.2	543.1	38.	741.
		2	58.5	49.6	44.0	40.2	32.3	24.5	20.1	16.0	12.4	10.2	221.0	-57.	905.
		3	63.9	54.6	48.7	44.5	35.7	27.1	22.2	17.6	13.8	11.4	99.9	35.	816.
		4	78.3	67.0	59.9	54.8	44.3	34.0	28.0	22.5	17.6	14.6	57.9	14.	790.
		5	84.2	71.3	63.5	58.0	46.6	35.1	28.7	22.8	17.6	14.5	35.5	14.	727.
11700	2	1	49.0	41.2	36.7	33.3	26.8	20.3	16.6	13.0	10.4	8.5	490.7	-18.	616.
		2	63.8	54.1	48.2	44.0	35.5	26.9	22.0	17.0	13.9	11.3	218.3	24.	822.
		3	79.3	67.7	60.7	55.5	44.8	34.3	28.2	21.7	18.2	14.7	108.4	22.	810.
		4	87.3	74.5	66.7	60.8	49.1	37.4	30.7	23.2	19.7	16.1	62.2	12.	780.
		5	85.2	72.4	64.5	58.9	47.6	36.2	29.8	21.4	19.6	15.7	42.6	-20.	802.
11725	2	1	48.8	41.2	36.5	33.0	26.4	19.9	16.2	11.8	9.9	8.1	1727.0	8.	650.
		2	76.4	65.2	58.2	53.0	42.8	32.6	26.8	21.4	16.8	13.8	634.5	-64.	720.
		3	86.6	74.0	66.2	60.4	48.9	37.4	30.8	24.6	19.4	16.0	339.0	102.	760.
		4	87.7	74.6	66.5	60.6	49.0	37.4	30.7	24.6	19.3	15.9	164.3	-32.	620.
		5	81.7	69.5	61.9	56.5	45.6	34.8	28.6	22.9	18.0	14.9	96.6	-16.	547.
11750	2	1	63.4	53.9	48.2	44.1	35.5	27.2	22.4	17.9	14.1	11.6	288.0	2.	376.
		2	80.1	68.2	61.0	55.8	45.1	34.5	28.3	22.6	17.8	14.7	145.4	55.	570.
		3	84.1	71.3	63.6	58.3	47.0	35.9	29.5	23.6	18.6	15.3	78.8	-10.	617.

		4	79.8	67.8	60.5	55.6	44.7	33.9	28.0	22.2	17.5	14.4	34.3	-14.	449.
		5	85.4	72.5	64.9	59.7	48.3	37.4	30.5	24.5	19.6	16.1	26.1	-14.	511.
11775	2	1	51.9	43.9	39.0	35.7	28.7	21.8	17.9	14.3	11.3	9.3	339.4	52.	463.
		2	72.9	61.6	54.7	49.9	40.0	30.4	24.9	19.9	15.5	12.9	140.0	-91.	573.
		3	73.1	62.5	55.6	50.8	41.2	31.8	26.3	21.2	16.8	13.6	47.6	68.	388.
		4	80.5	68.5	60.9	55.7	44.9	34.3	28.3	22.7	18.2	14.9	34.3	-12.	468.
		5	116.3	99.4	88.7	81.4	66.1	50.7	42.1	33.8	26.7	22.1	53.3	-21.	1091.
11800	2	1	53.6	45.1	40.0	36.4	29.2	22.1	18.1	14.4	11.3	9.3	233.8	-76.	305.
		2	62.1	52.3	46.5	42.2	34.1	25.9	21.3	17.2	13.6	11.3	73.5	70.	289.
		3	70.3	59.8	53.4	48.7	39.4	30.1	24.7	19.9	15.7	12.9	49.9	-2.	391.
		4	107.8	91.8	82.0	75.0	61.1	47.0	38.4	31.1	24.7	20.4	73.6	-20.	962.
		5	120.9	103.9	94.8	86.1	71.3	54.1	47.0	37.1	29.9	25.0	19.3	3.	378.
11825	2	1	36.8	30.4	27.1	24.6	19.6	14.8	12.1	9.6	7.6	6.2	733.0	30.	277.
		2	52.0	43.2	38.7	35.2	28.0	21.3	17.5	13.9	10.9	9.0	400.3	-93.	454.
		3	90.2	76.4	68.4	62.6	50.4	38.7	31.8	25.5	20.0	16.4	526.6	64.	1190.
		4	123.8	105.7	95.1	87.4	71.1	55.0	45.5	36.8	29.3	24.4	107.3	5.	400.
		5	93.5	79.8	71.4	65.8	53.5	41.6	34.3	27.8	22.1	18.4	37.9	20.	215.
11850	2	1	22.3	18.7	16.3	15.0	11.7	8.7	7.1	5.6	4.4	3.6	393.5	-45.	457.
		2	65.8	55.7	49.5	45.5	36.5	28.0	23.0	18.3	14.4	11.8	452.5	36.	1578.
		3	113.8	98.1	88.5	81.6	66.5	51.4	42.6	34.4	27.5	22.9	71.3	45.	496.
		4	86.4	73.2	65.5	59.9	47.8	36.0	29.0	25.5	29.1	22.6	18.4	4.	214.
		5	75.6	65.9	60.8	56.8	47.0	38.1	32.5	24.5	10.2	10.6	17.0	4.	296.
11875	2	1	46.4	38.8	34.4	31.5	25.2	19.1	15.6	12.4	9.7	8.0	1001.0	-4.	1040.
		2	105.5	90.8	81.8	75.4	61.4	47.4	39.4	31.7	25.2	20.9	131.6	-47.	413.
		3	87.0	75.4	68.1	63.1	51.5	39.8	33.2	26.7	21.2	17.8	29.0	81.	181.
		4	66.4	56.6	50.9	47.0	38.0	29.1	24.4	19.3	15.3	13.0	24.1	1.	252.
		5	63.3	53.8	48.0	44.2	35.9	27.2	23.0	18.2	14.2	11.9	31.7	17.	497.
11900	2	1	94.6	81.2	73.0	67.1	54.7	42.4	35.2	28.5	22.7	18.9	152.2	23.	159.
		2	90.2	77.9	69.9	64.6	52.6	40.8	33.9	26.9	21.3	17.6	39.5	46.	124.
		3	65.7	56.4	50.5	46.6	37.9	29.2	24.2	19.5	15.6	12.8	32.5	5.	203.
		4	63.2	54.0	48.2	44.4	36.0	27.7	22.8	18.3	14.4	11.8	37.9	19.	396.
		5	69.9	60.0	52.7	48.0	38.7	28.7	23.2	19.0	15.4	12.0	24.5	-1.	384.
11925	2	1	94.9	81.6	73.2	67.5	54.7	42.3	35.0	28.2	22.4	18.6	212.9	37.	208.
		2	82.0	70.6	63.3	58.2	47.5	36.7	30.4	24.6	19.5	16.2	87.1	-52.	257.
		3	75.0	64.7	57.9	53.0	43.4	33.5	27.8	22.4	17.8	14.9	91.1	89.	535.
		4	81.3	69.6	62.1	56.5	45.8	35.1	29.2	23.3	18.3	15.2	47.9	-12.	470.
		5	91.2	78.4	69.7	62.7	51.8	39.5	32.7	26.3	20.6	17.1	42.7	-12.	628.
11950	2	1	40.2	33.6	30.3	27.3	22.0	16.7	13.7	10.9	8.6	7.0	646.9	-7.	597.
		2	46.5	39.0	34.9	31.6	25.5	19.4	16.0	12.8	10.0	8.2	467.0	69.	1293.
		3	58.1	48.9	43.6	39.6	31.7	23.9	19.6	15.6	12.2	10.0	178.2	-7.	980.
		4	72.4	60.8	54.4	49.4	39.6	29.9	24.5	19.5	15.3	12.6	134.5	-7.	1240.
		5	62.0	52.2	46.8	42.7	34.2	26.1	21.4	17.2	13.5	11.1	91.2	3.	1263.

11975	2	1	22.4	18.6	16.4	14.8	11.8	8.9	7.2	5.7	4.5	3.7	1846.0	52.	2070.
		2	36.7	30.6	27.0	24.3	19.2	14.3	11.6	9.0	6.9	5.6	475.8	-58.	1600.
		3	51.1	43.1	38.2	34.6	27.6	20.6	16.8	13.4	10.3	8.4	293.0	47.	1960.
		4	40.8	34.3	30.4	27.4	22.0	16.7	13.6	10.7	8.3	6.8	173.6	-1.	1940.
		5	40.5	34.3	30.6	27.6	22.1	16.7	13.7	11.2	8.7	7.0	84.5	-29.	1422.
12000	2	1	36.6	30.3	26.0	23.4	18.2	13.3	10.6	8.2	6.3	5.0	1334.0	-6.	1740.
		2	44.5	37.3	32.5	29.4	23.1	17.1	14.0	11.0	8.4	6.8	740.7	30.	2907.
		3	29.4	25.0	21.8	19.8	15.7	11.8	9.3	7.4	5.7	4.7	362.3	6.	2830.
		4	28.0	23.4	20.6	18.7	14.8	11.2	9.1	7.2	5.6	4.6	153.1	-27.	2000.
12025	2	1	59.1	48.9	42.9	38.5	30.1	22.1	17.6	13.7	10.4	8.4	5766.0	-25.	8220.
		2	38.1	31.4	27.5	24.6	19.2	14.1	11.3	8.8	6.7	5.4	1479.0	-31.	6330.
		3	24.7	20.9	18.5	16.6	13.2	10.0	8.0	6.3	4.9	4.0	420.4	8.	3590.
12050	2	1	53.0	43.2	37.9	34.1	26.6	19.4	15.5	12.0	9.2	7.4	3986.0	-85.	5210.
		2	33.3	27.2	23.9	21.5	16.9	12.5	10.0	7.8	6.0	4.8	887.7	21.	3484.
12075	2	1	47.7	39.2	34.4	31.1	24.3	17.9	14.3	11.1	8.5	6.9	2070.0	16.	2700.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:52W.IND
DATA FILE : A:52W.DAT

LINE NO. : 52

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
10775	2	1	11.4	9.5	8.2	7.4	5.9	4.4	3.6	2.8	2.1	1.7	377.8	-44.	228.
		2	13.4	11.4	10.1	9.1	7.4	5.6	4.5	3.5	2.7	2.2	110.8	-50.	200.
		3	13.5	11.5	10.2	9.3	7.4	5.5	4.5	3.5	2.7	2.2	49.7	60.	179.
		4	14.4	12.1	10.6	9.6	7.6	5.7	4.6	3.6	2.8	2.2	24.4	21.	147.
		5	13.7	11.8	10.4	9.5	7.6	5.7	4.5	3.6	2.8	2.2	19.6	3.	177.
10750	2	1	8.3	7.1	6.1	5.6	4.4	3.3	2.6	2.1	1.6	1.3	266.2	-73.	174.
		2	11.8	10.1	8.9	8.0	6.4	4.7	3.8	3.0	2.3	1.8	76.3	66.	150.
		3	13.1	11.3	9.9	9.0	7.2	5.3	4.3	3.3	2.6	2.1	32.2	24.	126.
		4	12.7	11.0	9.7	8.8	7.1	5.3	4.3	3.3	2.5	2.0	22.8	-9.	149.
		5	14.8	12.4	11.2	10.2	8.1	5.9	4.8	3.5	2.8	2.3	16.7	-12.	163.
10725	2	1	9.0	7.3	6.5	5.9	4.5	3.4	2.7	2.1	1.6	1.3	415.5	-28.	167.
		2	12.8	10.5	9.4	8.5	6.7	5.0	4.0	3.2	2.4	2.0	107.9	-31.	130.
		3	11.7	9.8	8.8	8.0	6.3	4.8	3.7	2.9	2.2	1.7	61.9	57.	149.
		4	13.8	11.4	10.1	9.2	7.2	5.4	4.3	3.4	2.5	2.0	40.2	-19.	161.
		5	12.2	10.2	9.0	8.2	6.3	4.8	3.8	2.9	2.1	1.6	28.3	19.	170.
10700	2	1	12.5	10.0	8.8	7.8	6.1	4.5	3.6	2.8	2.1	1.7	428.2	-69.	156.
		2	11.1	9.2	8.3	7.4	5.9	4.4	3.5	2.7	2.1	1.7	130.8	45.	143.
		3	12.9	10.7	9.5	8.5	6.7	5.0	4.0	3.1	2.5	2.0	68.7	16.	150.
		4	11.9	9.8	8.7	7.8	6.2	4.6	3.6	2.8	2.1	1.6	42.7	4.	155.
		5	10.1	8.2	7.3	6.6	5.5	3.8	3.0	2.5	1.9	1.2	29.8	11.	163.
10675	2	1	11.9	9.7	8.5	7.6	5.8	4.3	3.4	2.6	2.0	1.6	610.8	-33.	199.
		2	12.8	10.7	9.4	8.5	6.7	5.0	4.0	3.1	2.4	1.9	150.7	-66.	147.
		3	11.2	9.3	8.3	7.4	5.8	4.3	3.4	2.7	2.0	1.6	72.8	92.	142.
		4	10.1	8.4	7.4	6.5	5.4	4.1	3.0	2.1	1.5	1.0	44.0	4.	144.
		5	10.6	8.8	8.0	7.5	5.4	4.0	3.7	3.4	2.7	2.5	31.6	6.	155.
10650	2	1	9.7	7.8	6.9	6.1	4.8	3.5	2.8	2.2	1.6	1.3	707.9	-78.	159.

		2	11.4	9.4	8.3	7.4	5.9	4.3	3.5	2.7	2.1	1.7	201.9	46.	136.
		3	9.8	8.1	7.1	6.5	5.2	3.8	3.1	2.5	1.9	1.5	98.5	34.	132.
		4	10.7	8.8	7.7	7.0	5.5	4.1	3.3	2.6	2.0	1.6	61.8	-3.	139.
		5	9.7	7.9	6.8	6.1	5.1	3.8	3.2	2.6	2.1	1.6	28.5	-16.	96.
10625	2	1	8.6	7.0	6.1	5.6	4.4	3.2	2.6	2.0	1.5	1.2	479.0	-6.	181.
		2	9.7	8.0	7.0	6.4	5.0	3.7	3.0	2.4	1.8	1.5	145.3	-48.	164.
		3	10.3	8.6	7.4	6.9	5.4	4.1	3.3	2.5	1.9	1.5	70.6	82.	159.
		4	9.4	7.9	6.6	6.1	4.9	3.7	3.0	2.5	2.1	1.8	28.7	-26.	108.
		5	10.1	8.1	6.9	6.3	5.0	4.1	3.1	2.4	1.6	1.4	27.5	19.	155.
10600	2	1	6.5	5.1	4.6	4.1	3.2	2.3	1.8	1.4	1.0	.8	379.4	-93.	198.
		2	9.9	8.0	7.3	9.2	5.3	4.0	3.4	2.8	2.2	1.9	106.7	73.	167.
		3	7.9	6.4	5.8	5.2	4.0	3.0	2.5	2.0	1.6	1.3	35.7	-1.	111.
		4	8.9	6.9	6.2	5.7	4.6	3.3	2.7	2.1	1.7	1.4	30.0	7.	156.
		5	9.0	7.7	7.2	6.2	4.5	3.3	2.6	2.2	1.7	1.6	20.6	1.	162.
10575	2	1	6.2	5.0	4.3	3.9	3.0	2.2	1.8	1.4	1.0	.8	229.9	-31.	150.
		2	7.1	6.0	5.2	4.8	3.7	2.8	2.3	1.7	1.4	1.2	51.8	-95.	102.
		3	7.5	6.2	5.4	5.0	3.9	2.8	2.4	2.0	1.6	1.2	36.3	108.	142.
		4	8.2	6.7	5.7	5.3	4.0	2.9	2.3	1.7	1.3	1.1	22.4	-14.	146.
		5	13.1	11.3	9.6	8.8	5.3	3.7	4.1	2.3	1.3	1.9	13.4	25.	131.
10550	2	1	4.2	3.4	2.9	2.4	1.9	1.3	1.0	.8	.5	.5	119.4	-110.	93.
		2	6.2	5.2	4.5	4.0	3.2	2.4	2.0	1.6	1.3	.9	60.0	77.	141.
		3	6.8	5.8	5.0	4.5	3.5	2.6	2.2	1.7	1.3	1.1	30.9	19.	145.
		4	8.7	8.5	7.5	6.3	5.2	4.2	3.0	2.8	2.3	1.8	16.5	10.	129.
		5	9.1	6.1	5.1	5.2	3.3	2.5	3.1	1.7	1.8	1.7	12.1	1.	142.
10525	2	1	5.3	4.2	3.8	3.2	2.5	1.8	1.4	1.1	.8	.7	360.7	-25.	191.
		2	6.7	5.6	4.9	4.3	3.3	2.5	2.0	1.6	1.2	1.0	103.3	-45.	164.
		3	8.2	6.9	6.0	5.4	4.3	3.1	2.5	2.0	1.5	1.2	44.3	84.	141.
		4	7.8	6.5	5.5	5.0	3.9	2.9	2.3	1.9	1.5	1.3	28.9	-16.	153.
		5	5.8	4.7	4.1	3.7	2.6	2.1	1.6	1.3	1.1	1.0	15.5	12.	123.
10500	2	1	4.3	3.3	2.9	2.7	1.9	1.4	1.1	.9	.7	.5	423.9	-80.	106.
		2	7.5	6.0	5.3	4.8	3.7	2.8	2.3	1.8	1.4	1.1	151.6	59.	114.
		3	6.8	5.6	5.0	4.5	3.5	2.6	2.1	1.7	1.3	1.0	88.1	15.	132.
		4	5.6	4.3	3.8	3.5	2.7	2.0	1.5	1.1	.8	.6	43.5	-2.	109.
		5	6.6	5.1	4.1	3.8	3.3	2.4	2.1	1.8	1.4	1.2	28.3	11.	106.
10475	2	1	5.2	4.0	3.5	2.9	2.4	1.8	1.5	1.3	.9	.7	343.2	-20.	153.
		2	5.7	4.8	4.5	3.9	3.0	1.9	1.4	.6	.8	.6	123.9	-26.	166.
		3	4.2	3.6	3.1	2.5	2.2	1.6	1.4	1.0	.8	.7	50.2	40.	134.
		4	5.3	4.5	3.8	3.2	2.7	2.0	1.5	1.3	.9	.5	26.7	7.	119.
		5	7.9	6.0	5.5	4.8	3.8	2.6	2.2	1.9	1.4	1.4	19.6	1.	132.
10450	2	1	6.3	5.2	4.2	3.8	2.9	2.1	1.6	1.2	.9	.7	539.9	-61.	206.
		2	3.4	2.9	2.3	2.0	1.6	1.2	.9	.7	.5	.4	133.4	30.	153.
		3	4.4	3.9	3.1	2.9	2.2	1.7	1.4	1.1	.8	.7	63.3	29.	145.

		4	6.4	5.6	4.5	4.2	3.3	2.5	2.0	1.6	1.3	1.1	40.0	-12.	152.
		5	8.1	6.9	5.8	5.2	4.1	3.2	2.5	2.1	1.6	1.4	38.2	30.	219.
10425	2	1	3.4	2.8	2.3	2.2	1.6	1.1	.9	.8	.6	.4	423.9	-33.	146.
		2	4.7	3.8	3.3	3.0	2.3	1.7	1.3	1.0	.7	.6	148.6	-52.	153.
		3	6.3	5.2	4.5	4.1	3.2	2.4	1.9	1.5	1.2	.9	71.5	78.	147.
		4	7.7	6.3	5.3	4.9	3.9	2.8	2.0	1.6	1.2	.9	63.9	13.	220.
		5	8.1	6.7	5.8	5.5	3.9	2.9	2.4	1.9	1.4	1.1	48.9	13.	253.
10400	2	1	5.2	4.1	3.6	3.2	2.4	1.8	1.4	1.1	.8	.6	580.2	-79.	166.
		2	6.9	5.5	4.9	4.3	3.4	2.5	2.0	1.6	1.2	.9	184.1	49.	158.
		3	7.3	6.1	5.3	4.7	3.7	2.7	2.2	1.7	1.3	1.0	133.7	43.	228.
		4	8.1	6.5	5.8	5.1	4.0	3.0	2.3	1.7	1.2	1.0	86.8	-5.	248.
		5	6.6	5.3	4.6	4.1	3.3	2.4	1.8	1.4	1.1	.9	38.6	4.	165.
10375	2	1	5.3	4.2	3.3	3.4	2.6	1.9	1.5	1.1	.8	.7	236.9	-18.	145.
		2	6.6	5.2	4.6	4.2	3.2	2.4	1.9	1.6	1.3	1.0	121.1	-4.	223.
		3	6.9	5.7	5.0	4.6	3.6	2.6	2.1	1.7	1.3	1.1	64.6	51.	237.
		4	5.5	4.2	3.7	3.4	2.8	2.2	1.8	1.5	1.1	1.1	25.2	-12.	154.
		5	10.2	8.2	7.1	6.5	5.1	3.9	3.2	2.7	2.1	1.9	14.7	2.	135.
10350	2	1	7.2	5.8	5.1	4.5	3.4	2.5	2.0	1.5	1.1	.9	339.8	-23.	205.
		2	6.0	5.0	4.4	4.0	3.1	2.3	1.8	1.4	1.1	.9	117.1	25.	212.
		3	4.4	3.7	3.2	2.8	2.2	1.7	1.4	1.0	.1	.0	38.4	9.	138.
		4	9.1	7.5	6.3	5.6	4.5	3.1	2.3	2.0	2.9	2.5	19.1	-7.	115.
		5	10.4	8.7	7.5	6.7	5.1	3.7	3.0	2.3	1.8	1.5	15.2	9.	137.
10325	2	1	4.6	3.6	3.1	2.9	2.2	1.7	1.3	1.0	.8	.7	397.5	-32.	146.
		2	4.3	3.5	2.9	2.8	2.1	1.5	1.2	.9	.6	.5	95.6	-33.	106.
		3	7.9	6.6	5.7	5.2	3.9	2.9	2.2	1.6	1.3	1.5	45.8	53.	101.
		4	9.3	7.8	6.8	6.4	4.8	3.6	2.9	2.2	1.3	.2	27.3	-8.	100.
		5	7.5	6.3	5.4	5.2	3.7	2.6	2.0	1.5	.8	.6	25.3	5.	140.
10300	2	1	3.1	2.7	2.2	1.8	1.4	1.0	.8	.6	.4	.3	333.8	-61.	95.
		2	7.9	6.5	5.6	4.9	3.8	2.8	2.2	1.7	1.3	1.0	100.1	18.	86.
		3	9.3	7.9	7.0	6.1	4.9	3.7	3.0	2.3	1.8	1.4	61.9	23.	106.
		4	7.9	6.6	6.0	5.0	4.0	3.1	2.4	1.9	1.6	1.3	44.7	-6.	128.
		5	3.7	3.1	3.0	2.1	1.7	1.3	1.0	.8	.7	.5	14.2	-6.	61.
10275	2	1	9.1	7.3	6.4	5.7	4.5	3.3	2.7	2.1	1.6	1.3	302.0	-30.	114.
		2	9.8	8.0	7.1	6.5	5.1	3.8	3.1	2.4	1.9	1.5	118.6	-21.	134.
		3	7.5	6.1	5.5	4.9	3.8	2.8	2.3	1.7	1.3	1.1	67.5	38.	152.
		4	3.0	2.0	2.0	1.9	1.5	1.2	1.1	.9	1.0	.5	18.8	-19.	70.
		5	5.7	4.2	3.9	3.5	2.6	2.0	1.5	1.0	.8	.6	17.8	28.	100.
10250	2	1	6.5	5.2	4.8	4.1	3.3	2.4	2.0	1.5	1.2	.9	552.3	-47.	128.
		2	5.6	4.5	4.0	3.6	2.8	2.0	1.6	1.3	1.0	.8	193.1	21.	135.
		3	1.3	1.0	1.0	.7	.6	.3	.2	.1	.1	.0	45.0	6.	63.
		4	4.1	3.1	2.9	2.4	2.0	1.3	1.0	.7	.5	.5	39.3	19.	91.
		5	5.7	4.8	4.5	3.9	3.1	2.1	1.6	1.3	1.0	.7	21.5	-7.	75.

10225	2	1	5.1	4.1	3.5	3.2	2.4	1.8	1.4	1.1	.8	.7	285.3	-23.	126.
		2	1.5	1.1	.9	.8	.5	.3	.2	.1	.0	.0	45.5	-40.	60.
		3	3.9	3.2	2.7	2.5	1.9	1.3	.9	.8	.5	.2	36.2	73.	95.
		4	4.0	3.0	2.4	2.0	1.2	.8	.6	.2	.1	.5	18.1	-19.	80.
		5	6.0	4.3	3.8	3.6	2.6	1.8	1.3	1.1	1.0	.8	11.2	12.	74.
10200	2	1	1.0	.6	.6	.4	.2	.0	.0	.0	-.1	-.2	256.5	-83.	56.
		2	4.7	3.6	3.3	2.8	2.2	1.6	1.3	1.0	.7	.6	160.3	68.	104.
		3	6.0	4.9	4.5	3.9	3.1	2.3	1.9	1.5	1.2	1.0	69.7	8.	90.
		4	6.9	5.4	4.8	4.1	3.2	2.1	1.6	1.1	.8	.6	38.5	7.	83.
		5	7.3	5.9	5.4	5.0	3.6	3.5	3.1	3.0	2.5	1.9	25.7	15.	84.
10175	2	1	7.0	5.3	4.8	4.2	3.3	2.4	2.0	1.5	1.2	1.0	446.6	-14.	173.
		2	6.7	5.5	4.8	4.5	3.7	2.8	2.3	1.8	1.4	1.1	121.3	-40.	141.
		3	7.1	5.7	5.3	4.6	3.7	2.8	2.3	2.1	1.5	1.1	52.5	49.	121.
		4	6.4	4.9	4.6	4.0	3.2	2.3	1.9	.8	.9	1.0	26.3	10.	102.
		5	8.4	6.6	5.9	5.2	4.2	3.0	2.5	2.0	1.5	1.3	21.2	10.	123.
10150	2	1	3.4	2.6	2.1	2.1	1.6	1.1	.9	.7	.5	.4	248.1	-60.	132.
		2	5.1	4.1	3.5	3.2	2.5	1.8	1.5	1.1	.9	.7	73.2	27.	117.
		3	5.2	4.3	3.7	3.4	2.6	2.0	1.6	1.3	1.0	.8	36.7	22.	116.
		4	7.1	5.9	5.2	4.8	3.7	2.8	2.3	1.7	1.3	1.0	22.1	1.	117.
		5	7.6	6.1	5.2	4.7	3.7	2.6	2.2	1.8	1.6	1.3	16.4	1.	131.
10125	2	1	4.1	3.2	2.6	2.3	1.9	1.3	1.1	.8	.6	.5	276.1	-18.	122.
		2	4.8	4.0	3.4	3.1	2.4	1.8	1.5	1.1	.8	.7	93.6	-17.	124.
		3	6.5	5.2	4.4	3.9	3.1	2.2	1.7	1.3	1.0	.8	51.1	48.	135.
		4	6.8	5.5	4.6	4.1	3.2	2.2	1.8	1.4	1.0	.8	30.8	-18.	136.
		5	5.6	4.7	4.1	3.7	3.0	1.8	1.6	1.1	.6	.6	19.0	27.	125.
10100	2	1	4.5	3.6	3.1	2.8	2.2	1.6	1.3	1.0	.7	.6	286.3	-35.	103.
		2	6.9	5.6	4.8	4.3	3.4	2.4	1.9	1.5	1.3	1.1	118.0	34.	127.
		3	7.0	5.8	5.0	4.5	3.5	2.7	2.1	1.7	1.2	1.0	58.6	3.	126.
		4	6.7	5.5	4.8	4.4	3.4	2.6	2.0	1.7	1.4	1.1	30.4	10.	109.
		5	7.7	6.0	5.2	4.6	3.6	2.8	2.0	1.6	1.1	.9	20.5	-27.	110.
10075	2	1	6.4	5.1	4.3	3.8	2.9	2.1	1.6	1.2	1.0	.7	306.0	-15.	123.
		2	6.7	5.6	4.9	4.5	3.4	2.5	2.3	1.9	1.3	1.1	94.5	-41.	114.
		3	6.1	5.1	4.4	4.0	3.1	2.3	1.9	1.5	1.2	1.1	42.8	55.	103.
		4	6.8	5.6	4.8	4.3	3.3	2.5	2.2	1.8	1.7	1.5	24.6	-35.	98.
		5	6.6	5.4	4.7	4.3	3.1	2.3	1.7	1.3	.5	.1	18.4	31.	111.
10050	2	1	5.6	4.4	3.7	3.4	2.6	1.8	1.4	1.1	.8	.6	281.2	-35.	97.
		2	5.7	4.6	4.0	3.8	2.9	2.1	1.7	1.3	1.0	.8	94.4	32.	98.
		3	6.6	5.3	4.4	4.2	3.1	2.3	1.7	1.4	1.1	.9	46.9	-9.	96.
		4	5.9	4.7	4.1	3.9	2.8	1.9	1.5	1.1	.8	.7	28.8	6.	99.
		5	5.3	4.1	3.5	3.2	2.2	1.7	.9	.9	.6	.4	24.4	16.	126.
10025	2	1	4.9	3.5	3.4	2.9	2.3	1.7	1.4	1.0	.8	.6	202.9	-3.	88.
		2	7.1	5.4	4.9	4.3	3.4	2.5	2.0	1.5	1.2	.9	72.5	-47.	95.

		3	6.2	4.7	4.3	3.8	3.0	2.2	1.7	1.3	1.0	.8	38.9	53.	101.
		4	6.4	4.6	4.3	3.5	2.8	2.1	1.4	1.2	.8	.7	25.4	3.	110.
		5	6.8	5.4	5.1	4.1	3.1	2.2	2.3	1.4	1.2	.6	17.8	-11.	116.
10000	2	1	6.5	4.7	4.7	3.9	3.0	2.1	1.7	1.3	1.1	.9	355.1	-52.	106.
		2	7.8	5.5	5.3	4.2	3.6	2.8	2.1	1.7	1.2	.9	119.8	36.	107.
		3	6.8	5.3	5.2	4.1	3.3	2.4	1.9	1.5	1.3	1.0	62.2	4.	111.
		4	7.4	5.4	5.4	4.4	3.6	2.6	2.1	1.6	1.3	1.0	41.0	-9.	123.
		5	7.5	5.4	5.5	4.4	3.4	2.5	2.1	1.8	1.5	1.4	24.3	26.	109.
9975	2	1	5.9	4.6	4.0	3.6	2.8	2.1	1.6	1.3	1.0	.8	271.4	-5.	93.
		2	6.9	5.5	4.7	4.3	3.4	2.5	2.0	1.6	1.2	1.0	103.7	-14.	107.
		3	7.1	5.8	5.0	4.6	3.6	2.7	2.2	1.7	1.4	1.2	55.0	11.	113.
		4	7.4	5.9	5.1	4.6	3.5	2.6	2.0	1.6	1.3	1.1	30.8	14.	106.
		5	7.5	6.3	5.4	4.9	3.7	2.9	2.4	1.9	1.5	1.2	27.4	2.	141.
9950	2	1	3.8	2.8	2.5	2.3	1.8	1.3	1.0	.8	.6	.5	133.9	-44.	116.
		2	6.1	4.7	4.1	3.8	2.9	2.0	1.7	1.2	.9	.7	42.2	13.	110.
		3	6.4	4.9	4.2	4.0	3.2	2.2	1.8	1.4	.9	.7	22.1	44.	115.
		4	6.1	5.3	4.6	4.2	3.4	1.6	1.5	1.2	1.5	.6	13.5	-22.	117.
		5	7.3	4.3	4.3	3.3	2.8	3.2	1.9	1.2	.8	1.5	8.3	31.	109.
9925	2	1	3.8	3.1	2.8	2.2	1.7	1.3	1.0	.7	.5	.4	206.7	-30.	91.
		2	5.7	4.6	3.9	3.5	2.8	2.1	1.6	1.3	1.0	.8	73.8	-5.	98.
		3	5.4	4.5	4.0	3.4	2.6	1.8	1.4	1.0	.7	.5	50.4	36.	133.
		4	5.4	5.2	4.3	3.6	2.6	1.6	1.1	1.1	.7	.0	24.2	14.	106.
		5	6.3	4.2	3.7	3.3	3.0	2.2	1.7	.8	.5	1.1	17.8	2.	118.
9900	2	1	4.0	3.0	2.7	2.5	1.8	1.2	.9	.7	.4	.2	145.6	-41.	95.
		2	5.9	4.6	4.0	3.5	2.6	1.9	1.6	1.2	.9	.8	79.3	13.	156.
		3	5.8	4.8	4.1	3.6	2.9	2.2	1.8	1.4	1.1	.9	31.8	35.	124.
		4	6.3	5.0	4.6	4.2	3.1	2.1	1.7	1.7	1.7	1.5	20.5	-5.	134.
9875	2	1	4.2	3.5	3.0	2.6	2.0	1.4	1.1	.9	.6	.5	289.1	-28.	151.
		2	5.8	4.6	4.0	3.6	2.8	2.0	1.7	1.3	1.0	.8	83.8	2.	132.
		3	5.3	4.3	3.8	3.4	2.6	1.9	1.5	1.2	.9	.7	45.8	37.	143.
9850	2	1	4.3	3.2	2.5	2.4	1.9	1.4	1.0	.7	.5	.4	143.5	3.	107.
		2	5.3	4.2	4.5	3.4	2.6	1.8	1.5	1.1	.9	.7	56.8	13.	127.
9825	2	1	4.9	3.4	3.3	2.8	2.1	1.5	1.2	.9	.7	.5	183.8	13.	134.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:56W.IND
DATA FILE : A:56W.DAT

LINE NO. : 56

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
10775	2	1	11.1	9.1	8.0	7.4	5.8	4.3	3.5	2.7	2.1	1.7	230.9	8.	139.
		2	13.1	10.9	9.5	8.8	6.9	5.2	4.2	3.3	2.5	2.1	103.1	-111.	187.
		3	11.7	9.8	8.4	8.2	6.4	4.7	3.7	2.9	2.1	1.7	45.8	123.	166.
		4	12.4	10.4	9.1	8.5	6.7	5.0	4.0	3.1	2.3	1.9	32.1	-5.	194.
		5	12.3	9.9	8.9	8.6	6.9	5.0	3.7	3.4	2.5	2.1	22.3	-1.	202.
10750	2	1	9.0	6.9	6.1	5.5	4.2	3.1	2.4	2.0	1.5	1.2	242.8	-115.	152.
		2	9.7	7.9	7.2	6.7	5.2	3.9	3.1	2.4	1.9	1.5	78.2	111.	147.
		3	10.3	8.3	7.6	7.0	5.4	4.0	3.1	2.4	1.9	1.4	45.3	4.	170.
		4	11.2	9.1	8.2	7.5	5.8	4.3	3.6	2.9	2.3	1.8	27.8	-6.	174.
		5	10.9	9.2	9.1	8.4	6.6	4.6	3.4	2.6	1.9	1.2	16.1	4.	152.
10725	2	1	6.3	5.4	4.3	4.0	3.1	2.3	1.8	1.4	1.1	.8	179.6	9.	256.
		2	10.3	9.2	7.6	7.1	5.6	4.0	2.9	1.6	.4	-.3	45.7	-104.	196.
		3	5.9	5.2	3.7	3.5	2.9	2.4	2.3	3.3	4.1	4.9	21.6	107.	184.
		4	9.5	9.1	6.7	6.3	5.2	4.2	3.2	2.6	1.9	2.1	10.9	0.	155.
		5	10.5	8.7	6.4	6.3	5.7	4.0	3.3	3.2	1.9	1.6	8.3	2.	177.
10700	2	1	8.2	6.5	5.7	5.1	4.0	2.9	2.4	1.8	1.4	1.2	323.2	-85.	184.
		2	9.1	7.3	6.4	5.7	4.3	3.1	2.4	1.8	1.2	.8	90.5	90.	155.
		3	9.4	7.7	6.9	6.1	4.8	3.5	2.9	2.2	1.8	1.4	36.4	6.	124.
		4	10.3	8.5	7.5	6.8	5.1	4.0	3.2	2.4	1.8	1.3	24.7	-4.	140.
		5	10.3	9.1	7.9	6.5	6.0	3.6	3.1	2.7	2.0	1.4	21.5	-7.	184.
10675	2	1	9.0	7.1	6.3	5.5	4.2	3.1	2.5	2.0	1.5	1.2	230.2	-1.	240.
		2	9.2	7.6	6.8	5.9	4.7	3.6	2.9	2.3	1.8	1.4	41.7	-68.	131.
		3	8.3	6.8	6.2	5.5	4.1	2.9	2.2	1.6	1.1	.9	21.1	78.	132.
		4	9.2	7.8	6.8	5.2	4.0	3.4	2.6	2.0	1.4	1.1	15.9	-17.	166.
		5	10.8	8.7	10.5	13.7	7.7	-6.7	-5.5	******	-.5	-1.2	8.4	-14.	132.
10650	2	1	8.7	7.0	6.0	5.4	4.1	3.0	2.4	1.8	1.4	1.1	261.8	-75.	171.

		2	9.2	7.7	6.7	6.1	4.7	3.5	2.8	2.2	1.7	1.4	66.7	68.	131.
		3	8.0	6.5	5.6	5.2	4.1	3.0	2.3	1.8	1.3	1.1	38.7	0.	151.
		4	8.0	6.3	5.5	5.4	4.3	3.1	2.3	1.8	1.3	.8	18.2	-30.	119.
		5	9.7	7.9	6.3	5.4	4.7	3.6	2.6	2.1	2.1	1.8	7.2	-2.	70.
10625	2	1	7.7	6.3	5.2	4.8	3.6	2.7	2.1	1.7	1.3	1.1	242.0	22.	135.
		2	7.5	6.4	5.3	4.9	3.8	2.9	2.3	1.8	1.3	1.1	84.7	-75.	142.
		3	7.5	6.8	5.7	5.4	4.4	3.3	2.6	2.3	1.8	1.5	33.5	53.	112.
		4	5.4	5.0	4.0	3.6	2.2	1.7	1.2	.5	.1	-.3	11.9	-11.	66.
		5	8.9	7.1	5.8	5.8	5.1	3.2	2.5	2.0	1.4	1.0	14.8	21.	124.
10600	2	1	6.6	5.5	4.8	4.1	3.3	2.5	2.0	1.6	1.2	.9	252.0	-60.	123.
		2	5.9	4.9	4.3	3.8	3.1	2.2	1.7	1.3	1.2	1.3	68.5	43.	101.
		3	7.2	6.5	5.7	5.0	4.1	3.1	2.7	2.3	2.2	2.0	20.9	0.	61.
		4	8.0	6.9	5.8	4.8	3.9	3.0	2.1	1.5	.9	.2	23.7	10.	116.
		5	10.0	9.0	8.4	7.4	6.1	4.6	4.1	3.7	2.7	3.0	17.4	7.	127.
10575	2	1	4.3	3.6	3.1	2.6	2.0	1.5	1.1	.8	.6	.4	240.5	-1.	89.
		2	6.2	5.1	4.6	4.2	3.3	2.5	1.9	1.5	1.2	.9	59.2	-68.	66.
		3	7.4	6.3	5.3	4.8	3.9	3.0	2.4	1.9	1.4	1.2	56.0	87.	125.
		4	8.5	7.1	6.0	5.3	4.2	2.9	2.3	1.8	1.4	1.1	35.8	-2.	133.
		5	7.5	6.4	5.5	4.8	3.8	3.0	2.3	1.9	1.5	1.2	16.5	-12.	92.
10550	2	1	4.1	3.3	2.8	2.6	2.0	1.4	1.1	.9	.6	.5	143.1	-76.	102.
		2	6.6	5.1	4.6	4.2	3.0	2.3	1.9	1.3	1.1	.9	82.9	82.	177.
		3	7.5	5.9	5.3	4.8	3.7	3.0	2.2	1.8	1.4	1.3	39.6	16.	169.
		4	5.4	3.7	3.2	2.6	1.7	1.4	.4	.5	.3	.2	15.2	-32.	108.
		5	5.7	5.2	5.4	4.1	2.4	2.2	2.0	1.4	1.0	.9	10.4	-8.	111.
10525	2	1	8.1	6.4	5.7	5.1	4.0	2.9	2.3	1.8	1.4	1.1	382.0	11.	214.
		2	8.3	6.3	5.7	5.1	3.8	2.8	2.3	1.7	1.3	1.1	111.7	-58.	187.
		3	5.9	4.3	3.9	3.4	2.5	1.8	1.5	1.0	.7	.6	34.6	50.	116.
		4	6.2	5.0	4.5	3.4	2.6	2.1	1.3	1.1	.8	.5	21.1	-15.	118.
		5	7.8	5.1	4.3	3.9	3.6	2.1	2.8	1.3	1.3	1.0	17.5	15.	146.
10500	2	1	7.8	6.2	5.5	4.8	3.7	2.7	2.1	1.7	1.2	1.0	301.1	-78.	139.
		2	6.5	5.3	4.3	3.8	3.1	2.2	1.7	1.3	1.0	.8	67.3	48.	93.
		3	5.5	4.4	3.9	3.5	2.6	2.0	1.6	1.2	.9	.7	38.7	3.	106.
		4	7.4	5.9	4.9	4.6	3.5	2.7	2.1	1.7	1.3	1.1	29.1	10.	134.
		5	7.9	6.4	5.9	5.1	3.8	2.7	2.3	1.7	1.4	1.0	25.9	-19.	179.
10475	2	1	6.5	5.0	4.4	3.9	2.8	2.0	1.5	1.2	.9	.7	162.0	-27.	105.
		2	6.0	5.0	4.9	4.6	3.3	2.0	1.6	1.1	.8	.6	57.1	-69.	112.
		3	6.8	4.5	3.1	2.3	1.6	1.7	1.2	.9	.6	.4	35.4	88.	138.
		4	7.7	5.9	5.1	4.7	3.3	2.3	1.8	1.3	.9	.7	27.0	-32.	176.
		5	6.9	4.8	4.6	3.7	2.3	1.5	1.3	.5	.2	-.1	12.9	6.	126.
10450	2	1	5.3	4.0	3.5	3.1	2.2	1.5	1.1	.8	.5	.3	388.7	-80.	128.
		2	7.1	5.5	4.9	4.4	3.4	2.5	2.0	1.6	1.2	1.0	170.1	89.	168.
		3	8.2	6.3	5.7	5.2	4.0	3.0	2.4	1.9	1.4	1.2	101.8	-21.	200.

		4	9.1	7.3	6.8	6.1	4.8	3.8	3.4	2.7	2.5	2.4	42.4	-5.	140.
		5	6.7	5.0	4.5	3.9	2.9	2.1	1.3	1.0	.2	-.3	25.9	-2.	128.
10425	2	1	5.2	3.9	3.3	3.1	2.3	1.7	1.4	1.0	.8	.6	289.2	11.	165.
		2	8.1	6.2	5.8	4.9	3.9	2.9	2.3	1.8	1.4	1.1	106.0	-95.	181.
		3	6.9	4.7	4.4	4.3	3.5	2.4	2.0	1.5	1.2	1.0	36.2	77.	123.
		4	6.8	4.2	3.8	3.6	2.6	2.0	1.6	1.3	.6	.3	19.7	-13.	112.
		5	6.8	5.7	5.6	6.6	1.1	2.7	-2.1	******	3.9	2.5	14.6	-13.	124.
10400	2	1	6.0	4.5	4.1	3.6	2.8	2.0	1.6	1.2	.9	.8	310.2	-106.	162.
		2	6.9	5.5	5.0	4.5	3.5	2.6	2.1	1.6	1.2	.9	73.5	75.	115.
		3	6.7	5.2	4.6	4.1	3.1	2.2	1.7	1.3	1.1	1.0	35.0	-10.	109.
		4	6.7	5.2	4.5	4.5	3.4	2.2	1.8	1.2	1.0	.6	23.0	-12.	120.
		5	8.2	6.5	5.2	4.7	3.8	3.5	2.4	2.6	1.3	2.1	15.4	13.	120.
10375	2	1	5.1	4.1	3.6	3.2	2.4	1.8	1.4	1.1	.8	.6	170.8	2.	97.
		2	6.4	5.1	4.4	3.8	2.9	2.1	1.6	1.2	.9	.7	63.3	-73.	108.
		3	6.4	5.2	4.5	4.0	3.1	2.4	1.8	1.5	1.2	.9	35.6	62.	121.
		4	7.4	5.8	5.2	4.7	3.7	2.9	2.6	1.9	1.4	1.0	21.0	-3.	119.
		5	8.0	6.4	5.2	4.9	3.7	2.6	2.0	1.5	1.4	1.2	14.9	-3.	127.
10350	2	1	5.4	3.8	3.4	3.1	2.4	1.8	1.4	1.0	.7	.5	210.1	-75.	131.
		2	6.1	5.0	4.5	4.3	2.8	1.9	1.4	1.1	.9	.8	81.8	58.	154.
		3	6.7	5.3	4.4	4.1	3.1	2.3	2.0	1.4	1.0	.7	38.7	14.	145.
		4	6.4	5.0	4.2	4.1	2.8	2.9	2.5	1.4	-.2	-.8	22.2	-12.	139.
		5	8.4	7.6	5.9	5.6	4.7	3.7	1.6	.7	3.4	3.7	13.9	14.	130.
10325	2	1	5.2	4.2	3.5	3.2	2.5	1.8	1.4	1.1	.8	.7	391.1	-23.	175.
		2	6.0	5.0	4.2	3.8	2.9	2.1	1.7	1.3	1.0	.8	123.3	-64.	165.
		3	7.0	5.6	5.0	4.6	3.6	2.7	2.2	1.8	1.4	1.1	61.4	72.	165.
		4	6.6	5.7	4.8	4.1	3.3	2.3	1.9	1.4	1.1	1.0	31.2	4.	139.
		5	7.3	6.0	5.1	4.4	3.2	2.7	2.1	1.8	1.6	1.4	21.6	-13.	145.
10300	2	1	4.9	4.1	3.3	2.6	2.3	1.6	1.3	1.0	.7	.6	235.7	-75.	142.
		2	6.0	5.0	4.6	4.4	3.4	2.5	1.9	1.6	1.2	1.0	81.7	73.	148.
		3	6.2	5.2	4.4	3.7	3.1	2.2	1.8	1.4	1.1	.9	39.1	14.	141.
		4	6.7	5.5	4.5	3.7	3.2	2.3	1.9	1.3	1.2	.8	23.5	-19.	141.
		5	6.0	5.4	4.7	3.5	3.1	2.6	.9	2.4	1.0	1.9	12.7	14.	115.
10275	2	1	5.2	4.0	3.5	3.0	2.3	1.7	1.3	1.0	.7	.6	215.5	-11.	150.
		2	5.6	4.4	3.9	3.5	2.7	1.8	4.8	1.0	.7	.5	67.4	-63.	141.
		3	6.0	5.0	4.4	3.9	3.0	2.0	1.5	1.2	.9	1.0	34.5	68.	144.
		4	5.0	4.1	3.8	3.4	2.4	2.2	2.4	2.5	1.9	1.3	16.9	0.	117.
		5	6.6	5.2	5.0	4.0	2.6	1.8	.2	-.6	-.9	-.8	11.1	-18.	115.
10250	2	1	5.2	4.1	3.7	3.2	2.5	1.8	1.4	1.1	.8	.6	173.9	-82.	121.
		2	6.4	4.9	4.4	3.9	3.0	2.2	1.7	1.3	1.0	.8	66.2	66.	139.
		3	5.2	4.1	3.6	3.0	2.4	1.8	1.4	1.1	.8	.6	27.4	17.	114.
		4	5.7	4.5	4.0	3.6	2.7	2.1	1.3	1.2	.7	.4	16.4	-29.	114.
		5	4.7	3.5	2.9	1.8	.8	.3	.3	.4	.8	.9	9.6	20.	101.

10225	2	1	5.0	4.1	3.5	3.1	2.4	1.8	1.4	1.1	.8	.6	287.9	-14.	150.
		2	4.9	4.2	3.4	3.0	2.3	1.7	1.4	1.0	.8	.6	85.9	-65.	135.
		3	5.3	4.7	4.1	3.5	2.8	2.4	1.9	1.6	1.1	.8	43.9	58.	137.
		4	4.8	4.1	3.5	3.1	2.3	1.8	1.3	.9	.6	.7	22.8	10.	119.
		5	4.5	3.9	3.6	3.2	2.3	1.7	1.1	1.1	.7	.5	17.5	-27.	136.
10200	2	1	4.7	3.4	3.0	2.7	2.0	1.5	1.2	.9	.6	.5	283.9	-72.	117.
		2	5.1	4.4	3.8	3.2	2.5	1.7	1.4	1.1	.9	.7	112.3	57.	139.
		3	4.2	3.2	2.8	2.4	1.9	1.3	1.1	.7	.5	.4	51.0	20.	126.
		4	5.1	4.1	3.6	3.2	2.5	1.8	1.5	1.2	1.0	.8	35.3	-37.	145.
		5	4.7	3.8	3.2	2.8	2.3	1.7	1.4	1.0	.8	.7	22.1	10.	136.
10175	2	1	4.3	3.1	3.0	2.6	2.0	1.5	1.1	.9	.8	.6	229.9	-21.	138.
		2	4.4	2.8	2.9	2.5	1.8	1.3	.9	.6	.3	.1	78.3	-62.	142.
		3	4.4	3.2	3.4	3.0	2.2	1.7	1.4	1.1	.8	.6	47.7	55.	172.
		4	4.5	3.0	3.0	2.8	2.0	1.4	1.0	.8	.7	.6	26.6	-3.	160.
		5	5.1	3.5	3.6	3.4	2.0	1.7	1.3	.9	.8	.6	14.1	31.	128.
10150	2	1	4.0	2.9	2.6	2.4	1.7	1.2	.9	.7	.6	.4	237.9	-56.	124.
		2	4.7	3.5	3.3	3.1	2.3	1.7	1.3	1.0	.7	.6	105.0	43.	164.
		3	4.2	3.2	2.8	2.6	1.9	1.4	1.1	.8	.7	.5	49.8	9.	156.
		4	4.9	3.6	3.3	3.0	2.2	1.6	1.3	.9	.7	.5	24.0	25.	125.
		5	5.5	4.2	3.7	3.4	2.5	1.7	1.4	1.1	.9	.7	21.0	-19.	164.
10125	2	1	4.9	3.8	3.4	3.0	2.3	1.7	1.4	1.0	.8	.6	370.8	-42.	149.
		2	4.5	3.4	3.1	2.7	2.0	1.4	1.1	.8	.5	.5	117.9	-67.	142.
		3	4.2	3.4	3.1	2.7	2.1	1.6	1.3	1.0	.7	.7	50.0	108.	120.
		4	5.5	4.3	3.9	3.4	2.6	2.0	1.6	1.2	.8	.9	37.8	-28.	152.
		5	5.9	4.7	4.2	3.7	2.9	2.1	1.7	1.3	.6	.6	23.1	7.	139.
10100	2	1	4.9	3.6	3.0	3.0	2.1	1.5	1.2	.9	.7	.5	244.7	-86.	102.
		2	4.5	3.5	2.9	3.0	2.1	1.5	1.2	.8	.7	.5	83.5	106.	105.
		3	5.5	4.4	3.9	3.8	2.7	2.0	1.6	1.3	.9	.6	57.8	-15.	145.
		4	5.3	4.1	3.5	3.4	2.5	1.9	1.6	1.2	1.1	1.2	29.1	-2.	121.
		5	4.7	3.6	3.0	2.9	2.1	1.4	1.2	.8	.8	.5	23.5	18.	147.
10075	2	1	3.3	2.4	2.0	1.7	1.4	.9	.8	.6	.4	.3	365.6	23.	109.
		2	5.3	4.2	3.5	3.1	2.4	1.7	1.4	1.0	.7	.6	163.9	-80.	147.
		3	4.8	4.1	3.6	3.2	2.6	1.9	1.6	1.2	.8	.7	85.1	61.	152.
		4	3.7	2.6	2.1	1.7	1.3	.8	.5	.3	.3	.6	46.9	15.	140.
		5	6.4	5.4	4.7	4.2	3.5	2.6	2.4	2.0	1.0	.6	30.3	-26.	136.
10050	2	1	5.3	4.3	3.7	3.2	2.6	1.8	1.5	1.1	.9	.7	322.2	-9.	123.
		2	5.1	4.2	3.7	3.2	2.5	1.8	1.5	1.1	.8	.7	129.5	-62.	148.
		3	3.6	3.1	2.7	2.3	2.0	1.5	1.2	1.0	.7	.6	74.8	79.	171.
		4	4.8	3.9	3.3	2.9	2.3	1.7	1.3	1.0	.7	.6	38.2	-33.	146.
		5	6.2	5.1	4.4	3.7	3.1	2.2	1.8	1.5	1.1	.9	26.6	17.	152.
10025	2	1	5.3	4.3	3.6	3.4	2.5	1.8	1.5	1.1	.9	.7	320.5	-65.	125.
		2	3.9	3.1	2.7	2.5	1.9	1.4	1.1	.9	.7	.5	136.8	80.	161.

		3	4.3	3.5	3.0	2.8	2.2	1.6	1.3	1.0	.8	.6	59.4	-26.	139.
		4	5.9	4.8	4.1	3.7	2.9	2.2	1.8	1.4	1.0	.8	36.7	9.	144.
		5	6.4	5.1	4.3	3.9	3.0	2.3	1.8	1.2	1.0	.8	24.3	0.	143.
10000	2	1	4.2	3.2	2.8	2.4	1.8	1.3	1.1	.8	.6	.5	256.0	3.	114.
		2	4.8	3.8	3.4	2.9	2.3	1.6	1.3	1.1	.8	.7	96.1	-86.	129.
		3	5.7	4.7	4.3	3.8	3.1	2.4	1.9	1.3	.9	.7	50.5	75.	135.
		4	6.3	4.9	4.4	3.8	3.1	2.2	1.7	1.3	1.1	.9	29.7	-7.	133.
		5	5.4	4.1	3.6	3.1	2.4	1.6	1.4	1.1	.8	.5	19.4	-11.	130.
9975	2	1	5.4	3.9	3.3	3.1	2.3	1.6	1.3	1.0	.7	.6	486.4	-90.	145.
		2	5.9	4.7	4.2	3.9	3.0	2.2	1.8	1.4	1.0	.8	154.5	69.	139.
		3	6.4	5.0	4.4	4.2	3.2	2.3	1.9	1.4	1.2	.9	74.2	3.	133.
		4	5.8	4.3	3.7	3.5	2.6	1.9	1.5	1.1	.8	.7	43.2	-19.	129.
		5	5.3	3.7	3.2	3.1	2.2	1.6	1.3	1.0	.7	.5	26.1	6.	117.
9950	2	1	4.9	4.0	3.5	3.1	2.4	1.7	1.4	1.1	.8	.6	248.6	3.	130.
		2	6.4	5.2	4.4	3.9	3.1	2.2	1.7	1.3	1.0	.8	85.3	-61.	134.
		3	4.8	4.2	3.7	3.3	2.6	1.9	1.6	1.3	1.1	.8	41.9	51.	131.
		4	4.1	3.3	2.6	2.3	1.7	1.0	.7	.4	.1	.1	22.1	0.	115.
		5	4.1	3.2	2.8	2.5	2.0	1.3	1.0	.8	.4	.3	18.9	19.	148.
9925	2	1	8.3	7.1	5.6	5.0	3.9	2.9	2.2	1.8	1.3	1.1	390.1	-54.	122.
		2	6.5	5.8	4.8	4.4	3.4	2.4	1.9	1.5	1.1	.9	139.8	39.	132.
		3	4.3	4.0	3.1	2.9	2.3	1.7	1.3	1.1	.8	.6	62.0	24.	117.
		4	4.1	3.7	2.8	2.6	1.9	1.5	1.2	1.0	.8	.7	40.9	-5.	129.
		5	5.1	4.4	3.5	3.2	2.4	1.8	1.3	1.0	.7	.6	24.2	-2.	114.
9900	2	1	9.7	7.9	6.6	5.9	4.5	3.2	2.6	2.0	1.5	1.2	450.0	-10.	168.
		2	7.5	6.2	5.1	4.6	3.6	2.7	2.1	1.6	1.1	.8	114.2	-35.	128.
		3	4.8	4.3	3.6	3.3	2.7	2.0	1.6	1.3	1.0	.8	70.2	60.	157.
		4	5.8	4.4	4.2	3.3	3.3	1.8	1.5	.9	.9	.6	33.2	-9.	123.
9875	2	1	7.6	6.3	5.5	5.1	3.8	2.8	2.3	1.8	1.3	1.0	217.4	-32.	85.
		2	7.2	5.2	4.5	4.3	3.1	2.2	1.7	1.1	1.0	.7	123.4	50.	145.
		3	6.8	5.3	4.8	4.3	3.3	2.4	1.9	1.4	1.0	.8	52.9	-15.	124.
9850	2	1	5.6	4.2	3.9	3.6	2.6	1.9	1.5	1.1	.9	.7	170.2	8.	97.
		2	6.8	4.9	4.2	4.1	3.0	2.1	1.7	1.2	.9	.7	72.8	-11.	125.
9825	2	1	5.3	4.1	3.7	3.5	2.6	1.9	1.5	1.3	.9	.7	109.8	-9.	127.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:66W.IND
DATA FILE : A:66W.DAT

LINE NO. : 66

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
10275	2	1	6.3	4.8	4.3	3.8	3.0	2.2	1.8	1.4	1.1	.9	286.7	12.	115.
		2	5.6	4.4	3.9	3.5	2.7	2.0	1.6	1.2	.9	.7	93.1	10.	112.
		3	7.1	5.1	4.5	3.9	3.0	2.2	1.8	1.3	1.0	.8	62.8	10.	151.
		4	6.5	4.9	4.4	4.0	3.0	2.2	1.8	1.3	1.0	.9	30.8	-22.	123.
		5	6.7	5.0	4.3	4.0	3.0	2.4	2.1	.5	-1.4	1.6	17.9	11.	107.
10250	2	1	12.9	10.2	8.8	8.0	6.1	4.4	3.5	2.7	2.0	1.6	406.7	11.	152.
		2	7.6	5.6	4.7	4.4	3.3	2.3	1.9	1.5	1.1	.9	162.3	10.	182.
		3	6.4	4.9	4.3	4.0	3.0	2.1	1.7	1.3	.9	.8	60.9	-53.	136.
		4	6.9	5.5	4.8	4.4	3.4	2.4	1.9	1.4	1.1	.8	32.8	29.	122.
		5	6.2	5.0	4.3	3.8	3.0	2.1	1.7	1.4	1.1	.9	22.0	4.	123.
10225	2	1	6.7	5.2	4.7	4.2	3.2	2.4	1.9	1.5	1.2	.9	385.2	51.	140.
		2	6.7	5.3	4.7	4.4	3.4	2.5	2.0	1.6	1.2	.9	102.3	-25.	112.
		3	8.0	5.9	5.1	4.5	3.3	2.4	1.9	1.4	1.1	.9	47.6	-48.	104.
		4	6.4	4.8	4.2	3.8	2.8	2.0	1.6	1.2	.8	.5	29.0	46.	105.
		5	6.7	5.1	4.5	4.2	3.3	2.6	2.0	1.6	1.4	1.1	21.0	5.	115.
10200	2	1	5.4	4.4	3.6	3.6	2.7	1.9	1.5	1.2	.9	.7	366.2	-36.	106.
		2	7.7	5.9	4.9	4.6	3.4	2.4	1.9	1.5	1.1	.9	119.5	6.	104.
		3	6.6	5.2	4.3	4.0	3.1	2.2	1.7	1.3	1.0	.8	62.5	-43.	109.
		4	5.7	4.6	3.6	3.5	2.5	1.7	1.3	.9	.7	.5	41.5	33.	121.
		5	5.5	4.5	3.7	3.5	2.8	2.0	1.6	1.3	.9	.7	31.0	8.	135.
10175	2	1	6.6	5.1	4.5	4.0	3.0	2.2	1.8	1.4	1.1	.9	332.4	13.	107.
		2	6.4	5.0	4.4	3.9	2.9	2.1	1.6	1.2	.9	.7	115.9	-8.	112.
		3	6.1	4.8	4.2	3.8	2.8	2.1	1.6	1.2	1.0	.7	65.1	-21.	126.
		4	5.6	4.5	3.9	3.5	2.6	1.9	1.5	1.1	.8	.6	43.6	20.	141.
		5	4.0	2.7	2.1	1.8	2.0	2.8	-.6	.2	1.2	1.4	21.6	-5.	105.
10150	2	1	7.5	5.8	5.3	4.6	3.6	2.7	2.2	1.7	1.3	1.1	293.0	5.	141.

		2	6.7	5.1	4.7	4.1	3.2	2.3	1.9	1.4	1.1	.8	100.4	6.	145.
		3	6.6	4.9	4.5	3.9	3.0	2.2	1.7	1.3	1.0	.8	54.6	-18.	157.
		4	7.0	5.7	5.2	4.6	4.0	3.4	3.1	2.7	2.1	1.4	23.5	1.	113.
		5	3.7	2.6	2.4	2.0	1.1	.0	-.4	-.9	-.7	-.2	15.6	1.	113.
10125	2	1	6.0	4.5	4.1	3.6	2.8	2.0	1.6	1.2	1.0	.7	452.7	11.	137.
		2	6.8	4.8	4.5	3.9	3.0	2.1	1.7	1.3	1.0	.8	168.0	-6.	152.
		3	6.1	4.4	3.9	3.4	2.5	2.0	1.6	1.3	.9	.6	60.8	-19.	110.
		4	6.0	4.7	4.2	3.8	3.1	2.1	1.6	1.0	1.0	1.0	36.5	7.	110.
		5	6.3	4.7	4.1	3.7	2.8	2.2	1.7	1.2	.9	.7	28.4	19.	129.
10100	2	1	5.6	4.5	3.8	3.3	2.6	1.9	1.5	1.2	.9	.7	401.7	6.	146.
		2	6.0	4.9	4.2	3.7	3.0	2.2	1.8	1.4	1.1	.9	96.0	-3.	105.
		3	6.5	5.0	4.2	3.7	2.8	2.0	1.6	1.3	.9	.6	48.5	-24.	106.
		4	6.1	4.9	4.1	3.7	2.9	2.1	1.7	1.3	1.0	.9	33.8	25.	123.
		5	5.4	4.5	3.7	3.8	3.8	3.6	3.0	2.5	2.0	1.7	25.4	17.	139.
10075	2	1	5.1	4.1	3.4	3.2	2.5	1.8	1.5	1.2	.9	.7	328.5	8.	125.
		2	5.4	4.2	3.4	3.3	2.4	1.7	1.3	1.0	.6	.5	89.7	-13.	103.
		3	6.8	5.4	4.4	4.3	3.3	2.5	2.1	1.8	1.5	1.5	53.8	4.	123.
		4	4.4	3.4	2.6	2.5	1.7	1.0	.6	.3	.0	-.3	36.4	18.	139.
		5	6.3	5.1	4.0	3.7	2.6	1.5	1.1	.8	1.5	1.2	23.9	3.	137.
10050	2	1	3.1	2.5	2.1	1.8	1.4	1.0	.8	.6	.4	.3	257.6	0.	92.
		2	5.7	4.8	4.0	3.5	2.7	2.0	1.6	1.2	.9	.7	104.1	21.	112.
		3	5.4	4.4	3.5	3.0	2.3	1.6	1.3	1.0	.8	.6	58.9	-5.	127.
		4	6.1	5.1	4.2	3.8	2.9	2.1	1.7	1.3	.9	.7	34.5	2.	124.
		5	5.1	4.0	3.3	2.8	2.0	1.1	.3	.8	.0	.2	22.6	2.	122.
10025	2	1	4.9	3.9	3.5	3.0	2.4	1.7	1.4	1.1	.8	.7	240.4	32.	142.
		2	4.9	3.8	3.4	2.9	2.2	1.6	1.2	.9	.7	.5	71.0	6.	126.
		3	7.9	5.6	4.7	4.0	3.0	2.1	1.7	1.3	.9	.7	34.8	-14.	123.
		4	5.2	4.1	3.5	3.1	2.4	1.6	1.3	1.2	.9	.7	20.4	3.	120.
		5	4.9	4.0	3.1	3.1	2.4	1.7	1.2	.9	.6	.3	13.0	-5.	115.
10000	2	1	4.8	3.5	3.2	2.7	2.1	1.5	1.2	.9	.6	.4	224.4	26.	95.
		2	6.8	5.2	4.6	4.0	3.0	2.2	1.7	1.3	1.0	.7	77.4	1.	99.
		3	5.9	4.4	3.8	3.2	2.5	1.8	1.4	1.1	.7	-1.2	39.6	-25.	100.
		4	5.1	4.0	3.5	3.1	2.0	1.5	1.3	.9	.9	3.6	23.1	5.	98.
		5	4.3	3.4	2.8	2.4	1.6	1.0	.8	.6	.5	.4	15.3	10.	97.
9975	2	1	6.9	5.5	4.5	4.1	3.2	2.3	1.9	1.5	1.1	.9	322.2	5.	112.
		2	6.8	5.5	4.8	4.4	3.5	2.7	2.3	.7	-.5	-.7	104.0	-10.	108.
		3	4.6	3.3	2.6	2.3	1.6	.8	.3	2.0	3.6	3.6	52.0	-27.	108.
		4	4.3	3.2	2.6	2.5	1.5	.8	.8	.9	.9	.9	27.4	21.	95.
		5	5.2	4.0	3.2	3.1	2.2	1.4	1.1	.9	.7	.6	18.5	-3.	96.
9950	2	1	4.5	3.6	3.1	2.6	2.0	1.4	1.1	.9	.6	.5	287.3	13.	100.
		2	4.9	3.9	3.3	2.9	2.3	1.6	1.2	.9	.6	.4	92.8	-11.	97.
		3	5.5	4.4	3.9	3.3	2.7	1.9	1.5	1.3	1.0	.9	45.6	-3.	95.

		4	4.8	3.8	3.2	2.8	2.0	1.4	1.1	1.1	.8	.7	25.5	-4.	88.
		5	5.5	4.5	3.9	3.2	2.8	2.2	1.8	1.0	.7	.4	17.0	7.	88.
9925	2	1	4.8	3.8	3.2	2.9	2.2	1.6	1.2	.9	.7	.6	293.4	0.	94.
		2	6.0	4.7	4.1	3.7	2.8	2.1	1.7	1.3	.9	.7	94.4	8.	92.
		3	5.9	4.6	3.9	3.5	2.7	1.9	1.5	1.2	.8	.7	44.2	-31.	85.
		4	5.5	4.3	3.7	3.3	2.5	1.8	1.3	1.0	.8	.7	26.8	18.	86.
		5	4.3	3.3	2.9	2.5	1.8	1.3	.9	.7	.6	.5	15.6	18.	75.
9900	2	1	5.6	3.9	3.7	3.3	2.4	1.7	1.4	1.0	.8	.6	262.0	15.	94.
		2	6.4	4.7	4.3	3.9	2.9	2.1	1.6	1.3	1.0	.7	93.3	-19.	101.
		3	6.0	4.4	4.0	3.5	2.6	1.8	1.4	1.0	.7	.6	48.5	-4.	104.
		4	4.6	3.1	3.2	2.9	2.0	1.4	1.1	.8	.6	.4	25.9	19.	93.
		5	4.8	3.5	3.4	3.0	2.3	1.7	1.3	1.0	.8	.6	19.9	5.	107.
9875	2	1	5.4	4.2	3.4	3.0	2.3	1.6	1.2	.9	.6	.5	272.0	-12.	97.
		2	6.2	5.0	4.3	3.7	3.0	2.2	1.7	1.4	1.0	.8	90.0	8.	96.
		3	4.8	3.8	3.0	2.7	2.0	1.4	1.1	.9	.6	.5	39.3	-1.	84.
		4	4.9	4.0	3.4	3.1	2.5	1.8	1.4	1.2	.9	.8	27.2	12.	96.
		5	5.9	4.4	3.6	3.2	2.0	1.5	1.9	1.8	.6	.2	16.1	12.	85.
9850	2	1	5.2	3.9	3.4	3.0	2.2	1.6	1.2	.9	.7	.6	273.9	-4.	93.
		2	4.4	3.5	3.1	2.8	2.1	1.5	1.1	.9	.6	.5	89.4	10.	92.
		3	5.6	4.2	3.6	3.2	2.4	1.8	1.5	.8	.5	.1	52.3	-15.	106.
		4	5.6	4.3	3.8	3.3	2.5	1.8	1.4	1.7	1.5	1.7	27.4	17.	93.
		5	4.4	3.3	3.0	2.6	1.9	1.2	.9	.6	.3	.2	18.7	3.	95.
9825	2	1	4.0	3.3	2.7	2.4	1.8	1.3	1.0	.8	.5	.4	267.5	16.	98.
		2	6.1	5.1	4.2	3.7	3.0	2.1	1.7	1.3	1.0	.9	103.9	0.	115.
		3	6.6	5.4	4.5	4.0	3.1	2.2	1.7	1.3	1.2	1.2	45.1	-33.	99.
		4	3.6	3.0	2.1	1.8	1.2	.6	.5	.3	-.3	-.7	27.4	32.	101.
		5	5.2	4.5	3.6	3.3	2.7	2.1	1.8	1.5	1.3	1.2	18.7	9.	103.
9800	2	1	5.9	4.6	4.0	3.5	2.6	1.9	1.4	1.1	.8	.6	270.3	15.	86.
		2	6.2	5.1	4.6	4.0	3.0	2.2	1.7	1.3	1.0	.8	94.2	2.	91.
		3	6.3	4.8	4.0	3.3	2.6	1.8	1.4	1.3	1.0	1.0	49.2	-24.	94.
		4	5.9	4.9	4.3	3.8	2.9	2.2	1.6	.9	.5	.0	30.3	25.	97.
		5	4.4	3.4	2.7	2.3	1.6	1.1	.9	.9	.8	.6	23.0	13.	110.
9775	2	1	5.1	3.9	3.3	2.9	2.2	1.5	1.2	.9	.7	.5	284.3	6.	88.
		2	5.5	4.3	3.8	3.4	2.6	1.9	1.5	1.2	.9	.7	101.9	5.	94.
		3	5.7	4.2	3.6	3.1	2.3	1.6	1.3	1.0	.8	.6	53.0	-23.	98.
		4	5.1	3.8	3.3	2.9	2.2	1.5	1.1	.8	.6	.4	36.1	27.	111.
		5	4.2	3.1	2.7	2.3	1.9	1.5	1.1	.6	.7	.5	29.0	8.	134.
9750	2	1	4.9	3.9	3.5	2.9	2.5	1.7	1.3	1.0	.8	.6	263.0	4.	89.
		2	5.4	4.3	3.7	3.2	1.9	1.8	1.4	1.1	.8	.6	89.3	-3.	91.
		3	6.2	4.6	3.9	3.3	2.3	1.8	1.4	1.1	.8	.6	50.5	-34.	103.
		4	4.5	3.6	3.1	2.6	1.6	1.3	1.0	.8	.6	.5	36.4	44.	124.
		5	5.7	4.6	4.1	3.7	2.5	2.0	1.5	1.3	.8	.7	22.3	0.	114.

9725	2	1	4.2	3.4	2.8	2.5	1.9	1.4	1.1	.8	.6	.5	266.7	-3.	84.
		2	5.6	4.5	3.6	3.2	2.4	1.8	1.4	1.2	.9	.6	102.4	11.	97.
		3	4.7	3.8	3.0	2.7	2.1	1.4	1.0	.6	.3	.3	64.0	-14.	121.
		4	5.7	4.8	4.0	3.6	2.8	2.2	1.9	1.7	1.5	1.1	36.4	9.	115.
		5	5.4	4.6	3.6	3.2	2.4	1.7	1.3	1.0	.7	.6	29.7	9.	141.
9700	2	1	3.7	2.7	2.4	1.9	1.5	1.0	.8	.6	.4	.3	246.1	11.	83.
		2	4.3	3.4	3.0	2.5	1.9	1.4	1.1	.8	.6	.5	100.0	4.	101.
		3	6.3	4.7	4.0	3.4	2.7	2.0	1.6	1.2	.9	.8	49.0	-35.	98.
		4	5.7	4.6	3.9	3.4	2.6	1.8	1.4	1.1	.7	.6	36.2	29.	122.
		5	4.9	4.2	3.8	3.4	2.6	1.4	.6	1.6	3.3	2.0	18.0	8.	91.
9675	2	1	3.2	2.3	2.0	1.7	1.2	.8	.6	.5	.3	.3	298.2	19.	105.
		2	5.9	4.5	4.0	3.6	2.7	1.9	1.5	1.1	.8	.6	96.8	-9.	102.
		3	6.1	4.4	3.8	3.4	2.5	1.8	1.4	1.0	.6	.3	61.2	-37.	129.
		4	5.6	4.3	3.7	3.3	2.4	1.6	1.2	1.0	1.0	1.0	27.2	43.	95.
		5	5.0	3.9	3.3	3.0	2.2	1.6	1.4	.8	.7	.7	19.8	7.	104.
9650	2	1	5.3	4.1	3.6	3.0	2.3	1.7	1.3	1.0	.7	.6	283.6	4.	93.
		2	5.7	4.3	3.7	3.1	2.4	1.6	1.2	.9	.7	.6	122.8	6.	121.
		3	6.6	5.1	4.4	3.8	3.0	2.2	1.8	1.4	1.0	.8	46.3	-54.	91.
		4	5.1	3.9	3.2	3.1	2.0	1.4	1.0	.7	.4	.2	30.1	57.	99.
		5	5.6	4.3	3.5	3.1	2.4	1.7	1.3	1.2	.8	.7	20.5	14.	101.
9625	2	1	4.2	3.1	2.7	2.4	1.8	1.3	1.0	.8	.6	.4	343.4	81.	125.
		2	5.8	4.6	4.2	3.7	2.9	2.1	1.7	1.3	1.0	.8	86.8	-5.	95.
		3	5.2	3.8	3.5	3.0	2.3	1.6	1.2	1.0	.7	.5	47.3	-45.	103.
		4	5.1	3.9	3.6	3.1	2.5	1.9	1.5	1.2	.9	.8	29.1	57.	106.
		5	5.7	4.3	4.2	3.6	2.9	2.0	1.7	1.5	1.1	.9	22.0	5.	120.
9600	2	1	4.7	3.5	3.2	2.8	2.2	1.6	1.3	1.0	.8	.6	178.8	13.	86.
		2	5.8	4.3	3.8	3.3	2.5	1.7	1.3	.9	.7	.5	70.6	11.	102.
		3	6.1	4.5	3.9	3.4	2.6	1.9	1.5	1.2	.9	.7	37.8	-30.	109.
		4	5.4	4.2	3.9	3.4	2.5	1.8	1.4	1.0	.7	.6	26.0	21.	125.
		5	5.7	4.6	4.1	3.4	2.8	2.2	1.8	1.4	1.1	.9	13.0	0.	94.
9575	2	1	5.1	4.0	3.5	3.1	2.4	1.8	1.4	1.1	.9	.7	327.7	19.	102.
		2	6.8	5.5	4.8	4.2	3.3	2.4	1.9	1.5	1.1	.9	117.7	-2.	110.
		3	6.1	4.8	4.1	3.7	2.7	1.9	1.5	1.2	.8	.6	65.3	-43.	122.
		4	5.4	4.4	3.8	3.5	2.7	2.0	1.5	1.2	1.0	1.0	28.8	32.	89.
		5	6.9	5.6	4.6	4.4	3.3	2.4	2.3	2.0	1.3	.7	18.7	7.	87.
9550	2	1	5.6	4.6	3.8	3.5	2.7	2.0	1.6	1.2	.9	.7	287.8	22.	99.
		2	5.3	4.6	3.6	3.5	2.6	1.9	1.5	1.2	.8	.6	109.2	0.	113.
		3	6.7	5.3	4.3	4.1	3.0	2.2	1.8	1.3	.9	.8	40.7	-61.	84.
		4	6.4	5.5	4.4	4.3	3.2	2.3	1.7	1.4	1.1	.6	24.0	47.	82.
		5	7.8	7.0	5.7	5.7	4.2	3.3	2.9	2.0	1.5	1.6	14.7	7.	76.
9525	2	1	5.1	3.8	3.5	2.9	2.2	1.5	1.2	.9	.7	.5	358.7	-11.	108.
		2	7.3	5.4	4.9	4.1	3.3	2.4	1.9	1.5	1.2	.9	84.2	3.	76.

		3	7.2	5.4	4.9	4.2	3.4	2.5	2.0	1.6	1.2	.9	42.3	-49.	76.
		4	8.6	7.0	6.4	5.6	4.6	3.4	2.8	2.2	1.6	1.3	23.3	46.	70.
		5	7.3	5.5	5.1	4.3	3.5	2.5	2.0	1.8	1.4	1.2	17.9	11.	81.
9500	2	1	6.6	5.1	4.6	4.0	3.0	2.2	1.7	1.3	.9	.7	235.8	-1.	84.
		2	7.2	5.6	5.1	4.5	3.5	2.5	2.0	1.6	1.3	1.0	88.3	8.	95.
		3	9.2	7.1	6.9	5.9	4.7	3.6	2.8	2.2	1.7	1.3	41.0	-52.	87.
		4	8.5	6.4	6.4	5.3	4.3	3.3	2.5	2.0	1.5	1.2	28.1	44.	100.
		5	8.2	5.8	6.1	5.0	3.9	2.9	2.3	1.9	1.6	1.2	17.2	6.	91.
9475	2	1	6.3	5.2	4.3	4.0	3.0	2.2	1.7	1.3	1.0	.8	260.9	15.	95.
		2	9.8	8.0	7.2	6.7	5.3	4.0	3.3	2.6	2.0	1.6	74.9	-10.	82.
		3	8.8	7.0	6.3	5.7	4.5	3.3	2.7	2.1	1.6	1.2	42.0	-29.	91.
		4	7.7	6.0	5.4	4.9	3.9	2.9	2.3	1.9	1.6	1.4	22.5	29.	82.
		5	8.3	6.4	5.9	5.3	4.2	3.0	2.4	1.8	1.3	1.0	17.5	1.	95.
9450	2	1	9.0	7.2	6.5	5.7	4.6	3.4	2.8	2.2	1.7	1.3	322.1	2.	96.
		2	9.0	7.1	6.7	5.8	4.8	3.5	2.9	2.2	1.7	1.4	105.8	9.	95.
		3	8.5	6.8	6.0	5.4	4.3	3.1	2.6	2.0	1.5	1.2	46.5	-38.	83.
		4	8.3	6.8	6.1	5.4	4.3	3.1	2.6	1.7	1.3	1.0	32.0	25.	96.
		5	7.3	6.0	5.2	4.7	3.6	2.6	2.2	1.9	1.5	1.1	18.0	13.	81.
9425	2	1	8.3	6.4	5.8	5.4	4.3	3.2	2.6	2.0	1.6	1.3	230.4	13.	109.
		2	9.4	7.3	6.7	6.2	4.9	3.7	3.1	2.4	1.9	1.5	58.3	-8.	83.
		3	8.9	6.7	6.0	5.5	4.2	2.9	2.7	2.0	1.5	1.3	32.8	-34.	93.
		4	8.0	6.4	6.0	5.4	4.3	2.8	1.7	1.2	.6	.0	16.3	33.	77.
		5	8.8	7.0	6.5	6.6	5.7	3.9	3.8	3.3	3.2	3.0	12.9	25.	91.
9400	2	1	7.4	6.1	5.4	4.8	3.9	2.9	2.4	1.8	1.4	1.2	153.6	2.	96.
		2	9.1	7.6	6.9	6.0	4.9	3.6	2.9	2.3	1.7	1.3	57.1	4.	108.
		3	8.8	7.6	6.8	5.8	4.8	3.2	2.5	1.5	1.1	.8	25.6	-34.	96.
		4	7.8	6.8	6.1	4.9	4.4	3.9	3.4	3.4	2.7	2.3	14.9	50.	93.
9375	2	1	7.7	6.4	5.7	5.1	4.0	2.9	2.4	1.8	1.4	1.1	133.1	21.	119.
		2	9.2	7.5	6.8	6.0	4.7	3.6	2.9	2.2	1.7	1.3	33.7	0.	91.
		3	7.3	6.3	5.0	4.7	3.5	2.4	1.9	1.4	.9	.9	19.9	-16.	106.
9350	2	1	7.7	6.8	6.0	5.4	4.5	3.5	2.8	2.2	1.7	1.6	57.6	12.	79.
		2	9.3	7.3	6.9	5.8	4.9	3.8	3.1	2.5	1.8	1.3	25.0	-4.	102.
9325	2	1	9.5	7.5	7.2	6.3	5.2	4.0	3.3	2.6	2.0	1.7	131.9	0.	153.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:70W.IND
DATA FILE : A:70W.DAT

LINE NO. : 70

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
10275	2	1	5.2	4.1	3.7	3.2	2.4	1.8	1.4	1.1	.8	.6	375.4	2.	103.
		2	7.0	5.5	4.9	4.2	3.2	2.4	1.9	1.5	1.1	.9	208.5	-5.	171.
		3	5.0	3.9	3.4	3.0	2.2	1.6	1.2	.9	.7	.5	79.8	-63.	130.
		4	3.8	2.9	2.4	2.2	1.6	1.1	.9	.7	.5	.4	36.7	83.	100.
		5	5.7	4.4	3.8	3.5	2.5	1.8	1.4	1.1	.8	.6	23.8	-11.	98.
10250	2	1	4.7	3.8	3.1	2.8	2.2	1.6	1.3	1.0	.8	.7	460.3	14.	180.
		2	3.8	3.1	2.5	2.3	1.7	1.2	1.0	.7	.5	.4	117.4	16.	138.
		3	3.0	2.3	1.7	1.6	1.0	.7	1.0	.8	.5	.3	41.7	-68.	97.
		4	4.7	3.8	3.1	2.9	2.1	1.5	.5	.3	.3	.4	29.6	56.	116.
		5	5.3	4.4	3.6	3.3	2.4	1.7	1.4	1.0	.7	.6	20.2	-2.	118.
10225	2	1	2.8	2.2	1.8	1.5	1.1	.8	.6	.4	.3	.2	276.6	24.	111.
		2	3.1	2.4	1.9	1.6	1.2	.8	.6	.4	.3	.2	72.3	0.	87.
		3	4.6	3.6	3.0	2.6	1.9	1.4	1.1	.8	.6	.6	43.6	-29.	105.
		4	5.3	4.2	3.6	3.1	2.3	1.7	1.4	1.0	.8	.6	26.6	9.	107.
		5	6.1	4.8	4.2	3.7	3.1	2.5	1.8	1.5	1.2	.8	23.4	9.	141.
10200	2	1	3.7	2.9	2.3	1.8	1.5	1.0	.8	.6	.4	.4	237.6	8.	118.
		2	4.9	4.0	3.4	2.9	2.3	1.7	1.3	1.0	.8	.6	91.1	0.	136.
		3	6.5	5.5	4.5	3.7	3.1	2.3	1.8	1.5	1.0	1.0	44.4	-34.	132.
		4	6.6	5.7	4.9	4.0	3.2	2.4	2.0	1.3	1.1	.7	33.5	17.	166.
		5	5.5	4.6	3.9	3.0	2.4	1.7	1.3	1.2	1.0	.8	19.0	16.	142.
10175	2	1	4.2	3.0	2.8	2.5	1.9	1.3	1.1	.8	.6	.5	493.1	5.	166.
		2	6.2	4.7	4.2	3.8	2.9	2.1	1.7	1.3	1.0	.7	144.1	-14.	145.
		3	7.0	5.2	4.8	4.2	3.2	2.2	1.8	1.3	.9	.5	86.9	-20.	175.
		4	6.0	4.4	4.1	3.5	2.7	1.9	1.5	1.2	1.3	1.3	43.8	30.	147.
		5	5.2	3.8	3.6	3.0	2.3	1.7	1.3	1.0	.8	.6	20.3	-7.	102.
10150	2	1	3.6	2.6	2.3	2.1	1.5	1.0	.8	.6	.4	.3	320.6	-2.	114.

		2	6.2	4.9	4.3	3.9	3.0	2.2	1.8	1.4	1.1	.9	136.4	3.	146.
		3	5.2	4.0	3.5	3.1	2.3	1.6	1.3	.9	.7	.5	59.8	-15.	127.
		4	4.6	3.6	3.1	2.8	2.1	1.5	1.2	.9	.7	.6	25.2	8.	90.
		5	4.1	3.1	2.7	2.2	1.8	1.4	.9	.8	.5	.5	17.8	8.	95.
10125	2	1	5.9	4.6	3.9	3.5	2.6	1.9	1.5	1.1	.8	.7	335.6	16.	131.
		2	5.5	4.2	3.6	3.2	2.4	1.7	1.3	1.0	.7	.5	100.4	5.	118.
		3	4.9	3.7	3.2	2.9	2.1	1.4	1.1	.9	.6	.4	35.4	-36.	83.
		4	3.9	2.9	2.5	2.2	1.5	1.0	.8	.6	.5	.5	22.6	28.	88.
		5	4.8	3.5	3.2	2.9	1.7	1.3	1.2	.8	.6	.5	15.4	28.	90.
10100	2	1	4.3	3.4	2.6	2.4	1.8	1.2	1.0	.7	.5	.4	345.4	18.	112.
		2	4.5	3.6	2.8	2.6	2.0	1.4	1.2	.9	.7	.6	83.8	-12.	82.
		3	3.9	3.2	2.5	2.3	1.9	1.3	1.1	.8	.5	.4	46.8	-21.	91.
		4	4.3	3.4	2.7	2.4	1.9	1.3	1.0	.8	.6	.5	28.7	45.	93.
		5	5.4	4.5	3.6	3.1	2.5	1.9	1.7	1.2	1.1	1.2	20.3	-7.	99.
10075	2	1	4.7	3.6	3.1	2.8	2.1	1.5	1.2	.9	.7	.6	297.6	-5.	113.
		2	4.5	3.4	3.0	2.7	2.0	1.5	1.1	.9	.7	.5	104.3	0.	119.
		3	5.1	3.7	3.4	3.0	2.2	1.6	1.3	1.0	.8	.7	50.1	6.	114.
		4	6.1	4.7	4.2	3.6	2.8	2.1	1.6	1.2	.9	.7	30.9	0.	118.
		5	5.5	4.3	3.8	3.0	2.4	1.7	1.5	.9	1.0	.6	23.8	-11.	136.
10050	2	1	4.1	3.1	2.5	2.5	1.8	1.3	1.1	.8	.7	.6	336.4	9.	111.
		2	4.7	3.7	2.8	3.0	2.1	1.5	1.2	.9	.7	.5	108.2	17.	107.
		3	6.3	5.2	4.1	4.1	3.0	2.1	1.7	1.3	1.0	.8	68.1	-38.	134.
		4	5.2	4.3	3.3	3.4	2.6	2.0	1.9	1.4	1.2	1.0	41.0	11.	135.
		5	6.6	5.4	4.2	4.2	3.0	2.2	1.3	1.2	.6	.3	24.0	11.	118.
10025	2	1	11.1	8.9	7.6	7.0	5.2	3.8	3.0	2.3	1.7	1.3	410.0	21.	139.
		2	6.9	5.6	4.8	4.4	3.3	2.4	1.9	1.5	1.1	.9	143.5	-8.	146.
		3	5.5	4.4	3.7	3.4	2.5	1.9	1.5	1.1	.9	.7	70.4	-49.	143.
		4	6.7	5.3	4.6	4.1	3.0	2.2	1.7	1.3	1.0	.7	36.5	39.	124.
		5	6.2	4.9	4.4	4.0	2.9	2.1	1.6	1.3	.9	.7	29.7	6.	152.
10000	2	1	5.4	4.3	3.7	3.2	2.5	1.8	1.4	1.1	.8	.7	401.3	-3.	134.
		2	4.8	3.8	3.2	2.9	2.2	1.6	1.2	.9	.7	.5	132.7	-11.	132.
		3	6.5	5.1	4.4	3.8	2.9	1.8	1.4	1.1	1.1	.9	58.7	-14.	117.
		4	5.5	4.4	3.8	3.4	2.5	2.1	1.7	1.1	.5	.3	43.7	16.	145.
		5	4.8	3.8	3.2	2.6	1.6	.4	1.2	1.0	.2	.9	24.6	-4.	123.
9975	2	1	4.3	3.0	2.6	2.6	1.8	1.3	1.0	.7	.6	.4	420.9	-8.	120.
		2	6.8	5.1	4.5	4.2	3.1	2.2	1.8	1.4	1.1	.8	114.8	5.	98.
		3	6.1	4.5	4.0	3.7	2.7	1.9	1.5	1.1	.9	.7	71.1	-21.	122.
		4	5.1	3.7	3.2	3.1	2.2	1.6	1.2	.9	.7	.5	36.1	8.	103.
		5	6.2	4.6	4.2	3.7	2.4	1.4	.8	.7	.5	.2	26.4	21.	113.
9950	2	1	5.4	4.1	3.6	3.0	2.4	1.7	1.3	1.0	.8	.5	269.6	12.	89.
		2	5.8	4.5	4.1	3.5	2.7	1.9	1.6	1.2	.9	.9	113.3	4.	112.
		3	5.4	4.1	3.7	3.0	2.4	1.8	1.4	1.1	.9	.7	54.0	-35.	106.

		4	4.6	3.4	3.2	2.6	2.1	1.5	1.3	1.2	.7	.6	28.3	40.	93.
		5	4.6	3.7	3.7	3.0	2.7	1.5	1.0	.5	.4	.4	19.5	-1.	96.
9925	2	1	4.2	3.2	2.8	2.4	1.9	1.4	1.1	.9	.7	.5	438.0	11.	138.
		2	5.2	3.9	3.5	2.9	2.3	1.6	1.2	.8	.6	.5	113.3	-15.	107.
		3	4.7	3.5	3.1	2.7	2.2	1.7	1.4	1.1	1.0	.9	61.2	7.	115.
		4	4.5	3.2	2.8	2.4	1.7	1.1	.7	.3	.0	.0	33.3	3.	105.
		5	4.6	3.3	2.9	2.6	2.0	1.4	1.1	.8	.6	.5	22.3	3.	105.
9900	2	1	4.7	3.6	3.1	2.6	2.0	1.4	1.0	.8	.6	.5	297.3	-7.	109.
		2	5.1	4.0	3.5	2.9	2.3	1.6	1.2	1.0	.7	.6	105.4	24.	116.
		3	5.3	4.1	3.5	2.8	2.1	1.4	1.0	.7	.4	.3	47.9	-20.	105.
		4	4.6	3.6	3.0	2.5	1.8	1.2	.7	.6	.4	.1	28.9	4.	106.
		5	4.7	3.7	3.1	2.6	1.9	1.4	1.0	.7	.4	.4	19.3	-4.	106.
9875	2	1	5.7	4.3	3.8	3.4	2.6	1.8	1.5	1.1	.8	.7	501.1	32.	148.
		2	6.6	5.1	4.5	3.9	3.0	2.2	1.7	1.3	.9	.7	132.9	-11.	118.
		3	6.2	4.8	4.2	3.7	2.9	2.1	1.6	1.2	.8	.7	67.2	-16.	119.
		4	5.0	3.8	3.4	2.8	2.1	1.4	1.1	.9	.7	.5	35.4	1.	105.
		5	5.4	4.1	3.6	3.0	2.4	1.6	1.2	1.0	.6	.5	22.7	14.	101.
9850	2	1	5.4	3.7	3.3	3.2	2.2	1.6	1.2	.9	.7	.5	323.4	-4.	112.
		2	6.2	4.6	4.0	3.7	2.7	2.0	1.6	1.2	1.0	.8	110.0	-7.	115.
		3	5.9	4.2	3.8	3.6	2.5	1.7	1.3	1.0	.8	.6	52.7	-16.	110.
		4	5.5	4.0	3.6	3.4	2.4	1.7	1.3	.9	.8	.6	28.4	18.	99.
		5	4.9	3.6	3.2	3.1	2.2	1.5	1.2	.9	.7	.5	19.6	-14.	102.
9825	2	1	5.4	4.0	3.4	3.0	2.2	1.6	1.2	.9	.7	.5	340.3	11.	148.
		2	6.3	4.9	4.2	3.8	2.8	2.0	1.5	1.2	.9	.7	102.8	-11.	134.
		3	5.9	4.5	3.9	3.5	2.6	1.9	1.5	1.1	.9	.7	43.8	1.	114.
		4	5.0	3.7	3.3	2.8	2.1	1.4	1.1	.8	.6	.5	26.5	-11.	115.
		5	4.8	3.3	3.1	2.6	2.1	1.9	.8	.9	.7	.5	17.3	18.	113.
9800	2	1	4.7	3.7	2.9	2.6	2.0	1.3	1.0	.8	.5	.4	464.7	-7.	155.
		2	6.0	4.9	4.0	3.6	2.8	2.0	1.6	1.2	.9	.7	124.8	17.	125.
		3	5.2	4.0	3.3	2.9	2.2	1.6	1.4	1.2	.8	.6	61.5	-33.	123.
		4	5.5	4.4	3.7	3.4	2.7	1.9	1.2	.9	.1	-.1	35.3	19.	118.
		5	3.7	2.9	2.4	2.1	1.5	1.1	.7	.4	1.2	1.8	20.2	3.	101.
9775	2	1	5.8	4.4	4.0	3.2	2.6	1.8	1.4	1.1	.8	.6	420.5	25.	138.
		2	6.0	4.6	4.0	3.4	2.7	1.9	1.5	1.1	.8	.6	136.0	-28.	134.
		3	5.2	3.9	3.5	2.9	2.3	1.6	1.3	1.0	.7	.6	64.8	4.	128.
		4	4.2	3.2	2.9	2.3	1.9	1.3	1.0	.8	.6	.5	33.2	5.	109.
		5	4.6	3.6	3.2	2.4	1.9	1.3	1.1	.8	.6	.5	28.4	20.	141.
9750	2	1	4.2	3.3	2.6	2.4	1.7	1.2	.9	.7	.5	.4	402.8	-14.	133.
		2	4.8	3.9	3.2	2.9	2.2	1.6	1.3	1.0	.7	.6	120.8	19.	119.
		3	4.4	3.6	2.9	2.6	2.0	1.4	1.0	.8	.5	.4	51.1	-17.	101.
		4	5.3	4.1	3.4	3.0	1.3	.8	1.0	.5	.0	.2	38.9	21.	128.
		5	4.6	5.0	4.5	4.4	4.4	3.0	1.2	1.5	1.8	.8	25.5	5.	126.

9725	2	1	4.3	3.5	2.8	2.6	1.8	1.4	1.0	.8	.6	.4	389.0	25.	117.
		2	5.1	4.2	3.5	3.2	2.3	1.7	1.3	1.0	.7	.5	106.5	-9.	96.
		3	5.1	4.1	3.3	3.1	2.2	1.6	1.2	.9	.7	.5	67.7	5.	122.
		4	5.2	4.3	3.4	3.2	2.2	1.6	1.1	.8	.5	.2	39.9	6.	120.
		5	6.7	5.5	4.4	4.1	3.1	2.5	2.1	1.8	1.5	1.3	25.1	21.	114.
9700	2	1	4.8	3.6	3.0	2.7	2.0	1.4	1.1	.8	.6	.5	134.0	2.	91.
		2	5.6	4.2	3.5	3.2	2.3	1.6	1.2	1.0	.7	.6	58.2	21.	119.
		3	5.8	4.3	3.7	3.3	2.4	1.6	1.2	.9	.7	.5	28.8	-16.	117.
		4	6.8	5.2	4.5	4.2	3.0	2.3	1.9	1.3	.8	.7	16.5	19.	112.
		5	6.3	4.6	4.1	3.6	2.4	1.7	.9	.9	.7	.7	8.6	9.	88.
9675	2	1	5.3	4.3	3.4	3.0	2.3	1.6	1.3	1.0	.7	.6	396.5	25.	119.
		2	6.1	5.1	4.1	3.7	2.9	2.1	1.6	1.3	.9	.7	126.5	-8.	113.
		3	6.2	5.1	4.2	3.7	2.9	2.1	1.6	1.3	.9	.7	61.4	6.	110.
		4	6.5	5.5	4.6	4.0	3.2	2.3	1.8	1.4	1.1	.9	28.8	8.	86.
		5	5.8	5.0	4.1	3.4	2.8	2.1	1.6	1.2	1.0	.9	26.1	-4.	117.
9650	2	1	5.1	4.1	3.4	3.1	2.3	1.7	1.3	1.0	.7	.6	301.6	6.	107.
		2	6.2	5.0	4.3	3.9	2.9	2.1	1.6	1.3	1.0	.8	106.3	17.	113.
		3	6.1	5.1	4.3	3.9	2.9	2.2	1.7	1.3	1.0	.8	51.5	-19.	110.
		4	5.9	5.0	4.2	3.7	2.9	2.1	1.6	1.2	.9	.7	27.0	4.	96.
		5	6.8	5.8	4.8	4.2	3.3	2.2	1.8	1.3	1.0	1.3	16.9	4.	90.
9625	2	1	5.4	4.1	3.6	3.2	2.4	1.8	1.4	1.1	.8	.6	346.7	33.	120.
		2	6.6	5.2	4.6	4.1	3.1	2.3	1.8	1.4	1.0	.8	107.6	-15.	112.
		3	6.0	4.7	4.2	3.6	2.8	2.0	1.5	1.2	.9	.7	48.5	-8.	101.
		4	7.2	5.7	5.2	4.4	3.5	2.6	2.1	1.8	1.3	1.1	24.2	4.	84.
		5	6.3	5.2	3.8	3.2	2.7	2.5	2.2	1.7	1.2	.9	15.1	4.	78.
9600	2	1	6.3	5.3	4.3	4.0	3.0	2.2	1.7	1.3	1.0	.8	352.2	3.	118.
		2	6.4	5.4	4.7	4.2	3.1	2.3	1.8	1.4	1.0	.8	96.3	4.	98.
		3	6.3	5.2	4.3	4.0	3.0	2.1	1.6	1.3	1.6	2.0	44.8	-9.	90.
		4	7.8	6.8	5.8	5.8	4.5	3.4	2.9	2.2	.5	-.6	23.4	3.	79.
		5	6.0	5.1	4.2	4.2	3.2	2.5	2.0	1.5	1.1	.8	18.9	-10.	95.
9575	2	1	6.5	5.1	4.3	3.9	3.0	2.2	1.7	1.3	1.0	.8	282.5	-19.	98.
		2	7.3	6.0	4.7	4.8	3.8	2.7	2.2	1.7	1.3	1.1	86.3	-4.	90.
		3	7.0	5.8	5.1	4.5	3.5	2.6	2.1	1.6	1.2	1.0	37.7	-6.	78.
		4	6.0	5.0	4.2	3.9	3.1	2.3	1.9	1.4	1.0	.8	27.9	-10.	97.
		5	7.6	6.3	5.7	5.0	4.1	3.0	2.4	1.9	1.6	1.3	17.6	10.	92.
9550	2	1	6.5	5.3	4.6	4.1	3.3	2.4	1.9	1.5	1.1	.9	236.3	3.	84.
		2	7.2	6.0	5.2	4.7	3.8	2.8	2.3	1.9	1.5	1.3	72.5	9.	78.
		3	6.0	4.8	4.2	3.7	2.8	2.0	1.5	1.0	.6	.4	44.6	-32.	95.
		4	8.2	6.8	6.2	5.4	4.4	3.4	2.7	2.2	1.6	1.3	25.4	11.	90.
		5	9.3	8.0	7.2	6.2	4.8	3.8	2.8	2.4	1.9	1.5	14.8	11.	79.
9525	2	1	6.4	5.0	4.3	3.9	3.0	2.2	1.7	1.3	1.0	.8	352.3	5.	112.
		2	6.9	5.5	4.9	4.5	3.4	2.6	2.0	1.6	1.2	1.0	131.8	-23.	126.

		3	8.6	7.0	6.3	5.8	4.5	3.4	2.7	2.1	1.6	1.3	60.4	1.	115.
		4	10.3	8.2	7.4	6.7	5.3	4.0	3.1	2.5	2.0	1.5	31.2	7.	100.
		5	10.1	8.2	7.2	6.7	5.3	4.0	3.5	2.7	2.0	1.7	19.8	7.	95.
9500	2	1	5.6	4.4	3.7	3.5	2.5	1.9	1.4	1.1	.9	.6	370.0	-7.	129.
		2	8.6	7.1	6.2	5.8	4.4	3.3	2.6	2.0	1.5	1.1	100.4	12.	105.
		3	11.1	9.2	8.2	7.7	5.9	4.6	3.7	2.9	2.4	1.9	42.5	-10.	88.
		4	10.9	9.0	8.1	7.6	5.7	4.3	3.6	2.8	2.1	1.6	24.5	5.	85.
		5	9.6	7.6	6.6	5.6	5.5	4.6	3.5	3.2	1.5	2.7	18.5	-17.	96.
9475	2	1	6.6	5.2	4.5	4.0	3.1	2.2	1.8	1.3	1.0	.8	318.0	7.	112.
		2	11.0	9.2	8.1	7.4	5.9	4.4	3.6	2.8	2.2	1.8	85.2	-19.	90.
		3	11.2	9.5	8.2	7.7	5.9	4.4	3.6	2.7	2.1	1.7	41.6	6.	87.
		4	10.8	9.1	8.0	7.6	5.9	4.5	3.6	2.8	2.1	1.7	26.8	-18.	94.
		5	11.6	9.8	8.4	8.1	6.2	4.8	3.9	3.0	2.3	1.8	22.4	9.	118.
9450	2	1	7.3	6.4	5.2	4.6	3.7	2.7	2.2	1.7	1.3	1.1	324.5	33.	100.
		2	10.3	9.1	7.7	6.9	5.6	4.2	3.4	2.7	2.0	1.6	102.3	5.	94.
		3	10.6	9.4	8.1	7.3	5.9	4.5	3.6	2.8	2.1	1.8	53.2	-36.	98.
		4	12.6	11.0	9.6	8.9	7.2	5.5	4.5	3.7	2.8	2.2	39.0	9.	120.
		5	12.0	10.5	8.7	8.2	6.2	4.8	3.9	2.9	2.3	2.0	28.3	9.	130.
9425	2	1	6.8	5.7	4.8	4.1	3.3	2.4	1.9	1.5	1.2	1.0	223.5	17.	93.
		2	10.4	8.9	7.7	6.9	5.6	4.2	3.4	2.6	1.9	1.5	77.1	-30.	97.
		3	12.5	11.0	9.4	8.4	6.8	5.1	4.2	3.3	2.5	2.1	46.0	1.	115.
		4	13.4	11.9	10.1	9.1	7.6	5.6	4.7	3.7	2.8	2.3	29.8	6.	124.
		5	11.5	10.7	9.1	8.0	6.7	5.0	4.1	3.2	2.5	2.2	17.5	28.	109.
9400	2	1	7.6	6.3	5.3	4.8	3.8	2.8	2.2	1.7	1.4	1.1	246.2	-14.	96.
		2	12.3	10.3	9.0	8.2	6.5	4.9	4.0	3.2	2.3	1.8	105.7	13.	124.
		3	13.5	11.9	10.4	9.5	7.7	5.9	4.8	3.8	3.0	2.3	58.6	-9.	137.
		4	12.5	10.8	9.4	8.7	6.9	5.1	4.2	3.2	2.4	2.1	30.9	23.	121.
9375	2	1	9.0	7.6	6.5	5.9	4.6	3.4	2.7	2.1	1.6	1.3	186.3	13.	112.
		2	13.2	11.0	9.7	8.9	7.1	5.4	4.4	3.4	2.6	2.1	65.3	7.	118.
		3	12.8	10.4	9.5	8.4	6.8	5.0	4.0	3.0	2.2	1.5	35.2	2.	127.
9350	2	1	9.6	8.2	7.5	6.7	5.4	4.1	3.4	2.7	2.1	1.7	118.0	18.	95.
		2	14.1	11.3	9.9	9.5	7.5	5.8	4.8	3.8	3.0	2.6	45.1	12.	109.
9325	2	1	10.2	8.6	7.5	6.7	5.4	4.3	3.5	2.9	2.6	2.1	106.2	9.	144.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:74W.IND
DATA FILE : A:74W.DAT

LINE NO. : 74

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
10275	2	1	2.4	2.0	1.6	1.4	1.0	.7	.5	.4	.3	.2	283.5	-115.	132.
		2	5.2	4.2	3.6	3.2	2.5	1.8	1.4	1.1	.8	.6	105.4	70.	148.
		3	6.1	4.8	3.9	3.4	2.6	2.0	1.5	1.3	1.1	.8	44.8	17.	125.
		4	6.7	5.6	4.6	4.1	3.2	2.3	1.7	1.2	.8	.6	30.1	31.	141.
		5	6.8	5.4	4.5	4.0	3.1	2.2	1.8	1.5	1.2	1.1	21.5	-43.	151.
10250	2	1	8.4	6.7	5.7	5.1	3.9	2.8	2.2	1.7	1.3	1.0	543.4	2.	171.
		2	5.6	4.5	3.9	3.6	2.7	2.0	1.6	1.2	.9	.8	135.3	-34.	127.
		3	8.1	5.9	4.9	4.3	3.2	2.3	1.8	1.4	1.0	.8	75.0	77.	141.
		4	6.5	5.1	4.5	4.0	3.2	2.3	1.9	1.5	1.2	.9	47.4	-27.	149.
		5	4.9	3.9	3.3	3.1	1.8	1.3	.9	.7	.4	.2	23.5	-13.	110.
10225	2	1	23.0	18.8	16.4	14.8	11.4	8.3	6.5	5.0	3.8	3.0	313.0	-43.	136.
		2	8.0	6.0	5.1	4.6	3.5	2.6	2.0	1.6	1.2	1.0	97.8	57.	128.
		3	6.2	4.8	4.1	3.7	2.7	2.0	1.5	1.2	.9	.7	50.8	-33.	132.
		4	3.7	2.8	2.3	2.2	1.5	1.0	.8	.6	.1	-.1	22.9	15.	100.
		5	7.5	6.0	5.1	4.6	3.4	2.8	2.1	1.5	1.7	1.7	13.1	-12.	85.
10200	2	1	5.4	4.5	3.8	3.5	2.7	2.0	1.6	1.2	.9	.8	401.0	11.	132.
		2	5.7	4.6	4.0	3.5	2.7	2.0	1.6	1.2	.9	.7	127.6	-82.	126.
		3	4.1	3.2	2.7	2.4	1.9	1.4	1.1	.9	.7	.5	48.9	61.	96.
		4	6.1	4.8	4.1	3.6	2.6	1.9	1.4	1.0	.7	.6	25.1	8.	82.
		5	3.9	2.9	2.6	2.7	2.0	1.2	1.2	.8	.6	.8	18.4	11.	91.
10175	2	1	4.3	3.2	2.8	2.6	2.0	1.4	1.2	.9	.8	.7	297.8	-88.	123.
		2	3.2	1.9	1.5	1.4	.8	.2	.0	-.2	-.4	-.5	79.6	35.	99.
		3	6.1	4.0	3.3	2.8	2.1	1.2	.8	.4	.1	.0	34.9	10.	86.
		4	5.4	4.1	3.7	3.3	2.6	2.0	1.7	1.6	1.5	1.2	23.6	29.	97.
		5	5.3	3.5	3.1	2.6	2.0	1.1	1.2	1.0	.5	.5	16.0	-17.	99.
10150	2	1	1.9	1.1	1.0	.7	.4	.2	.1	.1	.1	.0	304.2	-15.	96.

		2	6.8	5.2	4.6	4.0	3.0	2.2	1.7	1.3	1.0	.8	84.5	-27.	80.
		3	4.5	3.1	2.9	2.4	1.8	1.3	1.0	.7	.6	.5	49.3	53.	93.
		4	4.8	3.7	3.3	2.9	2.3	1.7	1.4	1.2	.6	.0	30.0	5.	94.
		5	5.3	4.1	3.4	3.0	2.2	1.4	1.0	.6	.8	1.2	22.8	-1.	107.
10125	2	1	23.3	18.8	16.6	15.1	11.6	8.6	6.9	5.3	4.1	3.3	281.5	-51.	118.
		2	6.3	4.6	4.0	3.7	2.7	1.9	1.5	1.2	.9	.6	98.2	51.	123.
		3	5.4	3.8	3.2	3.0	2.2	1.2	1.0	.7	.4	.4	46.3	9.	116.
		4	6.7	5.3	4.3	4.2	3.1	2.2	1.8	1.3	1.1	.9	30.8	8.	129.
		5	5.8	4.6	3.6	3.6	2.6	1.8	1.4	1.0	.9	.7	17.4	-18.	109.
10100	2	1	5.4	4.2	3.4	2.9	2.2	1.6	1.2	.9	.6	.5	308.8	9.	164.
		2	4.3	3.7	.7	2.2	1.8	1.3	1.0	.8	.7	.6	78.5	-36.	125.
		3	6.7	5.1	4.2	3.5	2.7	1.9	1.5	1.6	.7	.6	42.7	48.	136.
		4	5.7	4.7	4.0	3.3	2.7	1.9	1.5	.1	1.0	.9	21.3	-4.	113.
		5	4.1	3.4	3.0	2.3	2.3	.6	.0	1.4	.7	.1	16.5	-11.	132.
10075	2	1	5.7	4.5	3.8	3.2	2.4	1.8	1.3	1.0	.8	.6	192.5	-52.	129.
		2	7.1	5.7	4.8	4.3	3.2	2.4	1.9	1.5	1.0	.8	64.0	19.	128.
		3	6.8	5.2	4.2	3.7	2.6	2.0	1.6	1.3	1.1	1.0	27.1	24.	108.
		4	5.1	4.0	3.2	3.2	2.3	2.3	2.3	2.4	.9	.4	19.0	2.	127.
		5	6.6	4.9	3.8	3.7	2.1	.5	-.5	-1.4	.0	.3	12.2	-3.	122.
10050	2	1	5.3	4.2	3.7	3.2	2.4	1.8	1.4	1.1	.8	.6	365.8	-29.	104.
		2	5.9	4.5	3.9	3.4	2.6	1.8	1.4	1.1	.8	.6	116.7	-17.	100.
		3	4.3	3.2	2.7	2.4	1.7	1.2	1.0	.7	.5	.4	69.5	48.	119.
		4	6.6	5.2	4.5	4.1	3.0	2.2	1.7	1.3	1.0	.7	41.0	8.	117.
		5	6.5	5.1	4.4	4.0	3.0	2.2	1.7	1.2	.8	.7	24.5	0.	105.
10025	2	1	5.3	3.8	3.5	3.1	2.3	1.6	1.2	.9	.7	.6	246.5	-46.	97.
		2	3.9	1.8	.6	2.0	4.6	4.1	2.4	1.7	2.2	2.0	107.2	18.	126.
		3	8.1	7.4	8.9	5.0	-2.5	-3.4	-.9	-.2	-2.1	-2.2	53.8	25.	126.
		4	6.9	5.0	4.5	4.0	3.1	2.1	1.7	1.3	1.2	1.0	28.5	13.	112.
		5	6.3	4.6	4.1	3.7	2.8	2.1	1.6	1.2	.6	.3	18.2	-14.	107.
10000	2	1	3.2	2.4	1.9	1.7	1.3	.8	.7	.5	.3	.3	278.2	-18.	128.
		2	6.7	5.2	4.4	3.9	3.0	2.1	1.7	1.3	1.0	.8	97.4	-29.	135.
		3	7.5	5.9	5.0	4.4	3.5	2.5	2.0	1.5	1.1	.8	42.7	65.	118.
		4	5.7	4.5	3.8	3.2	2.5	1.8	1.5	1.1	.9	1.0	24.4	-4.	113.
		5	6.2	4.8	3.9	3.3	2.6	1.6	1.3	1.0	.5	.2	14.6	-4.	101.
9975	2	1	5.4	3.9	3.8	3.2	2.5	1.8	1.4	1.0	.7	.5	301.6	-41.	99.
		2	7.5	5.4	5.4	4.5	3.4	2.5	2.0	1.5	1.2	1.0	104.1	40.	102.
		3	6.5	4.3	4.3	3.4	2.7	2.0	1.5	1.1	.9	.7	52.1	11.	102.
		4	5.9	4.1	4.1	3.1	2.6	1.7	1.1	1.0	1.1	.6	28.4	9.	93.
		5	4.9	3.4	3.5	2.4	1.9	1.5	1.6	1.0	.3	.5	19.5	-7.	96.
9950	2	1	5.9	4.7	4.2	3.7	3.0	2.2	1.8	1.4	1.1	.9	277.8	-13.	99.
		2	5.5	4.2	3.7	3.2	2.5	1.8	1.4	1.1	.8	.6	96.4	-13.	103.
		3	6.1	4.5	3.8	3.3	2.6	1.8	1.4	1.1	.7	.5	44.1	15.	94.

		4	4.0	3.0	2.7	2.2	1.8	1.3	1.1	.8	.8	.7	27.7	27.	99.
		5	6.9	5.3	4.8	4.1	3.3	2.3	1.9	1.4	.9	.8	18.5	-7.	99.
9925	2	1	4.3	3.2	2.9	2.7	2.0	1.4	1.1	.8	.5	.3	231.3	-30.	84.
		2	6.4	4.6	4.0	3.7	2.8	2.0	1.7	1.4	1.2	1.2	86.2	17.	94.
		3	4.8	3.4	3.0	2.8	2.1	1.5	1.2	.9	.7	.5	46.1	2.	101.
		4	6.9	5.2	4.7	4.3	3.3	2.3	1.8	1.4	1.1	1.0	28.1	32.	103.
		5	4.8	3.6	3.4	3.0	2.3	1.7	1.5	1.1	.8	.6	17.9	-17.	98.
9900	2	1	3.8	2.9	2.2	2.3	1.5	1.0	.8	.6	.4	.3	222.6	-20.	93.
		2	3.6	2.8	1.9	2.1	1.3	.8	.5	.2	.0	.0	89.3	-3.	112.
		3	8.2	7.0	5.8	5.9	4.7	3.9	3.4	3.0	2.6	2.3	45.6	25.	114.
		4	3.7	3.0	1.9	2.2	1.3	.6	.4	.8	.5	.1	25.9	1.	109.
		5	5.5	4.5	3.4	3.6	2.8	2.1	2.2	1.1	.9	1.0	18.6	-7.	117.
9875	2	1	2.7	1.9	1.8	1.6	1.1	.8	.6	.4	.2	.1	298.7	-28.	107.
		2	6.3	4.9	4.5	3.9	2.9	2.1	1.7	1.5	1.4	1.3	114.1	20.	122.
		3	4.1	3.0	2.8	2.4	1.8	1.3	1.0	.8	.6	.4	55.4	-7.	118.
		4	4.7	3.5	3.3	2.8	2.0	1.5	1.2	.9	.8	.6	35.8	18.	128.
		5	5.2	3.9	3.8	3.3	2.5	1.9	1.4	1.1	.8	.6	26.5	-15.	142.
9850	2	1	8.1	6.5	5.9	4.8	3.8	2.8	2.2	1.7	1.3	1.0	366.8	-18.	123.
		2	3.9	3.1	2.8	2.2	1.8	1.3	1.0	.7	.6	.5	118.7	-30.	119.
		3	4.6	3.7	3.3	2.7	2.1	1.5	1.2	.9	.7	.6	65.4	35.	131.
		4	5.3	4.3	3.9	3.0	2.4	1.9	1.4	1.1	.8	.6	42.7	2.	142.
		5	6.7	5.6	5.0	4.5	3.7	2.4	2.0	1.5	1.2	.9	19.6	-21.	98.
9825	2	1	2.8	2.0	1.8	1.6	1.1	.8	.6	.5	.4	.3	413.1	-59.	108.
		2	4.3	3.4	2.9	2.6	1.9	1.4	1.1	.8	.6	.5	171.9	19.	135.
		3	5.3	4.1	3.6	3.3	2.5	1.9	1.5	1.2	.9	.7	93.6	0.	147.
		4	7.7	6.2	5.6	5.1	4.2	3.3	2.6	2.1	2.1	2.1	37.7	3.	99.
		5	5.8	4.8	3.7	3.2	2.3	1.0	.6	.2	-.5	-1.2	21.9	-8.	86.
9800	2	1	5.2	4.0	3.5	3.1	2.4	1.7	1.3	1.0	.7	.6	476.7	-8.	125.
		2	6.1	5.0	4.5	4.0	3.1	2.3	1.8	1.4	1.1	.9	202.8	-9.	159.
		3	8.9	6.7	5.8	5.2	4.0	2.9	2.4	1.8	1.4	1.1	69.2	2.	108.
		4	6.3	5.0	4.5	4.0	3.1	2.2	1.7	1.3	1.0	.8	34.7	13.	91.
		5	4.6	3.4	3.2	2.6	2.0	1.6	1.3	.9	.8	.5	21.8	-4.	86.
9775	2	1	4.7	3.9	3.3	3.1	2.3	1.7	1.4	1.0	.8	.6	872.5	-30.	183.
		2	8.9	7.2	6.2	5.6	4.4	3.2	2.6	2.0	1.5	1.2	179.8	-17.	113.
		3	6.5	5.3	4.6	4.2	3.4	2.5	2.0	1.6	1.3	.9	74.3	23.	93.
		4	4.4	3.5	2.9	2.6	1.9	1.2	1.0	.7	.3	.4	41.8	15.	88.
		5	4.2	3.3	2.8	2.5	2.1	1.6	1.5	1.2	1.2	.9	25.7	-2.	81.
9750	2	1	7.9	6.2	5.4	4.8	3.6	2.6	2.0	1.6	1.2	.9	335.1	-32.	91.
		2	5.9	4.7	4.3	3.6	2.9	2.1	1.6	1.3	1.0	.8	115.7	9.	95.
		3	5.2	4.1	3.6	3.1	2.3	1.7	1.3	1.0	.7	.5	56.1	17.	92.
		4	5.5	4.5	4.0	3.4	2.8	2.2	1.7	1.5	1.2	1.2	31.2	18.	85.
		5	4.5	3.7	3.2	2.7	2.0	.9	.8	.3	.2	-.1	22.4	-24.	92.

9725	2	1	4.8	3.5	3.2	3.1	2.2	1.6	1.3	1.0	.8	.6	331.9	-10.	124.
		2	5.8	4.4	4.0	3.8	2.8	2.0	1.6	1.2	.9	.7	105.9	-11.	119.
		3	5.7	4.3	3.8	3.6	2.6	1.9	1.5	1.1	.9	.7	47.5	35.	106.
		4	5.2	4.0	3.6	3.5	2.4	1.7	1.2	.9	.7	.6	29.9	-4.	112.
		5	5.5	4.3	3.7	3.7	2.8	2.3	1.9	1.6	1.2	.8	16.7	-4.	94.
9700	2	1	4.6	3.6	3.3	2.9	2.2	1.6	1.2	1.0	.8	.6	272.7	-33.	106.
		2	5.9	4.7	4.2	3.7	2.9	2.1	1.7	1.3	1.0	.8	92.0	28.	107.
		3	5.7	4.6	4.0	3.5	2.6	2.0	1.5	1.1	.8	.7	49.7	-6.	115.
		4	4.4	3.6	3.0	2.5	1.5	1.2	.6	.2	-.2	-.4	25.2	16.	98.
		5	7.3	5.9	5.4	5.5	4.5	3.4	3.1	2.9	2.8	2.3	17.7	-10.	103.
9675	2	1	4.7	3.7	3.3	2.7	2.2	1.6	1.3	1.0	.7	.6	301.1	-10.	97.
		2	6.0	4.9	4.3	3.6	3.0	2.2	1.8	1.3	1.0	.8	118.0	-58.	115.
		3	5.1	4.1	3.7	2.9	2.4	1.6	1.2	.7	.3	.0	51.2	58.	99.
		4	6.4	5.3	4.8	4.1	3.5	2.7	2.4	2.2	2.1	2.0	32.9	9.	106.
		5	5.3	4.2	4.3	2.9	2.5	1.8	1.3	.9	.5	.3	21.3	-16.	104.
9650	2	1	3.6	3.0	2.5	2.2	1.7	1.2	.9	.7	.6	.4	252.7	-81.	107.
		2	4.4	3.7	3.1	2.7	2.1	1.6	1.2	1.0	.7	.7	75.5	50.	96.
		3	5.9	5.0	4.2	3.7	3.0	2.3	1.8	1.4	1.1	.9	41.6	15.	106.
		4	5.3	4.7	3.9	3.4	2.7	1.9	1.5	1.1	.7	.5	24.1	1.	102.
		5	5.4	5.0	4.2	3.7	3.1	2.3	1.6	1.5	1.2	1.0	16.8	-10.	107.
9625	2	1	3.2	2.7	2.1	1.7	1.4	1.0	.8	.6	.4	.3	264.7	-15.	76.
		2	5.7	4.8	4.1	3.5	2.8	2.1	1.7	1.3	.9	.8	105.9	-33.	91.
		3	5.6	4.7	3.9	3.4	2.8	2.0	1.6	1.3	1.0	.8	53.8	44.	92.
		4	5.5	4.8	4.1	3.5	2.8	2.0	1.6	1.2	.8	.6	34.0	4.	97.
		5	5.6	4.7	4.0	3.4	2.7	2.0	1.6	1.2	1.0	.8	20.9	15.	90.
9600	2	1	3.8	3.1	2.7	2.3	1.8	1.3	1.0	.8	.6	.5	283.5	-61.	89.
		2	5.4	4.4	3.8	3.3	2.5	1.8	1.4	1.1	.8	.6	98.9	30.	93.
		3	6.6	5.1	4.5	3.9	3.1	2.3	1.8	1.5	1.2	.9	52.9	19.	99.
		4	5.8	4.7	4.1	3.7	2.8	2.1	1.6	1.3	1.0	.9	29.4	31.	92.
		5	6.5	5.3	4.7	4.2	3.2	2.6	2.1	1.8	1.4	1.2	20.5	-36.	97.
9575	2	1	3.9	3.3	2.7	2.7	2.0	1.6	1.3	1.1	.8	.6	243.0	-27.	89.
		2	5.7	4.4	3.7	3.4	2.6	1.9	1.5	1.1	.9	.9	87.7	-33.	96.
		3	5.8	4.4	3.8	3.5	2.6	1.9	1.5	1.1	.9	.7	40.8	73.	89.
		4	6.4	5.5	4.7	4.5	3.5	2.6	2.0	1.7	1.3	1.1	25.7	-20.	94.
		5	7.5	6.0	5.2	5.0	3.7	2.8	2.3	1.9	1.3	.9	15.3	7.	84.
9550	2	1	4.5	3.3	3.0	2.7	2.0	1.5	1.2	.9	.7	.6	161.0	-57.	72.
		2	5.3	3.9	3.6	3.2	2.5	1.9	1.5	1.3	.9	.7	59.4	53.	80.
		3	6.4	4.6	4.1	3.7	2.8	1.9	1.4	.9	.6	.5	31.3	-12.	84.
		4	7.2	5.3	4.8	4.4	3.2	2.5	2.1	1.1	.5	.8	16.8	21.	75.
		5	10.7	8.5	8.2	7.8	6.2	4.9	3.9	4.0	3.5	2.1	12.9	-11.	87.
9525	2	1	4.1	3.2	2.7	2.5	1.9	1.4	1.1	.9	.7	.5	214.4	3.	85.
		2	7.0	5.4	4.7	4.2	3.3	2.4	1.9	1.5	1.1	.9	73.6	-61.	88.

		3	7.7	6.0	5.4	4.8	3.8	2.8	2.3	1.8	1.4	1.1	33.1	45.	79.
		4	9.2	7.5	6.8	6.0	4.8	3.5	2.8	2.3	1.8	1.5	22.5	20.	89.
		5	10.8	8.6	7.1	6.2	5.3	4.4	3.6	2.6	1.8	1.3	18.0	-6.	107.
9500	2	1	4.9	3.9	3.4	3.1	2.4	1.8	1.4	1.1	.8	.6	329.0	-74.	71.
		2	7.6	6.1	5.4	4.9	3.9	2.9	2.4	1.8	1.4	1.1	114.7	39.	75.
		3	9.5	7.9	7.0	6.4	5.1	3.8	3.1	2.4	1.8	1.5	66.2	19.	86.
		4	11.0	9.4	8.5	7.7	6.2	4.6	3.7	2.9	2.2	1.8	48.0	8.	104.
		5	11.4	9.7	8.9	7.9	6.5	4.9	4.0	3.1	2.4	2.0	32.6	-1.	106.
9475	2	1	4.8	3.9	3.1	3.0	2.3	1.7	1.3	1.0	.8	.6	150.0	-15.	76.
		2	8.6	7.3	6.3	5.9	4.7	3.4	2.8	2.2	1.7	1.4	59.2	-32.	90.
		3	10.8	9.1	8.0	7.3	5.9	4.4	3.6	2.8	2.2	1.7	36.5	49.	111.
		4	11.8	10.0	9.1	8.4	6.6	3.7	2.8	2.4	2.0	2.5	22.1	14.	112.
		5	9.8	8.3	7.4	6.6	5.7	6.4	5.9	4.3	3.2	1.0	12.1	-10.	92.
9450	2	1	5.2	4.5	3.9	3.2	2.8	2.0	1.7	1.3	1.0	.8	120.6	-46.	73.
		2	9.8	8.4	7.5	6.3	5.4	4.0	3.2	2.5	2.0	1.5	53.1	22.	96.
		3	11.2	9.5	8.6	7.1	6.2	4.6	3.7	2.9	2.3	1.8	27.9	34.	101.
		4	9.5	8.2	7.7	5.7	5.5	4.1	3.3	2.7	2.1	1.7	13.7	3.	83.
		5	8.4	7.1	6.7	4.5	5.0	3.8	2.8	2.5	2.2	1.9	8.7	-7.	79.
9425	2	1	8.5	7.1	6.2	5.9	4.5	3.4	2.8	2.2	1.7	1.4	402.2	-28.	105.
		2	12.5	10.5	9.2	8.5	6.8	5.2	4.2	3.3	2.6	2.1	142.4	-24.	112.
		3	11.4	9.4	8.3	7.7	6.1	4.7	3.8	3.0	2.3	1.8	58.6	52.	92.
		4	10.3	8.6	7.7	7.1	5.6	4.3	3.5	2.7	2.2	1.7	33.5	5.	88.
		5	10.0	8.3	7.5	6.9	5.6	4.2	3.3	2.7	2.1	1.8	22.0	-13.	86.
9400	2	1	9.8	7.9	7.1	6.5	5.1	3.9	3.1	2.5	1.9	1.6	388.0	-45.	128.
		2	11.5	9.1	8.4	7.7	6.1	4.6	3.8	3.0	2.3	1.9	103.1	35.	102.
		3	10.7	9.1	8.2	7.4	6.1	4.7	3.8	3.0	2.3	1.9	49.0	16.	97.
		4	13.4	10.4	9.6	8.4	6.9	5.2	4.5	3.5	2.8	2.3	28.9	-4.	96.
9375	2	1	10.1	8.0	7.6	6.7	5.5	4.2	3.5	2.8	2.2	1.8	198.7	-14.	82.
		2	12.3	9.8	9.1	8.2	6.6	5.0	4.2	3.2	2.5	2.0	87.1	13.	108.
		3	7.5	5.5	5.6	4.3	3.7	2.6	2.1	1.5	1.2	1.2	44.4	9.	110.
9350	2	1	7.2	5.8	5.3	4.9	4.0	3.1	2.6	2.1	1.7	1.4	274.5	10.	133.
		2	8.4	6.3	5.4	5.0	4.0	2.9	2.3	1.9	1.5	1.2	88.2	13.	128.
9325	2	1	5.8	4.7	4.0	3.8	2.9	2.1	1.7	1.3	1.0	.8	186.5	-1.	93.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:96W.IND
DATA FILE : A:96W.DAT

LINE NO. : 96

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
9975	2	1	10.2	8.7	7.7	6.7	5.4	3.9	3.1	2.3	2.0	1.6	92.3	-58.	97.
		2	11.5	9.6	8.7	7.5	6.2	4.8	3.9	3.3	2.0	1.6	43.5	42.	136.
		3	12.7	10.1	9.9	7.8	6.7	5.0	3.8	3.1	2.3	1.9	21.3	2.	133.
		4	10.0	7.2	7.8	5.4	5.0	4.3	3.6	3.2	2.8	2.0	13.9	26.	145.
		5	10.5	7.2	8.3	5.1	4.6	2.8	1.5	1.1	.6	.6	8.9	-19.	140.
9950	2	1	11.7	9.6	8.6	7.8	6.2	4.6	3.7	2.9	2.2	1.8	304.0	-7.	198.
		2	14.8	12.1	10.9	10.0	7.8	5.7	4.5	3.4	2.5	2.0	82.6	-49.	162.
		3	12.9	10.3	9.1	8.4	6.6	5.0	4.2	3.4	2.9	2.3	41.9	79.	164.
		4	12.2	10.0	8.6	8.0	6.3	4.8	3.9	3.0	2.2	1.6	23.1	-9.	151.
		5	10.3	8.5	7.0	6.6	4.4	2.7	2.0	1.3	1.0	1.1	17.5	-9.	171.
9925	2	1	13.9	11.5	10.4	9.3	7.3	5.4	4.2	3.2	2.4	1.9	259.8	-42.	129.
		2	15.8	13.0	11.7	10.5	8.5	6.6	5.5	4.5	3.7	3.2	84.6	47.	127.
		3	13.1	10.6	9.3	8.1	6.3	4.5	3.3	2.6	2.0	1.5	41.8	5.	124.
		4	12.3	9.8	8.8	7.7	6.1	4.3	3.1	2.3	1.8	1.5	28.6	0.	142.
		5	8.2	6.7	5.9	4.9	4.0	3.1	2.3	2.1	1.7	1.3	19.5	-15.	145.
9900	2	1	13.6	11.2	10.0	9.3	7.3	5.5	4.5	3.5	2.7	2.2	188.0	-4.	125.
		2	13.8	11.1	9.8	8.9	6.8	4.8	3.8	2.7	1.8	1.2	55.4	-20.	111.
		3	15.4	12.1	10.9	9.9	7.8	6.0	5.2	4.3	3.6	3.2	32.8	44.	131.
		4	9.8	7.5	7.0	6.4	5.0	3.7	2.9	2.2	1.7	1.3	19.2	-12.	128.
		5	7.4	4.9	5.1	4.7	4.1	3.5	3.7	2.6	1.3	2.5	11.4	18.	114.
9875	2	1	14.4	11.8	10.3	9.5	7.4	5.5	4.5	3.5	2.7	2.2	207.9	-26.	105.
		2	15.6	12.7	11.0	10.3	7.8	5.8	4.7	3.6	2.8	2.2	85.7	-20.	130.
		3	9.0	6.7	5.7	5.1	4.5	2.8	2.4	2.3	2.3	.9	38.5	38.	116.
		4	12.9	11.5	9.3	10.0	6.3	5.5	4.3	2.3	.9	2.3	22.4	24.	113.
		5	16.4	14.1	11.6	11.8	9.1	7.0	5.9	4.6	3.5	2.9	107.5	-25.	810.
9850	2	1	15.0	12.6	10.9	9.6	7.6	5.7	4.5	3.7	2.8	2.3	362.9	-39.	186.

		2	11.6	9.6	8.2	7.2	5.7	4.2	3.6	2.7	2.0	1.7	86.6	10.	134.
		3	9.1	7.6	6.5	5.8	4.7	3.4	2.8	2.1	1.6	1.4	38.9	40.	119.
		4	14.4	12.7	10.9	9.8	8.1	6.1	5.0	4.0	3.1	2.5	148.7	-12.	760.
		5	19.0	16.6	14.3	12.8	10.4	7.7	6.3	4.9	3.8	3.1	117.1	-27.	900.
9825	2	1	12.7	10.1	8.5	7.4	5.6	4.1	3.2	2.4	1.8	1.4	244.0	54.	116.
		2	11.0	9.0	7.8	6.8	5.3	3.9	3.1	2.4	1.9	1.5	71.3	16.	102.
		3	12.8	11.2	9.9	8.7	7.2	5.5	4.5	3.5	2.7	2.2	214.8	7.	610.
		4	19.7	16.8	14.9	13.1	10.6	7.9	6.4	4.9	3.8	3.1	167.7	-8.	790.
		5	14.0	11.9	10.4	8.9	7.2	5.2	4.2	3.2	2.5	2.0	103.7	-8.	740.
9800	2	1	15.7	13.1	11.4	10.3	8.1	6.0	4.8	3.8	2.9	2.3	429.8	6.	175.
		2	13.9	11.6	10.1	9.1	7.3	5.5	4.5	3.6	2.7	2.3	538.9	-20.	659.
		3	19.6	16.3	14.1	12.9	10.2	7.7	6.2	4.9	3.8	3.0	327.1	2.	790.
		4	13.9	11.4	9.7	8.8	6.8	4.9	4.0	3.1	2.3	1.8	181.3	-1.	730.
		5	13.3	11.1	9.3	8.5	6.6	4.9	4.0	3.0	2.3	1.9	83.3	-20.	509.
9775	2	1	13.5	11.3	10.0	9.2	7.3	5.5	4.5	3.5	2.7	2.2	1616.0	-40.	660.
		2	17.7	14.7	12.9	11.7	9.3	6.9	5.6	4.4	3.4	2.7	566.3	16.	701.
		3	15.0	12.2	10.5	9.5	7.3	5.3	4.3	3.3	2.5	2.0	276.3	-5.	680.
		4	12.0	9.8	8.4	7.8	6.0	4.4	3.5	2.7	2.0	1.7	123.4	-15.	500.
		5	12.0	9.9	8.3	7.7	5.8	4.2	3.5	2.8	2.0	1.6	39.2	-10.	242.
9750	2	1	15.4	12.8	11.5	10.2	8.1	6.1	4.9	3.8	2.9	2.3	1129.0	-6.	430.
		2	17.8	14.0	12.5	10.9	8.7	6.4	5.1	4.1	3.2	2.6	434.2	-20.	498.
		3	12.9	10.2	9.3	8.0	6.3	4.6	3.7	2.9	2.3	1.8	185.1	9.	420.
		4	12.6	10.1	9.2	7.8	6.2	4.5	3.6	2.8	2.1	1.7	60.6	-15.	231.
		5	16.3	13.2	12.0	10.4	8.3	6.2	5.0	3.9	2.9	2.4	153.9	-1.	880.
9725	2	1	27.5	22.4	19.6	17.9	13.9	10.3	8.3	6.4	4.9	3.9	1422.0	-5.	1480.
		2	18.9	15.5	13.6	12.4	9.7	7.2	5.8	4.5	3.5	2.8	408.9	7.	1283.
		3	17.5	13.7	12.0	10.8	8.3	6.3	5.0	3.9	2.9	2.4	95.0	-26.	595.
		4	18.6	15.1	13.6	12.2	9.5	7.2	5.7	4.5	3.5	2.8	198.2	6.	2070.
		5	24.5	19.9	18.0	16.2	12.6	9.6	7.7	6.0	4.7	3.8	187.0	-15.	2930.
9700	2	1	18.5	14.9	13.1	11.8	9.0	6.6	5.2	4.0	3.1	2.4	855.5	-12.	1119.
		2	17.4	14.1	12.4	11.1	8.5	6.3	5.0	3.9	3.0	2.4	190.2	-34.	746.
		3	19.0	15.2	13.6	12.2	9.5	7.1	5.6	4.4	3.3	2.7	356.6	35.	2790.
		4	25.1	20.4	18.4	16.4	12.9	9.5	7.6	6.0	4.6	3.7	315.0	-4.	4120.
		5	28.6	22.8	21.0	18.5	14.8	11.0	8.9	7.0	5.5	4.4	174.9	-1.	3430.
9675	2	1	9.2	7.3	6.6	5.8	4.5	3.2	2.5	2.0	1.5	1.2	412.1	-46.	562.
		2	16.2	12.5	11.2	9.9	7.7	5.7	4.5	3.5	2.7	2.1	541.8	39.	2219.
		3	22.1	17.6	16.0	13.9	11.0	8.1	6.5	5.1	3.9	3.1	465.2	-2.	3800.
		4	25.3	20.1	18.7	16.1	12.8	9.6	7.7	6.0	4.7	3.8	246.9	6.	3370.
		5	25.2	19.9	19.0	16.0	13.0	9.7	7.8	6.2	4.8	3.9	99.0	-6.	2027.
9650	2	1	13.4	10.8	9.5	8.5	6.6	4.9	3.9	3.1	2.4	1.9	1007.0	-27.	1210.
		2	20.8	16.7	14.7	13.1	10.3	7.6	6.1	4.8	3.7	3.0	656.2	8.	2377.
		3	23.8	19.5	17.3	15.2	12.1	9.1	7.2	5.8	4.5	3.6	368.9	13.	2660.

		4	23.2	19.2	17.2	14.9	12.0	9.2	7.2	5.8	4.5	3.7	145.4	0.	1750.
		5	25.7	21.2	19.1	16.6	13.4	10.1	8.0	6.4	5.0	4.1	100.0	-2.	1810.
9625	2	1	15.4	12.2	10.7	9.6	7.4	5.4	4.4	3.4	2.6	2.1	1019.0	-16.	1270.
		2	22.1	17.7	15.8	14.2	11.1	8.3	6.6	5.2	4.0	3.2	405.2	22.	1526.
		3	21.8	17.6	15.6	14.0	11.1	8.3	6.7	5.3	4.1	3.4	160.7	3.	1200.
		4	24.4	19.8	17.8	16.0	12.6	9.5	7.6	6.0	4.7	3.9	106.6	10.	1330.
		5	26.0	21.1	19.0	17.0	13.5	10.2	8.4	6.5	5.0	4.2	74.1	-11.	1395.
9600	2	1	14.7	11.5	10.2	9.3	7.1	5.2	4.2	3.3	2.5	2.0	1844.0	-21.	2220.
		2	17.9	14.1	12.7	11.5	9.0	6.7	5.5	4.3	3.3	2.7	386.0	13.	1398.
		3	19.6	15.5	14.0	12.6	9.9	7.3	5.9	4.7	3.6	2.9	211.0	8.	1520.
		4	22.4	17.9	16.3	14.3	11.5	8.6	6.9	5.5	4.2	3.4	135.1	-3.	1630.
		5	24.1	19.2	17.6	15.5	12.4	9.3	7.5	6.1	4.7	3.8	106.3	-3.	1920.
9575	2	1	10.0	7.9	7.0	6.2	4.9	3.6	3.0	2.4	1.9	1.4	1430.0	-27.	1720.
		2	15.8	12.4	10.8	9.5	7.3	5.3	4.1	3.0	2.1	1.9	477.7	12.	1730.
		3	18.6	15.1	13.2	11.8	9.3	6.9	5.6	4.3	3.3	2.7	276.5	4.	1990.
		4	19.6	15.9	14.1	12.5	9.9	7.3	6.0	4.6	3.6	2.9	203.8	5.	2460.
		5	19.6	16.3	14.2	12.7	10.1	7.5	6.2	4.8	3.6	3.0	81.8	-9.	1482.
9550	2	1	10.5	8.4	7.1	6.6	4.9	3.6	2.8	2.1	1.6	1.3	1052.0	11.	1320.
		2	15.7	12.5	10.8	10.0	7.6	5.6	4.5	3.5	2.7	2.2	473.5	-11.	1784.
		3	16.1	12.9	11.2	10.3	7.9	5.8	4.7	3.7	2.8	2.2	348.9	2.	2620.
		4	16.2	12.9	11.3	10.5	8.0	5.9	4.7	3.3	2.7	2.1	127.1	0.	1590.
		5	14.6	11.4	9.9	9.5	7.0	5.3	4.3	3.7	2.7	2.4	103.0	4.	1940.
9525	2	1	10.1	7.9	7.0	6.1	4.7	3.4	2.7	2.1	1.6	1.3	1007.0	-15.	1370.
		2	12.4	9.9	8.8	7.7	6.0	4.4	3.5	2.7	2.1	1.7	488.1	-9.	1999.
		3	14.3	11.0	9.9	8.6	6.4	4.6	3.7	3.0	2.3	1.9	187.6	21.	1530.
		4	11.8	9.3	8.3	7.3	5.9	4.5	3.6	2.6	2.0	1.6	135.3	2.	1840.
		5	21.1	16.8	15.1	13.4	10.3	7.6	6.2	4.8	3.6	2.9	400.1	-19.	8190.
9500	2	1	8.8	6.5	6.0	5.3	4.0	2.9	2.3	1.7	1.5	1.1	929.0	-15.	1166.
		2	12.9	9.6	9.0	8.0	5.9	4.5	3.6	2.8	1.7	1.7	264.2	9.	995.
		3	9.2	6.8	6.4	5.8	4.3	3.0	2.5	1.9	1.5	1.1	180.3	12.	1350.
		4	18.8	14.8	13.4	12.0	9.2	6.6	5.5	4.2	3.2	2.5	497.0	-8.	6240.
		5	16.2	12.6	11.6	10.3	7.9	5.6	4.7	3.5	2.7	2.1	195.9	5.	3690.
9475	2	1	6.3	4.9	4.2	3.9	2.8	2.0	1.6	1.3	1.0	.8	598.7	-1.	671.
		2	8.3	6.5	5.4	5.2	3.8	2.7	2.1	1.6	1.2	1.0	298.3	-4.	1003.
		3	16.0	12.9	10.9	10.4	7.6	5.5	4.4	3.4	2.6	2.0	777.3	5.	5210.
		4	13.1	10.7	9.0	8.8	6.3	4.5	3.7	2.8	2.2	1.6	287.6	8.	3220.
		5	15.2	12.4	10.4	10.1	7.4	5.6	4.4	3.4	2.6	2.1	146.6	-11.	2460.
9450	2	1	4.1	3.4	2.8	2.5	1.8	1.3	1.0	.7	.5	.4	574.5	-13.	819.
		2	13.8	10.9	9.4	8.3	6.4	4.6	3.6	2.8	2.1	1.7	1058.0	-3.	4530.
		3	10.8	8.6	7.5	6.6	5.0	3.5	2.7	2.1	1.6	1.2	342.6	16.	2920.
		4	11.5	9.5	8.0	6.9	5.4	4.0	3.2	2.5	1.9	1.6	159.7	-4.	2270.
		5	16.4	13.5	12.2	10.9	8.5	6.1	4.9	3.7	2.9	2.3	119.5	-5.	2550.

9425	2	1	11.9	9.4	8.3	7.3	5.6	4.0	3.1	2.4	1.9	1.5	1669.0	-24.	2490.
		2	8.6	6.7	5.9	5.0	3.9	2.8	2.2	1.7	1.3	1.0	453.8	3.	2035.
		3	10.9	8.2	7.3	6.0	4.9	3.6	2.6	2.2	1.7	1.4	190.1	7.	1700.
		4	14.3	11.4	10.4	8.5	7.1	5.2	4.0	3.3	2.7	2.1	133.8	-4.	2000.
		5	29.6	24.6	22.6	19.6	16.2	12.3	10.0	8.0	6.3	5.2	123.4	-4.	2760.
9400	2	1	5.6	4.4	3.7	3.1	2.4	1.6	1.3	1.0	.7	.6	1301.0	-5.	1630.
		2	7.3	5.6	4.6	4.1	3.1	2.2	1.8	1.3	1.0	.8	368.0	6.	1386.
		3	9.6	7.7	6.3	5.8	4.5	3.2	2.6	1.9	1.4	1.2	245.4	0.	1840.
		4	24.3	20.4	17.6	16.4	13.0	10.0	8.2	6.6	5.2	4.5	199.1	3.	2500.
		5	52.4	44.8	39.4	36.7	29.4	22.6	18.8	15.0	11.6	9.5	105.2	-17.	1980.
9375	2	1	11.4	8.9	7.8	6.8	5.3	3.8	3.0	2.3	1.7	1.4	1770.0	-19.	2310.
		2	11.1	8.6	7.5	6.6	5.0	3.6	2.8	2.1	1.6	1.3	814.2	-13.	3195.
		3	20.3	16.6	14.5	13.1	10.5	7.8	6.3	5.0	3.9	3.1	515.0	16.	4030.
		4	45.9	39.2	34.9	32.0	26.0	19.8	16.3	13.0	10.3	8.5	220.0	-13.	2870.
		5	67.1	57.8	51.4	47.3	38.5	29.6	24.8	19.9	15.8	13.0	82.4	-15.	1617.
9350	2	1	10.9	8.9	7.6	6.8	5.2	4.1	3.0	2.3	1.7	1.3	2470.0	-20.	2670.
		2	16.9	13.9	12.1	10.9	8.6	6.4	5.2	4.1	3.1	2.5	1207.0	-1.	3920.
		3	41.8	35.7	31.8	29.1	23.5	18.1	14.8	11.9	9.4	7.8	437.5	-1.	2830.
		4	63.9	55.2	49.4	45.3	36.9	28.5	23.5	19.0	15.1	12.5	142.8	-17.	1540.
		5	86.8	74.7	66.9	61.3	49.9	38.5	31.9	25.7	20.5	17.0	114.6	-14.	1860.
9325	2	1	14.3	11.6	10.3	9.2	7.1	5.3	4.2	3.3	2.5	2.0	2696.0	-17.	3130.
		2	36.4	30.9	27.8	25.4	20.5	15.8	13.0	10.4	8.2	6.8	730.1	-18.	2547.
		3	66.5	55.8	50.1	45.8	37.0	28.5	23.7	19.1	15.1	12.5	193.5	-7.	1340.
		4	86.0	73.3	66.6	60.9	49.5	38.3	31.6	25.5	20.1	16.6	142.7	0.	1650.
		5	125.8	108.2	98.0	90.2	73.9	57.7	47.9	39.0	31.3	26.1	49.5	-20.	863.
9300	2	1	26.3	22.3	19.8	18.1	14.5	11.0	9.0	7.2	5.6	4.6	1738.0	-29.	2480.
		2	60.2	51.6	46.5	42.7	34.7	26.8	22.1	17.8	14.1	11.7	284.5	-6.	1218.
		3	86.0	73.2	65.9	60.3	49.0	38.1	31.4	25.4	20.2	16.8	178.9	-2.	1520.
		4	125.9	108.6	98.2	90.5	73.9	57.3	47.7	38.7	31.0	25.9	51.7	-12.	738.
		5	108.5	91.4	84.8	76.6	62.7	50.2	41.5	33.4	26.7	22.8	39.3	10.	842.
9275	2	1	38.9	33.1	29.4	27.0	21.8	16.8	13.8	11.1	8.8	7.2	1214.0	-25.	1580.
		2	75.6	65.1	58.2	53.7	43.5	33.6	27.7	22.3	17.7	14.7	401.5	-8.	1575.
		3	123.2	106.1	95.7	88.1	72.4	56.6	47.2	38.5	31.0	26.0	94.2	-10.	737.
		4	106.4	92.1	82.3	74.5	60.0	48.2	38.7	31.6	25.2	20.7	61.9	19.	809.
		5	96.6	83.8	76.1	68.7	56.5	44.0	36.1	29.2	22.8	18.2	43.0	-5.	843.
9250	2	1	56.9	48.2	43.2	39.3	31.9	24.4	20.2	16.1	12.7	10.5	2017.0	-41.	2750.
		2	111.9	96.3	87.1	80.2	65.5	51.1	42.0	34.2	27.3	22.9	282.4	-18.	1156.
		3	100.1	85.7	77.8	71.5	58.4	45.7	37.7	30.5	24.3	20.4	151.3	9.	1230.
		4	94.9	80.3	73.6	68.4	55.5	44.3	35.2	29.0	22.7	19.3	95.2	8.	1299.
		5	88.9	75.0	69.3	64.1	52.3	41.8	33.5	27.3	21.4	18.0	59.4	13.	1217.
9225	2	1	88.5	76.1	68.5	63.1	51.8	40.1	33.3	26.8	21.3	17.8	489.3	-21.	731.
		2	90.4	78.4	70.9	64.5	52.3	40.8	33.9	28.0	22.6	18.6	165.6	1.	742.

		3	88.4	76.5	69.6	62.4	50.7	38.9	32.3	27.4	22.5	16.9	90.5	16.	810.
		4	84.8	74.0	67.6	60.0	49.1	38.1	31.6	27.2	22.4	18.5	52.7	24.	788.
		5	77.7	66.7	59.7	51.5	47.6	36.7	31.0	24.1	19.3	16.9	34.9	10.	783.
9200	2	1	92.7	79.4	71.7	65.9	53.8	41.7	34.6	28.0	22.2	18.4	819.0	-6.	1118.
		2	90.5	77.8	70.6	64.4	52.9	40.5	33.9	27.1	21.9	18.6	267.7	5.	1096.
		3	86.4	74.6	67.9	61.7	50.8	38.5	32.4	25.5	20.8	17.9	129.1	14.	1050.
		4	80.2	69.9	64.0	57.4	47.6	36.4	30.3	24.0	19.5	16.7	75.9	16.	1035.
		5	67.0	58.7	54.0	46.6	42.3	31.6	27.9	22.6	18.7	15.5	70.7	-21.	1446.
9175	2	1	103.8	88.4	79.8	73.2	59.4	45.9	38.1	30.8	24.5	20.6	1033.0	-12.	1350.
		2	101.4	86.0	78.1	72.2	59.7	47.0	38.9	31.6	25.6	20.5	296.5	4.	1163.
		3	95.2	80.3	73.7	66.7	55.1	43.6	35.7	29.5	23.7	19.4	147.2	22.	1150.
		4	89.6	73.9	68.4	61.9	50.9	40.8	32.6	27.1	21.8	17.7	123.4	-19.	1610.
		5	72.3	56.3	54.9	51.6	45.0	35.8	31.0	24.2	21.0	14.5	81.3	0.	1595.
9150	2	1	68.7	58.3	52.4	48.1	39.1	30.2	25.0	20.1	15.9	13.3	1468.0	-9.	1920.
		2	74.5	64.1	57.9	52.9	43.4	33.7	28.1	22.9	18.4	15.3	450.9	13.	1769.
		3	68.8	58.9	53.5	49.0	40.1	31.0	26.1	21.1	16.9	14.1	321.8	-11.	2520.
		4	65.3	55.6	49.9	45.0	37.4	29.0	23.9	19.6	16.2	13.5	185.3	-8.	2420.
		5	65.5	58.7	52.5	45.3	36.0	30.4	23.0	21.2	15.9	12.0	123.8	0.	2420.
9125	2	1	51.5	43.8	39.5	36.3	29.5	22.6	18.8	15.1	12.1	10.1	2400.0	-2.	2150.
		2	55.5	47.4	42.7	39.0	31.8	24.8	20.4	16.6	13.1	10.8	1163.0	-36.	3130.
		3	55.4	46.7	41.8	38.0	31.0	24.1	20.0	15.8	12.4	10.2	592.4	10.	3180.
		4	53.2	45.1	40.8	36.9	30.1	23.0	19.8	15.8	12.4	9.7	368.0	4.	3300.
		5	57.8	49.0	44.0	38.9	33.1	26.6	20.4	18.0	13.9	11.6	296.8	9.	3990.
9100	2	1	38.4	33.0	29.6	27.3	22.4	17.4	14.2	11.1	8.9	7.7	2356.0	-22.	2550.
		2	43.7	36.8	33.2	30.5	24.1	18.1	15.5	13.2	10.1	7.6	937.6	-27.	3045.
		3	44.7	37.2	32.7	29.9	23.9	19.1	15.5	13.2	10.2	8.2	511.6	20.	3310.
		4	49.6	41.9	37.6	34.9	27.8	20.7	17.7	14.4	11.4	9.2	376.3	-2.	4070.
9075	2	1	21.4	18.3	16.0	14.7	11.7	8.9	7.4	5.9	4.6	3.6	2769.0	-36.	2890.
		2	29.4	24.8	22.0	20.0	16.3	12.6	10.2	8.2	6.6	5.8	1118.0	15.	3510.
		3	39.8	33.6	29.6	26.6	21.3	16.4	13.3	10.7	8.7	7.3	682.7	16.	4270.
9050	2	1	2.2	2.0	1.4	2.1	1.7	3.0	3.0	2.3	1.6	1.5	3233.0	-226.	4610.
		2	105.0	83.3	73.4	62.1	47.5	25.7	17.6	14.1	11.8	8.6	560.1	216.	2398.
9025	2	1	19.6	15.6	13.3	11.9	9.2	6.8	5.4	4.2	3.3	2.6	4746.0	-571.	5960.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:100W.IND
DATA FILE : A:100W.DAT

LINE NO. : 100

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
9975	2	1	12.4	10.2	8.9	8.1	6.4	4.7	3.8	3.0	2.4	1.9	423.6	-35.	295.
		2	17.0	13.9	12.3	11.3	9.0	6.9	5.7	4.6	3.6	2.3	83.1	-19.	174.
		3	16.6	13.6	11.9	10.8	8.1	5.5	4.0	3.1	2.2	2.5	43.3	52.	180.
		4	15.8	13.0	11.3	10.4	8.3	6.7	5.4	4.2	3.2	2.9	35.3	13.	246.
		5	13.2	10.9	9.4	8.8	6.7	5.0	4.0	3.2	2.3	1.8	29.0	-4.	303.
9950	2	1	14.5	11.8	10.4	9.3	7.3	5.3	4.2	3.1	2.1	1.6	266.3	-73.	154.
		2	14.6	11.8	10.2	9.1	7.1	5.2	4.1	3.7	3.6	3.3	88.1	33.	154.
		3	15.2	12.7	11.1	10.1	8.0	6.0	4.7	3.7	2.6	1.9	63.4	39.	220.
		4	11.4	9.5	8.2	7.5	5.7	4.0	3.0	2.3	1.8	1.4	42.4	11.	246.
		5	17.7	14.7	12.9	11.8	9.3	7.1	5.6	4.3	3.2	2.6	48.6	-16.	424.
9925	2	1	13.4	10.8	9.5	8.6	6.6	4.9	3.9	3.1	2.4	2.0	178.1	-66.	139.
		2	12.5	10.1	8.7	7.9	5.9	4.3	3.4	2.5	1.8	1.3	62.6	0.	147.
		3	10.9	8.6	7.0	7.1	4.9	3.7	2.9	2.4	2.1	1.7	45.6	69.	214.
		4	17.4	14.5	12.2	12.0	8.9	6.7	5.4	4.4	3.5	2.9	38.0	-16.	298.
		5	18.8	15.7	12.5	13.6	9.5	7.4	5.9	4.6	3.4	2.7	34.3	8.	403.
9900	2	1	9.4	7.4	6.5	5.6	4.4	3.2	2.5	2.0	1.5	1.3	291.1	-7.	152.
		2	8.7	7.0	6.1	5.4	4.2	3.1	2.4	1.8	1.2	.9	136.4	-19.	214.
		3	17.1	14.1	12.4	11.1	9.0	6.8	5.6	4.5	3.6	3.0	104.2	47.	320.
		4	19.9	16.8	14.7	13.4	10.9	8.1	6.6	5.2	4.1	3.4	70.7	-3.	369.
		5	22.6	19.1	16.7	15.3	12.4	9.3	7.7	6.1	4.8	4.0	70.3	-26.	552.
9875	2	1	11.6	9.0	7.7	7.0	5.2	3.8	3.0	2.3	1.8	1.4	224.0	-38.	149.
		2	16.2	13.0	13.9	10.4	8.1	6.1	4.9	3.9	3.0	2.4	133.6	33.	267.
		3	19.2	16.1	14.3	13.1	10.4	7.9	6.6	5.4	4.3	3.4	100.2	22.	400.
		4	22.3	18.7	16.8	15.4	12.5	9.8	7.7	6.0	4.5	3.6	65.3	-37.	436.
		5	22.3	18.7	16.7	15.3	12.3	9.5	7.7	6.1	4.8	3.9	74.5	3.	746.
9850	2	1	21.3	16.6	14.3	12.5	9.6	7.0	5.6	4.4	3.4	2.8	1003.0	-8.	650.

		2	15.3	13.0	11.7	10.7	8.6	6.7	5.2	3.9	3.1	2.5	208.8	-66.	409.
		3	19.9	16.5	14.7	13.6	10.6	8.2	7.0	6.0	4.6	3.7	117.5	58.	460.
		4	20.1	16.7	14.8	14.0	10.8	8.4	6.7	5.4	4.1	3.3	121.2	2.	790.
		5	15.7	12.6	11.0	10.8	7.8	6.2	4.8	3.9	3.0	2.4	71.5	-3.	701.
9825	2	1	16.5	13.9	12.2	11.3	9.1	7.0	5.7	4.6	3.6	2.9	323.8	-99.	327.
		2	18.8	16.0	14.0	12.7	10.3	7.7	6.3	4.9	3.8	3.2	135.6	55.	412.
		3	19.1	16.5	14.5	13.1	10.7	8.1	6.7	5.3	4.1	3.4	125.5	13.	760.
		4	14.0	12.5	10.5	9.3	7.7	5.6	4.6	3.6	2.7	2.3	75.6	-2.	765.
		5	16.4	15.2	12.7	11.1	9.4	6.8	5.7	4.4	3.3	2.7	43.1	8.	654.
9800	2	1	16.1	13.6	12.0	11.1	9.0	6.8	5.6	4.5	3.5	2.8	391.7	-30.	372.
		2	20.2	17.0	15.2	13.9	11.3	8.6	7.1	5.6	4.4	3.6	274.9	-57.	784.
		3	15.9	13.0	11.5	10.3	8.3	6.2	5.0	3.9	3.1	2.5	140.3	71.	790.
		4	17.1	14.3	12.9	11.4	9.4	7.0	5.3	4.3	3.3	2.6	87.7	7.	834.
		5	16.3	12.6	11.4	10.1	7.7	5.8	5.1	3.8	2.8	2.1	56.0	-5.	799.
9775	2	1	68.1	56.3	49.4	44.9	35.6	26.8	21.8	17.3	13.3	10.8	725.4	-67.	1138.
		2	18.7	15.6	13.7	12.8	10.2	7.7	6.3	5.0	4.1	3.5	153.0	49.	720.
		3	18.0	14.9	13.2	12.3	9.7	7.4	6.0	4.8	3.7	3.0	87.4	27.	821.
		4	17.6	14.3	12.6	11.9	9.3	7.1	5.7	4.5	3.3	2.7	52.0	6.	816.
		5	14.3	10.9	9.7	9.1	6.7	5.2	4.2	3.7	2.9	2.3	39.8	-16.	936.
9750	2	1	16.0	13.4	12.0	10.8	8.7	6.6	5.4	4.2	3.3	2.7	383.7	-9.	502.
		2	18.1	15.5	13.8	12.5	10.2	7.7	6.5	5.2	3.9	3.2	185.1	-51.	726.
		3	17.5	15.3	13.2	11.7	9.5	6.8	5.3	3.9	3.3	2.6	103.6	66.	810.
		4	13.3	11.6	9.9	8.4	6.9	4.9	4.3	2.9	2.3	1.8	71.8	10.	940.
		5	11.3	10.8	8.7	6.8	6.1	4.1	3.6	2.7	2.2	1.8	47.6	-23.	933.
9725	2	1	16.5	14.3	12.6	11.4	9.3	7.0	5.8	4.6	3.5	2.9	457.1	-51.	552.
		2	19.2	16.5	14.6	12.9	10.7	8.0	6.5	5.1	3.9	3.1	208.0	47.	753.
		3	14.0	12.3	10.5	8.9	7.5	5.4	4.5	3.4	2.6	2.1	132.8	16.	960.
		4	11.4	10.7	9.0	7.0	6.2	4.1	3.5	2.5	1.8	1.5	82.2	-4.	992.
		5	12.7	12.4	10.4	8.0	7.2	4.5	3.4	2.0	.8	.0	95.3	5.	1726.
9700	2	1	15.5	13.1	11.3	10.8	8.5	6.4	5.2	4.1	3.2	2.6	330.1	-10.	471.
		2	12.8	10.6	9.1	8.3	6.5	4.8	3.9	3.0	2.3	1.9	178.2	-33.	763.
		3	11.8	10.0	8.2	7.7	6.1	4.3	3.7	2.8	2.1	1.7	109.4	56.	930.
		4	11.5	10.1	8.1	7.6	6.1	4.2	3.6	2.6	2.0	1.7	107.1	11.	1520.
		5	11.6	10.4	8.0	7.4	6.5	4.4	3.8	2.8	2.0	1.6	70.0	5.	1499.
9675	2	1	10.5	8.4	7.6	6.6	5.2	3.4	2.2	1.5	.9	1.0	456.1	-56.	447.
		2	12.9	10.1	9.4	7.9	6.5	5.8	5.4	4.7	4.1	2.7	251.0	49.	738.
		3	11.0	8.5	8.4	6.6	5.7	4.0	3.3	2.6	2.1	1.6	211.7	37.	1240.
		4	10.4	7.8	8.4	6.3	5.9	3.7	3.2	2.5	2.2	1.7	152.8	3.	1490.
		5	13.8	10.4	10.3	7.8	6.6	5.2	3.9	3.2	2.4	1.9	111.7	-4.	1640.
9650	2	1	8.5	7.2	6.4	4.9	4.5	3.1	2.6	2.0	1.5	1.2	352.9	-6.	503.
		2	9.4	8.0	7.4	4.9	4.8	3.3	2.7	2.0	1.5	1.3	216.7	-36.	927.
		3	9.5	8.4	8.1	4.8	5.2	3.5	3.1	2.5	1.9	1.7	150.9	73.	1280.

		4	10.2	9.3	9.1	5.0	5.7	3.8	3.2	2.6	2.0	1.9	114.4	-18.	1630.
		5	11.1	10.6	10.4	4.9	5.8	3.9	3.2	2.2	2.1	2.6	59.2	-6.	1267.
9625	2	1	4.0	3.4	2.8	2.5	2.0	1.4	1.2	.8	.6	.4	327.2	9.	410.
		2	11.1	9.2	7.7	6.6	5.3	3.7	3.1	2.2	1.8	1.5	215.4	-25.	811.
		3	8.5	7.6	6.1	5.2	4.2	3.1	2.4	1.8	1.5	1.2	161.0	37.	1210.
		4	9.7	9.0	7.2	6.1	5.2	3.7	2.8	2.3	1.9	1.6	76.1	-12.	955.
		5	10.6	10.1	8.0	7.1	6.0	4.2	3.6	2.6	2.2	1.8	71.9	-22.	1355.
9600	2	1	5.8	4.6	4.2	3.3	2.8	1.9	1.4	1.1	.8	.6	589.0	-27.	684.
		2	7.2	5.7	5.2	4.0	3.4	2.4	2.0	1.4	1.1	.9	330.9	6.	1154.
		3	8.9	7.3	6.7	4.7	4.5	3.2	2.4	1.9	1.2	.8	143.1	12.	990.
		4	9.1	7.5	7.4	5.0	4.8	3.3	2.7	2.1	1.7	1.3	124.3	-18.	1440.
		5	16.6	14.0	13.4	9.7	9.1	6.9	5.4	4.1	3.0	2.3	203.2	16.	3540.
9575	2	1	6.9	4.9	4.5	3.7	2.8	1.9	1.5	1.1	.9	.7	528.0	-41.	552.
		2	8.8	6.3	5.9	4.7	3.6	2.4	1.9	1.5	1.1	.8	235.6	-28.	739.
		3	8.8	6.4	6.2	4.8	3.8	2.8	2.1	1.7	1.4	1.3	203.4	30.	1270.
		4	16.3	12.9	11.9	9.6	7.6	5.6	4.4	3.5	3.1	2.8	289.4	21.	3020.
		5	16.4	13.0	12.7	10.1	8.6	6.5	5.2	4.1	3.2	2.7	128.2	-35.	2010.
9550	2	1	6.2	4.7	4.1	3.5	2.7	1.9	1.5	1.1	.9	.6	566.0	-48.	658.
		2	7.8	5.8	5.3	4.4	3.4	2.4	1.9	1.5	1.0	.9	324.2	1.	1131.
		3	14.2	11.0	10.0	8.6	6.9	5.1	4.2	3.3	2.5	2.1	438.3	26.	3050.
		4	13.5	10.4	10.0	8.2	6.9	5.2	4.2	3.3	2.5	1.9	171.5	-11.	1990.
		5	14.4	10.7	10.5	8.3	6.9	4.9	4.0	3.2	2.5	2.3	126.9	-11.	2210.
9525	2	1	5.6	4.1	4.0	3.1	2.8	1.9	1.3	1.2	.9	.8	736.0	-47.	855.
		2	14.0	10.4	9.9	8.0	6.2	4.5	3.7	2.7	2.1	1.6	680.5	-22.	2374.
		3	12.9	9.1	9.3	6.9	6.0	4.4	3.3	2.6	2.2	1.7	237.7	40.	1650.
		4	12.4	8.9	9.5	6.5	6.1	4.4	3.3	2.8	2.4	1.9	187.2	-5.	2170.
		5	18.0	13.3	14.0	9.6	8.9	6.5	4.9	3.9	3.4	2.6	211.8	-5.	3690.
9500	2	1	10.5	8.0	7.3	6.1	4.8	3.4	2.7	2.1	1.6	1.3	1148.0	-26.	1560.
		2	10.4	7.9	7.4	5.9	5.0	3.7	2.9	2.1	1.7	1.3	322.7	4.	1321.
		3	10.5	7.6	7.3	5.7	4.8	3.5	2.8	2.3	1.7	1.3	229.6	30.	1870.
		4	15.8	12.1	11.8	9.4	7.8	5.5	4.4	3.8	2.6	2.2	241.8	-7.	3300.
		5	16.9	14.2	13.3	10.6	9.0	6.8	5.2	4.3	3.5	3.1	104.5	-7.	2130.
9475	2	1	10.5	8.2	7.2	6.4	4.8	3.5	2.8	2.1	1.6	1.3	1248.0	-41.	1560.
		2	7.7	5.9	5.1	4.3	3.5	2.4	1.8	1.4	1.1	.9	457.1	-52.	1722.
		3	15.1	12.0	10.5	8.9	7.0	5.2	3.8	3.0	2.3	1.9	515.7	67.	3870.
		4	15.6	12.7	11.0	9.7	7.5	5.6	4.2	3.5	2.6	2.2	211.6	20.	2650.
		5	12.5	9.6	9.1	7.7	6.6	4.9	3.9	2.9	2.6	2.0	162.2	-22.	3050.
9450	2	1	10.3	8.0	7.0	6.0	4.6	3.3	2.5	1.9	1.5	1.1	2259.0	-50.	2720.
		2	19.1	14.8	13.0	11.5	8.8	6.4	5.0	3.9	2.9	2.3	1644.0	19.	5950.
		3	15.8	12.2	10.8	9.6	7.3	5.3	4.1	3.2	2.5	2.0	543.1	48.	3920.
		4	11.5	8.6	7.9	7.0	5.2	4.1	3.1	2.3	2.0	1.5	355.7	-31.	4290.
		5	17.5	13.3	12.1	10.9	8.8	6.7	5.1	4.1	3.6	2.5	191.7	11.	3470.

9425	2	1	22.0	17.8	15.2	13.4	10.3	7.5	5.9	4.5	3.4	2.7	4355.0	-38.	5690.
		2	14.4	11.7	10.0	8.8	6.6	4.8	3.7	2.9	2.2	1.6	651.1	-13.	2555.
		3	11.7	9.0	7.7	6.8	4.9	3.7	3.0	2.2	1.5	1.4	506.4	50.	3960.
		4	16.2	13.1	11.4	10.1	7.6	5.5	4.4	3.6	2.6	2.3	281.1	1.	3670.
		5	26.6	22.0	19.4	17.9	14.3	11.0	8.9	6.9	5.5	4.3	150.2	-6.	2940.
9400	2	1	14.0	10.6	9.2	8.2	6.1	4.4	3.4	2.6	2.0	1.6	3133.0	5.	3780.
		2	9.7	7.2	6.3	5.8	4.2	3.0	2.4	1.8	1.3	1.0	1190.0	-19.	4310.
		3	12.8	9.5	8.3	7.5	5.8	4.5	3.3	2.6	1.8	1.5	552.3	27.	3990.
		4	21.4	17.6	16.5	15.4	12.4	7.9	8.3	5.2	3.9	3.6	275.0	6.	3320.
		5	42.2	35.4	33.9	32.5	24.7	17.9	15.7	11.8	9.2	7.7	100.8	-38.	1820.
9375	2	1	13.6	10.2	8.8	7.9	6.0	4.3	3.6	2.6	1.9	1.6	3141.0	24.	4280.
		2	17.5	14.0	12.0	10.4	7.7	5.7	4.1	3.4	2.8	2.1	1098.0	-52.	4490.
		3	22.1	18.2	16.0	14.7	11.2	8.4	6.8	5.5	4.3	3.5	439.5	45.	3590.
		4	39.6	34.1	29.5	27.0	22.1	16.8	13.1	10.7	9.0	6.8	169.4	-31.	2310.
		5	57.9	51.5	45.0	39.8	33.7	26.2	17.5	14.8	13.1	8.8	61.0	-12.	1249.
9350	2	1	13.9	10.9	9.2	8.6	6.3	4.9	3.9	2.9	2.2	1.6	2467.0	28.	3220.
		2	21.3	18.0	16.1	13.9	11.5	7.9	6.3	5.5	4.3	3.9	864.7	-41.	3393.
		3	35.4	29.8	26.3	23.5	19.7	14.7	12.3	9.8	7.6	6.2	299.5	-6.	2340.
		4	54.9	46.2	41.3	37.8	31.4	24.4	19.5	16.0	12.6	10.6	99.2	4.	1297.
		5	84.9	74.4	68.8	62.3	49.2	37.6	33.6	25.6	19.1	18.5	58.8	-23.	1154.
9325	2	1	15.3	12.2	10.2	9.3	7.1	5.1	4.0	3.1	2.3	1.8	3214.0	-33.	4200.
		2	28.0	23.7	20.7	18.9	14.8	11.2	9.1	7.4	5.7	4.8	746.5	-39.	2930.
		3	46.6	39.7	35.1	32.9	25.9	19.8	16.5	13.4	10.1	8.7	225.8	46.	1760.
		4	76.1	68.3	60.3	55.9	44.0	33.3	27.6	23.1	18.1	15.4	107.2	-4.	1400.
		5	62.2	59.4	47.7	49.0	36.0	28.3	21.9	18.7	15.0	13.5	44.7	-11.	876.
9300	2	1	23.2	17.2	16.1	14.7	11.3	8.5	6.7	5.3	4.3	3.6	3357.0	35.	3510.
		2	44.2	36.2	33.3	29.6	24.7	18.2	16.1	12.4	8.9	6.7	550.8	-120.	1729.
		3	71.0	61.8	55.0	51.4	42.1	31.2	27.2	20.8	16.6	13.3	272.7	45.	1700.
		4	71.0	63.8	56.5	52.5	44.0	31.3	28.3	20.8	16.3	12.9	107.4	0.	1120.
		5	70.9	63.7	56.5	53.8	46.3	30.0	31.1	21.0	16.5	12.7	76.2	-23.	1196.
9275	2	1	31.3	26.1	23.3	21.3	17.1	13.2	10.8	8.6	6.8	5.8	1071.0	-31.	1520.
		2	60.6	51.5	47.0	43.2	34.8	26.4	21.8	17.6	14.1	10.9	352.8	-43.	1510.
		3	64.5	54.5	51.2	46.6	37.6	28.9	24.0	18.2	14.6	11.7	132.1	54.	1120.
		4	66.4	55.8	52.6	48.0	38.8	29.8	24.7	18.8	15.2	12.0	85.3	-11.	1217.
		5	59.4	49.2	46.9	43.2	34.1	25.4	21.9	17.0	13.5	10.5	60.5	4.	1294.
9250	2	1	47.2	39.8	35.9	32.5	25.6	19.1	15.9	12.7	9.6	8.0	1480.0	3.	2320.
		2	54.0	44.1	38.8	34.9	30.6	24.8	19.5	15.8	14.1	10.9	386.3	-11.	1819.
		3	61.1	50.0	44.8	40.2	34.4	26.6	20.7	18.0	14.8	11.5	241.9	-20.	2270.
		4	56.5	46.7	42.8	37.6	31.9	24.4	19.2	16.6	13.4	10.5	134.1	29.	2100.
		5	55.3	44.6	41.1	35.6	31.6	25.4	20.1	16.2	14.7	11.5	124.7	-8.	2930.
9225	2	1	39.9	33.7	30.5	27.3	22.8	17.6	14.3	11.4	9.1	7.4	1002.0	-20.	1430.
		2	53.9	45.8	42.3	37.3	29.6	22.1	18.8	15.2	11.7	10.1	370.2	-26.	1585.

		3	52.0	43.9	41.1	33.9	28.6	21.9	19.5	14.5	11.7	9.7	184.8	29.	1570.
		4	52.8	44.8	42.5	34.1	30.2	22.9	19.9	15.3	12.2	10.2	153.6	21.	2190.
		5	57.0	49.6	47.6	38.7	32.0	23.3	20.3	16.7	12.8	10.9	94.8	-33.	2029.
9200	2	1	24.9	20.7	17.9	16.0	13.1	10.3	8.0	6.4	5.0	4.0	1657.0	-27.	3060.
		2	30.7	27.1	25.4	22.7	17.9	12.6	11.1	9.2	7.2	6.2	447.8	-33.	2481.
		3	38.4	33.0	29.6	26.0	21.8	16.6	14.0	10.8	8.4	6.9	288.4	59.	3180.
		4	43.9	38.1	35.2	30.2	25.4	18.8	16.0	12.8	9.9	8.3	152.1	-21.	2800.
		5	54.7	46.4	42.8	37.0	31.4	23.5	19.5	15.8	12.5	10.3	154.4	-20.	4270.
9175	2	1	17.4	14.2	12.3	11.0	9.0	6.5	5.1	4.1	3.1	2.5	2159.0	6.	2940.
		2	22.7	19.1	17.1	15.3	11.9	9.2	7.7	6.1	5.0	4.1	897.5	5.	3675.
		3	30.2	25.1	22.4	20.2	16.3	12.1	10.0	7.9	6.3	5.3	405.0	-14.	3310.
		4	42.6	35.9	31.9	28.6	23.1	17.2	14.1	11.2	8.9	7.4	381.7	-4.	5210.
		5	43.3	37.4	33.4	29.5	23.6	18.2	14.9	11.9	9.4	7.8	268.0	-13.	5480.
9150	2	1	15.2	12.5	10.8	9.9	7.6	5.6	4.6	3.6	2.9	2.3	2663.0	14.	3340.
		2	21.3	18.0	15.5	13.9	11.6	8.8	7.0	5.6	4.1	3.6	830.5	-42.	3129.
		3	33.2	28.0	24.3	21.9	17.6	13.1	10.7	8.5	6.5	5.4	774.5	2.	5820.
		4	34.3	29.6	25.6	23.3	18.9	14.1	11.6	9.2	7.2	6.0	508.7	16.	6380.
		5	26.6	24.5	20.6	18.5	15.9	12.6	10.0	8.0	5.7	5.2	139.5	-8.	2620.
9125	2	1	14.3	11.2	9.8	8.9	7.0	5.1	4.1	3.1	2.4	1.9	2015.0	-45.	2530.
		2	26.9	21.4	19.0	16.9	13.1	9.6	7.7	6.0	4.6	3.7	1547.0	-34.	5820.
		3	28.7	23.2	20.6	18.5	14.8	10.9	8.8	6.9	5.4	4.3	920.3	23.	6920.
		4	20.7	17.0	15.7	13.9	11.2	8.3	6.7	5.5	4.2	3.6	235.5	9.	2950.
		5	23.4	19.3	18.3	15.8	12.6	9.2	7.9	6.2	5.0	4.3	175.2	5.	3300.
9100	2	1	23.5	19.3	16.8	15.1	11.6	8.4	6.8	5.2	3.9	3.1	5932.0	-38.	5640.
		2	24.1	19.8	17.2	15.5	12.3	9.3	7.3	5.8	4.5	3.7	2390.0	-32.	6820.
		3	18.4	14.8	12.7	11.4	9.4	7.2	5.5	4.5	3.5	2.9	593.7	31.	3380.
		4	17.8	15.1	13.1	11.9	9.6	7.3	5.9	4.8	3.8	3.1	394.7	31.	3750.
9075	2	1	22.6	18.2	15.8	14.3	11.0	8.0	6.4	4.9	3.7	3.0	5547.0	-58.	6960.
		2	18.4	14.7	13.0	11.9	9.3	7.1	5.6	4.4	3.3	2.7	1001.0	12.	3770.
		3	19.0	14.9	13.1	12.3	9.4	7.0	5.7	4.5	3.5	2.7	567.7	28.	4260.
9050	2	1	20.0	16.5	14.4	12.9	10.4	7.9	6.6	5.4	4.4	3.8	1700.0	-25.	2130.
		2	21.2	17.3	15.0	13.2	10.5	7.8	6.3	4.9	3.8	3.1	910.2	40.	3429.
9025	2	1	18.0	14.6	12.8	11.6	9.1	6.9	5.6	4.5	3.6	3.0	2249.0	15.	2610.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC.

INDEX FILE : A:104W.IND
DATA FILE : A:104W.DAT

LINE NO. : 104

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
9975	2	1	30.5	24.7	21.5	19.4	15.2	11.2	9.1	7.1	5.5	4.5	2584.0	-22.	1470.
		2	34.5	27.6	23.7	21.2	16.3	11.8	9.4	7.2	5.5	4.4	1351.0	-58.	2310.
		3	24.0	19.6	16.9	15.3	11.8	8.5	6.8	5.2	3.9	3.1	90.2	22.	308.
		4	14.3	12.5	10.5	9.9	7.7	5.7	4.8	3.6	2.8	2.3	27.8	1.	158.
		5	16.6	13.1	10.5	9.8	7.3	5.1	4.2	3.1	2.4	2.0	24.1	-12.	206.
9950	2	1	47.2	37.3	32.0	28.6	21.8	15.6	12.3	9.4	7.0	5.6	5691.0	-62.	5250.
		2	35.5	28.4	24.9	22.1	17.0	12.5	9.9	7.8	6.0	4.8	400.4	30.	1109.
		3	11.0	10.7	10.2	9.7	7.4	5.6	4.4	3.4	2.6	2.0	27.3	-7.	150.
		4	12.7	9.9	8.9	8.6	6.2	4.7	3.7	2.9	2.1	1.5	18.5	-9.	170.
		5	14.7	10.6	9.0	8.9	6.1	4.7	3.6	2.9	2.2	1.9	16.9	10.	234.
9925	2	1	34.4	26.9	23.4	20.8	16.0	11.7	9.4	7.3	5.6	4.5	2197.0	5.	1970.
		2	20.3	16.7	15.2	13.8	10.7	7.9	6.3	4.8	3.6	2.8	67.9	-13.	183.
		3	12.1	9.4	8.8	8.0	6.0	4.3	3.3	2.5	1.9	1.4	31.1	-3.	166.
		4	13.5	9.7	9.0	8.3	6.1	4.5	3.4	2.6	1.9	1.4	25.1	16.	225.
		5	12.3	8.3	7.5	7.3	5.1	3.6	2.8	2.2	1.7	1.3	21.5	16.	289.
9900	2	1	19.8	15.6	13.3	11.9	9.1	6.6	5.3	4.1	3.2	2.5	1054.0	-3.	910.
		2	14.7	12.1	10.3	9.6	7.3	5.3	4.3	3.3	2.6	2.0	105.9	7.	277.
		3	12.7	10.4	8.6	8.3	6.1	4.5	3.5	2.7	2.0	1.6	45.7	5.	238.
		4	10.6	8.9	6.8	7.2	5.1	3.8	3.1	2.3	1.7	1.4	29.3	20.	255.
		5	10.3	9.0	5.7	7.5	4.8	3.5	2.9	2.0	1.5	1.2	15.7	-24.	205.
9875	2	1	15.1	11.6	9.9	8.6	6.5	4.6	3.6	2.8	2.1	1.7	1339.0	1.	1230.
		2	18.7	14.7	12.6	11.0	8.5	6.0	4.8	3.7	2.8	2.2	197.2	-16.	546.
		3	11.5	9.2	8.2	6.7	5.4	3.8	3.0	2.3	1.7	1.3	46.2	40.	255.
		4	10.0	8.1	8.0	5.5	5.2	3.6	2.9	2.3	1.7	1.4	20.3	-19.	187.
		5	9.3	7.2	7.4	4.5	4.2	2.8	2.0	1.6	1.1	.7	18.3	-19.	254.
9850	2	1	17.3	13.3	11.3	9.8	7.5	5.3	4.2	3.2	2.5	2.0	3293.0	-7.	1950.

		2	12.5	10.0	8.6	7.5	5.8	4.2	3.4	2.6	2.0	1.6	208.3	45.	370.
		3	16.5	13.4	10.5	9.3	6.9	4.6	3.7	2.7	2.0	1.6	48.4	-27.	171.
		4	9.2	8.5	6.7	6.1	4.8	3.3	2.7	1.9	1.4	1.1	37.5	-11.	222.
		5	9.0	8.0	6.2	5.6	4.4	3.0	2.5	1.7	1.3	1.0	29.8	-11.	264.
9825	2	1	17.1	12.9	10.8	9.2	6.9	4.8	3.8	2.9	2.1	1.7	3145.0	27.	1760.
		2	25.3	19.2	15.9	13.5	9.8	6.5	5.0	3.7	2.8	2.2	134.4	-41.	226.
		3	12.4	9.6	8.4	7.1	5.6	4.0	3.1	2.4	1.8	1.4	62.7	-2.	210.
		4	10.1	8.0	7.2	6.0	4.9	3.5	2.8	2.1	1.6	1.3	45.0	-2.	252.
		5	8.0	6.0	5.6	4.4	3.7	2.6	2.0	1.5	1.1	.8	35.9	-2.	302.
9800	2	1	24.9	19.6	17.3	15.6	12.0	8.8	7.0	5.5	4.2	3.4	588.7	-34.	336.
		2	12.7	9.6	8.6	8.0	5.9	4.3	3.4	2.7	2.0	1.6	124.2	9.	212.
		3	10.9	7.9	7.2	6.8	4.8	3.6	2.8	2.1	1.6	1.3	72.7	-22.	248.
		4	9.4	6.6	6.0	6.0	4.1	3.1	2.4	1.8	1.4	1.0	45.0	13.	256.
		5	8.8	5.4	5.2	5.2	3.2	2.4	1.8	1.6	1.1	.8	29.6	-3.	253.
9775	2	1	11.9	9.5	8.4	7.5	5.9	4.3	3.5	2.7	2.1	1.7	295.6	20.	181.
		2	11.2	9.0	8.0	7.1	5.5	4.0	3.2	2.5	1.9	1.5	118.0	-33.	217.
		3	9.3	7.3	6.7	5.6	4.4	3.1	2.4	1.9	1.4	1.1	61.8	28.	227.
		4	7.7	6.1	5.8	4.6	3.8	2.6	2.1	1.4	1.1	.8	37.3	-1.	229.
		5	7.1	5.5	5.5	3.8	3.4	2.1	1.5	1.0	.7	.5	34.3	-13.	317.
9750	2	1	10.0	8.1	7.1	6.2	4.9	3.6	2.9	2.3	1.7	1.4	364.2	-16.	233.
		2	9.6	7.8	7.0	5.8	4.7	3.4	2.7	2.1	1.7	1.3	110.4	36.	212.
		3	8.5	6.7	6.1	4.7	3.9	2.8	2.2	1.7	1.3	1.0	55.4	-9.	212.
		4	7.4	6.1	5.9	4.1	3.8	2.8	2.2	1.7	1.1	.9	46.4	-9.	297.
		5	6.8	5.3	5.4	3.1	3.2	2.3	1.8	1.4	.9	.7	31.9	0.	306.
9725	2	1	9.9	7.3	6.8	5.9	4.7	3.4	2.7	2.1	1.6	1.3	371.9	16.	259.
		2	9.4	6.7	6.6	5.1	4.3	3.1	2.4	1.9	1.5	1.2	109.1	-30.	228.
		3	8.6	5.7	6.4	3.9	3.8	2.7	2.1	1.6	1.1	.9	74.1	8.	309.
		4	7.7	4.4	6.4	2.7	3.5	2.5	2.0	1.7	1.3	1.1	45.7	7.	319.
		5	10.2	5.5	8.1	3.8	4.5	3.3	2.3	1.8	1.4	1.0	33.8	17.	353.
9700	2	1	7.1	5.3	4.6	4.1	3.1	2.2	1.8	1.4	1.1	.9	310.8	-19.	184.
		2	7.9	6.0	5.3	4.8	3.6	2.6	2.2	1.6	1.2	1.0	127.9	23.	227.
		3	7.4	5.8	4.8	4.3	3.1	2.3	1.9	1.4	1.1	.9	73.8	-3.	261.
		4	7.4	6.1	5.1	4.6	3.4	2.5	2.1	1.5	1.2	1.0	48.5	18.	287.
		5	6.9	5.7	4.3	4.2	2.0	1.5	1.0	1.2	.7	.8	35.9	-11.	318.
9675	2	1	5.9	5.1	4.0	3.7	2.9	2.1	1.7	1.3	.9	.7	373.2	0.	244.
		2	6.8	6.3	4.8	4.4	3.5	2.4	2.0	1.5	1.1	.9	117.2	-14.	230.
		3	6.3	6.3	4.4	4.0	3.6	2.7	2.1	1.2	1.1	.5	66.0	30.	258.
		4	5.4	6.9	4.1	4.6	4.8	4.1	3.4	.9	1.8	-.7	44.3	-5.	289.
		5	8.0	9.0	5.4	4.9	3.8	2.2	2.3	1.8	.8	1.5	39.9	7.	391.
9650	2	1	4.9	4.3	3.5	3.1	2.6	1.9	1.6	1.1	.7	.4	292.6	-6.	170.
		2	5.9	5.2	4.3	3.6	2.9	2.1	1.7	1.2	.9	.7	119.9	43.	209.
		3	5.2	5.5	4.0	3.5	2.6	2.2	2.8	.8	2.3	1.2	69.4	-14.	241.

		4	8.2	8.4	7.0	5.5	4.8	3.2	2.7	2.2	1.6	1.4	57.3	7.	333.
		5	7.2	8.3	6.1	3.8	3.9	2.8	2.1	1.3	.7	.7	43.6	7.	380.
9625	2	1	4.7	3.5	3.3	2.7	2.1	1.5	1.1	.9	.7	.6	326.9	30.	201.
		2	6.8	4.7	4.6	3.5	2.9	2.0	1.6	1.1	1.0	.7	116.6	-27.	215.
		3	9.5	7.3	7.1	5.2	4.7	3.0	2.4	2.3	1.8	1.5	76.6	22.	282.
		4	9.6	7.2	7.9	4.6	4.8	3.2	2.4	2.4	1.7	1.5	54.4	8.	334.
		5	7.8	4.4	6.7	4.0	4.2	2.9	2.6	1.1	1.8	1.1	37.9	-1.	350.
9600	2	1	4.8	3.9	3.1	2.7	1.8	1.2	1.1	.8	.5	.4	324.5	-12.	188.
		2	7.6	6.4	5.2	5.1	4.2	3.4	2.2	1.7	1.4	1.1	130.4	27.	227.
		3	9.7	7.3	6.1	5.9	4.3	3.7	2.4	2.0	1.6	1.3	79.5	2.	276.
		4	9.5	7.1	6.0	6.6	4.3	4.0	2.4	2.0	1.5	1.3	52.6	-4.	305.
		5	7.7	6.0	5.4	4.9	3.5	3.7	1.4	1.7	1.6	1.0	47.4	-4.	413.
9575	2	1	4.7	3.5	3.5	2.3	2.7	2.6	1.8	1.5	2.1	1.9	338.2	30.	216.
		2	12.7	9.8	10.1	6.7	4.6	2.3	3.3	3.0	.7	.1	113.4	-20.	218.
		3	8.5	6.8	9.0	2.4	4.9	2.3	2.0	2.0	1.4	1.6	63.8	3.	244.
		4	6.4	5.8	9.7	.7	5.2	.1	2.4	1.9	1.3	2.7	53.9	-3.	345.
		5	6.6	5.5	12.1	-2.0	3.7	-.9	2.0	1.7	.7	1.4	42.2	-43.	405.
9550	2	1	4.1	3.1	2.3	2.8	1.9	.5	-.1	.9	.6	.5	331.0	17.	212.
		2	7.9	6.6	5.8	3.3	3.2	4.6	5.4	1.1	1.1	.8	111.9	7.	215.
		3	7.0	6.4	4.9	4.4	3.5	2.4	2.3	2.0	1.8	1.6	79.9	-7.	306.
		4	5.2	6.4	3.6	3.1	2.4	1.2	1.2	1.7	1.7	2.0	58.0	-32.	371.
		5	5.0	5.4	3.3	3.8	2.8	1.8	2.4	2.0	1.8	1.5	57.5	-3.	552.
9525	2	1	6.4	4.1	2.4	1.0	3.0	1.8	.5	.2	.7	-.4	217.5	-3.	170.
		2	5.5	5.0	9.3	3.5	2.2	1.3	2.8	2.3	1.0	2.6	107.2	14.	252.
		3	6.3	6.1	8.3	-.7	4.4	1.1	2.2	1.3	.9	1.6	69.0	-42.	324.
		4	6.2	6.0	9.2	-1.4	4.7	1.3	2.6	1.5	1.1	1.6	63.3	-1.	496.
		5	3.0	4.0	10.3	-4.3	3.8	-.3	1.7	1.2	.6	2.6	55.7	-7.	655.
9500	2	1	4.8	4.0	3.5	3.0	2.5	1.6	1.2	.9	.8	.5	496.2	20.	222.
		2	5.0	5.7	4.1	2.2	2.4	1.3	1.7	1.0	.6	.8	216.9	-60.	291.
		3	5.2	6.6	5.1	2.9	3.0	1.6	2.3	1.3	.7	.7	189.3	9.	500.
		4	4.2	7.0	5.4	2.5	3.1	1.5	2.3	1.3	.6	.5	140.0	14.	620.
		5	.0	5.3	2.3	-2.0	.2	-1.3	1.2	-.4	-.9	.2	78.4	-11.	527.
9475	2	1	5.4	4.5	4.5	2.7	2.7	1.7	1.5	.9	.7	.4	305.5	-40.	174.
		2	5.6	4.2	4.5	1.3	2.7	1.7	1.1	1.1	1.0	.9	167.1	26.	286.
		3	6.1	6.4	6.9	2.0	3.5	2.9	2.1	.7	1.1	.4	166.1	-7.	560.
		4	2.6	3.3	5.4	-1.0	2.4	1.6	.9	.1	.6	.1	80.2	-7.	457.
		5	-.3	-.1	2.1	-5.3	.1	-.9	-1.6	-.4	-.2	.4	58.8	-10.	503.
9450	2	1	4.4	4.0	3.9	2.4	1.8	1.4	1.5	1.1	.4	.8	452.0	29.	354.
		2	5.7	5.3	5.4	2.2	4.1	1.9	1.0	.7	1.2	.2	238.3	-22.	561.
		3	1.4	2.4	3.9	.0	2.4	1.4	1.8	1.3	.8	.0	109.5	6.	510.
		4	-1.9	.3	2.9	-3.0	.5	-.2	.5	-.1	-.3	-.7	66.5	2.	522.
		5	-5.7	-2.1	1.4	-6.9	-2.0	-2.5	-.9	-1.8	-2.5	-1.4	42.1	8.	495.

9425	2	1	6.0	5.1	4.5	3.3	2.9	2.0	1.6	1.2	.9	.7	686.5	-26.	414.
		2	5.4	5.2	4.6	2.6	2.9	1.8	1.5	1.0	.8	.6	249.3	35.	451.
		3	.6	2.1	1.8	-.6	1.5	1.0	.1	.1	.5	.2	134.3	-8.	480.
		4	-4.0	-.6	-.5	-4.2	-.9	-1.4	-.9	-1.0	-.6	-.4	80.1	12.	483.
		5	-4.4	-1.1	-.7	-5.6	-2.4	-3.1	-1.1	-1.5	-1.4	-.4	77.6	0.	703.
9400	2	1	6.2	4.9	4.5	3.3	3.1	1.7	1.7	1.1	.9	.7	646.8	0.	338.
		2	3.4	2.9	2.8	.8	1.5	1.0	.6	.6	.3	.4	268.2	-30.	421.
		3	-1.5	-.2	.3	-2.8	-.4	-1.1	-.9	-.8	-.6	-.3	134.7	43.	420.
		4	-2.8	-.9	.0	-3.8	-1.0	-1.7	-1.0	-1.1	-.8	-.5	130.8	4.	680.
		5	-4.1	-2.5	-1.3	-6.0	-1.9	-1.4	-2.4	-1.1	-1.1	-.8	162.5	-20.	1270.
9375	2	1	4.3	4.1	3.3	2.2	1.8	1.4	1.0	.8	.5	.6	287.8	-31.	376.
		2	.7	1.1	.4	-.5	1.4	-.4	.6	.4	.5	.2	88.2	65.	346.
		3	-1.0	1.2	.2	-1.3	.0	-1.6	-.5	.0	-.3	.4	88.4	-14.	692.
		4	-2.1	1.5	1.4	-.8	.1	-2.5	-1.1	.0	-.5	1.0	95.0	-6.	1243.
		5	-2.4	.9	-1.0	-3.5	.3	-1.2	.7	.0	.5	.1	84.4	-12.	1657.
9350	2	1	2.0	1.3	.8	.6	.3	-.3	-.2	-.2	.1	-.1	389.4	35.	249.
		2	-.7	-.1	-.3	-.7	-.2	.0	.0	-.1	-.4	-.1	292.9	-28.	563.
		3	-.5	-.3	-1.8	-2.1	-1.4	-1.8	-.9	-1.1	-.4	-.6	264.5	3.	1010.
		4	-.6	.0	-1.0	-1.6	-.8	-1.2	-.5	-.8	-.2	-.4	237.1	2.	1510.
		5	7.4	7.1	5.3	4.2	4.1	2.8	2.7	1.9	1.6	1.3	271.3	-22.	2600.
9325	2	1	-2.1	-.6	.1	-.5	-1.5	-2.0	-.5	-.9	-1.2	.0	678.2	2.	387.
		2	2.2	.0	-.2	-2.7	.9	1.3	-.6	.1	.9	-.7	416.1	-19.	712.
		3	-1.4	-1.0	-.3	-2.9	-1.0	-.9	-.7	-.8	-.3	-.6	363.7	-7.	1240.
		4	6.9	5.9	6.0	2.8	3.7	2.7	2.2	1.5	1.5	.9	399.6	-9.	2280.
		5	23.6	20.5	18.8	14.7	13.9	10.7	8.2	6.8	5.7	4.3	168.3	-29.	1440.
9300	2	1	-.4	.1	.0	-1.3	-.1	-.8	-.6	-.5	-.2	-.3	499.6	36.	423.
		2	-2.0	1.1	-.2	-2.4	-.9	-1.4	-.6	-1.0	-.9	-.4	315.9	-34.	804.
		3	5.7	7.9	5.6	3.0	3.6	2.0	1.9	1.1	.8	.9	340.5	8.	1730.
		4	22.3	21.9	18.3	14.9	13.3	9.6	8.2	6.1	4.9	4.1	141.6	-12.	1200.
		5	75.9	69.6	61.1	53.2	44.0	33.4	28.8	22.3	17.4	15.1	107.4	11.	1360.
9275	2	1	-.7	-.3	-.6	-1.5	-.8	-.8	-.8	-.8	-.5	-.5	630.2	-23.	534.
		2	6.7	6.0	4.9	3.1	3.1	1.8	1.6	1.1	.8	.7	561.0	15.	1428.
		3	21.7	19.5	17.2	14.6	12.4	8.9	7.4	5.6	4.5	3.6	216.5	-29.	1100.
		4	76.4	66.6	59.7	52.8	44.0	33.6	27.8	22.2	17.8	14.7	152.3	23.	1290.
		5	80.1	71.6	64.3	54.3	47.8	35.5	30.2	23.9	19.1	16.2	60.7	0.	772.
9250	2	1	5.2	4.0	3.1	2.8	2.0	1.3	.9	.7	.4	.3	1958.0	-1.	1110.
		2	19.5	16.5	14.1	13.0	10.3	7.7	6.2	4.9	3.8	3.1	633.3	-50.	1084.
		3	75.2	64.6	57.3	52.6	42.8	32.8	26.9	21.7	17.2	14.2	386.9	40.	1320.
		4	85.0	73.8	65.4	60.1	49.2	37.7	31.2	25.2	20.0	16.6	136.6	17.	770.
		5	60.7	52.6	46.0	42.4	34.6	26.4	21.9	17.4	13.9	11.5	61.0	-31.	522.
9225	2	1	16.8	13.4	11.9	10.8	8.4	6.2	5.0	3.9	3.1	2.5	1080.0	-32.	650.
		2	73.5	62.2	55.9	51.2	41.4	31.8	26.2	21.0	16.6	13.7	548.8	42.	994.

		3	89.0	75.8	68.4	62.3	50.8	39.4	32.5	25.8	20.9	16.9	180.1	-2.	650.
		4	64.1	54.7	49.5	44.8	36.8	28.3	23.4	18.7	15.0	12.3	72.9	-17.	440.
		5	58.3	49.1	44.5	40.1	32.6	24.9	20.8	16.5	13.2	10.9	62.3	10.	564.
9200	2	1	66.7	56.9	50.7	46.7	37.6	28.8	23.7	19.0	14.9	12.3	1795.0	4.	900.
		2	86.4	74.4	66.4	61.3	49.6	38.1	31.6	25.3	20.0	16.6	395.3	-18.	600.
		3	64.0	55.5	48.9	45.5	36.8	28.2	23.5	18.8	14.9	12.3	178.8	6.	540.
		4	58.3	50.9	44.5	41.7	33.5	25.7	21.4	17.1	13.5	11.2	116.0	14.	580.
		5	50.1	43.9	37.8	35.8	28.8	22.1	18.5	14.7	11.7	9.7	94.1	-36.	714.
9175	2	1	75.5	64.3	57.9	52.7	42.8	32.8	27.0	21.7	17.1	14.1	885.5	-12.	534.
		2	60.0	51.1	46.3	41.9	34.2	26.4	21.7	17.5	13.9	11.5	257.2	24.	465.
		3	55.3	46.9	42.7	38.4	31.4	24.2	19.9	16.0	12.7	10.5	148.1	-1.	530.
		4	48.9	41.5	38.1	34.0	27.9	21.4	17.6	14.1	11.2	9.3	113.5	-19.	680.
		5	47.8	40.2	36.9	32.8	26.9	20.6	16.9	13.6	10.8	8.9	114.8	9.	1030.
9150	2	1	47.6	40.3	36.0	32.8	26.5	20.1	16.6	13.2	10.3	8.5	784.6	-5.	513.
		2	51.6	44.2	39.5	35.9	29.2	22.3	18.4	14.7	11.6	9.6	327.9	-36.	643.
		3	48.8	42.1	37.4	33.8	27.6	21.0	17.4	13.9	11.0	9.1	181.0	12.	700.
		4	48.5	42.0	37.4	33.7	27.6	20.9	17.3	13.8	10.9	9.0	180.6	21.	1180.
		5	46.4	40.3	35.7	32.0	26.2	19.8	16.2	12.9	10.4	8.6	152.5	-27.	1490.
9125	2	1	28.1	23.6	20.9	19.0	15.2	11.5	9.4	7.4	5.8	4.7	886.1	-36.	678.
		2	34.4	28.9	25.8	23.4	18.8	14.3	11.6	9.3	7.3	6.0	300.0	35.	689.
		3	36.7	31.0	27.6	25.1	20.2	15.3	12.6	10.0	7.8	6.4	269.6	8.	1230.
		4	36.7	30.9	27.6	25.0	20.1	15.3	12.5	10.0	7.8	6.4	215.4	-16.	1640.
		5	40.4	33.7	29.9	27.1	21.7	16.4	13.3	10.6	8.3	6.8	291.1	1.	3340.
9100	2	1	19.3	16.9	15.4	13.8	11.3	8.4	6.8	5.3	4.1	3.2	525.4	21.	434.
		2	34.9	27.7	24.5	21.5	17.2	12.8	10.5	8.3	6.5	5.4	373.4	-10.	925.
		3	29.9	24.8	22.4	19.7	16.1	12.0	9.7	7.7	6.0	4.9	281.8	0.	1390.
		4	34.5	28.4	25.6	22.3	18.2	13.6	10.9	8.7	6.8	5.6	366.9	11.	3030.
9075	2	1	18.7	16.9	14.6	13.5	10.6	7.9	6.4	5.0	3.8	3.1	461.6	-23.	579.
		2	26.1	20.4	17.2	15.6	12.2	9.0	7.2	5.7	4.4	3.6	296.4	24.	1116.
		3	28.2	23.7	20.2	18.6	14.5	10.8	8.6	6.8	5.2	4.2	349.3	4.	2620.
9050	2	1	15.0	12.1	10.6	9.5	7.4	5.4	4.3	3.4	2.6	2.0	608.3	15.	868.
		2	23.4	18.6	16.1	14.3	11.2	8.2	6.4	5.0	3.8	3.0	527.6	7.	2259.
9025	2	1	18.7	15.0	13.0	11.4	8.9	6.4	5.1	3.9	2.9	2.3	1090.0	4.	1420.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:108W.IND
DATA FILE : A:108W.DAT

LINE NO. : 108

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
9975	2	1	11.5	9.7	8.5	7.5	5.9	4.3	3.4	2.6	1.9	1.5	276.8	-25.	140.
		2	17.2	14.3	12.8	11.5	9.0	6.6	5.2	3.9	2.9	2.3	87.6	17.	133.
		3	15.5	12.5	11.6	9.7	7.9	5.8	4.4	3.4	2.7	2.1	37.8	10.	114.
		4	15.9	11.7	11.5	8.8	7.3	5.4	3.9	3.1	2.7	1.9	27.5	-29.	139.
		5	14.9	10.4	11.9	9.0	6.7	5.3	3.7	3.1	2.4	1.9	26.9	51.	204.
9950	2	1	13.4	11.3	9.9	8.8	7.2	5.2	4.2	3.2	2.5	1.9	269.6	8.	169.
		2	13.2	11.1	10.0	8.5	7.0	5.1	4.1	3.1	2.4	1.9	71.5	9.	135.
		3	10.5	8.3	7.2	5.2	7.6	3.4	4.1	2.3	1.6	.9	41.1	-33.	154.
		4	12.0	10.2	9.7	5.9	7.4	3.5	3.8	3.3	3.0	1.3	33.2	45.	208.
		5	4.1	3.6	4.3	-1.5	8.5	-.5	4.7	2.6	1.9	-.3	15.6	12.	147.
9925	2	1	13.1	10.8	9.7	8.8	6.9	5.2	4.1	3.2	2.4	2.0	385.6	-24.	134.
		2	13.5	10.8	10.2	8.6	6.9	5.1	4.1	3.2	2.4	1.9	153.8	-44.	160.
		3	14.7	11.1	11.4	9.0	7.2	6.2	4.9	4.1	3.1	2.6	100.0	46.	200.
		4	12.3	7.1	8.9	4.7	2.5	2.8	-.1	.0	.0	1.2	40.8	9.	142.
		5	9.4	5.0	8.9	4.3	5.6	3.1	2.8	1.8	1.9	.8	29.6	14.	155.
9900	2	1	9.8	7.9	7.2	6.3	5.0	3.6	2.9	2.3	1.8	1.4	609.0	-54.	159.
		2	13.7	11.0	10.3	8.8	7.2	5.3	4.2	3.3	2.5	2.0	218.9	46.	172.
		3	11.5	9.4	9.4	6.8	6.2	4.3	3.5	2.3	1.9	1.6	80.0	11.	125.
		4	9.8	7.3	8.8	5.8	5.6	3.3	2.9	2.0	2.2	.7	53.2	-1.	139.
		5	15.3	9.4	11.9	4.0	6.7	6.9	4.7	3.7	2.2	2.4	29.0	17.	114.
9875	2	1	6.9	5.9	4.9	4.5	3.5	2.6	2.0	1.6	1.2	1.0	696.3	40.	162.
		2	12.3	10.3	9.2	8.0	6.3	4.5	3.5	2.7	2.0	1.6	145.8	-31.	102.
		3	10.0	8.0	6.9	6.4	5.2	4.2	2.6	2.3	1.8	1.3	81.9	26.	114.
		4	11.3	9.1	7.8	7.6	5.3	3.8	2.7	2.8	2.2	1.5	44.3	4.	103.
		5	10.0	8.8	8.4	7.6	4.8	3.0	2.6	1.7	1.8	1.4	51.6	25.	180.
9850	2	1	9.6	7.9	6.6	6.0	4.7	3.4	2.8	2.1	1.6	1.4	685.6	-36.	166.

		2	11.0	9.2	8.3	7.0	5.8	4.2	3.2	2.6	1.9	1.3	206.9	25.	150.
		3	10.0	9.3	8.3	5.9	5.3	4.0	2.7	2.3	1.9	1.1	94.6	-18.	137.
		4	10.4	9.1	7.5	5.1	4.2	4.2	2.3	2.0	1.8	1.1	72.1	18.	174.
		5	8.4	7.3	7.1	4.2	5.0	3.1	2.3	2.0	1.5	1.1	51.3	10.	186.
9825	2	1	11.0	7.4	7.6	6.5	5.7	3.7	3.0	2.5	2.1	1.5	225.0	-8.	207.
		2	14.4	7.6	10.8	7.7	4.2	4.8	2.9	2.1	1.6	1.3	66.3	-38.	184.
		3	8.0	.9	7.1	7.2	7.3	3.3	.6	1.8	4.8	1.3	36.7	42.	203.
		4	11.9	-3.4	8.1	3.9	7.1	2.9	.2	2.5	2.6	.2	21.2	-7.	196.
		5	6.4	-12.5	6.7	1.2	11.7	.1	-2.3	2.5	4.5	-.9	16.3	-13.	226.
9800	2	1	8.3	7.0	6.3	4.6	4.1	2.8	2.2	1.8	1.4	1.1	281.7	-61.	145.
		2	8.7	9.1	7.2	5.5	5.4	3.4	3.2	2.3	1.8	1.6	121.9	50.	188.
		3	7.1	11.8	8.6	4.4	5.2	3.6	1.8	2.7	2.3	2.0	57.9	5.	178.
		4	5.5	13.2	9.4	2.4	4.7	3.3	.5	2.6	2.2	2.2	37.4	-37.	192.
		5	.7	10.7	6.9	1.3	6.1	1.8	3.5	1.4	1.3	1.6	25.9	8.	199.
9775	2	1	7.5	6.1	5.3	4.6	3.7	2.6	2.1	1.6	1.2	1.0	563.5	18.	186.
		2	8.1	6.9	6.3	5.0	4.2	2.8	2.4	1.8	1.3	1.0	192.2	-31.	190.
		3	6.4	6.6	7.8	7.2	5.0	.9	4.2	1.6	.8	.4	102.0	2.	200.
		4	7.8	6.6	6.6	4.2	4.1	2.6	2.2	1.7	1.4	.9	62.2	-10.	205.
		5	7.1	5.7	6.2	3.0	3.5	2.3	1.4	1.1	.6	.7	33.1	21.	164.
9750	2	1	7.5	5.8	5.4	4.6	3.6	2.6	2.1	1.6	1.3	1.0	1317.0	-46.	184.
		2	8.0	6.5	5.7	4.9	3.9	2.8	2.3	1.7	1.3	1.0	476.1	7.	199.
		3	8.3	7.1	6.3	5.3	3.9	2.9	2.3	1.7	1.2	1.1	228.9	-10.	191.
		4	7.1	6.1	5.3	4.3	3.6	2.4	2.1	1.5	1.2	1.3	101.0	9.	141.
		5	6.6	6.1	5.2	4.2	3.5	2.2	1.7	1.3	.9	.2	77.3	9.	162.
9725	2	1	8.0	6.9	5.6	5.1	3.9	2.9	2.2	1.8	1.3	1.1	1567.0	-40.	328.
		2	9.5	8.0	6.7	6.0	4.7	3.5	2.7	2.2	1.6	1.3	456.7	-37.	287.
		3	8.4	6.9	6.1	5.1	3.8	2.9	2.3	1.7	1.3	.9	148.0	33.	185.
		4	7.7	6.1	5.5	4.5	3.5	2.6	2.0	1.5	1.1	.8	86.2	-8.	180.
		5	6.9	5.5	5.0	4.0	3.3	2.3	1.8	1.6	1.1	.8	71.9	6.	226.
9700	2	1	7.6	5.8	5.3	4.6	3.6	2.6	2.1	1.6	1.2	1.0	1338.0	-56.	350.
		2	7.7	5.9	5.5	4.4	3.6	2.6	2.0	1.6	1.2	.9	310.6	35.	244.
		3	7.9	6.1	5.8	4.4	3.7	2.7	2.0	1.6	1.3	.9	143.6	-8.	224.
		4	6.8	5.0	5.2	3.5	3.2	2.2	1.7	1.3	1.0	.8	100.2	9.	262.
		5	6.9	5.4	5.6	3.6	3.6	2.5	1.9	1.5	1.2	.9	61.7	9.	242.
9675	2	1	6.0	4.6	4.1	3.5	2.7	1.9	1.5	1.1	.9	.7	993.5	-3.	240.
		2	7.5	5.8	5.1	4.5	3.4	2.5	2.0	1.5	1.1	.9	346.7	-29.	251.
		3	6.8	5.4	4.7	4.2	3.2	2.2	1.8	1.3	1.0	.8	202.4	20.	292.
		4	6.8	5.5	4.7	4.2	3.2	2.2	1.8	1.4	1.0	.8	108.3	1.	261.
		5	6.8	5.8	4.8	4.3	3.3	2.3	1.8	1.3	1.0	.9	77.7	29.	282.
9650	2	1	5.4	4.2	3.7	3.1	2.4	1.7	1.3	1.0	.7	.6	842.0	-45.	203.
		2	6.3	4.9	4.3	3.8	2.8	2.0	1.6	1.2	.9	.7	358.0	18.	259.
		3	7.1	5.6	4.9	4.3	3.2	2.4	1.8	1.4	1.1	.8	181.3	4.	262.

		4	7.2	5.6	4.9	4.4	3.3	2.4	1.9	1.5	1.1	.8	113.6	23.	274.
		5	7.4	5.7	5.1	4.6	3.4	2.5	2.0	1.5	1.1	.9	68.5	23.	248.
9625	2	1	4.5	3.5	2.9	2.5	1.8	1.3	1.1	.8	.6	.4	709.8	-18.	186.
		2	6.7	5.5	4.6	4.1	3.1	2.3	1.5	1.4	1.0	.8	261.3	-33.	205.
		3	6.9	5.7	4.7	4.2	3.2	2.3	1.8	1.4	1.0	.8	147.5	47.	231.
		4	6.5	5.4	4.4	3.9	2.6	1.5	1.2	.7	.4	.3	81.7	17.	214.
		5	7.5	6.3	5.0	4.8	4.0	3.4	2.6	2.2	1.7	1.4	57.8	1.	227.
9600	2	1	4.6	3.7	3.0	2.7	2.0	1.5	1.1	.9	.7	.5	512.9	-54.	140.
		2	6.7	5.3	4.5	3.9	3.0	2.2	1.7	1.3	1.0	.8	209.6	37.	172.
		3	7.1	5.6	5.0	4.3	3.3	2.5	1.9	1.5	1.2	.9	125.4	18.	205.
		4	7.4	5.7	5.1	4.2	3.2	2.3	1.7	1.3	.9	.7	72.7	1.	199.
		5	6.7	5.2	5.0	3.9	3.1	2.3	1.7	1.3	1.0	.8	63.1	10.	258.
9575	2	1	5.0	3.7	3.2	2.7	2.1	1.5	1.2	.9	.7	.5	291.9	-12.	130.
		2	6.9	5.1	4.7	3.8	3.1	2.2	1.8	1.3	1.0	.9	127.9	-13.	172.
		3	7.9	5.7	5.4	4.1	3.5	2.3	1.7	1.4	1.0	.8	66.1	14.	177.
		4	7.0	5.0	5.2	3.5	3.3	2.5	1.9	1.4	1.2	.9	51.7	12.	232.
		5	7.3	4.8	5.6	3.4	3.2	2.2	1.6	1.1	1.0	.8	28.7	7.	193.
9550	2	1	4.8	3.6	3.2	2.8	2.1	1.5	1.2	.9	.7	.5	347.3	-41.	118.
		2	7.2	5.4	4.8	4.0	3.2	2.3	1.8	1.3	1.0	.8	162.0	6.	165.
		3	7.2	5.6	5.2	4.2	3.5	2.5	2.1	1.5	1.2	.9	97.4	7.	199.
		4	6.4	4.9	4.8	3.4	3.1	2.2	1.8	1.2	.9	.7	59.0	11.	201.
		5	5.6	4.2	4.9	2.9	2.8	1.9	1.4	.8	.8	.6	40.3	14.	206.
9525	2	1	4.8	3.5	3.1	2.5	1.9	1.3	1.0	.8	.5	.4	353.2	-38.	154.
		2	6.8	5.3	5.0	3.9	3.3	2.4	1.9	1.5	1.2	.9	136.9	-15.	179.
		3	6.4	4.9	5.1	3.2	3.1	2.2	1.6	1.3	1.0	.8	68.6	4.	179.
		4	5.8	3.8	4.9	2.0	2.5	1.7	1.1	.9	.7	.4	41.5	28.	181.
		5	4.5	2.5	4.6	.7	2.1	1.5	.9	.8	.7	.6	31.1	1.	203.
9500	2	1	4.8	4.0	3.2	3.0	2.3	1.6	1.3	1.0	.7	.6	541.2	-37.	126.
		2	6.1	5.2	4.1	3.8	3.0	2.1	1.7	1.3	1.0	.8	213.2	12.	149.
		3	5.5	5.1	3.8	3.6	2.8	1.9	1.6	1.1	.8	.7	105.4	1.	146.
		4	5.2	5.1	3.7	3.5	2.9	2.4	2.3	1.9	1.4	1.5	72.1	14.	168.
		5	4.0	4.4	2.5	2.5	1.9	.6	.2	-.3	-.2	-.5	64.1	14.	224.
9475	2	1	5.6	4.2	3.8	3.2	2.5	1.8	1.4	1.1	.8	.7	383.8	-26.	126.
		2	5.9	4.4	4.3	3.4	2.7	2.0	1.5	1.2	.9	.7	138.7	-8.	137.
		3	4.8	3.1	3.6	2.1	1.9	1.3	.8	.5	.3	.2	78.0	10.	154.
		4	6.2	4.1	5.0	3.0	2.8	2.0	1.4	1.2	.9	.7	62.9	19.	207.
		5	5.4	2.8	4.8	1.9	2.2	1.5	.8	.8	.7	.4	51.1	19.	253.
9450	2	1	3.8	3.5	2.9	2.1	2.0	1.2	1.1	.8	.6	.5	240.0	-42.	125.
		2	3.7	4.2	3.5	1.9	2.4	1.3	1.3	.8	.6	.5	84.1	16.	132.
		3	4.3	6.4	4.9	2.9	3.6	1.8	2.0	1.3	1.1	1.0	57.3	1.	179.
		4	1.7	5.0	4.2	.4	3.0	.8	1.4	.7	.6	.5	41.4	30.	216.

9425	2	1	3.7	3.0	2.7	2.0	1.7	1.2	.9	.7	.5	.4	205.4	-37.	105.
		2	6.7	5.5	5.5	3.6	3.3	2.3	1.8	1.4	1.1	.9	94.6	-15.	146.
		3	5.0	4.2	5.3	1.5	2.7	1.6	1.2	1.0	1.0	.8	51.4	59.	158.
		4	2.0	.6	3.9	-2.3	.7	.1	.0	-.4	-.1	-.4	30.0	-2.	154.
9400	2	1	13.0	10.9	9.6	8.9	7.3	5.7	4.8	4.0	3.2	2.8	536.4	-38.	120.
		2	7.7	6.3	5.3	4.9	3.8	2.6	2.1	1.5	1.2	.9	229.5	44.	154.
		3	3.7	3.0	2.4	2.2	1.7	1.1	1.0	.7	.5	.4	111.8	14.	150.
		4	4.9	3.8	3.1	2.9	2.2	1.5	1.3	.9	.7	.6	101.8	-25.	228.
9375	2	1	7.7	6.2	5.4	4.7	3.6	2.6	2.0	1.5	1.1	.9	329.8	-2.	147.
		2	5.4	4.5	3.8	3.3	2.5	1.7	1.5	1.0	.9	.6	106.5	-30.	143.
		3	4.2	3.9	3.0	2.8	2.0	1.4	1.1	.7	.6	.6	75.9	20.	203.
		4	7.8	6.6	5.3	4.9	3.6	2.5	2.0	1.5	1.1	.8	61.1	13.	274.
9350	2	1	7.9	6.5	5.7	5.1	4.2	3.1	2.6	2.1	1.6	1.3	617.2	-31.	129.
		2	4.3	3.5	3.1	2.5	2.2	1.5	1.3	.9	.7	.6	268.2	-2.	168.
		3	8.1	6.6	5.8	4.8	4.1	2.8	2.3	1.7	1.3	1.0	190.8	30.	239.
		4	8.7	6.8	6.0	4.9	4.1	2.8	2.2	1.7	1.3	1.0	222.0	16.	464.
9325	2	1	6.0	4.8	4.2	3.8	3.0	2.2	1.7	1.3	1.0	.8	828.6	-48.	130.
		2	8.9	7.0	6.2	5.5	4.3	3.2	2.5	2.0	1.5	1.2	463.5	-9.	218.
		3	9.3	7.2	6.5	5.4	4.3	3.0	2.3	1.7	1.3	1.0	464.1	53.	436.
		4	9.0	6.9	6.3	5.1	4.2	3.0	2.3	1.8	1.3	1.0	516.6	-21.	811.
9300	2	1	9.5	8.1	6.9	6.1	4.8	3.5	2.8	2.2	1.6	1.3	649.8	-25.	212.
		2	9.1	7.4	6.4	5.3	4.4	3.1	2.4	1.9	1.4	1.1	369.4	33.	362.
		3	9.0	7.3	6.8	5.3	4.6	3.2	2.6	2.0	1.5	1.1	341.0	-8.	660.
		4	4.4	3.0	3.1	1.7	1.9	1.3	.9	.7	.5	.4	115.6	-4.	370.
9275	2	1	10.7	8.2	8.1	6.2	5.2	3.8	2.9	2.3	1.8	1.4	448.3	12.	182.
		2	10.8	7.9	8.7	5.8	5.4	4.0	3.0	2.4	1.9	1.5	408.2	-29.	499.
		3	5.8	3.1	5.1	1.7	2.8	1.9	1.3	1.1	.9	.7	127.4	1.	310.
		4	11.1	8.2	8.2	6.4	5.6	4.2	3.2	2.2	2.0	1.7	89.1	5.	363.
9250	2	1	14.2	11.7	9.9	9.0	6.9	4.9	3.9	3.0	2.2	1.8	1493.0	-35.	520.
		2	8.4	7.1	5.7	5.4	4.1	2.9	2.4	1.9	1.3	1.0	333.0	36.	348.
		3	10.9	9.4	7.9	7.3	5.9	4.3	3.5	2.7	2.1	1.7	164.0	-38.	340.
		4	4.9	4.8	3.4	2.9	2.4	1.5	1.4	.9	.6	.4	106.8	12.	370.
9225	2	1	9.5	7.5	6.3	5.8	4.2	3.0	2.3	1.7	1.3	1.0	622.6	-10.	355.
		2	13.0	10.6	9.1	8.5	6.5	4.8	3.8	2.9	2.2	1.8	264.6	-31.	453.
		3	7.9	6.3	5.2	5.0	3.5	2.5	2.0	1.5	1.1	.8	102.4	35.	350.
		4	7.6	6.2	5.2	4.9	3.4	2.5	2.0	1.5	1.1	.9	75.7	6.	432.
		5	13.7	11.4	9.1	9.3	6.8	5.1	4.1	3.1	2.4	1.9	100.3	6.	850.
9200	2	1	12.3	10.2	8.9	8.6	6.3	4.6	3.7	2.9	2.2	1.8	543.4	-62.	473.
		2	10.2	8.2	7.4	6.3	5.2	3.6	3.0	2.3	1.8	1.4	212.2	-10.	555.
		3	9.3	7.5	6.9	5.6	4.8	3.3	2.8	2.1	1.7	1.4	106.4	45.	550.
		4	16.5	13.5	12.4	10.5	8.7	6.2	5.2	4.0	3.1	2.6	134.8	-11.	1170.

		5	15.7	12.8	12.0	9.8	8.5	6.0	5.1	4.0	3.2	2.6	93.1	23.	1217.
9175	2	1	10.5	8.3	7.6	6.6	5.3	3.9	3.1	2.4	1.8	1.5	670.3	-46.	420.
		2	11.0	8.6	7.9	6.7	5.4	3.9	3.1	2.5	1.9	1.5	272.6	13.	513.
		3	15.4	12.4	11.5	9.8	8.0	5.9	4.7	3.7	2.9	2.3	294.3	16.	1100.
		4	14.4	11.1	10.8	8.8	7.4	5.4	4.3	3.4	2.6	2.1	173.0	17.	1080.
		5	14.7	11.1	11.5	8.8	7.8	5.7	4.5	3.6	2.8	2.3	63.9	17.	602.
9150	2	1	11.2	9.7	8.2	7.5	5.9	4.4	3.5	2.7	2.1	1.7	700.5	-17.	488.
		2	14.5	12.4	10.6	9.6	7.6	5.7	4.5	3.6	2.7	2.2	454.4	-8.	951.
		3	14.2	11.8	9.9	9.1	7.1	5.3	4.2	3.3	2.5	2.1	215.7	34.	900.
		4	11.9	10.1	8.2	7.6	5.9	4.7	3.5	2.9	2.2	1.8	77.9	4.	543.
		5	17.7	15.0	12.7	11.8	9.3	7.3	5.6	4.6	3.6	3.1	66.6	14.	696.
9125	2	1	14.1	11.5	10.2	9.1	7.2	5.3	4.3	3.4	2.6	2.1	1210.0	-43.	730.
		2	14.0	11.1	10.1	8.8	7.0	5.2	4.1	3.2	2.5	2.0	419.5	12.	759.
		3	11.9	9.2	8.8	7.4	6.1	4.6	3.6	3.0	2.4	1.9	135.6	21.	490.
		4	18.0	14.3	13.4	11.5	9.4	7.2	5.7	4.7	3.7	3.0	109.8	0.	660.
		5	19.8	15.3	15.0	12.6	10.5	8.1	6.4	5.3	4.2	3.4	77.3	15.	700.
9100	2	1	12.7	10.4	9.1	8.2	6.4	4.7	3.8	2.9	2.2	1.8	894.8	-29.	550.
		2	11.0	9.1	7.9	7.1	5.6	4.1	3.4	2.6	2.0	1.7	216.8	-17.	400.
		3	16.2	13.9	12.2	10.9	8.9	6.5	5.5	4.2	3.3	2.7	151.8	32.	550.
		4	18.0	15.6	13.7	12.1	9.9	7.4	6.2	4.8	3.7	3.1	101.0	0.	620.
		5	14.8	13.4	11.7	10.1	8.5	5.9	5.3	3.9	3.2	2.5	84.1	0.	776.
9075	2	1	8.7	7.2	6.3	5.5	4.4	3.2	2.6	2.0	1.5	1.2	707.8	-44.	389.
		2	13.7	11.7	10.4	9.0	7.4	5.4	4.5	3.5	2.7	2.2	319.8	21.	528.
		3	17.3	15.1	13.3	11.6	9.6	7.1	5.9	4.6	3.6	2.9	191.6	17.	630.
		4	14.6	13.1	11.6	9.6	8.3	5.9	5.1	3.9	3.0	2.5	144.3	-5.	790.
		5	8.2	8.3	7.3	5.1	5.3	3.5	3.2	2.4	1.9	1.5	110.2	-1.	910.
9050	2	1	11.0	9.3	8.1	7.5	5.9	4.4	3.6	2.8	2.2	1.8	549.2	-26.	331.
		2	16.9	14.1	12.1	11.2	8.8	6.6	5.4	4.2	3.2	2.6	285.7	-21.	517.
		3	14.7	12.9	10.6	10.1	7.9	5.9	4.9	3.8	2.9	2.4	211.0	40.	760.
		4	9.2	8.3	5.9	6.1	4.7	3.4	2.9	2.1	1.6	1.3	134.1	-13.	800.
9025	2	1	12.1	10.3	9.1	8.2	6.5	4.9	4.0	3.1	2.4	1.9	686.5	-30.	259.
		2	13.3	11.1	9.6	8.7	6.9	5.1	4.2	3.3	2.5	2.0	501.6	29.	569.
		3	8.9	6.9	5.7	5.1	4.0	2.8	2.3	1.7	1.2	1.0	285.4	-12.	640.
9000	2	1	9.2	7.8	7.4	5.6	5.2	3.7	3.0	2.3	1.9	1.6	216.3	37.	271.
		2	5.8	5.7	4.8	2.2	3.4	2.0	1.9	1.3	1.1	1.1	126.3	-10.	475.
8975	2	1	2.8	2.4	3.6	.3	1.8	.8	.8	.5	.5	.4	211.9	-9.	229.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:112W.IND
DATA FILE : A:112W.DAT

LINE NO. : 112

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
9975	2	1	22.6	19.0	17.8	16.1	13.1	10.1	8.2	6.5	5.1	4.1	280.8	-22.	117.
		2	28.9	23.5	22.7	20.0	16.2	12.5	10.0	8.0	6.1	4.9	118.7	40.	149.
		3	26.7	21.3	21.8	18.7	15.2	12.3	9.2	7.8	5.8	4.2	46.8	0.	117.
		4	29.1	22.2	23.1	19.5	16.0	12.6	9.5	7.9	5.9	4.6	25.5	-8.	106.
		5	31.1	23.4	24.7	20.9	16.7	13.0	9.9	8.0	6.1	4.7	23.1	30.	145.
9950	2	1	14.3	12.2	11.2	10.1	8.4	6.5	5.4	4.4	3.5	2.8	1109.0	22.	420.
		2	23.1	20.3	18.9	16.8	14.3	11.1	9.2	7.3	5.7	4.7	135.8	-11.	156.
		3	25.2	21.9	20.6	18.1	15.9	11.9	9.4	7.4	5.9	4.4	61.6	3.	141.
		4	30.8	26.7	25.1	21.8	18.2	14.1	12.0	9.2	6.5	5.5	44.8	15.	171.
		5	25.8	22.5	21.6	18.0	15.9	11.4	8.9	7.5	6.8	5.4	33.3	2.	191.
9925	2	1	5.9	5.1	4.5	4.0	3.4	2.7	2.3	1.8	1.5	1.2	1015.0	-29.	520.
		2	19.5	16.9	15.3	13.8	11.4	8.8	7.2	5.8	4.6	3.8	157.8	0.	243.
		3	27.9	24.3	22.4	19.8	16.4	12.7	10.3	8.2	6.4	5.2	72.9	19.	224.
		4	23.8	20.2	18.6	15.7	13.4	11.1	9.0	7.4	5.7	4.4	41.1	-15.	211.
		5	29.1	25.7	24.3	20.5	17.9	12.2	9.5	7.1	5.6	4.7	23.3	-6.	180.
9900	2	1	24.4	20.3	17.9	16.3	12.9	9.6	7.8	6.2	4.8	3.9	1443.0	-17.	640.
		2	36.0	30.3	27.1	24.7	19.7	14.9	12.2	9.6	7.5	6.1	447.3	-10.	601.
		3	35.2	30.1	27.0	24.7	19.8	15.2	12.4	9.8	7.6	6.2	123.8	16.	330.
		4	31.4	26.7	24.3	22.2	17.4	13.6	11.4	9.3	7.6	6.2	55.7	-16.	249.
		5	32.2	31.4	27.4	24.6	20.2	16.0	14.3	11.6	9.0	7.1	33.5	20.	225.
9875	2	1	24.7	20.5	18.1	16.5	13.1	9.8	8.0	6.3	4.9	4.0	1924.0	-29.	800.
		2	30.1	25.4	22.4	20.7	16.6	12.5	10.2	8.1	6.3	5.2	413.0	6.	518.
		3	29.8	25.6	22.6	21.0	17.0	12.9	10.6	8.4	6.5	5.3	137.9	-6.	340.
		4	29.4	24.8	22.4	20.8	16.8	12.6	10.2	8.1	6.4	5.1	65.6	2.	274.
		5	26.9	23.4	20.9	18.9	15.5	12.0	10.0	7.8	5.8	4.8	40.0	-8.	251.
9850	2	1	20.8	17.4	15.4	13.9	11.2	8.4	6.8	5.4	4.2	3.4	1826.0	-13.	498.

		2	24.9	21.2	18.9	17.1	13.9	10.5	8.6	6.8	5.3	4.3	515.2	-26.	422.
		3	26.3	22.6	20.4	18.5	15.1	11.5	9.4	7.4	5.8	4.7	197.6	25.	323.
		4	26.4	22.5	20.6	18.4	15.2	11.5	9.4	7.4	5.7	4.7	95.6	-14.	261.
		5	25.7	22.0	20.2	17.9	14.7	11.0	9.0	7.0	5.4	4.4	47.7	33.	195.
9825	2	1	15.4	12.9	11.4	10.2	8.2	6.2	5.0	4.0	3.1	2.5	2355.0	-55.	547.
		2	20.0	17.0	15.2	13.7	11.1	8.4	6.9	5.5	4.2	3.5	771.5	17.	538.
		3	22.8	19.7	17.9	16.1	13.2	10.1	8.2	6.6	5.1	4.2	269.1	-25.	374.
		4	24.9	21.0	19.2	17.1	14.0	10.7	8.7	6.8	5.2	4.1	85.4	42.	199.
		5	22.2	18.8	17.9	15.8	12.9	9.7	7.7	6.2	4.8	3.9	42.0	2.	147.
9800	2	1	14.8	12.3	10.9	9.9	7.8	5.9	4.7	3.7	2.9	2.3	876.1	7.	539.
		2	17.9	15.3	13.5	12.4	9.9	7.5	6.1	4.8	3.7	3.0	401.3	-27.	741.
		3	21.7	19.4	16.7	15.8	12.5	9.5	7.8	6.1	4.7	3.8	62.3	47.	229.
		4	20.4	19.3	15.8	15.6	12.4	9.5	8.0	6.3	5.1	4.3	25.6	-13.	157.
		5	16.6	16.8	12.3	13.2	10.1	7.1	6.1	4.4	3.1	2.3	17.9	10.	165.
9775	2	1	13.7	11.1	10.0	8.9	7.0	5.2	4.2	3.3	2.6	2.1	4523.0	-83.	1650.
		2	16.8	14.1	12.8	11.4	9.2	6.9	5.6	4.3	3.3	2.7	573.7	38.	628.
		3	16.6	14.4	13.6	12.0	10.0	7.6	6.3	5.0	3.9	3.2	99.8	1.	218.
		4	18.3	15.5	14.3	12.7	10.5	8.0	6.5	5.2	3.9	3.1	47.2	-1.	172.
		5	15.8	13.3	13.5	11.1	9.0	7.5	4.5	4.1	3.0	2.7	23.3	21.	127.
9750	2	1	12.3	10.5	9.0	8.0	6.3	4.6	3.7	2.9	2.2	1.8	1833.0	-2.	460.
		2	12.3	11.2	9.9	9.0	7.5	5.8	4.8	3.8	3.0	2.4	333.4	-7.	251.
		3	16.2	14.9	13.3	12.0	10.0	7.6	6.2	4.9	3.8	3.1	89.3	7.	134.
		4	15.6	14.0	12.5	10.8	8.7	6.6	5.4	4.3	3.2	2.4	45.2	8.	114.
		5	15.8	14.7	13.2	11.6	10.5	7.9	7.1	4.6	3.7	3.2	32.6	22.	123.
9725	2	1	8.5	7.2	6.3	6.0	4.8	3.6	3.0	2.3	1.8	1.5	1885.0	-27.	422.
		2	13.7	11.9	10.6	10.0	8.0	6.1	5.0	4.0	3.1	2.5	356.6	-1.	240.
		3	14.9	13.1	11.7	10.9	8.8	6.7	5.5	4.3	3.3	2.7	118.6	18.	159.
		4	16.0	13.8	12.2	11.3	9.0	6.6	5.5	4.2	3.4	3.0	63.7	7.	143.
		5	16.0	14.2	12.6	11.8	9.7	7.5	6.0	4.8	3.2	2.2	36.8	-13.	124.
9700	2	1	12.4	10.3	9.2	8.2	6.5	4.9	3.9	3.1	2.4	1.9	1663.0	-6.	348.
		2	16.5	13.9	12.4	11.3	9.0	6.8	5.5	4.4	3.4	2.7	329.3	10.	207.
		3	17.0	15.0	13.5	12.5	10.0	7.6	6.2	4.9	3.8	3.1	140.7	17.	176.
		4	17.4	14.9	13.2	12.2	9.7	7.4	5.9	4.7	3.7	2.9	63.0	-25.	132.
		5	16.4	14.3	12.5	11.6	9.0	6.8	5.6	4.3	3.2	2.6	45.6	11.	143.
9675	2	1	10.0	8.5	7.3	6.5	5.2	3.9	3.1	2.5	1.9	1.5	807.3	3.	241.
		2	15.7	13.7	12.1	10.9	8.8	6.6	5.3	4.2	3.2	2.6	239.9	7.	215.
		3	15.6	13.8	12.2	10.9	9.0	6.8	5.5	4.3	3.3	2.7	82.6	-20.	148.
		4	15.4	13.3	11.9	10.5	8.7	6.5	5.3	4.2	3.2	2.6	49.6	3.	148.
		5	14.2	12.2	11.2	9.7	8.1	6.0	4.8	3.8	2.9	2.4	35.5	3.	159.
9650	2	1	10.0	8.0	7.1	6.2	5.0	3.6	3.0	2.3	1.8	1.5	938.7	-2.	227.
		2	13.9	11.7	10.4	9.4	7.7	5.7	4.7	3.7	2.8	2.3	233.8	-21.	169.
		3	14.1	12.3	11.0	9.9	8.2	6.1	5.0	3.9	2.9	2.5	108.0	5.	156.

		4	14.2	12.3	11.0	9.8	8.2	5.9	5.0	3.9	2.8	2.6	65.5	-6.	158.
		5	13.3	11.7	9.9	8.5	7.0	5.7	4.5	3.9	2.2	2.5	44.4	15.	161.
9625	2	1	9.0	7.3	6.3	5.8	4.5	3.3	2.7	2.1	1.6	1.2	383.6	-8.	150.
		2	12.7	10.7	9.4	8.8	6.9	5.2	4.2	3.3	2.6	2.1	141.4	-8.	166.
		3	13.1	11.1	9.8	9.2	7.2	5.4	4.4	3.5	2.7	2.2	67.8	7.	159.
		4	14.5	12.4	10.8	10.5	8.4	6.1	5.0	3.8	2.8	2.3	40.4	1.	158.
		5	12.6	11.2	9.7	10.4	7.0	5.5	4.3	3.7	2.8	1.9	31.2	7.	183.
9600	2	1	6.6	5.4	4.8	4.0	3.3	2.4	2.0	1.5	1.2	.9	363.3	-15.	190.
		2	11.4	10.1	9.0	7.7	6.5	4.8	4.0	3.1	2.4	2.0	99.4	7.	156.
		3	12.0	11.2	9.7	8.5	7.2	5.2	4.3	3.3	2.6	2.1	47.1	3.	147.
		4	12.3	11.9	8.9	8.5	7.4	4.9	4.2	3.3	2.7	2.1	31.8	-3.	166.
		5	9.9	10.8	8.8	7.0	7.0	5.2	4.4	3.0	2.2	2.0	21.7	20.	170.
9575	2	1	8.5	6.6	6.0	5.4	4.3	3.2	2.6	1.9	1.5	1.1	313.7	-10.	140.
		2	12.5	10.2	9.4	8.5	6.8	5.0	4.2	3.2	2.5	2.1	96.0	-10.	129.
		3	13.4	11.0	10.3	9.3	7.6	5.6	4.6	3.6	2.8	2.3	54.7	8.	147.
		4	12.2	9.7	8.8	7.7	6.0	4.1	3.3	2.5	2.0	1.2	33.8	9.	151.
		5	10.4	9.1	8.8	7.7	6.9	5.2	4.3	3.1	2.3	2.2	18.1	10.	121.
9550	2	1	8.1	6.7	5.9	5.2	4.2	3.1	2.5	1.9	1.5	1.2	410.1	-13.	136.
		2	13.7	11.5	10.5	9.1	7.6	5.7	4.6	3.6	2.8	2.3	132.9	3.	133.
		3	11.5	9.7	9.3	7.3	6.6	4.8	3.9	3.0	2.3	1.9	75.4	12.	150.
		4	11.8	9.7	9.6	6.9	6.5	4.7	3.7	2.9	2.2	1.8	33.3	3.	111.
		5	12.4	10.1	10.5	6.9	6.9	4.9	3.9	3.0	2.4	1.9	25.3	7.	126.
9525	2	1	10.3	8.1	7.6	6.8	5.4	4.0	3.3	2.5	2.0	1.5	435.6	-32.	142.
		2	12.3	10.2	9.5	8.3	6.8	5.0	4.0	3.1	2.5	2.0	129.2	11.	126.
		3	12.2	10.3	9.9	8.1	6.9	4.9	4.0	3.1	2.4	1.9	55.3	10.	108.
		4	12.2	10.4	10.1	7.6	6.8	4.8	3.8	2.9	2.3	1.4	35.8	-3.	117.
		5	11.0	9.9	10.1	6.8	6.7	4.8	4.0	3.0	2.4	2.3	29.5	36.	144.
9500	2	1	10.2	8.7	7.8	6.9	5.7	4.2	3.4	2.7	2.1	1.7	304.9	-3.	125.
		2	13.3	11.7	10.5	8.9	7.5	5.5	4.5	3.5	2.6	2.2	82.7	-2.	103.
		3	12.8	11.6	10.6	8.4	7.6	5.4	4.5	3.4	2.6	2.1	44.6	10.	110.
		4	10.6	9.5	9.2	6.1	6.0	3.7	3.0	2.2	2.2	2.2	32.7	26.	135.
		5	9.9	10.0	10.3	6.0	7.2	5.2	4.9	3.5	2.2	1.4	27.0	-19.	167.
9475	2	1	11.1	9.3	8.2	7.4	5.9	4.4	3.5	2.7	2.1	1.7	298.0	-3.	103.
		2	14.2	11.9	10.7	9.4	7.8	5.7	4.6	3.6	2.8	2.3	100.4	7.	105.
		3	13.2	11.1	10.2	8.8	7.3	5.4	4.4	3.4	2.6	2.0	63.7	28.	133.
		4	11.0	8.9	8.5	6.9	5.9	4.2	3.5	2.7	2.1	1.8	44.3	-30.	154.
		5	9.0	7.1	7.2	5.1	4.8	3.3	2.6	2.0	1.6	1.2	29.8	11.	156.
9450	2	1	8.9	7.4	6.4	5.9	4.5	3.4	2.7	2.1	1.6	1.3	453.3	-10.	129.
		2	11.7	10.4	8.8	8.1	6.5	4.8	4.0	3.0	2.3	1.9	170.4	23.	146.
		3	10.2	10.1	7.7	7.4	6.0	4.3	3.7	2.7	2.1	1.7	95.5	-19.	163.
		4	7.4	9.0	5.7	5.5	4.7	3.1	2.9	1.8	1.5	1.2	55.3	-4.	158.
		5	6.1	9.5	4.9	5.1	4.5	2.6	2.7	1.6	1.3	1.1	38.5	47.	165.

9425	2	1	-2.3	-2.0	-1.7	-1.7	-1.2	-1.0	-.7	-.7	-.5	-.4	147.2	-58.	21.
		2	-.5	-.1	-.2	-.3	.0	-.2	.0	-.1	-.1	.0	56.1	40.	23.
		3	-4.3	-2.3	-2.8	-2.8	-1.8	-1.8	-1.2	-1.3	-1.0	-.7	27.6	-9.	23.
		4	-4.5	-2.0	-3.0	-3.2	-1.9	-2.0	-1.4	-1.5	-1.3	-1.2	18.4	42.	26.
9400	2	1	-2.8	-2.1	-1.9	-1.5	-1.1	-.8	-.5	-.4	-.3	-.2	206.7	1.	27.
		2	-3.5	-3.0	-2.3	-2.2	-1.6	-1.2	-.9	-.8	-.6	-.5	79.5	-39.	31.
		3	-3.5	-2.6	-2.0	-2.5	-1.5	-1.2	-.9	-1.0	-1.3	-1.2	42.3	79.	33.
		4	-3.6	-3.2	-2.4	-3.6	-2.4	-2.2	-1.7	-1.1	-.3	-.1	31.8	0.	42.
9375	2	1	-2.8	-2.2	-1.4	-2.2	-1.1	-.9	-.7	-.5	-.4	-.3	124.1	-64.	18.
		2	-3.4	-2.3	-.8	-3.3	-1.0	-1.2	-.8	-.7	-.5	-.3	39.1	74.	17.
		3	-2.9	-1.2	1.1	-3.8	-.1	-1.2	-.7	-.6	-.4	-.3	23.5	-3.	20.
		4	-8.5	-5.8	-1.3	-8.5	-2.5	-3.4	-2.4	-2.0	-1.5	-1.2	16.5	-37.	24.
9350	2	1	7.9	6.2	5.6	5.0	3.8	2.8	2.2	1.7	1.3	1.0	458.0	21.	144.
		2	13.3	10.6	9.5	8.3	6.5	4.7	3.7	2.8	2.2	1.8	147.9	-58.	139.
		3	6.8	5.2	4.9	3.8	3.2	2.2	1.7	1.3	.9	.6	74.0	39.	139.
		4	5.3	2.6	3.1	1.8	1.7	1.1	.7	.6	.5	.3	45.8	-4.	144.
9325	2	1	13.2	10.3	9.6	8.3	6.5	4.8	3.9	3.0	2.3	1.9	942.1	-73.	174.
		2	8.2	6.2	6.1	5.0	4.0	2.9	2.3	1.8	1.4	1.1	263.9	26.	146.
		3	5.1	3.4	3.8	2.8	2.3	1.6	1.3	1.0	.7	.5	138.6	7.	153.
		4	3.6	1.8	2.8	1.6	1.3	.9	.6	.4	.4	.2	48.7	-28.	90.
		5	2.7	1.0	2.1	.9	.8	.4	.1	1.0	.1	.0	31.8	19.	88.
9300	2	1	10.1	8.4	7.2	6.7	5.1	3.8	3.0	2.4	1.8	1.4	937.2	-47.	125.
		2	7.1	5.7	5.0	4.7	3.6	2.7	2.1	1.7	1.2	1.0	387.2	-19.	155.
		3	5.3	4.0	3.4	3.3	2.3	1.7	1.3	1.0	.7	.5	108.5	0.	86.
		4	3.7	2.5	2.2	2.1	1.4	.9	.6	.4	.2	.1	64.7	6.	86.
		5	3.3	2.0	1.8	1.8	1.0	.7	.5	.4	.2	.1	51.2	18.	103.
9275	2	1	8.3	6.9	6.0	5.3	4.1	3.0	2.4	1.9	1.4	1.1	1010.0	-32.	140.
		2	7.3	5.9	5.1	4.5	3.5	2.6	2.0	1.6	1.2	.9	218.7	-5.	92.
		3	5.9	4.6	4.1	3.3	2.6	1.9	1.4	1.1	.8	.6	109.8	10.	91.
		4	4.5	3.4	3.1	2.4	1.9	1.3	.9	.7	.5	.4	77.9	5.	109.
		5	2.6	1.8	1.8	1.1	.9	.6	.3	.2	.1	.1	70.0	-6.	147.
9250	2	1	6.6	5.1	4.7	3.8	3.1	2.2	1.7	1.3	1.0	.8	431.7	-24.	87.
		2	5.8	4.5	4.2	3.2	2.7	1.9	1.5	1.2	.9	.7	153.2	-15.	93.
		3	4.9	3.6	3.5	2.2	2.0	1.3	1.0	.7	.6	.4	94.3	23.	114.
		4	2.5	1.6	2.2	.6	1.0	.5	.3	.1	.0	.0	67.2	-7.	136.
		5	1.8	.9	1.8	-.1	.6	.2	.1	.1	.1	.1	62.5	18.	190.
9225	2	1	4.3	3.3	2.9	2.4	1.8	1.3	1.0	.8	.6	.5	361.4	-36.	95.
		2	4.4	3.3	2.9	2.3	1.8	1.2	.9	.7	.5	.4	131.4	35.	103.
		3	3.0	2.0	2.0	1.3	1.0	.6	.4	.3	.2	.2	82.6	-15.	129.
		4	1.8	1.1	1.4	.4	.5	.2	.1	.0	-.1	-.1	64.5	6.	169.
		5	1.0	.3	.9	-.2	.0	-.1	-.2	-.2	-.2	-.2	60.5	-16.	238.

9200	2	1	3.9	3.1	2.5	2.2	1.6	1.1	.8	.6	.4	.3	298.3	-1.	78.
		2	3.3	2.8	2.1	1.7	1.3	.9	.6	.5	.3	.2	121.2	-48.	95.
		3	1.7	1.7	1.0	.7	.5	.2	.1	.0	.0	.0	80.5	44.	126.
		4	.7	.9	.6	.0	.1	.0	-.1	-.1	-.1	-.1	70.4	-24.	184.
		5	-.7	-.3	-.4	-1.2	-.7	-.8	-.8	-.6	-.5	-.4	51.0	29.	200.
9175	2	1	3.3	2.3	2.1	1.9	1.4	1.0	.7	.5	.4	.3	368.0	-63.	83.
		2	2.9	1.8	1.8	1.4	1.0	.7	.5	.3	.3	.2	149.2	38.	100.
		3	2.1	.9	1.0	.6	.4	.2	.1	.0	.0	.0	113.8	12.	152.
		4	.3	-.4	.1	-.5	-.4	-.4	-.4	-.4	-.3	-.3	74.7	-1.	167.
		5	-.6	-1.2	-.7	-1.2	-1.0	-.9	-.8	-.7	-.5	-.5	64.8	14.	218.
9150	2	1	3.1	2.3	1.9	1.7	1.3	.9	.6	.5	.4	.3	244.0	-12.	74.
		2	2.7	1.6	1.6	1.0	.8	.5	.2	.1	.0	-.1	116.9	-18.	107.
		3	1.0	-.1	.4	-.4	-.2	-.2	-.4	-.3	-.2	-.1	67.5	37.	123.
		4	-.3	-1.5	-.3	-1.5	-1.0	-.8	-1.0	-.7	-.6	-.6	55.2	0.	168.
		5	-.4	-1.9	-.3	-1.8	-1.1	-.9	-1.0	-.8	-.6	-.6	43.1	-8.	197.
9125	2	1	3.6	2.5	2.7	1.9	1.5	1.1	.8	.7	.6	.5	338.3	-46.	92.
		2	2.4	1.1	2.3	.7	.8	.5	.3	.3	.1	.1	116.9	22.	96.
		3	1.2	.0	1.7	-.6	.0	.0	-.2	-.1	.0	.0	83.7	25.	137.
		4	.6	-.6	1.8	-1.0	-.1	.0	-.1	.0	.0	.0	60.9	-16.	166.
		5	-.8	-2.2	1.1	-2.2	-1.0	-.6	-.8	-.3	-.1	.0	56.2	13.	230.
9100	2	1	3.1	1.9	1.9	1.4	1.1	.8	.6	.5	.4	.3	184.6	-22.	77.
		2	2.7	1.1	1.7	.5	.6	.3	.1	.0	.0	.0	86.9	-12.	109.
		3	1.3	-.2	.7	-.7	-.1	.0	-.2	-.1	-.1	-.1	56.0	27.	140.
		4	-.9	-2.3	-.2	-2.4	-1.2	-1.3	-1.2	-.9	-.7	-.5	47.3	5.	198.
9075	2	1	3.0	2.1	2.2	1.3	1.1	.8	.6	.4	.3	.2	183.6	-26.	88.
		2	2.6	1.9	2.1	.4	1.0	.4	.3	.1	.1	.0	83.0	6.	120.
		3	-.3	.0	.6	-1.5	.0	-.4	-.2	-.3	-.1	.0	62.6	35.	181.
9050	2	1	3.8	3.1	2.8	2.1	1.7	1.1	.9	.7	.5	.4	166.7	-50.	80.
		2	2.3	1.6	1.3	.5	.5	.0	-.1	-.2	-.4	-.5	93.9	40.	136.
9025	2	1	2.1	2.3	2.7	.3	1.5	.7	.5	.4	.4	.4	135.4	45.	96.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:116W.IND
DATA FILE : A:116W.DAT

LINE NO. : 116

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
9975	2	1	10.5	8.4	7.4	7.0	5.4	4.0	3.3	2.6	2.0	1.6	588.8	4.	198.
		2	17.5	14.7	13.2	12.4	9.9	7.6	6.2	4.9	3.8	3.1	206.1	-5.	208.
		3	21.8	18.4	16.7	15.4	12.4	9.3	7.5	6.1	4.9	4.1	91.2	5.	184.
		4	23.4	20.1	18.4	17.1	13.9	11.0	9.3	7.1	5.2	4.1	54.6	25.	184.
		5	26.4	22.6	20.7	19.1	15.4	11.7	9.5	7.6	5.9	4.8	32.2	-7.	162.
9950	2	1	11.9	9.8	8.7	7.9	6.3	4.7	3.9	3.0	2.3	1.9	743.1	-6.	245.
		2	18.7	16.1	14.5	13.2	10.8	8.3	6.8	5.4	4.2	3.4	193.1	-13.	191.
		3	22.6	19.2	17.4	15.9	13.1	9.9	8.2	6.6	5.1	4.4	90.1	33.	178.
		4	26.9	23.6	21.4	19.5	15.7	12.2	9.9	7.7	6.0	4.4	47.2	11.	155.
		5	26.8	23.4	21.3	19.3	16.0	12.2	10.0	7.8	6.0	4.9	28.4	-31.	140.
9925	2	1	14.9	12.4	11.1	10.2	8.1	6.1	5.0	4.0	3.1	2.5	540.9	-14.	178.
		2	20.5	17.7	16.1	14.8	12.1	9.3	7.6	6.0	4.7	3.8	186.5	16.	184.
		3	26.1	21.9	20.0	18.4	15.0	11.5	9.3	7.4	5.9	4.7	80.4	16.	159.
		4	26.4	22.6	20.8	19.0	15.5	11.9	9.7	7.7	5.9	4.8	42.7	-14.	141.
		5	26.0	22.0	20.3	18.5	15.0	11.5	9.2	7.3	5.7	4.6	34.1	3.	169.
9900	2	1	15.1	13.4	11.9	10.9	8.9	6.9	5.6	4.5	3.4	2.8	425.8	17.	157.
		2	23.7	20.1	17.9	16.3	13.3	10.1	8.3	6.6	5.2	4.3	154.0	14.	170.
		3	24.5	21.4	19.1	17.5	14.4	11.0	9.0	7.1	5.6	4.5	63.7	-23.	140.
		4	23.7	20.8	18.6	17.1	13.9	10.6	8.6	6.8	5.1	4.1	44.0	24.	162.
		5	22.3	19.7	17.4	15.9	13.1	9.9	8.2	6.7	5.5	4.5	27.8	-19.	153.
9875	2	1	16.7	14.0	12.5	11.2	9.2	7.0	5.8	4.6	3.6	2.9	531.7	18.	278.
		2	22.3	19.4	17.6	16.0	13.2	10.2	8.4	6.7	5.2	4.3	111.3	-29.	174.
		3	22.2	19.5	17.2	15.9	13.0	9.9	8.2	6.5	5.1	4.2	59.1	27.	185.
		4	20.8	18.7	16.2	15.1	12.5	9.6	8.0	6.0	4.6	3.8	32.0	-1.	167.
		5	19.8	17.4	14.9	14.5	11.4	8.5	7.1	5.6	4.1	3.5	19.8	-11.	155.
9850	2	1	19.1	16.6	14.9	13.7	11.3	8.7	7.2	5.7	4.5	3.7	290.8	-30.	166.

		2	20.7	18.1	16.4	15.0	12.4	9.5	7.8	6.2	4.9	4.0	102.5	22.	175.
		3	20.4	17.6	16.1	14.3	11.9	9.0	7.5	5.9	4.6	3.6	46.5	-3.	158.
		4	19.9	17.4	16.2	14.2	12.0	9.2	7.6	6.0	4.8	4.0	25.7	3.	146.
		5	18.3	15.7	14.7	12.4	9.5	7.7	6.3	4.8	3.9	3.2	13.8	-38.	117.
9825	2	1	18.3	15.8	14.3	13.2	10.8	8.4	6.9	5.5	4.3	3.5	358.3	-2.	158.
		2	20.0	17.5	15.9	14.8	12.1	9.4	7.9	6.2	4.9	4.1	118.8	-13.	157.
		3	21.3	17.7	15.9	14.6	11.9	9.1	7.4	5.9	4.6	3.8	54.7	7.	144.
		4	18.9	16.2	14.5	13.5	10.9	8.2	6.8	5.4	4.2	3.4	26.5	-24.	116.
		5	18.4	15.4	14.2	12.7	10.1	7.7	6.3	5.0	3.7	3.1	19.0	19.	126.
9800	2	1	17.1	14.9	13.6	12.4	10.3	8.0	6.6	5.3	4.2	3.4	1213.0	-41.	190.
		2	21.8	18.6	16.7	15.2	12.6	9.7	8.1	6.4	5.0	4.1	320.4	1.	151.
		3	20.9	17.8	16.0	14.6	11.9	9.0	7.5	5.9	4.6	3.8	129.5	-22.	121.
		4	18.7	16.4	14.6	13.1	10.8	8.2	6.8	5.3	4.1	3.3	83.8	34.	132.
		5	17.9	15.5	14.0	12.5	10.4	7.8	6.4	5.0	3.9	3.2	55.3	-15.	130.
9775	2	1	17.2	15.0	13.4	12.4	10.1	7.8	6.4	5.1	4.0	3.3	749.2	-24.	147.
		2	20.0	17.4	15.6	14.4	11.7	9.0	7.4	5.9	4.6	3.7	208.1	-34.	123.
		3	19.6	16.9	15.0	13.9	11.2	8.5	6.9	5.5	4.3	3.5	113.5	36.	133.
		4	18.2	16.0	14.2	13.1	10.5	8.2	6.8	5.3	4.1	3.3	67.1	4.	132.
		5	17.7	15.6	13.8	12.8	10.2	7.8	6.3	5.0	3.9	3.1	56.2	-4.	166.
9750	2	1	13.4	11.2	10.1	9.4	7.5	5.7	4.7	3.7	2.9	2.3	572.3	-38.	144.
		2	17.1	14.3	13.0	12.1	9.7	7.5	6.1	4.8	3.8	3.1	197.6	37.	149.
		3	18.4	15.2	13.8	12.8	10.2	7.7	6.3	5.0	3.9	3.2	95.3	-1.	143.
		4	17.7	15.0	13.6	12.6	10.1	7.6	6.3	5.0	4.0	3.3	69.7	9.	175.
		5	17.1	14.2	13.0	12.2	9.7	7.3	5.9	4.4	3.3	2.7	40.6	-10.	153.
9725	2	1	8.6	7.1	6.5	5.6	4.6	3.5	2.9	2.2	1.7	1.4	450.5	12.	166.
		2	14.0	11.9	10.8	9.6	7.8	5.9	4.9	3.8	3.0	2.4	142.9	-12.	158.
		3	15.9	13.6	12.2	10.8	9.0	6.8	5.6	4.4	3.4	2.8	84.5	16.	186.
		4	15.8	13.7	12.5	11.0	9.2	6.9	5.7	4.5	3.5	2.8	42.8	4.	157.
		5	16.2	14.0	12.9	11.1	9.5	7.2	5.9	4.5	3.6	2.9	32.2	4.	178.
9700	2	1	7.6	6.6	5.5	5.3	4.0	3.0	2.4	1.9	1.5	1.2	370.2	-23.	136.
		2	12.4	10.7	9.3	8.7	6.9	5.2	4.2	3.4	2.6	2.1	147.8	7.	163.
		3	14.9	12.9	11.2	10.5	8.3	6.4	5.2	4.1	3.2	2.7	62.0	11.	137.
		4	15.4	13.3	11.8	11.0	8.7	6.6	5.3	4.1	3.3	2.7	41.2	17.	152.
		5	16.3	14.4	12.8	12.1	9.8	9.5	6.0	4.6	3.6	2.9	25.1	-18.	138.
9675	2	1	6.9	6.1	5.3	4.7	3.8	2.9	2.3	1.9	1.4	.1	414.6	-11.	166.
		2	12.1	10.3	9.1	8.2	6.6	5.0	4.0	3.2	2.4	2.0	118.1	-2.	142.
		3	14.3	12.1	10.9	9.7	7.7	5.9	4.7	3.7	2.9	2.2	65.5	25.	157.
		4	16.0	13.7	12.6	11.2	9.1	7.1	5.8	4.7	3.6	3.0	35.6	-1.	143.
		5	17.0	14.8	13.6	12.0	9.8	7.6	6.1	4.9	3.6	2.9	27.3	-6.	164.
9650	2	1	6.6	5.4	4.4	4.2	3.3	2.4	1.9	1.5	1.1	.9	327.5	-5.	138.
		2	11.2	9.2	8.3	7.7	6.1	4.6	3.8	3.0	2.3	1.9	116.9	22.	148.
		3	15.2	12.6	11.3	10.4	8.3	6.3	5.1	4.0	3.1	2.6	53.1	0.	134.

		4	16.3	13.8	12.6	11.6	9.2	7.0	5.6	4.5	3.4	2.7	36.4	9.	154.
		5	17.0	13.9	12.5	11.8	9.3	7.2	5.7	4.5	3.4	2.9	23.1	-10.	147.
9625	2	1	6.8	5.6	4.8	4.5	3.6	2.7	2.2	1.7	1.3	1.1	283.5	7.	145.
		2	12.4	10.4	9.1	8.4	6.7	4.9	4.0	3.1	2.3	1.9	88.1	-15.	136.
		3	15.4	12.9	11.5	10.5	8.6	6.5	5.4	4.2	3.2	2.6	50.4	17.	155.
		4	16.2	13.7	12.4	11.2	9.2	6.9	5.6	4.5	3.5	2.9	28.3	3.	145.
		5	17.1	14.1	12.9	12.0	9.6	7.2	5.8	4.5	3.5	2.9	18.0	-22.	139.
9600	2	1	8.3	6.6	5.9	5.4	4.3	3.1	2.6	2.0	1.5	1.2	336.2	-28.	101.
		2	13.1	10.9	9.8	9.0	7.2	5.4	4.5	3.5	2.7	2.3	147.3	14.	132.
		3	15.7	13.1	11.7	10.7	8.6	6.5	5.3	4.2	3.2	2.6	72.0	1.	129.
		4	16.8	14.3	12.9	11.8	9.5	7.2	5.9	4.6	3.6	2.9	41.6	-5.	124.
		5	14.9	12.8	11.5	10.5	8.5	6.4	5.0	4.0	2.9	2.5	30.6	3.	137.
9575	2	1	7.8	6.4	5.4	5.3	4.1	3.0	2.5	1.9	1.4	1.2	500.5	-10.	143.
		2	13.0	10.8	9.6	8.9	7.1	5.3	4.4	3.4	2.6	2.1	165.3	-9.	142.
		3	15.9	13.3	12.0	11.0	8.9	6.7	5.3	4.3	3.3	2.7	79.2	0.	135.
		4	14.9	12.3	11.1	10.3	8.3	6.2	5.0	3.9	3.0	2.4	51.4	21.	147.
		5	15.2	12.5	11.7	10.5	8.5	6.4	5.1	4.1	3.1	2.5	47.9	-8.	205.
9550	2	1	8.3	6.8	6.2	5.5	4.3	3.3	2.6	2.1	1.6	1.3	404.8	-26.	116.
		2	13.9	11.7	10.6	9.6	7.7	5.8	4.8	3.8	3.0	2.4	137.6	-7.	118.
		3	14.6	12.4	10.8	10.1	8.0	6.1	4.9	3.8	2.9	2.4	76.8	24.	131.
		4	15.0	13.0	11.8	10.7	8.6	6.5	5.4	4.2	3.3	2.7	64.3	2.	183.
		5	11.9	10.4	8.7	9.1	6.4	5.2	4.0	3.5	2.6	2.3	35.3	-8.	151.
9525	2	1	9.2	7.6	6.7	6.2	4.8	3.6	2.9	2.3	1.8	1.4	306.1	-34.	115.
		2	13.5	11.3	10.1	9.4	7.4	5.6	4.5	3.6	2.8	2.3	114.9	7.	130.
		3	15.0	12.5	11.2	10.5	8.2	6.3	5.0	4.0	3.1	2.5	80.0	18.	181.
		4	11.8	9.7	8.7	8.2	6.1	4.6	3.5	2.6	1.9	1.5	38.8	5.	146.
		5	12.5	10.4	8.9	8.9	6.7	5.4	4.4	3.8	3.0	2.4	33.9	5.	192.
9500	2	1	9.6	8.1	7.2	6.5	5.2	3.9	3.2	2.5	1.9	1.6	386.9	-12.	130.
		2	14.5	12.4	11.0	10.0	8.1	6.1	5.0	4.0	3.1	2.5	180.1	12.	182.
		3	12.3	10.5	9.3	8.3	6.7	5.2	4.1	3.3	2.4	2.0	74.5	-3.	150.
		4	12.8	11.0	9.9	8.8	7.1	5.1	4.5	3.3	2.7	2.2	56.2	26.	189.
		5	13.8	12.2	10.8	9.1	7.6	5.9	4.6	3.8	2.9	2.4	33.3	-9.	168.
9475	2	1	13.0	11.1	9.9	8.9	7.4	5.5	4.6	3.6	2.8	2.2	366.8	-34.	127.
		2	12.9	11.0	9.8	8.7	7.1	5.4	4.4	3.4	2.6	2.1	129.0	-15.	135.
		3	13.4	11.4	10.3	8.9	7.5	5.6	4.5	3.6	2.8	2.3	85.6	34.	178.
		4	14.7	12.6	11.4	9.9	8.3	6.2	5.1	3.9	2.9	2.3	44.5	2.	155.
		5	12.4	10.5	9.6	8.2	7.0	5.4	4.4	3.5	2.7	2.3	33.5	-43.	175.
9450	2	1	11.2	9.8	8.5	7.8	6.3	4.8	3.9	3.1	2.3	1.9	883.8	-32.	146.
		2	13.6	11.9	10.4	9.6	7.7	5.8	4.7	3.7	2.8	2.3	366.4	37.	182.
		3	15.9	13.6	12.0	11.0	8.7	6.5	5.3	4.1	3.1	2.6	154.3	-2.	152.
		4	12.9	11.3	9.9	9.0	7.2	5.5	4.5	3.6	2.7	2.2	101.7	-32.	168.
		5	10.0	8.7	7.6	6.7	5.4	4.0	3.2	2.5	1.8	1.5	78.9	19.	196.

9425	2	1	12.3	10.4	9.2	8.4	6.7	5.1	4.1	3.2	2.4	2.0	527.9	6.	184.
		2	17.1	14.5	12.9	11.7	9.3	6.9	5.6	4.4	3.3	2.7	145.7	-20.	152.
		3	14.2	12.0	10.9	9.8	7.9	6.1	4.9	4.0	3.1	2.5	80.2	-12.	167.
		4	11.0	9.1	8.3	7.3	5.9	4.4	3.5	2.8	2.1	1.7	54.6	28.	190.
		5	11.2	9.0	9.2	7.1	5.7	4.2	3.2	2.5	1.8	1.4	26.1	-13.	136.
9400	2	1	13.6	11.1	9.9	9.1	7.1	5.3	4.3	3.3	2.6	2.1	397.1	-15.	138.
		2	13.3	11.3	10.0	9.2	7.4	5.7	4.7	3.8	2.9	2.4	142.3	-22.	148.
		3	10.6	8.9	7.8	7.1	5.6	4.1	3.3	2.5	1.9	1.5	82.1	24.	171.
		4	10.6	9.1	8.0	7.2	5.7	4.1	3.3	2.5	1.8	1.5	35.3	0.	123.
		5	9.7	8.3	7.3	6.4	5.0	3.7	2.9	2.3	1.8	1.5	23.2	-12.	121.
9375	2	1	13.7	11.5	10.3	9.5	7.6	5.8	4.7	3.8	2.9	2.4	417.8	-24.	154.
		2	12.0	10.0	8.8	8.0	6.3	4.7	3.8	2.9	2.2	1.8	139.4	10.	154.
		3	12.3	10.2	8.7	8.1	6.2	4.6	3.7	2.8	2.2	1.7	50.0	9.	110.
		4	10.2	8.6	7.4	6.9	5.2	3.7	3.0	2.2	1.6	1.3	29.9	4.	110.
		5	11.4	9.5	8.0	7.7	5.8	4.2	3.5	2.6	2.0	1.7	24.3	-4.	134.
9350	2	1	11.6	9.8	8.7	7.8	6.2	4.6	3.7	2.9	2.2	1.8	576.0	-17.	125.
		2	12.4	10.4	9.2	8.1	6.5	4.8	3.8	3.0	2.2	1.8	141.9	8.	92.
		3	11.2	9.4	8.4	7.2	5.8	4.2	3.3	2.5	1.9	1.5	75.5	4.	98.
		4	11.3	9.5	8.5	7.2	5.7	4.1	3.2	2.4	1.8	1.4	56.0	10.	121.
		5	13.5	11.5	10.4	8.7	7.0	5.1	4.0	3.1	2.3	1.8	42.5	-8.	138.
9325	2	1	11.2	9.6	8.6	7.5	6.0	4.6	3.6	2.9	2.2	1.8	203.3	-19.	75.
		2	11.8	9.6	8.7	7.6	6.1	4.6	3.6	2.8	2.0	1.5	82.9	0.	92.
		3	11.6	9.3	8.6	7.2	5.7	4.1	3.2	2.5	2.1	1.8	51.6	15.	114.
		4	14.5	11.5	11.0	9.3	7.5	5.5	4.2	3.3	2.5	1.9	34.3	4.	126.
		5	9.0	6.5	7.0	5.2	4.4	3.4	2.5	2.0	1.6	1.3	25.8	-7.	143.
9300	2	1	9.5	7.8	6.9	6.5	5.0	3.7	3.0	2.3	1.8	1.5	633.4	-9.	142.
		2	11.7	9.3	8.1	7.6	5.8	4.2	3.3	2.6	1.9	1.5	241.7	9.	163.
		3	15.0	12.2	10.9	10.0	7.7	5.7	4.5	3.4	2.6	2.1	121.3	7.	162.
		4	8.9	6.9	6.4	5.9	4.5	3.4	2.7	2.1	1.6	1.2	75.2	5.	169.
		5	4.4	2.9	3.0	2.5	1.8	1.3	1.0	.8	.5	.4	47.9	-6.	161.
9275	2	1	9.5	7.2	6.4	5.7	4.4	3.1	2.5	1.9	1.5	1.2	312.3	-10.	150.
		2	15.3	12.3	11.0	9.9	7.7	5.6	4.5	3.4	2.6	2.0	105.3	-6.	152.
		3	10.0	7.7	7.0	6.2	4.8	3.4	2.8	2.1	1.6	1.3	53.1	13.	153.
		4	4.4	3.1	2.9	2.5	1.8	1.2	1.0	.6	.5	.4	30.4	4.	146.
		5	4.6	3.0	2.8	2.3	1.6	1.2	.9	.0	.1	-.4	24.4	4.	176.
9250	2	1	13.0	11.1	9.6	8.8	6.9	5.0	4.0	3.1	2.3	1.8	284.0	-29.	125.
		2	10.3	8.5	7.1	6.5	5.1	3.6	2.9	2.2	1.6	1.3	93.0	9.	123.
		3	4.8	4.0	2.9	2.6	2.0	1.2	1.0	.6	.4	.3	45.5	11.	120.
		4	4.8	4.3	3.1	2.8	2.3	1.4	1.2	.8	.4	.3	32.3	14.	142.
		5	6.2	5.8	4.2	3.9	3.5	2.2	1.9	1.3	.9	.7	36.8	-17.	244.
9225	2	1	12.2	9.7	8.8	7.7	6.0	4.4	3.6	2.7	2.1	1.7	322.9	-15.	135.
		2	6.5	4.7	4.3	3.1	2.5	1.9	1.6	1.1	.8	.7	109.6	-4.	137.

		3	7.0	4.9	4.6	2.5	2.1	1.9	1.6	1.0	.7	.5	57.1	22.	143.
		4	8.3	6.2	6.2	3.1	3.0	3.2	2.9	2.1	1.6	1.3	59.2	-2.	247.
		5	12.6	9.7	9.5	5.6	5.3	5.1	4.3	3.1	2.4	1.9	52.0	-17.	326.
9200	2	1	9.3	7.6	6.6	6.0	4.5	3.2	2.5	1.9	1.4	1.1	356.8	-25.	149.
		2	9.4	7.7	6.8	5.8	4.6	3.2	2.6	2.0	1.5	1.1	119.4	16.	149.
		3	8.8	7.5	6.7	5.7	4.7	3.4	2.7	2.1	1.6	1.3	98.7	0.	247.
		4	13.2	11.4	10.3	8.9	7.5	5.4	4.4	3.5	2.6	2.2	79.1	-1.	331.
		5	13.2	11.7	10.7	9.0	7.9	5.9	5.0	3.9	3.1	2.5	59.3	-17.	372.
9175	2	1	7.9	6.7	5.9	5.0	4.0	2.9	2.3	1.8	1.3	1.1	391.0	-3.	129.
		2	8.1	6.8	6.1	5.0	4.2	3.1	2.4	1.9	1.4	1.2	206.2	-18.	204.
		3	12.7	11.0	10.0	8.4	7.1	5.3	4.3	3.5	2.7	2.2	143.4	14.	280.
		4	12.7	11.3	10.6	8.7	7.5	5.8	4.7	3.8	3.0	2.4	98.7	-3.	326.
		5	14.7	12.4	11.4	8.9	7.5	5.4	4.2	3.3	2.5	2.1	63.2	-3.	313.
9150	2	1	7.0	5.3	5.3	4.3	3.3	2.5	2.0	1.6	1.2	.9	646.8	-38.	150.
		2	11.9	9.7	9.4	7.9	6.4	4.9	4.0	3.1	2.5	2.0	333.2	10.	232.
		3	12.2	10.3	9.9	8.3	7.1	5.4	4.5	3.6	2.8	2.3	204.7	1.	285.
		4	14.4	11.8	11.0	8.9	7.3	5.2	4.2	3.2	2.5	2.0	122.8	11.	285.
		5	10.1	8.1	7.8	5.7	4.8	3.2	2.5	1.8	1.4	1.1	132.9	-5.	463.
9125	2	1	10.0	7.9	7.3	6.6	5.3	4.0	3.3	2.6	2.1	1.7	726.1	-24.	207.
		2	11.6	9.6	8.8	8.1	6.6	5.1	4.2	3.4	2.7	2.2	320.5	-19.	274.
		3	14.8	11.7	10.3	9.3	7.2	5.2	4.2	3.2	2.5	2.0	169.3	26.	289.
		4	10.2	7.8	6.8	6.1	4.5	3.1	2.5	1.8	1.4	1.1	168.2	11.	480.
		5	14.8	11.5	10.1	9.1	6.8	4.8	3.7	2.8	2.1	1.6	111.4	-22.	476.
9100	2	1	12.4	10.7	9.7	9.0	7.4	5.8	4.8	3.9	3.1	2.5	910.2	-35.	260.
		2	16.0	13.1	11.3	10.4	8.1	6.0	4.8	3.8	2.9	2.3	378.4	18.	324.
		3	10.3	8.3	7.4	6.6	4.9	3.6	2.8	2.1	1.5	1.2	315.3	14.	538.
		4	15.9	12.9	11.0	10.1	7.7	5.6	4.4	3.4	2.5	2.0	193.9	-7.	553.
9075	2	1	24.1	19.9	16.9	16.0	12.5	9.3	7.6	6.0	4.6	3.8	332.1	-17.	386.
		2	13.6	11.3	9.1	9.5	6.8	5.0	4.1	3.1	2.3	1.9	179.1	21.	624.
		3	19.1	16.1	13.0	13.0	9.6	6.9	5.7	4.4	3.3	2.7	93.4	-9.	650.
9050	2	1	14.2	11.5	10.3	9.3	7.5	5.6	4.6	3.6	2.8	2.3	569.7	30.	688.
		2	21.3	17.4	15.1	13.6	10.9	8.0	6.6	5.1	3.9	3.2	223.1	-7.	808.
9025	2	1	22.0	17.9	15.8	14.2	11.1	8.2	6.6	5.1	3.9	3.1	543.6	-8.	632.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:120W.IND
DATA FILE : A:120W.DAT

LINE NO. : 120

Station	Receive Mode	Dipole :	M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
9975	2	1	22.9	20.0	18.1	16.5	13.6	10.5	8.6	6.8	5.3	4.3	93.2	-6.	98.
		2	23.8	20.7	18.8	16.9	13.9	10.5	8.5	6.7	5.2	4.1	33.2	22.	104.
		3	25.2	22.3	20.4	18.3	15.1	11.5	9.5	7.5	5.6	4.5	23.4	-23.	146.
		4	15.8	13.6	12.4	10.8	8.9	6.5	5.0	3.8	3.3	2.8	14.0	16.	146.
		5	18.7	15.6	14.4	12.2	10.1	7.4	6.1	4.5	3.5	2.3	10.2	0.	160.
9950	2	1	21.7	18.8	17.0	15.8	12.9	9.9	8.1	6.5	5.0	4.1	152.2	32.	111.
		2	26.8	23.0	20.9	19.5	15.6	11.9	9.7	7.6	5.9	4.8	75.5	-18.	165.
		3	15.8	13.4	12.2	11.3	9.0	6.8	5.5	4.2	3.2	2.6	36.4	8.	159.
		4	18.3	15.1	13.7	12.6	10.0	7.4	5.8	4.6	3.8	3.0	22.9	0.	167.
		5	22.4	18.4	17.0	15.8	12.3	9.5	7.7	5.9	4.0	3.2	16.4	1.	179.
9925	2	1	27.6	24.0	21.7	20.0	16.4	12.6	10.4	8.3	6.5	5.3	166.8	-2.	130.
		2	16.1	14.0	12.7	11.6	9.4	7.1	5.7	4.5	3.5	2.8	67.4	-6.	159.
		3	18.4	16.3	14.5	13.3	10.7	8.0	6.7	5.1	3.7	3.1	33.8	11.	158.
		4	20.8	18.1	16.0	14.5	11.9	8.9	7.1	5.5	4.3	3.4	20.7	0.	162.
		5	17.1	14.4	13.2	12.0	9.4	6.7	5.4	4.5	3.3	2.8	13.6	14.	159.
9900	2	1	18.8	16.3	14.9	14.0	11.3	8.7	7.2	5.7	4.4	3.6	156.2	6.	106.
		2	20.7	17.6	15.8	14.6	11.8	9.0	7.3	5.8	4.4	3.4	68.8	20.	141.
		3	22.1	19.0	17.3	15.9	12.8	9.7	7.9	6.2	4.8	3.8	36.1	-13.	147.
		4	18.3	15.4	13.8	12.4	10.1	7.5	5.7	4.6	3.4	2.8	20.0	15.	136.
		5	19.3	16.0	14.7	13.9	10.6	7.8	6.3	4.9	3.9	3.2	24.5	-6.	250.
9875	2	1	25.9	22.8	20.3	18.9	15.3	11.8	9.6	7.7	6.0	4.9	233.0	19.	101.
		2	25.4	22.3	19.8	18.3	14.7	11.2	9.1	7.2	5.5	4.4	111.2	-26.	145.
		3	19.1	16.8	14.8	13.6	10.9	8.2	6.5	5.2	4.1	3.4	60.5	26.	158.
		4	18.4	16.3	14.3	13.0	10.5	7.9	6.4	5.1	3.9	3.2	51.3	-20.	223.
		5	16.3	14.2	12.7	11.3	9.4	7.2	5.9	4.6	3.5	2.9	23.1	5.	151.
9850	2	1	21.7	18.8	16.8	15.4	12.5	9.6	7.8	6.2	4.8	3.9	295.9	15.	120.

		2	17.4	15.0	13.3	12.0	9.7	7.2	5.9	4.6	3.5	2.8	139.1	12.	170.
		3	16.2	14.1	12.5	11.4	9.2	6.9	5.6	4.3	3.3	2.6	92.8	-29.	226.
		4	14.8	12.9	11.4	10.4	8.3	6.2	5.1	3.9	3.0	2.4	36.2	6.	147.
		5	16.8	14.6	12.8	11.6	9.3	7.0	5.7	4.4	3.3	2.6	32.4	-2.	198.
9825	2	1	18.0	15.1	13.4	12.4	9.8	7.4	6.0	4.7	3.6	2.9	201.4	11.	119.
		2	15.8	13.4	11.9	11.0	8.7	6.5	5.2	4.1	3.2	2.5	123.4	-30.	219.
		3	14.7	13.0	11.4	10.6	8.5	6.4	5.2	4.0	3.0	2.3	42.1	10.	149.
		4	16.1	13.6	11.9	11.3	8.8	6.6	5.3	4.2	3.2	2.5	29.5	0.	174.
		5	17.4	14.6	12.8	12.2	9.5	7.1	5.7	4.4	3.3	2.6	16.6	2.	147.
9800	2	1	16.1	13.8	12.3	11.2	9.0	6.8	5.5	4.3	3.3	2.6	230.4	-29.	120.
		2	15.2	13.2	11.5	10.8	8.6	6.5	5.3	4.2	3.2	2.6	87.0	21.	137.
		3	15.7	13.7	11.9	11.1	8.8	6.5	5.2	4.0	3.0	2.4	37.6	-11.	117.
		4	17.1	14.8	12.7	11.9	9.3	6.8	5.5	4.3	3.5	2.2	24.8	15.	129.
		5	16.1	14.2	11.9	11.3	9.0	6.5	5.2	3.9	2.7	2.7	21.6	-12.	169.
9775	2	1	15.3	12.7	11.4	10.2	8.2	6.1	5.0	3.9	2.9	2.4	195.1	9.	85.
		2	15.7	13.2	11.9	10.7	8.7	6.4	5.3	4.1	3.1	2.5	79.8	-12.	104.
		3	15.9	13.4	12.2	10.9	8.8	6.5	5.3	4.1	3.1	2.4	50.1	-4.	130.
		4	16.5	13.8	12.5	11.2	9.1	6.8	5.5	4.4	3.3	2.7	32.2	12.	140.
		5	15.2	14.5	12.1	10.1	8.1	5.8	5.4	3.3	2.8	1.8	21.9	-1.	143.
9750	2	1	12.8	10.6	9.4	8.7	6.9	5.1	4.2	3.2	2.5	2.0	208.9	-17.	119.
		2	14.9	12.6	11.2	10.1	8.2	6.0	4.9	3.8	2.9	2.4	85.1	11.	146.
		3	14.1	12.1	10.9	9.9	8.1	6.0	4.9	3.8	2.9	2.3	54.6	57.	186.
		4	13.7	11.6	10.3	9.1	7.5	5.5	4.4	3.3	2.5	2.1	28.1	-6.	160.
		5	13.5	11.3	10.2	8.8	7.3	5.4	4.4	3.4	2.6	2.1	22.0	10.	188.
9725	2	1	12.0	10.4	9.1	8.3	6.5	4.9	3.8	3.0	2.4	1.9	196.7	9.	102.
		2	12.6	11.1	9.7	9.0	7.1	5.4	4.3	3.4	2.5	2.0	105.8	2.	166.
		3	11.8	10.5	9.0	8.4	6.6	4.9	3.9	3.0	2.2	1.7	46.6	1.	145.
		4	11.9	10.6	8.9	8.5	6.4	4.7	3.8	2.8	2.0	1.5	30.8	4.	161.
		5	14.3	12.5	10.3	9.9	7.6	5.5	4.4	3.3	2.3	1.8	23.5	13.	184.
9700	2	1	9.8	8.2	7.3	6.6	5.3	3.9	3.2	2.5	1.9	1.5	222.4	3.	124.
		2	10.7	9.1	8.1	7.3	5.8	4.3	3.5	2.7	2.1	1.6	89.5	8.	150.
		3	13.8	8.9	8.0	7.2	5.7	4.2	3.4	2.6	1.9	1.4	50.2	3.	168.
		4	13.3	11.1	9.9	8.8	7.0	5.0	4.0	2.9	2.2	1.7	33.8	0.	189.
		5	14.0	11.8	10.6	9.4	7.4	5.3	4.2	3.3	2.6	2.1	25.3	-4.	212.
9675	2	1	9.5	8.1	7.0	6.5	5.1	3.9	3.1	2.5	1.9	1.5	215.2	5.	107.
		2	10.2	8.7	7.6	6.9	5.5	4.1	3.3	2.6	1.9	1.6	100.5	0.	150.
		3	12.4	10.5	9.2	8.4	6.6	5.0	4.0	3.1	2.4	1.9	54.9	1.	163.
		4	12.9	11.1	9.7	8.8	7.0	5.3	4.2	3.4	2.6	2.1	35.6	1.	177.
		5	12.4	10.4	8.9	8.4	6.4	4.7	3.7	2.8	2.1	1.9	22.4	1.	167.
9650	2	1	11.5	9.3	8.6	7.6	6.1	4.5	3.7	2.8	2.2	1.7	190.6	-2.	110.
		2	12.8	10.6	9.5	8.6	6.8	5.0	4.0	3.1	2.4	1.8	89.5	14.	156.
		3	11.5	9.7	8.7	7.8	6.2	4.5	3.6	2.6	2.0	1.6	48.5	-10.	168.

		4	11.7	9.7	8.7	7.8	6.2	4.4	3.5	2.6	1.9	1.4	26.7	2.	155.
		5	15.2	13.0	11.4	10.5	8.2	6.0	4.8	3.6	2.6	2.1	23.0	7.	200.
9625	2	1	9.3	7.3	6.6	6.1	4.8	3.5	2.8	2.2	1.7	1.3	190.7	15.	110.
		2	10.4	8.5	7.7	7.0	5.6	4.1	3.3	2.6	2.0	1.6	91.9	-22.	160.
		3	10.8	8.8	8.1	7.5	5.9	4.4	3.4	2.7	2.2	1.7	43.0	16.	149.
		4	14.5	11.9	10.9	9.7	7.8	5.8	4.8	3.7	2.7	2.1	31.5	-6.	183.
		5	14.4	11.8	10.7	9.5	7.7	5.7	4.6	3.6	2.8	2.2	22.6	6.	197.
9600	2	1	8.0	6.7	5.8	5.2	4.2	3.1	2.5	1.9	1.5	1.2	264.9	-9.	156.
		2	9.8	8.5	7.4	6.6	5.3	3.9	3.1	2.4	1.8	1.4	88.3	13.	157.
		3	12.9	11.4	9.8	8.9	7.2	5.3	4.2	3.2	2.4	1.9	51.3	-13.	181.
		4	12.9	11.3	9.6	8.7	7.0	5.2	4.0	3.1	2.3	1.9	33.8	7.	199.
		5	17.1	14.9	12.7	11.5	9.3	6.9	5.5	4.3	3.3	2.5	25.5	7.	226.
9575	2	1	7.9	6.5	5.7	5.3	4.1	3.0	2.3	1.8	1.4	1.1	262.4	15.	147.
		2	13.1	11.1	9.7	9.1	7.0	5.1	4.1	3.1	2.3	1.9	95.6	-18.	161.
		3	12.4	10.6	9.2	8.7	6.6	4.8	3.8	2.8	2.1	1.5	51.1	11.	171.
		4	15.3	12.8	11.1	10.3	7.9	5.8	4.8	3.7	2.8	2.4	35.9	13.	201.
		5	13.8	11.6	9.8	9.3	7.3	5.2	4.3	3.4	2.5	1.9	31.1	-3.	261.
9550	2	1	10.8	8.9	8.0	7.2	5.7	4.2	3.3	2.6	1.9	1.5	252.5	-12.	118.
		2	12.1	10.0	8.8	8.0	6.3	4.5	3.6	2.7	2.0	1.6	110.6	15.	155.
		3	13.9	11.7	10.3	9.2	7.4	5.4	4.3	3.3	2.5	1.9	66.4	9.	186.
		4	11.9	9.8	8.9	7.9	6.3	4.7	3.7	2.9	2.3	2.0	51.7	0.	242.
		5	11.9	9.5	8.6	7.6	6.1	4.6	3.7	2.7	2.1	1.7	49.9	0.	350.
9525	2	1	13.1	10.7	9.5	8.5	6.6	4.8	3.8	2.9	2.2	1.7	192.9	3.	121.
		2	14.0	11.5	10.3	9.2	7.2	5.3	4.2	3.2	2.4	1.9	95.3	0.	180.
		3	10.2	8.6	7.8	6.9	5.6	4.1	3.3	2.5	1.9	1.5	64.3	12.	241.
		4	10.4	8.6	7.7	6.8	5.4	4.0	3.1	2.4	1.8	1.4	53.9	1.	338.
		5	14.6	12.3	11.0	9.7	7.8	5.9	4.7	3.7	2.8	2.3	29.5	-8.	277.
9500	2	1	12.3	10.2	9.0	8.2	6.5	4.7	3.8	2.9	2.1	1.7	210.7	2.	103.
		2	10.2	8.4	7.4	6.6	5.2	3.7	3.0	2.2	1.6	1.3	98.1	16.	144.
		3	9.5	7.9	6.9	6.3	4.9	3.6	3.0	2.3	1.7	1.3	100.6	-7.	290.
		4	13.6	11.3	9.7	8.8	7.0	5.1	4.1	3.1	2.3	1.8	45.9	8.	225.
		5	14.9	12.3	10.3	9.4	7.3	5.3	4.3	3.2	2.4	1.8	37.4	-10.	275.
9475	2	1	12.1	10.0	8.7	8.0	6.2	4.5	3.6	2.8	2.1	1.7	242.2	15.	138.
		2	9.7	8.0	7.0	6.4	5.1	3.8	3.1	2.4	1.9	1.6	168.9	-10.	289.
		3	13.6	11.2	10.0	9.1	7.3	5.5	4.5	3.6	2.8	2.3	63.7	0.	217.
		4	14.8	12.0	10.7	9.7	7.8	5.9	4.8	3.8	3.0	2.5	47.8	12.	272.
		5	12.4	9.8	8.9	8.2	6.5	5.0	4.2	3.4	2.7	2.3	28.7	-14.	246.
9450	2	1	10.4	8.7	7.8	6.9	5.5	4.1	3.2	2.5	1.9	1.5	273.7	-8.	165.
		2	14.2	11.8	10.5	9.3	7.4	5.3	4.4	3.5	2.6	2.1	105.6	5.	191.
		3	14.0	11.8	10.6	9.4	7.6	5.7	4.6	3.6	2.8	2.3	64.6	3.	233.
		4	11.2	9.4	8.5	7.5	6.1	4.4	3.7	2.8	2.2	1.8	39.0	-8.	235.
		5	15.3	12.8	11.6	10.3	8.5	6.4	5.3	4.3	3.4	2.9	34.1	-8.	308.

9425	2	1	13.4	10.7	9.4	8.5	6.7	4.9	4.0	3.1	2.5	2.0	244.3	12.	153.
		2	12.8	10.5	9.2	8.4	6.6	4.8	3.8	3.0	2.2	1.8	112.5	0.	211.
		3	9.7	7.9	6.9	6.4	5.1	3.7	3.0	2.3	1.8	1.4	56.4	-12.	212.
		4	14.0	11.7	10.2	9.6	7.6	5.7	4.6	3.7	2.9	2.3	48.8	-8.	306.
		5	15.2	12.3	10.8	9.7	8.1	6.2	5.0	4.1	3.2	2.6	36.5	13.	343.
9400	2	1	13.5	11.1	9.5	8.7	6.9	5.1	4.1	3.2	2.5	2.0	287.6	12.	188.
		2	8.7	7.2	6.1	5.7	4.5	3.2	2.6	1.9	1.4	1.1	100.7	-5.	197.
		3	11.6	9.6	8.3	7.6	6.1	4.5	3.6	2.8	2.1	1.7	69.6	-25.	272.
		4	12.7	10.6	9.1	8.5	6.8	5.1	4.1	3.2	2.4	2.0	53.7	26.	351.
		5	13.0	10.8	9.1	9.0	6.7	4.9	3.9	2.9	2.1	1.6	42.7	-7.	418.
9375	2	1	14.0	11.2	10.0	9.1	7.1	5.3	4.3	3.4	2.6	2.1	283.6	4.	171.
		2	12.4	10.0	8.9	8.2	6.4	4.8	3.9	3.1	2.4	1.9	131.5	-25.	238.
		3	12.9	10.7	9.6	8.9	7.1	5.4	4.4	3.5	2.7	2.2	89.7	24.	324.
		4	13.5	10.9	9.7	9.0	7.2	5.3	4.3	3.3	2.6	2.0	69.7	5.	421.
		5	14.8	12.0	10.8	10.1	8.1	6.1	4.9	3.8	3.0	2.4	42.4	-13.	383.
9350	2	1	12.7	10.1	9.3	8.3	6.5	4.9	3.9	3.1	2.4	2.0	201.9	-21.	137.
		2	13.3	11.0	10.1	8.9	7.2	5.5	4.5	3.5	2.8	2.2	133.1	27.	272.
		3	13.6	11.4	10.3	9.1	7.3	5.5	4.5	3.5	2.7	2.2	91.7	-1.	374.
		4	15.1	12.7	11.6	10.2	8.3	6.3	5.2	4.0	3.1	2.5	56.9	-5.	388.
		5	14.6	12.3	11.1	9.5	7.9	5.9	4.9	3.8	2.9	2.4	35.0	8.	358.
9325	2	1	11.1	9.1	8.2	7.5	6.0	4.6	3.8	3.0	2.4	1.9	223.7	-1.	163.
		2	12.5	10.4	9.4	8.6	6.9	5.2	4.3	3.4	2.6	2.1	154.8	-4.	339.
		3	14.3	12.1	11.0	10.1	8.2	6.3	5.2	4.1	3.2	2.6	84.8	-8.	370.
		4	14.1	11.6	10.5	9.6	7.7	5.9	4.9	3.9	3.1	2.5	51.8	9.	377.
		5	15.7	13.0	11.9	11.0	8.9	6.8	5.7	4.6	3.6	3.0	43.2	-2.	472.
9300	2	1	13.3	11.1	9.7	8.9	7.1	5.3	4.3	3.4	2.6	2.1	330.0	1.	225.
		2	15.3	13.0	11.5	10.6	8.6	6.6	5.5	4.4	3.5	2.9	184.1	-6.	377.
		3	14.6	12.4	10.9	10.1	8.1	6.2	5.1	4.0	3.1	2.5	101.6	6.	410.
		4	15.5	13.0	11.3	10.4	8.6	7.0	5.5	4.6	3.8	3.1	73.8	-11.	504.
		5	17.0	14.1	12.3	11.4	8.5	5.8	5.3	4.0	2.9	2.6	47.1	4.	482.
9275	2	1	15.8	13.5	12.1	11.2	9.1	7.1	5.9	4.7	3.7	3.0	561.5	14.	339.
		2	15.8	13.5	12.1	11.2	9.1	7.0	5.8	4.6	3.6	3.0	239.9	-3.	434.
		3	16.1	13.9	12.4	11.5	9.4	7.2	6.0	4.9	3.8	3.1	158.3	-5.	570.
		4	16.6	13.7	11.9	10.8	8.4	6.3	5.1	4.0	3.0	2.4	91.8	7.	554.
		5	12.4	9.9	8.2	7.4	5.5	3.8	3.0	2.4	1.8	1.5	55.0	7.	498.
9250	2	1	17.3	15.1	13.4	12.5	10.2	8.0	6.4	5.3	4.1	3.3	469.0	-1.	294.
		2	18.0	15.6	13.9	13.0	10.5	8.2	6.7	5.4	4.2	3.4	293.2	0.	552.
		3	17.5	14.6	12.7	11.7	9.1	6.8	5.4	4.3	3.2	2.6	151.4	-1.	560.
		4	13.4	10.7	9.2	8.3	6.2	4.5	3.4	2.6	1.6	1.2	87.0	11.	546.
		5	17.2	13.8	11.8	10.6	7.8	5.4	4.0	3.1	2.4	1.8	80.5	-15.	758.
9225	2	1	18.0	15.6	14.2	13.1	10.8	8.5	7.1	5.7	4.5	3.7	565.0	-4.	354.
		2	19.4	16.2	14.4	13.0	10.4	7.9	6.4	5.0	3.8	3.1	313.5	-5.	590.

		3	14.7	12.1	10.6	9.5	7.3	5.3	4.1	3.2	2.4	1.9	162.5	11.	610.
		4	19.3	15.7	13.7	12.2	9.3	6.7	5.2	4.0	3.0	2.3	146.2	-13.	910.
		5	21.8	18.0	15.7	14.1	10.9	8.0	6.2	4.8	3.6	2.9	76.9	31.	724.
9200	2	1	22.5	19.1	16.7	15.3	12.3	9.3	7.6	6.1	4.7	3.8	924.6	0.	483.
		2	17.0	14.4	12.3	11.2	8.7	6.4	5.1	3.9	3.0	2.4	399.9	17.	627.
		3	21.2	17.8	15.3	13.9	10.7	7.8	6.2	4.8	3.6	2.9	316.8	-21.	990.
		4	24.1	20.3	17.6	16.0	12.5	9.3	7.4	5.8	4.4	3.5	156.9	3.	820.
		5	24.3	20.5	17.6	16.2	12.6	9.4	7.4	5.8	4.5	3.6	82.1	8.	644.
9175	2	1	17.8	14.7	13.0	11.8	9.1	6.9	5.5	4.3	3.3	2.6	759.6	10.	477.
		2	23.4	19.3	17.0	15.4	12.0	8.9	7.1	5.5	4.2	3.3	536.6	-23.	1010.
		3	25.6	21.4	19.1	17.3	13.6	10.2	8.1	6.3	4.8	3.8	235.2	13.	880.
		4	26.3	21.9	19.4	17.7	13.7	10.2	8.2	6.3	4.8	3.8	113.3	2.	710.
		5	22.1	18.5	16.5	15.0	11.5	8.5	6.8	5.4	4.4	3.2	45.1	2.	425.
9150	2	1	22.9	18.5	16.4	14.7	11.5	8.5	6.8	5.3	4.0	3.2	1573.0	-13.	960.
		2	27.1	22.2	19.7	17.8	14.1	10.4	8.4	6.5	5.0	4.0	524.1	32.	968.
		3	27.2	22.4	20.3	18.3	14.6	10.9	8.7	6.8	5.3	4.2	241.5	-28.	890.
		4	25.9	21.2	18.8	17.0	13.3	9.9	8.0	6.3	4.8	3.9	80.4	7.	494.
		5	12.6	10.3	9.1	8.2	6.5	4.9	3.9	3.1	2.4	1.8	68.5	7.	632.
9125	2	1	24.7	19.9	17.6	15.8	12.4	9.1	7.3	5.6	4.3	3.4	946.9	42.	660.
		2	26.9	21.9	19.5	17.7	13.8	10.1	8.1	6.3	4.8	3.8	398.2	-31.	833.
		3	26.7	21.7	19.4	17.5	13.7	10.1	8.1	6.3	4.8	3.9	114.1	4.	470.
		4	13.6	10.7	10.1	9.0	6.9	4.5	3.4	2.3	1.7	2.3	78.6	4.	548.
		5	15.1	11.8	10.1	8.8	6.7	5.4	4.4	3.3	2.4	.7	64.6	4.	676.
9100	2	1	25.0	20.6	17.9	15.9	12.4	9.1	7.2	5.6	4.2	3.3	737.4	-13.	1006.
		2	28.5	23.8	20.8	18.4	14.6	10.8	8.7	6.7	5.1	4.1	167.5	5.	686.
		3	18.5	16.0	14.7	12.4	10.1	7.5	6.1	4.7	3.5	2.9	67.1	2.	548.
		4	17.1	14.1	13.4	10.2	8.4	6.1	4.8	3.5	2.4	2.0	48.8	6.	666.
9075	2	1	31.2	25.9	22.6	20.4	16.0	11.8	9.6	7.5	5.7	4.7	411.4	9.	478.
		2	23.3	19.8	17.3	15.4	12.6	9.2	7.6	5.9	4.5	3.7	176.1	4.	614.
		3	20.4	17.8	15.5	12.8	11.0	7.8	6.4	4.9	3.7	3.0	105.9	5.	730.
9050	2	1	22.4	19.1	16.6	15.2	12.0	9.1	7.3	5.9	4.5	3.7	377.7	1.	515.
		2	22.4	18.3	15.8	14.4	11.4	8.6	6.8	5.5	4.3	3.7	139.0	5.	569.
9025	2	1	15.3	11.9	10.9	9.6	7.5	5.6	4.4	3.5	2.8	2.2	236.5	5.	371.

IPR-11 DATA SUMMARY

SURVEY : MINNOVA INC. - LARA PROJECT

INDEX FILE : A:124W.IND
DATA FILE : A:124W.DAT

LINE NO. : 124

Station	Receive Dipole : Mode		M0	M1	M2	M3	M4	M5 mV/V	M6	M7	M8	M9	Vp mV	SP mV	Apparent Resist.
9975	2	1	11.9	9.8	8.9	7.8	6.1	4.5	3.5	2.7	2.0	1.5	115.0	12.	70.
		2	9.0	7.2	6.4	5.5	4.2	3.0	2.3	1.7	1.2	1.0	72.4	-48.	134.
		3	10.8	8.9	8.0	6.9	5.4	3.8	2.9	2.2	1.6	1.3	41.8	30.	154.
		4	11.5	9.5	8.4	7.3	5.7	4.0	3.1	2.4	1.7	1.4	30.2	11.	185.
		5	12.4	10.2	9.0	8.0	6.3	4.6	3.5	2.7	1.9	1.5	22.3	-9.	205.
9950	2	1	7.9	6.4	5.5	4.9	3.7	2.7	2.1	1.6	1.2	.9	265.3	-28.	143.
		2	10.6	8.8	7.5	6.8	5.2	3.8	3.0	2.3	1.7	1.4	114.5	32.	185.
		3	11.4	9.7	8.4	7.7	5.9	4.3	3.4	2.6	1.9	1.5	56.6	8.	183.
		4	12.4	10.4	8.9	8.2	6.3	4.5	3.5	2.7	2.0	1.6	38.0	-2.	205.
		5	10.2	8.5	7.2	6.5	5.0	3.5	2.7	2.0	1.5	1.1	31.3	3.	253.
9925	2	1	9.4	7.6	6.6	6.1	4.7	3.4	2.7	2.0	1.5	1.2	296.1	13.	163.
		2	12.2	9.9	8.8	8.1	6.2	4.5	3.6	2.7	2.0	1.6	99.8	-7.	165.
		3	12.7	10.4	9.3	8.5	6.5	4.7	3.7	2.8	2.0	1.5	58.6	-2.	193.
		4	10.9	8.7	7.7	7.1	5.3	3.8	2.9	2.1	1.6	1.2	35.5	17.	195.
		5	9.7	9.0	6.6	5.0	4.0	3.3	2.3	1.6	1.0	.9	37.5	8.	309.
9900	2	1	8.0	6.5	5.6	5.1	3.8	2.8	2.2	1.6	1.2	1.0	325.7	5.	176.
		2	11.7	9.7	8.5	7.7	4.9	4.2	3.3	2.5	1.8	1.4	112.9	4.	183.
		3	10.4	8.7	7.7	6.9	5.3	3.8	2.9	2.2	1.6	1.2	66.4	-1.	215.
		4	9.0	7.2	6.5	5.6	4.2	2.9	2.2	1.5	1.0	.7	55.4	12.	299.
		5	3.6	2.2	2.3	1.6	.9	.4	.1	.0	-.1	-.1	66.5	-8.	540.
9875	2	1	8.7	7.1	6.1	5.5	4.2	3.0	2.4	1.8	1.3	1.0	285.5	4.	154.
		2	10.5	8.6	7.5	6.8	5.3	3.8	2.9	2.2	1.7	1.3	108.3	-5.	175.
		3	9.1	7.6	6.5	6.0	4.4	3.1	2.4	1.7	1.2	.8	74.3	16.	240.
		4	3.0	2.4	1.8	1.6	.9	.4	.2	.0	.0	.0	82.5	5.	446.
		5	-.5	-.6	-1.0	-1.0	-1.1	-1.3	-1.2	-1.1	-1.0	-1.0	35.6	-15.	289.
9850	2	1	9.5	7.7	6.9	6.1	4.8	3.4	2.7	2.0	1.5	1.2	186.8	2.	102.

		2	10.4	8.6	7.6	6.7	5.2	3.7	2.8	2.1	1.5	1.1	128.9	10.	213.
		3	4.3	3.0	2.9	2.2	1.7	1.1	.7	.5	.4	.3	117.4	1.	380.
		4	.7	-.2	.1	-.5	-.5	-.7	-.8	-.7	-.7	-.6	44.2	-8.	243.
		5	1.5	.4	.5	.0	-.1	.0	-.4	-.3	-.2	-.4	27.8	-8.	229.
9825	2	1	11.2	9.1	8.2	7.2	5.7	4.1	3.2	2.4	1.8	1.4	394.2	19.	196.
		2	7.4	5.8	5.1	4.5	3.4	2.4	1.9	1.4	1.0	.8	219.5	-9.	328.
		3	2.1	1.5	1.2	1.0	.6	.2	.1	.0	.0	.0	65.4	-6.	195.
		4	1.8	1.1	.8	.6	.3	.0	.0	-.1	-.1	-.2	37.5	-4.	186.
		5	-2.5	-2.5	-2.4	-2.4	-2.1	-1.7	-1.5	-1.3	-1.0	-.9	28.7	13.	214.
9800	2	1	8.1	6.6	5.7	5.1	3.9	2.8	2.2	1.6	1.2	1.0	379.2	-6.	186.
		2	3.5	2.6	2.1	1.7	1.1	.6	.3	.1	.0	.0	93.5	-2.	138.
		3	2.3	1.5	1.1	.9	.3	.0	-.1	-.2	-.3	-.4	49.0	-12.	143.
		4	-2.3	-2.5	-2.7	-2.8	-2.4	-2.0	-1.8	-1.8	-1.5	-1.4	35.7	13.	175.
		5	-5.3	-4.8	-4.5	-4.1	-3.7	-3.1	-2.6	-2.0	-1.6	-1.4	49.9	-4.	367.
9775	2	1	5.3	4.1	3.6	3.2	2.3	1.5	1.1	.7	.5	.3	213.2	-6.	106.
		2	5.0	3.8	3.2	2.8	1.9	1.1	.8	.5	.3	.1	75.9	-16.	114.
		3	-1.1	-1.1	-1.2	-1.2	-1.3	-1.3	-1.2	-1.1	-1.0	-.8	57.6	17.	171.
		4	-4.7	-4.2	-4.0	-3.8	-3.4	-2.9	-2.5	-2.1	-1.7	-1.5	66.1	-4.	329.
		5	-2.1	-1.5	-1.6	-1.8	-1.4	-1.4	-1.1	-1.0	-.9	-.8	74.6	-5.	557.
9750	2	1	5.1	3.8	3.3	2.9	2.2	1.5	1.2	.9	.7	.5	283.1	-10.	148.
		2	1.7	.9	.8	.6	.3	.0	.0	.0	.0	-.1	130.4	23.	204.
		3	-3.2	-3.2	-2.8	-2.9	-2.6	-2.1	-1.8	-1.6	-1.3	-1.1	107.8	-13.	330.
		4	-2.2	-2.4	-2.0	-2.2	-1.9	-1.6	-1.4	-1.2	-.9	-.8	103.0	-5.	530.
		5	6.4	4.8	4.1	3.4	2.5	1.6	1.2	.8	.6	.3	111.4	6.	870.
9725	2	1	2.5	1.8	1.4	1.2	.8	.5	.3	.2	.1	.1	508.8	18.	190.
		2	-1.6	-1.8	-1.6	-1.7	-1.6	-1.4	-1.2	-1.0	-.9	-.8	265.7	-17.	297.
		3	-2.5	-2.3	-1.8	-1.8	-1.8	-1.4	-1.2	-1.0	-.9	-.8	209.4	-1.	460.
		4	4.3	3.2	3.1	2.5	1.4	.9	.6	.3	.1	.0	207.7	12.	770.
		5	25.0	20.8	19.1	17.0	13.1	9.8	8.0	6.2	4.8	3.9	172.8	11.	960.
9700	2	1	.5	-.1	-.2	-.2	-.5	-.5	-.4	-.9	-.9	-.8	394.0	-8.	213.
		2	-.9	-1.3	-.8	-1.1	-.9	-.7	-.8	-.4	-.2	-.2	203.6	-3.	330.
		3	4.1	2.8	2.5	1.7	1.1	.5	.2	.0	.0	-.1	189.1	11.	610.
		4	24.4	20.2	18.2	15.9	12.6	9.4	7.4	5.8	4.4	3.6	147.6	6.	790.
		5	72.3	61.9	55.8	50.6	41.0	31.4	25.7	20.6	16.2	13.3	190.3	-52.	1540.
9675	2	1	-.6	-.3	-.4	-.5	-.3	-.4	-.2	-.1	-.1	-.1	367.8	-2.	180.
		2	4.2	2.9	2.3	1.5	1.2	.7	.5	.2	.1	.0	298.2	4.	438.
		3	22.6	19.3	17.0	14.8	12.1	9.0	7.4	5.7	4.4	3.7	209.8	15.	610.
		4	71.1	61.4	55.1	49.9	40.8	31.4	26.0	20.9	16.5	13.7	253.0	-52.	1240.
		5	97.1	84.2	75.7	69.1	56.6	44.0	36.6	29.1	22.9	19.1	56.1	29.	413.
9650	2	1	4.9	3.6	3.0	2.6	1.9	1.3	1.0	.8	.6	.4	756.0	9.	395.
		2	19.7	16.3	14.3	13.0	10.2	7.6	6.1	4.8	3.7	3.0	375.7	10.	589.
		3	70.2	59.6	53.2	48.8	39.4	30.2	24.9	20.0	15.8	13.0	376.8	-58.	1180.

		4	99.5	85.4	76.7	70.7	57.4	44.3	36.7	29.5	23.5	19.4	75.2	37.	393.
		5	73.9	62.1	55.3	50.7	40.6	31.0	25.4	20.3	16.1	13.3	35.2	3.	276.
9625	2	1	15.7	13.1	11.5	10.4	8.1	6.1	4.9	3.8	3.0	2.4	969.8	14.	534.
		2	67.6	57.5	51.5	47.2	38.1	29.2	24.0	19.2	15.2	12.4	678.5	-76.	1121.
		3	105.4	90.4	81.1	74.5	60.5	46.6	38.5	31.0	24.6	20.3	115.9	40.	380.
		4	79.5	67.5	60.2	55.2	44.3	33.8	27.8	22.2	17.5	14.4	49.8	4.	274.
		5	64.4	55.0	49.3	45.4	36.6	28.0	23.1	18.7	14.8	12.1	29.7	4.	245.
9600	2	1	60.7	51.3	46.0	42.1	34.0	26.0	21.3	17.1	13.4	11.1	1803.0	-77.	800.
		2	107.5	92.1	83.0	76.2	62.0	47.9	39.6	31.9	25.3	21.0	256.2	33.	344.
		3	85.9	72.7	65.0	59.4	47.9	36.7	30.2	24.3	19.2	15.9	98.6	10.	264.
		4	70.0	59.5	53.5	49.1	39.9	30.7	25.4	20.4	16.1	13.4	55.0	8.	246.
		5	62.3	53.6	48.5	44.5	36.5	28.3	23.6	19.1	15.2	12.6	45.7	-12.	307.
9575	2	1	99.4	85.2	76.6	70.3	57.1	44.0	36.4	29.2	23.1	19.1	708.9	22.	342.
		2	85.8	72.8	65.0	59.5	48.1	36.8	30.3	24.3	19.2	15.9	206.1	1.	298.
		3	71.0	60.6	54.2	49.7	40.3	31.0	25.6	20.5	16.2	13.4	115.0	-15.	330.
		4	65.7	56.9	51.2	47.4	38.8	30.2	25.0	20.2	16.0	13.3	66.9	17.	323.
		5	61.2	52.7	47.2	43.6	35.5	27.3	22.7	18.4	14.6	12.1	48.4	5.	350.
9550	2	1	80.9	68.0	60.6	55.3	44.3	33.5	27.4	21.8	17.1	14.0	1316.0	-10.	750.
		2	81.7	69.3	62.3	57.0	46.2	35.4	29.2	23.4	18.5	15.3	403.1	4.	690.
		3	76.0	65.5	59.2	54.5	44.6	34.5	28.6	23.1	18.3	15.1	236.3	-10.	800.
		4	74.6	63.9	57.6	52.9	43.1	33.4	27.4	22.0	17.3	14.4	116.6	11.	660.
		5	76.2	65.3	58.7	54.1	44.1	34.2	28.3	22.8	18.3	15.2	67.9	8.	581.
9525	2	1	49.6	41.3	36.3	32.6	25.9	19.5	15.8	12.5	9.7	7.9	2011.0	-1.	970.
		2	49.6	42.7	38.1	34.7	28.2	21.7	17.9	14.3	11.5	9.3	780.2	-19.	1130.
		3	56.3	48.1	42.9	39.0	31.6	24.1	19.8	15.8	12.4	10.2	294.5	12.	850.
		4	63.8	54.9	49.1	45.0	36.5	28.0	23.2	18.9	15.2	12.6	144.4	9.	690.
		5	68.3	58.6	52.4	47.9	38.8	29.9	24.5	19.3	15.0	12.4	145.4	-22.	1050.
9500	2	1	36.6	30.3	26.6	24.2	19.1	14.3	11.6	9.2	7.1	5.8	1145.0	3.	810.
		2	41.4	34.3	30.1	27.3	21.3	15.9	12.8	10.1	7.8	6.4	394.3	10.	844.
		3	50.5	42.5	37.6	34.3	27.3	20.6	16.8	13.3	10.4	8.6	166.8	2.	710.
		4	57.9	48.8	43.3	39.5	31.5	23.9	19.6	15.6	12.2	10.0	149.0	-11.	1060.
		5	67.6	57.3	50.8	46.5	37.2	28.3	23.1	18.5	14.6	12.0	106.6	34.	1140.
9475	2	1	30.5	24.7	21.3	19.1	14.8	10.8	8.6	6.7	5.1	4.1	1129.0	6.	700.
		2	38.8	32.0	28.0	25.3	19.9	14.9	12.0	9.4	7.2	5.9	358.4	-6.	675.
		3	46.0	38.3	33.7	30.5	24.2	18.2	14.8	11.7	9.1	7.5	275.4	-8.	1030.
		4	56.5	47.4	41.8	38.0	30.2	22.7	18.4	14.6	11.4	9.3	183.3	38.	1150.
		5	61.5	52.1	46.4	42.4	34.0	25.9	21.2	16.9	13.3	11.0	107.6	0.	1010.
9450	2	1	28.4	23.3	20.6	18.7	14.8	11.1	9.0	7.1	5.5	4.5	835.5	-14.	582.
		2	36.2	29.8	26.3	23.8	18.8	14.1	11.4	9.0	7.0	5.7	467.8	-10.	979.
		3	46.5	38.7	34.2	31.1	24.6	18.4	15.0	11.8	9.2	7.5	280.4	40.	1170.
		4	51.7	43.6	38.9	35.4	28.4	21.6	17.7	14.1	11.0	9.1	150.8	3.	1050.
		5	57.0	48.4	43.4	39.8	32.1	24.6	20.2	16.3	12.9	10.7	87.1	-23.	911.

9425	2	1	26.0	21.1	18.5	16.9	13.1	9.7	7.8	6.1	4.7	3.8	1100.0	-14.	660.
		2	36.5	30.0	26.4	24.1	18.8	14.0	11.3	8.8	6.8	5.5	560.8	29.	1015.
		3	42.2	35.1	31.2	28.5	22.6	17.0	13.9	11.0	8.6	7.0	264.9	8.	950.
		4	47.3	39.9	35.8	32.8	26.3	20.1	16.6	13.3	10.5	8.6	137.8	-17.	830.
		5	53.1	44.6	40.0	36.6	29.3	22.3	18.5	14.8	11.7	9.7	94.1	-9.	852.
9400	2	1	27.9	23.2	20.2	18.1	14.2	10.4	8.3	6.5	4.9	3.9	1331.0	29.	740.
		2	32.4	26.9	23.7	21.5	17.1	12.8	10.4	8.2	6.3	5.1	523.7	6.	880.
		3	37.0	31.5	28.1	25.7	20.8	15.9	13.1	10.5	8.2	6.8	238.5	-12.	800.
		4	43.6	36.9	32.8	30.0	24.1	18.4	15.1	12.1	9.5	7.8	138.4	-8.	770.
		5	48.2	41.0	36.4	33.3	26.8	20.5	16.8	13.5	10.6	8.7	85.5	1.	718.
9375	2	1	28.0	22.8	19.9	17.9	13.8	10.0	8.0	6.1	4.6	3.7	1440.0	3.	1000.
		2	28.4	23.6	21.0	19.1	15.2	11.4	9.2	7.3	5.6	4.6	543.0	-25.	1136.
		3	34.0	28.0	24.6	22.4	17.8	13.3	10.9	8.6	6.7	5.4	243.6	4.	1010.
		4	39.5	33.0	29.2	26.7	21.3	16.1	13.2	10.5	8.2	6.8	125.0	5.	870.
		5	42.3	35.4	31.6	29.0	23.3	17.8	14.7	11.8	9.3	7.7	68.0	-12.	711.
9350	2	1	26.3	21.5	18.7	16.8	12.9	9.4	7.4	5.7	4.3	3.5	1924.0	-34.	1180.
		2	28.5	23.1	20.0	18.2	14.0	10.2	8.1	6.3	4.8	3.8	678.9	6.	1253.
		3	33.9	27.9	24.3	22.1	17.3	12.8	10.4	8.1	6.3	5.1	277.8	3.	1020.
		4	37.1	31.0	27.3	24.9	19.7	14.8	12.1	9.5	7.4	6.1	128.7	-6.	790.
		5	44.1	37.1	32.5	29.7	23.6	17.9	14.6	11.6	9.1	7.4	92.1	-7.	850.
9325	2	1	23.3	19.1	16.7	15.0	11.6	8.5	6.7	5.2	3.9	3.1	2476.0	-13.	1060.
		2	27.1	22.4	19.8	17.8	13.9	10.3	8.3	6.5	4.9	4.0	791.0	-34.	1020.
		3	31.6	26.3	23.2	21.0	16.7	12.5	10.1	8.0	6.2	5.1	308.4	24.	790.
		4	39.7	33.2	29.4	26.7	21.1	15.9	13.0	10.3	8.0	6.5	192.8	-5.	820.
		5	43.7	36.7	32.4	29.3	23.4	17.6	14.4	11.5	9.0	7.4	89.9	2.	580.
9300	2	1	20.6	17.0	15.0	13.3	10.3	7.5	5.9	4.6	3.5	2.8	1716.0	-43.	990.
		2	25.1	20.9	18.5	16.6	13.1	9.8	7.8	6.1	4.7	3.8	492.8	17.	859.
		3	32.9	27.3	24.1	21.6	17.2	12.8	10.4	8.2	6.3	5.1	239.4	-4.	830.
		4	39.8	33.1	29.2	26.3	21.0	15.8	12.8	10.1	7.9	6.5	128.2	10.	740.
		5	45.8	38.1	33.6	30.2	24.0	18.0	14.6	11.6	9.0	7.3	57.9	-4.	504.
9275	2	1	22.4	18.3	15.8	14.1	10.8	7.9	6.2	4.8	3.6	2.9	1870.0	-26.	1170.
		2	28.8	23.7	20.7	18.6	14.5	10.7	8.5	6.7	5.1	4.1	559.3	-41.	1053.
		3	36.1	29.3	25.5	22.9	17.9	13.3	10.7	8.5	6.5	5.3	245.2	41.	920.
		4	42.5	35.0	30.8	27.8	21.9	16.3	13.2	10.5	8.2	6.8	91.4	0.	574.
		5	43.8	36.1	31.9	28.7	22.6	16.9	13.6	10.8	8.4	6.9	57.5	5.	541.
9250	2	1	27.1	22.0	19.4	17.5	13.6	10.0	8.1	6.3	4.9	3.9	1697.0	-52.	960.
		2	31.9	25.8	22.6	20.3	15.7	11.6	9.3	7.3	5.6	4.5	565.9	33.	969.
		3	38.7	31.3	27.4	24.7	19.2	14.2	11.5	9.1	7.0	5.7	171.7	0.	580.
		4	39.6	32.7	28.6	25.9	20.2	14.9	11.9	9.2	7.2	5.9	89.9	16.	513.
		5	42.9	35.7	31.4	28.6	22.4	16.7	13.5	10.6	8.1	6.6	60.7	21.	519.
9225	2	1	30.6	24.5	21.2	18.9	14.6	10.6	8.5	6.6	5.0	4.1	2175.0	-9.	1330.
		2	32.1	26.0	22.6	20.3	15.8	11.6	9.3	7.2	5.6	4.5	407.2	-34.	752.

		3	35.3	28.4	24.7	22.1	17.2	12.5	10.0	7.8	5.9	4.8	159.7	45.	580.
		4	39.4	32.3	28.3	25.4	19.8	14.6	11.7	9.1	7.0	5.8	91.6	25.	564.
		5	40.3	33.2	29.2	26.3	20.8	15.4	12.5	9.9	7.7	6.3	39.9	-6.	368.
9200	2	1	28.1	22.7	19.5	17.4	13.3	9.7	7.7	6.0	4.6	3.7	1339.0	-46.	1000.
		2	32.0	25.8	22.1	19.7	15.0	10.9	8.6	6.7	5.1	4.1	328.4	33.	736.
		3	37.1	30.0	26.0	23.3	17.9	13.1	10.4	8.0	6.1	4.9	151.3	32.	670.
		4	39.5	32.6	28.4	25.7	20.0	14.8	11.9	9.2	7.1	5.8	55.8	0.	417.
		5	42.2	34.6	30.2	27.2	21.1	15.6	12.5	9.7	7.5	6.1	36.8	-3.	413.
9175	2	1	28.9	22.9	19.6	17.3	13.2	9.5	7.5	5.8	4.4	3.5	1396.0	0.	950.
		2	35.4	28.6	24.6	21.9	16.8	12.2	9.6	7.4	5.6	4.5	415.5	-8.	850.
		3	40.6	33.1	28.8	25.7	20.1	14.7	11.8	9.2	7.1	5.8	123.9	36.	500.
		4	43.4	35.4	30.8	27.5	21.4	15.6	12.5	9.7	7.5	6.0	69.7	-1.	475.
		5	13.4	10.3	8.9	7.7	6.0	4.3	3.3	2.5	1.8	1.5	43.5	10.	445.
9150	2	1	32.7	25.9	22.3	19.8	15.0	10.8	8.5	6.6	5.0	4.0	1218.0	-14.	780.
		2	42.2	34.4	30.0	26.8	20.7	15.2	12.1	9.5	7.3	5.9	253.7	22.	487.
		3	45.8	37.2	32.5	29.1	22.5	16.5	13.2	10.3	7.9	6.3	122.9	2.	470.
		4	17.0	13.5	11.8	10.5	8.0	6.0	4.8	4.0	3.3	2.6	59.4	21.	380.
		5	15.6	12.4	10.7	9.8	7.4	5.4	4.5	3.2	2.4	2.0	34.0	3.	326.
9125	2	1	34.4	28.0	24.2	21.5	16.6	12.1	9.7	7.5	5.7	4.6	765.8	-11.	471.
		2	43.9	36.2	31.5	28.0	21.8	16.0	12.7	9.9	7.6	6.1	290.9	-35.	537.
		3	22.9	18.2	15.7	13.6	10.7	7.8	6.5	5.1	3.9	3.2	87.9	48.	323.
		4	16.6	13.3	11.5	9.5	7.7	5.5	4.2	3.4	2.7	2.2	44.1	7.	271.
		5	15.1	13.1	11.4	9.1	7.6	5.5	4.3	3.4	2.5	2.1	25.8	-6.	238.
9100	2	1	44.0	35.8	30.9	27.9	21.5	15.7	12.5	9.7	7.5	6.0	865.4	-37.	617.
		2	29.6	24.4	21.1	19.1	14.9	11.0	8.9	6.9	5.0	4.0	145.3	53.	311.
		3	19.3	15.6	13.1	12.0	9.1	6.4	5.1	4.2	4.0	3.4	59.4	-5.	253.
		4	18.5	14.4	12.0	11.0	8.3	5.9	4.9	3.8	2.9	2.4	30.7	-3.	219.
9075	2	1	36.0	29.8	26.0	23.6	18.5	13.8	11.2	8.8	6.8	5.6	218.8	57.	202.
		2	24.3	19.5	16.7	15.2	11.5	8.3	6.7	5.1	3.7	3.1	62.3	-77.	173.
		3	21.7	17.3	14.8	13.6	10.5	7.9	6.4	5.0	4.3	3.5	28.4	71.	156.
9050	2	1	39.2	33.1	29.6	26.8	21.7	16.5	13.6	10.8	8.4	6.9	106.0	57.	151.
		2	28.4	22.4	20.0	16.9	13.3	9.4	7.1	5.5	4.2	3.0	35.8	19.	154.
9025	2	1	23.8	19.1	16.6	14.8	11.6	8.7	7.1	5.7	4.4	3.6	89.4	14.	122.

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 59

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
10825	1	50.0	130.8	2.8	118.78	.01	.10	-2000.00	-2000.000	.98	-2000.00
	2	35.3	129.4	2.9	115.11	30.00	.10	-2000.00	-2000.000	2.77	-2000.00
	3	29.6	144.4	2.8	59.60	30.00	.20	-2000.00	-2000.000	4.41	-2000.00
	4	24.0	150.6	2.8	63.32	100.00	.20	-2000.00	-2000.000	5.93	-2000.00
10850	1	42.0	180.0	2.5	65.86	.01	.20	-2000.00	-2000.000	.96	-2000.00
	2	31.9	191.3	2.3	21.84	.30	.50	-2000.00	-2000.000	3.46	-2000.00
	3	24.5	196.1	1.9	27.91	.10	.40	-2000.00	-2000.000	4.49	-2000.00
	4	18.9	194.6	1.4	38.37	.01	.30	-2000.00	-2000.000	11.68	-2000.00
10875	1	58.0	210.2	2.2	21.34	.30	.50	-2000.00	-2000.000	2.08	-2000.00
	2	42.1	213.5	2.0	17.52	.30	.60	-2000.00	-2000.000	4.32	-2000.00
	3	31.7	214.1	1.5	23.06	.10	.40	-2000.00	-2000.000	8.70	-2000.00
	4	26.3	228.8	.8	32.31	.01	.30	-2000.00	-2000.000	29.85	-2000.00
10900	1	69.5	246.3	2.6	57.31	.10	.20	-2000.00	-2000.000	2.42	-2000.00
	2	49.5	245.4	2.3	96.06	.10	.10	-2000.00	-2000.000	4.14	-2000.00
	3	39.8	263.2	1.8	42.43	.10	.20	-2000.00	-2000.000	7.87	-2000.00
	4	30.5	258.9	1.8	51.65	.01	.20	-2000.00	-2000.000	7.03	-2000.00
10925	1	56.2	264.8	2.2	20.24	.30	.50	-2000.00	-2000.000	4.19	-2000.00
	2	43.3	285.1	1.8	26.08	.10	.40	-2000.00	-2000.000	6.81	-2000.00
	3	32.5	285.7	1.8	35.98	.03	.40	-2000.00	-2000.000	8.50	-2000.00
	4	27.6	311.8	1.6	33.03	.03	.40	-2000.00	-2000.000	12.07	-2000.00
10950	1	55.2	316.9	2.1	19.56	.30	.50	-2000.00	-2000.000	3.28	-2000.00
	2	39.7	318.7	2.3	20.61	.30	.50	-2000.00	-2000.000	4.53	-2000.00
	3	33.0	353.4	2.0	17.01	.30	.60	-2000.00	-2000.000	3.88	-2000.00
	4	32.9	452.8	3.5	37.84	.30	.40	-2000.00	-2000.000	2.23	-2000.00
10975	1	103.7	375.7	2.3	93.56	.10	.10	-2000.00	-2000.000	1.63	-2000.00
	2	83.1	421.2	2.5	101.09	.10	.10	-2000.00	-2000.000	5.49	-2000.00
	3	80.8	546.2	3.7	143.44	30.00	.10	-2000.00	-2000.000	3.46	-2000.00
	4	61.4	533.4	4.7	177.43	100.00	.10	-2000.00	-2000.000	3.42	-2000.00
11000	1	132.0	431.8	1.8	36.68	.03	.30	-2000.00	-2000.000	1.91	-2000.00
	2	125.8	575.7	3.2	77.21	.03	.20	-2000.00	-2000.000	1.72	-2000.00
	3	94.4	576.4	4.0	94.28	.03	.20	-2000.00	-2000.000	1.52	-2000.00
	4	70.7	555.1	4.4	60.91	.30	.30	-2000.00	-2000.000	2.73	-2000.00
11025	1	221.9	625.8	3.0	78.92	.01	.20	-2000.00	-2000.000	1.47	-2000.00
	2	161.2	636.1	3.9	91.61	.03	.20	-2000.00	-2000.000	1.59	-2000.00
	3	118.9	625.8	3.9	100.88	.01	.20	-2000.00	-2000.000	1.76	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
11050	1	164.9	647.2	4.0	164.79	.01	.10	-2000.00	-2000.000	3.68	-2000.00
	2	118.8	652.4	4.3	174.72	.01	.10	-2000.00	-2000.000	3.94	-2000.00
11075	1	70.9	630.2	4.1	159.90	30.00	.10	-2000.00	-2000.000	3.28	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 59

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
10825	1	337.7	120.0	1.1	22.82	100.00	.30	-2000.00	-2000.000	10.03	-2000.00
	2	90.5	96.8	1.9	31.21	.10	.30	-2000.00	-2000.000	3.24	-2000.00
	3	52.0	111.0	2.2	31.26	.30	.30	-2000.00	-2000.000	1.87	-2000.00
	4	32.4	115.0	2.3	53.70	.03	.20	-2000.00	-2000.000	4.23	-2000.00
10850	1	433.8	174.0	1.3	33.22	.03	.20	-2000.00	-2000.000	5.45	-2000.00
	2	142.4	171.0	2.0	53.62	.01	.20	-2000.00	-2000.000	3.14	-2000.00
	3	68.6	165.0	2.4	95.55	30.00	.10	-2000.00	-2000.000	2.80	-2000.00
	4	42.9	172.0	3.1	70.07	100.00	.20	-2000.00	-2000.000	3.62	-2000.00
10875	1	663.7	285.0	1.2	32.84	.03	.20	-2000.00	-2000.000	10.16	-2000.00
	2	202.2	260.0	1.9	30.39	.10	.30	-2000.00	-2000.000	3.10	-2000.00
	3	101.6	260.0	2.5	57.03	.03	.20	-2000.00	-2000.000	1.99	-2000.00
	4	53.0	227.0	2.9	111.46	.10	.10	-2000.00	-2000.000	2.42	-2000.00
10900	1	563.1	280.0	1.2	35.97	.01	.20	-2000.00	-2000.000	10.10	-2000.00
	2	197.4	295.0	2.0	39.71	.03	.30	-2000.00	-2000.000	1.92	-2000.00
	3	85.9	256.0	2.7	37.85	.30	.30	-2000.00	-2000.000	1.91	-2000.00
	4	49.9	248.0	2.9	121.62	.01	.10	-2000.00	-2000.000	1.88	-2000.00
10925	1	456.2	311.0	1.3	38.08	.01	.20	-2000.00	-2000.000	10.00	-2000.00
	2	138.9	284.0	2.2	42.96	.03	.30	-2000.00	-2000.000	2.07	-2000.00
	3	66.4	271.0	2.5	48.44	.03	.30	-2000.00	-2000.000	2.28	-2000.00
	4	37.8	257.0	2.2	28.39	.10	.50	-2000.00	-2000.000	5.60	-2000.00
10950	1	404.2	317.0	1.6	42.61	.01	.20	-2000.00	-2000.000	4.01	-2000.00
	2	136.4	321.0	2.5	103.12	.10	.10	-2000.00	-2000.000	3.74	-2000.00
	3	66.5	312.0	3.1	66.40	30.00	.20	-2000.00	-2000.000	4.32	-2000.00
	4	38.5	302.0	3.2	61.48	100.00	.30	-2000.00	-2000.000	7.40	-2000.00
10975	1	750.0	294.0	1.5	30.03	.03	.30	-2000.00	-2000.000	3.36	-2000.00
	2	260.8	307.0	2.3	37.12	.10	.30	-2000.00	-2000.000	2.10	-2000.00
	3	130.2	300.0	2.5	58.51	.03	.20	-2000.00	-2000.000	1.51	-2000.00
	4	83.5	327.0	2.3	56.21	.03	.20	-2000.00	-2000.000	2.81	-2000.00
11000	1	610.9	304.0	1.4	28.35	.03	.30	-2000.00	-2000.000	3.88	-2000.00
	2	219.6	328.0	1.9	36.60	.03	.30	-2000.00	-2000.000	1.87	-2000.00
	3	121.7	360.0	1.7	24.43	.10	.40	-2000.00	-2000.000	2.03	-2000.00
	4	73.6	366.0	1.9	36.79	.03	.30	-2000.00	-2000.000	4.21	-2000.00
11025	1	916.6	342.0	1.3	33.54	.03	.20	-2000.00	-2000.000	9.89	-2000.00
	2	358.0	401.0	1.7	40.86	.01	.30	-2000.00	-2000.000	3.08	-2000.00
	3	187.6	410.0	1.8	44.38	.01	.30	-2000.00	-2000.000	2.70	-2000.00
	4	128.3	470.0	1.6	39.53	.01	.30	-2000.00	-2000.000	5.71	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
11050	1	593.4	332.0	1.3	27.79	.03	.30	-2000.00	-2000.000	5.82	-2000.00
	2	221.6	372.0	1.9	51.82	.01	.20	-2000.00	-2000.000	5.17	-2000.00
	3	134.4	450.0	1.8	50.06	.01	.20	-2000.00	-2000.000	4.49	-2000.00
	4	106.6	590.0	2.9	120.50	.10	.10	-2000.00	-2000.000	4.44	-2000.00
11075	1	517.6	306.0	1.4	39.71	.01	.20	-2000.00	-2000.000	6.26	-2000.00
	2	235.4	418.0	1.8	35.43	.03	.30	-2000.00	-2000.000	4.24	-2000.00
	3	161.2	570.0	2.8	67.27	.03	.20	-2000.00	-2000.000	2.03	-2000.00
	4	101.8	600.0	3.7	79.54	.10	.20	-2000.00	-2000.000	2.35	-2000.00
11100	1	607.3	366.0	1.4	39.61	.01	.20	-2000.00	-2000.000	6.95	-2000.00
	2	293.6	531.0	2.7	65.34	.03	.20	-2000.00	-2000.000	3.34	-2000.00
	3	161.9	580.0	3.7	148.89	.10	.10	-2000.00	-2000.000	3.45	-2000.00
	4	102.6	610.0	3.9	150.94	1.00	.10	-2000.00	-2000.000	2.91	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 38

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
11525	1	838.7	822.0	6.1	229.15	.10	.10	-2000.00	-2000.000	1.35	-2000.00
	2	242.5	713.0	5.4	198.76	1.00	.10	-2000.00	-2000.000	1.49	-2000.00
	3	121.0	710.0	5.0	202.37	.01	.10	-2000.00	-2000.000	1.65	-2000.00
	4	86.8	851.0	3.9	104.27	.01	.20	-2000.00	-2000.000	2.72	-2000.00
	5	69.1	1016.0	5.2	197.51	.10	.10	-2000.00	-2000.000	1.97	-2000.00
11550	1	553.6	668.0	6.4	232.11	1.00	.10	-2000.00	-2000.000	1.20	-2000.00
	2	144.2	522.0	5.4	108.23	.30	.20	-2000.00	-2000.000	1.31	-2000.00
	3	92.1	665.0	4.9	180.66	3.00	.10	-2000.00	-2000.000	1.84	-2000.00
	4	69.0	833.0	5.0	116.23	.03	.20	-2000.00	-2000.000	1.60	-2000.00
	5	48.8	884.0	4.6	119.58	.01	.20	-2000.00	-2000.000	1.65	-2000.00
11575	1	634.7	586.0	6.2	223.32	30.00	.10	-2000.00	-2000.000	1.37	-2000.00
	2	218.6	605.0	4.9	185.89	30.00	.10	-2000.00	-2000.000	1.90	-2000.00
	3	126.9	700.0	5.3	217.13	.01	.10	-2000.00	-2000.000	2.26	-2000.00
	4	82.3	759.0	4.9	114.07	.03	.20	-2000.00	-2000.000	1.75	-2000.00
	5	63.8	883.0	4.7	100.65	.10	.20	-2000.00	-2000.000	2.20	-2000.00
11600	1	765.5	572.0	5.2	190.99	10.00	.10	-2000.00	-2000.000	1.25	-2000.00
	2	277.6	622.0	5.5	209.88	.10	.10	-2000.00	-2000.000	1.21	-2000.00
	3	152.3	680.0	5.0	115.71	.03	.20	-2000.00	-2000.000	1.32	-2000.00
	4	110.3	820.0	4.9	103.56	.10	.20	-2000.00	-2000.000	1.61	-2000.00
	5	93.9	1053.0	4.0	97.27	.03	.20	-2000.00	-2000.000	2.47	-2000.00
11625	1	665.6	549.0	5.9	216.94	.30	.10	-2000.00	-2000.000	1.18	-2000.00
	2	195.0	483.0	5.3	212.19	.01	.10	-2000.00	-2000.000	.97	-2000.00
	3	141.5	700.0	4.6	107.42	.03	.20	-2000.00	-2000.000	.71	-2000.00
	4	105.7	870.0	4.5	184.83	.01	.10	-2000.00	-2000.000	1.76	-2000.00
	5	76.4	946.0	5.0	209.24	.01	.10	-2000.00	-2000.000	2.33	-2000.00
11650	1	372.0	507.0	5.6	204.22	10.00	.10	-2000.00	-2000.000	1.55	-2000.00
	2	150.8	617.0	4.8	65.42	.30	.30	-2000.00	-2000.000	1.68	-2000.00
	3	97.9	800.0	4.1	86.98	.10	.20	-2000.00	-2000.000	1.01	-2000.00
	4	66.0	900.0	4.8	202.28	.01	.10	-2000.00	-2000.000	3.38	-2000.00
	5	54.3	1112.0	6.5	145.89	.03	.20	-2000.00	-2000.000	1.63	-2000.00
11675	1	637.5	500.0	5.1	194.14	.10	.10	-2000.00	-2000.000	1.44	-2000.00
	2	287.3	676.0	4.1	169.74	.01	.10	-2000.00	-2000.000	2.09	-2000.00
	3	176.3	820.0	4.6	107.34	.03	.20	-2000.00	-2000.000	1.72	-2000.00
	4	128.0	1000.0	6.4	134.84	.10	.20	-2000.00	-2000.000	1.42	-2000.00
	5	78.3	921.0	7.1	280.07	.01	.10	-2000.00	-2000.000	1.62	-2000.00
11700	1	1060.0	470.0	4.0	85.89	.10	.20	-2000.00	-2000.000	1.53	-2000.00
	2	484.7	652.0	4.4	95.52	.10	.20	-2000.00	-2000.000	1.66	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	323.3	860.0	6.0	127.11	.10	.20	-2000.00	-2000.000	1.25	-2000.00
	4	186.5	830.0	6.9	95.14	.30	.30	-2000.00	-2000.000	1.53	-2000.00
	5	169.1	1130.0	7.8	289.10	.10	.10	-2000.00	-2000.000	2.33	-2000.00
11725	1	1053.0	420.0	4.0	86.89	.10	.20	-2000.00	-2000.000	1.58	-2000.00
	2	543.2	664.0	5.7	120.12	.10	.20	-2000.00	-2000.000	1.32	-2000.00
	3	289.7	700.0	6.5	136.75	.10	.20	-2000.00	-2000.000	1.42	-2000.00
	4	249.9	1010.0	7.3	154.24	.10	.20	-2000.00	-2000.000	1.43	-2000.00
	5	175.6	1070.0	8.7	336.89	.01	.10	-2000.00	-2000.000	1.41	-2000.00
11750	1	1172.0	460.0	5.1	107.89	.10	.20	-2000.00	-2000.000	1.32	-2000.00
	2	470.7	554.0	6.1	244.83	.01	.10	-2000.00	-2000.000	1.45	-2000.00
	3	368.6	860.0	7.1	149.10	.10	.20	-2000.00	-2000.000	1.37	-2000.00
	4	242.7	950.0	8.0	166.50	.10	.20	-2000.00	-2000.000	1.43	-2000.00
	5	178.5	1050.0	9.3	332.20	.10	.10	-2000.00	-2000.000	1.03	-2000.00
11775	1	967.6	337.0	4.7	193.65	.01	.10	-2000.00	-2000.000	1.78	-2000.00
	2	692.6	724.0	6.2	130.89	.10	.20	-2000.00	-2000.000	1.52	-2000.00
	3	419.7	870.0	7.8	303.52	.01	.10	-2000.00	-2000.000	1.59	-2000.00
	4	282.8	980.0	8.1	314.31	.01	.10	-2000.00	-2000.000	1.69	-2000.00
	5	224.9	1170.0	9.7	342.45	.10	.10	-2000.00	-2000.000	1.17	-2000.00
11800	1	1442.0	490.0	4.8	101.95	.10	.20	-2000.00	-2000.000	1.30	-2000.00
	2	749.9	767.0	6.5	257.35	.01	.10	-2000.00	-2000.000	1.72	-2000.00
	3	451.6	920.0	7.2	162.61	.03	.20	-2000.00	-2000.000	1.48	-2000.00
	4	325.3	1110.0	8.7	337.33	.01	.10	-2000.00	-2000.000	1.47	-2000.00
	5	173.4	880.0	8.6	330.92	.01	.10	-2000.00	-2000.000	1.05	-2000.00
11825	1	1088.0	370.0	4.8	102.65	.10	.20	-2000.00	-2000.000	1.65	-2000.00
	2	657.3	687.0	6.1	129.38	.10	.20	-2000.00	-2000.000	1.57	-2000.00
	3	427.3	890.0	8.0	313.45	.01	.10	-2000.00	-2000.000	1.45	-2000.00
	4	213.7	740.0	8.2	316.68	.01	.10	-2000.00	-2000.000	1.55	-2000.00
	5	275.9	1440.0	8.3	189.15	.03	.20	-2000.00	-2000.000	1.31	-2000.00
11850	1	1067.0	510.0	4.5	98.09	.10	.20	-2000.00	-2000.000	2.12	-2000.00
	2	607.3	880.0	7.0	147.02	.10	.20	-2000.00	-2000.000	1.77	-2000.00
	3	293.7	840.0	7.1	148.92	.10	.20	-2000.00	-2000.000	2.32	-2000.00
	4	282.2	1360.0	8.5	306.94	.30	.10	-2000.00	-2000.000	2.78	-2000.00
	5	295.8	2140.0	10.4	161.73	.10	.30	-2000.00	-2000.000	2.74	-2000.00
11875	1	728.8	673.0	5.5	223.63	.01	.10	-2000.00	-2000.000	1.46	-2000.00
	2	245.5	680.0	6.3	250.70	.01	.10	-2000.00	-2000.000	1.32	-2000.00
	3	254.4	1400.0	7.3	153.41	.10	.20	-2000.00	-2000.000	1.39	-2000.00
	4	224.8	2070.0	10.6	395.88	.01	.10	-2000.00	-2000.000	1.31	-2000.00
	5	171.8	2370.0	14.8	291.84	.10	.20	-2000.00	-2000.000	.87	-2000.00
11900	1	326.3	487.0	4.4	169.68	.10	.10	-2000.00	-2000.000	1.82	-2000.00
	2	257.8	1156.0	5.9	235.80	.01	.10	-2000.00	-2000.000	1.95	-2000.00
	3	204.5	1830.0	9.2	340.85	.03	.10	-2000.00	-2000.000	1.56	-2000.00
	4	144.4	2150.0	13.9	453.37	.30	.10	-2000.00	-2000.000	1.46	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters					Fit/IP	Fit/EM
					M-IP	TAU-IP	C-IP	M-EM	TAU-EM		
	5	74.5	1671.0	19.5	571.25	1.00	.10	-2000.00	-2000.000	1.18	-2000.00
11925	1	731.1	717.0	3.6	86.67	.03	.20	-2000.00	-2000.000	2.14	-2000.00
	2	599.7	1765.0	6.4	149.36	.03	.20	-2000.00	-2000.000	1.42	-2000.00
	3	373.0	2190.0	11.3	230.24	.10	.20	-2000.00	-2000.000	1.19	-2000.00
	4	173.7	1700.0	17.1	545.25	.10	.10	-2000.00	-2000.000	1.10	-2000.00
	5	150.0	2200.0	21.0	373.05	.30	.20	-2000.00	-2000.000	.76	-2000.00
11950	1	1925.0	1720.0	4.6	109.10	.03	.20	-2000.00	-2000.000	1.78	-2000.00
	2	871.2	2344.0	9.1	189.48	.10	.20	-2000.00	-2000.000	1.36	-2000.00
	3	351.3	1880.0	15.3	490.83	.30	.10	-2000.00	-2000.000	1.01	-2000.00
	4	261.6	2340.0	20.5	593.83	1.00	.10	-2000.00	-2000.000	.89	-2000.00
	5	33.4	449.0	22.7	609.10	100.00	.10	-2000.00	-2000.000	.99	-2000.00
11975	1	1694.0	1560.0	7.7	175.55	.03	.20	-2000.00	-2000.000	1.25	-2000.00
	2	702.2	1945.0	13.3	479.08	.01	.10	-2000.00	-2000.000	.68	-2000.00
	3	452.3	2500.0	19.4	571.35	1.00	.10	-2000.00	-2000.000	.84	-2000.00
	4	45.3	417.0	21.8	353.12	10.00	.20	-2000.00	-2000.000	1.81	-2000.00
	5	66.6	922.0	26.8	416.86	10.00	.20	-2000.00	-2000.000	1.29	-2000.00
12000	1	1770.0	2640.0	9.1	188.33	.10	.20	-2000.00	-2000.000	1.24	-2000.00
	2	923.3	4141.0	15.7	529.50	.03	.10	-2000.00	-2000.000	.75	-2000.00
	3	63.4	567.0	20.6	341.35	10.00	.20	-2000.00	-2000.000	.94	-2000.00
	4	68.3	1021.0	29.6	451.50	10.00	.20	-2000.00	-2000.000	1.37	-2000.00
12025	1	2885.0	3930.0	10.8	220.16	.10	.20	-2000.00	-2000.000	1.26	-2000.00
	2	178.9	732.0	17.0	504.89	10.00	.10	-2000.00	-2000.000	.54	-2000.00
	3	144.3	1170.0	30.9	463.17	10.00	.20	-2000.00	-2000.000	.91	-2000.00
12050	1	742.5	971.0	10.2	343.37	100.00	.10	-2000.00	-2000.000	.76	-2000.00
	2	358.0	1405.0	27.1	677.08	100.00	.10	-2000.00	-2000.000	.93	-2000.00
12075	1	1021.0	1520.0	21.7	591.22	100.00	.10	-2000.00	-2000.000	.81	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 39

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
11725	1	862.4	846.2	4.6	118.76	.01	.20	-2000.00	-2000.000	1.25	-2000.00
	2	379.7	1117.7	6.8	269.91	.01	.10	-2000.00	-2000.000	1.31	-2000.00
	3	163.0	957.6	9.2	329.55	.10	.10	-2000.00	-2000.000	1.41	-2000.00
	4	108.7	1066.6	10.5	373.84	.10	.10	-2000.00	-2000.000	1.80	-2000.00
	5	74.2	1092.6	11.9	408.55	.10	.10	-2000.00	-2000.000	1.36	-2000.00
11750	1	1217.0	888.7	5.4	114.57	.10	.20	-2000.00	-2000.000	1.72	-2000.00
	2	337.8	740.0	8.2	307.42	.03	.10	-2000.00	-2000.000	1.11	-2000.00
	3	203.5	889.7	10.3	373.42	.03	.10	-2000.00	-2000.000	1.08	-2000.00
	4	130.2	950.8	11.7	404.38	.10	.10	-2000.00	-2000.000	1.11	-2000.00
	5	103.9	1138.1	11.9	407.72	.10	.10	-2000.00	-2000.000	1.08	-2000.00
11775	1	1161.0	570.0	5.9	236.45	.01	.10	-2000.00	-2000.000	1.41	-2000.00
	2	508.0	759.0	8.7	180.73	.10	.20	-2000.00	-2000.000	1.62	-2000.00
	3	292.5	870.0	11.0	382.91	.10	.10	-2000.00	-2000.000	1.13	-2000.00
	4	228.0	1130.0	10.8	405.02	.01	.10	-2000.00	-2000.000	1.36	-2000.00
	5	176.9	1320.0	10.4	391.14	.01	.10	-2000.00	-2000.000	1.28	-2000.00
11800	1	1083.0	700.0	5.7	132.77	.03	.20	-2000.00	-2000.000	1.47	-2000.00
	2	384.7	754.0	9.4	357.06	.01	.10	-2000.00	-2000.000	1.28	-2000.00
	3	280.2	1090.0	9.7	368.91	.01	.10	-2000.00	-2000.000	1.38	-2000.00
	4	207.1	1350.0	9.1	189.71	.10	.20	-2000.00	-2000.000	1.44	-2000.00
	5	123.2	1200.0	10.8	220.47	.10	.20	-2000.00	-2000.000	1.41	-2000.00
11825	1	518.3	464.0	7.9	306.26	.01	.10	-2000.00	-2000.000	1.29	-2000.00
	2	306.2	824.0	9.1	330.16	.10	.10	-2000.00	-2000.000	1.33	-2000.00
	3	235.8	1260.0	8.5	176.53	.10	.20	-2000.00	-2000.000	1.19	-2000.00
	4	127.6	1140.0	10.4	391.69	.01	.10	-2000.00	-2000.000	1.52	-2000.00
	5	166.0	2230.0	13.5	487.37	.01	.10	-2000.00	-2000.000	1.29	-2000.00
11850	1	670.5	701.0	6.2	247.03	.01	.10	-2000.00	-2000.000	1.57	-2000.00
	2	423.8	1330.0	6.4	135.64	.10	.20	-2000.00	-2000.000	1.60	-2000.00
	3	189.2	1180.0	8.4	189.73	.03	.20	-2000.00	-2000.000	1.34	-2000.00
	4	210.5	2200.0	12.0	241.12	.10	.20	-2000.00	-2000.000	1.02	-2000.00
	5	98.9	1552.0	17.2	548.58	.10	.10	-2000.00	-2000.000	1.15	-2000.00
11875	1	1242.0	950.0	4.1	105.95	.01	.20	-2000.00	-2000.000	1.50	-2000.00
	2	489.2	1123.0	6.3	162.56	.01	.20	-2000.00	-2000.000	1.19	-2000.00
	3	454.3	2080.0	9.7	201.84	.10	.20	-2000.00	-2000.000	1.29	-2000.00
	4	197.4	1510.0	15.6	542.35	.01	.10	-2000.00	-2000.000	.84	-2000.00
	5	134.7	1540.0	19.1	577.45	.30	.10	-2000.00	-2000.000	.64	-2000.00
11900	1	709.1	927.0	5.3	137.63	.01	.20	-2000.00	-2000.000	1.41	-2000.00
	2	498.7	1957.0	8.6	177.85	.10	.20	-2000.00	-2000.000	1.19	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	180.8	1410.0	14.9	487.53	.10	.10	-2000.00	-2000.000	.94	-2000.00
	4	111.8	1460.0	18.6	563.16	.30	.10	-2000.00	-2000.000	.85	-2000.00
	5	23.3	457.0	21.6	590.52	30.00	.10	-2000.00	-2000.000	1.19	-2000.00
11925	1	3012.0	1710.0	6.3	146.55	.03	.20	-2000.00	-2000.000	1.63	-2000.00
	2	806.7	1381.0	12.8	434.82	.10	.10	-2000.00	-2000.000	1.04	-2000.00
	3	411.3	1400.0	17.8	523.30	10.00	.10	-2000.00	-2000.000	.99	-2000.00
	4	78.6	448.0	21.4	586.60	100.00	.10	-2000.00	-2000.000	.98	-2000.00
	5	86.0	736.0	23.5	378.77	10.00	.20	-2000.00	-2000.000	1.53	-2000.00
11950	1	1723.0	2160.0	8.3	319.59	.01	.10	-2000.00	-2000.000	.90	-2000.00
	2	435.3	1640.0	15.3	466.44	10.00	.10	-2000.00	-2000.000	.74	-2000.00
	3	62.8	472.0	20.2	337.07	10.00	.20	-2000.00	-2000.000	1.48	-2000.00
	4	58.5	735.0	24.1	384.85	10.00	.20	-2000.00	-2000.000	1.27	-2000.00
	5	46.4	874.0	24.5	397.03	30.00	.20	-2000.00	-2000.000	1.50	-2000.00
11975	1	2011.0	2630.0	10.1	378.64	.01	.10	-2000.00	-2000.000	.70	-2000.00
	2	185.2	726.0	16.2	492.37	3.00	.10	-2000.00	-2000.000	.57	-2000.00
	3	128.6	1000.0	22.6	606.35	100.00	.10	-2000.00	-2000.000	1.00	-2000.00
	4	89.7	1172.0	24.2	387.02	10.00	.20	-2000.00	-2000.000	1.25	-2000.00
	5	42.5	834.0	26.8	416.94	10.00	.20	-2000.00	-2000.000	1.06	-2000.00
12000	1	540.4	707.0	10.3	361.43	.10	.10	-2000.00	-2000.000	.71	-2000.00
	2	298.0	1169.0	19.3	546.56	100.00	.10	-2000.00	-2000.000	.77	-2000.00
	3	174.6	1360.0	21.9	358.05	10.00	.20	-2000.00	-2000.000	1.34	-2000.00
	4	73.0	955.0	25.7	403.99	10.00	.20	-2000.00	-2000.000	1.31	-2000.00
	5	47.4	930.0	31.1	470.31	10.00	.20	-2000.00	-2000.000	2.41	-2000.00
12025	1	1712.0	1160.0	14.1	441.64	10.00	.10	-2000.00	-2000.000	.95	-2000.00
	2	786.4	1610.0	18.5	530.18	100.00	.10	-2000.00	-2000.000	.91	-2000.00
	3	279.7	1140.0	22.7	369.20	10.00	.20	-2000.00	-2000.000	1.50	-2000.00
	4	161.9	1100.0	30.1	455.46	10.00	.20	-2000.00	-2000.000	1.24	-2000.00
	5	99.3	1017.0	34.5	501.17	10.00	.20	-2000.00	-2000.000	1.15	-2000.00
12050	1	1083.0	750.0	13.3	419.75	30.00	.10	-2000.00	-2000.000	.98	-2000.00
	2	393.0	822.0	18.6	534.11	100.00	.10	-2000.00	-2000.000	.96	-2000.00
	3	210.9	880.0	26.9	673.01	100.00	.10	-2000.00	-2000.000	1.26	-2000.00
	4	121.9	850.0	32.2	478.63	10.00	.20	-2000.00	-2000.000	1.17	-2000.00
	5	96.8	1013.0	36.4	520.46	10.00	.20	-2000.00	-2000.000	1.11	-2000.00
12075	1	624.8	784.0	10.3	344.19	30.00	.10	-2000.00	-2000.000	1.18	-2000.00
	2	239.7	903.0	20.4	566.40	100.00	.10	-2000.00	-2000.000	1.04	-2000.00
	3	122.0	910.0	27.3	423.88	10.00	.20	-2000.00	-2000.000	1.28	-2000.00
	4	87.9	1104.0	33.1	486.99	10.00	.20	-2000.00	-2000.000	1.66	-2000.00
	5	57.9	1091.0	35.9	519.51	30.00	.20	-2000.00	-2000.000	1.22	-2000.00
12100	1	539.8	770.0	11.9	393.24	1.00	.10	-2000.00	-2000.000	.92	-2000.00
	2	178.3	763.0	20.8	575.08	100.00	.10	-2000.00	-2000.000	.75	-2000.00
	3	112.8	960.0	28.0	688.38	100.00	.10	-2000.00	-2000.000	1.19	-2000.00
	4	68.6	978.0	31.5	471.52	10.00	.20	-2000.00	-2000.000	1.33	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	31.3	669.0	32.8	480.63	10.00	.20	-2000.00	-2000.000	1.40	-2000.00
12125	1	506.2	691.0	11.7	381.99	10.00	.10	-2000.00	-2000.000	.92	-2000.00
	2	228.3	935.0	21.0	578.98	100.00	.10	-2000.00	-2000.000	1.07	-2000.00
	3	124.1	1010.0	26.3	412.87	10.00	.20	-2000.00	-2000.000	1.46	-2000.00
	4	52.4	714.0	29.0	440.30	10.00	.20	-2000.00	-2000.000	1.65	-2000.00
	5	27.1	554.0	26.6	428.61	10.00	.20	-2000.00	-2000.000	3.60	-2000.00
12150	1	860.3	964.0	10.9	366.25	1.00	.10	-2000.00	-2000.000	1.08	-2000.00
	2	314.0	1056.0	18.4	531.56	30.00	.10	-2000.00	-2000.000	1.03	-2000.00
	3	116.7	780.0	21.2	585.62	30.00	.10	-2000.00	-2000.000	.92	-2000.00
	4	53.3	597.0	22.4	366.78	10.00	.20	-2000.00	-2000.000	2.24	-2000.00
	5	32.5	546.0	21.4	357.80	1.00	.20	-2000.00	-2000.000	1.52	-2000.00
12175	1	1120.0	970.0	12.0	424.96	.03	.10	-2000.00	-2000.000	1.07	-2000.00
	2	325.0	850.0	16.1	496.66	1.00	.10	-2000.00	-2000.000	1.21	-2000.00
	3	120.5	620.0	18.1	525.86	30.00	.10	-2000.00	-2000.000	.99	-2000.00
	4	65.8	574.0	18.4	536.16	10.00	.10	-2000.00	-2000.000	1.33	-2000.00
	5	56.5	738.0	18.9	542.06	30.00	.10	-2000.00	-2000.000	1.24	-2000.00
12200	1	3047.0	2120.0	9.2	235.73	.01	.20	-2000.00	-2000.000	2.71	-2000.00
	2	391.0	818.0	12.6	419.07	.30	.10	-2000.00	-2000.000	1.10	-2000.00
	3	168.5	700.0	14.1	451.37	1.00	.10	-2000.00	-2000.000	1.24	-2000.00
	4	126.4	880.0	14.1	449.53	100.00	.10	-2000.00	-2000.000	6.88	-2000.00
12225	1	600.0	819.0	7.8	280.43	.30	.10	-2000.00	-2000.000	1.13	-2000.00
	2	167.8	687.0	10.1	382.13	.01	.10	-2000.00	-2000.000	1.21	-2000.00
	3	115.6	940.0	11.7	406.89	.10	.10	-2000.00	-2000.000	1.76	-2000.00
12250	1	380.0	542.0	3.9	103.05	.01	.20	-2000.00	-2000.000	7.53	-2000.00
	2	231.6	991.0	11.2	105.37	1.00	.40	-2000.00	-2000.000	2.26	-2000.00
12275	1	883.8	792.0	7.5	110.33	30.00	.70	-2000.00	-2000.000	25.84	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 40

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
11875	1	3018.0	1970.0	6.5	151.26	.03	.20	-2000.00	-2000.000	1.68	-2000.00
	2	540.6	1060.0	8.0	310.79	.01	.10	-2000.00	-2000.000	.94	-2000.00
	3	335.8	1310.0	10.0	377.53	.01	.10	-2000.00	-2000.000	1.13	-2000.00
	4	180.4	1180.0	13.1	429.32	1.00	.10	-2000.00	-2000.000	1.15	-2000.00
	5	126.3	1230.0	18.2	553.24	.30	.10	-2000.00	-2000.000	1.04	-2000.00
11900	1	855.3	1074.0	5.5	116.90	.10	.20	-2000.00	-2000.000	1.25	-2000.00
	2	380.0	1431.0	7.1	149.91	.10	.20	-2000.00	-2000.000	1.08	-2000.00
	3	178.9	1340.0	10.1	358.14	.10	.10	-2000.00	-2000.000	.77	-2000.00
	4	107.1	1340.0	16.2	499.36	1.00	.10	-2000.00	-2000.000	.94	-2000.00
	5	60.0	1130.0	20.5	568.77	100.00	.10	-2000.00	-2000.000	.84	-2000.00
11925	1	1024.0	1230.0	4.9	114.13	.03	.20	-2000.00	-2000.000	.94	-2000.00
	2	380.0	1376.0	7.4	153.05	.10	.20	-2000.00	-2000.000	.97	-2000.00
	3	211.2	1520.0	13.8	441.12	1.00	.10	-2000.00	-2000.000	.83	-2000.00
	4	101.1	1220.0	18.4	532.91	30.00	.10	-2000.00	-2000.000	.83	-2000.00
	5	71.7	1298.0	21.8	596.67	30.00	.10	-2000.00	-2000.000	.82	-2000.00
11950	1	610.4	709.0	5.4	115.04	.10	.20	-2000.00	-2000.000	1.23	-2000.00
	2	325.0	1133.0	11.6	412.17	.03	.10	-2000.00	-2000.000	.93	-2000.00
	3	148.9	1030.0	17.0	502.02	30.00	.10	-2000.00	-2000.000	.85	-2000.00
	4	98.0	1139.0	20.7	590.52	10.00	.10	-2000.00	-2000.000	1.61	-2000.00
11975	1	589.2	880.0	8.7	181.48	.10	.20	-2000.00	-2000.000	1.53	-2000.00
	2	188.7	846.0	14.7	451.80	30.00	.10	-2000.00	-2000.000	1.10	-2000.00
	3	114.4	1020.0	18.7	537.58	30.00	.10	-2000.00	-2000.000	1.23	-2000.00
12000	1	651.6	852.0	8.4	306.04	.10	.10	-2000.00	-2000.000	1.20	-2000.00
	2	229.4	900.0	14.3	446.78	10.00	.10	-2000.00	-2000.000	1.64	-2000.00
12025	1	1035.0	1540.0	7.4	189.05	.01	.20	-2000.00	-2000.000	1.79	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 40

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
12125	1	343.9	514.0	11.1	388.63	.10	.10	-2000.00	-2000.000	1.26	-2000.00
	2	165.1	740.0	16.6	497.13	10.00	.10	-2000.00	-2000.000	1.12	-2000.00
	3	75.2	673.0	20.2	565.02	100.00	.10	-2000.00	-2000.000	1.00	-2000.00
	4	28.5	425.0	21.6	592.88	30.00	.10	-2000.00	-2000.000	.96	-2000.00
	5	22.7	510.0	21.8	597.48	30.00	.10	-2000.00	-2000.000	.96	-2000.00
12150	1	1989.0	2490.0	9.9	223.18	.03	.20	-2000.00	-2000.000	1.71	-2000.00
	2	269.6	1015.0	13.8	433.08	10.00	.10	-2000.00	-2000.000	1.27	-2000.00
	3	72.5	545.0	17.4	510.53	100.00	.10	-2000.00	-2000.000	.94	-2000.00
	4	54.2	681.0	18.7	536.68	100.00	.10	-2000.00	-2000.000	1.25	-2000.00
	5	36.9	695.0	19.8	557.48	100.00	.10	-2000.00	-2000.000	1.17	-2000.00
12175	1	799.9	897.0	8.7	316.06	.10	.10	-2000.00	-2000.000	1.49	-2000.00
	2	163.5	550.0	13.1	423.69	1.00	.10	-2000.00	-2000.000	1.03	-2000.00
	3	105.9	710.0	15.5	483.21	1.00	.10	-2000.00	-2000.000	1.14	-2000.00
	4	59.5	666.0	17.3	523.97	1.00	.10	-2000.00	-2000.000	.74	-2000.00
	5	38.1	641.0	19.2	547.79	10.00	.10	-2000.00	-2000.000	1.23	-2000.00
12200	1	830.6	1043.0	6.9	273.82	.01	.10	-2000.00	-2000.000	1.74	-2000.00
	2	227.3	856.0	10.2	386.43	.01	.10	-2000.00	-2000.000	1.42	-2000.00
	3	105.0	780.0	13.0	470.45	.01	.10	-2000.00	-2000.000	.88	-2000.00
	4	59.0	740.0	15.4	515.69	.03	.10	-2000.00	-2000.000	1.28	-2000.00
12225	1	661.0	830.0	5.7	132.16	.03	.20	-2000.00	-2000.000	1.93	-2000.00
	2	216.8	816.0	8.9	344.67	.01	.10	-2000.00	-2000.000	1.68	-2000.00
	3	102.9	770.0	11.9	439.30	.01	.10	-2000.00	-2000.000	1.84	-2000.00
12250	1	1427.0	840.0	5.1	118.98	.03	.20	-2000.00	-2000.000	1.56	-2000.00
	2	436.3	775.0	8.7	179.53	.10	.20	-2000.00	-2000.000	1.96	-2000.00
12275	1	1075.0	800.0	5.0	117.76	.03	.20	-2000.00	-2000.000	2.53	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 41

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
11425	1	1133.0	378.0	2.1	50.61	.01	.30	-2000.00	-2000.000	1.93	-2000.00
	2	485.8	67.9	.5	44.11	100.00	.80	-2000.00	-2000.000	35.97	-2000.00
	3	146.8	267.0	1.9	37.70	3.00	.20	-2000.00	-2000.000	1.25	-2000.00
	4	264.4	806.0	5.5	116.05	.10	.20	-2000.00	-2000.000	1.24	-2000.00
	5	742.8	3396.0	5.8	131.02	.03	.20	-2000.00	-2000.000	1.51	-2000.00
11450	1	1007.0	410.0	1.9	36.89	.03	.30	-2000.00	-2000.000	2.04	-2000.00
	2	382.8	65.0	2.7	72.06	.01	.20	-2000.00	-2000.000	1.77	-2000.00
	3	243.4	540.0	3.8	78.13	.10	.20	-2000.00	-2000.000	2.10	-2000.00
	4	770.0	2870.0	5.5	118.45	.10	.20	-2000.00	-2000.000	1.34	-2000.00
	5	405.0	2270.0	7.4	280.36	.03	.10	-2000.00	-2000.000	1.09	-2000.00
11475	1	796.4	351.0	1.8	30.04	.10	.30	-2000.00	-2000.000	2.45	-2000.00
	2	383.0	70.0	3.2	68.35	.10	.20	-2000.00	-2000.000	2.00	-2000.00
	3	987.4	2370.0	******	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	4	488.5	1960.0	7.3	270.59	.10	.10	-2000.00	-2000.000	1.18	-2000.00
	5	88.0	531.0	3.9	162.32	.01	.10	-2000.00	-2000.000	1.71	-2000.00
11500	1	500.8	351.0	2.2	92.77	.01	.10	-2000.00	-2000.000	2.03	-2000.00
	2	961.8	282.0	4.4	103.92	.03	.20	-2000.00	-2000.000	1.62	-2000.00
	3	419.3	1600.0	7.0	255.63	.30	.10	-2000.00	-2000.000	1.46	-2000.00
	4	72.0	461.0	3.9	150.62	.10	.10	-2000.00	-2000.000	2.08	-2000.00
	5	71.0	682.0	5.1	190.78	1.00	.10	-2000.00	-2000.000	3.14	-2000.00
11525	1	2242.0	1280.0	3.6	84.19	.03	.20	-2000.00	-2000.000	1.89	-2000.00
	2	859.6	206.0	6.0	232.01	.03	.10	-2000.00	-2000.000	.98	-2000.00
	3	124.5	390.0	4.0	79.20	10.00	.20	-2000.00	-2000.000	1.73	-2000.00
	4	110.5	570.0	5.3	195.29	3.00	.10	-2000.00	-2000.000	1.67	-2000.00
	5	119.0	930.0	10.6	358.90	1.00	.10	-2000.00	-2000.000	1.17	-2000.00
11550	1	956.9	968.0	5.0	191.39	.10	.10	-2000.00	-2000.000	1.62	-2000.00
	2	114.9	48.0	3.8	74.83	10.00	.20	-2000.00	-2000.000	1.42	-2000.00
	3	89.2	493.0	5.2	196.13	100.00	.10	-2000.00	-2000.000	1.42	-2000.00
	4	89.2	823.0	10.3	346.70	1.00	.10	-2000.00	-2000.000	1.05	-2000.00
	5	46.7	647.0	13.1	414.46	10.00	.10	-2000.00	-2000.000	1.10	-2000.00
11575	1	1345.0	570.0	4.7	186.49	.03	.10	-2000.00	-2000.000	1.28	-2000.00
	2	871.5	156.0	6.9	251.39	.30	.10	-2000.00	-2000.000	1.21	-2000.00
	3	669.5	1570.0	11.8	389.12	1.00	.10	-2000.00	-2000.000	.79	-2000.00
	4	283.1	1110.0	14.8	456.04	10.00	.10	-2000.00	-2000.000	1.02	-2000.00
	5	195.6	1150.0	12.1	394.13	3.00	.10	-2000.00	-2000.000	1.00	-2000.00
11600	1	1931.0	1300.0	6.0	233.90	.03	.10	-2000.00	-2000.000	.90	-2000.00
	2	1189.0	330.0	11.1	388.15	.10	.10	-2000.00	-2000.000	.94	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	515.4	1890.0	15.0	461.30	10.00	.10	-2000.00	-2000.000	1.00	-2000.00
	4	189.7	1160.0	11.5	387.73	.30	.10	-2000.00	-2000.000	.71	-2000.00
	5	142.6	1310.0	10.5	393.40	.01	.10	-2000.00	-2000.000	.74	-2000.00
11625	1	1666.0	970.0	9.3	352.05	.01	.10	-2000.00	-2000.000	1.27	-2000.00
	2	770.3	188.0	13.6	429.66	10.00	.10	-2000.00	-2000.000	.98	-2000.00
	3	215.9	680.0	10.6	354.65	10.00	.10	-2000.00	-2000.000	1.26	-2000.00
	4	181.2	960.0	10.3	349.50	1.00	.10	-2000.00	-2000.000	.97	-2000.00
	5	57.3	457.0	12.4	397.88	3.00	.10	-2000.00	-2000.000	3.95	-2000.00
11650	1	953.9	863.0	11.5	408.76	.03	.10	-2000.00	-2000.000	.70	-2000.00
	2	250.8	95.0	10.3	344.14	30.00	.10	-2000.00	-2000.000	1.72	-2000.00
	3	182.5	900.0	10.2	353.78	.30	.10	-2000.00	-2000.000	.87	-2000.00
	4	59.2	489.0	13.0	413.83	3.00	.10	-2000.00	-2000.000	1.34	-2000.00
	5	70.9	878.0	12.7	405.35	30.00	.10	-2000.00	-2000.000	.97	-2000.00
11675	1	1994.0	607.0	10.5	369.91	.10	.10	-2000.00	-2000.000	1.07	-2000.00
	2	1015.0	928.0	11.2	401.74	.03	.10	-2000.00	-2000.000	.89	-2000.00
	3	279.9	510.0	14.2	444.95	3.00	.10	-2000.00	-2000.000	1.15	-2000.00
	4	294.4	897.0	14.0	439.77	10.00	.10	-2000.00	-2000.000	1.10	-2000.00
	5	200.8	918.0	16.6	493.96	100.00	.10	-2000.00	-2000.000	1.18	-2000.00
11700	1	2845.0	920.0	7.2	151.65	.10	.20	-2000.00	-2000.000	1.79	-2000.00
	2	511.0	496.0	11.4	231.13	.10	.20	-2000.00	-2000.000	1.63	-2000.00
	3	556.5	1070.0	12.8	409.64	30.00	.10	-2000.00	-2000.000	.97	-2000.00
	4	303.3	980.0	16.6	496.55	10.00	.10	-2000.00	-2000.000	.99	-2000.00
	5	199.5	960.0	16.0	483.86	10.00	.10	-2000.00	-2000.000	1.10	-2000.00
11725	1	867.6	378.0	7.0	160.68	.03	.20	-2000.00	-2000.000	1.77	-2000.00
	2	577.1	755.0	10.4	376.78	.03	.10	-2000.00	-2000.000	1.03	-2000.00
	3	316.0	820.0	15.0	459.51	30.00	.10	-2000.00	-2000.000	1.03	-2000.00
	4	193.0	840.0	15.1	464.46	10.00	.10	-2000.00	-2000.000	.97	-2000.00
	5	362.3	2370.0	15.2	476.82	1.00	.10	-2000.00	-2000.000	.99	-2000.00
11750	1	1098.0	450.0	7.0	160.74	.03	.20	-2000.00	-2000.000	2.84	-2000.00
	2	613.6	770.0	11.9	215.18	10.00	.20	-2000.00	-2000.000	.87	-2000.00
	3	268.6	670.0	14.0	440.34	10.00	.10	-2000.00	-2000.000	.55	-2000.00
	4	479.0	2000.0	14.4	458.74	1.00	.10	-2000.00	-2000.000	1.16	-2000.00
	5	216.4	1350.0	14.3	447.12	3.00	.10	-2000.00	-2000.000	1.00	-2000.00
11775	1	443.6	302.0	9.5	325.48	1.00	.10	-2000.00	-2000.000	1.36	-2000.00
	2	194.7	398.0	11.9	392.28	1.00	.10	-2000.00	-2000.000	1.30	-2000.00
	3	340.2	1390.0	13.2	417.84	30.00	.10	-2000.00	-2000.000	1.24	-2000.00
	4	149.2	1010.0	13.2	417.31	30.00	.10	-2000.00	-2000.000	1.08	-2000.00
	5	160.4	1640.0	16.3	487.05	30.00	.10	-2000.00	-2000.000	1.14	-2000.00
11800	1	365.3	286.0	6.5	257.24	.01	.10	-2000.00	-2000.000	1.68	-2000.00
	2	551.0	1297.0	9.5	332.23	.30	.10	-2000.00	-2000.000	1.12	-2000.00
	3	230.1	1080.0	9.9	337.40	1.00	.10	-2000.00	-2000.000	1.34	-2000.00
	4	220.9	1730.0	13.5	435.79	1.00	.10	-2000.00	-2000.000	1.12	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	69.2	814.0	15.0	471.37	1.00	.10	-2000.00	-2000.000	1.16	-2000.00
11825	1	1333.0	970.0	5.8	234.16	.01	.10	-2000.00	-2000.000	1.71	-2000.00
	2	469.4	1028.0	6.9	257.25	.10	.10	-2000.00	-2000.000	1.10	-2000.00
	3	392.2	1710.0	10.7	390.64	.03	.10	-2000.00	-2000.000	.96	-2000.00
	4	118.4	860.0	12.9	419.15	1.00	.10	-2000.00	-2000.000	1.17	-2000.00
	5	172.2	1880.0	14.9	469.03	1.00	.10	-2000.00	-2000.000	1.43	-2000.00
11850	1	730.1	559.0	5.6	208.75	1.00	.10	-2000.00	-2000.000	2.31	-2000.00
	2	602.6	1384.0	8.7	177.61	.10	.20	-2000.00	-2000.000	3.56	-2000.00
	3	164.5	750.0	11.7	388.62	1.00	.10	-2000.00	-2000.000	1.15	-2000.00
	4	232.0	1770.0	13.8	460.98	.10	.10	-2000.00	-2000.000	1.06	-2000.00
	5	75.9	871.0	14.9	480.46	.30	.10	-2000.00	-2000.000	1.02	-2000.00
11875	1	1288.0	960.0	7.1	163.29	.03	.20	-2000.00	-2000.000	1.04	-2000.00
	2	306.8	688.0	10.0	382.10	.01	.10	-2000.00	-2000.000	1.31	-2000.00
	3	384.8	1720.0	12.1	243.03	.10	.20	-2000.00	-2000.000	.87	-2000.00
	4	117.8	880.0	13.4	484.80	.01	.10	-2000.00	-2000.000	.90	-2000.00
	5	97.3	1090.0	14.2	489.55	.03	.10	-2000.00	-2000.000	.79	-2000.00
11900	1	1149.0	720.0	8.7	179.91	.10	.20	-2000.00	-2000.000	1.39	-2000.00
	2	886.6	1670.0	11.3	418.53	.01	.10	-2000.00	-2000.000	1.23	-2000.00
	3	260.2	970.0	12.9	437.38	.10	.10	-2000.00	-2000.000	1.09	-2000.00
	4	209.0	1310.0	13.7	457.54	.10	.10	-2000.00	-2000.000	1.04	-2000.00
	5	126.2	1180.0	17.8	524.15	10.00	.10	-2000.00	-2000.000	1.28	-2000.00
11925	1	1142.0	940.0	8.0	167.04	.10	.20	-2000.00	-2000.000	1.27	-2000.00
	2	346.8	859.0	10.7	402.17	.01	.10	-2000.00	-2000.000	1.21	-2000.00
	3	254.9	1260.0	11.2	412.53	.01	.10	-2000.00	-2000.000	.88	-2000.00
	4	139.5	1150.0	16.1	507.23	.30	.10	-2000.00	-2000.000	.83	-2000.00
	5	90.4	1120.0	20.3	568.57	30.00	.10	-2000.00	-2000.000	1.02	-2000.00
11950	1	645.7	471.0	7.9	164.42	.10	.20	-2000.00	-2000.000	1.21	-2000.00
	2	434.8	952.0	9.5	360.53	.01	.10	-2000.00	-2000.000	1.20	-2000.00
	3	243.5	1060.0	14.3	447.57	3.00	.10	-2000.00	-2000.000	1.14	-2000.00
	4	141.2	1030.0	18.5	552.77	1.00	.10	-2000.00	-2000.000	.84	-2000.00
	5	91.5	1002.0	23.6	623.80	100.00	.10	-2000.00	-2000.000	1.20	-2000.00
11975	1	773.0	551.0	5.5	128.34	.03	.20	-2000.00	-2000.000	1.25	-2000.00
	2	396.1	848.0	10.9	391.87	.03	.10	-2000.00	-2000.000	.90	-2000.00
	3	210.3	890.0	16.4	491.88	10.00	.10	-2000.00	-2000.000	1.10	-2000.00
	4	125.7	890.0	21.6	591.53	30.00	.10	-2000.00	-2000.000	1.01	-2000.00
	5	102.4	1090.0	25.8	658.05	100.00	.10	-2000.00	-2000.000	1.12	-2000.00
12000	1	589.7	487.0	7.1	279.10	.01	.10	-2000.00	-2000.000	1.33	-2000.00
	2	294.4	729.0	13.4	431.18	1.00	.10	-2000.00	-2000.000	1.16	-2000.00
	3	169.7	830.0	19.6	555.20	100.00	.10	-2000.00	-2000.000	1.15	-2000.00
	4	98.8	816.0	24.5	637.56	100.00	.10	-2000.00	-2000.000	.85	-2000.00
	5	78.0	966.0	27.2	678.18	100.00	.10	-2000.00	-2000.000	1.23	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
12025	1	466.2	348.0	11.1	377.83	.30	.10	-2000.00	-2000.000	1.14	-2000.00
	2	256.1	574.0	17.5	512.29	100.00	.10	-2000.00	-2000.000	.97	-2000.00
	3	138.8	620.0	22.7	607.50	100.00	.10	-2000.00	-2000.000	1.18	-2000.00
	4	104.1	770.0	25.7	405.95	10.00	.20	-2000.00	-2000.000	1.43	-2000.00
	5	80.3	900.0	28.1	690.26	100.00	.10	-2000.00	-2000.000	1.05	-2000.00
12050	1	604.1	451.0	12.3	395.32	10.00	.10	-2000.00	-2000.000	1.17	-2000.00
	2	235.8	528.0	19.6	553.65	30.00	.10	-2000.00	-2000.000	.83	-2000.00
	3	165.3	730.0	23.8	626.18	100.00	.10	-2000.00	-2000.000	1.09	-2000.00
	4	105.8	790.0	27.0	674.95	100.00	.10	-2000.00	-2000.000	1.05	-2000.00
	5	60.6	679.0	29.8	715.51	100.00	.10	-2000.00	-2000.000	1.20	-2000.00
12075	1	597.4	416.0	11.5	382.88	1.00	.10	-2000.00	-2000.000	1.10	-2000.00
	2	291.1	609.0	19.5	550.32	100.00	.10	-2000.00	-2000.000	.88	-2000.00
	3	186.0	770.0	24.1	632.54	100.00	.10	-2000.00	-2000.000	1.15	-2000.00
	4	92.9	648.0	28.3	435.63	10.00	.20	-2000.00	-2000.000	1.40	-2000.00
	5	57.7	603.0	31.2	471.99	30.00	.20	-2000.00	-2000.000	1.65	-2000.00
12100	1	1131.0	800.0	8.4	293.55	1.00	.10	-2000.00	-2000.000	1.34	-2000.00
	2	382.9	819.0	16.2	486.96	30.00	.10	-2000.00	-2000.000	1.14	-2000.00
	3	159.8	680.0	22.0	597.13	100.00	.10	-2000.00	-2000.000	1.21	-2000.00
	4	88.4	631.0	27.2	421.77	10.00	.20	-2000.00	-2000.000	1.25	-2000.00
	5	38.4	410.0	22.2	445.49	.10	.20	-2000.00	-2000.000	3.13	-2000.00
12125	1	881.4	691.0	9.4	327.62	.30	.10	-2000.00	-2000.000	1.23	-2000.00
	2	292.4	688.0	16.4	493.02	10.00	.10	-2000.00	-2000.000	1.08	-2000.00
	3	144.0	670.0	22.4	601.57	100.00	.10	-2000.00	-2000.000	1.35	-2000.00
	4	54.4	426.0	23.9	627.24	100.00	.10	-2000.00	-2000.000	1.30	-2000.00
	5	48.5	571.0	25.1	646.48	100.00	.10	-2000.00	-2000.000	1.44	-2000.00
12150	1	1692.0	620.0	10.8	368.61	.30	.10	-2000.00	-2000.000	1.17	-2000.00
	2	620.0	687.0	18.1	525.43	30.00	.10	-2000.00	-2000.000	.89	-2000.00
	3	194.3	420.0	20.7	573.62	100.00	.10	-2000.00	-2000.000	1.37	-2000.00
	4	161.2	590.0	22.7	607.65	100.00	.10	-2000.00	-2000.000	1.07	-2000.00
	5	107.0	590.0	23.7	381.06	10.00	.20	-2000.00	-2000.000	1.56	-2000.00
12175	1	835.9	1049.0	11.3	370.66	30.00	.10	-2000.00	-2000.000	1.20	-2000.00
	2	123.4	464.0	17.1	502.84	30.00	.10	-2000.00	-2000.000	1.05	-2000.00
	3	89.3	671.0	19.8	557.96	100.00	.10	-2000.00	-2000.000	1.09	-2000.00
	4	52.4	658.0	21.9	592.86	100.00	.10	-2000.00	-2000.000	1.21	-2000.00
	5	32.6	614.0	21.3	591.18	10.00	.10	-2000.00	-2000.000	1.08	-2000.00
12200	1	411.7	497.0	10.6	352.53	30.00	.10	-2000.00	-2000.000	1.65	-2000.00
	2	191.6	694.0	16.2	486.36	30.00	.10	-2000.00	-2000.000	1.27	-2000.00
	3	94.6	684.0	19.3	546.53	100.00	.10	-2000.00	-2000.000	.95	-2000.00
	4	49.3	595.0	20.2	341.52	10.00	.20	-2000.00	-2000.000	2.40	-2000.00
12225	1	639.2	872.0	9.2	328.02	.10	.10	-2000.00	-2000.000	1.51	-2000.00
	2	211.7	867.0	14.7	455.57	10.00	.10	-2000.00	-2000.000	1.43	-2000.00
	3	87.4	714.0	18.1	528.60	100.00	.10	-2000.00	-2000.000	1.72	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
12250	1	792.5	995.0	8.4	298.90	.30	.10	-2000.00	-2000.000	1.35	-2000.00
	2	185.2	697.0	14.8	489.17	.10	.10	-2000.00	-2000.000	1.27	-2000.00
12275	1	453.1	677.0	9.5	211.66	.03	.20	-2000.00	-2000.000	1.96	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 42

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
11450	1	898.5	486.0	2.8	74.44	.01	.20	-2000.00	-2000.000	2.42	-2000.00
	2	854.7	1388.0	4.1	95.20	.03	.20	-2000.00	-2000.000	1.40	-2000.00
	3	591.3	1910.0	6.5	249.38	.03	.10	-2000.00	-2000.000	.85	-2000.00
	4	132.6	710.0	4.8	102.14	.10	.20	-2000.00	-2000.000	1.66	-2000.00
	5	81.6	662.0	3.4	147.92	.10	.10	-2000.00	-2000.000	9.97	-2000.00
11475	1	1502.0	770.0	2.6	42.99	.10	.30	-2000.00	-2000.000	2.95	-2000.00
	2	849.7	1312.0	5.8	232.02	.01	.10	-2000.00	-2000.000	1.51	-2000.00
	3	173.5	530.0	4.5	94.80	.10	.20	-2000.00	-2000.000	1.20	-2000.00
	4	101.4	520.0	3.3	53.55	.10	.30	-2000.00	-2000.000	1.98	-2000.00
	5	100.5	770.0	4.2	109.31	.01	.20	-2000.00	-2000.000	1.69	-2000.00
11500	1	1508.0	890.0	5.1	207.28	.01	.10	-2000.00	-2000.000	1.18	-2000.00
	2	242.6	431.0	5.0	202.48	.01	.10	-2000.00	-2000.000	1.00	-2000.00
	3	132.8	470.0	3.8	81.11	.10	.20	-2000.00	-2000.000	.93	-2000.00
	4	117.7	690.0	4.4	111.64	.01	.20	-2000.00	-2000.000	1.78	-2000.00
	5	188.8	1670.0	15.3	469.60	10.00	.10	-2000.00	-2000.000	1.17	-2000.00
11525	1	963.1	414.0	5.8	123.11	.10	.20	-2000.00	-2000.000	1.89	-2000.00
	2	385.7	497.0	5.1	118.58	.03	.20	-2000.00	-2000.000	1.77	-2000.00
	3	320.4	820.0	5.0	117.96	.03	.20	-2000.00	-2000.000	1.36	-2000.00
	4	439.1	1880.0	15.8	492.53	1.00	.10	-2000.00	-2000.000	1.14	-2000.00
	5	159.3	1020.0	25.5	652.25	100.00	.10	-2000.00	-2000.000	1.36	-2000.00
11550	1	937.5	525.0	2.8	45.89	.10	.30	-2000.00	-2000.000	2.42	-2000.00
	2	582.1	979.0	3.5	66.77	.03	.30	-2000.00	-2000.000	2.12	-2000.00
	3	649.6	2180.0	14.4	477.42	.10	.10	-2000.00	-2000.000	.96	-2000.00
	4	207.5	1160.0	25.3	649.46	100.00	.10	-2000.00	-2000.000	1.41	-2000.00
	5	122.2	1020.0	19.3	547.78	100.00	.10	-2000.00	-2000.000	.98	-2000.00
11575	1	580.9	414.0	1.8	44.92	.01	.30	-2000.00	-2000.000	3.08	-2000.00
	2	654.3	1400.0	12.7	431.97	.10	.10	-2000.00	-2000.000	1.21	-2000.00
	3	173.9	740.0	24.8	642.33	100.00	.10	-2000.00	-2000.000	1.35	-2000.00
	4	105.8	750.0	18.9	540.21	100.00	.10	-2000.00	-2000.000	1.21	-2000.00
	5	40.5	434.0	10.5	350.61	3.00	.10	-2000.00	-2000.000	1.57	-2000.00
11600	1	1344.0	840.0	10.9	379.58	.10	.10	-2000.00	-2000.000	1.19	-2000.00
	2	322.4	607.0	23.9	627.65	100.00	.10	-2000.00	-2000.000	1.49	-2000.00
	3	166.3	620.0	18.4	530.88	100.00	.10	-2000.00	-2000.000	.82	-2000.00
	4	53.8	337.0	11.3	202.45	10.00	.20	-2000.00	-2000.000	1.62	-2000.00
	5	117.8	1100.0	13.2	424.31	3.00	.10	-2000.00	-2000.000	.99	-2000.00
11625	1	679.7	381.0	23.8	382.31	10.00	.20	-2000.00	-2000.000	1.71	-2000.00
	2	261.1	439.0	18.9	319.05	10.00	.20	-2000.00	-2000.000	1.57	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	73.4	246.0	9.3	341.72	.10	.10	-2000.00	-2000.000	3.02	-2000.00
	4	160.2	890.0	14.0	436.93	3.00	.10	-2000.00	-2000.000	1.98	-2000.00
	5	130.4	1090.0	12.9	412.14	3.00	.10	-2000.00	-2000.000	1.20	-2000.00
11650	1	1144.0	390.0	24.5	389.37	10.00	.20	-2000.00	-2000.000	1.41	-2000.00
	2	208.1	213.0	15.2	265.58	10.00	.20	-2000.00	-2000.000	1.40	-2000.00
	3	434.1	880.0	17.7	516.50	100.00	.10	-2000.00	-2000.000	.94	-2000.00
	4	327.4	1110.0	17.1	504.91	100.00	.10	-2000.00	-2000.000	.96	-2000.00
	5	314.7	1610.0	14.4	448.35	10.00	.10	-2000.00	-2000.000	.92	-2000.00
11675	1	324.9	188.0	20.0	332.94	10.00	.20	-2000.00	-2000.000	1.49	-2000.00
	2	431.7	753.0	19.8	559.48	30.00	.10	-2000.00	-2000.000	1.25	-2000.00
	3	296.4	1030.0	19.9	557.98	100.00	.10	-2000.00	-2000.000	1.22	-2000.00
	4	256.0	1480.0	17.2	506.56	30.00	.10	-2000.00	-2000.000	.96	-2000.00
	5	145.8	1270.0	18.7	542.74	10.00	.10	-2000.00	-2000.000	1.18	-2000.00
11700	1	1979.0	1090.0	13.6	488.44	.01	.10	-2000.00	-2000.000	1.65	-2000.00
	2	972.3	1606.0	18.2	528.10	30.00	.10	-2000.00	-2000.000	1.31	-2000.00
	3	630.1	2070.0	17.9	537.23	1.00	.10	-2000.00	-2000.000	1.02	-2000.00
	4	273.8	1500.0	20.1	586.50	1.00	.10	-2000.00	-2000.000	1.13	-2000.00
	5	133.8	1100.0	19.4	550.05	100.00	.10	-2000.00	-2000.000	1.10	-2000.00
11725	1	845.5	577.0	12.7	422.59	.30	.10	-2000.00	-2000.000	1.23	-2000.00
	2	832.5	1704.0	14.1	469.36	.10	.10	-2000.00	-2000.000	1.32	-2000.00
	3	321.0	1310.0	17.7	561.22	.10	.10	-2000.00	-2000.000	1.20	-2000.00
	4	143.5	970.0	18.0	525.15	10.00	.10	-2000.00	-2000.000	.80	-2000.00
	5	95.1	974.0	15.4	467.14	30.00	.10	-2000.00	-2000.000	.74	-2000.00
11750	1	3924.0	2280.0	9.8	201.92	.10	.20	-2000.00	-2000.000	1.75	-2000.00
	2	1168.0	2030.0	16.2	561.45	.01	.10	-2000.00	-2000.000	1.23	-2000.00
	3	401.4	1390.0	18.0	568.08	.10	.10	-2000.00	-2000.000	1.43	-2000.00
	4	217.2	1260.0	14.9	458.39	30.00	.10	-2000.00	-2000.000	1.03	-2000.00
	5	99.5	868.0	17.9	521.07	100.00	.10	-2000.00	-2000.000	1.26	-2000.00
11775	1	2184.0	1240.0	15.4	304.50	.10	.20	-2000.00	-2000.000	1.71	-2000.00
	2	671.4	1149.0	18.6	567.40	.30	.10	-2000.00	-2000.000	1.21	-2000.00
	3	316.3	1080.0	15.4	479.33	1.00	.10	-2000.00	-2000.000	1.41	-2000.00
	4	124.0	700.0	17.7	517.30	30.00	.10	-2000.00	-2000.000	.92	-2000.00
	5	76.2	652.0	14.5	447.99	30.00	.10	-2000.00	-2000.000	1.15	-2000.00
11800	1	905.0	536.0	18.1	559.61	1.00	.10	-2000.00	-2000.000	6.43	-2000.00
	2	527.5	937.0	19.2	107.25	1.00	.60	-2000.00	-2000.000	9.99	-2000.00
	3	134.3	470.0	17.9	526.58	10.00	.10	-2000.00	-2000.000	1.28	-2000.00
	4	113.9	670.0	15.0	472.86	1.00	.10	-2000.00	-2000.000	.95	-2000.00
	5	56.2	499.0	16.1	485.16	100.00	.10	-2000.00	-2000.000	1.42	-2000.00
11825	1	2144.0	1180.0	15.1	496.36	.10	.10	-2000.00	-2000.000	1.03	-2000.00
	2	434.8	718.0	16.2	522.92	.10	.10	-2000.00	-2000.000	.99	-2000.00
	3	233.5	770.0	15.2	498.77	.10	.10	-2000.00	-2000.000	1.53	-2000.00
	4	111.4	610.0	17.1	520.57	1.00	.10	-2000.00	-2000.000	.99	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	30.6	252.0	13.7	440.55	1.00	.10	-2000.00	-2000.000	1.23	-2000.00
11850	1	1777.0	1130.0	9.4	193.44	.10	.20	-2000.00	-2000.000	1.49	-2000.00
	2	430.4	827.0	12.4	450.79	.01	.10	-2000.00	-2000.000	1.25	-2000.00
	3	162.9	620.0	17.0	532.12	.30	.10	-2000.00	-2000.000	1.48	-2000.00
	4	39.3	251.0	14.5	451.87	10.00	.10	-2000.00	-2000.000	1.45	-2000.00
	5	70.0	672.0	20.9	585.78	10.00	.10	-2000.00	-2000.000	1.39	-2000.00
11875	1	1093.0	760.0	9.4	193.99	.10	.20	-2000.00	-2000.000	1.24	-2000.00
	2	316.3	662.0	19.1	565.67	1.00	.10	-2000.00	-2000.000	1.01	-2000.00
	3	61.8	258.0	17.3	513.13	10.00	.10	-2000.00	-2000.000	1.22	-2000.00
	4	81.1	566.0	21.0	583.21	30.00	.10	-2000.00	-2000.000	1.09	-2000.00
	5	152.4	1590.0	30.6	727.76	100.00	.10	-2000.00	-2000.000	1.00	-2000.00
11900	1	686.4	439.0	21.2	586.57	30.00	.10	-2000.00	-2000.000	1.05	-2000.00
	2	147.7	283.0	21.7	592.84	30.00	.10	-2000.00	-2000.000	.99	-2000.00
	3	164.3	630.0	21.7	599.04	10.00	.10	-2000.00	-2000.000	1.09	-2000.00
	4	237.7	1520.0	33.5	764.80	100.00	.10	-2000.00	-2000.000	1.20	-2000.00
	5	153.7	1470.0	28.7	439.57	10.00	.20	-2000.00	-2000.000	1.27	-2000.00
11925	1	384.0	231.0	16.3	487.71	30.00	.10	-2000.00	-2000.000	1.10	-2000.00
	2	259.7	470.0	18.5	552.82	1.00	.10	-2000.00	-2000.000	1.22	-2000.00
	3	404.7	1460.0	31.1	732.62	100.00	.10	-2000.00	-2000.000	1.12	-2000.00
	4	173.5	1040.0	28.5	436.56	10.00	.20	-2000.00	-2000.000	1.19	-2000.00
	5	59.1	535.0	30.0	459.19	30.00	.20	-2000.00	-2000.000	1.24	-2000.00
11950	1	533.8	335.0	9.4	358.29	.01	.10	-2000.00	-2000.000	1.30	-2000.00
	2	664.3	1251.0	26.0	667.06	30.00	.10	-2000.00	-2000.000	1.15	-2000.00
	3	216.5	810.0	26.0	408.91	10.00	.20	-2000.00	-2000.000	1.41	-2000.00
	4	68.5	430.0	28.7	444.86	30.00	.20	-2000.00	-2000.000	1.34	-2000.00
	5	55.7	524.0	25.9	401.42	10.00	.20	-2000.00	-2000.000	1.27	-2000.00
11975	1	1248.0	690.0	22.4	613.79	10.00	.10	-2000.00	-2000.000	1.20	-2000.00
	2	303.2	510.0	22.6	367.48	10.00	.20	-2000.00	-2000.000	1.41	-2000.00
	3	123.7	410.0	28.5	442.61	30.00	.20	-2000.00	-2000.000	1.62	-2000.00
	4	67.9	380.0	24.2	385.49	10.00	.20	-2000.00	-2000.000	1.32	-2000.00
12000	1	444.9	607.0	19.6	556.59	30.00	.10	-2000.00	-2000.000	1.15	-2000.00
	2	87.5	358.3	27.1	422.26	10.00	.20	-2000.00	-2000.000	1.52	-2000.00
	3	40.7	332.0	22.3	361.38	10.00	.20	-2000.00	-2000.000	1.73	-2000.00
12025	1	561.0	503.0	28.3	435.72	10.00	.20	-2000.00	-2000.000	1.48	-2000.00
	2	165.8	446.0	22.5	361.64	10.00	.20	-2000.00	-2000.000	1.68	-2000.00
12050	1	561.9	735.0	27.8	428.48	10.00	.20	-2000.00	-2000.000	1.36	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 43

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
11425	1	1017.0	720.0	1.4	31.30	.10	.20	-2000.00	-2000.000	5.00	-2000.00
	2	302.3	647.0	3.3	78.58	.03	.20	-2000.00	-2000.000	2.50	-2000.00
	3	288.6	1230.0	5.7	132.30	.03	.20	-2000.00	-2000.000	2.09	-2000.00
	4	170.0	1210.0	9.3	334.80	.10	.10	-2000.00	-2000.000	1.07	-2000.00
	5	90.3	966.0	10.7	365.62	.30	.10	-2000.00	-2000.000	.87	-2000.00
11450	1	506.9	289.0	2.1	55.75	.01	.20	-2000.00	-2000.000	1.90	-2000.00
	2	428.1	733.0	5.0	128.50	.01	.20	-2000.00	-2000.000	2.07	-2000.00
	3	251.5	850.0	8.9	328.01	.03	.10	-2000.00	-2000.000	1.15	-2000.00
	4	127.1	720.0	10.2	354.18	.30	.10	-2000.00	-2000.000	1.05	-2000.00
	5	77.9	667.0	13.6	437.98	1.00	.10	-2000.00	-2000.000	1.06	-2000.00
11475	1	686.2	468.0	2.7	43.95	.10	.30	-2000.00	-2000.000	3.75	-2000.00
	2	325.3	666.0	6.8	254.13	.10	.10	-2000.00	-2000.000	1.67	-2000.00
	3	152.2	620.0	9.4	357.78	.01	.10	-2000.00	-2000.000	1.70	-2000.00
	4	88.1	601.0	13.1	416.63	100.00	.10	-2000.00	-2000.000	1.97	-2000.00
	5	51.8	530.0	13.4	426.53	100.00	.10	-2000.00	-2000.000	1.74	-2000.00
11500	1	388.1	451.0	4.5	183.52	.01	.10	-2000.00	-2000.000	1.65	-2000.00
	2	140.6	490.0	8.2	299.19	.10	.10	-2000.00	-2000.000	1.90	-2000.00
	3	72.6	505.0	11.8	384.56	100.00	.10	-2000.00	-2000.000	1.38	-2000.00
	4	39.0	453.0	12.1	393.25	30.00	.10	-2000.00	-2000.000	1.63	-2000.00
	5	91.8	1601.0	21.9	357.70	10.00	.20	-2000.00	-2000.000	1.63	-2000.00
11525	1	344.9	235.0	6.3	250.62	.01	.10	-2000.00	-2000.000	1.73	-2000.00
	2	174.6	357.0	10.4	352.41	1.00	.10	-2000.00	-2000.000	1.02	-2000.00
	3	88.8	362.0	11.0	370.72	1.00	.10	-2000.00	-2000.000	1.55	-2000.00
	4	193.2	1310.0	20.6	573.66	30.00	.10	-2000.00	-2000.000	1.07	-2000.00
	5	60.3	617.0	16.4	490.44	30.00	.10	-2000.00	-2000.000	1.01	-2000.00
11550	1	535.0	305.0	6.3	243.93	.03	.10	-2000.00	-2000.000	1.37	-2000.00
	2	227.6	389.0	8.6	334.87	.01	.10	-2000.00	-2000.000	1.54	-2000.00
	3	420.2	1430.0	18.4	541.45	3.00	.10	-2000.00	-2000.000	1.03	-2000.00
	4	116.0	660.0	16.1	488.09	10.00	.10	-2000.00	-2000.000	1.08	-2000.00
	5	91.9	787.0	12.8	425.32	.30	.10	-2000.00	-2000.000	.77	-2000.00
11575	1	515.4	330.0	3.4	81.11	.03	.20	-2000.00	-2000.000	2.10	-2000.00
	2	727.8	1399.0	13.8	443.38	1.00	.10	-2000.00	-2000.000	1.12	-2000.00
	3	137.2	520.0	15.0	466.73	3.00	.10	-2000.00	-2000.000	.81	-2000.00
	4	112.2	710.0	12.6	404.76	30.00	.10	-2000.00	-2000.000	1.26	-2000.00
	5	96.7	929.0	12.7	409.68	3.00	.10	-2000.00	-2000.000	1.03	-2000.00
11600	1	1022.0	610.0	12.2	402.06	1.00	.10	-2000.00	-2000.000	1.27	-2000.00
	2	199.9	362.0	14.0	438.80	10.00	.10	-2000.00	-2000.000	1.70	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	146.6	530.0	12.4	400.45	100.00	.10	-2000.00	-2000.000	1.73	-2000.00
	4	119.1	710.0	12.9	231.84	10.00	.20	-2000.00	-2000.000	1.82	-2000.00
	5	170.8	1540.0	14.8	457.17	100.00	.10	-2000.00	-2000.000	1.61	-2000.00
11625	1	629.9	439.0	12.4	407.31	1.00	.10	-2000.00	-2000.000	1.11	-2000.00
	2	273.3	572.0	11.4	396.55	.10	.10	-2000.00	-2000.000	1.29	-2000.00
	3	186.4	770.0	11.9	397.78	.30	.10	-2000.00	-2000.000	1.09	-2000.00
	4	241.0	1680.0	13.7	460.07	.10	.10	-2000.00	-2000.000	1.18	-2000.00
	5	130.3	1360.0	13.1	425.65	1.00	.10	-2000.00	-2000.000	1.23	-2000.00
11650	1	1501.0	810.0	12.6	457.42	.01	.10	-2000.00	-2000.000	1.27	-2000.00
	2	702.0	1140.0	13.9	479.31	.03	.10	-2000.00	-2000.000	1.11	-2000.00
	3	715.4	2310.0	15.7	512.37	.10	.10	-2000.00	-2000.000	1.13	-2000.00
	4	338.6	1830.0	15.3	501.40	.10	.10	-2000.00	-2000.000	.97	-2000.00
	5	185.5	1500.0	15.3	488.83	.30	.10	-2000.00	-2000.000	.98	-2000.00
11675	1	1495.0	880.0	7.7	177.82	.03	.20	-2000.00	-2000.000	2.30	-2000.00
	2	1137.0	2020.0	11.2	417.98	.01	.10	-2000.00	-2000.000	1.43	-2000.00
	3	495.9	1750.0	11.9	422.35	.03	.10	-2000.00	-2000.000	1.04	-2000.00
	4	255.5	1510.0	12.6	429.79	.10	.10	-2000.00	-2000.000	1.30	-2000.00
	5	162.0	1430.0	13.7	448.88	.30	.10	-2000.00	-2000.000	1.17	-2000.00
11700	1	1961.0	1230.0	6.9	159.65	.03	.20	-2000.00	-2000.000	1.60	-2000.00
	2	668.3	1259.0	8.4	325.23	.01	.10	-2000.00	-2000.000	1.48	-2000.00
	3	322.5	1210.0	9.6	364.90	.01	.10	-2000.00	-2000.000	1.20	-2000.00
	4	197.0	1230.0	11.3	384.89	.30	.10	-2000.00	-2000.000	1.28	-2000.00
	5	128.5	1210.0	11.9	410.81	.10	.10	-2000.00	-2000.000	1.11	-2000.00
11725	1	1147.0	690.0	5.8	123.62	.10	.20	-2000.00	-2000.000	1.52	-2000.00
	2	479.7	868.0	7.9	308.41	.01	.10	-2000.00	-2000.000	1.84	-2000.00
	3	273.5	980.0	10.1	355.07	.10	.10	-2000.00	-2000.000	1.27	-2000.00
	4	170.8	1030.0	10.9	394.19	.03	.10	-2000.00	-2000.000	1.28	-2000.00
	5	108.4	980.0	11.6	400.70	.10	.10	-2000.00	-2000.000	1.29	-2000.00
11750	1	1817.0	600.0	5.8	133.46	.03	.20	-2000.00	-2000.000	1.61	-2000.00
	2	853.1	845.0	8.4	174.39	.10	.20	-2000.00	-2000.000	1.51	-2000.00
	3	474.6	930.0	9.9	204.10	.10	.20	-2000.00	-2000.000	1.35	-2000.00
	4	285.0	940.0	11.1	384.65	.10	.10	-2000.00	-2000.000	1.22	-2000.00
	5	152.3	750.0	12.2	446.65	.01	.10	-2000.00	-2000.000	1.11	-2000.00
11775	1	837.3	505.0	5.4	115.34	.10	.20	-2000.00	-2000.000	1.76	-2000.00
	2	381.6	691.0	8.5	328.16	.01	.10	-2000.00	-2000.000	1.43	-2000.00
	3	213.0	770.0	9.8	357.89	.03	.10	-2000.00	-2000.000	1.07	-2000.00
	4	109.2	650.0	11.1	412.18	.01	.10	-2000.00	-2000.000	1.09	-2000.00
	5	52.7	476.0	12.5	442.79	.03	.10	-2000.00	-2000.000	1.08	-2000.00
11800	1	461.0	413.0	5.8	123.05	.10	.20	-2000.00	-2000.000	1.69	-2000.00
	2	210.9	567.0	8.3	324.46	.01	.10	-2000.00	-2000.000	1.86	-2000.00
	3	100.7	540.0	9.9	202.98	.10	.20	-2000.00	-2000.000	1.03	-2000.00
	4	46.6	418.0	11.7	390.94	1.00	.10	-2000.00	-2000.000	1.65	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	61.0	820.0	13.4	467.10	.03	.10	-2000.00	-2000.000	1.05	-2000.00
11825	1	535.9	323.0	5.3	113.08	.10	.20	-2000.00	-2000.000	1.54	-2000.00
	2	207.7	376.0	8.3	172.05	.10	.20	-2000.00	-2000.000	1.37	-2000.00
	3	87.9	317.0	10.0	379.08	.01	.10	-2000.00	-2000.000	1.13	-2000.00
	4	108.7	650.0	12.4	435.18	.03	.10	-2000.00	-2000.000	.93	-2000.00
	5	217.2	1960.0	21.9	599.38	30.00	.10	-2000.00	-2000.000	1.16	-2000.00
11850	1	367.2	240.0	4.4	115.86	.01	.20	-2000.00	-2000.000	1.92	-2000.00
	2	151.8	297.0	7.2	150.15	.10	.20	-2000.00	-2000.000	1.34	-2000.00
	3	169.4	660.0	9.9	374.06	.01	.10	-2000.00	-2000.000	1.19	-2000.00
	4	303.3	1980.0	20.2	572.08	10.00	.10	-2000.00	-2000.000	1.19	-2000.00
	5	182.7	1790.0	27.2	678.10	100.00	.10	-2000.00	-2000.000	1.19	-2000.00
11875	1	410.7	222.0	2.4	47.10	.03	.30	-2000.00	-2000.000	2.52	-2000.00
	2	367.1	596.0	5.8	123.34	.10	.20	-2000.00	-2000.000	1.90	-2000.00
	3	400.0	1290.0	18.7	541.67	10.00	.10	-2000.00	-2000.000	1.18	-2000.00
	4	242.7	1310.0	25.8	658.80	100.00	.10	-2000.00	-2000.000	.98	-2000.00
	5	72.1	585.0	26.9	675.22	100.00	.10	-2000.00	-2000.000	1.23	-2000.00
11900	1	464.0	364.0	2.7	73.14	.01	.20	-2000.00	-2000.000	2.67	-2000.00
	2	335.6	790.0	16.1	499.25	1.00	.10	-2000.00	-2000.000	1.38	-2000.00
	3	194.7	910.0	24.4	637.68	100.00	.10	-2000.00	-2000.000	1.10	-2000.00
	4	46.0	360.0	26.5	667.81	100.00	.10	-2000.00	-2000.000	1.48	-2000.00
	5	13.3	157.0	25.3	405.36	10.00	.20	-2000.00	-2000.000	2.37	-2000.00
11925	1	731.6	417.0	11.6	393.23	.30	.10	-2000.00	-2000.000	1.31	-2000.00
	2	319.7	547.0	23.1	615.60	100.00	.10	-2000.00	-2000.000	1.14	-2000.00
	3	87.6	299.0	25.3	649.79	100.00	.10	-2000.00	-2000.000	1.29	-2000.00
	4	21.4	122.0	25.6	403.91	10.00	.20	-2000.00	-2000.000	1.50	-2000.00
	5	63.3	541.0	28.7	698.17	100.00	.10	-2000.00	-2000.000	1.16	-2000.00
11950	1	470.4	314.0	18.7	536.39	100.00	.10	-2000.00	-2000.000	1.10	-2000.00
	2	105.8	212.0	23.2	616.42	100.00	.10	-2000.00	-2000.000	1.15	-2000.00
	3	24.6	98.0	23.9	382.65	10.00	.20	-2000.00	-2000.000	1.54	-2000.00
	4	67.6	451.0	28.4	442.65	30.00	.20	-2000.00	-2000.000	1.60	-2000.00
	5	25.4	254.0	28.8	445.73	30.00	.20	-2000.00	-2000.000	1.36	-2000.00
11975	1	457.5	342.0	15.0	472.32	1.00	.10	-2000.00	-2000.000	1.35	-2000.00
	2	89.4	200.5	17.4	510.23	100.00	.10	-2000.00	-2000.000	1.43	-2000.00
	3	186.0	830.0	23.6	380.02	10.00	.20	-2000.00	-2000.000	1.61	-2000.00
	4	44.7	334.0	28.6	444.82	30.00	.20	-2000.00	-2000.000	1.70	-2000.00
	5	37.0	414.0	25.9	407.16	10.00	.20	-2000.00	-2000.000	1.36	-2000.00
12000	1	781.7	409.0	5.7	229.52	.01	.10	-2000.00	-2000.000	1.49	-2000.00
	2	1191.0	1860.0	13.1	415.56	30.00	.10	-2000.00	-2000.000	1.37	-2000.00
	3	164.9	510.0	24.9	395.49	10.00	.20	-2000.00	-2000.000	1.62	-2000.00
	4	113.7	590.0	23.3	374.44	10.00	.20	-2000.00	-2000.000	1.34	-2000.00
	5	113.0	880.0	24.1	385.32	10.00	.20	-2000.00	-2000.000	1.51	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
12025	1	2385.0	1410.0	7.5	293.28	.01	.10	-2000.00	-2000.000	1.57	-2000.00
	2	254.4	452.0	21.0	576.76	100.00	.10	-2000.00	-2000.000	1.53	-2000.00
	3	156.8	550.0	20.3	563.87	100.00	.10	-2000.00	-2000.000	1.42	-2000.00
	4	147.9	870.0	21.4	585.33	100.00	.10	-2000.00	-2000.000	1.20	-2000.00
	5	52.0	462.0	21.5	586.08	100.00	.10	-2000.00	-2000.000	1.43	-2000.00
12050	1	251.6	225.0	19.1	321.19	10.00	.20	-2000.00	-2000.000	1.65	-2000.00
	2	129.3	348.0	18.9	318.69	10.00	.20	-2000.00	-2000.000	1.77	-2000.00
	3	116.4	620.0	20.2	563.28	100.00	.10	-2000.00	-2000.000	1.45	-2000.00
	4	39.3	352.0	20.6	570.25	100.00	.10	-2000.00	-2000.000	1.55	-2000.00
	5	31.2	420.0	20.6	342.73	10.00	.20	-2000.00	-2000.000	1.91	-2000.00
12075	1	475.1	552.0	15.9	476.49	100.00	.10	-2000.00	-2000.000	1.24	-2000.00
	2	294.9	1028.0	17.3	507.83	30.00	.10	-2000.00	-2000.000	1.21	-2000.00
	3	75.8	528.0	18.2	526.30	100.00	.10	-2000.00	-2000.000	1.16	-2000.00
	4	51.7	601.0	18.2	524.67	100.00	.10	-2000.00	-2000.000	1.54	-2000.00
12100	1	1481.0	1720.0	7.2	150.98	.10	.20	-2000.00	-2000.000	1.57	-2000.00
	2	245.1	855.0	11.2	388.72	.10	.10	-2000.00	-2000.000	1.09	-2000.00
	3	142.1	980.0	11.8	390.08	1.00	.10	-2000.00	-2000.000	1.61	-2000.00
12125	1	1271.0	1170.0	7.3	265.18	.30	.10	-2000.00	-2000.000	1.16	-2000.00
	2	421.6	1168.0	9.0	333.57	.03	.10	-2000.00	-2000.000	1.20	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 44

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
11425	1	794.5	831.0	22.1	601.42	30.00	.10	-2000.00	-2000.000	.97	-2000.00
	2	98.0	307.5	23.7	625.37	100.00	.10	-2000.00	-2000.000	.98	-2000.00
	3	73.2	458.0	14.0	588.49	.01	.50	-2000.00	-2000.000	13.44	-2000.00
	4	30.4	318.0	******	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	5	46.9	736.0	18.0	522.13	100.00	.10	-2000.00	-2000.000	.84	-2000.00
11450	1	511.2	445.0	22.3	600.15	100.00	.10	-2000.00	-2000.000	1.26	-2000.00
	2	217.9	570.0	16.1	564.16	.01	.10	-2000.00	-2000.000	3.15	-2000.00
	3	14.0	72.0	******	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	4	87.3	761.0	19.7	329.65	10.00	.20	-2000.00	-2000.000	1.20	-2000.00
	5	51.2	669.0	17.0	294.32	10.00	.20	-2000.00	-2000.000	1.59	-2000.00
11475	1	720.3	376.0	21.8	591.21	100.00	.10	-2000.00	-2000.000	1.45	-2000.00
	2	357.1	560.0	21.0	365.84	100.00	.20	-2000.00	-2000.000	.40	-2000.00
	3	257.7	800.0	22.0	358.33	10.00	.20	-2000.00	-2000.000	1.26	-2000.00
	4	133.2	690.0	20.1	333.71	10.00	.20	-2000.00	-2000.000	1.36	-2000.00
	5	102.6	800.0	18.4	528.11	100.00	.10	-2000.00	-2000.000	1.26	-2000.00
11500	1	946.7	743.0	8.4	290.34	10.00	.10	-2000.00	-2000.000	1.38	-2000.00
	2	393.6	926.0	15.8	480.68	10.00	.10	-2000.00	-2000.000	1.17	-2000.00
	3	140.0	650.0	19.9	559.90	30.00	.10	-2000.00	-2000.000	.81	-2000.00
	4	89.1	699.0	19.1	545.08	30.00	.10	-2000.00	-2000.000	.83	-2000.00
	5	69.1	813.0	17.2	509.36	10.00	.10	-2000.00	-2000.000	.91	-2000.00
11525	1	849.3	740.0	9.0	323.79	.10	.10	-2000.00	-2000.000	1.19	-2000.00
	2	258.5	676.0	17.1	507.84	10.00	.10	-2000.00	-2000.000	1.03	-2000.00
	3	136.0	710.0	18.1	525.97	100.00	.10	-2000.00	-2000.000	1.02	-2000.00
	4	90.3	787.0	17.0	503.21	100.00	.10	-2000.00	-2000.000	1.29	-2000.00
	5	83.7	1094.0	16.7	495.96	30.00	.10	-2000.00	-2000.000	.85	-2000.00
11550	1	1406.0	470.0	14.4	479.18	.10	.10	-2000.00	-2000.000	1.04	-2000.00
	2	664.2	680.0	16.9	516.24	1.00	.10	-2000.00	-2000.000	.96	-2000.00
	3	373.2	760.0	16.4	494.09	10.00	.10	-2000.00	-2000.000	1.05	-2000.00
	4	321.0	1090.0	16.3	490.94	10.00	.10	-2000.00	-2000.000	1.10	-2000.00
	5	250.4	1280.0	15.8	479.33	10.00	.10	-2000.00	-2000.000	1.03	-2000.00
11575	1	808.9	507.0	9.4	346.73	.03	.10	-2000.00	-2000.000	1.30	-2000.00
	2	376.2	708.0	11.3	394.99	.10	.10	-2000.00	-2000.000	1.28	-2000.00
	3	318.0	1190.0	12.0	411.47	.10	.10	-2000.00	-2000.000	.90	-2000.00
	4	178.6	1120.0	12.5	410.85	1.00	.10	-2000.00	-2000.000	1.31	-2000.00
	5	145.6	1370.0	13.3	431.02	1.00	.10	-2000.00	-2000.000	1.23	-2000.00
11600	1	682.8	466.0	6.2	132.40	.10	.20	-2000.00	-2000.000	2.12	-2000.00
	2	471.4	965.0	8.0	313.48	.01	.10	-2000.00	-2000.000	1.66	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	310.3	1260.0	8.7	324.48	.03	.10	-2000.00	-2000.000	1.45	-2000.00
	4	204.9	1390.0	9.9	375.44	.01	.10	-2000.00	-2000.000	1.40	-2000.00
	5	202.5	2070.0	13.4	433.20	1.00	.10	-2000.00	-2000.000	1.25	-2000.00
11625	1	452.1	567.0	4.1	96.84	.03	.20	-2000.00	-2000.000	2.53	-2000.00
	2	279.0	1051.0	5.5	126.80	.03	.20	-2000.00	-2000.000	1.94	-2000.00
	3	186.5	1400.0	7.4	290.36	.01	.10	-2000.00	-2000.000	1.46	-2000.00
	4	140.7	1760.0	11.1	398.29	.03	.10	-2000.00	-2000.000	1.19	-2000.00
	5	83.8	1579.0	15.4	481.20	1.00	.10	-2000.00	-2000.000	1.05	-2000.00
11650	1	568.8	372.0	3.1	80.37	.01	.20	-2000.00	-2000.000	1.99	-2000.00
	2	478.0	938.0	5.1	116.05	.03	.20	-2000.00	-2000.000	1.75	-2000.00
	3	438.3	1710.0	9.0	338.04	.01	.10	-2000.00	-2000.000	1.30	-2000.00
	4	218.5	1420.0	13.8	444.70	1.00	.10	-2000.00	-2000.000	1.46	-2000.00
	5	107.3	1050.0	12.9	419.89	1.00	.10	-2000.00	-2000.000	.87	-2000.00
11675	1	816.0	640.0	2.6	69.28	.01	.20	-2000.00	-2000.000	2.37	-2000.00
	2	693.5	1633.0	6.5	136.00	.10	.20	-2000.00	-2000.000	1.19	-2000.00
	3	303.4	1420.0	12.0	394.64	1.00	.10	-2000.00	-2000.000	1.11	-2000.00
	4	129.8	1010.0	12.0	402.07	.30	.10	-2000.00	-2000.000	.63	-2000.00
	5	88.9	1047.0	9.9	351.30	.10	.10	-2000.00	-2000.000	1.19	-2000.00
11700	1	544.7	684.0	5.4	113.99	.10	.20	-2000.00	-2000.000	1.60	-2000.00
	2	379.5	1429.0	10.4	359.39	.30	.10	-2000.00	-2000.000	1.04	-2000.00
	3	152.7	1140.0	11.5	373.93	30.00	.10	-2000.00	-2000.000	1.12	-2000.00
	4	99.7	1251.0	9.6	327.44	1.00	.10	-2000.00	-2000.000	1.37	-2000.00
	5	64.0	1205.0	11.7	418.86	.03	.10	-2000.00	-2000.000	1.14	-2000.00
11725	1	671.9	602.0	7.3	286.12	.01	.10	-2000.00	-2000.000	1.17	-2000.00
	2	219.8	591.0	10.6	358.10	1.00	.10	-2000.00	-2000.000	.90	-2000.00
	3	128.9	690.0	8.8	318.65	.10	.10	-2000.00	-2000.000	.89	-2000.00
	4	78.6	705.0	11.6	393.62	.30	.10	-2000.00	-2000.000	1.01	-2000.00
	5	54.6	734.0	11.8	421.22	.03	.10	-2000.00	-2000.000	1.00	-2000.00
11750	1	310.7	216.0	9.1	320.25	.30	.10	-2000.00	-2000.000	.94	-2000.00
	2	212.5	444.0	9.1	316.29	1.00	.10	-2000.00	-2000.000	1.64	-2000.00
	3	128.9	530.0	11.0	412.47	.01	.10	-2000.00	-2000.000	.83	-2000.00
	4	80.7	562.0	12.2	399.94	1.00	.10	-2000.00	-2000.000	1.52	-2000.00
	5	96.2	1006.0	14.7	487.17	.10	.10	-2000.00	-2000.000	1.10	-2000.00
11775	1	388.5	329.0	5.1	108.94	.10	.20	-2000.00	-2000.000	1.85	-2000.00
	2	199.5	507.0	8.1	314.86	.01	.10	-2000.00	-2000.000	1.20	-2000.00
	3	107.7	540.0	9.8	370.36	.01	.10	-2000.00	-2000.000	1.19	-2000.00
	4	115.4	970.0	13.3	463.43	.03	.10	-2000.00	-2000.000	1.18	-2000.00
	5	136.3	1730.0	23.5	626.58	30.00	.10	-2000.00	-2000.000	1.07	-2000.00
11800	1	304.4	273.0	3.7	88.51	.03	.20	-2000.00	-2000.000	1.43	-2000.00
	2	158.5	426.0	6.1	130.78	.10	.20	-2000.00	-2000.000	1.92	-2000.00
	3	162.3	870.0	10.8	390.92	.03	.10	-2000.00	-2000.000	1.25	-2000.00
	4	141.3	1260.0	22.5	608.33	30.00	.10	-2000.00	-2000.000	1.08	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	117.2	1570.0	29.4	447.72	10.00	.20	-2000.00	-2000.000	1.40	-2000.00
11825	1	213.0	176.0	2.7	71.67	.01	.20	-2000.00	-2000.000	2.31	-2000.00
	2	234.6	581.0	6.6	140.63	.10	.20	-2000.00	-2000.000	1.84	-2000.00
	3	199.7	980.0	19.1	545.91	30.00	.10	-2000.00	-2000.000	1.25	-2000.00
	4	139.3	1150.0	27.6	427.35	10.00	.20	-2000.00	-2000.000	1.58	-2000.00
	5	25.9	321.0	33.8	500.83	30.00	.20	-2000.00	-2000.000	1.65	-2000.00
11850	1	505.0	466.0	3.1	50.20	.10	.30	-2000.00	-2000.000	3.50	-2000.00
	2	324.2	898.0	14.9	469.25	1.00	.10	-2000.00	-2000.000	1.35	-2000.00
	3	185.9	1020.0	25.2	399.71	10.00	.20	-2000.00	-2000.000	1.70	-2000.00
	4	31.1	287.0	33.2	486.39	10.00	.20	-2000.00	-2000.000	1.28	-2000.00
	5	15.1	208.0	27.2	426.04	30.00	.20	-2000.00	-2000.000	1.83	-2000.00
11875	1	600.7	471.0	11.6	386.42	1.00	.10	-2000.00	-2000.000	1.54	-2000.00
	2	294.3	693.0	23.7	624.33	100.00	.10	-2000.00	-2000.000	1.20	-2000.00
	3	42.7	200.0	31.9	473.81	10.00	.20	-2000.00	-2000.000	1.17	-2000.00
	4	19.1	150.0	27.0	446.59	100.00	.20	-2000.00	-2000.000	2.16	-2000.00
	5	12.2	144.0	23.3	385.98	30.00	.20	-2000.00	-2000.000	1.85	-2000.00
11900	1	895.9	468.0	21.9	593.96	100.00	.10	-2000.00	-2000.000	1.15	-2000.00
	2	108.2	169.0	32.2	482.29	30.00	.20	-2000.00	-2000.000	1.39	-2000.00
	3	39.2	122.0	25.7	410.73	30.00	.20	-2000.00	-2000.000	1.33	-2000.00
	4	23.0	120.0	23.1	378.89	30.00	.20	-2000.00	-2000.000	1.49	-2000.00
	5	39.1	307.0	21.1	344.68	10.00	.20	-2000.00	-2000.000	1.47	-2000.00
11925	1	735.0	288.0	32.6	485.70	30.00	.20	-2000.00	-2000.000	1.09	-2000.00
	2	141.4	166.0	28.1	452.46	100.00	.20	-2000.00	-2000.000	1.42	-2000.00
	3	61.4	144.0	24.8	399.21	30.00	.20	-2000.00	-2000.000	1.27	-2000.00
	4	91.3	358.0	21.6	361.52	30.00	.20	-2000.00	-2000.000	1.49	-2000.00
	5	80.4	473.0	21.6	353.39	10.00	.20	-2000.00	-2000.000	1.61	-2000.00
11950	1	209.1	89.0	29.6	452.52	30.00	.20	-2000.00	-2000.000	1.34	-2000.00
	2	101.4	130.0	27.6	447.53	100.00	.20	-2000.00	-2000.000	1.49	-2000.00
	3	126.6	320.0	22.6	373.58	30.00	.20	-2000.00	-2000.000	1.31	-2000.00
	4	103.9	440.0	22.4	372.50	30.00	.20	-2000.00	-2000.000	1.71	-2000.00
	5	104.8	670.0	22.5	365.51	10.00	.20	-2000.00	-2000.000	1.55	-2000.00
11975	1	508.3	532.0	25.2	399.74	10.00	.20	-2000.00	-2000.000	1.38	-2000.00
	2	234.8	737.0	22.0	359.49	10.00	.20	-2000.00	-2000.000	1.41	-2000.00
	3	122.7	760.0	20.7	342.98	10.00	.20	-2000.00	-2000.000	1.43	-2000.00
	4	101.1	1050.0	21.0	347.49	10.00	.20	-2000.00	-2000.000	2.04	-2000.00
	5	51.6	809.0	20.2	600.76	.30	.10	-2000.00	-2000.000	.86	-2000.00
12000	1	415.5	543.0	11.6	380.35	100.00	.10	-2000.00	-2000.000	1.27	-2000.00
	2	211.0	828.0	13.8	429.60	30.00	.10	-2000.00	-2000.000	1.10	-2000.00
	3	151.6	1180.0	15.2	464.97	100.00	.10	-2000.00	-2000.000	1.29	-2000.00
	4	69.4	908.0	16.5	489.77	100.00	.10	-2000.00	-2000.000	1.20	-2000.00
12025	1	1620.0	2030.0	5.2	110.36	.10	.20	-2000.00	-2000.000	1.58	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	2	533.9	2011.0	7.2	284.69	.01	.10	-2000.00	-2000.000	1.69	-2000.00
	3	180.1	1350.0	9.1	312.01	30.00	.10	-2000.00	-2000.000	1.61	-2000.00
12050	1	2149.0	3060.0	3.6	84.32	.03	.20	-2000.00	-2000.000	1.86	-2000.00
	2	491.2	2103.0	5.0	106.22	.10	.20	-2000.00	-2000.000	1.43	-2000.00
12075	1	1868.0	2340.0	4.5	96.42	.10	.20	-2000.00	-2000.000	1.02	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 45

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
11425	1	3193.0	2000.0	12.4	415.01	.30	.10	-2000.00	-2000.000	1.04	-2000.00
	2	342.5	645.0	23.2	372.26	10.00	.20	-2000.00	-2000.000	.39	-2000.00
	3	228.0	850.0	24.0	629.24	100.00	.10	-2000.00	-2000.000	1.30	-2000.00
	4	83.5	524.0	33.6	763.65	100.00	.10	-2000.00	-2000.000	1.17	-2000.00
	5	74.1	698.0	19.4	323.86	10.00	.20	-2000.00	-2000.000	1.35	-2000.00
11450	1	2538.0	1500.0	10.4	358.67	.30	.10	-2000.00	-2000.000	1.12	-2000.00
	2	756.7	1344.0	18.7	556.65	1.00	.10	-2000.00	-2000.000	1.15	-2000.00
	3	154.4	540.0	40.5	561.59	10.00	.20	-2000.00	-2000.000	1.26	-2000.00
	4	114.5	670.0	23.3	616.78	100.00	.10	-2000.00	-2000.000	.93	-2000.00
	5	79.6	707.0	15.6	471.30	100.00	.10	-2000.00	-2000.000	1.01	-2000.00
11475	1	2391.0	1630.0	12.0	439.45	.01	.10	-2000.00	-2000.000	1.28	-2000.00
	2	465.4	953.0	26.4	668.30	100.00	.10	-2000.00	-2000.000	.81	-2000.00
	3	172.3	700.0	26.3	411.59	10.00	.20	-2000.00	-2000.000	.84	-2000.00
	4	96.4	658.0	18.2	316.70	30.00	.20	-2000.00	-2000.000	1.69	-2000.00
	5	102.7	1050.0	15.5	270.86	10.00	.20	-2000.00	-2000.000	1.45	-2000.00
11500	1	1711.0	1010.0	21.6	616.20	1.00	.10	-2000.00	-2000.000	1.01	-2000.00
	2	390.0	693.0	25.9	407.24	10.00	.20	-2000.00	-2000.000	1.12	-2000.00
	3	170.5	600.0	19.1	319.53	10.00	.20	-2000.00	-2000.000	.64	-2000.00
	4	151.8	890.0	16.3	486.24	100.00	.10	-2000.00	-2000.000	.61	-2000.00
	5	117.5	1040.0	15.8	478.37	10.00	.10	-2000.00	-2000.000	.65	-2000.00
11525	1	1750.0	1160.0	24.4	670.88	1.00	.10	-2000.00	-2000.000	.89	-2000.00
	2	428.2	858.0	20.3	565.12	100.00	.10	-2000.00	-2000.000	1.03	-2000.00
	3	303.8	1210.0	17.9	304.71	10.00	.20	-2000.00	-2000.000	1.46	-2000.00
	4	192.0	1280.0	17.0	510.40	3.00	.10	-2000.00	-2000.000	.75	-2000.00
	5	104.6	1040.0	16.1	483.27	100.00	.10	-2000.00	-2000.000	1.01	-2000.00
11550	1	1958.0	1750.0	14.1	458.40	.30	.10	-2000.00	-2000.000	1.02	-2000.00
	2	823.6	2216.0	15.6	484.12	1.00	.10	-2000.00	-2000.000	.96	-2000.00
	3	398.3	2130.0	16.3	503.18	1.00	.10	-2000.00	-2000.000	.90	-2000.00
	4	157.7	1410.0	15.2	476.95	1.00	.10	-2000.00	-2000.000	.94	-2000.00
	5	100.9	1350.0	17.0	504.00	10.00	.10	-2000.00	-2000.000	.77	-2000.00
11575	1	1785.0	2660.0	8.1	315.59	.01	.10	-2000.00	-2000.000	1.59	-2000.00
	2	533.2	2391.0	11.5	425.15	.01	.10	-2000.00	-2000.000	.89	-2000.00
	3	160.3	1430.0	12.8	416.16	1.00	.10	-2000.00	-2000.000	.90	-2000.00
	4	81.3	1215.0	14.2	469.12	.10	.10	-2000.00	-2000.000	.72	-2000.00
	5	46.9	1052.0	17.2	522.75	1.00	.10	-2000.00	-2000.000	.97	-2000.00
11600	1	3515.0	5250.0	9.0	203.88	.03	.20	-2000.00	-2000.000	1.05	-2000.00
	2	420.2	1884.0	12.1	441.66	.01	.10	-2000.00	-2000.000	1.14	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	133.8	1190.0	13.0	423.27	1.00	.10	-2000.00	-2000.000	.57	-2000.00
	4	68.0	1017.0	16.3	495.27	3.00	.10	-2000.00	-2000.000	1.05	-2000.00
	5	48.2	1081.0	15.2	473.01	1.00	.10	-2000.00	-2000.000	1.17	-2000.00
11625	1	2735.0	3730.0	11.6	258.68	.03	.20	-2000.00	-2000.000	1.48	-2000.00
	2	332.8	1363.0	13.3	437.81	.30	.10	-2000.00	-2000.000	.65	-2000.00
	3	128.5	1050.0	16.4	492.33	10.00	.10	-2000.00	-2000.000	.73	-2000.00
	4	80.6	1099.0	14.6	471.55	.30	.10	-2000.00	-2000.000	.76	-2000.00
	5	46.3	947.0	16.5	530.18	.10	.10	-2000.00	-2000.000	.98	-2000.00
11650	1	987.7	1409.0	13.1	474.04	.01	.10	-2000.00	-2000.000	1.05	-2000.00
	2	236.7	1013.0	17.2	514.66	3.00	.10	-2000.00	-2000.000	.97	-2000.00
	3	120.3	1020.0	15.5	473.57	10.00	.10	-2000.00	-2000.000	.83	-2000.00
	4	56.2	801.0	17.7	517.18	10.00	.10	-2000.00	-2000.000	.92	-2000.00
	5	44.0	942.0	21.2	587.14	30.00	.10	-2000.00	-2000.000	1.01	-2000.00
11675	1	543.1	741.0	16.0	518.70	.10	.10	-2000.00	-2000.000	1.12	-2000.00
	2	221.0	905.0	16.0	482.80	10.00	.10	-2000.00	-2000.000	.91	-2000.00
	3	99.9	816.0	17.6	517.05	30.00	.10	-2000.00	-2000.000	.73	-2000.00
	4	57.9	790.0	22.5	364.82	10.00	.20	-2000.00	-2000.000	1.30	-2000.00
	5	35.5	727.0	22.8	639.09	1.00	.10	-2000.00	-2000.000	.67	-2000.00
11700	1	490.7	616.0	13.0	426.36	1.00	.10	-2000.00	-2000.000	1.20	-2000.00
	2	218.3	822.0	17.0	513.75	30.00	.10	-2000.00	-2000.000	1.38	-2000.00
	3	108.4	810.0	21.7	604.35	100.00	.10	-2000.00	-2000.000	1.85	-2000.00
	4	62.2	780.0	23.2	638.06	100.00	.10	-2000.00	-2000.000	2.14	-2000.00
	5	42.6	802.0	21.4	625.50	100.00	.10	-2000.00	-2000.000	3.79	-2000.00
11725	1	1727.0	650.0	11.8	458.84	.01	.10	-2000.00	-2000.000	2.43	-2000.00
	2	634.5	720.0	21.4	585.85	100.00	.10	-2000.00	-2000.000	.78	-2000.00
	3	339.0	760.0	24.6	638.63	100.00	.10	-2000.00	-2000.000	1.09	-2000.00
	4	164.3	620.0	24.6	638.86	100.00	.10	-2000.00	-2000.000	.96	-2000.00
	5	96.6	547.0	22.9	611.51	100.00	.10	-2000.00	-2000.000	1.08	-2000.00
11750	1	288.0	376.0	17.9	519.06	100.00	.10	-2000.00	-2000.000	1.04	-2000.00
	2	145.4	570.0	22.6	606.46	100.00	.10	-2000.00	-2000.000	.97	-2000.00
	3	78.8	617.0	23.6	622.97	100.00	.10	-2000.00	-2000.000	1.04	-2000.00
	4	34.3	449.0	22.2	601.66	100.00	.10	-2000.00	-2000.000	.84	-2000.00
	5	26.1	511.0	24.5	391.29	10.00	.20	-2000.00	-2000.000	1.37	-2000.00
11775	1	339.4	463.0	14.3	445.06	100.00	.10	-2000.00	-2000.000	1.19	-2000.00
	2	140.0	573.0	19.9	561.33	30.00	.10	-2000.00	-2000.000	1.23	-2000.00
	3	47.6	388.0	21.2	346.38	10.00	.20	-2000.00	-2000.000	1.41	-2000.00
	4	34.3	468.0	22.7	370.01	10.00	.20	-2000.00	-2000.000	1.84	-2000.00
	5	53.3	1091.0	33.8	493.35	10.00	.20	-2000.00	-2000.000	1.30	-2000.00
11800	1	233.8	305.0	14.4	457.14	1.00	.10	-2000.00	-2000.000	1.20	-2000.00
	2	73.5	288.5	17.2	505.86	100.00	.10	-2000.00	-2000.000	1.71	-2000.00
	3	49.9	391.0	19.9	556.68	100.00	.10	-2000.00	-2000.000	1.22	-2000.00
	4	73.6	962.0	31.1	465.73	10.00	.20	-2000.00	-2000.000	1.45	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	19.3	378.0	37.1	543.46	100.00	.20	-2000.00	-2000.000	1.64	-2000.00
11825	1	733.0	277.0	9.6	336.21	.30	.10	-2000.00	-2000.000	1.57	-2000.00
	2	400.3	454.0	13.9	444.65	1.00	.10	-2000.00	-2000.000	1.40	-2000.00
	3	526.6	1190.0	25.5	651.38	100.00	.10	-2000.00	-2000.000	1.03	-2000.00
	4	107.3	400.0	36.8	527.26	30.00	.20	-2000.00	-2000.000	1.39	-2000.00
	5	37.9	215.0	27.8	433.93	30.00	.20	-2000.00	-2000.000	1.46	-2000.00
11850	1	393.5	457.0	5.6	227.59	.01	.10	-2000.00	-2000.000	1.83	-2000.00
	2	452.5	1578.0	18.3	528.41	100.00	.10	-2000.00	-2000.000	.98	-2000.00
	3	71.3	496.0	34.4	503.70	30.00	.20	-2000.00	-2000.000	1.21	-2000.00
	4	18.4	214.0	25.5	378.92	100.00	.30	-2000.00	-2000.000	12.67	-2000.00
	5	17.0	296.0	24.5	175.97	.30	.50	-2000.00	-2000.000	16.46	-2000.00
11875	1	1001.0	1040.0	12.4	406.48	1.00	.10	-2000.00	-2000.000	1.20	-2000.00
	2	131.6	413.0	31.7	476.28	30.00	.20	-2000.00	-2000.000	1.00	-2000.00
	3	29.0	181.0	26.7	437.51	100.00	.20	-2000.00	-2000.000	1.00	-2000.00
	4	24.1	252.0	19.3	333.50	30.00	.20	-2000.00	-2000.000	1.68	-2000.00
	5	31.7	497.0	18.2	307.76	10.00	.20	-2000.00	-2000.000	1.44	-2000.00
11900	1	152.2	159.0	28.5	440.96	30.00	.20	-2000.00	-2000.000	1.38	-2000.00
	2	39.5	124.0	26.9	425.42	30.00	.20	-2000.00	-2000.000	.85	-2000.00
	3	32.5	203.0	19.5	333.06	30.00	.20	-2000.00	-2000.000	1.25	-2000.00
	4	37.9	396.0	18.3	308.59	10.00	.20	-2000.00	-2000.000	1.06	-2000.00
	5	24.5	384.0	19.0	553.87	3.00	.10	-2000.00	-2000.000	1.99	-2000.00
11925	1	212.9	208.0	28.2	439.50	30.00	.20	-2000.00	-2000.000	1.20	-2000.00
	2	87.1	256.5	24.6	396.34	30.00	.20	-2000.00	-2000.000	1.16	-2000.00
	3	91.1	535.0	22.4	370.45	30.00	.20	-2000.00	-2000.000	1.31	-2000.00
	4	47.9	470.0	23.3	375.42	10.00	.20	-2000.00	-2000.000	1.43	-2000.00
	5	42.7	628.0	26.3	410.62	10.00	.20	-2000.00	-2000.000	1.51	-2000.00
11950	1	646.9	597.0	10.9	360.31	10.00	.10	-2000.00	-2000.000	1.15	-2000.00
	2	467.0	1293.0	12.8	405.74	30.00	.10	-2000.00	-2000.000	1.19	-2000.00
	3	178.2	980.0	15.6	486.00	1.00	.10	-2000.00	-2000.000	1.01	-2000.00
	4	134.5	1240.0	19.5	573.73	1.00	.10	-2000.00	-2000.000	1.10	-2000.00
	5	91.2	1263.0	17.2	505.61	100.00	.10	-2000.00	-2000.000	1.13	-2000.00
11975	1	1846.0	2070.0	5.7	218.45	.10	.10	-2000.00	-2000.000	1.78	-2000.00
	2	475.8	1600.0	9.0	203.64	.03	.20	-2000.00	-2000.000	1.10	-2000.00
	3	293.0	1960.0	13.4	478.48	.01	.10	-2000.00	-2000.000	.84	-2000.00
	4	173.6	1940.0	10.7	375.30	.10	.10	-2000.00	-2000.000	.98	-2000.00
	5	84.5	1422.0	11.2	362.91	10.00	.10	-2000.00	-2000.000	1.44	-2000.00
12000	1	1334.0	1740.0	8.2	130.23	.10	.30	-2000.00	-2000.000	1.98	-2000.00
	2	740.7	2907.0	11.0	223.78	.10	.20	-2000.00	-2000.000	1.62	-2000.00
	3	362.3	2830.0	7.4	155.39	.10	.20	-2000.00	-2000.000	1.25	-2000.00
	4	153.1	2000.0	7.2	274.72	.03	.10	-2000.00	-2000.000	1.37	-2000.00
12025	1	5766.0	8220.0	13.7	336.47	.01	.20	-2000.00	-2000.000	1.00	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	2	1479.0	6330.0	8.8	222.89	.01	.20	-2000.00	-2000.000	1.24	-2000.00
	3	420.4	3590.0	6.3	252.68	.01	.10	-2000.00	-2000.000	1.10	-2000.00
12050	1	3986.0	5210.0	12.0	300.13	.01	.20	-2000.00	-2000.000	1.54	-2000.00
	2	887.7	3484.0	7.8	197.98	.01	.20	-2000.00	-2000.000	1.39	-2000.00
12075	1	2070.0	2700.0	11.1	277.43	.01	.20	-2000.00	-2000.000	1.16	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 52

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters					Fit/IP	Fit/EM
					M-IP	TAU-IP	C-IP	M-EM	TAU-EM		
9825	1	183.8	134.0	.9	27.52	100.00	.20	-2000.00	-2000.000	20.76	-2000.00
9850	1	143.5	107.0	.7	21.08	100.00	.30	-2000.00	-2000.000	29.64	-2000.00
	2	56.8	127.4	1.1	53.43	.10	.10	-2000.00	-2000.000	11.69	-2000.00
9875	1	289.1	151.0	.9	26.36	100.00	.20	-2000.00	-2000.000	20.14	-2000.00
	2	83.8	131.5	1.3	56.57	.10	.10	-2000.00	-2000.000	6.52	-2000.00
	3	45.8	143.0	1.2	52.58	1.00	.10	-2000.00	-2000.000	9.04	-2000.00
9900	1	145.6	95.0	.7	20.65	100.00	.30	-2000.00	-2000.000	36.15	-2000.00
	2	79.3	155.5	1.2	55.03	.10	.10	-2000.00	-2000.000	9.61	-2000.00
	3	31.8	124.0	1.4	59.10	.10	.10	-2000.00	-2000.000	3.75	-2000.00
	4	20.5	134.0	1.7	33.98	100.00	.30	-2000.00	-2000.000	15.73	-2000.00
9925	1	206.7	91.0	.7	20.52	100.00	.30	-2000.00	-2000.000	28.13	-2000.00
	2	73.8	97.8	1.3	56.16	.10	.10	-2000.00	-2000.000	6.20	-2000.00
	3	50.4	133.0	1.0	52.35	.10	.10	-2000.00	-2000.000	18.75	-2000.00
	4	24.2	106.0	1.1	32.84	.01	.20	-2000.00	-2000.000	35.60	-2000.00
	5	17.8	118.0	.8	55.70	.10	.10	-2000.00	-2000.000	24.38	-2000.00
9950	1	133.9	116.0	.8	20.34	100.00	.30	-2000.00	-2000.000	21.92	-2000.00
	2	42.2	110.3	1.2	32.64	.03	.20	-2000.00	-2000.000	8.91	-2000.00
	3	22.1	115.0	1.4	34.46	.03	.20	-2000.00	-2000.000	9.61	-2000.00
	4	13.5	117.0	1.2	63.19	.01	.10	-2000.00	-2000.000	20.87	-2000.00
	5	8.3	109.0	1.2	63.18	30.00	.10	-2000.00	-2000.000	25.77	-2000.00
9975	1	271.4	93.0	1.3	56.56	.10	.10	-2000.00	-2000.000	7.07	-2000.00
	2	103.7	107.0	1.6	37.99	.03	.20	-2000.00	-2000.000	2.88	-2000.00
	3	55.0	113.0	1.7	72.29	.10	.10	-2000.00	-2000.000	3.79	-2000.00
	4	30.8	106.0	1.6	40.06	.03	.20	-2000.00	-2000.000	4.85	-2000.00
	5	27.4	141.0	1.9	80.51	.01	.10	-2000.00	-2000.000	2.97	-2000.00
10000	1	355.1	106.1	1.3	34.21	.03	.20	-2000.00	-2000.000	6.77	-2000.00
	2	119.8	107.4	1.7	43.69	.01	.20	-2000.00	-2000.000	6.73	-2000.00
	3	62.2	111.3	1.5	37.66	.03	.20	-2000.00	-2000.000	5.69	-2000.00
	4	41.0	122.7	1.6	43.53	.01	.20	-2000.00	-2000.000	4.29	-2000.00
	5	24.3	109.1	1.8	75.01	100.00	.10	-2000.00	-2000.000	10.01	-2000.00
10025	1	202.9	88.0	1.0	26.39	30.00	.20	-2000.00	-2000.000	14.38	-2000.00
	2	72.5	94.8	1.5	41.63	.01	.20	-2000.00	-2000.000	3.71	-2000.00
	3	38.9	101.0	1.3	33.51	.03	.20	-2000.00	-2000.000	5.23	-2000.00
	4	25.4	110.0	1.2	32.00	.03	.20	-2000.00	-2000.000	12.39	-2000.00
	5	17.8	116.0	1.4	37.20	.03	.20	-2000.00	-2000.000	14.35	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
10050	1	281.2	97.0	1.1	52.63	.10	.10	-2000.00	-2000.000	14.12	-2000.00
	2	94.4	97.6	1.3	57.19	.10	.10	-2000.00	-2000.000	6.16	-2000.00
	3	46.9	96.0	1.4	38.82	.01	.20	-2000.00	-2000.000	4.79	-2000.00
	4	28.8	99.0	1.1	31.63	.03	.20	-2000.00	-2000.000	11.46	-2000.00
	5	24.4	126.0	.9	47.46	1.00	.10	-2000.00	-2000.000	25.44	-2000.00
10075	1	306.0	123.0	1.2	36.32	.01	.20	-2000.00	-2000.000	8.45	-2000.00
	2	94.5	114.1	1.9	70.36	.10	.10	-2000.00	-2000.000	4.75	-2000.00
	3	42.8	103.0	1.5	62.15	1.00	.10	-2000.00	-2000.000	4.93	-2000.00
	4	24.6	98.0	1.8	30.38	30.00	.30	-2000.00	-2000.000	10.86	-2000.00
	5	18.4	111.0	1.3	27.78	.03	.30	-2000.00	-2000.000	32.53	-2000.00
10100	1	286.3	103.0	1.0	27.84	100.00	.20	-2000.00	-2000.000	15.37	-2000.00
	2	118.0	127.0	1.5	69.93	.01	.10	-2000.00	-2000.000	6.39	-2000.00
	3	58.6	126.0	1.7	43.30	.01	.20	-2000.00	-2000.000	2.32	-2000.00
	4	30.4	109.0	1.7	68.18	.30	.10	-2000.00	-2000.000	3.95	-2000.00
	5	20.5	110.0	1.6	31.31	.03	.30	-2000.00	-2000.000	4.04	-2000.00
10125	1	276.1	122.0	.8	21.05	100.00	.30	-2000.00	-2000.000	23.74	-2000.00
	2	93.6	124.1	1.1	50.87	30.00	.10	-2000.00	-2000.000	9.56	-2000.00
	3	51.1	135.0	1.3	37.52	.01	.20	-2000.00	-2000.000	5.83	-2000.00
	4	30.8	136.0	1.4	38.78	.01	.20	-2000.00	-2000.000	6.73	-2000.00
	5	19.0	125.0	1.1	31.60	.03	.20	-2000.00	-2000.000	17.04	-2000.00
10150	1	248.1	132.0	.7	19.42	100.00	.40	-2000.00	-2000.000	29.68	-2000.00
	2	73.2	116.9	1.1	51.64	30.00	.10	-2000.00	-2000.000	9.18	-2000.00
	3	36.7	116.0	1.3	54.45	30.00	.10	-2000.00	-2000.000	5.26	-2000.00
	4	22.1	117.0	1.7	19.04	.30	.40	-2000.00	-2000.000	2.21	-2000.00
	5	16.4	131.0	1.8	75.42	30.00	.10	-2000.00	-2000.000	7.25	-2000.00
10175	1	446.6	173.0	1.5	37.39	.03	.20	-2000.00	-2000.000	4.24	-2000.00
	2	121.3	141.0	1.8	35.49	1.00	.20	-2000.00	-2000.000	2.20	-2000.00
	3	52.5	121.0	2.1	73.29	3.00	.10	-2000.00	-2000.000	5.34	-2000.00
	4	26.3	102.0	.8	22.58	.10	.30	-2000.00	-2000.000	15.92	-2000.00
	5	21.2	123.0	2.0	43.46	.10	.20	-2000.00	-2000.000	3.73	-2000.00
10200	1	256.5	55.5	.0	40.05	100.00	.80	-2000.00	-2000.000	85.93	-2000.00
	2	160.3	104.1	1.0	28.07	100.00	.20	-2000.00	-2000.000	16.43	-2000.00
	3	69.7	90.3	1.5	62.28	.10	.10	-2000.00	-2000.000	2.78	-2000.00
	4	38.5	83.3	1.1	26.96	.03	.30	-2000.00	-2000.000	13.14	-2000.00
	5	25.7	83.5	3.0	47.28	100.00	.40	-2000.00	-2000.000	9.68	-2000.00
10225	1	285.3	126.0	1.1	51.09	30.00	.10	-2000.00	-2000.000	11.03	-2000.00
	2	45.5	60.3	.1	41.58	100.00	.80	-2000.00	-2000.000	67.03	-2000.00
	3	36.2	95.0	.8	20.97	100.00	.30	-2000.00	-2000.000	33.39	-2000.00
	4	18.1	80.0	.2	19.34	100.00	.40	-2000.00	-2000.000	51.44	-2000.00
	5	11.2	74.0	1.1	55.26	.01	.10	-2000.00	-2000.000	11.67	-2000.00
10250	1	552.3	128.4	1.5	37.05	.03	.20	-2000.00	-2000.000	3.07	-2000.00
	2	193.1	134.7	1.3	55.98	.10	.10	-2000.00	-2000.000	5.96	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	45.0	62.6	.1	40.84	100.00	.80	-2000.00	-2000.000	64.46	-2000.00
	4	39.3	91.3	.7	21.15	100.00	.30	-2000.00	-2000.000	27.36	-2000.00
	5	21.5	75.1	1.3	33.28	.03	.20	-2000.00	-2000.000	7.73	-2000.00
10275	1	302.0	114.0	2.1	55.18	.01	.20	-2000.00	-2000.000	2.16	-2000.00
	2	118.6	134.0	2.4	52.69	.10	.20	-2000.00	-2000.000	1.60	-2000.00
	3	67.5	152.0	1.7	46.33	.01	.20	-2000.00	-2000.000	2.00	-2000.00
	4	18.8	70.0	.9	21.86	100.00	.50	-2000.00	-2000.000	19.99	-2000.00
	5	17.8	100.0	1.0	53.20	.10	.10	-2000.00	-2000.000	14.79	-2000.00
10300	1	333.8	95.2	.6	18.77	100.00	.40	-2000.00	-2000.000	35.12	-2000.00
	2	100.1	85.7	1.7	33.34	.03	.30	-2000.00	-2000.000	2.14	-2000.00
	3	61.9	105.8	2.3	54.67	.03	.20	-2000.00	-2000.000	1.64	-2000.00
	4	44.7	127.5	1.9	84.60	.01	.10	-2000.00	-2000.000	3.89	-2000.00
	5	14.2	60.8	.8	20.51	100.00	.30	-2000.00	-2000.000	22.15	-2000.00
10325	1	397.5	146.0	1.0	28.13	100.00	.20	-2000.00	-2000.000	12.31	-2000.00
	2	95.6	105.9	.9	27.02	100.00	.20	-2000.00	-2000.000	19.90	-2000.00
	3	45.8	101.0	1.6	41.16	.10	.20	-2000.00	-2000.000	11.49	-2000.00
	4	27.3	100.0	2.2	17.05	.30	.60	-2000.00	-2000.000	26.09	-2000.00
	5	25.3	140.0	1.5	38.01	.01	.30	-2000.00	-2000.000	14.18	-2000.00
10350	1	339.8	205.0	1.5	30.24	.03	.30	-2000.00	-2000.000	2.25	-2000.00
	2	117.1	212.0	1.4	32.33	.10	.20	-2000.00	-2000.000	2.99	-2000.00
	3	38.4	138.0	1.0	28.30	100.00	.20	-2000.00	-2000.000	43.41	-2000.00
	4	19.1	115.0	2.0	48.78	100.00	.30	-2000.00	-2000.000	22.46	-2000.00
	5	15.2	137.0	2.3	62.72	.01	.20	-2000.00	-2000.000	2.94	-2000.00
10375	1	236.9	145.0	1.1	51.39	1.00	.10	-2000.00	-2000.000	11.03	-2000.00
	2	121.1	223.0	1.6	68.17	.01	.10	-2000.00	-2000.000	4.30	-2000.00
	3	64.6	237.0	1.7	37.21	.10	.20	-2000.00	-2000.000	2.53	-2000.00
	4	25.2	154.0	1.5	34.44	100.00	.20	-2000.00	-2000.000	6.98	-2000.00
	5	14.7	135.0	2.7	106.23	100.00	.10	-2000.00	-2000.000	5.38	-2000.00
10400	1	580.2	165.6	1.1	50.35	1.00	.10	-2000.00	-2000.000	12.73	-2000.00
	2	184.1	157.6	1.6	38.12	.03	.20	-2000.00	-2000.000	3.69	-2000.00
	3	133.7	228.0	1.7	44.87	.01	.20	-2000.00	-2000.000	1.63	-2000.00
	4	86.8	247.7	1.7	33.80	.03	.30	-2000.00	-2000.000	2.73	-2000.00
	5	38.6	165.4	1.4	39.49	.01	.20	-2000.00	-2000.000	3.54	-2000.00
10425	1	423.9	146.0	.8	19.75	100.00	.40	-2000.00	-2000.000	27.99	-2000.00
	2	148.6	153.0	1.0	48.63	30.00	.10	-2000.00	-2000.000	13.72	-2000.00
	3	71.5	147.0	1.5	33.72	.10	.20	-2000.00	-2000.000	3.13	-2000.00
	4	63.9	220.0	1.6	32.23	.03	.30	-2000.00	-2000.000	3.47	-2000.00
	5	48.9	253.0	1.9	29.96	.10	.30	-2000.00	-2000.000	2.97	-2000.00
10450	1	539.9	206.0	1.2	36.26	.01	.20	-2000.00	-2000.000	9.28	-2000.00
	2	133.4	153.0	.7	19.81	100.00	.40	-2000.00	-2000.000	30.31	-2000.00
	3	63.3	145.0	1.1	28.73	100.00	.20	-2000.00	-2000.000	11.31	-2000.00
	4	40.0	152.0	1.6	66.81	.10	.10	-2000.00	-2000.000	4.08	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	38.2	219.0	2.1	82.55	.30	.10	-2000.00	-2000.000	3.90	-2000.00
10475	1	343.2	153.0	1.3	28.11	30.00	.20	-2000.00	-2000.000	11.45	-2000.00
	2	123.9	166.0	.6	34.59	.01	.20	-2000.00	-2000.000	21.10	-2000.00
	3	50.2	134.0	1.0	27.64	100.00	.20	-2000.00	-2000.000	10.78	-2000.00
	4	26.7	119.0	1.3	53.41	1.00	.10	-2000.00	-2000.000	14.99	-2000.00
	5	19.6	132.0	1.9	76.44	.10	.10	-2000.00	-2000.000	8.22	-2000.00
10500	1	423.9	106.4	.9	26.17	100.00	.20	-2000.00	-2000.000	18.51	-2000.00
	2	151.6	114.2	1.8	39.26	.10	.20	-2000.00	-2000.000	2.66	-2000.00
	3	88.1	132.4	1.7	39.45	.03	.20	-2000.00	-2000.000	1.94	-2000.00
	4	43.5	109.2	1.1	53.87	.10	.10	-2000.00	-2000.000	13.77	-2000.00
	5	28.3	106.4	1.8	39.91	100.00	.20	-2000.00	-2000.000	7.88	-2000.00
10525	1	360.7	191.0	1.1	50.91	1.00	.10	-2000.00	-2000.000	11.42	-2000.00
	2	103.3	164.0	1.6	37.99	.03	.20	-2000.00	-2000.000	2.49	-2000.00
	3	44.3	141.0	2.0	51.71	.01	.20	-2000.00	-2000.000	1.33	-2000.00
	4	28.9	153.0	1.9	78.33	.10	.10	-2000.00	-2000.000	4.48	-2000.00
	5	15.5	123.0	1.3	57.14	.10	.10	-2000.00	-2000.000	7.75	-2000.00
10550	1	119.4	93.0	.8	25.50	100.00	.20	-2000.00	-2000.000	23.49	-2000.00
	2	60.0	141.2	1.6	66.15	.03	.10	-2000.00	-2000.000	4.35	-2000.00
	3	30.9	145.0	1.7	37.24	.10	.20	-2000.00	-2000.000	2.49	-2000.00
	4	16.5	129.0	2.8	57.30	30.00	.20	-2000.00	-2000.000	5.73	-2000.00
	5	12.1	142.0	1.7	48.59	100.00	.20	-2000.00	-2000.000	18.12	-2000.00
10575	1	229.9	150.0	1.4	34.23	.03	.20	-2000.00	-2000.000	4.94	-2000.00
	2	51.8	101.5	1.7	73.71	.10	.10	-2000.00	-2000.000	3.25	-2000.00
	3	36.3	142.0	2.0	76.43	3.00	.10	-2000.00	-2000.000	3.93	-2000.00
	4	22.4	146.0	1.7	34.67	.03	.30	-2000.00	-2000.000	2.70	-2000.00
	5	13.4	131.0	2.3	62.16	.01	.30	-2000.00	-2000.000	17.46	-2000.00
10600	1	379.4	198.0	1.4	38.58	.01	.20	-2000.00	-2000.000	5.12	-2000.00
	2	106.7	167.0	2.8	55.19	3.00	.20	-2000.00	-2000.000	10.72	-2000.00
	3	35.7	111.0	2.0	81.10	.10	.10	-2000.00	-2000.000	2.89	-2000.00
	4	30.0	156.0	2.1	92.04	.01	.10	-2000.00	-2000.000	3.34	-2000.00
	5	20.6	162.0	2.2	96.31	.01	.10	-2000.00	-2000.000	7.02	-2000.00
10625	1	479.0	181.0	2.0	52.66	.01	.20	-2000.00	-2000.000	1.34	-2000.00
	2	145.3	164.0	2.4	51.76	.10	.20	-2000.00	-2000.000	1.92	-2000.00
	3	70.6	159.0	2.5	59.41	.03	.20	-2000.00	-2000.000	1.73	-2000.00
	4	28.7	108.0	2.5	54.30	30.00	.20	-2000.00	-2000.000	5.79	-2000.00
	5	27.5	155.0	2.4	25.84	.30	.40	-2000.00	-2000.000	5.01	-2000.00
10650	1	707.9	158.7	2.2	35.09	.10	.30	-2000.00	-2000.000	2.12	-2000.00
	2	201.9	135.8	2.7	64.78	.03	.20	-2000.00	-2000.000	1.41	-2000.00
	3	98.5	132.2	2.5	53.07	.10	.20	-2000.00	-2000.000	1.65	-2000.00
	4	61.8	138.6	2.6	61.25	.03	.20	-2000.00	-2000.000	1.48	-2000.00
	5	28.5	95.9	2.6	101.70	100.00	.10	-2000.00	-2000.000	3.71	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
10675	1	610.8	199.0	2.6	42.91	.10	.30	-2000.00	-2000.000	2.26	-2000.00
	2	150.7	147.0	3.1	73.58	.03	.20	-2000.00	-2000.000	.84	-2000.00
	3	72.8	142.0	2.7	69.76	.01	.20	-2000.00	-2000.000	.81	-2000.00
	4	44.0	144.0	2.1	18.12	.30	.60	-2000.00	-2000.000	5.20	-2000.00
	5	31.6	155.0	3.4	59.72	100.00	.30	-2000.00	-2000.000	9.67	-2000.00
10700	1	428.2	156.0	2.8	73.80	.01	.20	-2000.00	-2000.000	2.20	-2000.00
	2	130.8	143.0	2.7	64.69	.03	.20	-2000.00	-2000.000	1.02	-2000.00
	3	68.7	150.0	3.1	68.90	.10	.20	-2000.00	-2000.000	1.95	-2000.00
	4	42.7	155.0	2.8	44.56	.10	.30	-2000.00	-2000.000	1.54	-2000.00
	5	29.8	163.0	2.5	26.18	.30	.40	-2000.00	-2000.000	5.85	-2000.00
10725	1	415.5	167.0	2.1	55.52	.01	.20	-2000.00	-2000.000	1.43	-2000.00
	2	107.9	130.0	3.2	68.58	.10	.20	-2000.00	-2000.000	1.48	-2000.00
	3	61.9	149.0	2.9	75.09	.01	.20	-2000.00	-2000.000	1.96	-2000.00
	4	40.2	161.0	3.4	86.51	.01	.20	-2000.00	-2000.000	1.47	-2000.00
	5	28.3	170.0	2.9	31.83	.30	.40	-2000.00	-2000.000	2.34	-2000.00
10750	1	266.2	174.0	2.1	45.45	.10	.20	-2000.00	-2000.000	1.44	-2000.00
	2	76.3	149.6	3.0	42.13	.30	.30	-2000.00	-2000.000	1.16	-2000.00
	3	32.2	126.0	3.3	72.52	.10	.20	-2000.00	-2000.000	.85	-2000.00
	4	22.8	149.0	3.3	46.39	.30	.30	-2000.00	-2000.000	.92	-2000.00
	5	16.7	163.0	3.5	86.49	.03	.20	-2000.00	-2000.000	1.86	-2000.00
10775	1	377.8	228.0	2.0	65.37	.03	.20	-2000.00	-2000.000	1.56	-2000.00
	2	110.8	200.0	3.5	71.53	.30	.20	-2000.00	-2000.000	.84	-2000.00
	3	49.7	179.0	3.5	71.68	.30	.20	-2000.00	-2000.000	.79	-2000.00
	4	24.4	147.0	3.6	77.55	.10	.20	-2000.00	-2000.000	1.21	-2000.00
	5	19.6	177.0	3.6	73.12	.30	.20	-2000.00	-2000.000	1.17	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 56

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9825	1	109.8	127.0	1.3	53.83	30.00	.10	-2000.00	-2000.000	9.49	-2000.00
9850	1	170.2	97.0	1.1	53.56	.10	.10	-2000.00	-2000.000	10.46	-2000.00
	2	72.8	124.7	1.2	36.88	.01	.20	-2000.00	-2000.000	10.45	-2000.00
9875	1	217.4	85.0	1.8	28.23	.10	.30	-2000.00	-2000.000	2.33	-2000.00
	2	123.4	145.0	1.1	27.15	.03	.30	-2000.00	-2000.000	9.12	-2000.00
	3	52.9	124.0	1.4	24.11	.10	.30	-2000.00	-2000.000	5.57	-2000.00
9900	1	450.0	168.0	2.0	39.43	.03	.30	-2000.00	-2000.000	2.76	-2000.00
	2	114.2	128.0	1.6	31.33	.03	.30	-2000.00	-2000.000	5.48	-2000.00
	3	70.2	157.0	1.3	54.05	30.00	.10	-2000.00	-2000.000	4.06	-2000.00
	4	33.2	123.0	.9	31.00	.03	.20	-2000.00	-2000.000	15.50	-2000.00
9925	1	390.1	122.4	1.8	34.63	.03	.30	-2000.00	-2000.000	4.30	-2000.00
	2	139.8	131.6	1.5	40.75	.01	.20	-2000.00	-2000.000	3.66	-2000.00
	3	62.0	116.5	1.1	28.63	100.00	.20	-2000.00	-2000.000	13.76	-2000.00
	4	40.9	128.5	1.0	26.57	100.00	.20	-2000.00	-2000.000	12.13	-2000.00
	5	24.2	114.1	1.0	49.53	1.00	.10	-2000.00	-2000.000	15.58	-2000.00
9950	1	248.6	130.0	1.1	50.44	30.00	.10	-2000.00	-2000.000	12.43	-2000.00
	2	85.3	133.9	1.3	37.48	.01	.20	-2000.00	-2000.000	5.52	-2000.00
	3	41.9	131.0	1.3	29.38	30.00	.20	-2000.00	-2000.000	6.36	-2000.00
	4	22.1	115.0	.4	20.17	100.00	.30	-2000.00	-2000.000	50.15	-2000.00
	5	18.9	148.0	.8	21.21	100.00	.30	-2000.00	-2000.000	32.45	-2000.00
9975	1	486.4	145.4	1.0	48.19	1.00	.10	-2000.00	-2000.000	15.67	-2000.00
	2	154.5	138.6	1.4	31.32	.10	.20	-2000.00	-2000.000	4.83	-2000.00
	3	74.2	132.7	1.4	33.27	.10	.20	-2000.00	-2000.000	4.48	-2000.00
	4	43.2	129.2	1.1	53.45	.10	.10	-2000.00	-2000.000	12.29	-2000.00
	5	26.1	116.9	1.0	48.52	30.00	.10	-2000.00	-2000.000	18.07	-2000.00
10000	1	256.0	114.0	.8	21.19	100.00	.30	-2000.00	-2000.000	24.57	-2000.00
	2	96.1	129.2	1.1	49.95	100.00	.10	-2000.00	-2000.000	10.55	-2000.00
	3	50.5	135.0	1.3	31.50	.10	.20	-2000.00	-2000.000	9.72	-2000.00
	4	29.7	133.0	1.3	34.24	.03	.20	-2000.00	-2000.000	5.06	-2000.00
	5	19.4	130.0	1.1	49.79	1.00	.10	-2000.00	-2000.000	16.42	-2000.00
10025	1	320.5	125.0	1.1	51.40	1.00	.10	-2000.00	-2000.000	9.78	-2000.00
	2	136.8	161.0	.9	21.28	100.00	.30	-2000.00	-2000.000	19.92	-2000.00
	3	59.4	139.0	1.0	27.61	100.00	.20	-2000.00	-2000.000	12.75	-2000.00
	4	36.7	144.0	1.4	58.59	.10	.10	-2000.00	-2000.000	6.42	-2000.00
	5	24.3	143.0	1.2	37.29	.01	.20	-2000.00	-2000.000	6.31	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
10050	1	322.2	123.0	1.1	51.43	1.00	.10	-2000.00	-2000.000	9.66	-2000.00
	2	129.5	148.0	1.1	51.02	1.00	.10	-2000.00	-2000.000	10.37	-2000.00
	3	74.8	171.0	1.0	21.43	100.00	.30	-2000.00	-2000.000	14.73	-2000.00
	4	38.2	146.0	1.0	48.67	30.00	.10	-2000.00	-2000.000	14.08	-2000.00
	5	26.6	152.0	1.5	63.86	.01	.10	-2000.00	-2000.000	5.05	-2000.00
10075	1	365.6	109.3	.6	21.40	100.00	.50	-2000.00	-2000.000	39.36	-2000.00
	2	163.9	147.0	1.0	49.47	1.00	.10	-2000.00	-2000.000	15.37	-2000.00
	3	85.1	152.2	1.2	52.81	30.00	.10	-2000.00	-2000.000	9.59	-2000.00
	4	46.9	140.3	.3	18.68	100.00	.40	-2000.00	-2000.000	43.86	-2000.00
	5	30.3	135.7	2.0	23.25	.30	.30	-2000.00	-2000.000	16.50	-2000.00
10100	1	244.7	102.0	.9	25.33	30.00	.20	-2000.00	-2000.000	20.01	-2000.00
	2	83.5	104.8	.8	27.27	100.00	.20	-2000.00	-2000.000	20.43	-2000.00
	3	57.8	145.0	1.3	55.76	.10	.10	-2000.00	-2000.000	12.06	-2000.00
	4	29.1	121.0	1.2	32.49	100.00	.20	-2000.00	-2000.000	13.04	-2000.00
	5	23.5	147.0	.8	27.24	100.00	.20	-2000.00	-2000.000	20.41	-2000.00
10125	1	370.8	149.0	1.0	49.27	30.00	.10	-2000.00	-2000.000	12.45	-2000.00
	2	117.9	142.0	.8	26.59	100.00	.20	-2000.00	-2000.000	24.10	-2000.00
	3	50.0	120.0	1.0	27.37	100.00	.20	-2000.00	-2000.000	12.34	-2000.00
	4	37.8	152.0	1.2	54.48	.10	.10	-2000.00	-2000.000	9.32	-2000.00
	5	23.1	139.0	1.3	30.51	.10	.20	-2000.00	-2000.000	17.42	-2000.00
10150	1	237.9	124.0	.7	20.36	100.00	.30	-2000.00	-2000.000	27.81	-2000.00
	2	105.0	164.0	1.0	26.19	30.00	.20	-2000.00	-2000.000	15.59	-2000.00
	3	49.8	156.0	.8	21.58	100.00	.30	-2000.00	-2000.000	22.85	-2000.00
	4	24.0	125.0	.9	48.12	30.00	.10	-2000.00	-2000.000	17.62	-2000.00
	5	21.0	164.0	1.1	51.91	.10	.10	-2000.00	-2000.000	10.66	-2000.00
10175	1	229.9	138.0	.9	26.33	100.00	.20	-2000.00	-2000.000	14.65	-2000.00
	2	78.3	141.9	.6	20.97	100.00	.30	-2000.00	-2000.000	42.59	-2000.00
	3	47.7	172.0	1.1	28.58	100.00	.20	-2000.00	-2000.000	13.06	-2000.00
	4	26.6	160.0	.8	26.08	100.00	.20	-2000.00	-2000.000	19.20	-2000.00
	5	14.1	128.0	.9	48.87	30.00	.10	-2000.00	-2000.000	16.26	-2000.00
10200	1	283.9	117.0	.9	27.02	100.00	.20	-2000.00	-2000.000	21.12	-2000.00
	2	112.3	139.0	1.1	50.67	1.00	.10	-2000.00	-2000.000	10.36	-2000.00
	3	51.0	126.0	.7	21.29	100.00	.30	-2000.00	-2000.000	29.26	-2000.00
	4	35.3	145.0	1.2	52.25	30.00	.10	-2000.00	-2000.000	6.30	-2000.00
	5	22.1	136.0	1.0	26.27	30.00	.20	-2000.00	-2000.000	11.85	-2000.00
10225	1	287.9	150.0	1.1	50.88	30.00	.10	-2000.00	-2000.000	12.72	-2000.00
	2	85.9	134.8	1.0	49.66	30.00	.10	-2000.00	-2000.000	13.31	-2000.00
	3	43.9	137.0	1.6	61.09	100.00	.10	-2000.00	-2000.000	6.99	-2000.00
	4	22.8	119.0	.9	49.63	30.00	.10	-2000.00	-2000.000	16.76	-2000.00
	5	17.5	136.0	1.1	48.86	30.00	.10	-2000.00	-2000.000	17.52	-2000.00
10250	1	173.9	121.0	1.1	50.64	1.00	.10	-2000.00	-2000.000	12.84	-2000.00
	2	66.2	138.5	1.3	33.84	.03	.20	-2000.00	-2000.000	6.18	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	27.4	114.0	1.1	51.01	30.00	.10	-2000.00	-2000.000	13.41	-2000.00
	4	16.4	114.0	1.2	57.03	.01	.10	-2000.00	-2000.000	21.43	-2000.00
	5	9.6	100.7	.4	19.32	100.00	.30	-2000.00	-2000.000	51.40	-2000.00
10275	1	215.5	150.0	1.0	48.52	1.00	.10	-2000.00	-2000.000	14.98	-2000.00
	2	67.4	141.1	1.0	11.33	1.00	.50	-2000.00	-2000.000	52.51	-2000.00
	3	34.5	144.0	1.2	35.93	.01	.20	-2000.00	-2000.000	10.52	-2000.00
	4	16.9	117.0	2.5	24.78	30.00	.50	-2000.00	-2000.000	14.83	-2000.00
	5	11.1	115.0	-.6	29.94	.01	.30	-2000.00	-2000.000	108.11	-2000.00
10300	1	235.7	142.0	1.0	48.23	30.00	.10	-2000.00	-2000.000	15.23	-2000.00
	2	81.7	148.0	1.6	32.74	.30	.20	-2000.00	-2000.000	2.89	-2000.00
	3	39.1	141.0	1.4	32.16	.10	.20	-2000.00	-2000.000	4.82	-2000.00
	4	23.5	141.0	1.3	35.76	.03	.20	-2000.00	-2000.000	8.10	-2000.00
	5	12.7	115.0	2.4	39.10	100.00	.20	-2000.00	-2000.000	33.00	-2000.00
10325	1	391.1	175.0	1.1	50.51	1.00	.10	-2000.00	-2000.000	10.73	-2000.00
	2	123.3	165.0	1.3	33.27	.03	.20	-2000.00	-2000.000	5.04	-2000.00
	3	61.4	165.0	1.8	75.05	.01	.10	-2000.00	-2000.000	2.37	-2000.00
	4	31.2	139.0	1.4	39.92	.01	.20	-2000.00	-2000.000	5.26	-2000.00
	5	21.6	145.0	1.8	40.41	30.00	.20	-2000.00	-2000.000	10.15	-2000.00
10350	1	210.1	131.0	1.0	50.23	30.00	.10	-2000.00	-2000.000	18.06	-2000.00
	2	81.8	154.1	1.1	35.33	.01	.20	-2000.00	-2000.000	11.60	-2000.00
	3	38.7	145.0	1.4	38.96	.01	.20	-2000.00	-2000.000	8.69	-2000.00
	4	22.2	139.0	1.4	21.84	.30	.30	-2000.00	-2000.000	70.44	-2000.00
	5	13.9	130.0	.7	47.98	100.00	.40	-2000.00	-2000.000	44.77	-2000.00
10375	1	170.8	97.0	1.1	51.21	30.00	.10	-2000.00	-2000.000	13.19	-2000.00
	2	63.3	108.4	1.2	36.39	.01	.20	-2000.00	-2000.000	9.49	-2000.00
	3	35.6	121.0	1.5	65.90	.01	.10	-2000.00	-2000.000	4.97	-2000.00
	4	21.0	119.0	1.9	25.60	.30	.30	-2000.00	-2000.000	6.02	-2000.00
	5	14.9	127.0	1.5	45.76	.01	.20	-2000.00	-2000.000	8.60	-2000.00
10400	1	310.2	162.0	1.2	29.62	.10	.20	-2000.00	-2000.000	7.96	-2000.00
	2	73.5	115.4	1.6	42.62	.01	.20	-2000.00	-2000.000	2.90	-2000.00
	3	35.0	109.0	1.3	38.38	.01	.20	-2000.00	-2000.000	7.34	-2000.00
	4	23.0	120.0	1.2	27.76	.03	.30	-2000.00	-2000.000	10.55	-2000.00
	5	15.4	120.0	2.6	50.71	100.00	.20	-2000.00	-2000.000	18.93	-2000.00
10425	1	289.2	165.0	1.0	49.61	30.00	.10	-2000.00	-2000.000	13.63	-2000.00
	2	106.0	181.0	1.8	47.89	.01	.20	-2000.00	-2000.000	2.96	-2000.00
	3	36.2	123.0	1.5	34.21	.10	.20	-2000.00	-2000.000	6.02	-2000.00
	4	19.7	112.0	1.3	55.90	.10	.10	-2000.00	-2000.000	27.47	-2000.00
	5	14.6	124.0	******	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
10450	1	388.7	128.0	.8	47.14	1.00	.10	-2000.00	-2000.000	29.12	-2000.00
	2	170.1	168.0	1.6	42.08	.01	.20	-2000.00	-2000.000	2.97	-2000.00
	3	101.8	200.0	1.9	45.05	.03	.20	-2000.00	-2000.000	2.99	-2000.00
	4	42.4	140.0	2.7	53.05	100.00	.30	-2000.00	-2000.000	9.34	-2000.00

Station	Dipole	Vp	Apparent Resist.	M?	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	25.9	128.0	1.0	25.41	.03	.30	-2000.00	-2000.000	51.94	-2000.00
10475	1	162.0	105.0	1.2	35.93	.01	.20	-2000.00	-2000.000	10.38	-2000.00
	2	57.1	111.9	1.1	26.76	.03	.30	-2000.00	-2000.000	13.60	-2000.00
	3	35.4	138.0	.9	46.52	1.00	.10	-2000.00	-2000.000	31.56	-2000.00
	4	27.0	176.0	1.3	35.60	.01	.30	-2000.00	-2000.000	8.68	-2000.00
	5	12.9	126.0	.5	33.16	.01	.20	-2000.00	-2000.000	50.39	-2000.00
10500	1	301.1	139.0	1.7	32.39	.03	.30	-2000.00	-2000.000	2.64	-2000.00
	2	67.3	93.2	1.3	37.43	.01	.20	-2000.00	-2000.000	6.11	-2000.00
	3	38.7	106.0	1.2	54.71	.10	.10	-2000.00	-2000.000	9.09	-2000.00
	4	29.1	134.0	1.7	40.55	.03	.20	-2000.00	-2000.000	4.02	-2000.00
	5	25.9	179.0	1.7	33.92	.03	.30	-2000.00	-2000.000	4.17	-2000.00
10525	1	382.0	214.0	1.8	48.21	.01	.20	-2000.00	-2000.000	2.23	-2000.00
	2	111.7	187.0	1.7	28.69	.10	.30	-2000.00	-2000.000	4.26	-2000.00
	3	34.6	116.0	1.0	52.60	.10	.10	-2000.00	-2000.000	17.10	-2000.00
	4	21.1	118.0	1.1	34.53	.01	.20	-2000.00	-2000.000	17.24	-2000.00
	5	17.5	146.0	1.3	37.91	.03	.20	-2000.00	-2000.000	16.85	-2000.00
10550	1	143.1	102.0	.9	17.95	30.00	.30	-2000.00	-2000.000	21.49	-2000.00
	2	82.9	177.4	1.3	35.34	.03	.20	-2000.00	-2000.000	5.68	-2000.00
	3	39.6	169.0	1.8	75.46	.10	.10	-2000.00	-2000.000	5.15	-2000.00
	4	15.2	108.0	.5	45.01	30.00	.10	-2000.00	-2000.000	44.79	-2000.00
	5	10.4	111.0	1.4	34.59	.03	.20	-2000.00	-2000.000	11.28	-2000.00
10575	1	240.5	89.0	.8	26.71	100.00	.20	-2000.00	-2000.000	24.05	-2000.00
	2	59.2	66.3	1.5	33.98	.10	.20	-2000.00	-2000.000	2.92	-2000.00
	3	56.0	125.0	1.9	80.10	.01	.10	-2000.00	-2000.000	2.55	-2000.00
	4	35.8	133.0	1.8	35.80	.03	.30	-2000.00	-2000.000	2.72	-2000.00
	5	16.5	92.0	1.9	80.69	.01	.10	-2000.00	-2000.000	3.00	-2000.00
10600	1	252.0	123.0	1.6	37.68	.03	.20	-2000.00	-2000.000	3.37	-2000.00
	2	68.5	100.7	1.3	61.96	30.00	.10	-2000.00	-2000.000	12.33	-2000.00
	3	20.9	61.0	2.3	44.73	100.00	.30	-2000.00	-2000.000	9.68	-2000.00
	4	23.7	116.0	1.5	22.76	.10	.40	-2000.00	-2000.000	26.15	-2000.00
	5	17.4	127.0	3.7	63.87	100.00	.30	-2000.00	-2000.000	8.82	-2000.00
10625	1	242.0	135.0	1.7	45.44	.01	.20	-2000.00	-2000.000	4.07	-2000.00
	2	84.7	142.4	1.8	46.83	.01	.20	-2000.00	-2000.000	2.34	-2000.00
	3	33.5	112.0	2.3	47.30	30.00	.20	-2000.00	-2000.000	3.45	-2000.00
	4	11.9	66.0	.5	29.29	.03	.20	-2000.00	-2000.000	57.11	-2000.00
	5	14.8	124.0	2.0	18.20	.30	.50	-2000.00	-2000.000	6.00	-2000.00
10650	1	261.8	171.0	1.8	36.08	.03	.30	-2000.00	-2000.000	2.32	-2000.00
	2	66.7	130.8	2.2	52.80	.03	.20	-2000.00	-2000.000	1.67	-2000.00
	3	38.7	151.0	1.8	29.27	.10	.30	-2000.00	-2000.000	2.39	-2000.00
	4	18.2	119.0	1.8	16.86	.30	.50	-2000.00	-2000.000	6.91	-2000.00
	5	7.2	70.3	2.1	96.21	100.00	.10	-2000.00	-2000.000	10.87	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
10675	1	230.2	240.0	2.0	52.37	.01	.20	-2000.00	-2000.000	3.31	-2000.00
	2	41.7	130.9	2.3	49.59	.10	.20	-2000.00	-2000.000	2.22	-2000.00
	3	21.1	132.0	1.6	23.80	.10	.40	-2000.00	-2000.000	4.46	-2000.00
	4	15.9	166.0	2.0	37.93	.03	.30	-2000.00	-2000.000	6.01	-2000.00
	5	8.4	131.9	******	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
10700	1	323.2	184.0	1.8	44.67	.03	.20	-2000.00	-2000.000	3.47	-2000.00
	2	90.5	155.0	1.8	25.34	.10	.40	-2000.00	-2000.000	7.42	-2000.00
	3	36.4	124.0	2.2	53.69	.03	.20	-2000.00	-2000.000	2.36	-2000.00
	4	24.7	140.0	2.4	26.53	.30	.40	-2000.00	-2000.000	3.46	-2000.00
	5	21.5	184.0	2.7	65.39	.01	.20	-2000.00	-2000.000	6.62	-2000.00
10725	1	179.6	256.0	1.4	35.24	.03	.20	-2000.00	-2000.000	5.51	-2000.00
	2	45.7	195.7	1.6	15.87	.30	.70	-2000.00	-2000.000	48.04	-2000.00
	3	21.6	184.0	3.3	132.11	100.00	.80	-2000.00	-2000.000	32.37	-2000.00
	4	10.9	155.0	2.6	54.27	10.00	.20	-2000.00	-2000.000	9.36	-2000.00
	5	8.3	177.1	3.2	103.13	.30	.10	-2000.00	-2000.000	9.52	-2000.00
10750	1	242.8	152.0	2.0	51.90	.01	.20	-2000.00	-2000.000	3.70	-2000.00
	2	78.2	147.3	2.4	53.01	.10	.20	-2000.00	-2000.000	1.51	-2000.00
	3	45.3	170.0	2.4	38.98	.10	.30	-2000.00	-2000.000	2.32	-2000.00
	4	27.8	174.0	2.9	116.73	.03	.10	-2000.00	-2000.000	2.44	-2000.00
	5	16.1	152.0	2.6	21.56	.30	.60	-2000.00	-2000.000	6.51	-2000.00
10775	1	230.9	139.4	2.7	59.32	.10	.20	-2000.00	-2000.000	1.50	-2000.00
	2	103.1	186.8	3.3	71.02	.10	.20	-2000.00	-2000.000	1.58	-2000.00
	3	45.8	165.7	2.9	31.61	.30	.40	-2000.00	-2000.000	2.32	-2000.00
	4	32.1	193.6	3.1	43.81	.30	.30	-2000.00	-2000.000	1.34	-2000.00
	5	22.3	201.8	3.4	125.55	.30	.10	-2000.00	-2000.000	4.23	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 66

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9325	1	131.9	153.0	2.6	103.01	100.00	.10	-2000.00	-2000.000	2.46	-2000.00
9350	1	57.6	78.6	2.2	45.67	10.00	.20	-2000.00	-2000.000	3.64	-2000.00
	2	25.0	102.1	2.5	32.71	.30	.30	-2000.00	-2000.000	5.17	-2000.00
9375	1	133.1	119.0	1.8	48.24	.01	.20	-2000.00	-2000.000	1.08	-2000.00
	2	33.7	90.6	2.2	57.70	.01	.20	-2000.00	-2000.000	2.03	-2000.00
	3	19.9	106.0	1.4	36.42	.01	.30	-2000.00	-2000.000	6.54	-2000.00
9400	1	153.6	96.0	1.8	79.28	.01	.10	-2000.00	-2000.000	2.46	-2000.00
	2	57.1	107.5	2.3	58.29	.01	.20	-2000.00	-2000.000	2.27	-2000.00
	3	25.6	96.0	1.5	15.32	.30	.60	-2000.00	-2000.000	6.90	-2000.00
	4	14.9	93.0	3.4	38.48	30.00	.50	-2000.00	-2000.000	9.61	-2000.00
9425	1	230.4	109.0	2.0	87.00	.01	.10	-2000.00	-2000.000	2.78	-2000.00
	2	58.3	83.1	2.4	95.98	.10	.10	-2000.00	-2000.000	2.64	-2000.00
	3	32.8	93.0	2.0	47.78	.03	.20	-2000.00	-2000.000	5.17	-2000.00
	4	16.3	77.0	1.2	29.74	.03	.40	-2000.00	-2000.000	35.73	-2000.00
	5	12.9	91.0	3.3	68.82	100.00	.50	-2000.00	-2000.000	10.75	-2000.00
9450	1	322.1	96.3	2.2	51.24	.03	.20	-2000.00	-2000.000	2.45	-2000.00
	2	105.8	94.9	2.2	48.47	.10	.20	-2000.00	-2000.000	2.29	-2000.00
	3	46.5	83.2	2.0	52.00	.01	.20	-2000.00	-2000.000	2.04	-2000.00
	4	32.0	95.8	1.7	17.26	.30	.50	-2000.00	-2000.000	3.48	-2000.00
	5	18.0	80.7	1.9	76.92	.01	.10	-2000.00	-2000.000	4.93	-2000.00
9475	1	260.9	95.0	1.3	37.33	.01	.20	-2000.00	-2000.000	5.28	-2000.00
	2	74.9	82.0	2.6	104.86	.03	.10	-2000.00	-2000.000	1.55	-2000.00
	3	42.0	91.0	2.1	54.19	.01	.20	-2000.00	-2000.000	2.28	-2000.00
	4	22.5	82.0	1.9	78.58	30.00	.10	-2000.00	-2000.000	5.70	-2000.00
	5	17.5	95.0	1.8	16.98	.30	.50	-2000.00	-2000.000	3.05	-2000.00
9500	1	235.8	84.0	1.3	37.62	.01	.20	-2000.00	-2000.000	9.56	-2000.00
	2	88.3	94.5	1.6	42.95	.01	.20	-2000.00	-2000.000	3.51	-2000.00
	3	41.0	87.0	2.2	52.05	.03	.20	-2000.00	-2000.000	2.91	-2000.00
	4	28.1	100.0	2.0	52.05	.01	.20	-2000.00	-2000.000	3.54	-2000.00
	5	17.2	91.0	1.9	82.14	.01	.10	-2000.00	-2000.000	6.27	-2000.00
9525	1	358.7	108.2	.9	47.87	30.00	.10	-2000.00	-2000.000	19.14	-2000.00
	2	84.2	76.2	1.5	41.06	.01	.20	-2000.00	-2000.000	5.30	-2000.00
	3	42.3	76.4	1.6	41.90	.01	.20	-2000.00	-2000.000	4.15	-2000.00
	4	23.3	70.4	2.2	30.35	.30	.30	-2000.00	-2000.000	2.13	-2000.00
	5	17.9	80.8	1.8	69.99	.30	.10	-2000.00	-2000.000	6.72	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9550	1	287.8	99.0	1.2	55.04	.10	.10	-2000.00	-2000.000	9.61	-2000.00
	2	109.2	113.0	1.2	52.75	1.00	.10	-2000.00	-2000.000	13.61	-2000.00
	3	40.7	84.0	1.3	37.87	.01	.20	-2000.00	-2000.000	8.18	-2000.00
	4	24.0	82.0	1.4	39.03	.01	.20	-2000.00	-2000.000	11.45	-2000.00
	5	14.7	76.0	2.0	84.34	1.00	.10	-2000.00	-2000.000	7.52	-2000.00
9575	1	327.7	101.8	1.1	50.86	30.00	.10	-2000.00	-2000.000	9.36	-2000.00
	2	117.7	109.7	1.5	40.45	.01	.20	-2000.00	-2000.000	3.33	-2000.00
	3	65.3	121.5	1.2	31.83	.03	.20	-2000.00	-2000.000	13.27	-2000.00
	4	28.8	89.4	1.2	54.34	.10	.10	-2000.00	-2000.000	8.30	-2000.00
	5	18.7	87.1	2.0	70.60	.03	.10	-2000.00	-2000.000	13.39	-2000.00
9600	1	178.8	86.0	1.0	27.94	100.00	.20	-2000.00	-2000.000	14.61	-2000.00
	2	70.6	102.2	.9	51.25	.10	.10	-2000.00	-2000.000	20.46	-2000.00
	3	37.8	109.0	1.2	54.47	.10	.10	-2000.00	-2000.000	11.79	-2000.00
	4	26.0	125.0	1.0	51.78	.10	.10	-2000.00	-2000.000	15.80	-2000.00
	5	13.0	94.0	1.4	57.25	1.00	.10	-2000.00	-2000.000	4.31	-2000.00
9625	1	343.4	125.0	.8	20.87	100.00	.30	-2000.00	-2000.000	26.82	-2000.00
	2	86.8	95.0	1.3	57.36	.10	.10	-2000.00	-2000.000	6.54	-2000.00
	3	47.3	103.0	1.0	48.56	30.00	.10	-2000.00	-2000.000	18.31	-2000.00
	4	29.1	106.0	1.2	52.18	30.00	.10	-2000.00	-2000.000	6.76	-2000.00
	5	22.0	120.0	1.5	58.11	30.00	.10	-2000.00	-2000.000	5.84	-2000.00
9650	1	283.6	93.0	1.0	48.80	1.00	.10	-2000.00	-2000.000	15.61	-2000.00
	2	122.8	121.0	.9	49.92	.10	.10	-2000.00	-2000.000	18.66	-2000.00
	3	46.3	91.0	1.4	34.44	.03	.20	-2000.00	-2000.000	6.53	-2000.00
	4	30.1	99.0	.7	46.31	30.00	.10	-2000.00	-2000.000	35.05	-2000.00
	5	20.5	101.0	1.2	50.40	1.00	.10	-2000.00	-2000.000	13.00	-2000.00
9675	1	298.2	105.0	.5	21.00	100.00	.50	-2000.00	-2000.000	44.04	-2000.00
	2	96.8	102.4	1.1	31.15	.03	.20	-2000.00	-2000.000	12.58	-2000.00
	3	61.2	129.0	1.0	52.34	.10	.10	-2000.00	-2000.000	26.90	-2000.00
	4	27.2	95.0	1.0	50.12	.10	.10	-2000.00	-2000.000	16.35	-2000.00
	5	19.8	104.0	.8	48.86	30.00	.10	-2000.00	-2000.000	16.17	-2000.00
9700	1	246.1	83.0	.6	19.36	100.00	.40	-2000.00	-2000.000	37.92	-2000.00
	2	100.0	101.0	.8	26.14	100.00	.20	-2000.00	-2000.000	21.35	-2000.00
	3	49.0	98.0	1.2	31.94	.03	.20	-2000.00	-2000.000	8.45	-2000.00
	4	36.2	122.0	1.1	53.11	.10	.10	-2000.00	-2000.000	16.62	-2000.00
	5	18.0	91.0	1.6	47.77	100.00	.60	-2000.00	-2000.000	42.96	-2000.00
9725	1	266.7	84.0	.8	25.95	100.00	.20	-2000.00	-2000.000	20.78	-2000.00
	2	102.4	97.0	1.2	51.49	1.00	.10	-2000.00	-2000.000	13.39	-2000.00
	3	64.0	121.0	.6	46.32	100.00	.10	-2000.00	-2000.000	34.26	-2000.00
	4	36.4	115.0	1.7	37.42	100.00	.20	-2000.00	-2000.000	8.44	-2000.00
	5	29.7	141.0	1.0	50.71	.10	.10	-2000.00	-2000.000	16.59	-2000.00
9750	1	263.0	89.0	1.0	49.34	30.00	.10	-2000.00	-2000.000	13.14	-2000.00
	2	89.3	91.4	1.1	49.76	1.00	.10	-2000.00	-2000.000	15.41	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	50.5	103.0	1.1	52.75	.10	.10	-2000.00	-2000.000	17.01	-2000.00
	4	36.4	124.0	.8	25.67	100.00	.20	-2000.00	-2000.000	24.24	-2000.00
	5	22.3	114.0	1.3	55.46	.10	.10	-2000.00	-2000.000	12.45	-2000.00
9775	1	284.3	87.5	.9	47.74	30.00	.10	-2000.00	-2000.000	19.02	-2000.00
	2	101.9	94.1	1.2	53.75	.10	.10	-2000.00	-2000.000	9.12	-2000.00
	3	53.0	97.7	1.0	49.95	.10	.10	-2000.00	-2000.000	15.55	-2000.00
	4	36.1	111.0	.8	47.22	30.00	.10	-2000.00	-2000.000	24.31	-2000.00
	5	29.0	133.9	.6	21.39	100.00	.30	-2000.00	-2000.000	25.07	-2000.00
9800	1	270.3	86.0	1.1	30.80	.03	.20	-2000.00	-2000.000	12.93	-2000.00
	2	94.2	90.5	1.3	37.44	.01	.20	-2000.00	-2000.000	5.19	-2000.00
	3	49.2	94.0	1.3	57.26	.01	.10	-2000.00	-2000.000	13.09	-2000.00
	4	30.3	97.0	.9	35.41	.01	.20	-2000.00	-2000.000	37.07	-2000.00
	5	23.0	110.0	.9	20.47	100.00	.30	-2000.00	-2000.000	24.80	-2000.00
9825	1	267.5	98.0	.8	20.89	100.00	.30	-2000.00	-2000.000	28.05	-2000.00
	2	103.9	115.0	1.3	33.39	.03	.20	-2000.00	-2000.000	5.42	-2000.00
	3	45.1	99.0	1.3	62.91	.10	.10	-2000.00	-2000.000	11.53	-2000.00
	4	27.4	101.0	.3	18.81	100.00	.40	-2000.00	-2000.000	84.70	-2000.00
	5	18.7	103.0	1.5	24.31	30.00	.30	-2000.00	-2000.000	8.88	-2000.00
9850	1	273.9	93.0	.9	48.35	30.00	.10	-2000.00	-2000.000	17.25	-2000.00
	2	89.4	91.5	.9	26.98	100.00	.20	-2000.00	-2000.000	20.80	-2000.00
	3	52.3	106.0	.8	51.52	.10	.10	-2000.00	-2000.000	34.60	-2000.00
	4	27.4	93.0	1.7	30.96	100.00	.40	-2000.00	-2000.000	22.14	-2000.00
	5	18.7	95.0	.6	25.57	100.00	.20	-2000.00	-2000.000	38.19	-2000.00
9875	1	272.0	97.0	.9	48.06	1.00	.10	-2000.00	-2000.000	21.25	-2000.00
	2	90.0	96.3	1.4	33.88	.03	.20	-2000.00	-2000.000	5.30	-2000.00
	3	39.3	84.0	.9	26.88	100.00	.20	-2000.00	-2000.000	23.00	-2000.00
	4	27.2	96.0	1.2	52.33	100.00	.10	-2000.00	-2000.000	7.03	-2000.00
	5	16.1	85.0	1.8	29.70	30.00	.20	-2000.00	-2000.000	34.09	-2000.00
9900	1	262.0	94.0	1.0	50.82	.10	.10	-2000.00	-2000.000	14.34	-2000.00
	2	93.3	101.0	1.3	33.20	.03	.20	-2000.00	-2000.000	8.63	-2000.00
	3	48.5	104.0	1.0	30.25	.03	.20	-2000.00	-2000.000	15.32	-2000.00
	4	25.9	93.0	.8	26.66	100.00	.20	-2000.00	-2000.000	25.03	-2000.00
	5	19.9	107.0	1.0	49.53	100.00	.10	-2000.00	-2000.000	12.40	-2000.00
9925	1	293.4	94.0	.9	47.60	30.00	.10	-2000.00	-2000.000	15.49	-2000.00
	2	94.4	91.6	1.3	30.40	.10	.20	-2000.00	-2000.000	9.06	-2000.00
	3	44.2	85.0	1.2	54.74	.10	.10	-2000.00	-2000.000	12.64	-2000.00
	4	26.8	86.0	1.0	51.21	.10	.10	-2000.00	-2000.000	12.96	-2000.00
	5	15.6	75.0	.7	25.45	100.00	.20	-2000.00	-2000.000	24.11	-2000.00
9950	1	287.3	100.0	.9	26.62	100.00	.20	-2000.00	-2000.000	21.49	-2000.00
	2	92.8	97.0	.9	48.08	30.00	.10	-2000.00	-2000.000	22.45	-2000.00
	3	45.6	95.0	1.3	54.49	.10	.10	-2000.00	-2000.000	6.53	-2000.00
	4	25.5	88.0	1.1	27.39	100.00	.20	-2000.00	-2000.000	16.43	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	17.0	88.0	1.0	54.80	.10	.10	-2000.00	-2000.000	21.91	-2000.00
9975	1	322.2	112.0	1.5	39.93	.01	.20	-2000.00	-2000.000	4.43	-2000.00
	2	104.0	108.0	.7	28.79	.03	.30	-2000.00	-2000.000	75.95	-2000.00
	3	52.0	108.0	2.0	87.33	100.00	.80	-2000.00	-2000.000	58.06	-2000.00
	4	27.4	95.0	.9	20.11	100.00	.30	-2000.00	-2000.000	27.82	-2000.00
	5	18.5	96.0	.9	46.43	1.00	.10	-2000.00	-2000.000	17.94	-2000.00
10000	1	224.4	95.0	.9	27.39	100.00	.20	-2000.00	-2000.000	24.17	-2000.00
	2	77.4	98.5	1.3	37.76	.01	.20	-2000.00	-2000.000	9.00	-2000.00
	3	39.6	100.0	1.1	52.51	.10	.10	-2000.00	-2000.000	79.42	-2000.00
	4	23.1	98.0	.9	33.15	100.00	.50	-2000.00	-2000.000	65.44	-2000.00
	5	15.3	97.0	.6	20.38	100.00	.30	-2000.00	-2000.000	35.07	-2000.00
10025	1	240.4	142.0	1.1	50.20	30.00	.10	-2000.00	-2000.000	10.13	-2000.00
	2	71.0	126.1	.9	47.91	30.00	.10	-2000.00	-2000.000	18.17	-2000.00
	3	34.8	123.0	1.3	27.75	.03	.30	-2000.00	-2000.000	11.07	-2000.00
	4	20.4	120.0	1.2	50.57	30.00	.10	-2000.00	-2000.000	11.11	-2000.00
	5	13.0	115.0	.9	48.65	30.00	.10	-2000.00	-2000.000	25.63	-2000.00
10050	1	257.6	92.0	.6	21.56	100.00	.50	-2000.00	-2000.000	37.92	-2000.00
	2	104.1	112.0	1.2	55.53	.10	.10	-2000.00	-2000.000	10.54	-2000.00
	3	58.9	127.0	1.0	48.74	1.00	.10	-2000.00	-2000.000	15.37	-2000.00
	4	34.5	124.0	1.3	33.37	.03	.20	-2000.00	-2000.000	8.98	-2000.00
	5	22.6	122.0	.8	45.08	30.00	.10	-2000.00	-2000.000	49.78	-2000.00
10075	1	328.5	125.0	1.2	52.02	30.00	.10	-2000.00	-2000.000	8.66	-2000.00
	2	89.7	102.9	1.0	49.30	1.00	.10	-2000.00	-2000.000	20.12	-2000.00
	3	53.8	123.0	1.8	42.60	100.00	.20	-2000.00	-2000.000	10.36	-2000.00
	4	36.4	139.0	.3	24.57	100.00	.20	-2000.00	-2000.000	64.35	-2000.00
	5	23.9	137.0	.8	55.67	30.00	.10	-2000.00	-2000.000	28.37	-2000.00
10100	1	401.7	146.0	1.2	53.88	.10	.10	-2000.00	-2000.000	9.79	-2000.00
	2	96.0	105.1	1.4	59.77	.10	.10	-2000.00	-2000.000	4.51	-2000.00
	3	48.5	106.0	1.3	32.94	.03	.20	-2000.00	-2000.000	12.70	-2000.00
	4	33.8	123.0	1.3	33.12	.03	.20	-2000.00	-2000.000	5.13	-2000.00
	5	25.4	139.0	2.5	19.76	10.00	.60	-2000.00	-2000.000	8.25	-2000.00
10125	1	452.7	136.6	1.2	29.62	.10	.20	-2000.00	-2000.000	8.50	-2000.00
	2	168.0	152.1	1.3	37.21	.01	.20	-2000.00	-2000.000	7.04	-2000.00
	3	60.8	109.8	1.3	55.31	.10	.10	-2000.00	-2000.000	13.43	-2000.00
	4	36.5	110.2	1.0	35.32	.01	.20	-2000.00	-2000.000	11.56	-2000.00
	5	28.4	128.8	1.2	32.84	.03	.20	-2000.00	-2000.000	9.37	-2000.00
10150	1	293.0	141.0	1.7	41.10	.03	.20	-2000.00	-2000.000	3.28	-2000.00
	2	100.4	145.0	1.4	35.88	.03	.20	-2000.00	-2000.000	6.12	-2000.00
	3	54.6	157.0	1.3	37.35	.01	.20	-2000.00	-2000.000	5.99	-2000.00
	4	23.5	113.0	2.7	25.36	10.00	.40	-2000.00	-2000.000	8.36	-2000.00
	5	15.6	113.0	-.9	18.86	100.00	.40	-2000.00	-2000.000	106.84	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
10175	1	332.4	107.0	1.4	35.08	.03	.20	-2000.00	-2000.000	4.96	-2000.00
	2	115.9	112.0	1.2	36.41	.01	.20	-2000.00	-2000.000	9.41	-2000.00
	3	65.1	126.0	1.2	32.60	.03	.20	-2000.00	-2000.000	8.14	-2000.00
	4	43.6	141.0	1.1	53.73	.10	.10	-2000.00	-2000.000	14.15	-2000.00
	5	21.6	105.0	.2	26.97	100.00	.50	-2000.00	-2000.000	58.09	-2000.00
10200	1	366.2	106.4	1.2	53.97	.10	.10	-2000.00	-2000.000	9.28	-2000.00
	2	119.5	104.2	1.5	30.11	.03	.30	-2000.00	-2000.000	4.40	-2000.00
	3	62.5	108.7	1.3	37.58	.01	.20	-2000.00	-2000.000	6.20	-2000.00
	4	41.5	120.6	.9	51.48	.10	.10	-2000.00	-2000.000	20.79	-2000.00
	5	31.0	135.4	1.3	55.42	.10	.10	-2000.00	-2000.000	8.91	-2000.00
10225	1	385.2	140.0	1.5	36.85	.03	.20	-2000.00	-2000.000	3.74	-2000.00
	2	102.3	112.0	1.6	37.87	.03	.20	-2000.00	-2000.000	3.18	-2000.00
	3	47.6	104.0	1.4	29.93	.03	.30	-2000.00	-2000.000	5.97	-2000.00
	4	29.0	105.0	1.2	32.57	.03	.20	-2000.00	-2000.000	16.49	-2000.00
	5	21.0	115.0	1.6	67.23	30.00	.10	-2000.00	-2000.000	5.22	-2000.00
10250	1	406.7	152.0	2.7	52.71	.03	.30	-2000.00	-2000.000	1.97	-2000.00
	2	162.3	182.0	1.5	40.78	.01	.20	-2000.00	-2000.000	6.93	-2000.00
	3	60.9	136.0	1.3	33.69	.03	.20	-2000.00	-2000.000	7.93	-2000.00
	4	32.8	122.0	1.4	40.45	.01	.20	-2000.00	-2000.000	6.16	-2000.00
	5	22.0	123.0	1.4	62.47	.01	.10	-2000.00	-2000.000	5.95	-2000.00
10275	1	286.7	115.0	1.4	62.99	.01	.10	-2000.00	-2000.000	5.10	-2000.00
	2	93.1	112.4	1.2	54.97	.10	.10	-2000.00	-2000.000	9.32	-2000.00
	3	62.8	151.0	1.3	37.90	.01	.20	-2000.00	-2000.000	7.85	-2000.00
	4	30.8	123.0	1.3	34.15	.03	.20	-2000.00	-2000.000	5.84	-2000.00
	5	17.9	107.0	.5	61.99	1.00	.10	-2000.00	-2000.000	74.10	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 70

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9325	1	106.2	144.0	2.9	67.20	100.00	.20	-2000.00	-2000.000	5.72	-2000.00
9350	1	118.0	95.0	2.7	103.65	10.00	.10	-2000.00	-2000.000	.71	-2000.00
	2	45.1	108.9	3.8	76.30	10.00	.20	-2000.00	-2000.000	3.43	-2000.00
9375	1	186.3	112.0	2.1	55.80	.01	.20	-2000.00	-2000.000	1.20	-2000.00
	2	65.3	118.3	3.4	69.24	.30	.20	-2000.00	-2000.000	1.32	-2000.00
	3	35.2	127.0	3.0	27.38	.30	.50	-2000.00	-2000.000	4.21	-2000.00
9400	1	246.2	96.0	1.7	42.30	.03	.20	-2000.00	-2000.000	3.18	-2000.00
	2	105.7	124.0	3.2	43.22	.30	.30	-2000.00	-2000.000	2.38	-2000.00
	3	58.6	137.0	3.8	48.99	1.00	.30	-2000.00	-2000.000	1.61	-2000.00
	4	30.9	121.0	3.2	69.86	.10	.20	-2000.00	-2000.000	2.04	-2000.00
9425	1	223.5	93.0	1.5	40.95	.01	.20	-2000.00	-2000.000	4.26	-2000.00
	2	77.1	96.8	2.6	28.25	.30	.40	-2000.00	-2000.000	2.41	-2000.00
	3	46.0	115.0	3.3	133.17	.03	.10	-2000.00	-2000.000	1.71	-2000.00
	4	29.8	124.0	3.7	140.32	.30	.10	-2000.00	-2000.000	1.86	-2000.00
	5	17.5	109.0	3.2	126.42	30.00	.10	-2000.00	-2000.000	2.97	-2000.00
9450	1	324.5	99.8	1.7	41.37	.03	.20	-2000.00	-2000.000	3.44	-2000.00
	2	102.3	94.4	2.7	57.15	.10	.20	-2000.00	-2000.000	1.90	-2000.00
	3	53.2	97.9	2.8	57.65	.30	.20	-2000.00	-2000.000	1.80	-2000.00
	4	39.0	120.1	3.7	69.32	3.00	.20	-2000.00	-2000.000	1.80	-2000.00
	5	28.3	130.4	2.9	65.65	.10	.20	-2000.00	-2000.000	3.29	-2000.00
9475	1	318.0	112.0	1.3	37.94	.01	.20	-2000.00	-2000.000	5.97	-2000.00
	2	85.2	90.2	2.8	118.78	.01	.10	-2000.00	-2000.000	1.20	-2000.00
	3	41.6	87.0	2.7	65.23	.03	.20	-2000.00	-2000.000	1.29	-2000.00
	4	26.8	94.0	2.8	39.20	.30	.30	-2000.00	-2000.000	1.48	-2000.00
	5	22.4	118.0	3.0	64.20	.10	.20	-2000.00	-2000.000	2.13	-2000.00
9500	1	370.0	129.0	1.1	52.85	.10	.10	-2000.00	-2000.000	13.04	-2000.00
	2	100.4	105.0	2.0	22.21	.30	.40	-2000.00	-2000.000	2.72	-2000.00
	3	42.5	88.0	2.9	114.30	3.00	.10	-2000.00	-2000.000	2.18	-2000.00
	4	24.5	85.0	2.8	38.62	.30	.30	-2000.00	-2000.000	2.40	-2000.00
	5	18.5	96.0	3.2	44.19	30.00	.30	-2000.00	-2000.000	18.22	-2000.00
9525	1	352.3	112.0	1.3	33.83	.03	.20	-2000.00	-2000.000	6.20	-2000.00
	2	131.8	126.0	1.6	42.22	.01	.20	-2000.00	-2000.000	2.23	-2000.00
	3	60.4	115.0	2.1	49.95	.03	.20	-2000.00	-2000.000	1.24	-2000.00
	4	31.2	100.0	2.5	54.35	.10	.20	-2000.00	-2000.000	2.73	-2000.00
	5	19.8	95.0	2.7	103.38	.30	.10	-2000.00	-2000.000	2.90	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9550	1	236.3	84.0	1.5	36.37	.03	.20	-2000.00	-2000.000	3.02	-2000.00
	2	72.5	77.6	1.9	75.90	30.00	.10	-2000.00	-2000.000	3.70	-2000.00
	3	44.6	95.0	1.0	31.46	.03	.20	-2000.00	-2000.000	22.61	-2000.00
	4	25.4	90.0	2.2	89.76	.01	.10	-2000.00	-2000.000	2.05	-2000.00
	5	14.8	79.0	2.4	100.91	.01	.10	-2000.00	-2000.000	3.39	-2000.00
9575	1	282.5	98.0	1.3	37.29	.01	.20	-2000.00	-2000.000	5.64	-2000.00
	2	86.3	90.2	1.7	41.06	.03	.20	-2000.00	-2000.000	4.04	-2000.00
	3	37.7	78.0	1.6	42.91	.01	.20	-2000.00	-2000.000	1.72	-2000.00
	4	27.9	97.0	1.4	34.52	.03	.20	-2000.00	-2000.000	4.76	-2000.00
	5	17.6	92.0	1.9	78.17	1.00	.10	-2000.00	-2000.000	3.10	-2000.00
9600	1	352.2	118.0	1.3	37.39	.01	.20	-2000.00	-2000.000	5.55	-2000.00
	2	96.3	97.5	1.4	38.74	.01	.20	-2000.00	-2000.000	5.57	-2000.00
	3	44.8	90.0	1.3	33.51	100.00	.30	-2000.00	-2000.000	25.80	-2000.00
	4	23.4	79.0	2.2	17.55	.30	.50	-2000.00	-2000.000	54.75	-2000.00
	5	18.9	95.0	1.5	33.36	.10	.20	-2000.00	-2000.000	5.93	-2000.00
9625	1	346.7	120.0	1.1	50.49	1.00	.10	-2000.00	-2000.000	13.34	-2000.00
	2	107.6	112.0	1.4	38.57	.01	.20	-2000.00	-2000.000	5.46	-2000.00
	3	48.5	101.0	1.2	31.99	.03	.20	-2000.00	-2000.000	9.02	-2000.00
	4	24.2	84.0	1.8	73.77	.01	.10	-2000.00	-2000.000	4.39	-2000.00
	5	15.1	78.0	1.7	63.61	100.00	.10	-2000.00	-2000.000	11.42	-2000.00
9650	1	301.6	107.0	1.0	48.56	1.00	.10	-2000.00	-2000.000	14.83	-2000.00
	2	106.3	113.0	1.3	33.28	.03	.20	-2000.00	-2000.000	6.37	-2000.00
	3	51.5	110.0	1.3	33.66	.03	.20	-2000.00	-2000.000	5.55	-2000.00
	4	27.0	96.0	1.2	32.65	.03	.20	-2000.00	-2000.000	8.89	-2000.00
	5	16.9	90.0	1.3	36.72	.03	.20	-2000.00	-2000.000	15.03	-2000.00
9675	1	396.5	118.5	1.0	48.47	1.00	.10	-2000.00	-2000.000	16.08	-2000.00
	2	126.5	113.4	1.3	33.02	.03	.20	-2000.00	-2000.000	9.13	-2000.00
	3	61.4	109.9	1.3	33.13	.03	.20	-2000.00	-2000.000	9.41	-2000.00
	4	28.8	86.0	1.4	39.21	.01	.20	-2000.00	-2000.000	3.88	-2000.00
	5	26.1	116.9	1.2	32.22	.03	.20	-2000.00	-2000.000	6.78	-2000.00
9700	1	134.0	91.0	.8	26.77	100.00	.20	-2000.00	-2000.000	23.54	-2000.00
	2	58.2	119.0	1.0	49.49	.10	.10	-2000.00	-2000.000	17.03	-2000.00
	3	28.8	117.0	.9	50.25	.10	.10	-2000.00	-2000.000	21.03	-2000.00
	4	16.5	112.0	1.3	38.45	.01	.20	-2000.00	-2000.000	12.15	-2000.00
	5	8.6	87.8	.9	32.07	.01	.20	-2000.00	-2000.000	20.14	-2000.00
9725	1	389.0	117.4	.8	25.76	100.00	.20	-2000.00	-2000.000	24.29	-2000.00
	2	106.5	96.4	1.0	48.90	1.00	.10	-2000.00	-2000.000	17.56	-2000.00
	3	67.7	122.3	.9	47.59	1.00	.10	-2000.00	-2000.000	18.65	-2000.00
	4	39.9	120.3	.8	47.65	1.00	.10	-2000.00	-2000.000	32.10	-2000.00
	5	25.1	113.7	1.8	41.41	100.00	.20	-2000.00	-2000.000	8.53	-2000.00
9750	1	402.8	133.0	.7	20.64	100.00	.30	-2000.00	-2000.000	31.01	-2000.00
	2	120.8	119.0	1.0	48.09	30.00	.10	-2000.00	-2000.000	14.20	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	51.1	101.0	.8	26.18	100.00	.20	-2000.00	-2000.000	26.42	-2000.00
	4	38.9	128.0	.5	43.58	30.00	.10	-2000.00	-2000.000	50.33	-2000.00
	5	25.5	126.0	1.5	21.76	3.00	.30	-2000.00	-2000.000	23.84	-2000.00
9775	1	420.5	138.0	1.1	52.84	.10	.10	-2000.00	-2000.000	15.04	-2000.00
	2	136.0	134.0	1.1	31.09	.03	.20	-2000.00	-2000.000	12.84	-2000.00
	3	64.8	128.0	1.0	48.92	30.00	.10	-2000.00	-2000.000	15.79	-2000.00
	4	33.2	109.0	.8	21.07	100.00	.30	-2000.00	-2000.000	25.19	-2000.00
	5	28.4	141.0	.8	26.25	100.00	.20	-2000.00	-2000.000	23.57	-2000.00
9800	1	464.7	155.2	.8	26.18	100.00	.20	-2000.00	-2000.000	27.86	-2000.00
	2	124.8	125.1	1.2	32.18	.03	.20	-2000.00	-2000.000	8.81	-2000.00
	3	61.5	123.0	1.2	51.00	100.00	.10	-2000.00	-2000.000	13.84	-2000.00
	4	35.3	117.9	.9	51.62	.10	.10	-2000.00	-2000.000	47.54	-2000.00
	5	20.2	101.2	.4	32.40	100.00	.60	-2000.00	-2000.000	43.24	-2000.00
9825	1	340.3	148.0	.9	47.69	1.00	.10	-2000.00	-2000.000	19.35	-2000.00
	2	102.8	134.0	1.2	32.36	.03	.20	-2000.00	-2000.000	10.35	-2000.00
	3	43.8	114.0	1.1	53.94	.10	.10	-2000.00	-2000.000	11.72	-2000.00
	4	26.5	115.0	.8	46.42	30.00	.10	-2000.00	-2000.000	21.78	-2000.00
	5	17.3	113.0	.9	27.21	100.00	.20	-2000.00	-2000.000	23.55	-2000.00
9850	1	323.4	112.0	.9	48.43	30.00	.10	-2000.00	-2000.000	19.90	-2000.00
	2	110.0	115.0	1.2	32.07	.03	.20	-2000.00	-2000.000	6.93	-2000.00
	3	52.7	110.0	1.0	51.59	.10	.10	-2000.00	-2000.000	16.67	-2000.00
	4	28.4	99.0	.9	50.48	.10	.10	-2000.00	-2000.000	15.73	-2000.00
	5	19.6	102.0	.9	47.44	30.00	.10	-2000.00	-2000.000	18.17	-2000.00
9875	1	501.1	148.4	1.1	53.09	.10	.10	-2000.00	-2000.000	12.10	-2000.00
	2	132.9	118.1	1.3	37.47	.01	.20	-2000.00	-2000.000	9.38	-2000.00
	3	67.2	119.1	1.2	32.67	.03	.20	-2000.00	-2000.000	11.00	-2000.00
	4	35.4	104.9	.9	46.63	30.00	.10	-2000.00	-2000.000	19.49	-2000.00
	5	22.7	100.8	1.0	48.37	1.00	.10	-2000.00	-2000.000	20.44	-2000.00
9900	1	297.3	109.0	.8	26.45	100.00	.20	-2000.00	-2000.000	23.78	-2000.00
	2	105.4	116.0	1.0	47.65	1.00	.10	-2000.00	-2000.000	15.32	-2000.00
	3	47.9	105.0	.7	45.89	1.00	.10	-2000.00	-2000.000	32.56	-2000.00
	4	28.9	106.0	.6	25.63	100.00	.20	-2000.00	-2000.000	41.62	-2000.00
	5	19.3	106.0	.7	26.39	100.00	.20	-2000.00	-2000.000	30.79	-2000.00
9925	1	438.0	137.5	.9	21.44	100.00	.30	-2000.00	-2000.000	21.65	-2000.00
	2	113.3	106.7	.8	47.62	1.00	.10	-2000.00	-2000.000	21.43	-2000.00
	3	61.2	114.9	1.1	28.46	100.00	.20	-2000.00	-2000.000	9.54	-2000.00
	4	33.3	104.5	.3	24.79	100.00	.20	-2000.00	-2000.000	54.71	-2000.00
	5	22.3	105.0	.8	26.34	100.00	.20	-2000.00	-2000.000	22.11	-2000.00
9950	1	269.6	89.0	1.0	49.05	1.00	.10	-2000.00	-2000.000	16.84	-2000.00
	2	113.3	112.0	1.2	55.16	.10	.10	-2000.00	-2000.000	8.96	-2000.00
	3	54.0	106.0	1.1	50.33	1.00	.10	-2000.00	-2000.000	10.29	-2000.00
	4	28.3	93.0	1.2	27.94	100.00	.20	-2000.00	-2000.000	15.70	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	19.5	96.0	.5	46.82	1.00	.10	-2000.00	-2000.000	32.12	-2000.00
9975	1	420.9	120.1	.7	20.93	100.00	.30	-2000.00	-2000.000	28.34	-2000.00
	2	114.8	98.3	1.4	38.92	.01	.20	-2000.00	-2000.000	5.88	-2000.00
	3	71.1	121.5	1.1	31.30	.03	.20	-2000.00	-2000.000	9.88	-2000.00
	4	36.1	103.0	.9	47.98	30.00	.10	-2000.00	-2000.000	18.66	-2000.00
	5	26.4	113.0	.7	31.57	.01	.20	-2000.00	-2000.000	36.03	-2000.00
10000	1	401.3	134.0	1.1	50.97	1.00	.10	-2000.00	-2000.000	11.77	-2000.00
	2	132.7	132.0	.9	47.60	30.00	.10	-2000.00	-2000.000	17.67	-2000.00
	3	58.7	117.0	1.1	35.49	.01	.20	-2000.00	-2000.000	12.23	-2000.00
	4	43.7	145.0	1.1	54.34	.10	.10	-2000.00	-2000.000	27.13	-2000.00
	5	24.6	123.0	1.0	25.80	100.00	.20	-2000.00	-2000.000	38.95	-2000.00
10025	1	410.0	139.0	2.3	45.04	.03	.30	-2000.00	-2000.000	2.21	-2000.00
	2	143.5	146.0	1.5	40.71	.01	.20	-2000.00	-2000.000	3.92	-2000.00
	3	70.4	143.0	1.1	53.02	.10	.10	-2000.00	-2000.000	9.93	-2000.00
	4	36.5	124.0	1.3	37.85	.01	.20	-2000.00	-2000.000	8.95	-2000.00
	5	29.7	152.0	1.3	33.36	.03	.20	-2000.00	-2000.000	9.57	-2000.00
10050	1	336.4	111.0	.8	20.97	100.00	.30	-2000.00	-2000.000	20.50	-2000.00
	2	108.2	107.0	.9	27.41	100.00	.20	-2000.00	-2000.000	20.32	-2000.00
	3	68.1	134.0	1.3	33.75	.03	.20	-2000.00	-2000.000	6.92	-2000.00
	4	41.0	135.0	1.4	33.38	100.00	.20	-2000.00	-2000.000	7.18	-2000.00
	5	24.0	118.0	1.2	26.29	.03	.30	-2000.00	-2000.000	24.95	-2000.00
10075	1	297.6	113.0	.9	27.41	100.00	.20	-2000.00	-2000.000	17.92	-2000.00
	2	104.3	119.0	.9	26.69	100.00	.20	-2000.00	-2000.000	19.17	-2000.00
	3	50.1	114.0	1.0	48.48	30.00	.10	-2000.00	-2000.000	12.08	-2000.00
	4	30.9	118.0	1.2	32.40	.03	.20	-2000.00	-2000.000	8.85	-2000.00
	5	23.8	136.0	.9	51.21	.10	.10	-2000.00	-2000.000	14.66	-2000.00
10100	1	345.4	112.0	.7	20.83	100.00	.30	-2000.00	-2000.000	30.85	-2000.00
	2	83.8	82.2	.9	26.64	100.00	.20	-2000.00	-2000.000	17.24	-2000.00
	3	46.8	91.0	.8	20.90	100.00	.30	-2000.00	-2000.000	26.74	-2000.00
	4	28.7	93.0	.8	25.40	100.00	.20	-2000.00	-2000.000	21.75	-2000.00
	5	20.3	99.0	1.2	32.81	100.00	.20	-2000.00	-2000.000	13.66	-2000.00
10125	1	335.6	131.0	1.1	54.03	.10	.10	-2000.00	-2000.000	13.25	-2000.00
	2	100.4	118.0	1.0	50.42	.10	.10	-2000.00	-2000.000	18.17	-2000.00
	3	35.4	83.0	.9	46.37	30.00	.10	-2000.00	-2000.000	22.80	-2000.00
	4	22.6	88.0	.6	19.54	100.00	.30	-2000.00	-2000.000	30.16	-2000.00
	5	15.4	90.0	.8	26.67	100.00	.20	-2000.00	-2000.000	24.48	-2000.00
10150	1	320.6	114.0	.6	19.36	100.00	.40	-2000.00	-2000.000	37.09	-2000.00
	2	136.4	146.0	1.4	32.00	.10	.20	-2000.00	-2000.000	3.97	-2000.00
	3	59.8	127.0	.9	48.37	1.00	.10	-2000.00	-2000.000	18.53	-2000.00
	4	25.2	90.0	.9	27.37	100.00	.20	-2000.00	-2000.000	17.52	-2000.00
	5	17.8	95.0	.8	20.83	100.00	.30	-2000.00	-2000.000	26.57	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
10175	1	493.1	166.0	.8	21.25	100.00	.30	-2000.00	-2000.000	24.15	-2000.00
	2	144.1	145.0	1.3	33.19	.03	.20	-2000.00	-2000.000	7.52	-2000.00
	3	86.9	175.0	1.3	27.94	.03	.30	-2000.00	-2000.000	14.08	-2000.00
	4	43.8	147.0	1.2	34.58	100.00	.20	-2000.00	-2000.000	17.01	-2000.00
	5	20.3	102.0	1.0	49.35	30.00	.10	-2000.00	-2000.000	14.13	-2000.00
10200	1	237.6	118.0	.6	19.32	100.00	.40	-2000.00	-2000.000	36.51	-2000.00
	2	91.1	136.2	1.0	48.96	30.00	.10	-2000.00	-2000.000	13.08	-2000.00
	3	44.4	132.0	1.5	38.60	.01	.20	-2000.00	-2000.000	7.02	-2000.00
	4	33.5	166.0	1.3	39.83	.01	.20	-2000.00	-2000.000	9.42	-2000.00
	5	19.0	142.0	1.2	51.88	.10	.10	-2000.00	-2000.000	11.30	-2000.00
10225	1	276.6	111.0	.4	25.70	100.00	.60	-2000.00	-2000.000	47.81	-2000.00
	2	72.3	87.3	.4	20.82	100.00	.50	-2000.00	-2000.000	46.79	-2000.00
	3	43.6	105.0	.8	26.48	100.00	.20	-2000.00	-2000.000	21.21	-2000.00
	4	26.6	107.0	1.0	49.39	1.00	.10	-2000.00	-2000.000	13.99	-2000.00
	5	23.4	141.0	1.5	60.60	1.00	.10	-2000.00	-2000.000	7.26	-2000.00
10250	1	460.3	180.0	1.0	28.05	100.00	.20	-2000.00	-2000.000	13.47	-2000.00
	2	117.4	138.0	.7	20.25	100.00	.30	-2000.00	-2000.000	27.98	-2000.00
	3	41.7	97.0	.8	25.73	100.00	.60	-2000.00	-2000.000	39.78	-2000.00
	4	29.6	116.0	.3	46.06	30.00	.10	-2000.00	-2000.000	40.96	-2000.00
	5	20.2	118.0	1.0	50.98	.10	.10	-2000.00	-2000.000	15.56	-2000.00
10275	1	375.4	102.5	1.1	50.46	1.00	.10	-2000.00	-2000.000	12.87	-2000.00
	2	208.5	170.7	1.5	40.50	.01	.20	-2000.00	-2000.000	4.36	-2000.00
	3	79.8	130.4	.9	48.21	30.00	.10	-2000.00	-2000.000	18.68	-2000.00
	4	36.7	100.1	.7	19.73	100.00	.30	-2000.00	-2000.000	28.61	-2000.00
	5	23.8	97.5	1.1	52.76	.10	.10	-2000.00	-2000.000	14.67	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 74

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters					Fit/IP	Fit/EM
					M-IP	TAU-IP	C-IP	M-EM	TAU-EM		
9325	1	186.5	93.0	1.3	30.42	.10	.20	-2000.00	-2000.000	4.91	-2000.00
9350	1	274.5	132.6	2.1	47.92	100.00	.20	-2000.00	-2000.000	2.77	-2000.00
	2	88.2	127.8	1.9	41.46	.10	.20	-2000.00	-2000.000	5.11	-2000.00
9375	1	198.7	82.1	2.8	109.41	100.00	.10	-2000.00	-2000.000	2.41	-2000.00
	2	87.1	108.0	3.2	126.49	.10	.10	-2000.00	-2000.000	2.07	-2000.00
	3	44.4	109.9	1.5	40.13	.03	.20	-2000.00	-2000.000	8.38	-2000.00
9400	1	388.0	128.2	2.5	104.68	.01	.10	-2000.00	-2000.000	1.96	-2000.00
	2	103.1	102.2	3.0	116.24	.30	.10	-2000.00	-2000.000	1.96	-2000.00
	3	49.0	96.9	3.0	114.71	10.00	.10	-2000.00	-2000.000	1.15	-2000.00
	4	28.9	95.6	3.5	136.62	100.00	.10	-2000.00	-2000.000	3.59	-2000.00
9425	1	402.2	105.2	2.2	90.77	.03	.10	-2000.00	-2000.000	1.72	-2000.00
	2	142.4	111.8	3.3	128.56	.30	.10	-2000.00	-2000.000	1.19	-2000.00
	3	58.6	91.8	3.0	60.23	.30	.20	-2000.00	-2000.000	1.77	-2000.00
	4	33.5	87.5	2.7	106.47	3.00	.10	-2000.00	-2000.000	1.75	-2000.00
	5	22.0	86.4	2.7	106.32	30.00	.10	-2000.00	-2000.000	2.06	-2000.00
9450	1	120.6	72.8	1.3	54.30	1.00	.10	-2000.00	-2000.000	5.22	-2000.00
	2	53.1	96.2	2.5	54.30	.10	.20	-2000.00	-2000.000	2.72	-2000.00
	3	27.9	100.9	2.9	121.87	.01	.10	-2000.00	-2000.000	2.47	-2000.00
	4	13.7	82.7	2.7	105.19	100.00	.10	-2000.00	-2000.000	4.97	-2000.00
	5	8.7	79.0	2.5	39.69	30.00	.30	-2000.00	-2000.000	10.16	-2000.00
9475	1	150.0	76.0	1.0	48.57	30.00	.10	-2000.00	-2000.000	12.46	-2000.00
	2	59.2	90.0	2.2	93.84	.01	.10	-2000.00	-2000.000	1.66	-2000.00
	3	36.5	110.8	2.8	57.30	.30	.20	-2000.00	-2000.000	1.45	-2000.00
	4	22.1	112.1	2.4	114.77	.10	.10	-2000.00	-2000.000	17.68	-2000.00
	5	12.1	91.8	4.3	13.55	1.00	.80	-2000.00	-2000.000	24.70	-2000.00
9500	1	329.0	71.2	1.1	50.49	30.00	.10	-2000.00	-2000.000	12.03	-2000.00
	2	114.7	74.5	1.8	43.24	.03	.20	-2000.00	-2000.000	1.97	-2000.00
	3	66.2	85.8	2.4	52.02	.10	.20	-2000.00	-2000.000	1.14	-2000.00
	4	48.0	103.9	2.9	62.34	.10	.20	-2000.00	-2000.000	1.04	-2000.00
	5	32.6	105.8	3.1	120.31	1.00	.10	-2000.00	-2000.000	.96	-2000.00
9525	1	214.4	85.2	.9	21.41	100.00	.30	-2000.00	-2000.000	21.08	-2000.00
	2	73.6	87.7	1.5	40.42	.01	.20	-2000.00	-2000.000	3.96	-2000.00
	3	33.1	78.8	1.8	42.72	.03	.20	-2000.00	-2000.000	2.66	-2000.00
	4	22.5	89.5	2.3	97.71	.01	.10	-2000.00	-2000.000	2.72	-2000.00
	5	18.0	107.3	2.6	27.24	.30	.40	-2000.00	-2000.000	8.05	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9550	1	161.0	72.2	.9	26.87	100.00	.20	-2000.00	-2000.000	16.49	-2000.00
	2	59.4	79.9	1.3	52.94	30.00	.10	-2000.00	-2000.000	9.08	-2000.00
	3	31.3	84.0	.9	34.15	.01	.20	-2000.00	-2000.000	20.91	-2000.00
	4	16.8	75.4	1.1	28.43	.03	.30	-2000.00	-2000.000	19.12	-2000.00
	5	12.9	87.0	4.0	63.79	100.00	.30	-2000.00	-2000.000	10.00	-2000.00
9575	1	243.0	88.7	1.1	22.52	100.00	.30	-2000.00	-2000.000	14.25	-2000.00
	2	87.7	96.0	1.1	53.35	.10	.10	-2000.00	-2000.000	9.70	-2000.00
	3	40.8	89.2	1.1	53.66	.10	.10	-2000.00	-2000.000	11.09	-2000.00
	4	25.7	93.7	1.7	68.38	.10	.10	-2000.00	-2000.000	2.84	-2000.00
	5	15.3	83.8	1.9	46.00	.01	.20	-2000.00	-2000.000	6.00	-2000.00
9600	1	283.5	89.0	.8	20.64	100.00	.30	-2000.00	-2000.000	22.84	-2000.00
	2	98.9	93.2	1.1	52.29	.10	.10	-2000.00	-2000.000	13.58	-2000.00
	3	52.9	99.5	1.5	65.55	.01	.10	-2000.00	-2000.000	5.81	-2000.00
	4	29.4	92.3	1.3	56.82	.10	.10	-2000.00	-2000.000	6.40	-2000.00
	5	20.5	96.6	1.8	35.69	10.00	.20	-2000.00	-2000.000	5.01	-2000.00
9625	1	264.7	75.6	.6	21.64	100.00	.50	-2000.00	-2000.000	39.28	-2000.00
	2	105.9	90.7	1.3	56.93	.10	.10	-2000.00	-2000.000	8.04	-2000.00
	3	53.8	92.0	1.3	55.79	.10	.10	-2000.00	-2000.000	6.36	-2000.00
	4	34.0	96.9	1.2	55.66	.10	.10	-2000.00	-2000.000	14.11	-2000.00
	5	20.9	89.6	1.2	55.23	.10	.10	-2000.00	-2000.000	7.20	-2000.00
9650	1	252.7	107.2	.7	20.04	100.00	.30	-2000.00	-2000.000	26.15	-2000.00
	2	75.5	96.1	1.0	27.42	100.00	.20	-2000.00	-2000.000	14.24	-2000.00
	3	41.6	105.7	1.4	60.04	.10	.10	-2000.00	-2000.000	4.29	-2000.00
	4	24.1	102.3	1.1	53.74	.10	.10	-2000.00	-2000.000	18.07	-2000.00
	5	16.8	106.9	1.5	59.05	1.00	.10	-2000.00	-2000.000	5.73	-2000.00
9675	1	301.1	97.5	1.0	28.04	100.00	.20	-2000.00	-2000.000	16.62	-2000.00
	2	118.0	114.6	1.3	33.58	.03	.20	-2000.00	-2000.000	4.87	-2000.00
	3	51.2	99.3	.7	48.13	1.00	.10	-2000.00	-2000.000	41.83	-2000.00
	4	32.9	106.4	2.2	40.89	100.00	.40	-2000.00	-2000.000	12.02	-2000.00
	5	21.3	103.6	.9	51.05	.10	.10	-2000.00	-2000.000	28.51	-2000.00
9700	1	272.7	105.7	1.0	25.60	30.00	.20	-2000.00	-2000.000	14.22	-2000.00
	2	92.0	107.0	1.3	30.51	.10	.20	-2000.00	-2000.000	5.25	-2000.00
	3	49.7	115.3	1.1	54.27	.10	.10	-2000.00	-2000.000	12.66	-2000.00
	4	25.2	97.7	.2	25.13	100.00	.20	-2000.00	-2000.000	72.04	-2000.00
	5	17.7	103.0	2.9	36.62	30.00	.50	-2000.00	-2000.000	9.13	-2000.00
9725	1	331.9	124.1	1.0	25.91	30.00	.20	-2000.00	-2000.000	14.54	-2000.00
	2	105.9	118.8	1.2	55.78	.10	.10	-2000.00	-2000.000	10.58	-2000.00
	3	47.5	106.3	1.1	53.62	.10	.10	-2000.00	-2000.000	10.77	-2000.00
	4	29.9	111.7	.9	49.03	1.00	.10	-2000.00	-2000.000	17.50	-2000.00
	5	16.7	93.9	1.6	32.42	30.00	.20	-2000.00	-2000.000	7.78	-2000.00
9750	1	335.1	91.5	1.6	31.79	.03	.30	-2000.00	-2000.000	3.43	-2000.00
	2	115.7	94.8	1.3	30.31	.10	.20	-2000.00	-2000.000	5.99	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	56.1	91.8	1.0	48.86	1.00	.10	-2000.00	-2000.000	17.65	-2000.00
	4	31.2	85.1	1.5	35.44	100.00	.20	-2000.00	-2000.000	8.66	-2000.00
	5	22.4	91.9	.3	25.73	100.00	.20	-2000.00	-2000.000	54.34	-2000.00
9775	1	872.5	182.6	1.0	49.23	30.00	.10	-2000.00	-2000.000	12.08	-2000.00
	2	179.8	112.9	2.0	32.29	.10	.30	-2000.00	-2000.000	2.12	-2000.00
	3	74.3	93.2	1.6	69.18	.01	.10	-2000.00	-2000.000	4.46	-2000.00
	4	41.8	87.5	.7	25.62	100.00	.20	-2000.00	-2000.000	32.06	-2000.00
	5	25.7	80.6	1.2	23.77	100.00	.30	-2000.00	-2000.000	10.35	-2000.00
9800	1	476.7	124.7	1.0	48.83	1.00	.10	-2000.00	-2000.000	15.02	-2000.00
	2	202.8	159.2	1.4	32.43	.10	.20	-2000.00	-2000.000	3.45	-2000.00
	3	69.2	108.4	1.8	35.61	.03	.30	-2000.00	-2000.000	4.16	-2000.00
	4	34.7	90.7	1.3	37.47	.01	.20	-2000.00	-2000.000	5.10	-2000.00
	5	21.8	85.6	.9	27.43	100.00	.20	-2000.00	-2000.000	17.77	-2000.00
9825	1	413.1	108.1	.5	25.64	100.00	.60	-2000.00	-2000.000	42.71	-2000.00
	2	171.9	134.9	.8	26.15	100.00	.20	-2000.00	-2000.000	21.26	-2000.00
	3	93.6	146.6	1.2	52.81	30.00	.10	-2000.00	-2000.000	9.29	-2000.00
	4	37.7	98.5	2.1	44.57	100.00	.30	-2000.00	-2000.000	11.59	-2000.00
	5	21.9	86.1	.2	49.47	.01	.10	-2000.00	-2000.000	104.75	-2000.00
9850	1	366.8	122.5	1.7	33.49	.03	.30	-2000.00	-2000.000	2.97	-2000.00
	2	118.7	119.0	.7	20.66	100.00	.30	-2000.00	-2000.000	24.71	-2000.00
	3	65.4	130.9	.9	27.49	100.00	.20	-2000.00	-2000.000	18.05	-2000.00
	4	42.7	142.5	1.1	50.92	1.00	.10	-2000.00	-2000.000	13.84	-2000.00
	5	19.6	98.5	1.5	41.94	.01	.20	-2000.00	-2000.000	3.91	-2000.00
9875	1	298.7	106.6	.4	25.47	100.00	.60	-2000.00	-2000.000	50.07	-2000.00
	2	114.1	122.1	1.5	37.89	100.00	.20	-2000.00	-2000.000	12.75	-2000.00
	3	55.4	118.4	.8	20.84	100.00	.30	-2000.00	-2000.000	26.34	-2000.00
	4	35.8	127.7	.9	27.38	100.00	.20	-2000.00	-2000.000	16.99	-2000.00
	5	26.5	142.0	1.1	50.94	1.00	.10	-2000.00	-2000.000	12.91	-2000.00
9900	1	222.6	93.2	.6	19.68	100.00	.40	-2000.00	-2000.000	38.92	-2000.00
	2	89.3	112.2	.2	18.93	100.00	.40	-2000.00	-2000.000	59.84	-2000.00
	3	45.6	114.4	3.0	52.95	100.00	.40	-2000.00	-2000.000	7.15	-2000.00
	4	25.9	108.5	.8	19.15	100.00	.40	-2000.00	-2000.000	47.61	-2000.00
	5	18.6	116.7	1.1	55.14	1.00	.10	-2000.00	-2000.000	13.38	-2000.00
9925	1	231.3	84.5	.8	26.23	100.00	.20	-2000.00	-2000.000	27.87	-2000.00
	2	86.2	94.4	1.4	60.30	30.00	.10	-2000.00	-2000.000	11.94	-2000.00
	3	46.1	100.7	.9	27.26	100.00	.20	-2000.00	-2000.000	19.93	-2000.00
	4	28.1	102.6	1.4	39.63	.01	.20	-2000.00	-2000.000	5.80	-2000.00
	5	17.9	98.0	1.1	29.35	100.00	.20	-2000.00	-2000.000	14.28	-2000.00
9950	1	277.8	99.1	1.4	59.50	.10	.10	-2000.00	-2000.000	3.72	-2000.00
	2	96.4	103.2	1.1	50.95	1.00	.10	-2000.00	-2000.000	13.86	-2000.00
	3	44.1	94.2	1.1	53.05	.10	.10	-2000.00	-2000.000	19.66	-2000.00
	4	27.7	98.8	.8	20.79	100.00	.30	-2000.00	-2000.000	17.65	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	18.5	99.0	1.4	39.33	.01	.20	-2000.00	-2000.000	8.49	-2000.00
9975	1	301.6	98.6	1.0	50.16	1.00	.10	-2000.00	-2000.000	17.98	-2000.00
	2	104.1	102.1	1.5	42.30	.01	.20	-2000.00	-2000.000	5.60	-2000.00
	3	52.1	102.0	1.1	31.46	.03	.20	-2000.00	-2000.000	11.53	-2000.00
	4	28.4	92.8	1.0	51.10	.10	.10	-2000.00	-2000.000	18.03	-2000.00
	5	19.5	95.5	1.0	27.87	100.00	.20	-2000.00	-2000.000	28.87	-2000.00
10000	1	278.2	128.5	.5	21.13	100.00	.50	-2000.00	-2000.000	43.07	-2000.00
	2	97.4	134.9	1.3	37.33	.01	.20	-2000.00	-2000.000	6.81	-2000.00
	3	42.7	117.9	1.5	30.35	.03	.30	-2000.00	-2000.000	4.78	-2000.00
	4	24.4	112.5	1.1	52.84	.10	.10	-2000.00	-2000.000	12.23	-2000.00
	5	14.6	100.9	1.0	29.74	.03	.20	-2000.00	-2000.000	30.85	-2000.00
10025	1	246.5	96.8	.9	47.85	1.00	.10	-2000.00	-2000.000	16.88	-2000.00
	2	107.2	126.2	1.7	87.98	100.00	.80	-2000.00	-2000.000	47.10	-2000.00
	3	53.8	126.4	-.2	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	4	28.5	111.9	1.3	34.98	.03	.20	-2000.00	-2000.000	8.90	-2000.00
	5	18.2	107.2	1.2	32.44	.03	.20	-2000.00	-2000.000	25.11	-2000.00
10050	1	365.8	104.4	1.1	50.62	1.00	.10	-2000.00	-2000.000	13.31	-2000.00
	2	116.7	99.9	1.1	53.16	.10	.10	-2000.00	-2000.000	15.42	-2000.00
	3	69.5	118.8	.7	20.69	100.00	.30	-2000.00	-2000.000	30.58	-2000.00
	4	41.0	116.9	1.3	37.68	.01	.20	-2000.00	-2000.000	8.44	-2000.00
	5	24.5	104.8	1.2	37.10	.01	.20	-2000.00	-2000.000	11.42	-2000.00
10075	1	192.5	128.6	1.0	51.33	.10	.10	-2000.00	-2000.000	15.81	-2000.00
	2	64.0	128.2	1.5	29.10	.03	.30	-2000.00	-2000.000	4.75	-2000.00
	3	27.1	108.5	1.3	33.34	.03	.20	-2000.00	-2000.000	11.28	-2000.00
	4	19.0	126.8	2.4	11.83	3.00	.50	-2000.00	-2000.000	29.05	-2000.00
	5	12.2	122.5	-1.4	30.24	.01	.20	-2000.00	-2000.000	94.20	-2000.00
10100	1	308.8	164.3	.9	47.74	1.00	.10	-2000.00	-2000.000	21.27	-2000.00
	2	78.5	125.3	.8	19.73	100.00	.40	-2000.00	-2000.000	39.09	-2000.00
	3	42.7	136.2	1.6	33.19	.03	.20	-2000.00	-2000.000	18.22	-2000.00
	4	21.3	113.3	.1	30.61	.03	.20	-2000.00	-2000.000	30.09	-2000.00
	5	16.5	131.9	1.4	21.82	100.00	.30	-2000.00	-2000.000	49.21	-2000.00
10125	1	281.5	117.9	5.3	138.69	.01	.20	-2000.00	-2000.000	1.54	-2000.00
	2	98.2	123.3	1.2	31.74	.03	.20	-2000.00	-2000.000	12.27	-2000.00
	3	46.3	116.0	.7	45.13	1.00	.10	-2000.00	-2000.000	30.58	-2000.00
	4	30.8	128.9	1.3	38.53	.01	.20	-2000.00	-2000.000	5.77	-2000.00
	5	17.4	109.1	1.0	30.08	.03	.20	-2000.00	-2000.000	10.70	-2000.00
10150	1	304.2	95.5	.1	42.31	100.00	.80	-2000.00	-2000.000	70.52	-2000.00
	2	84.5	79.6	1.3	37.76	.01	.20	-2000.00	-2000.000	7.11	-2000.00
	3	49.3	92.7	.7	25.33	100.00	.20	-2000.00	-2000.000	23.61	-2000.00
	4	30.0	94.2	1.2	29.34	100.00	.20	-2000.00	-2000.000	35.21	-2000.00
	5	22.8	107.4	.6	48.29	30.00	.10	-2000.00	-2000.000	29.07	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters					Fit/IP	Fit/EM
					M-IP	TAU-IP	C-IP	M-EM	TAU-EM		
10175	1	297.8	123.0	.9	18.13	30.00	.30	-2000.00	-2000.000	15.53	-2000.00
	2	79.6	98.6	-.2	24.94	100.00	.60	-2000.00	-2000.000	93.12	-2000.00
	3	34.9	86.0	.4	46.26	.10	.10	-2000.00	-2000.000	52.25	-2000.00
	4	23.6	97.0	1.6	29.62	100.00	.30	-2000.00	-2000.000	11.44	-2000.00
	5	16.0	99.0	1.0	45.08	30.00	.10	-2000.00	-2000.000	23.84	-2000.00
10200	1	401.0	132.0	1.2	54.80	.10	.10	-2000.00	-2000.000	7.09	-2000.00
	2	127.6	126.0	1.2	55.34	.10	.10	-2000.00	-2000.000	10.07	-2000.00
	3	48.9	96.0	.9	21.34	100.00	.30	-2000.00	-2000.000	21.02	-2000.00
	4	25.1	82.0	1.0	30.79	.03	.20	-2000.00	-2000.000	16.20	-2000.00
	5	18.4	91.0	.8	21.21	100.00	.30	-2000.00	-2000.000	19.82	-2000.00
10225	1	313.0	136.0	5.0	97.14	.03	.30	-2000.00	-2000.000	1.71	-2000.00
	2	97.8	127.9	1.6	31.40	.03	.30	-2000.00	-2000.000	4.78	-2000.00
	3	50.8	132.0	1.2	32.03	.03	.20	-2000.00	-2000.000	9.77	-2000.00
	4	22.9	100.0	.6	19.58	100.00	.40	-2000.00	-2000.000	53.06	-2000.00
	5	13.1	85.0	1.5	45.17	100.00	.20	-2000.00	-2000.000	15.50	-2000.00
10250	1	543.4	170.6	1.7	33.82	.03	.30	-2000.00	-2000.000	2.54	-2000.00
	2	135.3	127.4	1.2	55.19	.10	.10	-2000.00	-2000.000	7.91	-2000.00
	3	75.0	141.0	1.4	35.56	.01	.30	-2000.00	-2000.000	6.35	-2000.00
	4	47.4	148.7	1.5	66.16	.01	.10	-2000.00	-2000.000	4.78	-2000.00
	5	23.5	110.4	.7	45.54	30.00	.10	-2000.00	-2000.000	35.88	-2000.00
10275	1	283.5	132.0	.4	24.63	100.00	.60	-2000.00	-2000.000	46.75	-2000.00
	2	105.4	148.0	1.1	50.62	1.00	.10	-2000.00	-2000.000	12.87	-2000.00
	3	44.8	125.0	1.3	56.19	.10	.10	-2000.00	-2000.000	9.61	-2000.00
	4	30.1	141.0	1.2	27.56	.03	.30	-2000.00	-2000.000	12.32	-2000.00
	5	21.5	151.0	1.5	66.71	.01	.10	-2000.00	-2000.000	8.13	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 96

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters					Fit/IP	Fit/EM
					M-IP	TAU-IP	C-IP	M-EM	TAU-EM		
9025	1	4746.0	5960.0	4.2	111.66	.01	.20	-2000.00	-2000.000	3.44	-2000.00
9050	1	3233.0	4610.0	2.3	76.83	100.00	.80	-2000.00	-2000.000	28.73	-2000.00
	2	560.1	2398.0	14.1	350.33	.03	.50	-2000.00	-2000.000	8.79	-2000.00
9075	1	2769.0	2890.0	5.9	211.28	3.00	.10	-2000.00	-2000.000	1.49	-2000.00
	2	1118.0	3510.0	8.2	164.18	30.00	.20	-2000.00	-2000.000	3.27	-2000.00
	3	682.7	4270.0	10.7	361.05	100.00	.10	-2000.00	-2000.000	2.72	-2000.00
9100	1	2356.0	2550.0	11.1	214.06	30.00	.20	-2000.00	-2000.000	1.83	-2000.00
	2	937.6	3045.0	13.2	396.50	100.00	.10	-2000.00	-2000.000	3.49	-2000.00
	3	511.6	3310.0	13.2	234.71	30.00	.20	-2000.00	-2000.000	3.26	-2000.00
	4	376.3	4070.0	14.4	250.37	10.00	.20	-2000.00	-2000.000	2.11	-2000.00
9125	1	2400.0	2150.0	15.1	272.42	30.00	.20	-2000.00	-2000.000	1.59	-2000.00
	2	1163.0	3130.0	16.6	290.72	30.00	.20	-2000.00	-2000.000	1.29	-2000.00
	3	592.4	3180.0	15.8	273.93	10.00	.20	-2000.00	-2000.000	1.53	-2000.00
	4	368.0	3300.0	15.8	268.10	10.00	.20	-2000.00	-2000.000	2.07	-2000.00
	5	296.8	3990.0	18.0	318.05	100.00	.20	-2000.00	-2000.000	3.14	-2000.00
9150	1	1468.0	1920.0	20.1	341.66	30.00	.20	-2000.00	-2000.000	1.57	-2000.00
	2	450.9	1769.0	22.9	390.67	100.00	.20	-2000.00	-2000.000	1.51	-2000.00
	3	321.8	2520.0	21.1	368.18	100.00	.20	-2000.00	-2000.000	1.42	-2000.00
	4	185.3	2420.0	19.6	351.08	100.00	.20	-2000.00	-2000.000	2.66	-2000.00
	5	123.8	2420.0	21.2	324.08	10.00	.20	-2000.00	-2000.000	4.83	-2000.00
9175	1	1033.0	1350.0	30.8	467.57	30.00	.20	-2000.00	-2000.000	1.58	-2000.00
	2	296.5	1163.0	31.6	485.80	100.00	.20	-2000.00	-2000.000	1.57	-2000.00
	3	147.2	1150.0	29.5	463.32	100.00	.20	-2000.00	-2000.000	1.81	-2000.00
	4	123.4	1610.0	27.1	438.55	100.00	.20	-2000.00	-2000.000	2.22	-2000.00
	5	81.3	1595.0	24.2	164.22	3.00	.50	-2000.00	-2000.000	5.62	-2000.00
9200	1	819.0	1118.0	28.0	434.70	30.00	.20	-2000.00	-2000.000	1.15	-2000.00
	2	267.7	1096.0	27.1	446.23	100.00	.20	-2000.00	-2000.000	1.78	-2000.00
	3	129.1	1050.0	25.5	432.21	100.00	.20	-2000.00	-2000.000	2.19	-2000.00
	4	75.9	1035.0	24.0	412.78	100.00	.20	-2000.00	-2000.000	1.90	-2000.00
	5	70.7	1446.0	22.6	282.80	30.00	.30	-2000.00	-2000.000	3.09	-2000.00
9225	1	489.3	731.0	26.8	439.07	100.00	.20	-2000.00	-2000.000	1.33	-2000.00
	2	165.6	742.0	28.0	448.86	100.00	.20	-2000.00	-2000.000	1.82	-2000.00
	3	90.5	810.0	27.4	420.60	30.00	.20	-2000.00	-2000.000	3.15	-2000.00
	4	52.7	788.0	27.2	303.53	10.00	.30	-2000.00	-2000.000	3.88	-2000.00
	5	34.9	783.0	24.1	281.56	10.00	.30	-2000.00	-2000.000	3.67	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9250	1	2017.0	2750.0	16.1	481.77	100.00	.10	-2000.00	-2000.000	1.36	-2000.00
	2	282.4	1156.0	34.2	515.67	100.00	.20	-2000.00	-2000.000	1.28	-2000.00
	3	151.3	1230.0	30.5	478.78	100.00	.20	-2000.00	-2000.000	1.25	-2000.00
	4	95.2	1299.0	29.0	461.50	100.00	.20	-2000.00	-2000.000	1.61	-2000.00
	5	59.4	1217.0	27.3	442.51	100.00	.20	-2000.00	-2000.000	1.40	-2000.00
9275	1	1214.0	1580.0	11.1	202.41	10.00	.20	-2000.00	-2000.000	1.53	-2000.00
	2	401.5	1575.0	22.3	370.35	30.00	.20	-2000.00	-2000.000	1.32	-2000.00
	3	94.2	737.0	38.5	552.40	100.00	.20	-2000.00	-2000.000	1.76	-2000.00
	4	61.9	809.0	31.6	475.38	30.00	.20	-2000.00	-2000.000	1.77	-2000.00
	5	43.0	843.0	29.2	438.34	10.00	.20	-2000.00	-2000.000	1.13	-2000.00
9300	1	1738.0	2480.0	7.2	254.01	10.00	.10	-2000.00	-2000.000	.94	-2000.00
	2	284.5	1218.0	17.8	310.14	30.00	.20	-2000.00	-2000.000	1.22	-2000.00
	3	178.9	1520.0	25.4	407.06	30.00	.20	-2000.00	-2000.000	1.49	-2000.00
	4	51.7	738.0	38.7	556.52	100.00	.20	-2000.00	-2000.000	1.23	-2000.00
	5	39.3	842.0	33.4	507.21	100.00	.20	-2000.00	-2000.000	1.95	-2000.00
9325	1	2696.0	3130.0	3.3	86.24	.01	.20	-2000.00	-2000.000	1.43	-2000.00
	2	730.1	2547.0	10.4	191.49	10.00	.20	-2000.00	-2000.000	1.34	-2000.00
	3	193.5	1340.0	19.1	319.00	10.00	.20	-2000.00	-2000.000	1.79	-2000.00
	4	142.7	1650.0	25.5	407.67	30.00	.20	-2000.00	-2000.000	1.19	-2000.00
	5	49.5	863.0	39.0	557.72	100.00	.20	-2000.00	-2000.000	1.31	-2000.00
9350	1	2470.0	2670.0	2.3	45.20	.03	.30	-2000.00	-2000.000	2.95	-2000.00
	2	1207.0	3920.0	4.1	94.95	.03	.20	-2000.00	-2000.000	1.64	-2000.00
	3	437.5	2830.0	11.9	215.86	10.00	.20	-2000.00	-2000.000	1.52	-2000.00
	4	142.8	1540.0	19.0	326.20	30.00	.20	-2000.00	-2000.000	1.23	-2000.00
	5	114.6	1860.0	25.7	411.33	30.00	.20	-2000.00	-2000.000	1.36	-2000.00
9375	1	1770.0	2310.0	2.3	45.65	.03	.30	-2000.00	-2000.000	2.62	-2000.00
	2	814.2	3195.0	2.1	52.89	.01	.30	-2000.00	-2000.000	2.61	-2000.00
	3	515.0	4030.0	5.0	106.19	.10	.20	-2000.00	-2000.000	1.97	-2000.00
	4	220.0	2870.0	13.0	413.10	100.00	.10	-2000.00	-2000.000	1.22	-2000.00
	5	82.4	1617.0	19.9	337.73	30.00	.20	-2000.00	-2000.000	1.39	-2000.00
9400	1	1301.0	1630.0	1.0	50.36	.10	.10	-2000.00	-2000.000	17.00	-2000.00
	2	368.0	1386.0	1.3	27.97	.03	.30	-2000.00	-2000.000	6.03	-2000.00
	3	245.4	1840.0	1.9	38.54	.03	.30	-2000.00	-2000.000	3.40	-2000.00
	4	199.1	2500.0	6.6	240.57	100.00	.10	-2000.00	-2000.000	2.84	-2000.00
	5	105.2	1980.0	15.0	454.31	100.00	.10	-2000.00	-2000.000	1.23	-2000.00
9425	1	1669.0	2490.0	2.4	48.50	.03	.30	-2000.00	-2000.000	2.97	-2000.00
	2	453.8	2035.0	1.7	33.92	.03	.30	-2000.00	-2000.000	3.36	-2000.00
	3	190.1	1700.0	2.2	59.36	.01	.20	-2000.00	-2000.000	6.50	-2000.00
	4	133.8	2000.0	3.3	78.59	.03	.20	-2000.00	-2000.000	4.45	-2000.00
	5	123.4	2760.0	8.0	280.22	30.00	.10	-2000.00	-2000.000	1.72	-2000.00
9450	1	574.5	819.0	.7	21.11	100.00	.30	-2000.00	-2000.000	29.94	-2000.00
	2	1058.0	4530.0	2.8	55.36	.03	.30	-2000.00	-2000.000	2.63	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	342.6	2920.0	2.1	51.86	.01	.30	-2000.00	-2000.000	1.96	-2000.00
	4	159.7	2270.0	2.5	67.04	.01	.20	-2000.00	-2000.000	3.94	-2000.00
	5	119.5	2550.0	3.7	61.02	.10	.30	-2000.00	-2000.000	1.42	-2000.00
9475	1	598.7	671.0	1.3	32.95	.03	.20	-2000.00	-2000.000	7.03	-2000.00
	2	298.3	1003.0	1.6	40.06	.01	.30	-2000.00	-2000.000	3.32	-2000.00
	3	777.3	5210.0	3.4	66.29	.03	.30	-2000.00	-2000.000	2.47	-2000.00
	4	287.6	3220.0	2.8	54.97	.03	.30	-2000.00	-2000.000	3.25	-2000.00
	5	146.6	2460.0	3.4	90.38	.01	.20	-2000.00	-2000.000	2.69	-2000.00
9500	1	929.0	1166.0	1.7	49.06	.01	.20	-2000.00	-2000.000	5.86	-2000.00
	2	264.2	995.0	2.8	52.22	.03	.30	-2000.00	-2000.000	6.33	-2000.00
	3	180.3	1350.0	1.9	37.43	.03	.30	-2000.00	-2000.000	3.90	-2000.00
	4	497.0	6240.0	4.2	67.28	.10	.30	-2000.00	-2000.000	2.43	-2000.00
	5	195.9	3690.0	3.5	57.35	.10	.30	-2000.00	-2000.000	2.91	-2000.00
9525	1	1007.0	1370.0	2.1	41.42	.03	.30	-2000.00	-2000.000	3.17	-2000.00
	2	488.1	1999.0	2.7	72.85	.01	.20	-2000.00	-2000.000	2.68	-2000.00
	3	187.6	1530.0	3.0	79.86	.01	.20	-2000.00	-2000.000	5.29	-2000.00
	4	135.3	1840.0	2.6	43.02	.10	.30	-2000.00	-2000.000	2.92	-2000.00
	5	400.1	8190.0	4.8	124.14	.01	.20	-2000.00	-2000.000	1.99	-2000.00
9550	1	1052.0	1320.0	2.1	42.62	.03	.30	-2000.00	-2000.000	2.38	-2000.00
	2	473.5	1784.0	3.5	92.61	.01	.20	-2000.00	-2000.000	2.49	-2000.00
	3	348.9	2620.0	3.7	95.59	.01	.20	-2000.00	-2000.000	2.03	-2000.00
	4	127.1	1590.0	3.3	68.38	.03	.30	-2000.00	-2000.000	3.05	-2000.00
	5	103.0	1940.0	3.7	140.33	.10	.10	-2000.00	-2000.000	5.01	-2000.00
9575	1	1430.0	1720.0	2.4	55.55	.03	.20	-2000.00	-2000.000	3.70	-2000.00
	2	477.7	1730.0	3.0	75.37	.01	.30	-2000.00	-2000.000	3.68	-2000.00
	3	276.5	1990.0	4.3	102.05	.03	.20	-2000.00	-2000.000	2.02	-2000.00
	4	203.8	2460.0	4.6	108.76	.03	.20	-2000.00	-2000.000	1.93	-2000.00
	5	81.8	1482.0	4.8	111.03	.03	.20	-2000.00	-2000.000	1.84	-2000.00
9600	1	1844.0	2220.0	3.3	86.22	.01	.20	-2000.00	-2000.000	2.41	-2000.00
	2	386.0	1398.0	4.3	92.26	.10	.20	-2000.00	-2000.000	2.39	-2000.00
	3	211.0	1520.0	4.7	108.63	.03	.20	-2000.00	-2000.000	2.12	-2000.00
	4	135.1	1630.0	5.5	115.92	.10	.20	-2000.00	-2000.000	2.05	-2000.00
	5	106.3	1920.0	6.1	240.53	.01	.10	-2000.00	-2000.000	2.17	-2000.00
9625	1	1019.0	1270.0	3.4	89.88	.01	.20	-2000.00	-2000.000	2.58	-2000.00
	2	405.2	1526.0	5.2	121.20	.03	.20	-2000.00	-2000.000	1.79	-2000.00
	3	160.7	1200.0	5.3	113.07	.10	.20	-2000.00	-2000.000	2.30	-2000.00
	4	106.6	1330.0	6.0	243.53	.01	.10	-2000.00	-2000.000	2.11	-2000.00
	5	74.1	1395.0	6.5	259.85	.01	.10	-2000.00	-2000.000	1.89	-2000.00
9650	1	1007.0	1210.0	3.1	80.88	.01	.20	-2000.00	-2000.000	2.09	-2000.00
	2	656.2	2377.0	4.8	112.86	.03	.20	-2000.00	-2000.000	2.35	-2000.00
	3	368.9	2660.0	5.8	122.67	.10	.20	-2000.00	-2000.000	2.30	-2000.00
	4	145.4	1750.0	5.8	233.70	.01	.10	-2000.00	-2000.000	2.18	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	100.0	1810.0	6.4	256.60	.01	.10	-2000.00	-2000.000	2.04	-2000.00
9675	1	412.1	562.0	2.0	38.81	.03	.30	-2000.00	-2000.000	2.53	-2000.00
	2	541.8	2219.0	3.5	56.68	.10	.30	-2000.00	-2000.000	3.05	-2000.00
	3	465.2	3800.0	5.1	131.41	.01	.20	-2000.00	-2000.000	1.82	-2000.00
	4	246.9	3370.0	6.0	139.91	.03	.20	-2000.00	-2000.000	2.28	-2000.00
	5	99.0	2027.0	6.2	130.68	.10	.20	-2000.00	-2000.000	2.62	-2000.00
9700	1	855.5	1119.0	4.0	65.51	.10	.30	-2000.00	-2000.000	2.59	-2000.00
	2	190.2	746.0	3.9	102.94	.01	.20	-2000.00	-2000.000	2.04	-2000.00
	3	356.6	2790.0	4.4	113.95	.01	.20	-2000.00	-2000.000	1.54	-2000.00
	4	315.0	4120.0	6.0	138.92	.03	.20	-2000.00	-2000.000	1.35	-2000.00
	5	174.9	3430.0	7.0	147.48	.10	.20	-2000.00	-2000.000	2.02	-2000.00
9725	1	1422.0	1480.0	6.4	164.26	.01	.20	-2000.00	-2000.000	1.24	-2000.00
	2	408.9	1283.0	4.5	106.03	.03	.20	-2000.00	-2000.000	1.34	-2000.00
	3	95.0	595.0	3.9	101.60	.01	.20	-2000.00	-2000.000	2.74	-2000.00
	4	198.2	2070.0	4.5	105.17	.03	.20	-2000.00	-2000.000	1.66	-2000.00
	5	187.0	2930.0	6.0	128.11	.10	.20	-2000.00	-2000.000	1.63	-2000.00
9750	1	1129.0	430.0	3.8	88.81	.03	.20	-2000.00	-2000.000	1.01	-2000.00
	2	434.2	498.0	4.1	96.43	.03	.20	-2000.00	-2000.000	3.21	-2000.00
	3	185.1	420.0	2.9	76.94	.01	.20	-2000.00	-2000.000	2.67	-2000.00
	4	60.6	231.0	2.8	45.35	.10	.30	-2000.00	-2000.000	2.55	-2000.00
	5	153.9	880.0	3.9	91.15	.03	.20	-2000.00	-2000.000	1.76	-2000.00
9775	1	1616.0	660.0	3.5	71.32	.30	.20	-2000.00	-2000.000	.96	-2000.00
	2	566.3	701.0	4.4	94.01	.10	.20	-2000.00	-2000.000	1.32	-2000.00
	3	276.3	680.0	3.3	53.60	.10	.30	-2000.00	-2000.000	2.42	-2000.00
	4	123.4	500.0	2.7	71.96	.01	.20	-2000.00	-2000.000	2.31	-2000.00
	5	39.2	242.0	2.8	43.36	.10	.30	-2000.00	-2000.000	3.12	-2000.00
9800	1	429.8	175.0	3.8	88.78	.03	.20	-2000.00	-2000.000	1.25	-2000.00
	2	538.9	659.0	3.6	140.16	.10	.10	-2000.00	-2000.000	2.07	-2000.00
	3	327.1	790.0	4.9	103.81	.10	.20	-2000.00	-2000.000	1.63	-2000.00
	4	181.3	730.0	3.1	49.60	.10	.30	-2000.00	-2000.000	2.62	-2000.00
	5	83.3	509.0	3.0	80.34	.01	.20	-2000.00	-2000.000	2.21	-2000.00
9825	1	244.0	116.0	2.4	59.63	.01	.30	-2000.00	-2000.000	2.54	-2000.00
	2	71.3	101.8	2.4	64.95	.01	.20	-2000.00	-2000.000	2.95	-2000.00
	3	214.8	610.0	3.5	134.87	.30	.10	-2000.00	-2000.000	1.30	-2000.00
	4	167.7	790.0	4.9	106.08	.10	.20	-2000.00	-2000.000	1.15	-2000.00
	5	103.7	740.0	3.2	85.76	.01	.20	-2000.00	-2000.000	1.91	-2000.00
9850	1	362.9	186.0	3.7	78.75	.10	.20	-2000.00	-2000.000	2.73	-2000.00
	2	86.6	133.7	2.7	64.21	.03	.20	-2000.00	-2000.000	3.19	-2000.00
	3	38.9	119.0	2.1	51.53	.03	.20	-2000.00	-2000.000	2.82	-2000.00
	4	148.7	760.0	4.0	149.18	3.00	.10	-2000.00	-2000.000	1.45	-2000.00
	5	117.1	900.0	4.9	200.78	.01	.10	-2000.00	-2000.000	1.43	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9875	1	207.9	105.0	3.5	75.95	.10	.20	-2000.00	-2000.000	1.80	-2000.00
	2	85.7	130.1	3.6	94.71	.01	.20	-2000.00	-2000.000	1.68	-2000.00
	3	38.5	116.0	2.3	88.12	.01	.10	-2000.00	-2000.000	18.61	-2000.00
	4	22.4	113.0	2.3	51.87	.03	.40	-2000.00	-2000.000	27.83	-2000.00
	5	107.5	810.0	4.6	87.66	3.00	.20	-2000.00	-2000.000	2.92	-2000.00
9900	1	188.0	125.0	3.5	71.38	.30	.20	-2000.00	-2000.000	1.23	-2000.00
	2	55.4	110.9	2.7	22.88	.30	.60	-2000.00	-2000.000	4.93	-2000.00
	3	32.8	131.0	4.3	95.82	100.00	.20	-2000.00	-2000.000	6.59	-2000.00
	4	19.2	128.0	2.2	35.92	.10	.30	-2000.00	-2000.000	2.55	-2000.00
	5	11.4	114.0	2.6	44.75	100.00	.40	-2000.00	-2000.000	20.11	-2000.00
9925	1	259.8	129.0	3.2	52.05	.10	.30	-2000.00	-2000.000	1.20	-2000.00
	2	84.6	126.5	4.5	100.41	100.00	.20	-2000.00	-2000.000	4.17	-2000.00
	3	41.8	124.0	2.6	64.33	.01	.30	-2000.00	-2000.000	2.02	-2000.00
	4	28.6	142.0	2.3	60.52	.01	.30	-2000.00	-2000.000	3.53	-2000.00
	5	19.5	145.0	2.1	85.91	.01	.10	-2000.00	-2000.000	5.83	-2000.00
9950	1	304.0	198.0	2.9	62.86	.10	.20	-2000.00	-2000.000	1.18	-2000.00
	2	82.6	162.0	3.4	38.28	.30	.40	-2000.00	-2000.000	1.85	-2000.00
	3	41.9	164.0	3.4	68.95	10.00	.20	-2000.00	-2000.000	4.77	-2000.00
	4	23.1	151.0	3.0	32.00	.30	.40	-2000.00	-2000.000	3.57	-2000.00
	5	17.5	171.0	1.3	46.63	.01	.40	-2000.00	-2000.000	12.40	-2000.00
9975	1	92.3	96.6	2.3	59.15	.03	.20	-2000.00	-2000.000	3.68	-2000.00
	2	43.5	136.4	3.3	31.51	.30	.40	-2000.00	-2000.000	6.69	-2000.00
	3	21.3	133.0	3.1	72.22	.03	.20	-2000.00	-2000.000	3.67	-2000.00
	4	13.9	145.0	3.2	55.00	100.00	.30	-2000.00	-2000.000	10.68	-2000.00
	5	8.9	139.9	1.1	34.06	.03	.50	-2000.00	-2000.000	19.72	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 100

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9025	1	2249.0	2610.0	4.5	175.83	.10	.10	-2000.00	-2000.000	3.13	-2000.00
9050	1	1700.0	2130.0	5.4	106.24	10.00	.20	-2000.00	-2000.000	4.72	-2000.00
	2	910.2	3429.0	4.9	115.58	.03	.20	-2000.00	-2000.000	2.48	-2000.00
9075	1	5547.0	6960.0	4.9	79.59	.10	.30	-2000.00	-2000.000	2.53	-2000.00
	2	1001.0	3770.0	4.4	102.24	.03	.20	-2000.00	-2000.000	1.86	-2000.00
	3	567.7	4260.0	4.5	104.10	.03	.20	-2000.00	-2000.000	2.69	-2000.00
9100	1	5932.0	5640.0	5.2	83.70	.10	.30	-2000.00	-2000.000	2.20	-2000.00
	2	2390.0	6820.0	5.8	124.11	.10	.20	-2000.00	-2000.000	2.25	-2000.00
	3	593.7	3380.0	4.5	184.56	.01	.10	-2000.00	-2000.000	3.25	-2000.00
	4	394.7	3750.0	4.8	179.02	30.00	.10	-2000.00	-2000.000	2.05	-2000.00
9125	1	2015.0	2530.0	3.1	50.83	.10	.30	-2000.00	-2000.000	2.55	-2000.00
	2	1547.0	5820.0	6.0	155.71	.01	.20	-2000.00	-2000.000	2.21	-2000.00
	3	920.3	6920.0	6.9	146.20	.10	.20	-2000.00	-2000.000	2.02	-2000.00
	4	235.5	2950.0	5.5	201.74	1.00	.10	-2000.00	-2000.000	2.15	-2000.00
	5	175.2	3300.0	6.2	229.35	30.00	.10	-2000.00	-2000.000	3.38	-2000.00
9150	1	2663.0	3340.0	3.6	79.07	.10	.20	-2000.00	-2000.000	2.95	-2000.00
	2	830.5	3129.0	5.6	210.65	.10	.10	-2000.00	-2000.000	2.48	-2000.00
	3	774.5	5820.0	8.5	326.57	.01	.10	-2000.00	-2000.000	1.61	-2000.00
	4	508.7	6380.0	9.2	318.98	1.00	.10	-2000.00	-2000.000	1.43	-2000.00
	5	139.5	2620.0	8.0	145.27	3.00	.20	-2000.00	-2000.000	3.87	-2000.00
9175	1	2159.0	2940.0	4.1	105.48	.01	.20	-2000.00	-2000.000	1.95	-2000.00
	2	897.5	3675.0	6.1	226.82	100.00	.10	-2000.00	-2000.000	2.82	-2000.00
	3	405.0	3310.0	7.9	282.59	1.00	.10	-2000.00	-2000.000	2.05	-2000.00
	4	381.7	5210.0	11.2	378.09	1.00	.10	-2000.00	-2000.000	1.70	-2000.00
	5	268.0	5480.0	11.9	386.66	30.00	.10	-2000.00	-2000.000	1.62	-2000.00
9200	1	1657.0	3060.0	6.4	252.83	.01	.10	-2000.00	-2000.000	2.26	-2000.00
	2	447.8	2481.0	9.2	169.70	10.00	.20	-2000.00	-2000.000	3.94	-2000.00
	3	288.4	3180.0	10.8	358.55	100.00	.10	-2000.00	-2000.000	1.56	-2000.00
	4	152.1	2800.0	12.8	404.08	100.00	.10	-2000.00	-2000.000	2.02	-2000.00
	5	154.4	4270.0	15.8	273.16	10.00	.20	-2000.00	-2000.000	2.00	-2000.00
9225	1	1002.0	1430.0	11.4	207.97	10.00	.20	-2000.00	-2000.000	1.45	-2000.00
	2	370.2	1585.0	15.2	461.18	100.00	.10	-2000.00	-2000.000	2.46	-2000.00
	3	184.8	1570.0	14.5	259.45	10.00	.20	-2000.00	-2000.000	3.57	-2000.00
	4	153.6	2190.0	15.3	276.44	30.00	.20	-2000.00	-2000.000	3.66	-2000.00
	5	94.8	2029.0	16.7	487.20	100.00	.10	-2000.00	-2000.000	3.84	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9250	1	1480.0	2320.0	12.7	426.84	.10	.10	-2000.00	-2000.000	1.11	-2000.00
	2	386.3	1819.0	15.8	199.59	10.00	.30	-2000.00	-2000.000	5.09	-2000.00
	3	241.9	2270.0	18.0	323.56	100.00	.20	-2000.00	-2000.000	3.94	-2000.00
	4	134.1	2100.0	16.6	288.05	30.00	.20	-2000.00	-2000.000	3.29	-2000.00
	5	124.7	2930.0	16.2	225.83	30.00	.30	-2000.00	-2000.000	5.42	-2000.00
9275	1	1071.0	1520.0	8.6	300.51	100.00	.10	-2000.00	-2000.000	2.06	-2000.00
	2	352.8	1510.0	17.6	508.74	100.00	.10	-2000.00	-2000.000	1.69	-2000.00
	3	132.1	1120.0	18.2	311.83	3.00	.20	-2000.00	-2000.000	1.56	-2000.00
	4	85.3	1217.0	18.8	319.76	3.00	.20	-2000.00	-2000.000	1.75	-2000.00
	5	60.5	1294.0	17.0	288.58	3.00	.20	-2000.00	-2000.000	2.22	-2000.00
9300	1	3357.0	3510.0	5.3	222.01	.01	.10	-2000.00	-2000.000	4.46	-2000.00
	2	550.8	1729.0	12.4	109.88	1.00	.40	-2000.00	-2000.000	4.55	-2000.00
	3	272.7	1700.0	20.8	344.65	10.00	.20	-2000.00	-2000.000	1.59	-2000.00
	4	107.4	1120.0	20.8	186.67	1.00	.40	-2000.00	-2000.000	2.77	-2000.00
	5	76.2	1196.0	21.0	151.16	1.00	.50	-2000.00	-2000.000	5.84	-2000.00
9325	1	3214.0	4200.0	3.1	60.81	.03	.30	-2000.00	-2000.000	2.62	-2000.00
	2	746.5	2930.0	7.4	266.21	.30	.10	-2000.00	-2000.000	2.01	-2000.00
	3	225.8	1760.0	13.4	416.23	100.00	.10	-2000.00	-2000.000	1.89	-2000.00
	4	107.2	1400.0	23.1	377.11	30.00	.20	-2000.00	-2000.000	2.57	-2000.00
	5	44.7	876.0	18.7	327.55	30.00	.20	-2000.00	-2000.000	5.48	-2000.00
9350	1	2467.0	3220.0	2.9	56.27	.03	.30	-2000.00	-2000.000	3.74	-2000.00
	2	864.7	3393.0	5.5	204.33	1.00	.10	-2000.00	-2000.000	5.75	-2000.00
	3	299.5	2340.0	9.8	326.72	30.00	.10	-2000.00	-2000.000	1.68	-2000.00
	4	99.2	1297.0	16.0	284.25	30.00	.20	-2000.00	-2000.000	1.96	-2000.00
	5	58.8	1154.0	25.6	413.01	30.00	.20	-2000.00	-2000.000	4.27	-2000.00
9375	1	3141.0	4280.0	2.6	52.25	.03	.30	-2000.00	-2000.000	4.20	-2000.00
	2	1098.0	4490.0	3.4	68.63	.03	.30	-2000.00	-2000.000	5.57	-2000.00
	3	439.5	3590.0	5.5	222.05	.01	.10	-2000.00	-2000.000	2.61	-2000.00
	4	169.4	2310.0	10.7	359.76	3.00	.10	-2000.00	-2000.000	2.78	-2000.00
	5	61.0	1249.0	14.8	201.92	.30	.30	-2000.00	-2000.000	6.37	-2000.00
9400	1	3133.0	3780.0	2.6	65.11	.01	.30	-2000.00	-2000.000	3.33	-2000.00
	2	1190.0	4310.0	1.8	44.21	.01	.30	-2000.00	-2000.000	3.52	-2000.00
	3	552.3	3990.0	2.6	50.06	.03	.30	-2000.00	-2000.000	4.21	-2000.00
	4	275.0	3320.0	5.2	77.02	.30	.30	-2000.00	-2000.000	7.58	-2000.00
	5	100.8	1820.0	11.8	148.52	1.00	.30	-2000.00	-2000.000	3.11	-2000.00
9425	1	4355.0	5690.0	4.5	88.70	.03	.30	-2000.00	-2000.000	2.11	-2000.00
	2	651.1	2555.0	2.9	69.94	.01	.30	-2000.00	-2000.000	2.34	-2000.00
	3	506.4	3960.0	2.2	54.36	.01	.30	-2000.00	-2000.000	5.28	-2000.00
	4	281.1	3670.0	3.6	93.68	.01	.20	-2000.00	-2000.000	4.42	-2000.00
	5	150.2	2940.0	6.9	264.79	.03	.10	-2000.00	-2000.000	1.69	-2000.00
9450	1	2259.0	2720.0	1.9	48.08	.01	.30	-2000.00	-2000.000	3.08	-2000.00
	2	1644.0	5950.0	3.9	75.97	.03	.30	-2000.00	-2000.000	2.48	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	543.1	3920.0	3.2	63.75	.03	.30	-2000.00	-2000.000	3.31	-2000.00
	4	355.7	4290.0	2.3	65.48	.01	.20	-2000.00	-2000.000	5.01	-2000.00
	5	191.7	3470.0	4.1	173.11	.01	.10	-2000.00	-2000.000	5.15	-2000.00
9475	1	1248.0	1560.0	2.1	42.29	.03	.30	-2000.00	-2000.000	2.67	-2000.00
	2	457.1	1722.0	1.4	29.72	.03	.30	-2000.00	-2000.000	5.46	-2000.00
	3	515.7	3870.0	3.0	60.54	.03	.30	-2000.00	-2000.000	3.65	-2000.00
	4	211.6	2650.0	3.5	91.38	.01	.20	-2000.00	-2000.000	3.56	-2000.00
	5	162.2	3050.0	2.9	123.93	.10	.10	-2000.00	-2000.000	4.57	-2000.00
9500	1	1148.0	1560.0	2.1	41.80	.03	.30	-2000.00	-2000.000	3.70	-2000.00
	2	322.7	1321.0	2.1	42.81	.03	.30	-2000.00	-2000.000	4.45	-2000.00
	3	229.6	1870.0	2.3	58.47	.01	.20	-2000.00	-2000.000	5.68	-2000.00
	4	241.8	3300.0	3.8	92.84	.01	.20	-2000.00	-2000.000	4.72	-2000.00
	5	104.5	2130.0	4.3	167.41	1.00	.10	-2000.00	-2000.000	5.11	-2000.00
9525	1	736.0	855.0	1.2	53.00	.10	.10	-2000.00	-2000.000	10.27	-2000.00
	2	680.5	2374.0	2.7	66.79	.01	.30	-2000.00	-2000.000	4.05	-2000.00
	3	237.7	1650.0	2.6	71.94	.01	.20	-2000.00	-2000.000	6.95	-2000.00
	4	187.2	2170.0	2.8	121.26	.01	.10	-2000.00	-2000.000	8.69	-2000.00
	5	211.8	3690.0	3.9	171.43	.01	.10	-2000.00	-2000.000	8.40	-2000.00
9550	1	566.0	658.0	1.1	31.36	.03	.20	-2000.00	-2000.000	12.49	-2000.00
	2	324.2	1131.0	1.5	29.81	.03	.30	-2000.00	-2000.000	5.82	-2000.00
	3	438.3	3050.0	3.3	77.44	.03	.20	-2000.00	-2000.000	3.36	-2000.00
	4	171.5	1990.0	3.3	75.62	.03	.20	-2000.00	-2000.000	3.67	-2000.00
	5	126.9	2210.0	3.2	139.06	.01	.10	-2000.00	-2000.000	6.95	-2000.00
9575	1	528.0	552.0	1.1	35.41	.01	.20	-2000.00	-2000.000	12.59	-2000.00
	2	235.6	739.0	1.5	38.31	.01	.30	-2000.00	-2000.000	7.57	-2000.00
	3	203.4	1270.0	1.7	48.56	.01	.20	-2000.00	-2000.000	9.24	-2000.00
	4	289.4	3020.0	3.5	151.64	.10	.10	-2000.00	-2000.000	8.66	-2000.00
	5	128.2	2010.0	4.1	162.03	.10	.10	-2000.00	-2000.000	3.61	-2000.00
9600	1	589.0	684.0	1.1	30.94	.03	.20	-2000.00	-2000.000	13.08	-2000.00
	2	330.9	1154.0	1.4	40.85	.01	.20	-2000.00	-2000.000	6.56	-2000.00
	3	143.1	990.0	1.9	25.32	.10	.40	-2000.00	-2000.000	9.65	-2000.00
	4	124.3	1440.0	2.1	56.10	.01	.20	-2000.00	-2000.000	6.74	-2000.00
	5	203.2	3540.0	4.1	44.44	.30	.40	-2000.00	-2000.000	5.68	-2000.00
9625	1	327.2	410.0	.8	21.83	100.00	.30	-2000.00	-2000.000	25.65	-2000.00
	2	215.4	811.0	2.2	46.10	.03	.30	-2000.00	-2000.000	4.74	-2000.00
	3	161.0	1210.0	1.8	51.21	.01	.20	-2000.00	-2000.000	4.97	-2000.00
	4	76.1	955.0	2.3	52.53	.10	.20	-2000.00	-2000.000	6.07	-2000.00
	5	71.9	1355.0	2.6	117.50	.01	.10	-2000.00	-2000.000	4.83	-2000.00
9650	1	352.9	503.0	2.0	52.30	.01	.20	-2000.00	-2000.000	4.40	-2000.00
	2	216.7	927.0	2.0	33.66	.10	.30	-2000.00	-2000.000	7.94	-2000.00
	3	150.9	1280.0	2.5	96.51	1.00	.10	-2000.00	-2000.000	10.37	-2000.00
	4	114.4	1630.0	2.6	105.71	.10	.10	-2000.00	-2000.000	12.34	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	59.2	1267.0	2.2	109.62	1.00	.10	-2000.00	-2000.000	22.49	-2000.00
9675	1	456.1	447.0	1.5	38.87	.03	.50	-2000.00	-2000.000	11.10	-2000.00
	2	251.0	738.0	4.7	55.73	30.00	.40	-2000.00	-2000.000	10.42	-2000.00
	3	211.7	1240.0	2.6	61.77	.03	.20	-2000.00	-2000.000	4.41	-2000.00
	4	152.8	1490.0	2.5	105.04	.10	.10	-2000.00	-2000.000	7.39	-2000.00
	5	111.7	1640.0	3.2	81.52	.01	.20	-2000.00	-2000.000	5.08	-2000.00
9700	1	330.1	471.0	4.1	159.70	.10	.10	-2000.00	-2000.000	1.46	-2000.00
	2	178.2	763.0	3.0	71.87	.03	.20	-2000.00	-2000.000	1.80	-2000.00
	3	109.4	930.0	2.8	72.87	.01	.20	-2000.00	-2000.000	2.61	-2000.00
	4	107.1	1520.0	2.6	71.23	.01	.20	-2000.00	-2000.000	3.46	-2000.00
	5	70.0	1499.0	2.8	30.69	.30	.40	-2000.00	-2000.000	4.79	-2000.00
9725	1	457.1	552.0	4.6	169.42	3.00	.10	-2000.00	-2000.000	.96	-2000.00
	2	208.0	753.0	5.1	101.46	.30	.20	-2000.00	-2000.000	1.29	-2000.00
	3	132.8	960.0	3.4	80.81	.03	.20	-2000.00	-2000.000	2.51	-2000.00
	4	82.2	992.0	2.5	50.06	.03	.30	-2000.00	-2000.000	5.31	-2000.00
	5	95.3	1726.0	2.0	18.50	.30	.80	-2000.00	-2000.000	33.93	-2000.00
9750	1	383.7	502.0	4.2	164.27	.10	.10	-2000.00	-2000.000	.93	-2000.00
	2	185.1	726.0	5.2	187.15	30.00	.10	-2000.00	-2000.000	1.47	-2000.00
	3	103.6	810.0	3.9	109.52	.01	.20	-2000.00	-2000.000	3.02	-2000.00
	4	71.8	940.0	2.9	49.46	.10	.30	-2000.00	-2000.000	3.93	-2000.00
	5	47.6	933.0	2.7	66.23	.03	.20	-2000.00	-2000.000	6.44	-2000.00
9775	1	725.4	1138.0	17.3	589.20	.01	.10	-2000.00	-2000.000	1.57	-2000.00
	2	153.0	720.0	5.0	192.56	100.00	.10	-2000.00	-2000.000	2.95	-2000.00
	3	87.4	821.0	4.8	179.58	.30	.10	-2000.00	-2000.000	1.32	-2000.00
	4	52.0	816.0	4.5	94.02	.10	.20	-2000.00	-2000.000	2.02	-2000.00
	5	39.8	936.0	3.7	136.50	30.00	.10	-2000.00	-2000.000	5.73	-2000.00
9800	1	391.7	372.0	4.5	166.62	30.00	.10	-2000.00	-2000.000	1.23	-2000.00
	2	274.9	784.0	5.6	207.86	100.00	.10	-2000.00	-2000.000	.94	-2000.00
	3	140.3	790.0	3.9	163.90	.01	.10	-2000.00	-2000.000	1.99	-2000.00
	4	87.7	834.0	4.3	60.25	.30	.30	-2000.00	-2000.000	1.88	-2000.00
	5	56.0	799.0	3.8	95.75	.01	.20	-2000.00	-2000.000	4.28	-2000.00
9825	1	323.8	327.0	4.6	172.80	100.00	.10	-2000.00	-2000.000	1.37	-2000.00
	2	135.6	412.0	4.9	190.27	.10	.10	-2000.00	-2000.000	1.21	-2000.00
	3	125.5	760.0	5.3	195.10	30.00	.10	-2000.00	-2000.000	1.03	-2000.00
	4	75.6	765.0	3.6	77.39	.10	.20	-2000.00	-2000.000	2.36	-2000.00
	5	43.1	654.0	4.4	92.97	.10	.20	-2000.00	-2000.000	2.77	-2000.00
9850	1	1003.0	650.0	4.4	117.37	.01	.20	-2000.00	-2000.000	4.88	-2000.00
	2	208.8	409.0	3.9	81.99	.30	.20	-2000.00	-2000.000	2.10	-2000.00
	3	117.5	460.0	6.0	114.69	30.00	.20	-2000.00	-2000.000	3.65	-2000.00
	4	121.2	790.0	5.4	207.12	.03	.10	-2000.00	-2000.000	1.65	-2000.00
	5	71.5	701.0	3.9	82.86	.10	.20	-2000.00	-2000.000	3.06	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9875	1	224.0	149.0	2.3	46.08	.03	.30	-2000.00	-2000.000	3.34	-2000.00
	2	133.6	267.0	3.9	101.18	.01	.20	-2000.00	-2000.000	5.53	-2000.00
	3	100.2	400.0	5.4	197.75	100.00	.10	-2000.00	-2000.000	2.17	-2000.00
	4	65.3	436.0	6.0	117.94	.30	.20	-2000.00	-2000.000	2.26	-2000.00
	5	74.5	746.0	6.1	221.70	30.00	.10	-2000.00	-2000.000	1.05	-2000.00
9900	1	291.1	152.0	2.0	53.90	.01	.20	-2000.00	-2000.000	4.43	-2000.00
	2	136.4	214.0	1.8	24.90	.10	.40	-2000.00	-2000.000	4.25	-2000.00
	3	104.2	320.0	4.5	170.20	30.00	.10	-2000.00	-2000.000	2.79	-2000.00
	4	70.7	369.0	5.2	197.24	.30	.10	-2000.00	-2000.000	1.39	-2000.00
	5	70.3	552.0	6.1	222.64	30.00	.10	-2000.00	-2000.000	1.60	-2000.00
9925	1	178.1	139.0	3.1	74.11	.03	.20	-2000.00	-2000.000	2.72	-2000.00
	2	62.6	147.3	2.5	35.07	.10	.40	-2000.00	-2000.000	3.17	-2000.00
	3	45.6	214.0	2.4	106.96	.01	.10	-2000.00	-2000.000	7.79	-2000.00
	4	38.0	298.0	4.4	171.98	.10	.10	-2000.00	-2000.000	3.52	-2000.00
	5	34.3	403.0	4.6	105.80	.03	.20	-2000.00	-2000.000	4.59	-2000.00
9950	1	266.3	154.0	3.1	42.23	.10	.40	-2000.00	-2000.000	3.47	-2000.00
	2	88.1	153.6	3.7	89.00	100.00	.20	-2000.00	-2000.000	12.89	-2000.00
	3	63.4	220.0	3.7	32.92	.30	.50	-2000.00	-2000.000	3.99	-2000.00
	4	42.4	246.0	2.3	58.02	.01	.30	-2000.00	-2000.000	2.20	-2000.00
	5	48.6	424.0	4.3	100.64	.03	.20	-2000.00	-2000.000	1.58	-2000.00
9975	1	423.6	295.0	3.0	65.74	.10	.20	-2000.00	-2000.000	2.24	-2000.00
	2	83.1	173.9	4.6	60.07	.30	.30	-2000.00	-2000.000	6.06	-2000.00
	3	43.3	180.0	3.1	67.07	.03	.30	-2000.00	-2000.000	10.28	-2000.00
	4	35.3	246.0	4.2	160.29	30.00	.10	-2000.00	-2000.000	3.48	-2000.00
	5	29.0	303.0	3.2	49.32	.10	.30	-2000.00	-2000.000	2.13	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 104

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9025	1	1090.0	1420.0	3.9	76.10	.03	.30	-2000.00	-2000.000	1.80	-2000.00
9050	1	608.3	868.0	3.4	88.69	.01	.20	-2000.00	-2000.000	2.22	-2000.00
	2	527.6	2259.0	5.0	96.35	.03	.30	-2000.00	-2000.000	2.74	-2000.00
9075	1	461.6	579.0	5.0	106.04	.10	.20	-2000.00	-2000.000	1.41	-2000.00
	2	296.4	1116.0	5.7	147.51	.01	.20	-2000.00	-2000.000	3.79	-2000.00
	3	349.3	2620.0	6.8	156.27	.03	.20	-2000.00	-2000.000	1.48	-2000.00
9100	1	525.4	434.0	5.3	105.63	.30	.20	-2000.00	-2000.000	1.57	-2000.00
	2	373.4	925.0	8.3	324.59	.01	.10	-2000.00	-2000.000	3.51	-2000.00
	3	281.8	1390.0	7.7	300.16	.01	.10	-2000.00	-2000.000	1.21	-2000.00
	4	366.9	3030.0	8.7	335.89	.01	.10	-2000.00	-2000.000	1.82	-2000.00
9125	1	886.1	678.0	7.4	273.08	.10	.10	-2000.00	-2000.000	.99	-2000.00
	2	300.0	689.0	9.3	316.75	10.00	.10	-2000.00	-2000.000	1.23	-2000.00
	3	269.6	1230.0	10.0	335.43	10.00	.10	-2000.00	-2000.000	.97	-2000.00
	4	215.4	1640.0	10.0	334.92	10.00	.10	-2000.00	-2000.000	1.08	-2000.00
	5	291.1	3340.0	10.6	364.58	.30	.10	-2000.00	-2000.000	1.30	-2000.00
9150	1	784.6	513.0	13.2	416.19	30.00	.10	-2000.00	-2000.000	.86	-2000.00
	2	327.9	643.0	14.7	259.03	10.00	.20	-2000.00	-2000.000	1.44	-2000.00
	3	181.0	700.0	13.9	433.41	100.00	.10	-2000.00	-2000.000	1.42	-2000.00
	4	180.6	1180.0	13.8	431.64	100.00	.10	-2000.00	-2000.000	1.13	-2000.00
	5	152.5	1490.0	12.9	415.26	100.00	.10	-2000.00	-2000.000	1.53	-2000.00
9175	1	885.5	534.0	21.7	354.82	10.00	.20	-2000.00	-2000.000	1.24	-2000.00
	2	257.2	465.0	17.5	297.55	10.00	.20	-2000.00	-2000.000	1.36	-2000.00
	3	148.1	530.0	16.0	276.80	10.00	.20	-2000.00	-2000.000	1.35	-2000.00
	4	113.5	680.0	14.1	249.68	10.00	.20	-2000.00	-2000.000	1.35	-2000.00
	5	114.8	1030.0	13.6	242.07	10.00	.20	-2000.00	-2000.000	1.66	-2000.00
9200	1	1795.0	900.0	19.0	539.27	100.00	.10	-2000.00	-2000.000	1.12	-2000.00
	2	395.3	600.0	25.3	399.02	10.00	.20	-2000.00	-2000.000	1.09	-2000.00
	3	178.8	540.0	18.8	315.36	10.00	.20	-2000.00	-2000.000	1.22	-2000.00
	4	116.0	580.0	17.1	292.13	10.00	.20	-2000.00	-2000.000	1.23	-2000.00
	5	94.1	714.0	14.7	257.79	10.00	.20	-2000.00	-2000.000	1.64	-2000.00
9225	1	1080.0	650.0	3.9	93.07	.03	.20	-2000.00	-2000.000	2.44	-2000.00
	2	548.8	994.0	21.0	346.25	10.00	.20	-2000.00	-2000.000	1.37	-2000.00
	3	180.1	650.0	25.8	407.13	10.00	.20	-2000.00	-2000.000	1.37	-2000.00
	4	72.9	440.0	18.7	315.06	10.00	.20	-2000.00	-2000.000	1.35	-2000.00
	5	62.3	564.0	16.5	286.03	10.00	.20	-2000.00	-2000.000	1.72	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9250	1	1958.0	1110.0	.7	45.64	30.00	.10	-2000.00	-2000.000	33.40	-2000.00
	2	633.3	1084.0	4.9	104.48	.10	.20	-2000.00	-2000.000	1.63	-2000.00
	3	386.9	1320.0	21.7	354.93	10.00	.20	-2000.00	-2000.000	1.32	-2000.00
	4	136.6	770.0	25.2	405.15	30.00	.20	-2000.00	-2000.000	1.38	-2000.00
	5	61.0	522.0	17.4	298.78	10.00	.20	-2000.00	-2000.000	1.50	-2000.00
9275	1	630.2	534.0	-.8	40.05	100.00	.80	-2000.00	-2000.000	172.77	-2000.00
	2	561.0	1428.0	1.1	26.07	.03	.30	-2000.00	-2000.000	14.53	-2000.00
	3	216.5	1100.0	5.6	231.39	.01	.10	-2000.00	-2000.000	2.44	-2000.00
	4	152.3	1290.0	22.2	362.71	10.00	.20	-2000.00	-2000.000	1.62	-2000.00
	5	60.7	772.0	23.9	392.04	30.00	.20	-2000.00	-2000.000	2.79	-2000.00
9300	1	499.6	423.0	-.5	40.05	100.00	.80	-2000.00	-2000.000	144.73	-2000.00
	2	315.9	804.0	-1.0	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	3	340.5	1730.0	1.1	27.66	.03	.30	-2000.00	-2000.000	22.16	-2000.00
	4	141.6	1200.0	6.1	229.77	1.00	.10	-2000.00	-2000.000	4.66	-2000.00
	5	107.4	1360.0	22.3	365.55	10.00	.20	-2000.00	-2000.000	2.73	-2000.00
9325	1	678.2	387.0	-.9	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	2	416.1	712.0	.1	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	3	363.7	1240.0	-.8	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	4	399.6	2280.0	1.5	71.74	.01	.10	-2000.00	-2000.000	16.07	-2000.00
	5	168.3	1440.0	6.8	130.23	10.00	.20	-2000.00	-2000.000	4.93	-2000.00
9350	1	389.4	249.0	-.2	43.02	100.00	.80	-2000.00	-2000.000	88.08	-2000.00
	2	292.9	563.0	-.1	40.05	100.00	.80	-2000.00	-2000.000	126.14	-2000.00
	3	264.5	1010.0	-1.1	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	4	237.1	1510.0	-.8	40.05	100.00	.80	-2000.00	-2000.000	172.51	-2000.00
	5	271.3	2600.0	1.9	78.83	30.00	.10	-2000.00	-2000.000	8.54	-2000.00
9375	1	287.8	376.0	.8	26.07	100.00	.20	-2000.00	-2000.000	25.45	-2000.00
	2	88.2	346.3	.4	41.53	100.00	.80	-2000.00	-2000.000	76.83	-2000.00
	3	88.4	692.0	.0	40.62	100.00	.80	-2000.00	-2000.000	145.96	-2000.00
	4	95.0	1243.0	.0	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	5	84.4	1657.0	.0	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
9400	1	646.8	338.0	1.1	32.01	.03	.20	-2000.00	-2000.000	12.72	-2000.00
	2	268.2	421.0	.6	18.57	100.00	.40	-2000.00	-2000.000	43.92	-2000.00
	3	134.7	420.0	-.8	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	4	130.8	680.0	-1.1	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	5	162.5	1270.0	-1.1	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
9425	1	686.5	414.0	1.2	32.46	.03	.20	-2000.00	-2000.000	10.39	-2000.00
	2	249.3	451.0	1.0	55.76	.01	.10	-2000.00	-2000.000	18.99	-2000.00
	3	134.3	480.0	.1	45.98	100.00	.80	-2000.00	-2000.000	73.75	-2000.00
	4	80.1	483.0	-1.0	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	5	77.6	703.0	-1.5	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
9450	1	452.0	354.0	1.1	28.04	100.00	.20	-2000.00	-2000.000	24.67	-2000.00
	2	238.3	561.0	.7	34.29	.01	.20	-2000.00	-2000.000	38.43	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	109.5	510.0	1.3	10.14	10.00	.70	-2000.00	-2000.000	57.36	-2000.00
	4	66.5	522.0	-.1	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	5	42.1	495.0	-1.8	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
9475	1	305.5	174.0	.9	52.11	.10	.10	-2000.00	-2000.000	23.94	-2000.00
	2	167.1	286.0	1.1	47.90	30.00	.10	-2000.00	-2000.000	26.90	-2000.00
	3	166.1	560.0	.7	38.84	.01	.20	-2000.00	-2000.000	35.00	-2000.00
	4	80.2	457.0	.1	15.31	30.00	.40	-2000.00	-2000.000	73.90	-2000.00
	5	58.8	503.0	-.4	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
9500	1	496.2	222.0	.9	48.81	30.00	.10	-2000.00	-2000.000	17.45	-2000.00
	2	216.9	291.0	1.0	50.32	.10	.10	-2000.00	-2000.000	25.01	-2000.00
	3	189.3	500.0	1.3	33.69	.03	.20	-2000.00	-2000.000	23.68	-2000.00
	4	140.0	620.0	1.3	57.42	.10	.10	-2000.00	-2000.000	33.97	-2000.00
	5	78.4	527.0	-.4	25.38	100.00	.60	-2000.00	-2000.000	147.02	-2000.00
9525	1	217.5	170.0	.2	26.29	100.00	.20	-2000.00	-2000.000	68.85	-2000.00
	2	107.2	252.0	2.3	36.14	100.00	.40	-2000.00	-2000.000	53.25	-2000.00
	3	69.0	324.0	1.3	59.60	30.00	.10	-2000.00	-2000.000	60.33	-2000.00
	4	63.3	496.0	1.5	37.79	100.00	.20	-2000.00	-2000.000	64.59	-2000.00
	5	55.7	655.0	1.2	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
9550	1	331.0	212.0	.9	20.40	100.00	.30	-2000.00	-2000.000	45.60	-2000.00
	2	111.9	215.0	1.1	16.67	.30	.50	-2000.00	-2000.000	49.14	-2000.00
	3	79.9	306.0	2.0	31.94	30.00	.30	-2000.00	-2000.000	12.71	-2000.00
	4	58.0	371.0	1.7	30.83	100.00	.40	-2000.00	-2000.000	37.99	-2000.00
	5	57.5	552.0	2.0	34.17	100.00	.40	-2000.00	-2000.000	16.46	-2000.00
9575	1	338.2	216.0	1.5	47.52	100.00	.60	-2000.00	-2000.000	19.74	-2000.00
	2	113.4	218.0	3.0	55.89	.01	.40	-2000.00	-2000.000	40.49	-2000.00
	3	63.8	244.0	2.0	78.16	.10	.10	-2000.00	-2000.000	30.64	-2000.00
	4	53.9	345.0	1.9	35.25	100.00	.40	-2000.00	-2000.000	70.79	-2000.00
	5	42.2	405.0	1.7	59.92	.10	.10	-2000.00	-2000.000	91.08	-2000.00
9600	1	324.5	188.0	.8	45.76	100.00	.10	-2000.00	-2000.000	26.51	-2000.00
	2	130.4	227.0	1.7	20.32	.30	.40	-2000.00	-2000.000	6.31	-2000.00
	3	79.5	276.0	2.0	54.80	.01	.20	-2000.00	-2000.000	6.70	-2000.00
	4	52.6	305.0	2.0	33.52	.10	.30	-2000.00	-2000.000	9.15	-2000.00
	5	47.4	413.0	1.7	45.47	.01	.20	-2000.00	-2000.000	17.63	-2000.00
9625	1	326.9	201.0	.9	27.17	100.00	.20	-2000.00	-2000.000	18.62	-2000.00
	2	116.6	215.0	1.1	35.68	.01	.20	-2000.00	-2000.000	11.17	-2000.00
	3	76.6	282.0	2.3	93.90	.01	.10	-2000.00	-2000.000	9.41	-2000.00
	4	54.4	334.0	2.4	94.24	.01	.10	-2000.00	-2000.000	12.39	-2000.00
	5	37.9	350.0	1.1	76.25	.01	.10	-2000.00	-2000.000	21.44	-2000.00
9650	1	292.6	170.0	1.1	52.32	30.00	.10	-2000.00	-2000.000	20.20	-2000.00
	2	119.9	209.0	1.2	32.95	.03	.20	-2000.00	-2000.000	9.37	-2000.00
	3	69.4	241.0	.8	32.52	100.00	.30	-2000.00	-2000.000	29.43	-2000.00
	4	57.3	333.0	2.2	51.48	.03	.20	-2000.00	-2000.000	6.48	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	43.6	380.0	1.3	38.14	.01	.30	-2000.00	-2000.000	19.94	-2000.00
9675	1	373.2	244.0	1.3	33.08	.03	.20	-2000.00	-2000.000	8.56	-2000.00
	2	117.2	230.0	1.5	25.26	.10	.30	-2000.00	-2000.000	5.25	-2000.00
	3	66.0	258.0	1.2	24.58	.10	.30	-2000.00	-2000.000	17.29	-2000.00
	4	44.3	289.0	.9	9.72	1.00	.70	-2000.00	-2000.000	57.89	-2000.00
	5	39.9	391.0	1.8	47.55	.01	.20	-2000.00	-2000.000	23.55	-2000.00
9700	1	310.8	184.0	1.4	39.16	.01	.20	-2000.00	-2000.000	6.09	-2000.00
	2	127.9	227.0	1.6	31.98	.03	.30	-2000.00	-2000.000	3.62	-2000.00
	3	73.8	261.0	1.4	29.17	.03	.30	-2000.00	-2000.000	5.30	-2000.00
	4	48.5	287.0	1.5	26.04	.10	.30	-2000.00	-2000.000	4.75	-2000.00
	5	35.9	318.0	1.2	33.15	.01	.20	-2000.00	-2000.000	24.42	-2000.00
9725	1	371.9	259.0	2.1	56.34	.01	.20	-2000.00	-2000.000	3.80	-2000.00
	2	109.1	228.0	1.9	51.76	.01	.20	-2000.00	-2000.000	6.17	-2000.00
	3	74.1	309.0	1.6	31.75	.03	.30	-2000.00	-2000.000	10.58	-2000.00
	4	45.7	319.0	1.7	66.74	.10	.10	-2000.00	-2000.000	19.03	-2000.00
	5	33.8	353.0	1.8	35.65	.03	.30	-2000.00	-2000.000	17.77	-2000.00
9750	1	364.2	233.0	2.3	59.91	.01	.20	-2000.00	-2000.000	2.26	-2000.00
	2	110.4	212.0	2.1	57.00	.01	.20	-2000.00	-2000.000	3.42	-2000.00
	3	55.4	212.0	1.7	33.81	.03	.30	-2000.00	-2000.000	4.40	-2000.00
	4	46.4	297.0	1.7	31.96	.03	.30	-2000.00	-2000.000	6.98	-2000.00
	5	31.9	306.0	1.4	38.43	.01	.20	-2000.00	-2000.000	13.70	-2000.00
9775	1	295.6	181.0	2.7	71.69	.01	.20	-2000.00	-2000.000	2.14	-2000.00
	2	118.0	217.0	2.5	40.45	.10	.30	-2000.00	-2000.000	2.15	-2000.00
	3	61.8	227.0	1.9	45.84	.01	.30	-2000.00	-2000.000	2.42	-2000.00
	4	37.3	229.0	1.4	38.28	.01	.30	-2000.00	-2000.000	5.62	-2000.00
	5	34.3	317.0	1.0	32.91	.01	.30	-2000.00	-2000.000	18.51	-2000.00
9800	1	588.7	336.0	5.5	143.16	.01	.20	-2000.00	-2000.000	2.57	-2000.00
	2	124.2	212.0	2.7	51.87	.03	.30	-2000.00	-2000.000	3.21	-2000.00
	3	72.7	248.0	2.1	42.61	.03	.30	-2000.00	-2000.000	4.05	-2000.00
	4	45.0	256.0	1.8	44.22	.01	.30	-2000.00	-2000.000	5.16	-2000.00
	5	29.6	253.0	1.6	37.45	.01	.30	-2000.00	-2000.000	9.73	-2000.00
9825	1	3145.0	1760.0	2.9	57.26	.03	.40	-2000.00	-2000.000	4.79	-2000.00
	2	134.4	226.0	3.7	110.21	.01	.40	-2000.00	-2000.000	4.00	-2000.00
	3	62.7	210.0	2.4	58.68	.01	.30	-2000.00	-2000.000	2.68	-2000.00
	4	45.0	252.0	2.1	41.93	.03	.30	-2000.00	-2000.000	2.81	-2000.00
	5	35.9	302.0	1.5	31.10	.03	.30	-2000.00	-2000.000	6.63	-2000.00
9850	1	3293.0	1950.0	3.2	80.06	.01	.30	-2000.00	-2000.000	4.13	-2000.00
	2	208.3	370.0	2.6	51.28	.03	.30	-2000.00	-2000.000	3.22	-2000.00
	3	48.4	171.0	2.7	55.52	.03	.40	-2000.00	-2000.000	4.07	-2000.00
	4	37.5	222.0	1.9	27.72	.10	.40	-2000.00	-2000.000	3.28	-2000.00
	5	29.8	264.0	1.7	25.58	.10	.40	-2000.00	-2000.000	4.36	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9875	1	1339.0	1230.0	2.8	69.26	.01	.30	-2000.00	-2000.000	3.73	-2000.00
	2	197.2	546.0	3.7	73.11	.03	.30	-2000.00	-2000.000	3.28	-2000.00
	3	46.2	255.0	2.3	55.82	.01	.30	-2000.00	-2000.000	2.36	-2000.00
	4	20.3	187.0	2.3	60.21	.01	.20	-2000.00	-2000.000	6.30	-2000.00
	5	18.3	254.0	1.6	32.31	.03	.40	-2000.00	-2000.000	11.12	-2000.00
9900	1	1054.0	910.0	4.1	80.11	.03	.30	-2000.00	-2000.000	3.57	-2000.00
	2	105.9	277.0	3.3	87.88	.01	.20	-2000.00	-2000.000	2.26	-2000.00
	3	45.7	238.0	2.7	52.91	.03	.30	-2000.00	-2000.000	2.13	-2000.00
	4	29.3	255.0	2.3	45.11	.03	.30	-2000.00	-2000.000	4.52	-2000.00
	5	15.7	205.0	2.0	50.74	.01	.30	-2000.00	-2000.000	9.15	-2000.00
9925	1	2197.0	1970.0	7.3	189.46	.01	.20	-2000.00	-2000.000	3.73	-2000.00
	2	67.9	182.6	4.8	53.21	.30	.40	-2000.00	-2000.000	1.19	-2000.00
	3	31.1	166.0	2.5	35.40	.10	.40	-2000.00	-2000.000	2.57	-2000.00
	4	25.1	225.0	2.6	36.45	.10	.40	-2000.00	-2000.000	3.98	-2000.00
	5	21.5	289.0	2.2	54.41	.01	.30	-2000.00	-2000.000	5.69	-2000.00
9950	1	5691.0	5250.0	9.4	223.35	.01	.30	-2000.00	-2000.000	2.23	-2000.00
	2	400.4	1109.0	7.8	200.55	.01	.20	-2000.00	-2000.000	2.81	-2000.00
	3	27.3	150.0	3.4	26.12	1.00	.50	-2000.00	-2000.000	4.73	-2000.00
	4	18.5	170.0	2.9	26.31	.30	.50	-2000.00	-2000.000	4.28	-2000.00
	5	16.9	234.0	2.9	78.27	.01	.20	-2000.00	-2000.000	7.12	-2000.00
9975	1	2584.0	1470.0	7.1	164.44	.03	.20	-2000.00	-2000.000	2.26	-2000.00
	2	1351.0	2310.0	7.2	139.43	.03	.30	-2000.00	-2000.000	2.48	-2000.00
	3	90.2	308.0	5.2	100.48	.03	.30	-2000.00	-2000.000	1.67	-2000.00
	4	27.8	158.0	3.6	78.74	.10	.20	-2000.00	-2000.000	1.85	-2000.00
	5	24.1	206.0	3.1	63.67	.03	.30	-2000.00	-2000.000	4.96	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 108

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
8975	1	211.9	229.0	.5	21.69	100.00	.50	-2000.00	-2000.000	51.64	-2000.00
9000	1	216.3	271.0	2.3	96.83	.10	.10	-2000.00	-2000.000	4.80	-2000.00
	2	126.3	475.0	1.3	57.99	1.00	.10	-2000.00	-2000.000	18.47	-2000.00
9025	1	686.5	259.0	3.1	66.80	.10	.20	-2000.00	-2000.000	.90	-2000.00
	2	501.6	569.0	3.3	76.43	.03	.20	-2000.00	-2000.000	1.68	-2000.00
	3	285.4	640.0	1.7	41.58	.01	.30	-2000.00	-2000.000	3.44	-2000.00
9050	1	549.2	331.0	2.8	119.01	.01	.10	-2000.00	-2000.000	1.32	-2000.00
	2	285.7	517.0	4.2	89.79	.10	.20	-2000.00	-2000.000	1.57	-2000.00
	3	211.0	760.0	3.8	77.34	.30	.20	-2000.00	-2000.000	2.28	-2000.00
	4	134.1	800.0	2.1	56.52	.01	.20	-2000.00	-2000.000	5.31	-2000.00
9075	1	707.8	389.0	2.0	52.89	.01	.20	-2000.00	-2000.000	1.71	-2000.00
	2	319.8	528.0	3.5	146.02	.01	.10	-2000.00	-2000.000	1.75	-2000.00
	3	191.6	630.0	4.6	182.39	.03	.10	-2000.00	-2000.000	1.33	-2000.00
	4	144.3	790.0	3.9	156.91	.03	.10	-2000.00	-2000.000	2.89	-2000.00
	5	110.2	910.0	2.4	93.48	3.00	.10	-2000.00	-2000.000	7.86	-2000.00
9100	1	894.8	550.0	2.9	77.03	.01	.20	-2000.00	-2000.000	1.38	-2000.00
	2	216.8	400.0	2.6	62.54	.03	.20	-2000.00	-2000.000	2.39	-2000.00
	3	151.8	550.0	4.2	169.55	.03	.10	-2000.00	-2000.000	1.39	-2000.00
	4	101.0	620.0	4.8	184.99	.10	.10	-2000.00	-2000.000	1.39	-2000.00
	5	84.1	776.0	3.9	160.24	.03	.10	-2000.00	-2000.000	3.21	-2000.00
9125	1	1210.0	730.0	3.4	79.59	.03	.20	-2000.00	-2000.000	1.65	-2000.00
	2	419.5	759.0	3.2	84.60	.01	.20	-2000.00	-2000.000	2.05	-2000.00
	3	135.6	490.0	3.0	124.24	.01	.10	-2000.00	-2000.000	3.53	-2000.00
	4	109.8	660.0	4.7	174.44	1.00	.10	-2000.00	-2000.000	2.76	-2000.00
	5	77.3	700.0	5.3	196.68	100.00	.10	-2000.00	-2000.000	3.42	-2000.00
9150	1	700.5	488.0	2.7	65.01	.03	.20	-2000.00	-2000.000	1.37	-2000.00
	2	454.4	951.0	3.6	83.61	.03	.20	-2000.00	-2000.000	1.34	-2000.00
	3	215.7	900.0	3.3	78.65	.03	.20	-2000.00	-2000.000	2.51	-2000.00
	4	77.9	543.0	2.9	62.32	.10	.20	-2000.00	-2000.000	3.68	-2000.00
	5	66.6	696.0	4.6	174.02	1.00	.10	-2000.00	-2000.000	3.02	-2000.00
9175	1	670.3	420.0	2.4	63.57	.01	.20	-2000.00	-2000.000	1.98	-2000.00
	2	272.6	513.0	2.5	65.11	.01	.20	-2000.00	-2000.000	2.76	-2000.00
	3	294.3	1100.0	3.7	87.29	.03	.20	-2000.00	-2000.000	2.09	-2000.00
	4	173.0	1080.0	3.4	79.97	.03	.20	-2000.00	-2000.000	3.20	-2000.00
	5	63.9	602.0	3.6	150.47	.01	.10	-2000.00	-2000.000	4.75	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9200	1	543.4	473.0	2.9	76.41	.01	.20	-2000.00	-2000.000	2.16	-2000.00
	2	212.2	555.0	2.3	61.32	.01	.20	-2000.00	-2000.000	2.56	-2000.00
	3	106.4	550.0	2.1	52.01	.03	.20	-2000.00	-2000.000	4.00	-2000.00
	4	134.8	1170.0	4.0	87.26	.10	.20	-2000.00	-2000.000	2.64	-2000.00
	5	93.1	1217.0	4.0	157.45	.10	.10	-2000.00	-2000.000	3.27	-2000.00
9225	1	622.6	355.0	1.7	43.80	.01	.30	-2000.00	-2000.000	3.58	-2000.00
	2	264.6	453.0	2.9	47.50	.10	.30	-2000.00	-2000.000	1.90	-2000.00
	3	102.4	350.0	1.5	38.06	.01	.30	-2000.00	-2000.000	4.65	-2000.00
	4	75.7	432.0	1.5	30.80	.03	.30	-2000.00	-2000.000	3.97	-2000.00
	5	100.3	850.0	3.1	82.63	.01	.20	-2000.00	-2000.000	3.37	-2000.00
9250	1	1493.0	520.0	3.0	58.86	.03	.30	-2000.00	-2000.000	1.59	-2000.00
	2	333.0	348.0	1.9	35.16	.03	.30	-2000.00	-2000.000	3.59	-2000.00
	3	164.0	340.0	2.7	59.35	.10	.20	-2000.00	-2000.000	1.66	-2000.00
	4	106.8	370.0	.9	48.72	1.00	.10	-2000.00	-2000.000	23.98	-2000.00
9275	1	448.3	182.0	2.3	37.82	.10	.30	-2000.00	-2000.000	4.89	-2000.00
	2	408.2	499.0	2.4	63.96	.01	.20	-2000.00	-2000.000	7.59	-2000.00
	3	127.4	310.0	1.1	49.94	30.00	.10	-2000.00	-2000.000	25.58	-2000.00
	4	89.1	363.0	2.2	60.34	.03	.20	-2000.00	-2000.000	7.01	-2000.00
9300	1	649.8	212.0	2.2	35.14	.10	.30	-2000.00	-2000.000	2.03	-2000.00
	2	369.4	362.0	1.9	37.07	.03	.30	-2000.00	-2000.000	2.94	-2000.00
	3	341.0	660.0	2.0	38.32	.03	.30	-2000.00	-2000.000	4.04	-2000.00
	4	115.6	370.0	.7	20.62	100.00	.30	-2000.00	-2000.000	32.61	-2000.00
9325	1	828.6	130.0	1.3	33.42	.03	.20	-2000.00	-2000.000	4.51	-2000.00
	2	463.5	218.3	2.0	52.47	.01	.20	-2000.00	-2000.000	2.50	-2000.00
	3	464.1	436.0	1.7	43.53	.01	.30	-2000.00	-2000.000	3.03	-2000.00
	4	516.6	811.0	1.8	43.15	.01	.30	-2000.00	-2000.000	3.09	-2000.00
9350	1	617.2	129.2	2.1	81.21	.30	.10	-2000.00	-2000.000	2.27	-2000.00
	2	268.2	168.4	.9	27.25	100.00	.20	-2000.00	-2000.000	15.87	-2000.00
	3	190.8	239.0	1.7	33.87	.03	.30	-2000.00	-2000.000	2.88	-2000.00
	4	222.0	464.0	1.7	41.83	.01	.30	-2000.00	-2000.000	3.36	-2000.00
9375	1	329.8	147.0	1.5	31.09	.03	.30	-2000.00	-2000.000	3.48	-2000.00
	2	106.5	143.0	1.0	51.91	.10	.10	-2000.00	-2000.000	13.48	-2000.00
	3	75.9	203.0	.7	26.74	100.00	.20	-2000.00	-2000.000	22.30	-2000.00
	4	61.1	274.0	1.5	38.25	.01	.30	-2000.00	-2000.000	4.62	-2000.00
9400	1	536.4	120.3	4.0	87.06	100.00	.20	-2000.00	-2000.000	3.91	-2000.00
	2	229.5	154.4	1.5	31.86	.03	.30	-2000.00	-2000.000	3.26	-2000.00
	3	111.8	150.0	.7	19.85	100.00	.30	-2000.00	-2000.000	27.58	-2000.00
	4	101.8	228.0	.9	47.65	30.00	.10	-2000.00	-2000.000	15.68	-2000.00
9425	1	205.4	105.0	.7	20.05	100.00	.30	-2000.00	-2000.000	28.46	-2000.00
	2	94.6	146.1	1.4	39.64	.01	.20	-2000.00	-2000.000	8.40	-2000.00
	3	51.4	158.0	1.0	47.43	1.00	.10	-2000.00	-2000.000	27.15	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	4	30.0	154.0	-.4	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
9450	1	240.0	125.0	.8	21.04	100.00	.30	-2000.00	-2000.000	24.61	-2000.00
	2	84.1	131.9	.8	26.82	100.00	.20	-2000.00	-2000.000	25.22	-2000.00
	3	57.3	179.0	1.3	59.02	.10	.10	-2000.00	-2000.000	19.50	-2000.00
	4	41.4	216.0	.7	20.91	100.00	.40	-2000.00	-2000.000	58.68	-2000.00
9475	1	383.8	126.0	1.1	52.11	.10	.10	-2000.00	-2000.000	11.89	-2000.00
	2	138.7	137.0	1.2	55.12	.10	.10	-2000.00	-2000.000	11.42	-2000.00
	3	78.0	154.0	.5	25.74	100.00	.20	-2000.00	-2000.000	41.93	-2000.00
	4	62.9	207.0	1.2	57.50	.01	.10	-2000.00	-2000.000	15.63	-2000.00
	5	51.1	253.0	.8	45.65	30.00	.10	-2000.00	-2000.000	33.12	-2000.00
9500	1	541.2	125.8	1.0	48.51	30.00	.10	-2000.00	-2000.000	14.47	-2000.00
	2	213.2	148.7	1.3	33.45	.03	.20	-2000.00	-2000.000	5.93	-2000.00
	3	105.4	146.0	1.1	29.10	.10	.20	-2000.00	-2000.000	11.86	-2000.00
	4	72.1	167.6	1.9	24.57	30.00	.40	-2000.00	-2000.000	10.63	-2000.00
	5	64.1	223.7	-.3	25.06	100.00	.20	-2000.00	-2000.000	86.05	-2000.00
9525	1	353.2	154.0	.8	26.04	100.00	.20	-2000.00	-2000.000	28.10	-2000.00
	2	136.9	179.0	1.5	37.00	.03	.20	-2000.00	-2000.000	5.07	-2000.00
	3	68.6	179.0	1.3	36.90	.01	.20	-2000.00	-2000.000	9.74	-2000.00
	4	41.5	181.0	.9	48.87	.10	.10	-2000.00	-2000.000	28.85	-2000.00
	5	31.1	203.0	.8	20.58	100.00	.30	-2000.00	-2000.000	41.14	-2000.00
9550	1	347.3	118.0	.9	27.53	100.00	.20	-2000.00	-2000.000	20.44	-2000.00
	2	162.0	165.0	1.3	28.10	.03	.30	-2000.00	-2000.000	5.37	-2000.00
	3	97.4	199.0	1.5	42.24	.01	.20	-2000.00	-2000.000	4.69	-2000.00
	4	59.0	201.0	1.2	37.02	.01	.20	-2000.00	-2000.000	10.51	-2000.00
	5	40.3	206.0	.8	55.49	.01	.10	-2000.00	-2000.000	20.37	-2000.00
9575	1	291.9	130.0	.9	47.87	100.00	.10	-2000.00	-2000.000	18.48	-2000.00
	2	127.9	172.0	1.3	37.98	.01	.20	-2000.00	-2000.000	6.96	-2000.00
	3	66.1	177.0	1.4	35.60	.01	.30	-2000.00	-2000.000	6.84	-2000.00
	4	51.7	232.0	1.4	36.56	.03	.20	-2000.00	-2000.000	8.52	-2000.00
	5	28.7	193.0	1.1	26.86	.03	.30	-2000.00	-2000.000	12.64	-2000.00
9600	1	512.9	140.0	.9	26.92	100.00	.20	-2000.00	-2000.000	20.19	-2000.00
	2	209.6	171.6	1.3	37.63	.01	.20	-2000.00	-2000.000	6.80	-2000.00
	3	125.4	205.0	1.5	41.49	.01	.20	-2000.00	-2000.000	4.28	-2000.00
	4	72.7	198.5	1.3	28.36	.03	.30	-2000.00	-2000.000	9.62	-2000.00
	5	63.1	258.3	1.3	38.17	.01	.20	-2000.00	-2000.000	7.65	-2000.00
9625	1	709.8	185.7	.8	25.91	100.00	.20	-2000.00	-2000.000	24.82	-2000.00
	2	261.3	205.1	1.4	38.06	.01	.20	-2000.00	-2000.000	8.50	-2000.00
	3	147.5	231.0	1.4	28.43	.03	.30	-2000.00	-2000.000	4.18	-2000.00
	4	81.7	213.8	.7	24.20	.03	.30	-2000.00	-2000.000	32.05	-2000.00
	5	57.8	226.6	2.2	48.74	100.00	.20	-2000.00	-2000.000	5.30	-2000.00
9650	1	842.0	203.3	1.0	50.33	.10	.10	-2000.00	-2000.000	15.70	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	2	358.0	259.4	1.2	32.64	.03	.20	-2000.00	-2000.000	10.04	-2000.00
	3	181.3	262.0	1.4	40.14	.01	.20	-2000.00	-2000.000	7.14	-2000.00
	4	113.6	274.0	1.5	40.92	.01	.20	-2000.00	-2000.000	6.70	-2000.00
	5	68.5	248.2	1.5	30.32	.03	.30	-2000.00	-2000.000	2.79	-2000.00
9675	1	993.5	239.9	1.1	31.23	.03	.20	-2000.00	-2000.000	9.59	-2000.00
	2	346.7	251.2	1.5	30.34	.03	.30	-2000.00	-2000.000	3.05	-2000.00
	3	202.4	292.0	1.3	27.92	.03	.30	-2000.00	-2000.000	4.17	-2000.00
	4	108.3	261.0	1.4	38.92	.01	.20	-2000.00	-2000.000	6.88	-2000.00
	5	77.7	281.5	1.3	28.38	.03	.30	-2000.00	-2000.000	4.87	-2000.00
9700	1	1338.0	350.0	1.6	26.49	.10	.30	-2000.00	-2000.000	3.63	-2000.00
	2	310.6	243.8	1.6	31.42	.03	.30	-2000.00	-2000.000	3.99	-2000.00
	3	143.6	224.0	1.6	32.23	.03	.30	-2000.00	-2000.000	5.66	-2000.00
	4	100.2	262.0	1.3	37.82	.01	.20	-2000.00	-2000.000	9.54	-2000.00
	5	61.7	242.1	1.5	41.37	.01	.20	-2000.00	-2000.000	8.20	-2000.00
9725	1	1567.0	328.0	1.8	29.00	.10	.30	-2000.00	-2000.000	3.83	-2000.00
	2	456.7	286.8	2.2	34.78	.10	.30	-2000.00	-2000.000	2.65	-2000.00
	3	148.0	185.0	1.7	42.01	.01	.30	-2000.00	-2000.000	3.99	-2000.00
	4	86.2	180.3	1.5	30.91	.03	.30	-2000.00	-2000.000	5.65	-2000.00
	5	71.9	225.8	1.6	40.37	.01	.20	-2000.00	-2000.000	6.98	-2000.00
9750	1	1317.0	183.8	1.6	43.98	.01	.20	-2000.00	-2000.000	3.50	-2000.00
	2	476.1	199.3	1.7	33.66	.03	.30	-2000.00	-2000.000	2.19	-2000.00
	3	228.9	191.3	1.7	34.71	.03	.30	-2000.00	-2000.000	4.55	-2000.00
	4	101.0	141.0	1.5	69.77	.10	.10	-2000.00	-2000.000	10.34	-2000.00
	5	77.3	161.8	1.3	28.42	.03	.30	-2000.00	-2000.000	25.52	-2000.00
9775	1	563.5	186.0	1.6	31.70	.03	.30	-2000.00	-2000.000	2.81	-2000.00
	2	192.2	190.0	1.8	34.79	.03	.30	-2000.00	-2000.000	3.72	-2000.00
	3	102.0	200.0	1.6	23.52	.10	.40	-2000.00	-2000.000	45.71	-2000.00
	4	62.2	205.0	1.7	33.68	.03	.30	-2000.00	-2000.000	9.30	-2000.00
	5	33.1	164.0	1.1	33.17	.01	.30	-2000.00	-2000.000	20.87	-2000.00
9800	1	281.7	145.0	1.8	48.34	.01	.20	-2000.00	-2000.000	6.63	-2000.00
	2	121.9	188.0	2.3	96.74	.10	.10	-2000.00	-2000.000	8.57	-2000.00
	3	57.9	178.0	2.7	58.32	100.00	.20	-2000.00	-2000.000	28.93	-2000.00
	4	37.4	192.0	2.6	42.90	100.00	.30	-2000.00	-2000.000	57.37	-2000.00
	5	25.9	199.0	1.4	8.48	3.00	.80	-2000.00	-2000.000	92.07	-2000.00
9825	1	225.0	207.0	2.5	54.26	.10	.20	-2000.00	-2000.000	7.36	-2000.00
	2	66.3	183.8	2.1	44.54	.03	.40	-2000.00	-2000.000	16.53	-2000.00
	3	36.7	203.0	1.8	29.25	30.00	.50	-2000.00	-2000.000	74.37	-2000.00
	4	21.2	196.0	2.5	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	5	16.3	226.0	2.5	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
9850	1	685.6	165.5	2.1	57.30	.01	.20	-2000.00	-2000.000	3.51	-2000.00
	2	206.9	149.9	2.6	23.40	.30	.50	-2000.00	-2000.000	4.27	-2000.00
	3	94.6	136.7	2.3	21.43	.30	.50	-2000.00	-2000.000	9.66	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	4	72.1	174.1	2.0	49.99	.01	.30	-2000.00	-2000.000	13.63	-2000.00
	5	51.3	185.9	2.0	31.25	.10	.30	-2000.00	-2000.000	11.11	-2000.00
9875	1	696.3	161.9	1.6	42.57	.01	.20	-2000.00	-2000.000	2.28	-2000.00
	2	145.8	101.7	2.7	53.02	.03	.30	-2000.00	-2000.000	.94	-2000.00
	3	81.9	114.1	2.3	36.73	.10	.30	-2000.00	-2000.000	6.39	-2000.00
	4	44.3	103.0	2.8	67.03	.01	.20	-2000.00	-2000.000	8.84	-2000.00
	5	51.6	180.0	1.7	52.23	.01	.30	-2000.00	-2000.000	12.37	-2000.00
9900	1	609.0	159.3	2.3	60.39	.01	.20	-2000.00	-2000.000	1.97	-2000.00
	2	218.9	171.8	3.3	77.63	.03	.20	-2000.00	-2000.000	1.83	-2000.00
	3	80.0	125.3	2.3	50.19	.03	.30	-2000.00	-2000.000	6.55	-2000.00
	4	53.2	139.1	2.0	20.71	.30	.50	-2000.00	-2000.000	20.81	-2000.00
	5	29.0	113.8	3.7	132.61	100.00	.10	-2000.00	-2000.000	24.50	-2000.00
9925	1	385.6	134.0	3.2	75.61	.03	.20	-2000.00	-2000.000	1.12	-2000.00
	2	153.8	160.0	3.2	82.81	.01	.20	-2000.00	-2000.000	1.95	-2000.00
	3	100.0	200.0	4.1	78.28	10.00	.20	-2000.00	-2000.000	5.82	-2000.00
	4	40.8	142.0	.0	40.27	.01	.40	-2000.00	-2000.000	63.68	-2000.00
	5	29.6	155.0	1.8	22.48	.30	.40	-2000.00	-2000.000	24.19	-2000.00
9950	1	269.6	169.0	3.2	84.13	.01	.20	-2000.00	-2000.000	1.62	-2000.00
	2	71.5	134.6	3.1	82.45	.01	.20	-2000.00	-2000.000	1.51	-2000.00
	3	41.1	154.0	2.3	18.94	.30	.60	-2000.00	-2000.000	20.81	-2000.00
	4	33.2	208.0	3.3	74.49	.01	.20	-2000.00	-2000.000	20.24	-2000.00
	5	15.6	147.0	2.6	8.65	3.00	.80	-2000.00	-2000.000	97.77	-2000.00
9975	1	276.8	140.0	2.6	50.19	.03	.30	-2000.00	-2000.000	1.54	-2000.00
	2	87.6	133.1	3.9	63.58	.10	.30	-2000.00	-2000.000	1.81	-2000.00
	3	37.8	114.0	3.4	56.46	.10	.30	-2000.00	-2000.000	2.77	-2000.00
	4	27.5	139.0	3.1	63.18	.03	.30	-2000.00	-2000.000	6.72	-2000.00
	5	26.9	204.0	3.1	60.73	.03	.30	-2000.00	-2000.000	7.50	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 112

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9025	1	135.4	96.0	.4	25.91	100.00	.60	-2000.00	-2000.000	52.20	-2000.00
9050	1	166.7	80.0	.7	20.11	100.00	.30	-2000.00	-2000.000	29.59	-2000.00
	2	93.9	136.1	-.2	45.09	100.00	.80	-2000.00	-2000.000	96.06	-2000.00
9075	1	183.6	88.0	.4	25.85	100.00	.60	-2000.00	-2000.000	50.12	-2000.00
	2	83.0	120.3	.1	24.53	100.00	.60	-2000.00	-2000.000	67.95	-2000.00
	3	62.6	181.0	-.3	40.05	100.00	.80	-2000.00	-2000.000	128.66	-2000.00
9100	1	184.6	77.0	.5	25.57	100.00	.60	-2000.00	-2000.000	45.24	-2000.00
	2	86.9	109.1	.0	45.28	100.00	.80	-2000.00	-2000.000	78.07	-2000.00
	3	56.0	140.0	-.1	40.84	100.00	.80	-2000.00	-2000.000	106.99	-2000.00
	4	47.3	198.0	-.9	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
9125	1	338.3	92.3	.7	19.57	100.00	.40	-2000.00	-2000.000	29.57	-2000.00
	2	116.9	95.7	.3	32.07	100.00	.70	-2000.00	-2000.000	64.18	-2000.00
	3	83.7	136.8	-.1	42.33	100.00	.80	-2000.00	-2000.000	100.18	-2000.00
	4	60.9	166.3	.0	41.95	100.00	.80	-2000.00	-2000.000	111.70	-2000.00
	5	56.2	230.2	-.3	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
9150	1	244.0	74.3	.5	21.01	100.00	.50	-2000.00	-2000.000	40.87	-2000.00
	2	116.9	106.9	.1	32.36	100.00	.70	-2000.00	-2000.000	70.16	-2000.00
	3	67.5	123.1	-.3	40.05	100.00	.80	-2000.00	-2000.000	113.20	-2000.00
	4	55.2	168.2	-.7	40.05	100.00	.80	-2000.00	-2000.000	183.41	-2000.00
	5	43.1	197.0	-.8	40.05	100.00	.80	-2000.00	-2000.000	194.73	-2000.00
9175	1	368.0	82.5	.5	21.61	100.00	.50	-2000.00	-2000.000	40.59	-2000.00
	2	149.2	100.3	.3	25.01	100.00	.60	-2000.00	-2000.000	50.97	-2000.00
	3	113.8	152.0	.0	42.32	100.00	.80	-2000.00	-2000.000	75.47	-2000.00
	4	74.7	167.4	-.4	40.05	100.00	.80	-2000.00	-2000.000	129.63	-2000.00
	5	64.8	217.8	-.7	40.05	100.00	.80	-2000.00	-2000.000	178.46	-2000.00
9200	1	298.3	78.0	.6	19.94	100.00	.30	-2000.00	-2000.000	35.46	-2000.00
	2	121.2	95.1	.5	18.63	100.00	.40	-2000.00	-2000.000	43.88	-2000.00
	3	80.5	126.1	.0	43.39	100.00	.80	-2000.00	-2000.000	72.51	-2000.00
	4	70.4	184.2	-.1	40.05	100.00	.80	-2000.00	-2000.000	90.76	-2000.00
	5	51.0	200.1	-.6	40.05	100.00	.80	-2000.00	-2000.000	163.54	-2000.00
9225	1	361.4	94.5	.8	25.36	100.00	.20	-2000.00	-2000.000	21.84	-2000.00
	2	131.4	103.1	.7	25.12	100.00	.20	-2000.00	-2000.000	28.33	-2000.00
	3	82.6	129.3	.3	25.34	100.00	.60	-2000.00	-2000.000	55.64	-2000.00
	4	64.5	168.8	.0	43.28	100.00	.80	-2000.00	-2000.000	76.98	-2000.00
	5	60.5	237.6	-.2	40.05	100.00	.80	-2000.00	-2000.000	101.11	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9250	1	431.7	87.4	1.3	37.63	.01	.20	-2000.00	-2000.000	6.53	-2000.00
	2	153.2	93.1	1.2	54.50	.10	.10	-2000.00	-2000.000	11.25	-2000.00
	3	94.3	114.3	.7	45.55	100.00	.10	-2000.00	-2000.000	26.51	-2000.00
	4	67.2	136.0	.1	33.00	100.00	.70	-2000.00	-2000.000	68.79	-2000.00
	5	62.5	189.8	.1	43.82	100.00	.80	-2000.00	-2000.000	75.58	-2000.00
9275	1	1010.0	140.0	1.9	30.31	.10	.30	-2000.00	-2000.000	2.20	-2000.00
	2	218.7	91.5	1.6	42.89	.01	.20	-2000.00	-2000.000	4.16	-2000.00
	3	109.8	91.0	1.1	56.13	.01	.10	-2000.00	-2000.000	15.05	-2000.00
	4	77.9	108.6	.7	25.77	100.00	.20	-2000.00	-2000.000	28.76	-2000.00
	5	70.0	146.5	.2	33.13	100.00	.70	-2000.00	-2000.000	61.17	-2000.00
9300	1	937.2	125.2	2.4	62.07	.01	.20	-2000.00	-2000.000	1.62	-2000.00
	2	387.2	155.2	1.7	43.55	.01	.20	-2000.00	-2000.000	2.32	-2000.00
	3	108.5	86.0	1.0	48.86	1.00	.10	-2000.00	-2000.000	17.83	-2000.00
	4	64.7	86.4	.4	19.15	100.00	.40	-2000.00	-2000.000	49.81	-2000.00
	5	51.2	102.5	.4	20.41	100.00	.50	-2000.00	-2000.000	53.11	-2000.00
9325	1	942.1	174.0	3.0	79.40	.01	.20	-2000.00	-2000.000	2.46	-2000.00
	2	263.9	146.2	1.8	48.32	.01	.20	-2000.00	-2000.000	3.67	-2000.00
	3	138.6	153.0	1.0	48.51	30.00	.10	-2000.00	-2000.000	18.15	-2000.00
	4	48.7	89.9	.4	21.40	100.00	.50	-2000.00	-2000.000	49.46	-2000.00
	5	31.8	88.1	1.0	31.89	100.00	.70	-2000.00	-2000.000	65.49	-2000.00
9350	1	458.0	143.8	1.7	33.27	.03	.30	-2000.00	-2000.000	2.31	-2000.00
	2	147.9	139.3	2.8	47.24	.10	.30	-2000.00	-2000.000	3.12	-2000.00
	3	74.0	139.1	1.3	38.01	.01	.20	-2000.00	-2000.000	13.23	-2000.00
	4	45.8	143.8	.6	20.25	100.00	.30	-2000.00	-2000.000	42.53	-2000.00
9375	1	124.1	17.7	-.5	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	2	39.1	16.7	-.7	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	3	23.5	20.0	-.6	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	4	16.5	23.5	-2.0	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
9400	1	206.7	27.0	-.4	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	2	79.5	31.2	-.8	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	3	42.3	33.1	-1.0	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	4	31.8	41.6	-1.1	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
9425	1	147.2	20.5	-.7	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	2	56.1	23.5	-.1	40.05	100.00	.80	-2000.00	-2000.000	114.28	-2000.00
	3	27.6	23.0	-1.3	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	4	18.4	25.7	-1.5	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
9450	1	453.3	129.3	2.1	55.46	.01	.20	-2000.00	-2000.000	1.38	-2000.00
	2	170.4	145.9	3.0	65.70	.10	.20	-2000.00	-2000.000	1.70	-2000.00
	3	95.5	163.2	2.7	38.98	.30	.30	-2000.00	-2000.000	4.37	-2000.00
	4	55.3	157.7	1.8	22.37	.30	.40	-2000.00	-2000.000	11.07	-2000.00
	5	38.5	164.7	1.6	20.21	.30	.40	-2000.00	-2000.000	18.77	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9475	1	298.0	103.0	2.7	64.68	.03	.20	-2000.00	-2000.000	.99	-2000.00
	2	100.4	105.0	3.6	151.15	.01	.10	-2000.00	-2000.000	1.43	-2000.00
	3	63.7	133.0	3.4	47.46	.30	.30	-2000.00	-2000.000	1.82	-2000.00
	4	44.3	154.0	2.7	116.28	.01	.10	-2000.00	-2000.000	3.43	-2000.00
	5	29.8	156.0	2.0	33.05	.10	.30	-2000.00	-2000.000	6.08	-2000.00
9500	1	304.9	125.0	2.7	110.26	.03	.10	-2000.00	-2000.000	.83	-2000.00
	2	82.7	102.5	3.5	74.89	.10	.20	-2000.00	-2000.000	2.12	-2000.00
	3	44.6	110.0	3.4	73.58	.10	.20	-2000.00	-2000.000	3.78	-2000.00
	4	32.7	135.0	2.2	106.55	1.00	.10	-2000.00	-2000.000	14.53	-2000.00
	5	27.0	167.0	3.5	13.42	1.00	.80	-2000.00	-2000.000	15.85	-2000.00
9525	1	435.6	142.0	2.5	35.80	.30	.30	-2000.00	-2000.000	2.65	-2000.00
	2	129.2	126.0	3.1	133.04	.01	.10	-2000.00	-2000.000	1.63	-2000.00
	3	55.3	108.0	3.1	44.12	.30	.30	-2000.00	-2000.000	2.70	-2000.00
	4	35.8	117.0	2.9	26.73	.30	.50	-2000.00	-2000.000	7.04	-2000.00
	5	29.5	144.0	3.0	123.19	30.00	.10	-2000.00	-2000.000	8.21	-2000.00
9550	1	410.1	136.0	1.9	46.30	.03	.20	-2000.00	-2000.000	1.56	-2000.00
	2	132.9	133.0	3.6	142.22	.10	.10	-2000.00	-2000.000	1.25	-2000.00
	3	75.4	150.0	3.0	126.51	.01	.10	-2000.00	-2000.000	3.47	-2000.00
	4	33.3	111.0	2.9	68.48	.03	.20	-2000.00	-2000.000	5.29	-2000.00
	5	25.3	126.0	3.0	66.57	.10	.20	-2000.00	-2000.000	7.43	-2000.00
9575	1	313.7	140.0	1.9	31.15	.10	.30	-2000.00	-2000.000	3.13	-2000.00
	2	96.0	129.1	3.2	128.86	.10	.10	-2000.00	-2000.000	1.62	-2000.00
	3	54.7	147.0	3.6	139.24	.30	.10	-2000.00	-2000.000	1.37	-2000.00
	4	33.8	151.0	2.5	34.72	.10	.40	-2000.00	-2000.000	6.00	-2000.00
	5	18.1	121.0	3.1	41.86	3.00	.30	-2000.00	-2000.000	5.21	-2000.00
9600	1	363.3	190.0	1.5	37.12	.03	.20	-2000.00	-2000.000	3.65	-2000.00
	2	99.4	156.0	3.1	121.29	.30	.10	-2000.00	-2000.000	1.74	-2000.00
	3	47.1	147.0	3.3	68.04	.30	.20	-2000.00	-2000.000	2.40	-2000.00
	4	31.8	166.0	3.3	135.11	.03	.10	-2000.00	-2000.000	5.36	-2000.00
	5	21.7	170.0	3.0	23.77	1.00	.50	-2000.00	-2000.000	8.06	-2000.00
9625	1	383.6	150.0	2.1	54.54	.01	.20	-2000.00	-2000.000	2.29	-2000.00
	2	141.4	166.0	3.3	134.60	.03	.10	-2000.00	-2000.000	1.14	-2000.00
	3	67.8	159.0	3.5	136.97	.10	.10	-2000.00	-2000.000	1.01	-2000.00
	4	40.4	158.0	3.8	53.15	.30	.30	-2000.00	-2000.000	2.34	-2000.00
	5	31.2	183.0	3.7	48.16	.30	.30	-2000.00	-2000.000	6.61	-2000.00
9650	1	938.7	226.7	2.3	55.64	.03	.20	-2000.00	-2000.000	2.95	-2000.00
	2	233.8	169.4	3.7	147.08	.03	.10	-2000.00	-2000.000	1.02	-2000.00
	3	108.0	156.0	3.9	149.04	.30	.10	-2000.00	-2000.000	1.66	-2000.00
	4	65.5	158.1	3.9	148.67	.30	.10	-2000.00	-2000.000	3.11	-2000.00
	5	44.4	160.7	3.9	138.01	.10	.10	-2000.00	-2000.000	8.57	-2000.00
9675	1	807.3	241.4	2.5	58.01	.03	.20	-2000.00	-2000.000	1.84	-2000.00
	2	239.9	215.2	4.2	84.49	.30	.20	-2000.00	-2000.000	.66	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	82.6	147.8	4.3	166.28	.10	.10	-2000.00	-2000.000	1.25	-2000.00
	4	49.6	148.2	4.2	165.21	.03	.10	-2000.00	-2000.000	1.02	-2000.00
	5	35.5	159.3	3.8	156.65	.01	.10	-2000.00	-2000.000	1.30	-2000.00
9700	1	1663.0	348.0	3.1	66.81	.10	.20	-2000.00	-2000.000	1.30	-2000.00
	2	329.3	206.8	4.4	172.81	.03	.10	-2000.00	-2000.000	.83	-2000.00
	3	140.7	176.0	4.9	94.06	3.00	.20	-2000.00	-2000.000	.83	-2000.00
	4	63.0	131.9	4.7	184.78	.03	.10	-2000.00	-2000.000	1.21	-2000.00
	5	45.6	143.0	4.3	59.70	.30	.30	-2000.00	-2000.000	1.25	-2000.00
9725	1	1885.0	422.0	2.3	91.15	10.00	.10	-2000.00	-2000.000	1.53	-2000.00
	2	356.6	239.9	4.0	76.41	3.00	.20	-2000.00	-2000.000	.89	-2000.00
	3	118.6	159.0	4.3	55.30	1.00	.30	-2000.00	-2000.000	1.06	-2000.00
	4	63.7	142.9	4.2	166.12	30.00	.10	-2000.00	-2000.000	2.91	-2000.00
	5	36.8	123.8	4.8	46.92	.30	.40	-2000.00	-2000.000	7.58	-2000.00
9750	1	1833.0	460.0	2.9	76.20	.01	.20	-2000.00	-2000.000	1.54	-2000.00
	2	333.4	251.2	3.8	48.56	3.00	.30	-2000.00	-2000.000	1.19	-2000.00
	3	89.3	134.2	4.9	93.27	3.00	.20	-2000.00	-2000.000	1.72	-2000.00
	4	45.2	113.5	4.3	57.83	.30	.30	-2000.00	-2000.000	2.80	-2000.00
	5	32.6	122.7	4.6	30.15	1.00	.60	-2000.00	-2000.000	5.43	-2000.00
9775	1	4523.0	1650.0	3.3	72.17	.10	.20	-2000.00	-2000.000	2.11	-2000.00
	2	573.7	628.0	4.3	92.41	.10	.20	-2000.00	-2000.000	1.00	-2000.00
	3	99.8	218.0	5.0	97.01	10.00	.20	-2000.00	-2000.000	1.21	-2000.00
	4	47.2	172.0	5.2	65.38	1.00	.30	-2000.00	-2000.000	1.52	-2000.00
	5	23.3	127.0	4.1	96.13	.03	.20	-2000.00	-2000.000	7.77	-2000.00
9800	1	876.1	539.0	3.7	79.86	.10	.20	-2000.00	-2000.000	1.19	-2000.00
	2	401.3	741.0	4.8	188.45	.03	.10	-2000.00	-2000.000	.70	-2000.00
	3	62.3	229.0	6.1	78.17	1.00	.30	-2000.00	-2000.000	1.17	-2000.00
	4	25.6	157.0	6.3	137.13	100.00	.20	-2000.00	-2000.000	2.93	-2000.00
	5	17.9	165.0	4.4	39.90	.30	.50	-2000.00	-2000.000	6.61	-2000.00
9825	1	2355.0	547.0	4.0	163.46	.01	.10	-2000.00	-2000.000	1.17	-2000.00
	2	771.5	538.3	5.5	200.47	1.00	.10	-2000.00	-2000.000	.88	-2000.00
	3	269.1	374.0	6.6	236.96	100.00	.10	-2000.00	-2000.000	.68	-2000.00
	4	85.4	198.6	6.8	132.20	.30	.20	-2000.00	-2000.000	1.73	-2000.00
	5	42.0	146.6	6.2	118.16	1.00	.20	-2000.00	-2000.000	1.53	-2000.00
9850	1	1826.0	498.0	5.4	216.94	.01	.10	-2000.00	-2000.000	.99	-2000.00
	2	515.2	422.0	6.8	242.64	3.00	.10	-2000.00	-2000.000	.61	-2000.00
	3	197.6	323.0	7.4	261.39	30.00	.10	-2000.00	-2000.000	.56	-2000.00
	4	95.6	261.0	7.4	260.03	10.00	.10	-2000.00	-2000.000	.88	-2000.00
	5	47.7	195.3	7.0	259.62	.10	.10	-2000.00	-2000.000	1.00	-2000.00
9875	1	1924.0	800.0	6.3	251.19	.01	.10	-2000.00	-2000.000	1.27	-2000.00
	2	413.0	518.0	8.1	285.00	1.00	.10	-2000.00	-2000.000	.95	-2000.00
	3	137.9	340.0	8.4	289.02	30.00	.10	-2000.00	-2000.000	.83	-2000.00
	4	65.6	274.0	8.1	282.76	3.00	.10	-2000.00	-2000.000	1.01	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	40.0	251.0	7.8	72.23	1.00	.40	-2000.00	-2000.000	1.86	-2000.00
9900	1	1443.0	640.0	6.2	247.18	.01	.10	-2000.00	-2000.000	1.42	-2000.00
	2	447.3	601.0	9.6	335.18	.30	.10	-2000.00	-2000.000	.70	-2000.00
	3	123.8	330.0	9.8	329.18	10.00	.10	-2000.00	-2000.000	.49	-2000.00
	4	55.7	249.0	9.3	178.66	30.00	.20	-2000.00	-2000.000	2.55	-2000.00
	5	33.5	225.0	11.6	140.77	10.00	.30	-2000.00	-2000.000	3.60	-2000.00
9925	1	1015.0	520.0	1.8	41.33	100.00	.20	-2000.00	-2000.000	2.82	-2000.00
	2	157.8	243.0	5.8	116.95	30.00	.20	-2000.00	-2000.000	1.11	-2000.00
	3	72.9	224.0	8.2	150.75	3.00	.20	-2000.00	-2000.000	1.27	-2000.00
	4	41.1	211.0	7.4	139.66	30.00	.20	-2000.00	-2000.000	3.69	-2000.00
	5	23.3	180.0	7.1	172.46	.03	.20	-2000.00	-2000.000	4.40	-2000.00
9950	1	1109.0	420.0	4.4	88.45	30.00	.20	-2000.00	-2000.000	1.43	-2000.00
	2	135.8	156.0	7.3	142.33	30.00	.20	-2000.00	-2000.000	1.56	-2000.00
	3	61.6	141.0	7.4	55.11	1.00	.50	-2000.00	-2000.000	2.44	-2000.00
	4	44.8	171.0	9.2	66.06	1.00	.50	-2000.00	-2000.000	2.92	-2000.00
	5	33.3	191.0	7.5	165.27	100.00	.20	-2000.00	-2000.000	5.53	-2000.00
9975	1	280.8	117.0	6.5	122.01	3.00	.20	-2000.00	-2000.000	1.19	-2000.00
	2	118.7	149.0	8.0	100.22	1.00	.30	-2000.00	-2000.000	1.96	-2000.00
	3	46.8	117.0	7.8	55.32	1.00	.50	-2000.00	-2000.000	4.78	-2000.00
	4	25.5	106.0	7.9	296.11	.01	.10	-2000.00	-2000.000	4.24	-2000.00
	5	23.1	145.0	8.0	107.93	.30	.30	-2000.00	-2000.000	4.29	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 116

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9025	1	543.6	632.0	5.1	132.10	.01	.20	-2000.00	-2000.000	1.17	-2000.00
9050	1	569.7	688.0	3.6	145.58	.03	.10	-2000.00	-2000.000	1.68	-2000.00
	2	223.1	808.0	5.1	118.62	.03	.20	-2000.00	-2000.000	1.99	-2000.00
9075	1	332.1	386.0	6.0	126.23	.10	.20	-2000.00	-2000.000	2.21	-2000.00
	2	179.1	624.0	3.1	50.14	.10	.30	-2000.00	-2000.000	3.66	-2000.00
	3	93.4	650.0	4.4	114.68	.01	.20	-2000.00	-2000.000	3.09	-2000.00
9100	1	910.2	259.8	3.9	85.18	100.00	.20	-2000.00	-2000.000	.94	-2000.00
	2	378.4	324.0	3.8	88.91	.03	.20	-2000.00	-2000.000	1.78	-2000.00
	3	315.3	538.0	2.1	29.67	.10	.40	-2000.00	-2000.000	1.53	-2000.00
	4	193.9	553.0	3.4	66.01	.03	.30	-2000.00	-2000.000	1.46	-2000.00
9125	1	726.1	207.2	2.6	103.18	30.00	.10	-2000.00	-2000.000	2.47	-2000.00
	2	320.5	274.4	3.4	70.28	30.00	.20	-2000.00	-2000.000	1.66	-2000.00
	3	169.3	289.0	3.2	86.25	.01	.20	-2000.00	-2000.000	2.67	-2000.00
	4	168.2	480.0	1.8	46.80	.01	.30	-2000.00	-2000.000	3.52	-2000.00
	5	111.4	476.0	2.8	69.73	.01	.30	-2000.00	-2000.000	2.10	-2000.00
9150	1	646.8	150.4	1.6	41.98	.01	.20	-2000.00	-2000.000	4.48	-2000.00
	2	333.2	232.4	3.1	124.43	.10	.10	-2000.00	-2000.000	2.30	-2000.00
	3	204.7	285.0	3.6	70.62	10.00	.20	-2000.00	-2000.000	2.23	-2000.00
	4	122.8	285.0	3.2	86.38	.01	.20	-2000.00	-2000.000	3.14	-2000.00
	5	132.9	463.0	1.8	37.39	.03	.40	-2000.00	-2000.000	5.39	-2000.00
9175	1	391.0	129.0	1.8	29.18	.10	.30	-2000.00	-2000.000	2.72	-2000.00
	2	206.2	204.0	1.9	50.27	.01	.20	-2000.00	-2000.000	2.88	-2000.00
	3	143.4	280.0	3.5	133.13	.30	.10	-2000.00	-2000.000	1.96	-2000.00
	4	98.7	326.0	3.8	74.62	10.00	.20	-2000.00	-2000.000	2.68	-2000.00
	5	63.2	313.0	3.3	88.51	.01	.20	-2000.00	-2000.000	4.08	-2000.00
9200	1	356.8	149.0	1.9	46.63	.01	.30	-2000.00	-2000.000	.71	-2000.00
	2	119.4	149.0	2.0	38.90	.03	.30	-2000.00	-2000.000	2.60	-2000.00
	3	98.7	247.0	2.1	55.73	.01	.20	-2000.00	-2000.000	1.50	-2000.00
	4	79.1	331.0	3.5	144.27	.01	.10	-2000.00	-2000.000	1.86	-2000.00
	5	59.3	372.0	3.9	77.17	10.00	.20	-2000.00	-2000.000	2.34	-2000.00
9225	1	322.9	135.0	2.7	72.85	.01	.20	-2000.00	-2000.000	2.15	-2000.00
	2	109.6	137.0	1.1	31.28	.03	.20	-2000.00	-2000.000	13.59	-2000.00
	3	57.1	143.0	1.0	30.36	.03	.20	-2000.00	-2000.000	23.97	-2000.00
	4	59.2	247.0	2.1	42.47	30.00	.20	-2000.00	-2000.000	17.93	-2000.00
	5	52.0	326.0	3.1	116.82	3.00	.10	-2000.00	-2000.000	12.41	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9250	1	284.0	125.0	3.1	49.37	.10	.30	-2000.00	-2000.000	.88	-2000.00
	2	93.0	123.3	2.2	43.08	.03	.30	-2000.00	-2000.000	1.70	-2000.00
	3	45.5	120.0	.6	45.44	100.00	.10	-2000.00	-2000.000	33.19	-2000.00
	4	32.3	142.0	.8	47.38	30.00	.10	-2000.00	-2000.000	30.59	-2000.00
	5	36.8	244.0	1.3	38.42	.01	.20	-2000.00	-2000.000	11.15	-2000.00
9275	1	312.3	150.0	1.9	38.29	.03	.30	-2000.00	-2000.000	3.70	-2000.00
	2	105.3	152.0	3.4	55.36	.10	.30	-2000.00	-2000.000	1.84	-2000.00
	3	53.1	153.0	2.1	41.59	.03	.30	-2000.00	-2000.000	2.99	-2000.00
	4	30.4	146.0	.6	25.17	100.00	.20	-2000.00	-2000.000	28.63	-2000.00
	5	24.4	176.0	.0	20.57	100.00	.30	-2000.00	-2000.000	67.95	-2000.00
9300	1	633.4	142.0	2.3	51.34	.10	.20	-2000.00	-2000.000	1.86	-2000.00
	2	241.7	162.6	2.6	49.61	.03	.30	-2000.00	-2000.000	2.37	-2000.00
	3	121.3	162.0	3.4	55.71	.10	.30	-2000.00	-2000.000	1.26	-2000.00
	4	75.2	168.6	2.1	54.55	.01	.20	-2000.00	-2000.000	2.69	-2000.00
	5	47.9	161.0	.8	21.08	100.00	.30	-2000.00	-2000.000	29.66	-2000.00
9325	1	203.3	75.0	2.9	62.10	.10	.20	-2000.00	-2000.000	1.42	-2000.00
	2	82.9	91.8	2.8	30.33	.30	.40	-2000.00	-2000.000	3.13	-2000.00
	3	51.6	114.0	2.5	63.72	.03	.20	-2000.00	-2000.000	5.43	-2000.00
	4	34.3	126.0	3.3	53.13	.10	.30	-2000.00	-2000.000	2.70	-2000.00
	5	25.8	143.0	2.0	49.05	.03	.20	-2000.00	-2000.000	6.26	-2000.00
9350	1	576.0	124.7	2.9	68.17	.03	.20	-2000.00	-2000.000	.93	-2000.00
	2	141.9	92.1	3.0	77.43	.01	.20	-2000.00	-2000.000	1.09	-2000.00
	3	75.5	97.8	2.5	41.32	.10	.30	-2000.00	-2000.000	2.07	-2000.00
	4	56.0	121.2	2.4	47.94	.03	.30	-2000.00	-2000.000	1.65	-2000.00
	5	42.5	137.9	3.1	59.64	.03	.30	-2000.00	-2000.000	2.37	-2000.00
9375	1	417.8	154.0	3.8	142.07	10.00	.10	-2000.00	-2000.000	1.00	-2000.00
	2	139.4	154.0	2.9	69.09	.03	.20	-2000.00	-2000.000	.88	-2000.00
	3	50.0	110.0	2.8	74.91	.01	.20	-2000.00	-2000.000	1.73	-2000.00
	4	29.9	110.0	2.2	43.79	.03	.30	-2000.00	-2000.000	1.70	-2000.00
	5	24.3	134.0	2.6	70.33	.01	.20	-2000.00	-2000.000	2.71	-2000.00
9400	1	397.1	138.0	3.3	72.60	.10	.20	-2000.00	-2000.000	1.49	-2000.00
	2	142.3	148.0	3.8	143.91	100.00	.10	-2000.00	-2000.000	1.25	-2000.00
	3	82.1	171.0	2.5	40.45	.10	.30	-2000.00	-2000.000	.96	-2000.00
	4	35.3	123.0	2.5	40.43	.10	.30	-2000.00	-2000.000	1.59	-2000.00
	5	23.2	121.0	2.3	55.89	.03	.20	-2000.00	-2000.000	2.44	-2000.00
9425	1	527.9	184.0	3.2	65.22	.30	.20	-2000.00	-2000.000	1.23	-2000.00
	2	145.7	152.0	4.4	93.31	.10	.20	-2000.00	-2000.000	.58	-2000.00
	3	80.2	167.0	4.0	149.46	30.00	.10	-2000.00	-2000.000	1.03	-2000.00
	4	54.6	190.0	2.8	59.85	.10	.20	-2000.00	-2000.000	1.22	-2000.00
	5	26.1	136.0	2.5	48.29	.03	.30	-2000.00	-2000.000	4.34	-2000.00
9450	1	883.8	146.0	3.1	122.88	.03	.10	-2000.00	-2000.000	1.51	-2000.00
	2	366.4	181.6	3.7	74.39	.30	.20	-2000.00	-2000.000	.91	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	154.3	152.0	4.1	87.97	.10	.20	-2000.00	-2000.000	1.03	-2000.00
	4	101.7	168.0	3.6	135.81	.30	.10	-2000.00	-2000.000	1.20	-2000.00
	5	78.9	195.6	2.5	64.42	.01	.20	-2000.00	-2000.000	1.76	-2000.00
9475	1	366.8	127.0	3.6	69.69	1.00	.20	-2000.00	-2000.000	1.44	-2000.00
	2	129.0	135.0	3.4	69.05	.30	.20	-2000.00	-2000.000	1.14	-2000.00
	3	85.6	178.0	3.6	138.68	.30	.10	-2000.00	-2000.000	1.38	-2000.00
	4	44.5	155.0	3.9	53.78	.30	.30	-2000.00	-2000.000	2.22	-2000.00
	5	33.5	175.0	3.5	135.44	100.00	.10	-2000.00	-2000.000	2.18	-2000.00
9500	1	386.9	130.0	2.5	102.70	.03	.10	-2000.00	-2000.000	1.12	-2000.00
	2	180.1	182.0	4.0	149.33	3.00	.10	-2000.00	-2000.000	.70	-2000.00
	3	74.5	150.0	3.3	65.61	.30	.20	-2000.00	-2000.000	1.80	-2000.00
	4	56.2	189.0	3.3	134.84	.10	.10	-2000.00	-2000.000	2.31	-2000.00
	5	33.3	168.0	3.8	143.80	.30	.10	-2000.00	-2000.000	2.38	-2000.00
9525	1	306.1	115.0	2.3	49.82	.10	.20	-2000.00	-2000.000	1.59	-2000.00
	2	114.9	130.0	3.6	138.89	.30	.10	-2000.00	-2000.000	1.03	-2000.00
	3	80.0	181.0	4.0	155.20	.10	.10	-2000.00	-2000.000	1.28	-2000.00
	4	38.8	146.0	2.6	25.08	.30	.50	-2000.00	-2000.000	2.05	-2000.00
	5	33.9	192.0	3.8	81.44	100.00	.20	-2000.00	-2000.000	3.95	-2000.00
9550	1	404.8	115.5	2.1	45.19	.10	.20	-2000.00	-2000.000	1.64	-2000.00
	2	137.6	117.8	3.8	143.38	3.00	.10	-2000.00	-2000.000	.86	-2000.00
	3	76.8	131.2	3.8	77.51	.30	.20	-2000.00	-2000.000	1.17	-2000.00
	4	64.3	183.4	4.2	158.54	10.00	.10	-2000.00	-2000.000	.57	-2000.00
	5	35.3	151.1	3.5	67.81	10.00	.20	-2000.00	-2000.000	4.85	-2000.00
9575	1	500.5	142.8	1.9	45.10	.03	.20	-2000.00	-2000.000	2.78	-2000.00
	2	165.3	141.5	3.4	68.88	.30	.20	-2000.00	-2000.000	1.21	-2000.00
	3	79.2	135.2	4.3	162.48	.30	.10	-2000.00	-2000.000	1.05	-2000.00
	4	51.4	146.8	3.9	78.96	.30	.20	-2000.00	-2000.000	1.27	-2000.00
	5	47.9	205.1	4.1	81.43	.30	.20	-2000.00	-2000.000	1.47	-2000.00
9600	1	336.2	100.5	2.0	47.04	.03	.20	-2000.00	-2000.000	1.99	-2000.00
	2	147.3	132.1	3.5	134.47	1.00	.10	-2000.00	-2000.000	1.38	-2000.00
	3	72.0	128.9	4.2	165.12	.03	.10	-2000.00	-2000.000	1.02	-2000.00
	4	41.6	124.4	4.6	89.48	1.00	.20	-2000.00	-2000.000	.53	-2000.00
	5	30.6	137.3	4.0	80.28	.30	.20	-2000.00	-2000.000	2.03	-2000.00
9625	1	283.5	145.0	1.7	73.35	.01	.10	-2000.00	-2000.000	2.21	-2000.00
	2	88.1	135.9	3.1	72.44	.03	.20	-2000.00	-2000.000	1.25	-2000.00
	3	50.4	155.0	4.2	81.03	1.00	.20	-2000.00	-2000.000	1.42	-2000.00
	4	28.3	145.0	4.5	168.56	30.00	.10	-2000.00	-2000.000	.82	-2000.00
	5	18.0	139.0	4.5	175.99	.10	.10	-2000.00	-2000.000	1.45	-2000.00
9650	1	327.5	138.0	1.5	36.41	.03	.20	-2000.00	-2000.000	3.80	-2000.00
	2	116.9	148.0	3.0	116.00	.30	.10	-2000.00	-2000.000	1.27	-2000.00
	3	53.1	134.0	4.0	154.33	.30	.10	-2000.00	-2000.000	1.15	-2000.00
	4	36.4	154.0	4.5	88.55	.30	.20	-2000.00	-2000.000	1.41	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	23.1	147.0	4.5	171.04	.30	.10	-2000.00	-2000.000	1.94	-2000.00
9675	1	414.6	166.0	1.9	25.34	.30	.30	-2000.00	-2000.000	28.84	-2000.00
	2	118.1	142.0	3.2	131.85	.01	.10	-2000.00	-2000.000	.99	-2000.00
	3	65.5	157.0	3.7	78.86	.10	.20	-2000.00	-2000.000	1.68	-2000.00
	4	35.6	143.0	4.7	90.87	10.00	.20	-2000.00	-2000.000	1.31	-2000.00
	5	27.3	164.0	4.9	45.75	1.00	.40	-2000.00	-2000.000	1.80	-2000.00
9700	1	370.2	136.0	1.9	41.88	.10	.20	-2000.00	-2000.000	2.25	-2000.00
	2	147.8	163.0	3.4	129.59	.30	.10	-2000.00	-2000.000	1.13	-2000.00
	3	62.0	137.0	4.1	156.52	30.00	.10	-2000.00	-2000.000	1.31	-2000.00
	4	41.2	152.0	4.1	159.08	1.00	.10	-2000.00	-2000.000	1.19	-2000.00
	5	25.1	138.0	4.6	29.53	1.00	.60	-2000.00	-2000.000	7.59	-2000.00
9725	1	450.5	166.0	2.2	91.54	.03	.10	-2000.00	-2000.000	1.79	-2000.00
	2	142.9	158.0	3.8	144.50	3.00	.10	-2000.00	-2000.000	.87	-2000.00
	3	84.5	186.0	4.4	164.17	10.00	.10	-2000.00	-2000.000	1.04	-2000.00
	4	42.8	157.0	4.5	166.46	10.00	.10	-2000.00	-2000.000	1.19	-2000.00
	5	32.2	178.0	4.5	170.47	10.00	.10	-2000.00	-2000.000	1.89	-2000.00
9750	1	572.3	143.7	3.7	139.22	3.00	.10	-2000.00	-2000.000	1.21	-2000.00
	2	197.6	148.9	4.8	92.53	3.00	.20	-2000.00	-2000.000	1.11	-2000.00
	3	95.3	143.3	5.0	184.91	10.00	.10	-2000.00	-2000.000	1.12	-2000.00
	4	69.7	175.0	5.0	188.70	100.00	.10	-2000.00	-2000.000	1.34	-2000.00
	5	40.6	152.9	4.4	62.15	.30	.30	-2000.00	-2000.000	2.25	-2000.00
9775	1	749.2	147.0	5.1	99.08	10.00	.20	-2000.00	-2000.000	.45	-2000.00
	2	208.1	122.5	5.9	113.17	10.00	.20	-2000.00	-2000.000	.94	-2000.00
	3	113.5	133.0	5.5	201.80	30.00	.10	-2000.00	-2000.000	.58	-2000.00
	4	67.1	131.6	5.3	100.29	3.00	.20	-2000.00	-2000.000	1.24	-2000.00
	5	56.2	165.5	5.0	64.30	1.00	.30	-2000.00	-2000.000	.73	-2000.00
9800	1	1213.0	190.0	5.3	106.17	30.00	.20	-2000.00	-2000.000	.80	-2000.00
	2	320.4	150.9	6.4	121.93	10.00	.20	-2000.00	-2000.000	1.15	-2000.00
	3	129.5	121.0	5.9	216.90	100.00	.10	-2000.00	-2000.000	.74	-2000.00
	4	83.8	131.5	5.3	67.80	1.00	.30	-2000.00	-2000.000	1.17	-2000.00
	5	55.3	130.2	5.0	185.45	10.00	.10	-2000.00	-2000.000	.85	-2000.00
9825	1	358.3	158.0	5.5	69.44	3.00	.30	-2000.00	-2000.000	.77	-2000.00
	2	118.8	157.0	6.2	133.27	100.00	.20	-2000.00	-2000.000	.87	-2000.00
	3	54.7	144.0	5.9	216.93	100.00	.10	-2000.00	-2000.000	1.17	-2000.00
	4	26.5	116.0	5.4	102.30	3.00	.20	-2000.00	-2000.000	.69	-2000.00
	5	19.0	126.0	5.0	192.99	.03	.10	-2000.00	-2000.000	1.33	-2000.00
9850	1	290.8	166.0	5.7	109.90	10.00	.20	-2000.00	-2000.000	.84	-2000.00
	2	102.5	175.0	6.2	119.03	10.00	.20	-2000.00	-2000.000	.57	-2000.00
	3	46.5	158.0	5.9	110.65	3.00	.20	-2000.00	-2000.000	1.54	-2000.00
	4	25.7	146.0	6.0	121.59	30.00	.20	-2000.00	-2000.000	1.29	-2000.00
	5	13.8	117.0	4.8	184.09	1.00	.10	-2000.00	-2000.000	3.02	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9875	1	531.7	278.0	4.6	171.01	30.00	.10	-2000.00	-2000.000	1.38	-2000.00
	2	111.3	174.0	6.7	126.96	10.00	.20	-2000.00	-2000.000	.68	-2000.00
	3	59.1	185.0	6.5	124.81	10.00	.20	-2000.00	-2000.000	.79	-2000.00
	4	32.0	167.0	6.0	57.50	1.00	.40	-2000.00	-2000.000	1.92	-2000.00
	5	19.8	155.0	5.6	70.94	1.00	.30	-2000.00	-2000.000	2.09	-2000.00
9900	1	425.8	157.0	4.5	84.78	3.00	.20	-2000.00	-2000.000	1.23	-2000.00
	2	154.0	170.0	6.6	239.69	100.00	.10	-2000.00	-2000.000	1.02	-2000.00
	3	63.7	140.0	7.1	132.74	3.00	.20	-2000.00	-2000.000	.87	-2000.00
	4	44.0	162.0	6.8	63.72	1.00	.40	-2000.00	-2000.000	.96	-2000.00
	5	27.8	153.0	6.7	133.76	30.00	.20	-2000.00	-2000.000	2.08	-2000.00
9925	1	540.9	178.0	4.0	151.66	.30	.10	-2000.00	-2000.000	1.08	-2000.00
	2	186.5	184.0	6.0	112.97	3.00	.20	-2000.00	-2000.000	1.11	-2000.00
	3	80.4	159.0	7.4	138.25	3.00	.20	-2000.00	-2000.000	1.20	-2000.00
	4	42.7	141.0	7.7	141.81	3.00	.20	-2000.00	-2000.000	1.07	-2000.00
	5	34.1	169.0	7.3	92.74	1.00	.30	-2000.00	-2000.000	1.09	-2000.00
9950	1	743.1	245.0	3.0	126.32	.01	.10	-2000.00	-2000.000	1.59	-2000.00
	2	193.1	191.0	5.4	102.02	3.00	.20	-2000.00	-2000.000	.77	-2000.00
	3	90.1	178.0	6.6	125.97	10.00	.20	-2000.00	-2000.000	1.55	-2000.00
	4	47.2	155.0	7.7	72.08	1.00	.40	-2000.00	-2000.000	2.44	-2000.00
	5	28.4	140.0	7.8	144.75	3.00	.20	-2000.00	-2000.000	1.26	-2000.00
9975	1	588.8	198.0	2.6	55.90	.10	.20	-2000.00	-2000.000	2.15	-2000.00
	2	206.1	208.0	4.9	93.81	3.00	.20	-2000.00	-2000.000	1.10	-2000.00
	3	91.2	184.0	6.1	225.23	100.00	.10	-2000.00	-2000.000	1.92	-2000.00
	4	54.6	184.0	7.1	51.03	1.00	.50	-2000.00	-2000.000	2.47	-2000.00
	5	32.2	162.0	7.6	141.04	3.00	.20	-2000.00	-2000.000	.64	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 120

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9025	1	236.5	371.0	3.5	83.56	.03	.20	-2000.00	-2000.000	2.98	-2000.00
9050	1	377.7	515.0	5.9	233.27	.01	.10	-2000.00	-2000.000	1.21	-2000.00
	2	139.0	569.0	5.5	212.75	.10	.10	-2000.00	-2000.000	3.36	-2000.00
9075	1	411.4	478.0	7.5	171.80	.03	.20	-2000.00	-2000.000	1.46	-2000.00
	2	176.1	614.0	5.9	124.65	.10	.20	-2000.00	-2000.000	1.33	-2000.00
	3	105.9	730.0	4.9	126.90	.01	.20	-2000.00	-2000.000	2.61	-2000.00
9100	1	737.4	1006.0	5.6	89.27	.10	.30	-2000.00	-2000.000	2.02	-2000.00
	2	167.5	686.0	6.7	171.68	.01	.20	-2000.00	-2000.000	1.05	-2000.00
	3	67.1	548.0	4.7	109.16	.03	.20	-2000.00	-2000.000	1.85	-2000.00
	4	48.8	666.0	3.5	49.40	.10	.40	-2000.00	-2000.000	4.35	-2000.00
9125	1	946.9	660.0	5.6	145.78	.01	.20	-2000.00	-2000.000	1.50	-2000.00
	2	398.2	833.0	6.3	161.43	.01	.20	-2000.00	-2000.000	.92	-2000.00
	3	114.1	470.0	6.3	146.57	.03	.20	-2000.00	-2000.000	1.36	-2000.00
	4	78.6	548.0	2.3	55.39	.03	.30	-2000.00	-2000.000	15.49	-2000.00
	5	64.6	676.0	3.3	24.64	.30	.60	-2000.00	-2000.000	20.05	-2000.00
9150	1	1573.0	960.0	5.3	136.46	.01	.20	-2000.00	-2000.000	1.29	-2000.00
	2	524.1	968.0	6.5	150.45	.03	.20	-2000.00	-2000.000	1.03	-2000.00
	3	241.5	890.0	6.8	143.60	.10	.20	-2000.00	-2000.000	.99	-2000.00
	4	80.4	494.0	6.3	144.47	.03	.20	-2000.00	-2000.000	1.40	-2000.00
	5	68.5	632.0	3.1	71.82	.03	.20	-2000.00	-2000.000	2.19	-2000.00
9175	1	759.6	477.0	4.3	100.49	.03	.20	-2000.00	-2000.000	1.22	-2000.00
	2	536.6	1010.0	5.5	141.77	.01	.20	-2000.00	-2000.000	.83	-2000.00
	3	235.2	880.0	6.3	145.19	.03	.20	-2000.00	-2000.000	.75	-2000.00
	4	113.3	710.0	6.3	161.34	.01	.20	-2000.00	-2000.000	.79	-2000.00
	5	45.1	425.0	5.4	125.61	.03	.20	-2000.00	-2000.000	2.72	-2000.00
9200	1	924.6	483.0	6.1	222.27	.30	.10	-2000.00	-2000.000	1.13	-2000.00
	2	399.9	627.0	3.9	103.51	.01	.20	-2000.00	-2000.000	1.36	-2000.00
	3	316.8	990.0	4.8	77.24	.10	.30	-2000.00	-2000.000	1.60	-2000.00
	4	156.9	820.0	5.8	148.05	.01	.20	-2000.00	-2000.000	.88	-2000.00
	5	82.1	644.0	5.8	135.86	.03	.20	-2000.00	-2000.000	1.34	-2000.00
9225	1	565.0	354.0	5.7	121.31	100.00	.20	-2000.00	-2000.000	.80	-2000.00
	2	313.5	590.0	5.0	100.28	.30	.20	-2000.00	-2000.000	1.25	-2000.00
	3	162.5	610.0	3.2	62.44	.03	.30	-2000.00	-2000.000	1.21	-2000.00
	4	146.2	910.0	4.0	96.49	.01	.30	-2000.00	-2000.000	1.60	-2000.00
	5	76.9	724.0	4.8	93.02	.03	.30	-2000.00	-2000.000	1.86	-2000.00

Station	Dipole	Vp	Apparent Resist.	M?	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9250	1	469.0	294.0	5.3	65.90	3.00	.30	-2000.00	-2000.000	1.35	-2000.00
	2	293.2	552.0	5.4	103.26	10.00	.20	-2000.00	-2000.000	.92	-2000.00
	3	151.4	560.0	4.3	99.34	.03	.20	-2000.00	-2000.000	1.11	-2000.00
	4	87.0	546.0	2.6	21.51	.30	.60	-2000.00	-2000.000	5.32	-2000.00
	5	80.5	758.0	3.1	62.35	.03	.40	-2000.00	-2000.000	3.50	-2000.00
9275	1	561.5	339.0	4.7	90.86	10.00	.20	-2000.00	-2000.000	1.24	-2000.00
	2	239.9	434.0	4.6	90.07	10.00	.20	-2000.00	-2000.000	.88	-2000.00
	3	158.3	570.0	4.9	97.84	30.00	.20	-2000.00	-2000.000	1.15	-2000.00
	4	91.8	554.0	4.0	92.84	.03	.20	-2000.00	-2000.000	1.58	-2000.00
	5	55.0	498.0	2.4	58.89	.01	.30	-2000.00	-2000.000	4.41	-2000.00
9300	1	330.0	225.0	3.4	72.47	.10	.20	-2000.00	-2000.000	1.29	-2000.00
	2	184.1	377.0	4.4	86.38	10.00	.20	-2000.00	-2000.000	1.70	-2000.00
	3	101.6	410.0	4.0	149.92	3.00	.10	-2000.00	-2000.000	1.06	-2000.00
	4	73.8	504.0	4.6	100.71	100.00	.20	-2000.00	-2000.000	3.39	-2000.00
	5	47.1	482.0	4.0	94.21	.03	.20	-2000.00	-2000.000	4.51	-2000.00
9325	1	223.7	163.0	3.0	116.40	30.00	.10	-2000.00	-2000.000	1.71	-2000.00
	2	154.8	339.0	3.4	129.68	.30	.10	-2000.00	-2000.000	1.11	-2000.00
	3	84.8	370.0	4.1	78.67	3.00	.20	-2000.00	-2000.000	.97	-2000.00
	4	51.8	377.0	3.9	149.64	100.00	.10	-2000.00	-2000.000	1.60	-2000.00
	5	43.2	472.0	4.6	93.43	30.00	.20	-2000.00	-2000.000	1.77	-2000.00
9350	1	201.9	137.0	3.1	67.42	.10	.20	-2000.00	-2000.000	2.29	-2000.00
	2	133.1	272.0	3.5	136.12	.30	.10	-2000.00	-2000.000	1.51	-2000.00
	3	91.7	374.0	3.5	145.75	.01	.10	-2000.00	-2000.000	.96	-2000.00
	4	56.9	388.0	4.0	160.01	.03	.10	-2000.00	-2000.000	1.10	-2000.00
	5	35.0	358.0	3.8	152.38	.03	.10	-2000.00	-2000.000	1.66	-2000.00
9375	1	283.6	171.0	3.4	73.11	.10	.20	-2000.00	-2000.000	2.08	-2000.00
	2	131.5	238.0	3.1	66.26	.10	.20	-2000.00	-2000.000	1.88	-2000.00
	3	89.7	324.0	3.5	132.36	3.00	.10	-2000.00	-2000.000	1.09	-2000.00
	4	69.7	421.0	3.3	46.96	.30	.30	-2000.00	-2000.000	1.99	-2000.00
	5	42.4	383.0	3.8	77.81	.30	.20	-2000.00	-2000.000	1.68	-2000.00
9400	1	287.6	188.0	3.2	76.00	.03	.20	-2000.00	-2000.000	1.90	-2000.00
	2	100.7	197.0	1.9	37.44	.03	.30	-2000.00	-2000.000	2.29	-2000.00
	3	69.6	272.0	2.8	66.05	.03	.20	-2000.00	-2000.000	1.35	-2000.00
	4	53.7	351.0	3.2	68.81	.10	.20	-2000.00	-2000.000	1.60	-2000.00
	5	42.7	418.0	2.9	27.37	.30	.50	-2000.00	-2000.000	2.65	-2000.00
9425	1	244.3	153.0	3.1	68.91	.10	.20	-2000.00	-2000.000	3.06	-2000.00
	2	112.5	211.0	3.0	78.01	.01	.20	-2000.00	-2000.000	1.37	-2000.00
	3	56.4	212.0	2.3	55.19	.03	.20	-2000.00	-2000.000	1.66	-2000.00
	4	48.8	306.0	3.7	147.34	.03	.10	-2000.00	-2000.000	1.56	-2000.00
	5	36.5	343.0	4.1	155.25	100.00	.10	-2000.00	-2000.000	2.77	-2000.00
9450	1	273.7	165.0	2.5	65.62	.01	.20	-2000.00	-2000.000	.88	-2000.00
	2	105.6	191.0	3.5	80.76	.03	.20	-2000.00	-2000.000	1.60	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	64.6	233.0	3.6	150.46	.01	.10	-2000.00	-2000.000	.84	-2000.00
	4	39.0	235.0	2.8	61.70	.10	.20	-2000.00	-2000.000	1.52	-2000.00
	5	34.1	308.0	4.3	84.97	10.00	.20	-2000.00	-2000.000	2.57	-2000.00
9475	1	242.2	138.0	2.8	73.81	.01	.20	-2000.00	-2000.000	1.28	-2000.00
	2	168.9	289.0	2.4	98.89	.10	.10	-2000.00	-2000.000	2.29	-2000.00
	3	63.7	217.0	3.6	136.84	1.00	.10	-2000.00	-2000.000	1.49	-2000.00
	4	47.8	272.0	3.8	145.97	1.00	.10	-2000.00	-2000.000	2.12	-2000.00
	5	28.7	246.0	3.4	67.54	10.00	.20	-2000.00	-2000.000	3.65	-2000.00
9500	1	210.7	103.0	2.9	46.23	.10	.30	-2000.00	-2000.000	1.33	-2000.00
	2	98.1	144.4	2.2	43.55	.03	.30	-2000.00	-2000.000	1.53	-2000.00
	3	100.6	290.0	2.3	36.04	.10	.30	-2000.00	-2000.000	2.17	-2000.00
	4	45.9	225.0	3.1	49.93	.10	.30	-2000.00	-2000.000	1.78	-2000.00
	5	37.4	275.0	3.2	62.23	.03	.30	-2000.00	-2000.000	2.24	-2000.00
9525	1	192.9	121.0	2.9	56.47	.03	.30	-2000.00	-2000.000	1.83	-2000.00
	2	95.3	179.5	3.2	51.83	.10	.30	-2000.00	-2000.000	1.03	-2000.00
	3	64.3	241.0	2.5	65.77	.01	.20	-2000.00	-2000.000	1.65	-2000.00
	4	53.9	338.0	2.4	38.79	.10	.30	-2000.00	-2000.000	1.32	-2000.00
	5	29.5	277.0	3.7	79.35	.10	.20	-2000.00	-2000.000	1.03	-2000.00
9550	1	252.5	118.0	2.6	40.98	.10	.30	-2000.00	-2000.000	1.30	-2000.00
	2	110.6	155.0	2.7	52.79	.03	.30	-2000.00	-2000.000	1.85	-2000.00
	3	66.4	186.0	3.3	36.64	.30	.40	-2000.00	-2000.000	1.51	-2000.00
	4	51.7	242.0	2.9	126.27	.01	.10	-2000.00	-2000.000	2.88	-2000.00
	5	49.9	350.0	2.7	73.00	.01	.20	-2000.00	-2000.000	2.21	-2000.00
9575	1	262.4	147.0	1.8	29.61	.10	.30	-2000.00	-2000.000	1.61	-2000.00
	2	95.6	160.7	3.1	50.23	.10	.30	-2000.00	-2000.000	1.33	-2000.00
	3	51.1	171.0	2.8	26.67	.30	.50	-2000.00	-2000.000	2.11	-2000.00
	4	35.9	201.0	3.7	87.64	.03	.20	-2000.00	-2000.000	2.15	-2000.00
	5	31.1	261.0	3.4	85.69	.01	.20	-2000.00	-2000.000	2.49	-2000.00
9600	1	264.9	156.0	1.9	46.19	.03	.20	-2000.00	-2000.000	1.46	-2000.00
	2	88.3	156.8	2.4	26.54	.30	.40	-2000.00	-2000.000	1.37	-2000.00
	3	51.3	181.0	3.2	35.55	.30	.40	-2000.00	-2000.000	1.48	-2000.00
	4	33.8	199.0	3.1	49.98	.10	.30	-2000.00	-2000.000	1.83	-2000.00
	5	25.5	226.0	4.3	99.56	.03	.20	-2000.00	-2000.000	1.95	-2000.00
9625	1	190.7	110.0	2.2	57.31	.01	.20	-2000.00	-2000.000	2.21	-2000.00
	2	91.9	160.3	2.6	56.41	.10	.20	-2000.00	-2000.000	1.14	-2000.00
	3	43.0	149.0	2.7	59.56	.10	.20	-2000.00	-2000.000	2.28	-2000.00
	4	31.5	183.0	3.7	50.83	.30	.30	-2000.00	-2000.000	2.39	-2000.00
	5	22.6	197.0	3.6	77.48	.10	.20	-2000.00	-2000.000	1.31	-2000.00
9650	1	190.6	110.0	2.8	66.62	.03	.20	-2000.00	-2000.000	1.83	-2000.00
	2	89.5	156.1	3.1	80.54	.01	.20	-2000.00	-2000.000	1.70	-2000.00
	3	48.5	168.0	2.6	43.67	.10	.30	-2000.00	-2000.000	1.81	-2000.00
	4	26.7	155.0	2.6	24.65	.30	.50	-2000.00	-2000.000	1.68	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	23.0	200.0	3.6	40.23	.30	.40	-2000.00	-2000.000	1.63	-2000.00
9675	1	215.2	107.0	2.5	52.93	.10	.20	-2000.00	-2000.000	1.58	-2000.00
	2	100.5	150.0	2.6	55.84	.10	.20	-2000.00	-2000.000	1.46	-2000.00
	3	54.9	163.0	3.1	67.44	.10	.20	-2000.00	-2000.000	1.05	-2000.00
	4	35.6	177.0	3.4	139.90	.01	.10	-2000.00	-2000.000	1.00	-2000.00
	5	22.4	167.0	2.8	76.50	.01	.20	-2000.00	-2000.000	3.40	-2000.00
9700	1	222.4	124.0	2.5	53.71	.10	.20	-2000.00	-2000.000	1.09	-2000.00
	2	89.5	150.4	2.7	38.26	.30	.30	-2000.00	-2000.000	1.35	-2000.00
	3	50.2	168.0	2.6	49.40	.03	.30	-2000.00	-2000.000	7.39	-2000.00
	4	33.8	189.0	2.9	57.88	.03	.30	-2000.00	-2000.000	1.91	-2000.00
	5	25.3	212.0	3.3	87.90	.01	.20	-2000.00	-2000.000	1.79	-2000.00
9725	1	196.7	102.0	3.0	66.28	.10	.20	-2000.00	-2000.000	1.55	-2000.00
	2	105.8	166.0	3.4	46.72	.30	.30	-2000.00	-2000.000	1.51	-2000.00
	3	46.6	145.0	3.0	32.76	.30	.40	-2000.00	-2000.000	1.59	-2000.00
	4	30.8	161.0	2.8	26.17	.30	.50	-2000.00	-2000.000	2.35	-2000.00
	5	23.5	184.0	3.3	30.70	.30	.50	-2000.00	-2000.000	2.37	-2000.00
9750	1	208.9	119.0	3.2	69.28	.10	.20	-2000.00	-2000.000	1.15	-2000.00
	2	85.1	145.8	3.8	81.89	.10	.20	-2000.00	-2000.000	.92	-2000.00
	3	54.6	186.0	3.8	76.61	.30	.20	-2000.00	-2000.000	1.29	-2000.00
	4	28.1	160.0	3.3	79.62	.03	.20	-2000.00	-2000.000	1.71	-2000.00
	5	22.0	188.0	3.4	73.36	.10	.20	-2000.00	-2000.000	1.45	-2000.00
9775	1	195.1	85.0	3.9	82.82	.10	.20	-2000.00	-2000.000	1.20	-2000.00
	2	79.8	104.4	4.1	86.84	.10	.20	-2000.00	-2000.000	1.26	-2000.00
	3	50.1	130.0	4.1	56.97	.30	.30	-2000.00	-2000.000	1.32	-2000.00
	4	32.2	140.0	4.4	176.89	.01	.10	-2000.00	-2000.000	.94	-2000.00
	5	21.9	143.0	3.3	33.55	.30	.50	-2000.00	-2000.000	7.56	-2000.00
9800	1	230.4	120.0	4.3	86.28	.30	.20	-2000.00	-2000.000	.97	-2000.00
	2	87.0	136.5	4.2	81.13	1.00	.20	-2000.00	-2000.000	1.02	-2000.00
	3	37.6	117.0	4.0	56.48	.30	.30	-2000.00	-2000.000	1.35	-2000.00
	4	24.8	129.0	4.3	46.29	.30	.40	-2000.00	-2000.000	5.37	-2000.00
	5	21.6	169.0	3.9	94.23	.03	.20	-2000.00	-2000.000	5.20	-2000.00
9825	1	201.4	119.0	4.7	94.37	.30	.20	-2000.00	-2000.000	.87	-2000.00
	2	123.4	219.0	4.1	87.49	.10	.20	-2000.00	-2000.000	1.09	-2000.00
	3	42.1	149.0	4.0	55.00	.30	.30	-2000.00	-2000.000	2.33	-2000.00
	4	29.5	174.0	4.2	88.52	.10	.20	-2000.00	-2000.000	1.49	-2000.00
	5	16.6	147.0	4.4	61.48	.30	.30	-2000.00	-2000.000	1.61	-2000.00
9850	1	295.9	120.0	6.2	116.74	3.00	.20	-2000.00	-2000.000	.60	-2000.00
	2	139.1	170.0	4.6	96.98	.10	.20	-2000.00	-2000.000	1.10	-2000.00
	3	92.8	226.0	4.3	59.93	.30	.30	-2000.00	-2000.000	1.54	-2000.00
	4	36.2	147.0	3.9	83.59	.10	.20	-2000.00	-2000.000	1.19	-2000.00
	5	32.4	198.0	4.4	60.86	.30	.30	-2000.00	-2000.000	1.27	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9875	1	233.0	101.0	7.7	145.00	10.00	.20	-2000.00	-2000.000	.66	-2000.00
	2	111.2	145.0	7.2	90.84	1.00	.30	-2000.00	-2000.000	.66	-2000.00
	3	60.5	158.0	5.2	194.91	1.00	.10	-2000.00	-2000.000	1.17	-2000.00
	4	51.3	223.0	5.1	190.27	.30	.10	-2000.00	-2000.000	.84	-2000.00
	5	23.1	151.0	4.6	59.13	1.00	.30	-2000.00	-2000.000	1.39	-2000.00
9900	1	156.2	106.0	5.7	71.88	3.00	.30	-2000.00	-2000.000	.81	-2000.00
	2	68.8	140.8	5.8	54.42	1.00	.40	-2000.00	-2000.000	1.93	-2000.00
	3	36.1	147.0	6.2	79.17	1.00	.30	-2000.00	-2000.000	.70	-2000.00
	4	20.0	136.0	4.6	106.31	.03	.20	-2000.00	-2000.000	1.70	-2000.00
	5	24.5	250.0	4.9	101.27	.30	.20	-2000.00	-2000.000	2.19	-2000.00
9925	1	166.8	130.0	8.3	102.98	3.00	.30	-2000.00	-2000.000	.61	-2000.00
	2	67.4	158.6	4.5	58.43	1.00	.30	-2000.00	-2000.000	.56	-2000.00
	3	33.8	158.0	5.1	100.88	.30	.20	-2000.00	-2000.000	2.35	-2000.00
	4	20.7	162.0	5.5	111.04	.30	.20	-2000.00	-2000.000	1.19	-2000.00
	5	13.6	159.0	4.5	93.80	.10	.20	-2000.00	-2000.000	2.34	-2000.00
9950	1	152.2	111.0	6.5	123.19	10.00	.20	-2000.00	-2000.000	.80	-2000.00
	2	75.5	165.4	7.6	96.38	1.00	.30	-2000.00	-2000.000	.97	-2000.00
	3	36.4	159.0	4.2	85.41	.30	.20	-2000.00	-2000.000	1.53	-2000.00
	4	22.9	167.0	4.6	192.91	.01	.10	-2000.00	-2000.000	2.14	-2000.00
	5	16.4	179.0	5.9	61.25	.30	.40	-2000.00	-2000.000	4.00	-2000.00
9975	1	93.2	97.5	6.8	129.51	10.00	.20	-2000.00	-2000.000	.89	-2000.00
	2	33.2	104.2	6.7	85.28	1.00	.30	-2000.00	-2000.000	.86	-2000.00
	3	23.4	146.0	7.5	69.25	1.00	.40	-2000.00	-2000.000	1.15	-2000.00
	4	14.0	146.0	3.8	162.60	.10	.10	-2000.00	-2000.000	4.22	-2000.00
	5	10.2	160.0	4.5	49.18	.30	.40	-2000.00	-2000.000	4.85	-2000.00

IPR-11 SPECTRAL ANALYSIS SUMMARY

LINE NO. : 124

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9025	1	89.4	122.0	5.7	120.13	.10	.20	-2000.00	-2000.000	3.34	-2000.00
9050	1	106.0	151.0	10.8	355.99	30.00	.10	-2000.00	-2000.000	.94	-2000.00
	2	35.8	153.5	5.5	133.63	.01	.30	-2000.00	-2000.000	2.89	-2000.00
9075	1	218.8	202.0	8.8	183.26	.10	.20	-2000.00	-2000.000	1.88	-2000.00
	2	62.3	172.5	5.1	98.89	.03	.30	-2000.00	-2000.000	2.25	-2000.00
	3	28.4	156.0	5.0	201.84	.10	.10	-2000.00	-2000.000	5.02	-2000.00
9100	1	865.4	617.0	9.7	247.96	.01	.20	-2000.00	-2000.000	2.44	-2000.00
	2	145.3	311.0	6.9	106.97	.10	.30	-2000.00	-2000.000	1.73	-2000.00
	3	59.4	253.0	4.2	174.88	1.00	.10	-2000.00	-2000.000	9.85	-2000.00
	4	30.7	219.0	3.8	101.44	.01	.20	-2000.00	-2000.000	5.28	-2000.00
9125	1	765.8	471.0	7.5	119.90	.10	.30	-2000.00	-2000.000	2.76	-2000.00
	2	290.9	537.0	9.9	251.16	.01	.20	-2000.00	-2000.000	1.89	-2000.00
	3	87.9	323.0	5.1	131.45	.01	.20	-2000.00	-2000.000	3.81	-2000.00
	4	44.1	271.0	3.4	92.51	.01	.20	-2000.00	-2000.000	5.72	-2000.00
	5	25.8	238.0	3.4	55.03	.10	.30	-2000.00	-2000.000	4.12	-2000.00
9150	1	1218.0	780.0	6.6	128.73	.03	.30	-2000.00	-2000.000	2.76	-2000.00
	2	253.7	487.0	9.5	240.99	.01	.20	-2000.00	-2000.000	2.12	-2000.00
	3	122.9	470.0	10.3	259.56	.01	.20	-2000.00	-2000.000	2.00	-2000.00
	4	59.4	380.0	4.0	166.63	.01	.10	-2000.00	-2000.000	5.16	-2000.00
	5	34.0	326.0	3.2	64.31	.03	.30	-2000.00	-2000.000	2.77	-2000.00
9175	1	1396.0	950.0	5.8	113.59	.03	.30	-2000.00	-2000.000	2.89	-2000.00
	2	415.5	850.0	7.4	143.18	.03	.30	-2000.00	-2000.000	2.08	-2000.00
	3	123.9	500.0	9.2	234.05	.01	.20	-2000.00	-2000.000	2.07	-2000.00
	4	69.7	475.0	9.7	246.92	.01	.20	-2000.00	-2000.000	2.08	-2000.00
	5	43.5	445.0	2.5	62.11	.01	.30	-2000.00	-2000.000	2.96	-2000.00
9200	1	1339.0	1000.0	6.0	97.13	.10	.30	-2000.00	-2000.000	3.42	-2000.00
	2	328.4	736.0	6.7	129.57	.03	.30	-2000.00	-2000.000	2.68	-2000.00
	3	151.3	670.0	8.0	128.37	.10	.30	-2000.00	-2000.000	2.75	-2000.00
	4	55.8	417.0	9.2	211.50	.03	.20	-2000.00	-2000.000	1.73	-2000.00
	5	36.8	413.0	9.7	245.65	.01	.20	-2000.00	-2000.000	1.68	-2000.00
9225	1	2175.0	1330.0	6.6	105.99	.10	.30	-2000.00	-2000.000	3.17	-2000.00
	2	407.2	752.0	7.2	186.31	.01	.20	-2000.00	-2000.000	2.03	-2000.00
	3	159.7	580.0	7.8	200.32	.01	.20	-2000.00	-2000.000	2.53	-2000.00
	4	91.6	564.0	9.1	209.67	.03	.20	-2000.00	-2000.000	2.10	-2000.00
	5	39.9	368.0	9.9	203.92	.10	.20	-2000.00	-2000.000	1.96	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9250	1	1697.0	960.0	6.3	161.99	.01	.20	-2000.00	-2000.000	1.72	-2000.00
	2	565.9	969.0	7.3	186.29	.01	.20	-2000.00	-2000.000	1.86	-2000.00
	3	171.7	580.0	9.1	206.04	.03	.20	-2000.00	-2000.000	2.27	-2000.00
	4	89.9	513.0	9.2	212.98	.03	.20	-2000.00	-2000.000	1.79	-2000.00
	5	60.7	519.0	10.6	216.99	.10	.20	-2000.00	-2000.000	1.32	-2000.00
9275	1	1870.0	1170.0	4.8	93.19	.03	.30	-2000.00	-2000.000	1.87	-2000.00
	2	559.3	1053.0	6.7	171.19	.01	.20	-2000.00	-2000.000	1.31	-2000.00
	3	245.2	920.0	8.5	192.80	.03	.20	-2000.00	-2000.000	2.27	-2000.00
	4	91.4	574.0	10.5	397.07	.01	.10	-2000.00	-2000.000	2.29	-2000.00
	5	57.5	541.0	10.8	221.00	.10	.20	-2000.00	-2000.000	1.93	-2000.00
9300	1	1716.0	990.0	4.6	74.49	.10	.30	-2000.00	-2000.000	1.92	-2000.00
	2	492.8	859.0	6.1	141.47	.03	.20	-2000.00	-2000.000	.96	-2000.00
	3	239.4	830.0	8.2	169.98	.10	.20	-2000.00	-2000.000	1.39	-2000.00
	4	128.2	740.0	10.1	382.36	.01	.10	-2000.00	-2000.000	1.48	-2000.00
	5	57.9	504.0	11.6	427.96	.01	.10	-2000.00	-2000.000	1.53	-2000.00
9325	1	2476.0	1060.0	5.2	83.46	.10	.30	-2000.00	-2000.000	1.86	-2000.00
	2	791.0	1020.0	6.5	149.74	.03	.20	-2000.00	-2000.000	1.20	-2000.00
	3	308.4	790.0	8.0	311.80	.01	.10	-2000.00	-2000.000	1.43	-2000.00
	4	192.8	820.0	10.3	373.69	.03	.10	-2000.00	-2000.000	1.16	-2000.00
	5	89.9	580.0	11.5	389.44	.30	.10	-2000.00	-2000.000	1.46	-2000.00
9350	1	1924.0	1180.0	5.7	110.51	.03	.30	-2000.00	-2000.000	2.19	-2000.00
	2	678.9	1253.0	6.3	100.78	.10	.30	-2000.00	-2000.000	2.19	-2000.00
	3	277.8	1020.0	8.1	185.59	.03	.20	-2000.00	-2000.000	1.72	-2000.00
	4	128.7	790.0	9.5	362.12	.01	.10	-2000.00	-2000.000	1.31	-2000.00
	5	92.1	850.0	11.6	392.41	.30	.10	-2000.00	-2000.000	1.37	-2000.00
9375	1	1440.0	1000.0	6.1	98.68	.10	.30	-2000.00	-2000.000	2.35	-2000.00
	2	543.0	1136.0	7.3	285.70	.01	.10	-2000.00	-2000.000	1.04	-2000.00
	3	243.6	1010.0	8.6	330.74	.01	.10	-2000.00	-2000.000	1.61	-2000.00
	4	125.0	870.0	10.5	355.18	1.00	.10	-2000.00	-2000.000	1.38	-2000.00
	5	68.0	711.0	11.8	382.80	100.00	.10	-2000.00	-2000.000	1.55	-2000.00
9400	1	1331.0	740.0	6.5	166.15	.01	.20	-2000.00	-2000.000	1.15	-2000.00
	2	523.7	880.0	8.2	169.23	.10	.20	-2000.00	-2000.000	1.31	-2000.00
	3	238.5	800.0	10.5	348.64	100.00	.10	-2000.00	-2000.000	1.10	-2000.00
	4	138.4	770.0	12.1	391.14	100.00	.10	-2000.00	-2000.000	1.09	-2000.00
	5	85.5	718.0	13.5	423.98	100.00	.10	-2000.00	-2000.000	1.03	-2000.00
9425	1	1100.0	660.0	6.1	142.01	.03	.20	-2000.00	-2000.000	1.74	-2000.00
	2	560.8	1015.0	8.8	200.19	.03	.20	-2000.00	-2000.000	1.33	-2000.00
	3	264.9	950.0	11.0	384.25	.10	.10	-2000.00	-2000.000	1.19	-2000.00
	4	137.8	830.0	13.3	419.04	100.00	.10	-2000.00	-2000.000	1.19	-2000.00
	5	94.1	852.0	14.8	454.60	100.00	.10	-2000.00	-2000.000	1.48	-2000.00
9450	1	835.5	582.0	7.1	280.56	.01	.10	-2000.00	-2000.000	1.73	-2000.00
	2	467.8	979.0	9.0	346.76	.01	.10	-2000.00	-2000.000	1.86	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	3	280.4	1170.0	11.8	435.97	.01	.10	-2000.00	-2000.000	1.30	-2000.00
	4	150.8	1050.0	14.1	440.07	10.00	.10	-2000.00	-2000.000	1.05	-2000.00
	5	87.1	911.0	16.3	281.73	10.00	.20	-2000.00	-2000.000	1.49	-2000.00
9475	1	1129.0	700.0	6.7	107.05	.10	.30	-2000.00	-2000.000	2.59	-2000.00
	2	358.4	675.0	9.4	211.98	.03	.20	-2000.00	-2000.000	1.60	-2000.00
	3	275.4	1030.0	11.7	432.02	.01	.10	-2000.00	-2000.000	1.50	-2000.00
	4	183.3	1150.0	14.6	516.92	.01	.10	-2000.00	-2000.000	1.14	-2000.00
	5	107.6	1010.0	16.9	501.61	30.00	.10	-2000.00	-2000.000	1.03	-2000.00
9500	1	1145.0	810.0	9.2	351.59	.01	.10	-2000.00	-2000.000	1.72	-2000.00
	2	394.3	844.0	10.1	208.55	.10	.20	-2000.00	-2000.000	1.81	-2000.00
	3	166.8	710.0	13.3	439.85	.30	.10	-2000.00	-2000.000	1.15	-2000.00
	4	149.0	1060.0	15.6	485.34	1.00	.10	-2000.00	-2000.000	1.09	-2000.00
	5	106.6	1140.0	18.5	534.56	30.00	.10	-2000.00	-2000.000	1.17	-2000.00
9525	1	2011.0	970.0	12.5	456.60	.01	.10	-2000.00	-2000.000	1.62	-2000.00
	2	780.2	1130.0	14.3	252.73	10.00	.20	-2000.00	-2000.000	1.30	-2000.00
	3	294.5	850.0	15.8	476.44	100.00	.10	-2000.00	-2000.000	.79	-2000.00
	4	144.4	690.0	18.9	325.10	30.00	.20	-2000.00	-2000.000	1.79	-2000.00
	5	145.4	1050.0	19.3	547.60	100.00	.10	-2000.00	-2000.000	.67	-2000.00
9550	1	1316.0	750.0	21.8	620.57	1.00	.10	-2000.00	-2000.000	1.02	-2000.00
	2	403.1	690.0	23.4	377.02	10.00	.20	-2000.00	-2000.000	1.31	-2000.00
	3	236.3	800.0	23.1	377.11	30.00	.20	-2000.00	-2000.000	.84	-2000.00
	4	116.6	660.0	22.0	357.18	10.00	.20	-2000.00	-2000.000	1.01	-2000.00
	5	67.9	581.0	22.8	375.71	30.00	.20	-2000.00	-2000.000	1.36	-2000.00
9575	1	708.9	342.0	29.2	443.63	10.00	.20	-2000.00	-2000.000	1.09	-2000.00
	2	206.1	298.0	24.3	389.05	10.00	.20	-2000.00	-2000.000	1.62	-2000.00
	3	115.0	330.0	20.5	339.11	10.00	.20	-2000.00	-2000.000	1.20	-2000.00
	4	66.9	323.0	20.2	356.55	100.00	.20	-2000.00	-2000.000	.96	-2000.00
	5	48.4	350.0	18.4	316.55	30.00	.20	-2000.00	-2000.000	1.19	-2000.00
9600	1	1803.0	800.0	17.1	502.57	100.00	.10	-2000.00	-2000.000	1.08	-2000.00
	2	256.2	344.0	31.9	479.25	30.00	.20	-2000.00	-2000.000	1.17	-2000.00
	3	98.6	264.0	24.3	633.01	100.00	.10	-2000.00	-2000.000	1.54	-2000.00
	4	55.0	246.0	20.4	336.76	10.00	.20	-2000.00	-2000.000	1.29	-2000.00
	5	45.7	307.0	19.1	341.47	100.00	.20	-2000.00	-2000.000	1.15	-2000.00
9625	1	969.8	534.0	3.8	83.23	.10	.20	-2000.00	-2000.000	1.71	-2000.00
	2	678.5	1121.0	19.2	543.95	100.00	.10	-2000.00	-2000.000	1.10	-2000.00
	3	115.9	380.0	31.0	463.21	10.00	.20	-2000.00	-2000.000	1.23	-2000.00
	4	49.8	274.0	22.2	600.32	100.00	.10	-2000.00	-2000.000	.97	-2000.00
	5	29.7	245.0	18.7	313.69	10.00	.20	-2000.00	-2000.000	1.23	-2000.00
9650	1	756.0	395.0	.8	26.16	100.00	.20	-2000.00	-2000.000	26.99	-2000.00
	2	375.7	589.0	4.8	111.78	.03	.20	-2000.00	-2000.000	1.43	-2000.00
	3	376.8	1180.0	20.0	332.90	10.00	.20	-2000.00	-2000.000	1.51	-2000.00
	4	75.2	393.0	29.5	454.17	30.00	.20	-2000.00	-2000.000	1.18	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
	5	35.2	276.0	20.3	568.38	100.00	.10	-2000.00	-2000.000	1.38	-2000.00
9675	1	367.8	180.0	-.1	40.05	100.00	.80	-2000.00	-2000.000	128.27	-2000.00
	2	298.2	438.0	.2	18.83	100.00	.40	-2000.00	-2000.000	61.99	-2000.00
	3	209.8	610.0	5.7	232.30	.01	.10	-2000.00	-2000.000	1.89	-2000.00
	4	253.0	1240.0	20.9	343.06	10.00	.20	-2000.00	-2000.000	1.23	-2000.00
	5	56.1	413.0	29.1	449.26	30.00	.20	-2000.00	-2000.000	.90	-2000.00
9700	1	394.0	213.0	-.9	40.05	100.00	.80	-2000.00	-2000.000	150.45	-2000.00
	2	203.6	330.0	-.4	40.05	100.00	.80	-2000.00	-2000.000	169.79	-2000.00
	3	189.1	610.0	.0	18.93	100.00	.40	-2000.00	-2000.000	71.55	-2000.00
	4	147.6	790.0	5.8	149.26	.01	.20	-2000.00	-2000.000	1.25	-2000.00
	5	190.3	1540.0	20.6	570.05	100.00	.10	-2000.00	-2000.000	.81	-2000.00
9725	1	508.8	190.0	.2	32.61	100.00	.70	-2000.00	-2000.000	61.11	-2000.00
	2	265.7	297.0	-1.0	40.05	100.00	.80	-2000.00	-2000.000	229.94	-2000.00
	3	209.4	460.0	-1.0	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	4	207.7	770.0	.3	20.28	100.00	.30	-2000.00	-2000.000	56.39	-2000.00
	5	172.8	960.0	6.2	132.29	.10	.20	-2000.00	-2000.000	1.46	-2000.00
9750	1	283.1	148.0	.9	47.64	30.00	.10	-2000.00	-2000.000	18.85	-2000.00
	2	130.4	204.0	.0	41.66	100.00	.80	-2000.00	-2000.000	79.67	-2000.00
	3	107.8	330.0	-1.6	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	4	103.0	530.0	-1.2	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	5	111.4	870.0	.8	32.60	.01	.20	-2000.00	-2000.000	28.00	-2000.00
9775	1	213.2	106.0	.7	48.56	.10	.10	-2000.00	-2000.000	30.10	-2000.00
	2	75.9	113.5	.5	44.52	30.00	.10	-2000.00	-2000.000	43.38	-2000.00
	3	57.6	171.0	-1.1	40.05	100.00	.80	-2000.00	-2000.000	210.10	-2000.00
	4	66.1	329.0	-2.1	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	5	74.6	557.0	-1.0	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
9800	1	379.2	186.0	1.6	40.58	.01	.30	-2000.00	-2000.000	2.14	-2000.00
	2	93.5	137.5	.1	21.26	100.00	.50	-2000.00	-2000.000	65.99	-2000.00
	3	49.0	143.0	-.2	44.28	100.00	.80	-2000.00	-2000.000	92.98	-2000.00
	4	35.7	175.0	-1.8	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
	5	49.9	367.0	-2.0	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
9825	1	394.2	196.0	2.4	47.61	.03	.30	-2000.00	-2000.000	1.26	-2000.00
	2	219.5	328.0	1.4	29.42	.03	.30	-2000.00	-2000.000	5.31	-2000.00
	3	65.4	195.0	.0	44.28	100.00	.80	-2000.00	-2000.000	71.82	-2000.00
	4	37.5	186.0	-.1	42.14	100.00	.80	-2000.00	-2000.000	84.11	-2000.00
	5	28.7	214.0	-1.3	-2000.00	-2000.00	-2000.00	-2000.00	-2000.000	-2000.00	-2000.00
9850	1	186.8	102.0	2.0	40.16	.03	.30	-2000.00	-2000.000	1.08	-2000.00
	2	128.9	213.0	2.1	18.14	.30	.60	-2000.00	-2000.000	3.23	-2000.00
	3	117.4	380.0	.5	20.39	100.00	.30	-2000.00	-2000.000	39.28	-2000.00
	4	44.2	243.0	-.7	40.05	100.00	.80	-2000.00	-2000.000	148.75	-2000.00
	5	27.8	229.0	-.3	41.27	100.00	.80	-2000.00	-2000.000	106.68	-2000.00

Station	Dipole	Vp	Apparent Resist.	M7	Cole-Cole Parameters M-IP	TAU-IP	C-IP	M-EM	TAU-EM	Fit/IP	Fit/EM
9875	1	285.5	154.0	1.8	25.15	.10	.40	-2000.00	-2000.000	1.65	-2000.00
	2	108.3	175.0	2.2	44.26	.03	.30	-2000.00	-2000.000	1.40	-2000.00
	3	74.3	240.0	1.7	34.57	.03	.40	-2000.00	-2000.000	5.74	-2000.00
	4	82.5	446.0	.0	20.35	100.00	.50	-2000.00	-2000.000	68.28	-2000.00
	5	35.6	289.0	-1.1	40.05	100.00	.80	-2000.00	-2000.000	199.77	-2000.00
9900	1	325.7	176.0	1.6	32.91	.03	.30	-2000.00	-2000.000	2.29	-2000.00
	2	112.9	183.0	2.5	48.26	.03	.30	-2000.00	-2000.000	5.17	-2000.00
	3	66.4	215.0	2.2	30.91	.10	.40	-2000.00	-2000.000	1.28	-2000.00
	4	55.4	299.0	1.5	32.27	.03	.40	-2000.00	-2000.000	8.33	-2000.00
	5	66.5	540.0	.0	20.90	100.00	.50	-2000.00	-2000.000	75.09	-2000.00
9925	1	296.1	163.0	2.0	39.86	.03	.30	-2000.00	-2000.000	1.48	-2000.00
	2	99.8	164.9	2.7	52.76	.03	.30	-2000.00	-2000.000	1.88	-2000.00
	3	58.6	193.0	2.8	26.32	.30	.50	-2000.00	-2000.000	1.85	-2000.00
	4	35.5	195.0	2.1	30.93	.10	.40	-2000.00	-2000.000	2.22	-2000.00
	5	37.5	309.0	1.6	46.99	.01	.40	-2000.00	-2000.000	9.24	-2000.00
9950	1	265.3	143.0	1.6	32.33	.03	.30	-2000.00	-2000.000	2.92	-2000.00
	2	114.5	185.0	2.3	45.14	.03	.30	-2000.00	-2000.000	1.83	-2000.00
	3	56.6	183.0	2.6	50.22	.03	.30	-2000.00	-2000.000	1.60	-2000.00
	4	38.0	205.0	2.7	53.05	.03	.30	-2000.00	-2000.000	.87	-2000.00
	5	31.3	253.0	2.0	28.95	.10	.40	-2000.00	-2000.000	2.41	-2000.00
9975	1	115.0	70.0	2.7	51.81	.03	.30	-2000.00	-2000.000	2.22	-2000.00
	2	72.4	133.7	1.7	42.89	.01	.30	-2000.00	-2000.000	3.10	-2000.00
	3	41.8	154.0	2.2	54.53	.01	.30	-2000.00	-2000.000	1.51	-2000.00
	4	30.2	185.0	2.4	58.09	.01	.30	-2000.00	-2000.000	1.55	-2000.00
	5	22.3	205.0	2.7	25.47	.30	.50	-2000.00	-2000.000	2.22	-2000.00

MINNOVA INC.

LARA PROJECT

45W

INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/05/03

Pole–Dipole Array
Scintrex IPR–11
Pulse Rate: 2 sec

Current electrode is trailing to south of receiving electrodes

0 25 50 100 150
METERS

CHARGEABILITY (mV/V – M7)

a n

11425N 11450N 11475N 11500N 11525N 11550N 11575N 11600N 11625N 11650N 11675N 11700N 11725N 11750N 11775N 11800N 11825N 11850N 11875N 11900N 11925N 11950N 11975N 12000N 12025N 12050N 12075N

Contour levels

25 1 – 12.4 10.4 12.0 21.6 24.4 14.1 8.1 9.0 11.8 13.1 16.0 13.0 11.6 17.9 14.3 14.4 9.6 5.8 7.1 28.5 28.2 18.8 5.7 8.2 13.7 12.0 11.1

25 2 – 23.2 18.9 26.4 25.9 20.3 15.6 11.5 12.1 13.3 17.2 16.0 17.0 21.4 22.8 19.9 17.2 13.3 15.2 21.7 26.8 24.6 12.8 9.0 11.0 8.8 7.8

25 3 – 24.0 40.5 28.3 19.1 17.9 16.3 12.8 13.0 16.4 15.5 17.9 21.7 24.6 23.6 21.2 19.7 26.5 34.4 26.7 18.5 22.4 15.9 13.1 7.4 6.3

25 4 – 33.6 23.3 19.4 16.3 17.0 15.2 14.2 16.3 14.6 17.7 22.5 23.2 24.6 22.2 22.7 21.1 36.8 25.8 18.3 18.3 23.3 18.5 10.1 7.2

25 5 – 19.4 15.6 15.5 15.8 16.1 17.0 17.2 15.2 16.5 21.2 22.8 21.4 22.9 24.5 33.8 37.1 27.8 24.5 18.2 19.0 28.3 17.2 11.2

7.5 40
10
12.5
15
17.5
20
25
30
35

RESISTIVITY (ohm-m)

a n

11425N 11450N 11475N 11500N 11525N 11550N 11575N 11600N 11625N 11650N 11675N 11700N 11725N 11750N 11775N 11800N 11825N 11850N 11875N 11900N 11925N 11950N 11975N 12000N 12025N 12050N 12075N

Contour levels

25 1 – 2000 1500 1630 1040 1160 1750 2660 5250 3730 1409 741 616 650 376 463 306 277 457 1040 169 208 597 2670 4740 8220 5210 2700

25 2 – 865 1344 853 893 858 2216 2391 3884 3283 1013 905 822 720 570 573 289 494 1878 413 124 257 293 1800 2907 6330 3484

25 3 – 850 540 700 600 210 2130 1430 1190 1050 1020 816 810 780 617 388 391 190 496 181 263 535 960 1980 2830 3590

25 4 – 524 670 658 890 1280 1410 1215 1017 1099 801 790 780 620 449 466 962 400 214 252 396 470 1240 1940 2900

25 5 – 698 707 1630 1040 1040 1350 1052 1081 947 942 727 802 347 511 1091 378 215 296 497 384 828 1283 1422

150 5000
200 7500
300
500
750
1000
1500
2000
3000

45W

MINNOVA INC.

LARA PROJECT


44W


INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/05/03

Pole-Dipole Array
Scintrex IPR-11
Pulse Rate: 2 sec

Current electrode is trailing to south of receiving electrodes

0 25 50 100 150
METERS





MINNOVA INC.

LARA PROJECT


43W

INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/05/02

Pole-Dipole Array
Scintrex IPR-11
Pulse Rate: 2 sec

Current electrode is trailing to south of receiving electrodes

0 25 50 100 150
METERS



inches
0 1
0 1 2
centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

MINNOVA INC.

LARA PROJECT

42W

INDUCED POLARIZATION SURVEY — Pole-Dipole Array

SCOTT GEOPHYSICS LTD. — Scintrex IPR-11

90/05/02 — Pulse Rate: 2 sec

Current electrode is trailing to south of receiving electrodes

0 25 50 100 150

METERS

CHARGEABILITY (mV/V - MT)

RESISTIVITY (ohm-m)

a n

11450N 11475N 11500N 11525N 11550N 11575N 11600N 11625N 11650N 11675N 11700N 11725N 11750N 11775N 11800N 11825N 11850N 11875N 11900N 11925N 11950N 11975N 12000N 12025N 12050N

Contour levels

Contour levels

42W

inches

centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

MINNOVA INC.


LARA PROJECT

41W

INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/05/02

Pole-Dipole Array
Scintrex IPR-11
Pulse Rate: 2 sec
Current electrode is trailing to south of receiving electrodes

0 25 50 100 150
METERS



4.1W

inches
0 1
0 1 2
centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

MINNOVA INC.

LARA PROJECT

40W

INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/05/03


Pole-Dipole Array
Scintrex IPR-11
Pulse Rate: 2 sec

Current electrode is trailing to south of receiving electrodes



RESISTIVITY
(ohm-m)

CHARGEABILITY
(mV/V - M7)



40W



This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

MINNOVA INC.

LARA PROJECT

40WB

INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/05/03


Pole-Dipole Array
Scintrex IPR-11
Pulse Rate: 2 sec

Current electrode is trailing to south of receiving electrodes

0 25 50 100 150
METERS

RESISTIVITY
(ohm-m)

CHARGEABILITY
(mV/V - M7)



Contour levels

5	7.5
10	12.5
15	17.5
20	

500	
750	
1000	
1500	
2000	

40WB



MINNOVA INC.

LARA PROJECT


39W


INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/05/03

Pole-Dipole Array
Scintrex IPR-11
Pulse Rate: 2 sec

Current electrode is trailing to south of receiving electrodes

0 25 50 100 150
METERS





MINNOVA INC.

LARA PROJECT


38W


INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/05/03

Pole-Dipole Array
Scintrex IPR-11
Pulse Rate: 2 sec

Current electrode is trailing to south of receiving electrodes

0 25 50 100 150
METERS





MINNOVA INC.


LARA PROJECT

52W

INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/05/02

Pole-Dipole Array
Scintrex IPR-11
Pulse Rate: 2 sec
Current electrode is trailing to north of receiving electrodes

0 25 50 100 150
METERS



inches
0 1
0 1 2
centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

MINNOVA INC.

LARA PROJECT


56W

INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/04/29

Pole-Dipole Array
Scintrex IPR-11
Pulse Rate: 2 sec

Current electrode is trailing to north of receiving electrodes

0 25 50 100 150
METERS



56W

inches
0 1
0 1 2
centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

MINNOVA INC.

LARA PROJECT

59W1T8

INDUCED POLARIZATION SURVEY — Pole–Dipole Array

SCOTT GEOPHYSICS LTD. — Scintrex IPR–11

90/05/04 — Pulse Rate: 2 sec

Current electrode is trailing to south of receiving electrodes

0 25 50 100 150

METERS

RESISTIVITY (ohm-m)


CHARGEABILITY (mV/V - M7)

10825N 10850N 10875N 10900N 10925N 10950N 10975N 11000N 11025N 11050N 11075N 11100N

Contour levels

100
150
200
300
500

59W1T8



This reference scale bar has been added to the original image which was scaled at the same rate as the image therefore it can be used as a reference for the original size.

MINNOVA INC.

LARA PROJECT


66W


INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/04/28

Pole–Dipole Array
Scintrex IPR–11
Pulse Rate: 2 sec

Current electrode is trailing to north of receiving electrodes

0 25 50 100 150
METERS






MINNOVA INC.

LARA PROJECT

70W

INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/04/28
Current electrode is trailing to north of receiving electrodes

Pole-Dipole Array
Scintrex IPR-11
Pulse Rate: 2 sec



70W

inches
0 1
0 1 2
centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

MINNOVA INC.

LARA PROJECT


74W

INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/04/27

Pole-Dipole Array
ScintRex IPR-11
Pulse Rate: 2 sec

Current electrode is trailing to north of receiving electrodes

0 25 50 100 150
METERS



inches
0 1
0 1 2
centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

MINNOVA INC.


LARA PROJECT

96W

INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/04/23

Pole-Dipole Array
Scintrex IPR-11
Pulse Rate: 2 sec
Current electrode is trailing to north of receiving electrodes

0 25 50 100 150
METERS



96W

inches
0 1
0 1 2
centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

MINNOVA INC.

LARA PROJECT


100W

INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/04/23

Pole-Dipole Array
Scintrex IPR-11
Pulse Rate: 2 sec

Current electrode is trailing to north of receiving electrodes

0 25 50 100 150
METERS



inches
0 1
0 1 2
centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

MINNOVA INC.

LARA PROJECT


104W

INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/04/23


Pole-Dipole Array
ScintrexIPR-11
Pulse Rate: 2 sec

Current electrode is trailing to north of receiving electrodes

METERS 0 25 50 100 150



104W



This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

MINNOVA INC.

LARA PROJECT


108W

INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/04/26

Pole–Dipole Array
Scintrex IPR–11
Pulse Rate: 2 sec

Current electrode is trailing to north of receiving electrodes

0 25 50 100 150 METERS



inches
0 1
0 1 2
centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

MINNOVA INC.

LARA PROJECT


112W


INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/04/26

Pole-Dipole Array
Scintrex IPR-11
Pulse Rate: 2 sec

Current electrode is trailing to north of receiving electrodes

0 25 50 100 150
METERS





MINNOVA INC.

LARA PROJECT


116W

INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/04/26

Pole-Dipole Array
Scintrex IPR-11
Pulse Rate: 2 sec

Current electrode is trailing to north of receiving electrodes

0 25 50 100 150
METERS



inches
0 1
0 1 2
centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

MINNOVA INC.

LARA PROJECT


120W

INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/04/26

Pole-Dipole Array
Scintrex IPR-11
Pulse Rate: 2 sec

Current electrode is trailing to north of receiving electrodes

0 25 50 100 150 METERS



inches
0 1
centimetres
0 1 2

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

MINNOVA INC.

LARA PROJECT


124W

INDUCED POLARIZATION SURVEY
SCOTT GEOPHYSICS LTD.
90/04/26

Pole-Dipole Array
Scintrex IPR-11
Pulse Rotor: 2 sec

Current electrode is trailing to north of receiving electrodes

0 25 50 100 150 METERS



124W

inches
0 1
0 1 2
centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

-4500 -4000

				+ 14.8	+ 8.7	+ 11.2	
				+ 14.7	+ 8.9	+ 10.1	
				+ 16.2	+ 10.2	+ 12.6	
				+ 17.1	+ 13.1	+ 16.1	
				+ 18.1	+ 13.8	+ 18.4	
		+ 9.0		+ 16.4	+ 16.6	+ 21.0	
		+ 11.2		+ 16.2		+ 20.8	
		+ 17.3		+ 19.5		+ 20.4	
+ 7.8	+ 5.0	+ 18.9		+ 19.6		+ 18.6	+ 27.1
+ 8.8	+ 7.2	+ 21.0	+ 22.5	+ 17.5		+ 18.5	+ 17.0
+ 11.0	+ 13.8	+ 13.1	+ 27.1	+ 13.4	+ 14.3	+ 19.3	+ 15.7
+ 9.0	+ 22.0	+ 17.4	+ 22.6	+ 10.9	+ 14.7	+ 16.2	+ 13.3
+ 12.8	+ 27.6	+ 23.2	+ 26.0	+ 9.5	+ 11.6	+ 15.3	+ 9.1
+ 24.6	+ 28.1	+ 23.1	+ 18.5	+ 10.7	+ 7.4	+ 12.8	+ 6.4
+ 26.9	+ 32.2	+ 16.1	+ 21.7	+ 11.3	+ 7.1	+ 8.6	+ 5.9
+ 31.7	+ 23.7	+ 5.8	+ 19.1	+ 10.0	+ 8.0	+ 6.3	+ 6.3
+ 18.3	+ 14.9	+ 7.2	+ 12.4	+ 8.7		+ 6.4	+ 7.0
+ 13.9	+ 6.6	+ 8.3	+ 16.2	+ 6.9		+ 9.1	+ 6.1
+ 17.2	+ 6.1	+ 8.3	+ 19.2	+ 9.5		+ 9.4	+ 6.5
+ 19.9	+ 8.1	+ 8.5	+ 18.6	+ 11.9		+ 8.7	+ 6.2
+ 22.6	+ 9.1	+ 8.4	+ 16.2	+ 11.9		+ 8.2	+ 6.1
+ 21.4	+ 10.6	+ 7.9	+ 14.1	+ 10.4		+ 6.8	+ 5.7
+ 17.0	+ 10.4	+ 8.4	+ 18.2	+ 11.4			+ 4.4
+ 16.0	+ 6.5	+ 11.2	+ 19.8	+ 11.2			+ 4.1
+ 17.2	+ 5.1	+ 13.9	+ 15.2	+ 10.3			+ 4.8
+ 13.3	+ 5.5	+ 11.4	+ 18.9	+ 13.6			+ 5.3
+ 12.1	+ 8.0	+ 14.0	+ 23.9	+ 11.1			+ 5.5
+ 11.5	+ 11.3	+ 13.8	+ 12.7	+ 6.9			+ 4.9
+ 15.6	+ 16.9	+ 8.6	+ 3.5	+ 3.8			+ 5.4
+ 20.3	+ 17.1	+ 10.4	+ 5.1	+ 6.0			+ 5.4
+ 25.9	+ 15.8	+ 8.2	+ 5.0	+ 4.4			
+ 26.4	+ 21.0	+ 6.8	+ 5.8	+ 3.2			
+ 18.7	+ 16.1	+ 5.0	+ 4.1	+ 2.7			
+ 23.2	+ 23.7	+ 3.3		+ 0.5			

12000


11500


-4500 -4000

MINNOVA INC.
LARA PROJECT

INDUCED POLARIZATION SURVEY
5 A Spc:25,25,25,25,25 Eff.Sep:1,2,3,4,5
Field: M7 Sep: 2
DATE:May 6, 1990
Scale 1:5000 User:Alan Scott

Scott Geophysics Ltd.






MINNOVA INC.
LARA PROJECT

INDUCED POLARIZATION SURVEY
5 A Spc:25,25,25,25,25 Eff.Sep:1,2,3,4,5
Field: RHO Sep: 2
DATE:May 6, 1990
Scale 1:5000 User:Alan Scott

Scott Geophysics Ltd.



-12500 -12000 -11500 -11000 -10500 -10000

10000

+ 134	+ 104	+ 208	+ 149	+ 133	+ 2310	+ 174	+ 136
+ 185	+ 165	+ 191	+ 156	+ 135	+ 1109	+ 154	+ 162
+ 165	+ 159	+ 184	+ 243	+ 160	+ 183	+ 147	+ 127
+ 183	+ 141	+ 170	+ 601	+ 172	+ 277	+ 214	+ 111
+ 175	+ 145	+ 174	+ 518	+ 102	+ 546	+ 267	+ 130
+ 213	+ 170	+ 175	+ 422	+ 150	+ 370	+ 409	+ 134
+ 328	+ 219	+ 157	+ 538	+ 184	+ 226	+ 412	+ 102
+ 138	+ 137	+ 151	+ 741	+ 188	+ 212	+ 784	+ 659
+ 114	+ 104	+ 123	+ 628	+ 190	+ 217	+ 720	+ 701
+ 204	+ 146	+ 149	+ 251	+ 199	+ 212	+ 726	+ 498
+ 297	+ 166	+ 158	+ 240	+ 287	+ 228	+ 753	+ 1283
+ 330	+ 150	+ 163	+ 207	+ 244	+ 227	+ 763	+ 746
+ 438	+ 150	+ 142	+ 215	+ 251	+ 230	+ 738	+ 2219
+ 589	+ 156	+ 148	+ 169	+ 259	+ 209	+ 927	+ 2377
+ 1121	+ 160	+ 136	+ 166	+ 205	+ 215	+ 811	+ 1526
+ 344	+ 157	+ 132	+ 156	+ 172	+ 227	+ 1154	+ 1398
+ 298	+ 161	+ 142	+ 129	+ 172	+ 218	+ 739	+ 1730
+ 690	+ 155	+ 118	+ 133	+ 165	+ 215	+ 1131	+ 1784
+ 1130	+ 180	+ 130	+ 126	+ 179	+ 252	+ 2374	+ 1999

9500

+ 844	+ 144	+ 186	+ 103	+ 140	+ 291	+ 1321	+ 995
+ 675	+ 289	+ 135	+ 105	+ 137	+ 286	+ 1722	+ 1003
+ 979	+ 191	+ 182	+ 146	+ 132	+ 561	+ 5950	+ 4530
+ 1015	+ 211	+ 152	+ 24	+ 146	+ 451	+ 2555	+ 2035
+ 880	+ 197	+ 148	+ 31	+ 154	+ 421	+ 4310	+ 1386
+ 1136	+ 238	+ 154	+ 17	+ 143	+ 346	+ 4490	+ 3195
+ 1253	+ 272	+ 92	+ 139	+ 168	+ 563	+ 3393	+ 3920
+ 1020	+ 339	+ 92	+ 146	+ 218	+ 712	+ 2930	+ 2547
+ 859	+ 377	+ 163	+ 155	+ 362	+ 804	+ 1729	+ 1218
+ 1053	+ 434	+ 152	+ 92	+ 499	+ 1428	+ 1510	+ 1575
+ 969	+ 552	+ 123	+ 93	+ 348	+ 1084	+ 1819	+ 1156
+ 752	+ 590	+ 137	+ 103	+ 453	+ 994	+ 1585	+ 742
+ 736	+ 627	+ 149	+ 95	+ 555	+ 600	+ 2481	+ 1096
+ 850	+ 1010	+ 204	+ 100	+ 513	+ 465	+ 3675	+ 1163
+ 487	+ 968	+ 232	+ 107	+ 951	+ 643	+ 3129	+ 1769
+ 537	+ 833	+ 274	+ 96	+ 759	+ 689	+ 5820	+ 3130
+ 311	+ 686	+ 324	+ 109	+ 400	+ 925	+ 6820	+ 3045
+ 173	+ 614	+ 624	+ 120	+ 528	+ 1116	+ 3770	+ 3510
+ 154	+ 569	+ 808	+ 136	+ 517	+ 2259	+ 3429	+ 2398
				+ 569			
				+ 475			


9000


-12500 -12000 -11500 -11000 -10500 -10000

MINNOVA INC.
LARA PROJECT

INDUCED POLARIZATION SURVEY
5 A Spc:25,25,25,25,25 Eff.Sep:1,2,3,4,5
Field: RRO Sep: 2
DATE:May 6, 1990
Scale 1:5000 User:Alan Scott

Scott Geophysics Ltd.






MINNOVA INC.
LARA PROJECT

INDUCED POLARIZATION SURVEY
5 A Spc:25,25,25,25,25 Bff.Sep:1,2,3,4,5
Field: RHO Sep: 2
DATE:May 6, 1990
Scale 1:5000 User:Alan Scott

Scott Geophysics Ltd.



-7500 -7000 -6500 -6000 -5500

11000

+ 2.7
+ 1.8
+ 1.9
+ 1.7
+ 1.9
+ 2.3
+ 2.5
+ 2.2
+ 2.0
+ 1.9
+ 2.0
+ 1.9

+ 3.3 + 3.5
+ 2.4 + 3.0
+ 1.6 + 3.2
+ 1.8 + 2.7
+ 2.3 + 3.1
+ 2.2 + 2.7
+ 1.8 + 2.4
+ 1.3 + 2.8
+ 1.5 + 1.7
+ 1.3 + 1.6
+ 1.7 + 1.6

10500

+ 1.3 + 1.8
+ 1.1 + 0.6
+ 1.6 + 0.7
+ 1.8 + 1.0
+ 1.6 + 1.6
+ 1.2 + 1.6
+ 1.1 + 1.4
+ 1.3 + 0.9
+ 1.6 + 1.7
+ 1.0 + 2.4
+ 1.3 + 1.3
+ 1.0 + 0.1
+ 1.1 + 1.0
+ 0.6 + 1.8
+ 1.0 + 1.1
+ 0.8 + 1.1
+ 0.8 + 1.5
+ 1.0 + 1.9
+ 1.1 + 1.3
+ 0.9 + 1.5

+ 1.1 + 1.5 + 1.2
+ 1.2 + 0.7 + 1.5
+ 1.6 + 0.4 + 1.6
+ 1.2 + 1.0 + 1.5
+ -.1 + 1.3 + 1.2
+ 1.3 + 1.4 + 1.4
+ 1.2 + 1.0 + 1.3
+ 0.8 + 0.9 + 1.4
+ 1.5 + 0.9 + 1.0
+ 1.1 + 0.9 + 1.2
+ 1.7 + 1.5 + 0.9
+ 1.3 + 0.9 + 1.3

10000

+ 1.1 + 1.4 + 0.7
+ 1.1 + 1.2 + 0.9
+ 1.4 + 0.8 + 1.3
+ 0.2 + 1.0 + 1.3
+ 1.5 + 1.3 + 1.4
+ 0.7 + 1.2 + 0.9
+ 0.8 + 1.2 + 1.3
+ 1.4 + 1.2 + 1.3
+ 2.0 + 1.1 + 1.2
+ 1.3 + 1.0 + 1.1
+ 1.2 + 1.0 + 1.2
+ 1.3 + 1.0 + 0.8
+ 1.3 + 1.3 + 1.1

+ 1.4 + 1.6
+ 1.3 + 1.2
+ 1.5 + 1.3
+ 1.6 + 1.2
+ 1.1 + 1.3
+ 1.2 + 1.1

+ 1.0 + 1.3 + 0.9
+ 1.3 + 1.4 + 1.3
+ 1.1 + 1.4 + 0.9
+ 1.1 + 1.7 + 1.5
+ 1.3 + 1.9 + 1.2
+ 1.5 + 1.6 + 1.5

9500

+ 1.8 + 2.0 + 1.6
+ 2.2 + 2.8 + 2.6
+ 2.5 + 2.7 + 2.2
+ 3.3 + 2.6 + 2.4
+ 3.0 + 3.2 + 2.3
+ 3.2 + 3.4 + 2.2
+ 1.9 + 3.8 + 2.5

-7500 -7000 -6500 -6000 -5500

MINNOVA INC.
LARA PROJECT

INDUCED POLARIZATION SURVEY
5 A Spc:25,25,25,25,25 Eff.Sep:1,2,3,4,5
Field: M7 Sep: 2
DATE:May 6, 1990
Scale 1:5000 User:Alan Scott

Scott Geophysics Ltd.

inches
0 1
0 1 2
centimetres

This reference scale bar has been added to the original drawing. It may be used at the same reduction as the image, therefore it can be used as a reference for the original size.