

1984

Postek-Fulton

827538

Field Sketch
Maps 92B/13

DUL
 May 31, 1984
 POSTUK-FULTON TRENCH AREA

14000
 N

3w

200N

QP
 green mica

152
 42
 5-10%
 <3mm
 sericitized
 white rhyolite
 mod. altered - ser.
 w/10%
 redd
 qtz
 20%
 QP

2w

white qp (10%) (2mm, reddish)
 rhyolite groundmass
 mainly sericite
 BCS 0620
 140
 60%

150N

16-18

z fold
 in chert

54

140

white, aphanitic
 foliated
 rhyolite

140

40

570

white
 QP rhyolite
 - aphanitic
 - mod. sericitized

steeply
 10-15%

100

wh, qp (10-15%) (<3mm)
 rhyolite-siliceous
 P-30
 QP

reddish white
 aphanitic
 very soft
 - chert
 bands or
 lenses

white QP
 rhyolite
 <3mm, 75%
 soft - sericitized
 at 4%

fo. diorite
 ? location

white
 QP
 - little
 altered

100N

0N

Q1 x → green fig. feldspar plagioclase ??
matrix: pillowed & elongate
2m vertically dipping

R2
124

P

rhynolite ± 10-15% qtz eyes

BCS622
coarsic
andesite
feldspar
plagioclase

2N

150N

1N

1E

1W

0

0