CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY 827661

LINE NUMBER: 2200 N=1 TO 5

"A": 50.0 METRES

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500





CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 2200

"A": 50.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 2500





CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 2300

"A": 50.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

POLE-DIPOLE ARRAY

TX PULSE TIME: 2.0 SEC

RECEIVE TIME: 2.0 SEC

SCALE 1: 2500







CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 2300

"A": 50.0 METRES N=1 TO 5

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500





CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 2330

"A": 50.0 METRES N=1 TO 5

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500





CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 2330

"A": 50.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

POLE-DIPOLE ARRAY

TX PULSE TIME: 2.0 SEC

RECEIVE TIME: 2.0 SEC

SCALE 1: 2500





CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 2400

"A": 50.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 2500





CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 2400

"A": 50.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

POLE-DIPOLE ARRAY

TX PULSE TIME: 2.0 SEC

RECEIVE TIME: 2.0 SEC

SCALE 1: 2500



inches

centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 2500

"A": 50.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 2500





CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 2500 N=1 TO 5

"A": 50.0 METRES

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500



inches

centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a guide when for the original size.

CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 2600

"A": 50.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 2500



CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

"A": 50.0 METRES LINE NUMBER: 2600 N=1 TO 5

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500



CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 2700

"A": 50.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

POLE-DIPOLE ARRAY

TX PULSE TIME: 2.0 SEC

RECEIVE TIME: 2.0 SEC

SCALE 1: 2500







CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 2700

"A": 50.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 2500





CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 2760

"A": 50.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 2500



inches

centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the original image. It can be used as a reference for the original size.

CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 2760 N=1 TO 5

"A": 50.0 METRES

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500

RESISTIVITY /100



SLICE 8

inches

centimetres

This reference scale bar has been added to the image(s) and will scale at the same rate as the image, therefore it can be used as a reference for the original size.

CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 2800

"A": 50.0 METRES N=1 TO 5

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500





CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 2800

"A": 50.0 METRES N=1 TO 5

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500



inches

0 1

0 1 2

centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 2830 N=1 TO 5

"A": 50.0 METRES

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500



CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 2830

"A": 50.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 2500



CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 2900 N=1 TO 5

"A": 50.0 METRES

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500



Inches

Centimetres

This reference scale has been added to the original image. It will scale at the same rate as the image, so that you can use it to measure features on the original size.

CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 2900 N=1 TO 5

"A": 50.0 METRES

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500





CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 3000 N=1 TO 5

"A": 50.0 METRES

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500





inches

centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the original image. It can be used as a reference for the original size.

CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 3000

"A": 50.0 METRES N=1 TO 5

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500



inches

centimetres

This reference scale has been added to the original image. It will scale at the same rate as the original image. It can be used as a reference for the original size.

CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 3100 N=1 TO 5

"A": 50.0 METRES

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500





CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 3100

"A": 50.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

POLE-DIPOLE ARRAY

TX PULSE TIME: 2.0 SEC

RECEIVE TIME: 2.0 SEC

SCALE 1: 2500



inches

centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the image, and can be used as a reference for the original size.

CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 3200 N=1 TO 5

"A": 50.0 METRES

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500



CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

"A": 50.0 METRES LINE NUMBER: 3200 N=1 TO 5

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500

RESISTIVITY /100



SLICE 8



CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 3300 N=1 TO 5

"A": 50.0 METRES

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500



inches

0 1

0 1 2

centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 3400 N=1 TO 5

"A": 50.0 METRES

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500



inches

0 1

0 1 2

centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 3400

"A": 50.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

POLE-DIPOLE ARRAY

TX PULSE TIME: 2.0 SEC

RECEIVE TIME: 2.0 SEC

SCALE 1: 2500





CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 3300

"A": 50.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

POLE-DIPOLE ARRAY

TX PULSE TIME: 2.0 SEC

RECEIVE TIME: 2.0 SEC

SCALE 1: 2500



inches

0 1

0 1 2

centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 3500

"A": 50.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

POLE-DIPOLE ARRAY

TX PULSE TIME: 2.0 SEC

RECEIVE TIME: 2.0 SEC

SCALE 1: 2500



inches

0 1

0 1 2

centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 3500

"A": 50.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 2500





CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 3600 N=1 TO 5

"A": 50.0 METRES

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500





CØRPØRATIØN FALCØNBRIDGE CØPPER

MOUNT SICKER PRØPERTY

LINE NUMBER: 3600

"A": 50.0 METRES N=1 TO 5

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500





CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 3700 N=1 TO 5

"A": 50.0 METRES

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500



inches

0 1

0 1 2

centimetres

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 3700 N=1 TO 5

"A": 50.0 METRES

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500





CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 3800

"A": 50.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 2500





CORPORATION FALCONBRIDGE COPPER

MOUNT SICKER PROPERTY

LINE NUMBER: 3800

"A": 50.0 METRES N=1 TO 5

SCINTREX IPR-11 RECEIVER TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 2500