

MINNOVA INC.

LARA PROJECT

LINE NUMBER: 65 WEST

"A": 25.0 METRES

SCINTREX IPA-11 RECEIVER

POLE-DIPOLE ARRAY

827666

LARA

092B/13

5

N=1 TO



2.0 SEC

2.0 SEC

SCALE 1: 1250

RESISTIVITY

SLICE 7 (M7)



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 66 WEST

N=1 TO 5



"A": 25.0 METRES

SCINTREX IPA-11 RECEIVER TX PULSE TIME: 2.0 SEC
POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

SLICE 7 (W7)

RESISTIVITY



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 67 WEST

N=1 TO 5

"A": 25.0 METRES

TX PULSE TIME: 2.0 SEC

SCINTREX IPA-11 RECEIVER



RECEIVE TIME: 2.0 SEC

POLE-DIPOLE ARRAY

SCALE 1: 1250

RESISTIVITY

SLICE 7 (M7)



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 68 WEST

"A": 25.0 METRES

N=1 TO 5

SCINTREX IPA-11 RECEIVER

TX PULSE TIME: 2.0 SEC



POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

SLICE 7 (M7)

RESISTIVITY



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 69 WEST

"A": 25.0 METRES

N=1 TO 5

SCINTREX IPA-11 RECEIVER

TX PULSE TIME: 2.0 SEC



POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

SLICE 7 (M7)

RESISTIVITY



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 70 WEST

"A": 25.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC



POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

SLICE 7 (W7)

RESISTIVITY



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 71 WEST

"A": 25.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC



POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

SLICE 7 (M7)

RESISTIVITY



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 72 WEST

"A": 25.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC



POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

SLICE 7 (M7)

RESISTIVITY



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 73 WEST

"A": 25.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC



POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

Slice 7 (M7)

RESISTIVITY



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 74 WEST

"A": 25.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC



POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

RESISTIVITY

SLICE 7 (M7)



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 75 WEST

25.0 METRES

N=1 TO 5

SCINTREX IPA-11 RECEIVER

TX PULSE TIME: 2.0 SEC



POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

RESISTIVITY

SLICE 7 (M7)



LARA PROJECT

2ETPES



2ETPES


5

POLE-DIPOLE ARRAY

WSN

0521





SLICE 7 (M7)

RESISTIVITY

0 1

0 1 2

inches

centimetres



This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

MINNOVA INC.

LARA PROJECT

LINE NUMBER: 78 WEST

N=1 TO 5

"A": 25.0 METRES

SCINTREX IPA-11 RECEIVER

TX PULSE TIME: 2.0 SEC


POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

SLICE 7 (N7)

RESISTIVITY



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 79 WEST

"A": 25.0 METRES

N=1 TO 5



SCINTREX IPA-11 RECEIVER
POLE-DIPOLE ARRAY

TX PULSE TIME: 2.0 SEC
RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

SLICE 7 (M7)

RESISTIVITY



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 80 WEST

"A": 25.0 METRES

N=1 TO 5

SCINTREX IPA-11 RECEIVER

TX PULSE TIME: 2.0 SEC



POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

SLICE 7 (M7)

RESISTIVITY



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 81 WEST

"A": 25.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC



POLE-DIPOLE ARRAY



RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

RESISTIVITY

SLICE 7 (M7)





MINNOVA INC.

LARA PROJECT

LINE NUMBER: 88 WEST

"A": 25.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC



POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

SLICE 7 (M7)

RESISTIVITY



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 84 WEST

N=1 TO 5

"A": 25.0 METRES

SCINTREX 1PA-11 RECEIVER

TX PULSE TIME: 2.0 SEC



POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

RESISTIVITY

SLICE 7 (M7)



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 59 WEST

N=1 TO 5



"A": 25.0 METRES

SCINTREX IPA-11 RECEIVER TX PULSE TIME: 2.0 SEC
POLE-DIPOLE ARRAY RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

RESISTIVITY

SLICE 7 (W7)



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 64 WEST

N=1 TO 5

"A": 25.0 METRES

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC



POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

RESISTIVITY

SLICE 7 (M7)



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 58 WEST

"A": 25.0 METRES

N=1 TO 5



SCINTREX IPR-11 RECEIVER
POLE-DIPOLE ARRAY

TX PULSE TIME: 2.0 SEC
RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

SLICE 7 (M7)

RESISTIVITY



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 57 WEST

"A": 25.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC



POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

SLICE 7 (M7)

RESISTIVITY



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 56 WEST

"A": 25.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC



POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

SLICE 7 (M7)

RESISTIVITY



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 111 WEST

"A": 25.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC



SCALE 1: 1250

SLICE 7 (M7)


RESISTIVITY

1
2
3
4
5
6

1
2
3
4
5
6



N ←



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 112 WEST

"A": 25.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC




SCALE 1: 1250

SLICE 7 (M7)

RESISTIVITY

1
2
3
4
5
6

1
2
3
4
5
6



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 113 WEST

N=1 TO 5

"A": 25.0 METRES

SCINTREX IPA-11 RECEIVER

TX PULSE TIME: 2.0 SEC



POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

SLICE 7 (M7)

RESISTIVITY



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 114 WEST

"A": 25.0 METRES

N=1 TO 5

SCINTREX IPA-11 RECEIVER

TX PULSE TIME: 2.0 SEC



POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

SLICE 7 (M7)

RESISTIVITY



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 115 WEST

"A": 25.0 METRES

N=1 TO 5

SCINTREX 1PA-11 RECEIVER

TX PULSE TIME: 2.0 SEC



POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

SLICE 7 (M7)

RESISTIVITY



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 116 WEST

"A": 25.0 METRES

N=1 TO 5

SCINTREX IPA-11 RECEIVER

TX PULSE TIME: 2.0 SEC


POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250



RESISTIVITY

1
2
3
4
5
6



SLICE 7 (M7)

1
2
3
4
5
6



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 117 WEST

N=1 TO 5

"A": 25.0 METRES



SCINTREX IPA-11 RECEIVER
POLE-DIPOLE ARRAY

TX PULSE TIME: 2.0 SEC
RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

SLICE 7 (M7)

RESISTIVITY



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 118 WEST

"A": 25.0 METRES

N=1 TO 5




SCINTREX IPR-11 RECEIVER
POLE-DIPOLE ARRAY



TX PULSE TIME: 2.0 SEC
RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

RESISTIVITY

SLICE 7 (M7)





MINNOVA INC.

LARA PROJECT

LINE NUMBER: 120 WEST

"A": 25.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC



POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

RESISTIVITY

SLICE 7 (M7)



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 121 WEST

"A": 25.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC



POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

RESISTIVITY

SLICE 7 (MT)



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 122 WEST

"A": 25.0 METRES

N=1 TO 5



SCINTREX IPR-11 RECEIVER
POLE-DIPOLE ARRAY

TX PULSE TIME: 2.0 SEC
RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

SLICE 7 (M7)

RESISTIVITY



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 123 WEST

"A": 25.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC



POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

RESISTIVITY

SLICE 7 (M7)



MINNOVA INC.

LARA PROJECT

LINE NUMBER: 124 WEST

"A": 25.0 METRES

N=1 TO 5

SCINTREX IPR-11 RECEIVER

TX PULSE TIME: 2.0 SEC

POLE-DIPOLE ARRAY

RECEIVE TIME: 2.0 SEC

SCALE 1: 1250

SLICE 7 (M7)

RESISTIVITY

