

DIAMOND DRILL HOLE 86-88

SAMPLE #	STRAT LOC.	FROM METERS	TO FIELD METERS ROCK	ROCK CODE	PPM CU	PPM PB	PPM ZN	PPM AG	PPM BA	PPM AS	PPM S	% SI02	% AL2O3	% TI02	% FE2O3	% MGO	% CAO	% NA2O	% K2O	% MND	ALTN INDEX	MG/NA RATIO
DL88-1	CZE?	145.27	148.43 RHYL	R	27	7	46	1	1185	5	6537	64.56	19.14	0.27	2.83	2.24	3.02	1.63	4.18	0.06	57.99	1.37
DL88-2	FW	148.48	148.75 ARGL	S	87	27	197	1	1789	48	10632	66.55	17.50	0.33	3.93	2.96	1.73	1.35	3.52	0.06	67.78	2.19
DL88-3	FW	149.75	150.75 RHYL	R	22	13	59	1	1640	114	4117	63.16	19.98	0.22	2.83	2.12	2.52	1.11	5.72	0.06	68.35	1.91
DL88-4	FW	150.75	152.75 RHYL	R	13	5	35	1	1363	15	1807	65.60	19.77	0.22	2.39	1.41	0.98	0.93	7.96	0.04	83.07	1.52
DL88-5	FW	152.75	154.75 RHYL	R	8	23	59	1	875	8	1190	65.74	18.10	0.19	3.32	1.77	2.10	1.03	6.06	0.08	71.44	1.72
DL88-6	FW	154.75	156.75 RHYL	R	12	6	32	1	855	4	936	69.58	17.47	0.19	2.28	1.46	2.04	1.30	5.68	0.06	68.13	1.12
DL88-7	FW	156.75	158.75 RHYL	R	12	6	25	1	911	6	1933	66.61	17.95	0.17	2.26	1.49	2.51	1.17	5.97	0.05	66.97	1.27
DL88-8	FW	158.75	160.75 RHYL	R	21	5	40	1	954	6	1395	69.02	17.38	0.18	2.44	1.38	1.82	1.16	5.60	0.05	70.08	1.19
DL88-9	FW	160.75	162.75 RHYL	R	10	6	37	1	870	8	1268	70.06	17.20	0.18	2.64	1.38	2.11	1.49	5.23	0.06	64.74	0.93
DL88-10	FW	162.75	164.75 RHYL	R	41	5	44	1	882	8	1020	69.62	16.70	0.43	3.76	1.49	1.65	2.81	3.83	0.06	54.40	0.53
DL88-11	FW	164.75	166.75 RHYL	R	86	5	83	1	1401	18	2527	69.07	16.99	0.25	3.63	1.05	3.01	1.76	3.99	0.09	51.38	0.60
DL88-12	FW	166.75	168.75 RHYL	R	17	7	44	1	959	14	1077	62.11	18.54	0.41	4.65	1.17	3.81	0.69	5.27	0.09	58.87	1.70
DL88-13	FW	168.75	170.75 RHYL	R	28	6	61	1	735	36	1606	66.64	19.21	0.32	4.25	1.37	2.57	0.43	5.18	0.08	68.59	3.19
DL88-14	FW	170.75	172.75 RHYL	R	203	12	869	1	1025	20	4458	64.39	17.14	0.44	5.24	1.42	3.43	1.77	4.34	0.12	52.55	0.80
DL88-15	FW	172.75	174.75 RHYL	R	21	5	72	1	947	19	1286	65.46	20.55	0.25	2.98	1.54	2.27	0.35	5.76	0.06	73.59	4.40
DL88-16	FW	174.75	176.75 RHYL	R	31	2	31	1	1075	60	1391	69.28	17.85	0.19	2.33	1.37	2.73	0.60	4.58	0.05	64.12	2.28
DL88-17	FW	176.75	178.75 RHYL	R	14	9	33	1	772	23	6298	72.01	16.88	0.17	2.18	0.77	2.28	1.53	3.81	0.05	54.27	0.49
DL88-18	FW	178.75	180.75 RHYL	R	15	8	28	1	827	20	3221	71.01	17.32	0.19	2.37	0.98	2.67	0.86	4.54	0.06	60.99	1.14
DL88-19	FW	180.75	182.75 RHYL	R	56	13	81	1	884	1075	3770	61.33	19.99	0.21	5.13	1.84	2.79	0.85	5.28	0.08	66.17	2.16
DL88-20	FW	182.75	184.75 RHYL	R	34	4	74	1	950	253	5251	61.30	21.31	0.22	4.78	1.75	2.13	1.22	5.56	0.07	68.57	1.43
DL88-21	FW	184.75	186.16 RHYL	R	23	9	43	1	792	20	2041	69.11	17.70	0.21	3.12	1.19	2.34	2.10	3.97	0.07	53.75	0.57
DL88-22	FW	186.16	188.16 RHYL	R	21	6	39	1	932	21	1844	68.07	18.90	0.22	2.87	1.09	2.27	2.01	4.48	0.06	56.55	0.54
DL88-23	FW	188.16	190.16 RHYL	R	27	15	38	1	817	29	22811	68.19	16.76	0.19	5.32	1.00	2.79	2.09	3.53	0.07	48.14	0.48
DL88-24	FW	190.16	192.16 RHYL	R	26	6	40	1	941	225	2300	69.95	17.31	0.20	2.71	0.89	2.22	2.35	3.77	0.06	50.49	0.38
DL88-25	FW	192.16	194.16 RHYL	R	19	7	27	1	1058	10	2642	70.83	17.52	0.19	2.32	0.79	2.43	1.90	3.77	0.05	51.88	0.44
DL88-26	FW	194.16	196.16 RHYL	R	25	6	74	1	1043	27	9300	65.72	18.34	0.34	4.20	1.60	4.32	0.56	4.44	0.08	55.31	2.86
DL88-27	FW	196.16	198.16 RHYL	R	13	8	11	1	1137	41	15980	69.99	17.53	0.29	3.19	0.60	2.93	1.42	3.97	0.06	51.23	0.42
DL88-28	FW	198.16	200.16 RHYL	R	14	2	25	1	1399	26	7663	69.58	18.31	0.32	2.79	0.80	2.81	1.55	3.94	0.07	52.09	0.52
DL88-29	FW	200.16	202.16 RHYL	R	18	7	32	1	1493	26	10991	66.24	18.78	0.31	3.65	0.91	3.34	1.51	4.01	0.08	50.36	0.60
DL88-30	FW	202.16	204.16 RHYL	R	12	2	37	1	1183	4	3820	67.98	17.72	0.27	3.53	1.22	3.68	1.18	3.49	0.09	49.22	1.03
DL88-31	FW	204.16	206.16 RHYL	R	20	4	34	1	1337	2	2592	66.32	18.83	0.28	3.29	1.16	3.12	1.17	3.79	0.07	53.57	0.99
DL88-32	FW	206.16	208.16 RHYL	R	14	5	25	1	1274	3	2606	66.85	17.60	0.27	3.64	1.36	3.97	1.27	3.33	0.09	47.23	1.07
DL88-33	FW	208.16	210.16 RHYL	R	9	7	38	1	1303	1	4316	64.03	19.27	0.28	3.62	1.44	4.20	1.34	3.67	0.09	47.98	1.07
DL88-34	FW	210.16	212.16 RHYL	R	25	6	49	1	1132	2	4499	65.49	17.83	0.27	3.21	1.25	4.72	1.30	3.31	0.09	43.10	0.96
DL88-35	FW	212.16	214.16 RHYL	R	21	8	26	1	1424	5	5569	64.17	20.35	0.34	3.16	1.04	3.51	4.27	4.27	0.08	40.57	0.24
DL88-36	FW	214.16	216.16 RHYL	R	17	5	33	1	1212	4	6328	66.37	18.63	0.29	3.15	1.17	3.19	3.61	3.61	0.07	41.28	0.32
DL88-37	FW	216.16	218.16 RHYL	R	16	7	48	1	1192	2	4202	66.20	18.33	0.30	3.42	1.49	3.25	3.60	3.60	0.08	42.63	0.41
DL88-38	FW	218.16	220.16 RHYL	R	14	6	32	1	1268	5	6482	67.14	19.21	0.32	3.05	1.15	3.43	3.77	3.77	0.08	40.59	0.31
DL88-39	FW	220.16	221.71 RHYL	R	16	5	27	1	995	8	7938	66.06	16.80	0.27	3.62	1.28	5.85	3.09	3.09	0.10	32.83	0.41
DL88-40	FW	221.71	223.87 ARGL	S	38	8	94	1	1649	49	8699	64.34	19.66	0.38	3.21	0.91	4.72	4.06	4.06	0.07	36.15	0.22
AVE HANGINGWALL					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STD DEV HANGINGWALL					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AVE FOOTWALL					27	7	65	1.0	1092	58	4664	66.96	18.31	0.26	3.33	1.27	2.96	1.71	4.48	0.07	55.56	1.11
STD DEV FOOTWALL					32	4	133	0.0	242	176	4378	2.67	1.16	0.07	0.85	0.32	0.95	1.02	1.02	0.02	11.32	0.89

ID \ Var:	SI02 %	AL203 %	TI02 %	FE203 %	MGO %	CAO %	NA2O %	K2O %	MNO %	AS PPM	BA PPM	CU PPM	PR PPM	S PPM	ZN PPM	AG PPM
DL88-25	70.83	17.52	0.19	2.32	0.79	2.43	1.80	3.77	0.05	10	1058	19	7	2642	27	<1
DL88-26	65.72	18.34	0.34	4.20	1.60	4.32	0.56	4.44	0.08	27	1043	25	6	9300	74	<1
DL88-27	69.99	17.53	0.29	3.19	0.60	2.93	1.42	3.97	0.06	41	1137	13	8	15980	11	<1
DL88-28	69.58	18.31	0.32	2.79	0.80	2.81	1.55	3.94	0.07	26	1399	14	2	7663	25	<1
DL88-29	66.24	18.78	0.31	3.65	0.91	3.34	1.51	4.01	0.08	26	1493	18	7	10991	32	2
DL88-30	67.98	17.72	0.27	3.53	1.22	3.68	1.18	3.49	0.09	4	1183	12	2	3820	37	<1
DL88-31	66.32	18.83	0.28	3.29	1.16	3.12	1.17	3.79	0.07	2	1337	20	4	2592	34	<1
DL88-32	66.85	17.60	0.27	3.64	1.36	3.97	1.27	3.33	0.09	3	1274	14	5	2606	25	<1
DL88-33	64.03	19.27	0.28	3.62	1.44	4.20	1.34	3.67	0.09	<1	1303	9	7	4316	38	<1
DL88-34	65.49	17.83	0.27	3.21	1.25	4.72	1.30	3.31	0.09	2	1132	25	6	4499	49	<1
DL88-35	64.17	20.35	0.34	3.16	1.04	3.51	0.95	4.27	0.08	5	1424	21	8	5569	26	<1
DL88-36	66.37	18.63	0.29	3.15	1.17	3.19	0.75	3.61	0.07	4	1212	17	5	6328	33	<1
DL88-37	66.20	18.33	0.30	3.42	1.49	3.25	0.72	3.60	0.08	2	1192	16	7	4202	48	<1
DL88-38	67.14	19.21	0.32	3.05	1.15	3.43	1.11	3.77	0.08	5	1268	14	6	6482	32	<1
DL88-39	66.06	16.80	0.27	3.62	1.28	5.85	0.94	3.09	0.10	8	995	16	5	7988	27	<1
DL88-40	64.34	19.66	0.38	3.21	0.91	4.72	0.55	4.06	0.07	49	1649	38	8	8699	94	1
DL94-1	68.36	17.05	0.26	3.62	3.38	0.28	1.07	3.93	0.09	18	1566	28	10	177	77	<1
DL94-2	67.30	17.85	0.28	3.76	3.69	0.94	1.30	4.13	0.08	8	1812	25	12	853	78	<1
DL94-3	70.54	15.66	0.30	3.28	1.81	1.25	4.21	2.45	0.04	18	1209	101	17	9770	87	1
DL94-4	70.69	16.03	0.28	3.90	0.66	0.34	5.39	2.51	0.02	13	1235	32	18	27055	35	<1
DL94-5	71.82	15.51	0.26	2.54	0.71	0.63	5.93	2.14	0.02	9	1030	24	9	12729	27	<1
DL94-6	67.38	17.52	0.25	4.26	1.46	0.83	3.30	3.56	0.02	12	1473	38	8	26550	52	2
DL94-7	66.85	17.84	0.25	3.55	1.86	1.18	3.70	3.55	0.03	11	2162	29	15	20681	70	2
DL94-8	69.02	17.08	0.23	2.78	2.40	1.10	4.30	2.86	0.03	10	1473	40	5	12140	85	<1
DL94-9	65.94	16.55	0.23	6.60	2.15	1.38	3.70	3.06	0.04	6	1566	50	23	47792	87	2
DL94-10	52.12	24.62	0.38	3.85	2.53	3.00	1.57	7.81	0.05	10	3462	16	30	18656	75	1
DL94-11	64.35	19.85	0.30	3.13	1.93	1.20	2.11	5.33	0.03	4	2759	21	5	16061	88	2
DL94-12	67.52	18.26	0.28	2.80	1.72	1.30	2.73	4.58	0.03	7	2544	17	10	14727	120	1
DL94-13	69.55	17.26	0.24	2.35	1.61	1.74	2.74	4.41	0.03	10	2455	20	7	13167	103	<1
DL94-14	66.65	18.28	0.27	3.84	1.46	1.28	3.13	5.03	0.03	7	3090	30	13	27508	175	3
DL94-15	64.34	15.54	0.22	8.79	1.07	1.39	2.49	4.34	0.03	11	2507	38	25	82964	208	5
DL94-16	69.52	17.31	0.25	3.49	1.48	0.65	1.89	5.31	0.02	11	3265	15	15	23641	156	3
DL94-17	63.76	13.21	0.18	5.39	0.69	4.36	1.04	5.16	0.02	265	9130	842	5237	63989	12594	88
DL94-18	61.78	15.50	0.21	6.18	1.14	2.28	0.59	5.02	0.02	386	7564	1230	11669	73901	22220	67
DL94-19	61.48	21.67	0.31	2.22	1.96	1.15	0.35	7.17	0.02	193	8154	530	316	13632	2414	20
DL94-20	62.05	21.48	0.30	2.31	1.87	1.28	0.37	7.11	0.02	213	8363	579	351	15483	2728	21
DL94-21	63.12	23.20	0.34	1.79	2.24	0.54	0.32	7.32	0.02	37	6007	132	45	6941	1380	6
DL94-22	60.35	17.22	0.25	3.94	1.15	2.23	1.15	5.87	0.01	470	12927	1714	7534	40885	13481	136
DL94-23	60.44	18.38	0.25	4.20	1.74	2.27	1.34	5.78	0.03	18	7156	332	5969	35336	8182	33
DL94-24	65.92	18.02	0.23	2.01	1.53	3.40	1.14	5.55	0.04	8	3212	41	12	7889	76	<1
DL94-25	66.05	19.93	0.29	2.19	1.74	1.33	1.26	5.98	0.03	5	2134	28	19	8201	79	2
DL94-26	68.38	18.03	0.24	1.92	1.67	1.81	1.57	4.88	0.03	7	1952	42	16	7727	72	<1
DL94-27	68.46	18.87	0.24	2.15	1.76	2.07	0.97	5.27	0.04	4	1045	91	10	8182	111	<1
DL94-28	70.51	17.95	0.24	2.03	1.48	1.64	0.23	5.21	0.03	6	996	15	6	7027	36	<1
DL94-29	64.11	20.37	0.30	2.52	2.01	2.61	0.33	6.61	0.05	12	1054	17	6	5852	58	1
DL94-30	66.72	17.23	0.22	2.42	1.32	4.68	0.31	5.20	0.05	8	1125	27	8	12662	54	<1
DL94-31	72.11	17.26	0.23	2.05	1.34	1.56	0.62	4.73	0.03	5	605	18	5	7555	45	<1
DL94-32	65.40	19.46	0.28	2.40	1.64	2.03	1.26	5.59	0.04	15	874	20	10	8462	66	<1
DL94-33	66.97	19.49	0.29	2.38	1.57	1.79	1.27	5.40	0.03	6	1039	48	11	7307	47	<1
DL94-34	70.16	17.53	0.25	2.52	1.18	1.79	1.82	4.31	0.03	5	2806	30	10	12517	33	1
DL94-35	68.15	17.68	0.26	4.13	1.26	1.46	2.38	4.22	0.03	9	1113	34	33	25671	25	1
DL94-36	67.98	18.21	0.24	1.80	1.43	2.38	2.06	4.47	0.04	8	1404	15	9	3804	28	1
DL94-37	67.40	18.35	0.26	1.80	1.33	2.15	3.11	4.16	0.04	3	1207	12	14	3959	21	<1
DL94-38	68.21	19.11	0.28	1.96	1.48	1.55	1.36	5.20	0.04	8	1248	16	5	2790	29	<1
DL94-39	71.36	17.11	0.23	2.38	1.85	1.46	0.03	5.32	0.05	8	1033	16	2	2299	23	1

ID \ Var:	SiO2 %	Al2O3 %	TiO2 %	Fe2O3 %	MgO %	CaO %	Na2O %	K2O %	MnO %	AS PPM	BA PPM	CU PPM	PR PPM	S PPM	ZN PPM	AG PPM
DL78-133	71.04	17.17	0.18	2.34	1.01	2.22	1.02	4.59	0.05	4	1262	22	6	3005	28	<1
DL78-134	72.26	16.00	0.18	2.67	0.94	1.90	2.17	3.89	0.06	4	1462	9	10	3162	41	<1
DL78-135	70.92	16.11	0.17	2.59	0.98	2.99	1.57	3.99	0.08	7	1206	6	14	5294	31	<1
DL78-136	69.60	17.67	0.19	2.70	1.01	1.75	1.21	4.61	0.06	8	1116	15	4	2746	46	<1
DL78-137	67.61	18.14	0.19	3.20	1.12	3.01	1.21	4.66	0.08	14	1019	26	8	6263	32	<1
DL78-138	43.01	11.77	0.51	10.85	10.44	12.63	0.47	0.71	0.18	6	185	39	7	1444	107	3
DL78-139	68.63	16.91	0.22	3.17	2.01	3.06	0.96	4.12	0.06	4	863	8	6	1551	24	<1
DL80-1	64.97	17.71	0.29	3.41	2.78	1.99	2.40	3.61	0.07	5	1391	31	<2	1054	46	<1
DL80-2	59.60	20.05	0.40	5.13	2.83	2.27	1.42	5.54	0.08	12	1538	33	8	1687	57	2
DL80-3	61.60	20.39	0.32	3.71	2.63	1.80	0.23	6.51	0.05	20	4144	104	177	10906	540	7
DL80-4	67.03	17.56	0.20	2.26	3.21	2.11	0.53	5.40	0.05	5	2653	15	<2	1102	76	<1
DL80-5	45.76	13.65	2.21	10.84	10.07	11.01	<0.01	3.18	0.19	31	1487	84	8	14353	450	4
DL80-6	61.90	23.16	0.32	1.77	2.36	0.87	0.50	7.21	0.03	23	4289	28	144	4369	439	3
DL80-7	67.73	18.83	0.21	1.97	2.15	1.46	0.96	5.37	0.04	<1	1517	15	2	381	44	<1
DL80-8	65.56	19.34	0.25	1.90	2.94	1.90	0.93	5.52	0.04	6	1392	13	8	2551	41	1
DL80-9	64.69	17.89	0.34	4.21	2.17	2.17	0.65	4.64	0.04	459	2663	115	33	14610	141	2
DL80-10	63.55	18.02	0.25	3.48	0.85	3.08	1.46	5.82	0.05	34	3055	53	74	25223	135	4
DL80-11	60.09	16.12	0.23	3.86	0.90	4.58	1.24	6.10	0.05	66	10152	855	3558	36046	11319	59
DL80-12	48.91	12.43	0.16	6.46	1.05	8.71	1.42	3.61	0.08	48	5171	14594	18683	93440	61383	101
DL80-13	70.50	15.48	0.17	1.83	0.74	1.85	3.91	2.86	0.05	6	1830	33	17	1381	71	<1
DL80-14	65.19	18.15	0.20	3.49	2.45	2.53	1.28	3.59	0.06	5	997	29	20	1674	75	4
DL80-15	49.37	13.59	2.21	13.65	7.88	9.60	0.96	0.79	0.21	<1	345	167	13	802	127	3
DL80-16	44.85	11.86	2.32	15.12	8.44	12.49	1.20	0.05	0.21	5	452	154	4	949	118	<1
DL80-17	67.34	18.56	0.18	2.77	2.76	1.69	1.30	2.95	0.05	6	1190	26	6	373	32	<1
DL80-18	66.37	17.42	0.18	4.13	3.08	1.59	1.61	2.38	0.06	4	1449	12	6	385	29	<1
DL80-19	64.04	16.49	0.17	6.15	4.46	2.73	1.56	2.07	0.13	5	1118	10	4	805	56	<1
DL80-20	69.09	17.24	0.15	2.93	2.93	2.05	1.73	2.66	0.08	1	1253	25	8	334	52	<1
DL80-21	70.92	16.74	0.15	3.17	3.58	0.93	1.88	2.38	0.06	7	990	23	6	1108	46	<1
DL80-22	65.56	19.90	0.17	2.36	2.86	1.59	1.72	3.57	0.05	3	1501	9	5	256	29	<1
DL80-23	69.78	16.60	0.17	3.41	3.09	1.55	2.14	2.38	0.07	<1	1096	10	7	512	41	<1
DL80-24	72.06	16.11	0.17	2.86	2.75	1.20	1.93	2.53	0.07	3	1067	18	8	885	42	<1
DL88-1	64.56	19.14	0.27	2.83	2.24	3.02	1.63	4.18	0.06	5	1185	27	7	6587	46	<1
DL88-2	66.55	17.50	0.33	3.93	2.96	1.73	1.35	3.52	0.06	48	1789	87	27	10632	197	1
DL88-3	63.16	19.98	0.22	2.83	2.12	2.52	1.11	5.72	0.06	114	1640	22	13	4117	59	<1
DL88-4	65.60	19.77	0.22	2.39	1.41	0.98	0.93	7.96	0.04	15	1363	13	5	1807	35	<1
DL88-5	65.74	18.10	0.19	3.32	1.77	2.10	1.03	6.06	0.08	8	875	8	23	1190	59	<1
DL88-6	69.58	17.47	0.19	2.28	1.46	2.04	1.30	5.68	0.06	4	855	12	6	936	32	<1
DL88-7	66.61	17.95	0.17	2.26	1.49	2.51	1.17	5.97	0.05	6	911	12	6	1933	25	<1
DL88-8	69.02	17.38	0.18	2.44	1.38	1.82	1.16	5.60	0.05	6	954	21	5	1395	40	<1
DL88-9	70.06	17.20	0.18	2.64	1.38	2.11	1.49	5.23	0.06	8	870	10	6	1268	37	<1
DL88-10	69.62	16.70	0.43	3.76	1.49	1.65	2.81	3.83	0.06	8	882	41	5	1020	44	<1
DL88-11	69.07	16.99	0.25	3.63	1.05	3.01	1.76	3.99	0.09	18	1401	86	5	2527	83	<1
DL88-12	62.11	18.54	0.41	4.65	1.17	3.81	0.69	5.27	0.09	14	959	17	7	1077	44	<1
DL88-13	66.64	19.21	0.32	4.25	1.37	2.57	0.43	5.18	0.08	36	735	28	6	1606	61	<1
DL88-14	64.39	17.14	0.44	5.24	1.42	3.43	1.77	4.34	0.12	20	1025	203	12	4458	869	<1
DL88-15	65.46	20.55	0.25	2.98	1.54	2.27	0.35	5.76	0.06	19	947	21	5	1286	72	<1
DL88-16	69.28	17.85	0.19	2.33	1.37	2.73	0.60	4.58	0.05	60	1075	31	2	1391	31	<1
DL88-17	72.01	16.88	0.17	2.18	0.77	2.28	1.58	3.81	0.05	23	772	14	9	6198	33	<1
DL88-18	71.01	17.32	0.19	2.37	0.98	2.67	0.86	4.54	0.06	20	827	15	8	3221	28	<1
DL88-19	61.33	19.99	0.21	5.13	1.84	2.79	0.85	5.28	0.08	1075	884	56	13	3770	81	<1
DL88-20	61.30	21.31	0.22	4.78	1.75	2.13	1.22	5.56	0.07	258	950	34	4	5251	74	1
DL88-21	69.11	17.70	0.21	3.12	1.19	2.34	2.10	3.97	0.07	20	792	23	9	2041	43	<1
DL88-22	68.07	18.90	0.22	2.87	1.09	2.27	2.01	4.48	0.06	21	932	21	6	1844	39	<1
DL88-23	68.19	16.76	0.19	5.32	1.00	2.79	2.09	3.53	0.07	29	817	27	15	22811	38	1
DL88-24	69.95	17.31	0.20	2.71	0.89	2.22	2.35	3.77	0.06	225	941	26	6	2300	40	<1

DDH 88

SECTION

(CORONATION ZONE HANGINGWALL & FOOTWALL)

SAMPLE No	KEY	FROM	TO	METERS	LITHOLOGY	COMMENTS
D88-1	1	145.27	148.48	3.21		
D88-2		148.48	149.75	0.27		
D88-3		148.75	150.75	2.00		
D88-4		150.75	152.75	"		
D88-5		152.75	154.75	"		
D88-6		154.75	156.75	"		
D88-7		156.75	158.75	"		
D88-8		158.75	160.75	"		
D88-9		160.75	162.75	"		
D88-10		162.75	164.75	"		
D88-11		164.75	166.75	"		
D88-12		166.75	168.75	"		
D88-13		168.75	170.75	"		
D88-14		170.75	172.75	"		
D88-15		172.75	174.75	"		
D88-16		174.75	176.75	"		
D88-17		176.75	178.75	"		
D88-18		178.75	180.75	"		
D88-19		180.75	182.75	"		

SAMPLE No	KEY	FROM	TO	METERS	LITHOLOGY	COMMENTS
D88-20		182.75	184.75	2.00		
D88-21		184.75	186.16	1.41		
D88-22		186.16	188.16	2.00		
D88-23		188.16	190.16	"		
D88-24		190.16	192.16	"		
D88-25		192.16	194.16	"		
D88-26		194.16	196.16	"		
D88-27		196.16	198.16	"		
D88-28		198.16	200.16	"		
D88-29		200.16	202.16	"		
D88-30		202.16	204.16	"		
D88-31		204.16	206.16	"		
D88-32		206.16	208.16	"		
D88-33		208.16	210.16	"		
D88-34		210.16	212.16	"		
D88-35		212.16	214.16	"		
D88-36		214.16	216.16	"		
D88-37		216.16	218.16	"		
D88-38		218.16	220.16	"		
D88-39		220.16	222.16	1.55		

(CORONATION ZONE HANGINGWALL & FOOTWALL)

SAMPLE No

KEY

FROM

TO

METERS

LITHOLOGY

COMMENTS

D88-40

221.71

223.87

2.16

LARA HALO STUDY

DDH-86-88

