Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M580
Comments: CC: S. McALLISTER

CHORN CREEK

840757

PROJECT FILE

Page No. : 1-A
Tot. Pages: 1
Date : 05-AUG-87
Invoice # : I-8718771
P.O. # : 36823

CERTIFICATE OF ANALYSIS A8718771

SAMPLE DESCRIPTION	PREP CODE		Au ppb RUSH	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
TZ7C-440	201	238	< 5	1.96	< 0.2	10	120	< 0.5	2	0.35	< 0.5	9	27	14	2.84	< 10	< 1	0.08	< 10	0.29	580
TZ7C-441	201	238	< 5	2.26	< 0.2	5	140	< 0.5	< 2	0.37	< 0.5	10	27	16	2.64	< 10	< 1	0.07	10	0.36	364
TZ7C-442	201	238	< 5	2.92	< 0.2	< 5	160	< 0.5	< 2	0.36	< 0.5	14	34	17	3.12	< 10	< 1	0.06	< 10	0.38	426
TZ7C-443	201	238	< 5	1.63	< 0.2	< 5	130	< 0.5	< 2	0.36	< 0.5	10	28	15	2.43	< 10	< 1	0.07	< 10	0.33	323
TZ7C-444	201	238	< 5	2.02	< 0.2	< 5	140	< 0.5	< 2	0.44	< 0.5	11	42	19	2.85	< 10	< 1	0.08	< 10	0.42	309
TZ7C-445	201	238	< 5	2.09	< 0.2	< 5	130	< 0.5	< 2	0.36	< 0.5	10	30	16	2.54	< 10	< 1	0.06	< 10	0.38	[illegible]
TZ7C-446	201	238	< 5	2.17	< 0.2	< 5	120	< 0.5	< 2	0.41	< 0.5	12	60	16	2.65	< 10	< 1	0.09	10	0.41	624
TZ7C-447	201	238	< 5	2.32	< 0.2	< 5	150	< 0.5	< 2	0.44	< 0.5	11	66	27	2.99	< 10	< 1	0.09	< 10	0.43	307
TZ7C-448	201	238	< 5	1.23	< 0.2	< 5	150	< 0.5	< 2	0.38	< 0.5	5	24	12	1.88	< 10	< 1	0.07	< 10	0.27	198
TZ7C-449	201	238	< 5	1.31	< 0.2	< 5	110	< 0.5	2	0.37	< 0.5	6	18	15	1.90	< 10	< 1	0.08	10	0.28	251
TZ7C-450	201	238	75	1.72	< 0.2	< 5	130	< 0.5	< 2	0.40	< 0.5	9	42	15	2.34	< 10	< 1	0.09	10	0.38	645
TZ7C-451	201	238	< 5	1.61	< 0.2	< 5	130	< 0.5	< 2	0.39	< 0.5	10	27	14	2.21	< 10	< 1	0.07	< 10	0.36	318
TZ7C-452	201	238	< 5	1.67	< 0.2	< 5	180	< 0.5	< 2	0.35	< 0.5	10	30	16	2.44	< 10	1	0.08	< 10	0.28	539
TZ7C-453	201	238	< 5	3.11	< 0.2	< 5	180	< 0.5	< 2	0.31	< 0.5	13	34	15	2.68	< 10	1	0.09	< 10	0.32	708
TZ7C-454	201	238	< 5	2.83	< 0.2	< 5	190	< 0.5	< 2	0.34	< 0.5	11	37	15	2.62	< 10	1	0.08	< 10	0.38	445
TZ7C-455	201	238	< 5	3.03	< 0.2	< 5	190	< 0.5	< 2	0.33	< 0.5	14	30	16	2.87	< 10	1	0.10	< 10	0.38	541
TZ7C-456	201	238	< 5	4.13	< 0.2	< 5	190	< 0.5	< 2	0.27	< 0.5	17	24	18	3.51	< 10	2	0.08	< 10	0.32	655
TZ7C-457	201	238	< 5	2.26	< 0.2	< 5	120	< 0.5	< 2	0.31	< 0.5	12	28	13	2.48	< 10	< 1	0.06	< 10	0.29	593
TZ7C-458	201	238	< 5	2.34	< 0.2	< 5	140	< 0.5	< 2	0.31	< 0.5	13	27	15	2.70	< 10	< 1	0.06	< 10	0.30	731
TZ7C-459	201	238	< 5	1.73	< 0.2	< 5	130	< 0.5	< 2	0.36	< 0.5	10	24	10	2.17	< 10	< 1	0.07	< 10	0.27	579
TZ7C-460	201	238	< 5	1.46	< 0.2	< 5	100	< 0.5	< 2	0.26	< 0.5	9	20	8	1.98	< 10	< 1	0.05	< 10	0.24	373
TZ7C-461	201	238	< 5	2.50	< 0.2	< 5	180	< 0.5	< 2	0.28	< 0.5	12	28	11	2.63	< 10	< 1	0.07	< 10	0.25	274
TZ7C-462	201	238	< 5	2.38	< 0.2	< 5	160	< 0.5	< 2	0.37	< 0.5	12	31	15	2.96	< 10	1	0.07	< 10	0.35	571
TZ7C-463	201	238	< 5	2.90	< 0.2	< 5	160	< 0.5	< 2	0.30	< 0.5	13	30	13	2.58	< 10	2	0.07	< 10	0.31	739
TZ7C-464	201	238	< 5	2.10	< 0.2	< 5	150	< 0.5	< 2	0.30	< 0.5	11	28	11	2.23	< 10	1	0.06	< 10	0.26	810
TZ7C-465	201	238	< 5	1.85	< 0.2	< 5	150	< 0.5	< 2	0.33	< 0.5	10	25	12	2.19	< 10	2	0.07	< 10	0.27	[illegible]
TZ7C-466	201	238	< 5	2.10	< 0.2	< 5	150	< 0.5	< 2	0.30	< 0.5	11	29	12	2.26	< 10	1	0.07	< 10	0.29	399
TZ7C-467	201	238	< 5	1.69	< 0.2	< 5	140	< 0.5	< 2	0.30	< 0.5	10	45	11	2.21	< 10	2	0.09	< 10	0.24	505
TZ7C-468	201	238	< 5	1.72	0.2	< 5	130	< 0.5	2	0.36	< 0.5	9	28	15	2.26	< 10	1	0.11	< 10	0.30	337
TZ7C-469	201	238	100	1.51	< 0.2	< 5	140	< 0.5	2	0.30	< 0.5	9	26	11	2.02	< 10	1	0.08	< 10	0.25	469

CERTIFICATION : B Caughlin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M580
Comments: CC: S. McALLISTER

Date : 05-AUG-87
Invoice # : I-8718771
P.O. # : 36823

CERTIFICATE OF ANALYSIS A8718771

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
TZ7C-440	201	238	< 1	0.02	13	280	< 2	< 5	< 10	58	0.18	< 10	< 10	61	< 5	62
TZ7C-441	201	238	< 1	0.02	15	290	< 2	< 5	< 10	65	0.19	< 10	< 10	64	5	50
TZ7C-442	201	238	< 1	0.02	28	500	< 2	< 5	< 10	57	0.19	< 10	< 10	75	5	63
TZ7C-443	201	238	< 1	0.02	13	280	< 2	< 5	< 10	63	0.16	< 10	< 10	63	< 5	45
TZ7C-444	201	238	1	0.02	25	330	2	< 5	< 10	73	0.19	< 10	< 10	71	< 5	51
TZ7C-445	201	238	< 1	0.02	22	410	< 2	< 5	< 10	60	0.18	< 10	< 10	65	< 5	52
TZ7C-446	201	238	< 1	0.04	20	410	< 2	< 5	< 10	55	0.16	< 10	< 10	70	< 5	56
TZ7C-447	201	238	< 1	0.03	28	420	2	< 5	< 10	71	0.18	< 10	< 10	78	< 5	63
TZ7C-448	201	238	< 1	0.02	9	160	< 2	< 5	< 10	84	0.18	< 10	< 10	50	< 5	31
TZ7C-449	201	238	< 1	0.03	11	180	< 2	< 5	< 10	60	0.15	< 10	< 10	52	5	31
TZ7C-450	201	238	< 1	0.04	16	320	< 2	5	< 10	72	0.15	< 10	< 10	60	< 5	48
TZ7C-451	201	238	< 1	0.02	12	220	2	< 5	< 10	77	0.17	< 10	< 10	56	< 5	43
TZ7C-452	201	238	< 1	0.05	14	290	< 2	< 5	< 10	58	0.17	< 10	< 10	60	< 5	39
TZ7C-453	201	238	< 1	0.03	28	600	< 2	5	< 10	46	0.16	< 10	< 10	60	5	96
TZ7C-454	201	238	< 1	0.02	30	440	< 2	< 5	< 10	54	0.18	< 10	< 10	59	< 5	82
TZ7C-455	201	238	< 1	0.02	33	410	2	5	< 10	54	0.18	< 10	< 10	66	< 5	67
TZ7C-456	201	238	< 1	0.02	33	690	< 2	5	10	36	0.25	< 10	< 10	82	< 5	92
TZ7C-457	201	238	< 1	0.02	22	460	< 2	< 5	< 10	45	0.17	< 10	< 10	64	< 5	67
TZ7C-458	201	238	< 1	0.02	22	330	2	< 5	< 10	50	0.17	< 10	< 10	70	< 5	56
TZ7C-459	201	238	< 1	0.02	19	280	4	< 5	< 10	44	0.19	< 10	< 10	57	< 5	83
TZ7C-460	201	238	< 1	0.02	18	230	< 2	< 5	< 10	36	0.17	< 10	< 10	56	< 5	49
TZ7C-461	201	238	< 1	0.02	20	350	2	5	< 10	42	0.16	< 10	< 10	59	< 5	61
TZ7C-462	201	238	< 1	0.02	25	370	< 2	< 5	< 10	56	0.19	< 10	< 10	70	5	66
TZ7C-463	201	238	< 1	0.01	28	430	4	< 5	< 10	49	0.13	< 10	< 10	60	5	77
TZ7C-464	201	238	< 1	0.01	23	480	2	< 5	< 10	43	0.14	< 10	< 10	54	5	72
TZ7C-465	201	238	< 1	0.02	19	450	< 2	< 5	< 10	49	0.13	< 10	< 10	55	10	62
TZ7C-466	201	238	< 1	0.02	21	200	< 2	< 5	< 10	54	0.17	< 10	< 10	59	5	51
TZ7C-467	201	238	< 1	0.03	15	230	< 2	< 5	< 10	48	0.16	< 10	< 10	55	5	42
TZ7C-468	201	238	< 1	0.01	16	200	2	< 5	< 10	58	0.16	< 10	< 10	60	5	40
TZ7C-469	201	238	< 1	0.02	15	170	2	< 5	< 10	50	0.16	< 10	< 10	57	5	44

CERTIFICATION : B. Cargill

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S. McALLISTER

Page No. : 1-A
Tot. Pages: 1
Date : 05-AUG-87
Invoice # : I-8718770
P.O. # : 36823

PROJECT FILE

CERTIFICATE OF ANALYSIS A8718770

SAMPLE DESCRIPTION	PREP CODE		Au ppb RUSH	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
SM7C-102	255	238	< 5	0.36	< 0.2	10	130	< 0.5	< 2	0.36	< 0.5	10	15	4	3.15	< 10	< 1	0.11	10	0.13	639
SM7C-103	255	238	< 5	0.21	< 0.2	20	20	< 0.5	< 2	0.08	< 0.5	1	94	10	0.80	< 10	< 1	0.14	10	0.01	156

CERTIFICATION : B. Cargill

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S. McALLISTER

Date : 05-AUG-87
Invoice # : I-8718770
P.O. # : 36823

CERTIFICATE OF ANALYSIS A8718770

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
SM7C-102	255	238	< 1	0.05	< 1	880	< 2	< 5	< 10	23	0.07	< 10	< 10	27	5	54
SM7C-103	255	238	25	< 0.01	1	80	< 2	< 5	< 10	7	< 0.01	< 10	< 10	4	< 5	6

CERTIFICATION : B Cauglin

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : MS80
Comments: CC: S. MCALLISTER

PROJECT FILE

Page No. : 1
Tot. Pages: 1
Date : 3-AUG-87
Invoice # : I-8718198
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718198

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA
TZ7C-049	214	--	< 5
JB7C-254	214	--	< 5
JB7C-256	214	--	10
JB7C-259	214	--	< 5
JB7C-260	214	--	95
TZ7C-173	214	--	< 5
JB7C-413	214	--	< 5
JB7C-414	214	--	< 5
JB7C-415	214	--	< 5
JB7C-416	214	--	< 5
JB7C-417	214	--	< 5
JB7C-418	214	--	< 5
JB7C-419	214	--	< 5
JB7C-420	214	--	< 5
JB7C-421	214	--	< 5
JB7C-422	214	--	< 5
JB7C-423	214	--	< 5
JB7C-426	214	--	< 5
JB7C-470	214	--	< 5
JB7C-477	214	--	< 5

CERTIFICATION : Hart Bichler

M580

NUCLEAR ACTIVATION SERVICES LIMITED

1280 MAIN STREET WEST, HAMILTON, ONTARIO, L8S 4K1

PHONE (416) 522-5665 TELEX 06-986947

CERTIFICATE OF ANALYSIS

PROJECT FILE

TO: CHEVRON CANADA RESOURCES LIMITED
ATTN: S. MCALLISTER
167 - B WILSON AVENUE
TIMMINS, ONTARIO
P4N 2T2

CUSTOMER NO. 511/01/03

DATE SUBMITTED
06-JUL-87

REPORT: 8376

FILE NUMBER: 10113

26 PREPARED SAMPLES

CFM# 87-419

WERE ANALYZED AS FOLLOWS:

ELEMENTS	DETECTION LIMIT	UNITS	METHOD	ELEMENTS	DETECTION LIMIT	UNITS	METHOD
AS	1.0000	PPM	INAA	SB	0.2000	PPM	INAA
AU	5.0000	PPB	INAA	SC	10.0000	PPM	INAA
BA	300.0000	PPM	INAA	TA	10.0000	PPM	INAA
CO	100.0000	PPM	INAA	TH	10.0000	PPM	INAA
CR	0.0500	%	INAA	U	2.0000	PPM	INAA
FE	5.0000	%	INAA	W	4.0000	PPM	INAA
MO	5.0000	PPM	INAA	LA	10.0000	PPM	INAA

DATE 24-JUL-87

NUCLEAR ACTIVATION SERVICES LIMITED

CERTIFIED BY ....

*** UNLESS INSTRUCTED OTHERWISE WE WILL DISCARD ALL SAMPLES ***
IRRADIATED SAMPLES AFTER 30 DAYS. ANY OTHER MATERIAL AFTER 120 DAYS.

NUCLEAR ACTIVATION SERVICES LIMITED

DATE: 24-JUL-87 REPORT: 8376 FILE NUMBER: 10113 PAGE: 1

S A M P L E N U M B E R S

ELEMENT & UNITS		!280DTZ7C-0**1-60+150HN	**281DTZ7C-0**2-60+150HN	**282DTZ7C-0**3-60+150HN	**283DTZ7C-0**4-60+150HN	**284DTZ7C-0**5-60+150HN	**285DTZ7C-**6-60+150H
AS	PPM	11	10	5	16	6	6
AU	PPB	310	670	<6	<12	<15	<6
BA	PPM	600	300	<300	<300	700	<300
CO	PPM	<100	<100	<100	<100	<100	<100
CR	%	0.06	0.10	0.06	0.15	0.13	0.21
FE	%	5	6	5	18	7	17
MO	PPM	<5	<5	<5	<5	<5	<5
SB	PPM	1.4	2.7	2.2	3.6	2.1	1.6
SC	PPM	50	70	50	60	60	60
TA	PPM	<10	<10	10	<10	10	<10
TH	PPM	30	30	20	20	50	10
U	PPM	30	23	14	6	43	4
W	PPM	15	<4	5	8	6	<4
LA	PPM	130	110	90	210	270	60

NUCLEAR ACTIVATION SERVICES LIMITED

S A M P L E   N U M B E R S

ELEMENT & UNITS		286DTZ7C-0 7-60+150HN	287DTZ7C-0 8-60+150HN	288DTZ7C-0 9-60+150HN	289DTZ7C-1 0-60+150HN	290DTZ7C-1 1-60+150HN	291DTZ7C- 2-60+150H
AS	PPM	3	4	4	4	<1	1
AU	PPB	2200	6600	<17	11000	1900	3500
BA	PPM	300	<400	<300	300	<300	<300
CO	PPM	<100	<100	<100	<100	<100	<100
CR	%	0.15	0.19	0.18	0.10	<0.05	0.10
FE	%	5	11	10	5	<5	5
MO	PPM	<5	<5	<6	<5	<5	<5
SB	PPM	3.1	1.1	2.2	1.6	<0.2	0.9
SC	PPM	60	70	70	60	10	50
TA	PPM	<10	<10	<10	10	<10	<10
TH	PPM	10	10	10	30	<10	10
U	PPM	7	7	9	19	2	8
W	PPM	<4	<4	<4	4	<4	<4
LA	PPM	50	60	80	110	10	40

NUCLEAR ACTIVATION SERVICES LIMITED

DATE: 24-JUL-87 REPORT: 8376 FILE NUMBER: 10113

SAMPLE NUMBERS

ELEMENT & UNITS		!292DTZ7C-1** !3-60+150HN**	293D TZ7C** -01-150HN**	294D TZ7C** -02-150HN**	295D TZ7C** -03-150HN**	296D TZ7C** -04-150HN**	297D TZ7 * -05-150H *
AS	PPM	3	----	----	----	----	----
AU	PPB	6300	2300	4100	4300	10000	<5
BA	PPM	<500	----	----	----	----	----
CO	PPM	<100	----	----	----	----	----
CR	%	0.15	----	----	----	----	----
FE	%	8	----	----	----	----	----
MO	PPM	<5	----	----	----	----	----
SB	PPM	1.6	----	----	----	----	----
SC	PPM	60	----	----	----	----	----
TA	PPM	10	----	----	----	----	----
TH	PPM	20	----	----	----	----	----
U	PPM	11	----	----	----	----	----
W	PPM	5	----	----	----	----	----
LA	PPM	80	----	----	----	----	----

NUCLEAR ACTIVATION SERVICES LIMITED

DATE: 24-JUL-87 REPORT: 8376 FILE NUMBER: 10113 PAGE: 4

S A M P L E   N U M B E R S

ELEMENT & UNITS		298D TZ7C** -06-150HN**	299D TZ7C** -07-150HN**	300D TZ7C** -08-150HN**	301D TZ7C** -09-150HN**	302D TZ7C** -10-150HN**	303D TZ7 * -11-150H *
AS	PPM	----	----	----	----	----	----
AU	PPB	2800	2400	2300	1500	4600	17000
BA	PPM	----	----	----	----	----	----
CO	PPM	----	----	----	----	----	----
CR	%	----	----	----	----	----	----
FE	%	----	----	----	----	----	----
MO	PPM	----	----	----	----	----	----
SB	PPM	----	----	----	----	----	----
SC	PPM	----	----	----	----	----	----
TA	PPM	----	----	----	----	----	----
TH	PPM	----	----	----	----	----	----
U	PPM	----	----	----	----	----	----
W	PPM	----	----	----	----	----	----
LA	PPM	----	----	----	----	----	----

NUCLEAR ACTIVATION SERVICES LIMITED

DATE: 24-JUL-87 REPORT: 8376 FILE NUMBER: 10113 PAGE: 5

SAMPLE NUMBERS

ELEMENT & UNITS		! 304D TZ7C** -12-15OHN**	305D TZ7C** -13-15OHN**
AS	PPM	- - - -	- - - -
AU	PPB	5000	5000
BA	PPM	- - - -	- - - -
CO	PPM	- - - -	- - - -
CR	%	.- - - -	- - - -
FE	%	- - - -	- - - -
MO	PPM	- - - -	- - - -
SB	PPM	- - - -	- - - -
SC	PPM	- - - -	- - - -
TA	PPM	- - - -	- - - -
TH	PPM	- - - -	- - - -
U	PPM	- - - -	- - - -
W	PPM	- - - -	- - - -
LA	PPM	- - - -	- - - -

EXPLANATION OF CODES

- - - - - - NOT REQUESTED

VARIABLE DETECTION LIMITS DUE TO SAMPLE COMPOSITION

C.F. MINERAL RESEARCH LTD.
263 LAKE AVENUE
KELOWNA, BRITISH COLUMBIA
CANADA V1Y 5W6

TEL(604)763-1815
(604)860-8525

CHEVRON CANADA RESOURCES LIMITED
S. MCALLISTER
30/06/87

C.F.M.87-419

CODE	SAMPLE NO.	FRACTION	VIAL WEIGHT (GMS)
280D	TZ7C-1	-60+150HN	7.324
281D	TZ7C-2	-60+150HN	16.465
282D	TZ7C-3	-60+150HN	1.651
283D	TZ7C-4	-60+150HN	5.094
284D	TZ7C-5	-60+150HN	0.300
285D	TZ7C-6	-60+150HN	23.764
286D	TZ7C-7	-60+150HN	25.668
287D	TZ7C-8	-60+150HN	4.670
288D	TZ7C-9	-60+150HN	2.519
289D	TZ7C-10	-60+150HN	1.617
290D	TZ7C-11	-60+150HN	19.945
291D	TZ7C-12	-60+150HN	7.243
292D	TZ7C-13	-60+150HN	4.054
293D	TZ7C-1	-150HN	2.558
294D	TZ7C-2	-150HN	5.366
295D	TZ7C-3	-150HN	0.887
296D	TZ7C-4	-150HN	1.132
297D	TZ7C-5	-150HN	0.343
298D	TZ7C-6	-150HN	3.151
299D	TZ7C-7	-150HN	3.287
300D	TZ7C-8	-150HN	2.373
301D	TZ7C-9	-150HN	1.359
302D	TZ7C-10	-150HN	1.708
303D	TZ7C-11	-150HN	14.092
304D	TZ7C-12	-150HN	4.289
305D	TZ7C-13	-150HN	2.994

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S. MCALLISTER

Date : 9-JUL-87
Invoice # : I-8716983
P.O. # : 27047

PROJECT FILE

CERTIFICATE OF ANALYSIS A8716983

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
JB 7C 372	201	238	< 5	1.11	< 0.2	< 5	80	< 0.5	< 2	0.27	< 0.5	4	22	8	1.59	< 10	2	0.04	10	0.21	203
JB 7C 373	201	238	< 5	1.90	< 0.2	< 5	100	< 0.5	< 2	0.24	< 0.5	8	24	11	2.21	< 10	< 1	0.04	< 10	0.21	241
JB 7C 374	201	238	< 5	1.66	< 0.2	< 5	110	< 0.5	< 2	0.24	0.5	5	25	11	2.15	< 10	1	0.06	10	0.22	386
JB 7C 375	201	238	< 5	1.23	< 0.2	< 5	110	< 0.5	< 2	0.26	< 0.5	4	23	11	1.90	< 10	2	0.06	10	0.22	186
JB 7C 376	201	238	< 5	1.50	< 0.2	< 5	90	< 0.5	< 2	0.23	< 0.5	5	25	10	1.98	< 10	1	0.05	10	0.24	236
JB 7C 377	201	238	< 5	1.66	< 0.2	< 5	100	< 0.5	< 2	0.24	< 0.5	5	23	10	2.08	< 10	< 1	0.05	10	0.21	[illegible]
JB 7C 378	201	238	< 5	1.32	< 0.2	5	80	< 0.5	< 2	0.24	< 0.5	4	21	8	1.80	< 10	< 1	0.05	10	0.23	226
JB 7C 379	201	238	< 5	2.73	< 0.2	< 5	110	< 0.5	< 2	0.40	< 0.5	10	33	19	2.78	< 10	1	0.09	10	0.47	402
JB 7C 380	201	238	< 5	1.08	< 0.2	< 5	100	< 0.5	< 2	0.28	< 0.5	4	21	8	1.49	< 10	< 1	0.06	10	0.27	173
JB 7C 381	201	238	< 5	1.47	< 0.2	< 5	80	< 0.5	< 2	0.27	< 0.5	6	20	9	1.91	< 10	< 1	0.05	10	0.28	349
JB 7C 382	201	238	< 5	1.77	< 0.2	< 5	90	< 0.5	< 2	0.25	< 0.5	6	24	10	2.01	< 10	< 1	0.04	10	0.25	214
JB 7C 383	201	238	< 5	2.56	< 0.2	< 5	120	< 0.5	< 2	0.22	< 0.5	8	29	11	2.32	< 10	< 1	0.07	< 10	0.26	342
JB 7C 384	201	238	< 5	2.02	< 0.2	< 5	110	< 0.5	< 2	0.26	< 0.5	9	22	9	2.10	< 10	< 1	0.04	10	0.24	464
JB 7C 385	201	238	< 5	1.93	< 0.2	< 5	90	< 0.5	< 2	0.26	< 0.5	6	22	10	2.04	< 10	< 1	0.04	10	0.28	331
JB 7C 386	201	238	< 5	2.43	< 0.2	< 5	110	< 0.5	< 2	0.44	< 0.5	8	32	16	2.72	< 10	< 1	0.09	10	0.47	304
JB 7C 387	201	238	< 5	2.40	< 0.2	< 5	140	0.5	< 2	0.50	< 0.5	9	29	19	2.58	< 10	1	0.08	20	0.40	653
JB 7C 388	201	238	< 5	3.34	< 0.2	< 5	180	< 0.5	< 2	0.26	< 0.5	11	27	14	2.64	< 10	< 1	0.09	10	0.31	400
JB 7C 389	201	238	< 5	2.31	< 0.2	< 5	130	< 0.5	< 2	0.28	< 0.5	9	33	13	2.70	< 10	1	0.07	10	0.27	244
JB 7C 390	201	238	< 5	3.54	< 0.2	< 5	210	< 0.5	< 2	0.32	< 0.5	11	33	16	3.17	< 10	< 1	0.08	10	0.37	389
JB 7C 391	201	238	< 5	3.34	< 0.2	< 5	170	< 0.5	< 2	0.24	< 0.5	11	29	12	2.72	< 10	< 1	0.08	< 10	0.31	393
JB 7C 392	201	238	< 5	1.56	< 0.2	< 5	90	< 0.5	< 2	0.29	< 0.5	5	24	11	1.97	< 10	< 1	0.05	10	0.28	273
JB 7C 393	201	238	< 5	2.53	< 0.2	< 5	120	< 0.5	< 2	0.46	< 0.5	11	31	17	2.68	< 10	5	0.09	10	0.43	537
JB 7C 394	201	238	< 5	1.27	< 0.2	< 5	80	< 0.5	< 2	0.25	< 0.5	5	20	9	1.71	< 10	1	0.05	< 10	0.28	211
JB 7C 395	201	238	< 5	1.46	< 0.2	< 5	90	< 0.5	< 2	0.26	< 0.5	5	23	10	2.01	< 10	< 1	0.04	10	0.30	331
JB 7C 396	201	238	< 5	1.62	< 0.2	10	90	< 0.5	< 2	0.21	< 0.5	8	23	11	2.33	< 10	4	0.04	< 10	0.20	169
JB 7C 397	201	238	< 5	1.58	< 0.2	< 5	90	< 0.5	< 2	0.20	< 0.5	5	21	10	2.31	< 10	< 1	0.05	< 10	0.19	[illegible]
JB 7C 398	201	238	< 5	1.84	< 0.2	< 5	110	< 0.5	< 2	0.22	< 0.5	8	26	9	2.11	< 10	< 1	0.04	< 10	0.26	175
JB 7C 399	201	238	< 5	1.33	< 0.2	< 5	120	< 0.5	< 2	0.28	< 0.5	7	28	13	2.46	< 10	< 1	0.08	10	0.26	252
JB 7C 400	201	238	< 5	2.34	< 0.2	< 5	120	< 0.5	< 2	0.19	< 0.5	11	29	9	2.26	< 10	< 1	0.06	< 10	0.24	494
JB 7C 401	201	238	< 5	1.37	< 0.2	< 5	100	< 0.5	< 2	0.24	< 0.5	5	25	10	1.97	< 10	< 1	0.04	< 10	0.22	230
JB 7C 402	201	238	< 5	1.95	< 0.2	< 5	120	< 0.5	< 2	0.25	< 0.5	9	30	12	2.38	< 10	2	0.05	10	0.24	356
JB 7C 403	201	238	< 5	3.51	< 0.2	< 5	160	< 0.5	< 2	0.35	< 0.5	9	9	10	4.11	< 10	< 1	0.10	10	0.34	520
JB 7C 404	201	238	< 5	2.70	2.6	< 5	160	< 0.5	< 2	0.25	< 0.5	9	20	9	2.15	< 10	< 1	0.07	< 10	0.23	293
JB 7C 405	201	238	< 5	3.69	< 0.2	10	110	< 0.5	< 2	0.30	< 0.5	13	21	19	3.54	< 10	< 1	0.05	10	0.60	630
JB 7C 406	201	238	< 5	2.12	< 0.2	< 5	110	< 0.5	< 2	0.38	< 0.5	7	24	11	2.27	< 10	< 1	0.07	10	0.31	312
JB 7C 407	201	238	< 5	1.30	< 0.2	< 5	90	< 0.5	< 2	0.20	< 0.5	5	17	7	1.68	< 10	1	0.03	< 10	0.18	224
JB 7C 408	201	238	< 5	1.37	< 0.2	< 5	80	< 0.5	< 2	0.33	< 0.5	6	25	10	1.94	< 10	< 1	0.06	10	0.27	256
JB 7C 409	201	238	< 5	1.01	< 0.2	< 5	70	< 0.5	< 2	0.25	< 0.5	3	18	7	1.33	< 10	< 1	0.04	< 10	0.20	123
JB 7C 410	201	238	< 5	1.06	< 0.2	< 5	110	< 0.5	< 2	0.26	< 0.5	3	18	9	1.52	< 10	< 1	0.05	< 10	0.24	164
JB 7C 411	201	238	< 5	1.11	< 0.2	< 5	100	< 0.5	< 2	0.24	< 0.5	4	23	8	1.49	< 10	< 1	0.06	10	0.25	152

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S. MCALLISTER

Date : 9-JUL-87
Invoice # : I-8716983
P.O. # : 27047

CERTIFICATE OF ANALYSIS A8716983

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
JB 7C 372	201	238	< 1	0.02	7	120	2	< 5	< 10	46	0.18	< 10	< 10	44	< 5	26
JB 7C 373	201	238	< 1	0.01	14	190	< 2	< 5	< 10	43	0.19	< 10	< 10	54	< 5	38
JB 7C 374	201	238	< 1	0.01	15	130	< 2	< 5	< 10	44	0.17	< 10	< 10	56	< 5	36
JB 7C 375	201	238	< 1	0.01	12	140	2	< 5	< 10	57	0.18	< 10	< 10	50	< 5	31
JB 7C 376	201	238	< 1	0.01	15	150	4	< 5	< 10	40	0.18	< 10	< 10	51	< 5	36
JB 7C 377	201	238	< 1	0.01	15	170	2	< 5	< 10	43	0.18	< 10	< 10	54	< 5	35
JB 7C 378	201	238	< 1	0.01	11	150	8	< 5	< 10	38	0.17	< 10	< 10	47	< 5	41
JB 7C 379	201	238	< 1	0.02	21	410	< 2	< 5	< 10	56	0.12	< 10	< 10	58	< 5	51
JB 7C 380	201	238	< 1	0.01	9	150	< 2	< 5	< 10	56	0.16	< 10	< 10	39	< 5	28
JB 7C 381	201	238	< 1	0.02	12	200	< 2	< 5	< 10	40	0.14	< 10	< 10	52	< 5	41
JB 7C 382	201	238	< 1	0.01	15	140	4	< 5	< 10	46	0.18	< 10	< 10	49	< 5	39
JB 7C 383	201	238	< 1	0.01	25	310	< 2	< 5	< 10	37	0.19	< 10	< 10	54	< 5	65
JB 7C 384	201	238	< 1	0.01	21	400	2	< 5	< 10	38	0.16	< 10	< 10	53	< 5	68
JB 7C 385	201	238	< 1	0.02	16	250	4	< 5	< 10	42	0.17	< 10	< 10	51	< 5	57
JB 7C 386	201	238	< 1	0.02	17	360	< 2	< 5	< 10	66	0.20	< 10	< 10	58	< 5	50
JB 7C 387	201	238	< 1	0.02	20	440	< 2	< 5	< 10	80	0.15	< 10	< 10	57	< 5	50
JB 7C 388	201	238	< 1	0.01	26	350	< 2	< 5	10	46	0.20	< 10	< 10	54	< 5	59
JB 7C 389	201	238	< 1	0.01	21	200	< 2	< 5	< 10	49	0.21	< 10	< 10	69	< 5	43
JB 7C 390	201	238	< 1	0.01	28	480	< 2	< 5	< 10	66	0.19	< 10	< 10	65	< 5	73
JB 7C 391	201	238	< 1	0.01	33	640	< 2	< 5	< 10	36	0.18	< 10	< 10	58	< 5	103
JB 7C 392	201	238	< 1	0.02	14	220	< 2	< 5	< 10	49	0.17	< 10	< 10	50	< 5	47
JB 7C 393	201	238	< 1	0.02	21	380	< 2	< 5	< 10	65	0.17	< 10	< 10	58	< 5	60
JB 7C 394	201	238	1	0.02	10	200	< 2	< 5	< 10	46	0.14	< 10	< 10	44	< 5	34
JB 7C 395	201	238	< 1	0.02	15	200	< 2	< 5	< 10	45	0.17	< 10	< 10	52	< 5	51
JB 7C 396	201	238	< 1	0.01	13	450	4	< 5	< 10	35	0.16	< 10	< 10	55	< 5	51
JB 7C 397	201	238	< 1	0.01	14	420	< 2	< 5	< 10	34	0.16	< 10	< 10	55	< 5	53
JB 7C 398	201	238	< 1	0.01	22	410	< 2	< 5	< 10	36	0.16	< 10	< 10	50	< 5	62
JB 7C 399	201	238	< 1	0.01	16	190	< 2	< 5	< 10	56	0.19	< 10	< 10	63	< 5	40
JB 7C 400	201	238	< 1	0.01	28	500	2	< 5	< 10	31	0.16	< 10	< 10	53	< 5	77
JB 7C 401	201	238	< 1	0.02	13	160	< 2	< 5	< 10	46	0.18	< 10	< 10	51	< 5	36
JB 7C 402	201	238	< 1	0.02	18	130	< 2	< 5	< 10	50	0.19	< 10	< 10	59	< 5	41
JB 7C 403	201	238	< 1	0.01	7	400	< 2	< 5	< 10	61	0.16	< 10	< 10	55	< 5	51
JB 7C 404	201	238	< 1	0.01	21	360	< 2	< 5	< 10	45	0.17	< 10	< 10	44	< 5	85
JB 7C 405	201	238	< 1	0.01	20	380	< 2	< 5	< 10	35	0.16	< 10	< 10	82	< 5	77
JB 7C 406	201	238	< 1	0.01	19	310	< 2	< 5	< 10	55	0.17	< 10	< 10	51	< 5	50
JB 7C 407	201	238	1	0.02	10	170	2	< 5	< 10	37	0.15	< 10	< 10	44	< 5	43
JB 7C 408	201	238	< 1	0.02	13	180	6	< 5	< 10	53	0.17	< 10	< 10	47	< 5	53
JB 7C 409	201	238	< 1	0.02	8	80	2	< 5	< 10	45	0.12	< 10	< 10	32	< 5	24
JB 7C 410	201	238	< 1	0.02	8	110	4	< 5	< 10	60	0.15	< 10	< 10	35	< 5	27
JB 7C 411	201	238	< 1	0.01	9	100	< 2	< 5	< 10	56	0.14	< 10	< 10	37	< 5	31

CERTIFICATION : HartBichler

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S. MCALLISTER

Date : 9-JUL-87
Invoice # : I-8716983
P.O. # : 27047

CERTIFICATE OF ANALYSIS A8716983

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
JB 7C 412	201	238	< 5	1.38	< 0.2	< 5	120	< 0.5	< 2	0.23	< 0.5	6	15	10	1.94	< 10	1	0.06	< 10	0.23	494
JB 7C 413	201	238	15	1.84	< 0.2	< 5	130	< 0.5	< 2	0.37	< 0.5	9	22	15	2.23	< 10	< 1	0.09	10	0.39	1100
JB 7C 414	201	238	40	1.15	< 0.2	< 5	140	< 0.5	< 2	0.31	< 0.5	4	20	11	1.68	< 10	< 1	0.06	10	0.26	179
JB 7C 415	201	238	15	2.25	< 0.2	< 5	130	< 0.5	< 2	0.37	< 0.5	8	28	16	2.42	< 10	< 1	0.08	10	0.41	612
JB 7C 416	201	238	10	1.99	< 0.2	< 5	120	< 0.5	< 2	0.34	< 0.5	8	32	16	2.60	< 10	< 1	0.07	10	0.39	264
JB 7C 417	201	238	30	2.61	< 0.2	< 5	140	< 0.5	< 2	0.28	< 0.5	9	30	14	2.47	< 10	< 1	0.06	10	0.33	[illegible]
JB 7C 418	201	238	10	1.86	< 0.2	15	110	< 0.5	< 2	0.28	0.5	6	22	11	2.50	< 10	< 1	0.07	10	0.27	497
JB 7C 419	201	238	50	2.85	< 0.2	5	150	< 0.5	< 2	0.32	< 0.5	9	28	14	2.57	< 10	< 1	0.07	10	0.34	701
JB 7C 420	201	238	5	2.40	< 0.2	< 5	200	< 0.5	< 2	0.35	< 0.5	11	28	12	2.41	< 10	< 1	0.09	10	0.30	1530
JB 7C 421	201	238	35	1.67	< 0.2	< 5	160	< 0.5	< 2	0.23	< 0.5	7	20	9	2.13	< 10	< 1	0.08	< 10	0.22	939
JB 7C 422	201	238	20	1.39	< 0.2	< 5	130	< 0.5	< 2	0.26	< 0.5	6	23	12	1.94	< 10	< 1	0.06	10	0.25	224
JB 7C 423	201	238	10	1.45	< 0.2	< 5	140	< 0.5	< 2	0.32	< 0.5	5	25	12	2.08	< 10	< 1	0.06	10	0.26	268
JB 7C 424	201	238	< 5	2.01	< 0.2	< 5	110	< 0.5	< 2	0.24	< 0.5	9	21	11	2.37	< 10	2	0.10	10	0.28	818
JB 7C 425	201	238	< 5	1.91	< 0.2	< 5	160	< 0.5	< 2	0.33	< 0.5	6	33	12	2.21	< 10	< 1	0.05	10	0.33	330
JB 7C 426	201	238	15	1.88	< 0.2	< 5	130	< 0.5	< 2	0.31	< 0.5	7	26	12	2.08	< 10	2	0.06	10	0.30	290
JB 7C 427	201	238	5	1.53	< 0.2	< 5	150	< 0.5	< 2	0.31	< 0.5	6	24	10	1.89	< 10	< 1	0.07	10	0.26	463
JB 7C 428	201	238	< 5	1.55	< 0.2	< 5	150	< 0.5	< 2	0.31	< 0.5	6	23	11	1.86	< 10	1	0.08	10	0.26	599
JB 7C 429	201	238	< 5	1.12	< 0.2	< 5	80	< 0.5	< 2	0.19	< 0.5	4	17	7	1.43	< 10	< 1	0.04	< 10	0.24	212
JB 7C 430	201	238	< 5	2.30	< 0.2	< 5	170	< 0.5	< 2	0.41	< 0.5	9	27	20	2.42	< 10	1	0.11	10	0.48	815
JB 7C 431	201	238	< 5	1.83	< 0.2	5	180	< 0.5	< 2	0.56	< 0.5	10	22	20	2.40	< 10	< 1	0.14	20	0.47	476
JB 7C 432	201	238	< 5	2.05	< 0.2	< 5	210	< 0.5	< 2	0.72	< 0.5	12	27	25	2.63	< 10	< 1	0.17	20	0.47	822
JB 7C 433	201	238	< 5	1.41	< 0.2	< 5	190	< 0.5	< 2	0.51	< 0.5	5	22	15	1.88	< 10	< 1	0.12	10	0.37	226
JB 7C 434	201	238	5	2.31	< 0.2	< 5	120	< 0.5	< 2	0.38	< 0.5	8	29	16	2.27	< 10	3	0.07	10	0.43	447
JB 7C 435	201	238	< 5	1.55	< 0.2	< 5	100	< 0.5	< 2	0.30	< 0.5	5	23	12	1.98	< 10	< 1	0.05	10	0.31	257
JB 7C 436	201	238	< 5	1.74	< 0.2	< 5	110	< 0.5	< 2	0.26	< 0.5	6	29	12	2.03	< 10	< 1	0.05	10	0.30	200
JB 7C 437	201	238	< 5	2.10	< 0.2	< 5	110	< 0.5	< 2	0.28	< 0.5	7	25	13	2.19	< 10	1	0.05	10	0.31	[illegible]
JB 7C 438	201	238	< 5	3.02	< 0.2	< 5	120	< 0.5	< 2	0.33	< 0.5	8	30	16	2.38	< 10	< 1	0.06	10	0.45	418
JB 7C 439	201	238	< 5	2.86	< 0.2	5	120	0.5	< 2	0.30	< 0.5	9	27	17	2.19	< 10	2	0.07	10	0.37	546
JB 7C 441	201	238	< 5	3.08	< 0.2	< 5	160	< 0.5	< 2	0.15	< 0.5	4	15	20	1.87	< 10	1	0.06	< 10	0.17	257
JB 7C 442	201	238	< 5	2.70	< 0.2	< 5	140	< 0.5	< 2	0.19	< 0.5	8	21	15	2.31	< 10	< 1	0.06	10	0.28	738
JB 7C 443	201	238	< 5	3.23	< 0.2	< 5	110	< 0.5	< 2	0.22	< 0.5	8	15	16	2.17	< 10	< 1	0.06	< 10	0.27	384
JB 7C 444	201	238	< 5	2.55	< 0.2	5	150	< 0.5	< 2	0.22	< 0.5	5	17	15	2.31	< 10	< 1	0.06	< 10	0.26	205
JB 7C 445	201	238	< 5	2.57	< 0.2	5	150	< 0.5	< 2	0.24	< 0.5	9	23	15	2.65	< 10	< 1	0.07	< 10	0.31	259
JB 7C 446	201	238	< 5	2.16	< 0.2	10	120	< 0.5	< 2	0.28	< 0.5	6	17	20	2.67	< 10	< 1	0.07	< 10	0.33	307
JB 7C 447	201	238	< 5	3.80	< 0.2	< 5	160	< 0.5	< 2	0.44	< 0.5	21	28	24	3.20	< 10	2	0.13	10	0.55	1800
JB 7C 448	201	238	< 5	1.44	< 0.2	< 5	140	< 0.5	< 2	0.31	< 0.5	4	18	15	1.85	< 10	< 1	0.10	10	0.30	183
JB 7C 449	201	238	< 5	4.38	< 0.2	5	270	3.5	< 2	0.92	< 0.5	19	32	85	3.94	< 10	2	0.20	80	0.70	1140
JB 7C 450	201	238	< 5	4.45	< 0.2	< 5	210	< 0.5	< 2	0.30	< 0.5	10	23	15	2.79	< 10	< 1	0.12	10	0.28	467
JB 7C 451	201	238	< 5	1.86	< 0.2	< 5	70	1.0	< 2	0.32	< 0.5	8	16	17	2.00	< 10	< 1	0.09	20	0.27	764
JB 7C 452	201	238	< 5	2.04	< 0.2	< 5	60	3.0	< 2	0.69	< 0.5	8	21	43	2.26	< 10	< 1	0.15	40	0.39	282

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M580
Comments: CC: S. MCALLISTER

Page No. : 2-B
Tot. Pages: 8
Date : 9-JUL-87
Invoice # : I-8716983
P.O. # : 27047

CERTIFICATE OF ANALYSIS A8716983

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
JB 7C 412	201	238	< 1	0.01	9	230	14	< 5	< 10	47	0.13	< 10	< 10	47	< 5	35
JB 7C 413	201	238	< 1	0.02	18	400	6	< 5	< 10	66	0.10	< 10	< 10	56	< 5	50
JB 7C 414	201	238	< 1	0.01	9	170	< 2	< 5	< 10	81	0.15	< 10	< 10	46	< 5	28
JB 7C 415	201	238	< 1	0.01	21	400	< 2	5	< 10	58	0.14	< 10	< 10	58	< 5	62
JB 7C 416	201	238	< 1	0.01	19	300	< 2	< 5	< 10	65	0.16	< 10	< 10	66	< 5	51
JB 7C 417	201	238	< 1	0.01	22	350	< 2	< 5	< 10	50	0.15	< 10	< 10	59	< 5	55
JB 7C 418	201	238	< 1	0.01	12	240	< 2	< 5	< 10	53	0.15	< 10	< 10	53	< 5	56
JB 7C 419	201	238	< 1	0.01	26	340	< 2	< 5	< 10	59	0.14	< 10	< 10	59	< 5	67
JB 7C 420	201	238	< 1	0.01	23	630	2	< 5	< 10	57	0.14	< 10	< 10	57	< 5	81
JB 7C 421	201	238	< 1	0.01	15	230	< 2	< 5	< 10	44	0.14	< 10	< 10	53	< 5	51
JB 7C 422	201	238	< 1	0.01	15	150	4	< 5	< 10	54	0.13	< 10	< 10	52	< 5	35
JB 7C 423	201	238	< 1	0.01	18	170	2	< 5	< 10	74	0.16	< 10	< 10	58	< 5	37
JB 7C 424	201	238	< 1	0.01	15	370	< 2	< 5	< 10	39	0.13	< 10	< 10	53	< 5	63
JB 7C 425	201	238	< 1	0.01	21	180	2	< 5	< 10	84	0.17	< 10	< 10	58	< 5	43
JB 7C 426	201	238	< 1	0.01	19	200	< 2	< 5	< 10	62	0.16	< 10	< 10	55	< 5	52
JB 7C 427	201	238	< 1	0.01	15	210	< 2	< 5	< 10	56	0.16	< 10	< 10	50	< 5	39
JB 7C 428	201	238	< 1	0.01	15	250	< 2	< 5	< 10	55	0.15	< 10	< 10	49	< 5	42
JB 7C 429	201	238	< 1	0.02	11	200	< 2	< 5	< 10	33	0.11	< 10	< 10	40	< 5	35
JB 7C 430	201	238	< 1	0.01	21	360	< 2	< 5	< 10	79	0.08	< 10	< 10	52	< 5	54
JB 7C 431	201	238	< 1	0.02	16	570	< 2	< 5	< 10	77	0.07	< 10	< 10	46	< 5	40
JB 7C 432	201	238	< 1	0.02	22	840	< 2	< 5	< 10	87	0.09	< 10	< 10	54	< 5	58
JB 7C 433	201	238	< 1	0.02	11	550	< 2	< 5	< 10	90	0.09	< 10	< 10	45	< 5	34
JB 7C 434	201	238	< 1	0.01	21	330	< 2	< 5	< 10	62	0.15	< 10	< 10	54	< 5	56
JB 7C 435	201	238	< 1	0.01	14	210	4	< 5	< 10	55	0.15	< 10	< 10	53	< 5	44
JB 7C 436	201	238	< 1	0.01	19	220	2	< 5	< 10	48	0.16	< 10	< 10	52	< 5	51
JB 7C 437	201	238	< 1	0.01	18	330	2	< 5	< 10	49	0.14	< 10	< 10	55	< 5	54
JB 7C 438	201	238	1	0.01	21	380	4	< 5	< 10	56	0.12	< 10	< 10	52	< 5	62
JB 7C 439	201	238	< 1	0.02	21	400	< 2	< 5	< 10	46	0.12	< 10	< 10	54	< 5	60
JB 7C 441	201	238	< 1	0.01	14	410	< 2	< 5	< 10	24	0.14	< 10	< 10	49	< 5	56
JB 7C 442	201	238	< 1	0.01	19	380	< 2	< 5	< 10	33	0.14	< 10	< 10	56	< 5	77
JB 7C 443	201	238	1	0.01	17	440	< 2	< 5	< 10	28	0.11	< 10	< 10	66	< 5	68
JB 7C 444	201	238	< 1	0.01	13	420	< 2	< 5	< 10	42	0.14	< 10	< 10	51	< 5	48
JB 7C 445	201	238	< 1	0.01	15	540	< 2	< 5	< 10	38	0.13	< 10	< 10	58	< 5	97
JB 7C 446	201	238	< 1	0.01	10	350	6	< 5	< 10	44	0.14	< 10	< 10	60	< 5	52
JB 7C 447	201	238	< 1	0.02	22	660	2	< 5	< 10	68	0.09	< 10	< 10	66	< 5	60
JB 7C 448	201	238	< 1	0.02	9	250	2	< 5	< 10	59	0.13	< 10	< 10	47	< 5	28
JB 7C 449	201	238	< 1	0.02	37	1100	< 2	< 5	< 10	99	0.10	< 10	< 10	70	< 5	53
JB 7C 450	201	238	< 1	0.01	29	900	< 2	< 5	< 10	37	0.16	< 10	< 10	51	< 5	107
JB 7C 451	201	238	< 1	0.02	13	360	< 2	< 5	< 10	28	0.12	< 10	< 10	56	< 5	41
JB 7C 452	201	238	< 1	0.02	16	540	8	< 5	< 10	20	0.10	< 10	< 10	53	< 5	37

CERTIFICATION : HartBichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M580
Comments: CC: S. MCALLISTER

Date : 9-JUL-87
Invoice # : I-8716983
P.O. # : 27047

CERTIFICATE OF ANALYSIS A8716983

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
JB 7C 453	201	238	< 5	2.08	< 0.2	< 5	170	< 0.5	< 2	0.32	< 0.5	6	18	14	2.47	< 10	< 1	0.09	10	0.28	135
JB 7C 454	201	238	< 5	1.75	< 0.2	< 5	120	< 0.5	< 2	0.23	< 0.5	6	18	9	1.91	< 10	2	0.07	< 10	0.25	501
JB 7C 455	201	238	< 5	1.47	< 0.2	< 5	100	< 0.5	< 2	0.22	< 0.5	5	17	9	1.78	< 10	< 1	0.05	< 10	0.25	199
JB 7C 456	201	238	< 5	1.28	< 0.2	< 5	130	< 0.5	< 2	0.26	< 0.5	5	16	10	1.75	< 10	3	0.06	10	0.23	206
JB 7C 457	201	238	< 5	1.44	< 0.2	< 5	100	< 0.5	< 2	0.21	< 0.5	5	19	8	1.61	< 10	< 1	0.05	< 10	0.22	205
JB 7C 458	201	238	< 5	1.63	< 0.2	< 5	130	< 0.5	< 2	0.24	< 0.5	4	21	9	1.68	< 10	3	0.06	< 10	0.22	[illegible]
JB 7C 459	201	238	< 5	1.64	< 0.2	< 5	130	< 0.5	< 2	0.25	< 0.5	4	19	10	1.68	< 10	< 1	0.06	10	0.22	155
JB 7C 460	201	238	< 5	1.30	< 0.2	< 5	120	< 0.5	< 2	0.20	< 0.5	4	14	8	1.43	< 10	< 1	0.06	10	0.17	149
JB 7C 461	201	238	< 5	0.92	< 0.2	< 5	120	< 0.5	< 2	0.17	< 0.5	10	22	9	2.02	< 10	1	0.06	< 10	0.17	2190
JB 7C 462	201	238	< 5	2.77	< 0.2	< 5	160	< 0.5	< 2	0.29	0.5	10	21	15	3.02	< 10	< 1	0.09	10	0.29	420
JB 7C 463	201	238	< 5	3.26	< 0.2	< 5	130	< 0.5	< 2	0.24	< 0.5	11	27	17	3.07	< 10	< 1	0.07	< 10	0.31	268
JB 7C 464	201	238	< 5	2.72	< 0.2	< 5	180	< 0.5	< 2	0.36	< 0.5	9	21	11	2.64	< 10	< 1	0.10	10	0.38	463
JB 7C 465	201	238	< 5	2.49	< 0.2	< 5	250	< 0.5	< 2	0.26	< 0.5	7	17	11	2.08	< 10	< 1	0.17	10	0.21	176
JB 7C 466	201	238	< 5	3.77	< 0.2	< 5	200	< 0.5	< 2	0.54	0.5	14	30	24	3.58	< 10	< 1	0.18	10	0.67	552
JB 7C 467	201	238	< 5	3.69	< 0.2	< 5	180	< 0.5	< 2	0.58	0.5	24	28	28	3.79	< 10	< 1	0.16	20	0.68	1195
JB 7C 468	201	238	< 5	1.34	< 0.2	< 5	140	< 0.5	< 2	0.30	< 0.5	5	19	11	1.70	< 10	< 1	0.07	10	0.30	183
JB 7C 469	201	238	< 5	1.95	< 0.2	< 5	120	< 0.5	< 2	0.46	< 0.5	7	26	18	2.28	< 10	< 1	0.11	20	0.43	733
JB 7C 470	201	238	50	2.00	< 0.2	5	200	< 0.5	< 2	0.43	< 0.5	8	58	16	2.47	< 10	< 1	0.13	10	0.44	303
JB 7C 471	201	238	< 5	2.35	< 0.2	< 5	130	< 0.5	< 2	0.41	< 0.5	5	29	13	2.21	< 10	< 1	0.11	10	0.39	469
JB 7C 472	201	238	< 5	2.38	< 0.2	< 5	70	< 0.5	< 2	0.43	< 0.5	6	20	23	2.48	< 10	1	0.10	20	0.46	283
JB 7C 473	201	238	< 5	3.26	< 0.2	10	470	< 0.5	< 2	1.14	< 0.5	20	13	25	3.68	< 10	< 1	0.49	20	1.01	967
JB 7C 474	201	238	< 5	1.88	< 0.2	< 5	130	< 0.5	< 2	0.27	< 0.5	6	22	10	1.98	< 10	< 1	0.07	10	0.27	443
JB 7C 475	201	238	< 5	2.00	< 0.2	< 5	120	< 0.5	< 2	0.22	< 0.5	7	21	7	1.88	< 10	1	0.06	< 10	0.25	574
JB 7C 476	201	238	< 5	2.25	< 0.2	< 5	110	< 0.5	< 2	0.22	< 0.5	6	21	9	2.11	< 10	< 1	0.07	< 10	0.24	386
JB 7C 477	201	238	110	3.38	< 0.2	< 5	160	< 0.5	< 2	0.19	< 0.5	9	27	10	2.46	< 10	1	0.07	< 10	0.28	295
JB 7C 478	201	238	< 5	2.65	< 0.2	< 5	150	< 0.5	< 2	0.25	< 0.5	9	26	10	2.28	< 10	< 1	0.06	10	0.26	[illegible]
JB 7C 479	201	238	< 5	3.42	< 0.2	< 5	240	< 0.5	< 2	0.32	0.5	6	18	9	1.80	< 10	3	0.36	10	0.19	186
JB 7C 480	201	238	< 5	1.80	< 0.2	< 5	110	< 0.5	< 2	0.29	< 0.5	4	16	6	1.44	< 10	< 1	0.28	10	0.14	219
JB 7C 481	201	238	< 5	2.11	< 0.2	< 5	130	< 0.5	< 2	0.55	< 0.5	6	6	17	1.90	< 10	2	0.14	10	0.47	229
JB 7C 482	201	238	< 5	2.33	< 0.2	< 5	150	< 0.5	< 2	0.70	< 0.5	9	28	28	2.73	< 10	1	0.12	20	0.52	304
JB 7C 483	201	238	< 5	2.12	< 0.2	< 5	150	< 0.5	< 2	0.53	< 0.5	8	8	17	2.50	< 10	< 1	0.11	10	0.25	510
JB 7C 484	201	238	< 5	1.94	< 0.2	< 5	100	< 0.5	< 2	0.26	< 0.5	5	9	11	2.09	< 10	< 1	0.06	< 10	0.22	441
JB 7C 485	201	238	< 5	1.71	< 0.2	< 5	60	< 0.5	< 2	0.40	< 0.5	3	8	14	1.52	< 10	1	0.06	10	0.20	225
JB 7C 486	201	238	< 5	2.27	< 0.2	< 5	160	< 0.5	< 2	0.46	< 0.5	6	8	15	1.88	< 10	2	0.07	< 10	0.40	223
JB 7C 487	201	238	< 5	2.28	< 0.2	< 5	120	< 0.5	2	0.52	< 0.5	10	30	18	2.46	< 10	< 1	0.16	10	0.46	305
JB 7C 488	201	238	< 5	1.68	< 0.2	< 5	110	< 0.5	< 2	0.37	0.5	8	18	15	2.12	< 10	2	0.15	< 10	0.32	373
JB 7C 489	201	238	< 5	1.79	< 0.2	20	60	< 0.5	4	0.31	< 0.5	6	7	13	1.71	< 10	1	0.07	< 10	0.29	405
JB 7C 490	201	238	< 5	1.76	< 0.2	< 5	70	< 0.5	< 2	0.32	< 0.5	6	7	13	1.71	< 10	< 1	0.06	< 10	0.29	379
JB 7C 491	201	238	< 5	1.99	< 0.2	< 5	140	< 0.5	< 2	0.37	< 0.5	4	10	8	1.64	< 10	3	0.06	< 10	0.21	264
JB 7C 492	201	238	< 5	1.31	< 0.2	< 5	70	< 0.5	< 2	0.23	< 0.5	4	11	10	1.93	< 10	< 1	0.07	< 10	0.18	309

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M580

Comments: CC: S. MCALLISTER

Date : 9-JUL-87
Invoice # : I-8716983
P.O. # : 27047

CERTIFICATE OF ANALYSIS A8716983

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
JB 7C 453	201	238	< 1	0.01	11	770	< 2	< 5	< 10	47	0.11	< 10	< 10	50	< 5	34
JB 7C 454	201	238	< 1	0.01	13	270	8	< 5	< 10	34	0.12	< 10	< 10	45	< 5	56
JB 7C 455	201	238	< 1	0.01	12	250	2	< 5	< 10	34	0.12	< 10	< 10	46	< 5	48
JB 7C 456	201	238	< 1	0.01	10	170	< 2	< 5	< 10	51	0.12	< 10	< 10	45	< 5	36
JB 7C 457	201	238	< 1	0.01	13	160	< 2	< 5	< 10	31	0.12	< 10	< 10	42	< 5	40
JB 7C 458	201	238	< 1	0.01	13	220	2	< 5	< 10	41	0.13	< 10	< 10	41	< 5	38
JB 7C 459	201	238	< 1	0.01	13	200	4	< 5	< 10	42	0.13	< 10	< 10	42	< 5	37
JB 7C 460	201	238	1	0.01	8	210	6	< 5	< 10	35	0.11	< 10	< 10	38	< 5	35
JB 7C 461	201	238	1	0.02	19	950	6	< 5	< 10	23	0.15	< 10	< 10	53	< 5	71
JB 7C 462	201	238	< 1	0.01	20	1110	< 2	< 5	< 10	39	0.21	< 10	< 10	63	< 5	104
JB 7C 463	201	238	< 1	0.01	22	690	< 2	< 5	< 10	39	0.13	< 10	< 10	66	< 5	56
JB 7C 464	201	238	< 1	0.02	18	410	8	< 5	< 10	94	0.20	< 10	< 10	60	< 5	65
JB 7C 465	201	238	< 1	0.01	13	320	< 2	< 5	< 10	70	0.16	< 10	< 10	47	< 5	34
JB 7C 466	201	238	< 1	0.02	27	520	< 2	< 5	< 10	109	0.20	< 10	< 10	69	< 5	69
JB 7C 467	201	238	< 1	0.02	25	720	< 2	< 5	< 10	110	0.14	< 10	< 10	72	< 5	68
JB 7C 468	201	238	< 1	0.01	11	210	< 2	< 5	< 10	66	0.14	< 10	< 10	42	< 5	36
JB 7C 469	201	238	< 1	0.02	15	380	< 2	< 5	< 10	70	0.14	< 10	< 10	55	< 5	46
JB 7C 470	201	238	3	0.02	41	340	6	< 5	< 10	93	0.18	< 10	< 10	57	< 5	52
JB 7C 471	201	238	1	0.03	21	380	< 2	< 5	< 10	73	0.16	< 10	< 10	48	< 5	46
JB 7C 472	201	238	< 1	0.03	18	580	< 2	< 5	< 10	44	0.10	< 10	< 10	50	< 5	40
JB 7C 473	201	238	< 1	0.04	21	930	< 2	< 5	< 10	400	0.31	< 10	< 10	77	< 5	76
JB 7C 474	201	238	< 1	0.02	18	280	2	< 5	< 10	45	0.15	< 10	< 10	50	< 5	47
JB 7C 475	201	238	< 1	0.01	18	250	2	< 5	< 10	31	0.15	< 10	< 10	48	< 5	63
JB 7C 476	201	238	< 1	0.01	23	260	< 2	< 5	< 10	26	0.11	< 10	< 10	49	< 5	53
JB 7C 477	201	238	< 1	0.01	33	490	< 2	< 5	< 10	28	0.14	< 10	< 10	52	< 5	89
JB 7C 478	201	238	< 1	0.02	26	280	< 2	< 5	< 10	31	0.13	< 10	< 10	54	< 5	66
JB 7C 479	201	238	1	0.02	19	150	< 2	< 5	< 10	77	0.14	< 10	< 10	32	< 5	68
JB 7C 480	201	238	< 1	0.02	9	100	< 2	< 5	< 10	43	0.14	< 10	< 10	34	< 5	29
JB 7C 481	201	238	< 1	0.02	5	290	< 2	< 5	< 10	151	0.03	< 10	< 10	38	< 5	44
JB 7C 482	201	238	< 1	0.02	19	260	< 2	< 5	< 10	179	0.08	< 10	< 10	61	< 5	45
JB 7C 483	201	238	< 1	0.02	7	260	2	< 5	< 10	125	0.06	< 10	< 10	66	< 5	49
JB 7C 484	201	238	< 1	0.02	8	190	< 2	< 5	< 10	58	0.11	< 10	< 10	54	< 5	59
JB 7C 485	201	238	< 1	0.02	4	160	< 2	< 5	< 10	56	0.08	< 10	< 10	32	< 5	38
JB 7C 486	201	238	< 1	0.02	7	240	< 2	< 5	< 10	232	0.04	< 10	< 10	39	5	37
JB 7C 487	201	238	< 1	0.01	25	380	< 2	5	< 10	82	0.09	< 10	< 10	49	5	46
JB 7C 488	201	238	< 1	0.02	16	220	< 2	< 5	10	98	0.10	< 10	< 10	51	< 5	43
JB 7C 489	201	238	< 1	0.01	8	130	10	5	< 10	39	0.06	< 10	< 10	30	< 5	38
JB 7C 490	201	238	< 1	0.01	9	150	8	< 5	< 10	41	0.05	< 10	< 10	31	5	36
JB 7C 491	201	238	< 1	0.01	6	260	< 2	< 5	< 10	87	0.06	< 10	< 10	34	< 5	38
JB 7C 492	201	238	< 1	0.02	8	100	< 2	< 5	< 10	50	0.12	< 10	< 10	47	5	34

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M580
Comments: CC: S. MCALLISTER

Date : 9-JUL-87
Invoice # : I-8716983
P.O. # : 27047

CERTIFICATE OF ANALYSIS A8716983

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
JB 7C 493	201	238	< 5	1.85	0.2	5	100	< 0.5	< 2	0.31	< 0.5	6	12	11	2.05	< 10	1	0.11	< 10	0.27	364
JB 7C 494	201	238	< 5	1.39	0.2	10	90	< 0.5	< 2	0.32	< 0.5	5	23	10	2.04	< 10	3	0.09	< 10	0.23	272
JB 7C 495	201	238	< 5	1.93	0.2	< 5	90	< 0.5	2	0.63	0.5	9	32	18	2.45	< 10	1	0.06	10	0.40	292
JB 7C 496	201	238	< 5	2.52	0.2	< 5	140	< 0.5	< 2	0.32	< 0.5	14	41	17	2.85	< 10	< 1	0.05	10	0.41	430
JB 7C 497	201	238	< 5	2.41	0.2	< 5	160	< 0.5	< 2	0.33	0.5	9	22	14	2.39	< 10	1	0.09	< 10	0.30	195
JB 7C 498	201	238	< 5	1.91	0.2	< 5	140	< 0.5	< 2	0.30	< 0.5	10	24	12	2.20	< 10	4	0.08	< 10	0.28	
JB 7C 499	201	238	< 5	1.40	0.2	< 5	110	< 0.5	< 2	0.27	0.5	8	26	11	2.32	< 10	< 1	0.05	< 10	0.21	[illegible]
JB 7C 500	201	238	< 5	1.88	0.2	< 5	110	< 0.5	< 2	0.61	0.5	9	28	14	2.74	< 10	1	0.07	10	0.30	354
JB 7C 501	201	238	< 5	2.20	0.2	< 5	140	< 0.5	< 2	0.71	0.5	10	32	18	2.58	< 10	< 1	0.12	10	0.40	417
JB 7C 502	201	238	< 5	1.18	0.2	5	150	< 0.5	< 2	0.27	< 0.5	9	24	10	2.23	< 10	2	0.10	< 10	0.21	420
JB 7C 503	201	238	< 5	2.10	0.2	5	170	< 0.5	< 2	0.59	< 0.5	11	23	17	2.52	< 10	5	0.20	10	0.32	484
JB 7C 504	201	238	< 5	2.03	0.2	< 5	140	< 0.5	< 2	0.83	0.5	12	36	27	2.92	< 10	< 1	0.14	20	0.52	382
JB 7C 505	201	238	< 5	1.41	0.2	< 5	90	< 0.5	< 2	0.58	0.5	8	21	13	2.05	< 10	4	0.05	10	0.32	529
JB 7C 506	201	238	< 5	1.94	0.2	10	140	< 0.5	< 2	0.58	< 0.5	13	32	23	2.62	< 10	< 1	0.13	10	0.58	382
JB 7C 507	201	238	< 5	2.08	0.2	< 5	150	< 0.5	< 2	0.58	< 0.5	13	33	25	2.85	< 10	3	0.22	10	0.63	398
JB 7C 508	201	238	< 5	2.17	0.2	< 5	150	< 0.5	< 2	0.28	< 0.5	9	20	10	2.33	< 10	< 1	0.08	< 10	0.22	598
JB 7C 509	201	238	< 5	1.85	0.2	5	160	< 0.5	2	0.41	< 0.5	9	24	15	2.58	< 10	2	0.12	10	0.36	299
JB 7C 510	201	238	< 5	1.48	0.2	< 5	150	< 0.5	< 2	0.31	< 0.5	7	17	9	1.95	< 10	1	0.10	< 10	0.19	386
JB 7C 511	201	238	< 5	2.20	0.2	< 5	170	< 0.5	< 2	0.38	< 0.5	9	19	11	2.40	< 10	< 1	0.09	< 10	0.26	289
JB 7C 512	201	238	< 5	1.66	0.2	< 5	130	< 0.5	< 2	0.33	< 0.5	7	19	11	2.19	< 10	5	0.10	< 10	0.21	255
JB 7C 513	201	238	< 5	2.22	0.2	< 5	110	< 0.5	< 2	0.67	1.0	10	40	20	2.84	< 10	< 1	0.14	10	0.40	307
JB 7C 514	201	238	< 5	2.10	0.2	< 5	110	< 0.5	< 2	0.61	< 0.5	9	37	20	2.33	< 10	< 1	0.12	10	0.45	351
JB 7C 515	201	238	< 5	1.11	0.2	< 5	110	< 0.5	< 2	0.30	< 0.5	5	29	10	1.82	< 10	< 1	0.08	10	0.23	248
JB 7C 516	201	238	< 5	1.36	0.2	< 5	140	< 0.5	< 2	0.32	< 0.5	10	32	10	2.07	< 10	3	0.10	10	0.26	567
JB 7C 517	201	238	< 5	1.44	0.2	< 5	140	< 0.5	< 2	0.28	< 0.5	8	32	9	2.04	< 10	< 1	0.12	10	0.23	319
JB 7C 518	201	238	< 5	1.76	0.2	< 5	160	< 0.5	< 2	0.35	< 0.5	7	30	12	2.39	< 10	2	0.08	10	0.26	
JB 7C 519	201	238	< 5	1.64	0.2	< 5	140	< 0.5	< 2	0.37	< 0.5	7	22	12	2.20	< 10	< 1	0.07	10	0.25	[illegible]
JB 7C 520	201	238	< 5	2.11	0.2	< 5	230	< 0.5	2	0.50	< 0.5	11	33	17	2.89	< 10	< 1	0.16	10	0.47	422
TZ 7C 257	201	238	< 5	1.86	0.2	5	220	< 0.5	< 2	0.60	< 0.5	9	30	20	2.37	< 10	< 1	0.14	10	0.49	265
TZ 7C 258	201	238	5	1.45	0.2	< 5	170	< 0.5	< 2	0.60	< 0.5	13	36	25	2.43	< 10	< 1	0.12	10	0.56	478
TZ 7C 259	201	238	< 5	2.45	0.2	< 5	130	< 0.5	< 2	0.41	< 0.5	13	42	26	2.89	< 10	< 1	0.09	10	0.48	298
TZ 7C 260	201	238	< 5	1.99	0.2	< 5	180	< 0.5	2	0.68	0.5	19	44	38	3.11	10	< 1	0.14	20	0.76	691
TZ 7C 261	201	238	< 5	2.20	0.2	< 5	380	< 0.5	< 2	0.83	0.5	17	27	29	3.07	10	< 1	0.26	20	0.62	894
TZ 7C 262	201	238	< 5	2.64	0.2	< 5	170	< 0.5	< 2	0.43	0.5	13	36	21	2.88	< 10	< 1	0.09	10	0.48	543
TZ 7C 263	201	238	< 5	1.87	0.2	< 5	180	< 0.5	< 2	0.51	0.5	13	39	29	2.75	< 10	< 1	0.11	10	0.56	454
TZ 7C 264	201	238	< 5	2.45	0.2	< 5	160	< 0.5	< 2	0.48	< 0.5	13	37	28	2.97	10	< 1	0.11	10	0.55	383
TZ 7C 265	201	238	< 5	2.40	0.2	< 5	200	< 0.5	< 2	0.56	0.5	13	30	27	3.03	10	< 1	0.14	10	0.57	482
TZ 7C 266	201	238	< 5	1.92	0.2	< 5	280	< 0.5	6	0.65	0.5	13	33	26	2.68	10	< 1	0.17	20	0.56	406
TZ 7C 267	201	238	< 5	1.41	0.2	5	210	< 0.5	< 2	0.46	< 0.5	6	21	13	1.82	< 10	3	0.13	10	0.34	216
TZ 7C 268	201	238	< 5	1.57	0.2	10	140	< 0.5	< 2	0.48	< 0.5	9	25	17	2.23	< 10	1	0.09	.10	0.39	283

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S. MCALLISTER

Date : 9-JUL-87
Invoice # : I-8716983
P.O. # : 27047

CERTIFICATE OF ANALYSIS A8716983

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
JB 7C 493	201	238	< 1	0.02	10	160	16	< 5	< 10	71	0.11	< 10	< 10	46	< 5	44
JB 7C 494	201	238	< 1	0.01	12	150	< 2	5	< 10	72	0.15	< 10	< 10	58	< 5	39
JB 7C 495	201	238	< 1	0.03	18	230	< 2	< 5	< 10	61	0.15	10	< 10	48	< 5	76
JB 7C 496	201	238	< 1	0.02	31	320	2	5	< 10	54	0.18	< 10	< 10	62	< 5	66
JB 7C 497	201	238	< 1	0.01	18	400	< 2	< 5	< 10	80	0.12	< 10	< 10	45	< 5	65
JB 7C 498	201	238	< 1	0.02	17	380	16	5	< 10	69	0.14	< 10	< 10	48	< 5	71
JB 7C 499	201	238	< 1	0.02	14	350	4	5	< 10	46	0.17	< 10	< 10	57	5	49
JB 7C 500	201	238	< 1	0.02	14	220	< 2	10	< 10	68	0.15	< 10	< 10	54	5	73
JB 7C 501	201	238	< 1	0.02	25	380	< 2	10	< 10	78	0.13	< 10	< 10	50	< 5	56
JB 7C 502	201	238	< 1	0.02	16	250	< 2	< 5	< 10	63	0.15	< 10	< 10	62	< 5	40
JB 7C 503	201	238	< 1	0.01	16	280	< 2	5	< 10	142	0.09	10	< 10	54	5	51
JB 7C 504	201	238	< 1	0.02	28	300	12	10	< 10	85	0.10	10	< 10	55	5	42
JB 7C 505	201	238	< 1	0.02	18	180	14	< 5	< 10	66	0.10	< 10	< 10	50	5	62
JB 7C 506	201	238	< 1	0.02	27	450	< 2	10	< 10	101	0.10	< 10	< 10	52	< 5	52
JB 7C 507	201	238	< 1	0.02	29	300	< 2	10	< 10	135	0.14	< 10	< 10	58	< 5	45
JB 7C 508	201	238	< 1	0.02	17	300	< 2	10	< 10	98	0.14	< 10	< 10	52	5	69
JB 7C 509	201	238	< 1	0.02	14	230	< 2	5	< 10	194	0.15	< 10	< 10	57	< 5	46
JB 7C 510	201	238	< 1	0.02	10	280	< 2	5	< 10	91	0.13	< 10	< 10	45	< 5	57
JB 7C 511	201	238	< 1	0.02	12	500	< 2	5	< 10	109	0.14	< 10	< 10	53	< 5	55
JB 7C 512	201	238	1	0.01	14	520	4	5	< 10	78	0.12	< 10	< 10	47	< 5	38
JB 7C 513	201	238	< 1	0.02	23	280	4	5	< 10	64	0.14	< 10	< 10	48	< 5	56
JB 7C 514	201	238	< 1	0.02	20	310	< 2	10	< 10	71	0.17	< 10	< 10	45	< 5	56
JB 7C 515	201	238	< 1	0.02	14	180	< 2	5	< 10	64	0.19	< 10	< 10	54	< 5	33
JB 7C 516	201	238	< 1	0.01	20	370	< 2	< 5	< 10	46	0.16	< 10	< 10	53	5	53
JB 7C 517	201	238	< 1	0.01	19	230	< 2	< 5	< 10	65	0.18	< 10	< 10	58	< 5	45
JB 7C 518	201	238	< 1	0.02	17	170	< 2	5	< 10	93	0.19	< 10	< 10	67	< 5	45
JB 7C 519	201	238	< 1	0.03	11	120	< 2	< 5	< 10	125	0.17	< 10	< 10	60	5	43
JB 7C 520	201	238	< 1	0.02	18	170	6	10	< 10	178	0.18	< 10	< 10	77	< 5	43
TZ 7C 257	201	238	< 1	0.03	15	580	< 2	5	< 10	109	0.12	10	< 10	55	5	40
TZ 7C 258	201	238	1	0.04	27	510	2	15	< 10	86	0.11	10	< 10	54	< 5	47
TZ 7C 259	201	238	< 1	0.02	30	350	16	5	< 10	61	0.14	10	< 10	61	< 5	49
TZ 7C 260	201	238	< 1	0.05	43	530	< 2	5	< 10	99	0.12	10	< 10	62	< 5	57
TZ 7C 261	201	238	< 1	0.03	24	990	< 2	< 5	< 10	138	0.16	10	< 10	67	5	71
TZ 7C 262	201	238	< 1	0.02	22	360	< 2	10	< 10	65	0.16	< 10	< 10	62	< 5	56
TZ 7C 263	201	238	< 1	0.03	31	600	2	5	< 10	81	0.11	10	< 10	58	< 5	49
TZ 7C 264	201	238	< 1	0.02	28	420	< 2	5	< 10	70	0.11	10	< 10	59	5	53
TZ 7C 265	201	238	< 1	0.02	25	470	< 2	10	< 10	95	0.12	10	< 10	59	< 5	54
TZ 7C 266	201	238	< 1	0.03	23	510	< 2	5	< 10	139	0.12	10	< 10	56	< 5	47
TZ 7C 267	201	238	< 1	0.02	13	370	20	5	< 10	112	0.13	< 10	< 10	44	< 5	29
TZ 7C 268	201	238	< 1	0.02	18	470	8	5	< 10	86	0.13	< 10	< 10	56	< 5	37

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S. MCALLISTER

Date : 9-JUL-87
Invoice # : I-8716983
P.O. # : 27047

CERTIFICATE OF ANALYSIS A8716983

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
TZ 7C 269	201	238	< 5	2.29	< 0.2	< 5	200	< 0.5	< 2	0.49	< 0.5	17	33	27	2.90	< 10	< 1	0.19	10	0.61	504
TZ 7C 270	201	238	< 5	2.88	0.2	< 5	200	< 0.5	< 2	0.78	0.5	18	58	35	3.60	10	< 1	0.14	10	0.80	462
TZ 7C 271	201	238	< 5	2.10	0.2	< 5	230	< 0.5	6	0.66	< 0.5	16	37	32	3.08	< 10	< 1	0.15	20	0.65	535
TZ 7C 272	201	238	< 5	2.31	< 0.2	< 5	190	< 0.5	< 2	0.48	0.5	12	33	25	2.92	< 10	< 1	0.10	10	0.49	510
TZ 7C 273	201	238	< 5	2.25	0.2	20	220	< 0.5	< 2	0.71	< 0.5	14	36	28	2.86	10	< 1	0.22	20	0.65	460
TZ 7C 274	201	238	< 5	2.23	< 0.2	5	220	< 0.5	< 2	0.54	< 0.5	13	33	24	2.89	< 10	1	0.14	10	0.53	[illegible]
TZ 7C 275	201	238	< 5	2.54	0.2	< 5	190	< 0.5	< 2	0.74	0.5	17	40	31	3.31	10	< 1	0.18	20	0.68	592
TZ 7C 276	201	238	< 5	1.83	0.2	< 5	160	< 0.5	< 2	0.84	0.5	10	56	22	2.26	< 10	2	0.13	20	0.50	345
TZ 7C 277	201	238	< 5	1.87	0.2	< 5	160	< 0.5	< 2	0.85	< 0.5	11	58	22	2.25	< 10	< 1	0.13	20	0.51	350
TZ 7C 278	201	238	< 5	1.42	< 0.2	< 5	150	< 0.5	< 2	0.65	< 0.5	7	50	19	1.91	< 10	1	0.12	20	0.40	252
TZ 7C 279	201	238	< 5	1.70	< 0.2	< 5	130	< 0.5	< 2	0.53	0.5	11	37	24	2.55	< 10	< 1	0.10	10	0.52	346
TZ 7C 280	201	238	< 5	2.16	< 0.2	< 5	170	< 0.5	2	0.53	1.0	14	38	24	2.83	< 10	< 1	0.10	10	0.48	638
TZ 7C 281	201	238	< 5	2.50	< 0.2	< 5	140	< 0.5	8	0.64	1.0	15	48	39	3.20	< 10	< 1	0.12	20	0.70	636
TZ 7C 282	201	238	< 5	1.74	< 0.2	< 5	170	< 0.5	2	0.52	0.5	16	38	30	2.77	< 10	< 1	0.10	10	0.61	477
TZ 7C 283	201	238	< 5	1.32	< 0.2	< 5	120	< 0.5	6	0.43	< 0.5	9	33	20	2.21	< 10	< 1	0.07	10	0.41	328
TZ 7C 284	201	238	20	2.48	< 0.2	< 5	150	< 0.5	< 2	0.54	0.5	15	47	35	3.12	< 10	< 1	0.11	20	0.66	488
TZ 7C 285	201	238	5	2.02	< 0.2	< 5	130	< 0.5	< 2	0.43	0.5	12	39	21	2.63	< 10	< 1	0.09	10	0.53	323
TZ 7C 286	201	238	< 5	2.05	< 0.2	< 5	130	< 0.5	< 2	0.57	0.5	14	41	30	2.84	< 10	5	0.11	20	0.58	477
TZ 7C 287	201	238	< 5	1.50	< 0.2	< 5	140	< 0.5	2	0.48	0.5	12	31	17	2.41	< 10	1	0.12	10	0.44	358
TZ 7C 288	201	238	< 5	2.12	0.2	< 5	150	< 0.5	6	0.68	0.5	15	44	27	3.19	< 10	3	0.13	20	0.65	426
TZ 7C 289	201	238	< 5	2.83	0.2	30	140	0.5	< 2	0.52	< 0.5	14	44	30	3.74	< 10	< 1	0.15	20	0.57	372
TZ 7C 290	201	238	< 5	1.64	0.4	< 5	150	0.5	< 2	0.44	< 0.5	9	33	25	2.14	< 10	2	0.11	20	0.36	210
TZ 7C 291	201	238	< 5	1.88	0.4	< 5	100	0.5	< 2	0.41	0.5	9	31	18	2.47	< 10	< 1	0.09	20	0.35	342
TZ 7C 292	201	238	< 5	1.51	< 0.2	< 5	100	< 0.5	< 2	0.40	0.5	8	29	16	2.30	< 10	< 1	0.08	10	0.36	248
TZ 7C 293	201	238	< 5	1.57	< 0.2	5	120	< 0.5	< 2	0.51	< 0.5	11	32	19	2.35	< 10	3	0.09	20	0.42	308
TZ 7C 294	201	238	< 5	1.86	< 0.2	< 5	130	< 0.5	< 2	0.27	0.5	9	29	12	2.27	< 10	< 1	0.12	10	0.26	[illegible]
TZ 7C 295	201	238	< 5	2.20	< 0.2	5	170	< 0.5	< 2	0.33	< 0.5	14	34	18	3.01	< 10	2	0.08	10	0.34	290
TZ 7C 296	201	238	< 5	1.20	< 0.2	< 5	110	< 0.5	< 2	0.29	0.5	8	27	12	2.14	< 10	< 1	0.07	10	0.29	222
TZ 7C 297	201	238	< 5	1.44	< 0.2	< 5	100	< 0.5	< 2	0.31	0.5	10	37	19	2.75	< 10	< 1	0.07	10	0.35	306
TZ 7C 298	201	238	< 5	2.36	< 0.2	10	120	1.5	< 2	0.77	< 0.5	21	32	41	3.33	< 10	< 1	0.15	70	0.49	890
TZ 7C 299	201	238	< 5	1.54	< 0.2	< 5	130	< 0.5	< 2	0.30	< 0.5	10	23	15	2.66	< 10	< 1	0.11	10	0.27	345
TZ 7C 300	201	238	20	1.09	< 0.2	5	90	< 0.5	< 2	0.31	< 0.5	7	19	12	2.20	< 10	< 1	0.09	10	0.23	230
TZ 7C 301	201	238	< 5	2.59	< 0.2	5	170	< 0.5	< 2	0.57	< 0.5	12	23	15	4.65	< 10	< 1	0.14	10	0.59	611
TZ 7C 302	201	238	< 5	1.27	< 0.2	< 5	110	< 0.5	< 2	0.35	< 0.5	9	30	17	2.45	< 10	1	0.10	10	0.32	325
TZ 7C 303	201	238	< 5	1.25	< 0.2	< 5	110	< 0.5	< 2	0.32	< 0.5	7	24	14	2.45	< 10	< 1	0.13	10	0.24	317
TZ 7C 304	201	238	< 5	2.69	< 0.2	< 5	200	< 0.5	< 2	0.33	< 0.5	19	22	21	6.24	< 10	< 1	0.11	10	0.29	2100
TZ 7C 305	201	238	< 5	1.86	< 0.2	< 5	130	< 0.5	< 2	0.45	< 0.5	12	34	21	2.80	< 10	2	0.12	10	0.44	482
TZ 7C 306	201	238	< 5	1.21	< 0.2	< 5	140	< 0.5	< 2	0.34	< 0.5	8	26	10	2.15	< 10	< 1	0.14	10	0.20	267
TZ 7C 307	201	238	< 5	1.12	< 0.2	< 5	100	< 0.5	< 2	0.30	< 0.5	8	25	13	2.45	< 10	1	0.11	10	0.23	317
TZ 7C 308	201	238	< 5	1.13	< 0.2	< 5	100	< 0.5	< 2	0.29	< 0.5	9	24	13	2.44	< 10	< 1	0.11	10	0.24	311

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S. MCALLISTER

Date : 9-JUL-87
Invoice # : I-8716983
P.O. # : 27047

CERTIFICATE OF ANALYSIS A8716983

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
TZ 7C 269	201	238	< 1	0.02	28	670	< 2	< 5	< 10	114	0.12	< 10	< 10	57	5	53
TZ 7C 270	201	238	< 1	0.02	46	520	2	5	< 10	150	0.09	10	< 10	73	5	68
TZ 7C 271	201	238	< 1	0.04	30	580	< 2	10	< 10	132	0.13	< 10	< 10	60	5	55
TZ 7C 272	201	238	< 1	0.02	21	580	14	< 5	< 10	90	0.11	10	< 10	60	5	51
TZ 7C 273	201	238	< 1	0.04	29	490	6	10	< 10	147	0.12	< 10	< 10	59	5	56
TZ 7C 274	201	238	< 1	0.03	26	560	< 2	< 5	< 10	109	0.14	< 10	< 10	63	< 5	48
TZ 7C 275	201	238	1	0.03	34	630	< 2	15	< 10	124	0.14	10	< 10	70	< 5	63
TZ 7C 276	201	238	< 1	0.03	25	630	< 2	5	< 10	107	0.13	< 10	< 10	50	5	42
TZ 7C 277	201	238	< 1	0.03	21	640	< 2	10	< 10	108	0.12	< 10	< 10	49	< 5	41
TZ 7C 278	201	238	< 1	0.03	19	490	8	10	< 10	88	0.13	< 10	< 10	47	< 5	34
TZ 7C 279	201	238	< 1	0.02	24	500	< 2	< 5	< 10	67	0.12	10	< 10	56	< 5	53
TZ 7C 280	201	238	< 1	0.02	31	680	10	< 5	< 10	74	0.12	10	< 10	59	5	72
TZ 7C 281	201	238	1	0.03	37	590	4	< 5	< 10	70	0.10	10	< 10	62	< 5	60
TZ 7C 282	201	238	< 1	0.03	30	610	16	< 5	< 10	72	0.11	< 10	< 10	56	< 5	53
TZ 7C 283	201	238	< 1	0.02	24	450	14	< 5	< 10	65	0.14	10	< 10	58	< 5	40
TZ 7C 284	201	238	2	0.03	31	680	10	< 5	< 10	76	0.12	< 10	< 10	62	< 5	56
TZ 7C 285	201	238	< 1	0.02	22	510	8	10	< 10	62	0.12	10	< 10	53	< 5	45
TZ 7C 286	201	238	< 1	0.02	28	450	10	5	< 10	66	0.14	10	< 10	63	< 5	59
TZ 7C 287	201	238	< 1	0.03	17	650	< 2	< 5	< 10	87	0.13	10	< 10	59	< 5	56
TZ 7C 288	201	238	< 1	0.04	32	420	16	< 5	< 10	93	0.13	< 10	< 10	61	< 5	48
TZ 7C 289	201	238	< 1	0.03	24	430	30	< 5	< 10	75	0.17	10	< 10	76	< 5	65
TZ 7C 290	201	238	< 1	0.03	11	290	< 2	< 5	< 10	66	0.17	10	< 10	46	< 5	42
TZ 7C 291	201	238	< 1	0.03	22	280	16	5	< 10	52	0.18	10	< 10	58	< 5	56
TZ 7C 292	201	238	< 1	0.03	14	260	4	5	< 10	57	0.15	< 10	< 10	50	< 5	44
TZ 7C 293	201	238	< 1	0.03	20	340	8	10	< 10	65	0.15	10	< 10	52	< 5	43
TZ 7C 294	201	238	< 1	0.02	20	530	< 2	< 5	< 10	33	0.15	< 10	< 10	53	< 5	68
TZ 7C 295	201	238	< 1	0.02	21	580	< 2	< 5	< 10	57	0.16	< 10	< 10	64	< 5	52
TZ 7C 296	201	238	< 1	0.02	10	180	2	< 5	< 10	49	0.18	< 10	< 10	55	< 5	41
TZ 7C 297	201	238	< 1	0.02	23	190	< 2	< 5	< 10	46	0.19	< 10	< 10	67	< 5	45
TZ 7C 298	201	238	< 1	0.03	26	610	< 2	< 5	< 10	84	0.11	< 10	< 10	56	< 5	51
TZ 7C 299	201	238	< 1	0.02	16	230	< 2	< 5	< 10	55	0.16	< 10	< 10	55	< 5	37
TZ 7C 300	201	238	< 1	0.02	7	140	2	< 5	< 10	60	0.14	< 10	< 10	51	< 5	33
TZ 7C 301	201	238	< 1	0.02	17	520	< 2	< 5	< 10	74	0.12	< 10	< 10	64	< 5	81
TZ 7C 302	201	238	< 1	0.01	19	230	8	< 5	< 10	54	0.17	< 10	< 10	62	< 5	38
TZ 7C 303	201	238	< 1	0.02	15	180	< 2	< 5	< 10	55	0.17	< 10	< 10	63	< 5	37
TZ 7C 304	201	238	< 1	0.01	19	700	4	< 5	< 10	48	0.15	< 10	< 10	77	< 5	74
TZ 7C 305	201	238	< 1	0.04	20	280	< 2	< 5	< 10	74	0.20	< 10	< 10	59	< 5	48
TZ 7C 306	201	238	< 1	0.04	16	150	< 2	< 5	< 10	56	0.17	< 10	< 10	53	< 5	34
TZ 7C 307	201	238	< 1	0.02	15	210	< 2	< 5	< 10	48	0.21	< 10	< 10	65	< 5	41
TZ 7C 308	201	238	< 1	0.02	13	200	2	< 5	< 10	47	0.20	< 10	< 10	64	< 5	41

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S. MCALLISTER

Date : 9-JUL-87
Invoice # : I-8716983
P.O. # : 27047

CERTIFICATE OF ANALYSIS A8716983

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
TZ 7C 309	201	238	< 5	1.66	< 0.2	< 5	140	< 0.5	< 2	0.41	< 0.5	10	32	17	2.96	< 10	1	0.17	10	0.38	432
TZ 7C 310	201	238	< 5	1.28	< 0.2	< 5	100	< 0.5	< 2	0.31	< 0.5	7	31	12	2.29	< 10	< 1	0.11	10	0.28	265
TZ 7C 311	201	238	< 5	1.05	< 0.2	< 5	90	< 0.5	< 2	0.25	< 0.5	6	25	12	2.21	< 10	< 1	0.11	10	0.22	300
TZ 7C 312	201	238	< 5	1.06	< 0.2	< 5	110	< 0.5	< 2	0.29	< 0.5	7	30	11	2.31	< 10	< 1	0.13	10	0.22	294
TZ 7C 313	201	238	< 5	3.07	< 0.2	< 5	130	< 0.5	< 2	0.53	< 0.5	16	42	33	3.77	< 10	1	0.19	10	0.72	410
TZ 7C 314	201	238	< 5	0.98	< 0.2	< 5	110	< 0.5	< 2	0.28	< 0.5	4	22	10	1.85	< 10	< 1	0.06	10	0.22	
TZ 7C 315	201	238	< 5	1.11	< 0.2	< 5	90	< 0.5	< 2	0.28	< 0.5	4	23	9	1.73	< 10	< 1	0.07	10	0.23	225
TZ 7C 316	201	238	< 5	1.07	< 0.2	5	80	< 0.5	< 2	0.29	< 0.5	4	23	10	1.85	< 10	< 1	0.06	10	0.25	188
TZ 7C 317	201	238	< 5	1.02	< 0.2	< 5	100	< 0.5	< 2	0.28	< 0.5	4	21	10	1.74	< 10	< 1	0.06	10	0.21	176
TZ 7C 318	201	238	< 5	1.74	< 0.2	< 5	150	< 0.5	< 2	0.27	< 0.5	8	25	10	2.18	< 10	1	0.06	10	0.20	269
TZ 7C 319	201	238	< 5	1.24	< 0.2	< 5	80	< 0.5	< 2	0.34	< 0.5	4	26	11	1.90	< 10	< 1	0.08	10	0.29	202
TZ 7C 320	201	238	< 5	3.32	< 0.2	< 5	140	< 0.5	< 2	0.84	< 0.5	14	53	34	3.81	< 10	< 1	0.11	20	0.80	575
TZ 7C 321	201	238	< 5	2.22	< 0.2	< 5	140	< 0.5	< 2	0.66	0.5	11	45	21	3.05	< 10	< 1	0.09	10	0.63	353
TZ 7C 322	201	238	< 5	1.32	< 0.2	< 5	110	< 0.5	< 2	0.35	< 0.5	7	29	14	2.33	< 10	< 1	0.09	10	0.34	297
TZ 7C 323	201	238	< 5	1.05	< 0.2	< 5	110	< 0.5	< 2	0.31	< 0.5	5	25	11	2.01	< 10	< 1	0.07	10	0.25	230
TZ 7C 324	201	238	< 5	1.12	< 0.2	< 5	110	< 0.5	< 2	0.31	< 0.5	5	25	11	2.01	< 10	< 1	0.08	10	0.25	203
TZ 7C 325	201	238	< 5	1.25	< 0.2	< 5	120	< 0.5	< 2	0.32	< 0.5	9	31	14	2.50	< 10	1	0.09	10	0.28	257
TZ 7C 326	201	238	< 5	1.18	< 0.2	< 5	110	< 0.5	< 2	0.30	< 0.5	7	24	10	2.05	< 10	1	0.08	10	0.25	271
TZ 7C 327	201	238	< 5	1.06	< 0.2	< 5	110	< 0.5	< 2	0.28	< 0.5	5	25	11	2.03	< 10	1	0.07	10	0.24	251
TZ 7C 328	201	238	< 5	2.01	< 0.2	< 5	150	< 0.5	< 2	0.75	< 0.5	12	33	32	3.07	< 10	1	0.17	20	0.79	473
TZ 7C 329	201	238	< 5	1.89	< 0.2	< 5	160	< 0.5	< 2	0.86	< 0.5	15	37	31	3.16	< 10	< 1	0.16	20	0.90	542
TZ 7C 330	201	238	< 5	2.57	< 0.2	< 5	160	< 0.5	< 2	1.04	< 0.5	15	38	39	3.43	< 10	< 1	0.24	20	1.00	511
TZ 7C 331	201	238	< 5	2.28	< 0.2	< 5	150	< 0.5	< 2	0.56	< 0.5	11	39	25	3.05	< 10	2	0.20	10	0.62	396
TZ 7C 332	201	236	< 5	1.42	< 0.2	< 5	190	< 0.5	< 2	0.42	< 0.5	8	33	13	2.71	< 10	< 1	0.22	10	0.37	428
TZ 7C 333	201	238	< 5	1.39	< 0.2	< 5	140	< 0.5	< 2	0.26	< 0.5	8	24	10	2.23	< 10	< 1	0.15	< 10	0.29	283
TZ 7C 334	201	238	< 5	0.97	< 0.2	10	150	< 0.5	< 2	0.30	< 0.5	7	24	11	2.54	< 10	< 1	0.15	10	0.30	
TZ 7C 335	201	238	< 5	2.21	< 0.2	5	170	< 0.5	< 2	0.47	< 0.5	11	41	21	3.19	< 10	< 1	0.26	10	0.59	317
TZ 7C 336	201	238	< 5	1.07	< 0.2	< 5	150	< 0.5	< 2	0.29	< 0.5	7	35	11	2.29	< 10	2	0.13	10	0.28	243
TZ 7C 337	201	238	< 5	1.26	< 0.2	< 5	140	< 0.5	< 2	0.45	< 0.5	7	35	14	2.29	< 10	1	0.17	10	0.37	238
TZ 7C 338	201	238	5	3.35	< 0.2	< 5	180	< 0.5	< 2	0.66	< 0.5	18	71	41	4.06	< 10	< 1	0.48	30	0.96	423
TZ 7C 339	201	238	5	1.04	< 0.2	< 5	150	< 0.5	< 2	0.30	< 0.5	7	38	11	2.22	< 10	< 1	0.13	10	0.26	271
TZ 7C 340	201	238	< 5	1.36	< 0.2	< 5	150	< 0.5	< 2	0.51	< 0.5	9	44	16	2.59	< 10	1	0.12	10	0.37	418
TZ 7C 341	201	238	< 5	1.31	< 0.2	< 5	160	< 0.5	< 2	0.34	< 0.5	9	35	12	2.39	< 10	3	0.14	10	0.33	371
TZ 7C 342	201	238	< 5	1.23	< 0.2	< 5	140	< 0.5	< 2	0.43	< 0.5	7	32	13	2.24	< 10	< 1	0.17	10	0.36	232
TZ 7C 343	201	238	< 5	1.03	< 0.2	< 5	130	< 0.5	< 2	0.30	< 0.5	7	29	11	2.06	< 10	< 1	0.16	10	0.28	271
TZ 7C 344	201	238	< 5	1.18	< 0.2	< 5	200	< 0.5	< 2	1.15	< 0.5	9	26	18	1.87	< 10	< 1	0.13	20	0.54	385
TZ 7C 345	201	238	< 5	1.92	< 0.2	< 5	430	< 0.5	< 2	0.77	< 0.5	7	21	42	2.24	< 10	< 1	0.32	20	0.61	431
TZ 7C 346	201	238	< 5	1.77	< 0.2	< 5	210	< 0.5	< 2	0.42	< 0.5	8	32	15	2.46	< 10	1	0.21	10	0.40	414
TZ 7C 347	201	238	< 5	1.07	< 0.2	< 5	120	< 0.5	< 2	0.28	< 0.5	5	27	10	2.03	< 10	< 1	0.10	10	0.23	263
TZ 7C 348	201	238	< 5	1.30	< 0.2	< 5	110	< 0.5	< 2	0.43	< 0.5	6	29	12	2.20	< 10	< 1	0.12	10	0.28	469

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S MCALLISTER

Date : 9-JUL-87
Invoice # : I-8716983
P.O. # : 27047

CERTIFICATE OF ANALYSIS A8716983

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
TZ 7C 309	201	238	< 1	0.02	23	180	< 2	< 5	< 10	64	0.16	< 10	< 10	67	< 5	48
TZ 7C 310	201	238	< 1	0.02	16	180	< 2	< 5	< 10	50	0.19	< 10	< 10	61	< 5	44
TZ 7C 311	201	238	1	0.02	13	140	< 2	< 5	< 10	44	0.17	< 10	< 10	62	< 5	41
TZ 7C 312	201	238	< 1	0.02	15	150	< 2	< 5	< 10	51	0.20	< 10	< 10	67	< 5	39
TZ 7C 313	201	238	< 1	0.02	39	410	< 2	< 5	< 10	73	0.16	< 10	< 10	71	< 5	52
TZ 7C 314	201	238	< 1	0.02	12	130	< 2	< 5	< 10	67	0.18	< 10	< 10	52	< 5	35
TZ 7C 315	201	238	< 1	0.02	12	150	< 2	< 5	< 10	46	0.16	< 10	< 10	46	< 5	41
TZ 7C 316	201	238	< 1	0.02	10	100	< 2	< 5	< 10	51	0.16	< 10	< 10	49	< 5	42
TZ 7C 317	201	238	< 1	0.02	10	120	2	< 5	< 10	62	0.16	< 10	< 10	48	< 5	29
TZ 7C 318	201	238	< 1	0.01	18	130	< 2	< 5	< 10	58	0.19	< 10	< 10	58	< 5	38
TZ 7C 319	201	238	< 1	0.02	10	130	2	< 5	< 10	54	0.17	< 10	< 10	49	< 5	42
TZ 7C 320	201	238	< 1	0.03	30	340	< 2	< 5	< 10	95	0.13	< 10	< 10	56	< 5	70
TZ 7C 321	201	238	< 1	0.03	26	220	8	< 5	< 10	133	0.16	< 10	< 10	61	< 5	63
TZ 7C 322	201	238	< 1	0.02	13	190	< 2	< 5	< 10	68	0.17	< 10	< 10	60	< 5	47
TZ 7C 323	201	238	1	0.02	12	150	2	< 5	< 10	66	0.18	< 10	< 10	57	< 5	39
TZ 7C 324	201	238	< 1	0.02	9	150	< 2	< 5	< 10	64	0.18	< 10	< 10	54	< 5	36
TZ 7C 325	201	238	< 1	0.01	15	250	4	< 5	< 10	68	0.19	< 10	< 10	69	< 5	40
TZ 7C 326	201	238	< 1	0.02	12	160	< 2	< 5	< 10	57	0.18	< 10	< 10	54	< 5	39
TZ 7C 327	201	238	1	0.02	11	140	4	< 5	< 10	58	0.18	< 10	< 10	56	< 5	37
TZ 7C 328	201	238	< 1	0.02	30	450	4	< 5	< 10	120	0.14	< 10	< 10	70	< 5	60
TZ 7C 329	201	238	< 1	0.03	39	600	< 2	< 5	< 10	111	0.14	< 10	< 10	68	< 5	55
TZ 7C 330	201	238	< 1	0.02	38	520	< 2	< 5	< 10	146	0.15	< 10	< 10	76	< 5	57
TZ 7C 331	201	238	< 1	0.02	26	370	< 2	< 5	< 10	112	0.15	< 10	< 10	69	< 5	51
TZ 7C 332	201	238	< 1	0.02	14	200	2	< 5	< 10	95	0.20	< 10	< 10	79	< 5	53
TZ 7C 333	201	238	< 1	0.02	14	540	4	< 5	< 10	43	0.15	< 10	< 10	61	< 5	55
TZ 7C 334	201	238	< 1	0.01	10	200	< 2	< 5	< 10	59	0.18	< 10	< 10	85	< 5	43
TZ 7C 335	201	238	< 1	0.01	24	400	< 2	< 5	< 10	82	0.17	< 10	< 10	76	< 5	52
TZ 7C 336	201	238	< 1	0.01	13	220	2	< 5	< 10	61	0.20	< 10	< 10	69	< 5	39
TZ 7C 337	201	238	< 1	0.01	14	300	6	< 5	< 10	73	0.15	< 10	< 10	53	< 5	41
TZ 7C 338	201	238	< 1	0.02	64	420	< 2	< 5	< 10	106	0.18	< 10	< 10	76	< 5	66
TZ 7C 339	201	238	1	0.02	17	120	8	< 5	< 10	55	0.20	< 10	< 10	64	< 5	37
TZ 7C 340	201	238	< 1	0.02	23	330	< 2	< 5	< 10	67	0.17	< 10	< 10	68	< 5	41
TZ 7C 341	201	238	< 1	0.01	18	360	< 2	< 5	< 10	54	0.16	< 10	< 10	61	< 5	46
TZ 7C 342	201	238	< 1	0.01	15	300	< 2	< 5	< 10	72	0.14	< 10	< 10	53	< 5	37
TZ 7C 343	201	238	1	0.01	13	320	< 2	< 5	< 10	52	0.13	< 10	< 10	50	< 5	43
TZ 7C 344	201	238	< 1	0.07	21	180	< 2	< 5	< 10	140	0.08	< 10	< 10	38	< 5	28
TZ 7C 345	201	238	< 1	0.02	19	430	6	< 5	< 10	256	0.07	< 10	< 10	53	< 5	48
TZ 7C 346	201	238	< 1	0.01	15	360	< 2	< 5	< 10	75	0.13	< 10	< 10	53	< 5	54
TZ 7C 347	201	238	1	0.02	10	160	< 2	< 5	< 10	53	0.17	< 10	< 10	56	< 5	37
TZ 7C 348	201	238	< 1	0.01	15	240	6	< 5	< 10	56	0.15	< 10	< 10	55	< 5	43

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S. MCALLISTER

Date : 9-JUL-87
Invoice # : I-8716983
P.O. # : 27047

CERTIFICATE OF ANALYSIS A8716983

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
TZ 7C 349	201	238	< 5	0.81	< 0.2	< 5	80	< 0.5	< 2	0.21	< 0.5	5	23	8	1.85	< 10	< 1	0.07	< 10	0.17	249
TZ 7C 350	201	238	< 5	1.16	< 0.2	< 5	120	< 0.5	< 2	0.23	< 0.5	6	44	10	1.97	< 10	< 1	0.13	< 10	0.23	331
TZ 7C 351	201	238	< 5	2.34	< 0.2	< 5	120	< 0.5	< 2	0.49	< 0.5	12	56	26	3.11	< 10	3	0.26	20	0.55	304
TZ 7C 352	201	238	< 5	1.11	< 0.2	< 5	110	< 0.5	< 2	0.27	< 0.5	5	27	11	2.22	< 10	< 1	0.11	10	0.22	219
TZ 7C 353	201	238	< 5	1.16	< 0.2	< 5	120	< 0.5	< 2	0.36	< 0.5	8	28	11	2.27	< 10	< 1	0.12	10	0.23	395
TZ 7C 354	201	238	< 5	1.79	< 0.2	< 5	120	< 0.5	< 2	0.42	< 0.5	10	33	23	2.80	< 10	< 1	0.17	10	0.48	[illegible]
TZ 7C 355	201	238	< 5	1.36	< 0.2	5	110	< 0.5	< 2	0.22	< 0.5	6	42	11	2.38	< 10	< 1	0.09	10	0.28	270
TZ 7C 356	201	238	< 5	1.47	< 0.2	< 5	120	< 0.5	< 2	0.31	< 0.5	9	36	13	2.67	< 10	1	0.13	10	0.33	330
TZ 7C 357	201	238	< 5	1.09	< 0.2	< 5	100	< 0.5	< 2	0.26	< 0.5	8	29	10	2.25	< 10	1	0.09	10	0.23	279
TZ 7C 358	201	238	< 5	1.73	< 0.2	< 5	130	< 0.5	< 2	0.39	< 0.5	7	21	16	2.32	< 10	3	0.06	10	0.34	253
TZ 7C 359	201	238	< 5	1.85	< 0.2	< 5	110	< 0.5	< 2	0.27	< 0.5	8	26	12	2.22	< 10	2	0.05	10	0.30	254
TZ 7C 360	201	238	< 5	0.98	< 0.2	< 5	80	< 0.5	< 2	0.29	< 0.5	3	20	9	1.56	< 10	< 1	0.02	10	0.22	155
TZ 7C 361	201	238	< 5	1.63	< 0.2	< 5	120	< 0.5	< 2	0.31	< 0.5	8	24	17	2.63	< 10	< 1	0.04	10	0.28	265
TZ 7C 362	201	238	< 5	2.86	< 0.2	< 5	180	< 0.5	< 2	0.27	< 0.5	10	33	15	2.99	< 10	1	0.06	10	0.28	397
TZ 7C 363	201	238	< 5	1.30	< 0.2	< 5	90	< 0.5	< 2	0.30	< 0.5	7	20	14	2.30	< 10	1	0.02	< 10	0.23	256
TZ 7C 364	201	238	< 5	1.34	< 0.2	< 5	90	< 0.5	< 2	0.28	< 0.5	6	22	10	1.96	< 10	< 1	0.03	10	0.26	209
TZ 7C 365	201	238	< 5	0.85	< 0.2	< 5	60	< 0.5	< 2	0.31	< 0.5	4	20	9	1.53	< 10	< 1	0.02	10	0.25	146
TZ 7C 366	201	238	< 5	1.18	< 0.2	< 5	100	< 0.5	< 2	0.30	< 0.5	5	20	9	1.77	< 10	< 1	0.04	< 10	0.26	171
TZ 7C 367	201	238	5	2.66	< 0.2	< 5	110	< 0.5	< 2	0.25	< 0.5	12	27	15	3.03	< 10	1	0.05	< 10	0.29	435
TZ 7C 368	201	238	< 5	2.70	< 0.2	< 5	110	< 0.5	< 2	0.25	< 0.5	12	26	14	3.02	< 10	< 1	0.05	< 10	0.29	449
TZ 7C 369	201	238	< 5	1.37	< 0.2	< 5	90	< 0.5	< 2	0.26	< 0.5	4	18	11	1.98	< 10	3	0.04	< 10	0.27	179
TZ 7C 370	201	238	< 5	3.18	< 0.2	< 5	160	< 0.5	< 2	0.30	< 0.5	12	38	18	3.63	< 10	2	0.05	10	0.37	563
TZ 7C 371	201	238	< 5	3.79	< 0.2	< 5	210	< 0.5	< 2	0.34	< 0.5	13	41	20	3.76	< 10	< 1	0.04	10	0.39	436
TZ 7C 372	201	238	< 5	2.68	< 0.2	< 5	160	< 0.5	< 2	0.29	< 0.5	8	28	18	2.96	< 10	< 1	0.03	10	0.36	228
TZ 7C 373	201	238	< 5	1.86	< 0.2	< 5	120	< 0.5	< 2	0.22	< 0.5	7	24	14	2.63	< 10	< 1	0.02	< 10	0.31	185
TZ 7C 374	201	238	< 5	3.22	< 0.2	5	110	< 0.5	< 2	0.18	< 0.5	16	27	13	2.94	< 10	< 1	0.05	< 10	0.23	[illegible]
TZ 7C 375	201	238	< 5	2.97	< 0.2	< 5	110	< 0.5	< 2	0.25	< 0.5	14	25	12	3.07	< 10	2	0.04	< 10	0.26	463
TZ 7C 376	201	238	< 5	2.46	< 0.2	10	130	< 0.5	< 2	0.31	< 0.5	9	25	15	2.77	< 10	< 1	0.03	10	0.30	194
TZ 7C 377	201	238	< 5	1.83	< 0.2	< 5	100	< 0.5	< 2	0.29	< 0.5	8	18	11	2.06	< 10	< 1	0.03	10	0.22	188
TZ 7C 378	201	238	< 5	3.10	< 0.2	10	170	0.5	< 2	0.35	< 0.5	12	29	20	3.12	< 10	1	0.05	10	0.37	245
TZ 7C 379	201	238	< 5	2.56	< 0.2	< 5	350	< 0.5	< 2	0.62	< 0.5	8	8	20	2.12	< 10	< 1	0.06	10	0.45	151
TZ 7C 380	201	238	< 5	1.94	< 0.2	< 5	80	< 0.5	< 2	0.29	< 0.5	7	11	11	1.86	< 10	< 1	0.05	< 10	0.32	184
TZ 7C 381	201	238	< 5	2.02	< 0.2	< 5	90	0.5	< 2	0.29	< 0.5	7	14	12	2.17	< 10	< 1	0.03	10	0.30	253
TZ 7C 382	201	238	< 5	3.78	< 0.2	15	250	0.5	< 2	0.22	< 0.5	14	27	17	3.12	< 10	1	0.04	10	0.30	396
TZ 7C 383	201	238	< 5	3.00	< 0.2	20	180	< 0.5	< 2	0.47	< 0.5	12	29	24	3.25	< 10	< 1	0.05	10	0.45	271
TZ 7C 384	201	238	< 5	1.96	< 0.2	< 5	100	< 0.5	< 2	0.33	< 0.5	8	12	13	2.37	< 10	< 1	0.05	< 10	0.34	270
TZ 7C 385	201	238	< 5	1.70	< 0.2	< 5	90	< 0.5	< 2	0.33	< 0.5	6	8	11	1.96	< 10	< 1	0.08	< 10	0.23	264
TZ 7C 386	201	238	< 5	2.48	< 0.2	5	280	< 0.5	< 2	0.33	< 0.5	10	11	12	2.33	< 10	< 1	0.11	< 10	0.36	619
TZ 7C 387	201	238	< 5	2.42	< 0.2	< 5	110	< 0.5	< 2	0.41	< 0.5	9	11	18	2.18	< 10	< 1	0.06	10	0.36	518
TZ 7C 388	201	238	< 5	1.72	< 0.2	< 5	100	< 0.5	< 2	0.23	< 0.5	6	13	9	1.66	< 10	1	0.05	< 10	0.20	218

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S. MCALLISTER

Date : 9-JUL-87
Invoice # : I-8716983
P.O. # : 27047

CERTIFICATE OF ANALYSIS A8716983

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
TZ 7C 349	201	238	< 1	0.01	11	160	< 2	< 5	< 10	42	0.14	< 10	< 10	54	< 5	35
TZ 7C 350	201	238	< 1	0.01	18	200	4	< 5	< 10	41	0.15	< 10	< 10	52	< 5	47
TZ 7C 351	201	238	< 1	0.01	45	380	< 2	< 5	< 10	70	0.13	< 10	< 10	60	< 5	51
TZ 7C 352	201	238	< 1	0.02	12	220	< 2	< 5	< 10	52	0.19	< 10	< 10	60	< 5	44
TZ 7C 353	201	238	< 1	0.02	15	160	< 2	< 5	< 10	54	0.19	< 10	< 10	60	< 5	47
TZ 7C 354	201	238	< 1	0.03	25	240	< 2	< 5	< 10	93	0.17	< 10	< 10	62	< 5	50
TZ 7C 355	201	238	< 1	0.02	19	190	< 2	< 5	< 10	51	0.19	< 10	< 10	64	< 5	46
TZ 7C 356	201	238	< 1	0.02	23	190	4	< 5	< 10	62	0.21	< 10	< 10	69	< 5	47
TZ 7C 357	201	238	< 1	0.02	13	150	< 2	< 5	< 10	55	0.19	< 10	< 10	64	< 5	40
TZ 7C 358	201	238	< 1	0.02	13	240	2	< 5	< 10	79	0.17	< 10	< 10	52	< 5	42
TZ 7C 359	201	238	< 1	0.01	18	370	< 2	< 5	< 10	42	0.18	< 10	< 10	50	< 5	58
TZ 7C 360	201	238	< 1	0.02	7	100	2	< 5	< 10	50	0.20	< 10	< 10	38	< 5	29
TZ 7C 361	201	238	< 1	0.02	12	250	< 2	< 5	< 10	77	0.23	< 10	< 10	63	< 5	42
TZ 7C 362	201	238	1	0.01	20	200	4	< 5	< 10	68	0.23	< 10	< 10	71	< 5	52
TZ 7C 363	201	238	< 1	0.02	11	120	< 2	< 5	< 10	62	0.23	< 10	< 10	52	< 5	35
TZ 7C 364	201	238	< 1	0.02	9	210	< 2	< 5	< 10	52	0.21	< 10	< 10	45	< 5	40
TZ 7C 365	201	238	< 1	0.02	9	130	< 2	< 5	< 10	60	0.15	< 10	< 10	40	< 5	23
TZ 7C 366	201	238	< 1	0.02	9	190	< 2	< 5	< 10	69	0.21	< 10	< 10	40	< 5	28
TZ 7C 367	201	238	< 1	0.01	20	360	2	< 5	< 10	49	0.21	< 10	< 10	69	< 5	57
TZ 7C 368	201	238	< 1	0.01	20	350	< 2	< 5	< 10	48	0.21	< 10	< 10	69	< 5	59
TZ 7C 369	201	238	< 1	0.02	9	150	< 2	< 5	< 10	58	0.24	< 10	< 10	40	< 5	38
TZ 7C 370	201	238	< 1	0.01	24	250	6	< 5	< 10	70	0.27	< 10	< 10	77	5	62
TZ 7C 371	201	238	< 1	0.01	24	290	< 2	< 5	< 10	80	0.25	< 10	< 10	77	5	60
TZ 7C 372	201	238	< 1	0.01	16	240	2	< 5	< 10	71	0.20	< 10	< 10	58	5	42
TZ 7C 373	201	238	< 1	0.02	11	240	< 2	< 5	< 10	55	0.19	< 10	< 10	52	< 5	43
TZ 7C 374	201	238	< 1	0.02	26	860	< 2	< 5	< 10	30	0.16	< 10	< 10	54	< 5	170
TZ 7C 375	201	238	< 1	0.02	22	670	4	< 5	< 10	39	0.17	< 10	< 10	56	< 5	141
TZ 7C 376	201	238	1	0.02	15	550	< 2	< 5	< 10	81	0.17	< 10	< 10	54	< 5	71
TZ 7C 377	201	238	< 1	0.02	10	390	< 2	< 5	< 10	51	0.14	10	< 10	43	< 5	58
TZ 7C 378	201	238	< 1	0.02	16	430	6	< 5	< 10	99	0.17	10	< 10	61	< 5	51
TZ 7C 379	201	238	< 1	0.02	4	300	< 2	10	< 10	286	0.07	< 10	< 10	35	< 5	41
TZ 7C 380	201	238	< 1	0.02	5	350	4	< 5	< 10	32	0.07	< 10	< 10	40	< 5	54
TZ 7C 381	201	238	< 1	0.01	9	300	14	5	< 10	54	0.10	10	< 10	38	< 5	44
TZ 7C 382	201	238	< 1	0.02	25	570	< 2	< 5	< 10	45	0.16	< 10	< 10	56	< 5	77
TZ 7C 383	201	238	< 1	0.02	13	380	< 2	< 5	< 10	125	0.16	10	< 10	60	< 5	49
TZ 7C 384	201	238	< 1	0.02	3	140	< 2	< 5	< 10	73	0.11	< 10	< 10	59	< 5	45
TZ 7C 385	201	238	< 1	0.02	2	200	2	< 5	< 10	86	0.11	< 10	< 10	45	< 5	40
TZ 7C 386	201	238	< 1	0.02	9	260	< 2	< 5	< 10	185	0.13	< 10	< 10	58	< 5	64
TZ 7C 387	201	238	< 1	0.02	10	250	2	< 5	< 10	62	0.13	< 10	< 10	47	< 5	61
TZ 7C 388	201	238	< 1	0.03	5	170	10	< 5	< 10	59	0.14	10	< 10	40	< 5	51

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S. MCALLISTER

Date : 9-JUL-87
Invoice # :I-8716983
P.O. # :27047

CERTIFICATE OF ANALYSIS A8716983

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
TZ 7C 389	201	238	< 5	2.04	< 0.2	< 5	180	< 0.5	< 2	0.32	0.5	6	8	12	1.86	< 10	1	0.08	< 10	0.24	233
TZ 7C 390	201	238	< 5	2.95	< 0.2	10	150	< 0.5	2	0.31	< 0.5	8	12	18	2.43	< 10	1	0.07	< 10	0.40	395
TZ 7C 391	201	238	< 5	1.57	< 0.2	5	100	< 0.5	< 2	0.25	< 0.5	5	12	9	1.88	< 10	< 1	0.05	10	0.18	359
TZ 7C 392	201	238	< 5	2.74	< 0.2	15	110	< 0.5	< 2	0.32	< 0.5	7	11	17	2.17	< 10	< 1	0.05	10	0.34	286
TZ 7C 393	201	238	< 5	2.42	< 0.2	15	130	1.5	< 2	0.30	< 0.5	7	17	14	2.32	< 10	< 1	0.04	10	0.30	340
TZ 7C 394	201	238	< 5	2.25	< 0.2	5	80	< 0.5	< 2	0.35	< 0.5	7	11	18	2.20	< 10	< 1	0.05	< 10	0.34	
TZ 7C 395	201	238	< 5	1.43	< 0.2	< 5	180	< 0.5	< 2	0.39	< 0.5	9	27	16	2.25	< 10	< 1	0.10	10	0.31	333
TZ 7C 396	201	238	< 5	3.09	< 0.2	< 5	110	0.5	< 2	1.05	0.5	12	36	28	2.75	< 10	4	0.08	20	0.59	870
TZ 7C 397	201	238	< 5	1.41	< 0.2	< 5	110	< 0.5	4	0.33	< 0.3	7	21	13	1.83	< 10	1	0.05	< 10	0.32	182
TZ 7C 398	201	238	< 5	1.36	< 0.2	< 5	110	< 0.5	< 2	0.33	0.5	6	21	12	1.83	< 10	< 1	0.05	10	0.31	186
TZ 7C 399	201	238	< 5	2.03	< 0.2	< 5	110	< 0.5	< 2	0.24	< 0.5	9	27	13	2.29	< 10	< 1	0.05	< 10	0.26	242
TZ 7C 400	201	238	< 5	1.97	< 0.2	20	130	< 0.5	< 2	0.27	< 0.5	9	26	14	2.46	< 10	< 1	0.04	< 10	0.26	299
TZ 7C 401	201	238	< 5	1.30	< 0.2	< 5	80	< 0.5	< 2	0.30	0.5	6	22	11	1.84	< 10	< 1	0.05	10	0.28	245
TZ 7C 402	201	238	< 5	1.98	< 0.2	< 5	80	< 0.5	< 2	0.52	0.5	9	32	19	2.66	< 10	< 1	0.06	10	0.37	237
TZ 7C 403	201	238	< 5	2.24	< 0.2	10	120	0.5	< 2	0.68	< 0.5	11	33	23	3.04	< 10	< 1	0.05	10	0.53	280
TZ 7C 404	201	238	< 5	3.66	< 0.2	20	100	1.5	< 2	1.06	< 0.5	14	46	40	3.83	10	< 1	0.07	30	0.66	556

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M580
Comments: CC: S. MCALLISTER

Date : 9-JUL-87
Invoice # : I-8716983
P.O. # : 27047

CERTIFICATE OF ANALYSIS A8716983

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
TZ 7C 389	201	238	< 1	0.02	7	190	6	< 5	< 10	142	0.11	< 10	< 10	46	< 5	42
TZ 7C 390	201	238	< 1	0.03	8	220	12	5	< 10	136	0.13	10	< 10	60	< 5	59
TZ 7C 391	201	238	< 1	0.01	5	160	10	< 5	< 10	27	0.10	10	< 10	45	< 5	63
TZ 7C 392	201	238	1	0.03	7	160	< 2	5	< 10	89	0.11	< 10	< 10	49	< 5	47
TZ 7C 393	201	238	< 1	0.02	12	280	< 2	< 5	< 10	33	0.13	10	< 10	56	< 5	71
TZ 7C 394	201	238	< 1	0.02	2	250	2	< 5	< 10	44	0.10	< 10	< 10	56	< 5	53
TZ 7C 395	201	238	< 1	0.02	15	220	< 2	< 5	< 10	104	0.14	< 10	< 10	60	< 5	45
TZ 7C 396	201	238	< 1	0.03	19	710	6	10	< 10	85	0.09	10	< 10	56	< 5	52
TZ 7C 397	201	238	< 1	0.02	9	130	14	< 5	< 10	93	0.16	< 10	< 10	41	< 5	38
TZ 7C 398	201	238	< 1	0.03	8	120	< 2	< 5	< 10	92	0.17	< 10	< 10	43	< 5	39
TZ 7C 399	201	238	< 1	0.02	19	200	6	< 5	< 10	48	0.20	< 10	< 10	52	< 5	48
TZ 7C 400	201	238	< 1	0.02	21	440	< 2	5	< 10	50	0.20	< 10	< 10	56	< 5	63
TZ 7C 401	201	238	< 1	0.02	11	140	< 2	< 5	< 10	58	0.18	< 10	< 10	44	< 5	41
TZ 7C 402	201	238	< 1	0.02	19	280	< 2	5	< 10	68	0.17	< 10	< 10	51	< 5	44
TZ 7C 403	201	238	< 1	0.03	20	300	< 2	5	< 10	99	0.18	10	< 10	54	< 5	55
TZ 7C 404	201	238	< 1	0.02	32	410	10	5	< 10	87	0.11	20	< 10	52	< 5	68

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : MS80
Comments: CC: S. McALLISTER

Page No. : 1-A
Tot. Pages: 1
Date : 8-JUL-87
Invoice # : I-8716992
P.O. # : 27047

PROJECT FILE

CERTIFICATE OF ANALYSIS A8716992

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
JB 7C-440	205	238	< 5	2.56	< 0.2	< 5	250	< 0.5	< 2	0.63	0.5	10	14	24	3.78	< 10	< 1	0.21	40	0.51	401
MM 7C-90	205	238	< 5	3.83	< 0.2	5	860	< 0.5	< 2	2.13	< 0.5	2	55	1	1.30	< 10	< 1	0.45	30	0.29	283
MM 7C-91	205	238	< 5	0.94	< 0.2	< 5	30	< 0.5	< 2	0.35	< 0.5	11	27	36	2.48	< 10	< 1	0.09	10	0.16	272
MM 7C-92	205	238	< 5	0.97	< 0.2	< 5	40	< 0.5	< 2	0.49	< 0.5	10	100	34	2.07	< 10	< 1	0.12	20	0.94	[illegible]
MM 7C-93	205	238	5	0.37	< 0.2	< 5	60	< 0.5	< 2	0.20	< 0.5	2	43	3	1.10	< 10	< 1	0.09	10	0.09	
MM 7C-94	205	238	< 5	0.56	< 0.2	< 5	30	< 0.5	< 2	0.20	< 0.5	2	28	2	1.14	< 10	< 1	0.08	10	0.12	118
SM 7C-65	205	238	< 5	2.33	< 0.2	< 5	220	0.5	< 2	0.90	< 0.5	8	12	32	2.08	< 10	< 1	0.11	10	0.82	393

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S. McALLISTER

Date : 8-JUL-87
Invoice # : I-8716992
P.O. # : 27047

CERTIFICATE OF ANALYSIS A8716992

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
JB 7C-440	205	238	< 1	0.07	19	330	4	< 5	< 10	92	0.32	< 10	< 10	64	< 5	55
MM 7C-90	205	238	< 1	0.10	< 1	220	14	< 5	< 10	2370	0.06	< 10	< 10	5	< 5	32
MM 7C-91	205	238	1	0.06	9	630	2	< 5	< 10	33	0.05	< 10	< 10	59	< 5	80
MM 7C-92	205	238	1	0.11	27	450	10	< 5	< 10	57	0.10	< 10	< 10	52	< 5	44
MM 7C-93	205	238	1	0.06	2	550	< 2	< 5	< 10	13	0.08	< 10	< 10	14	< 5	48
MM 7C-94	205	238	< 1	0.06	< 1	480	2	< 5	< 10	15	0.05	< 10	< 10	17	< 5	27
SM 7C-65	205	238	< 1	0.06	2	640	2	< 5	< 10	516	0.07	< 10	< 10	42	< 5	55

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: ATTN: S. MCALLISTER

Date : 7-JUL-87
Invoice # : I-8716688
P.O. # : 36811

PROJECT FILE

CERTIFICATE OF ANALYSIS A8716688

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
JB-7C-198	201	238	< 5	1.98	0.2	5	240	< 0.5	< 2	0.46	< 0.5	8	16	12	2.51	< 10	< 1	0.26	20	0.49	284
JB-7C-199	201	238	< 5	2.25	< 0.2	< 5	220	< 0.5	< 2	0.37	< 0.5	12	19	10	2.57	< 10	< 1	0.23	10	0.25	944
JB-7C-200	201	238	< 5	1.77	< 0.2	5	190	< 0.5	< 2	0.23	< 0.5	7	13	7	2.03	< 10	1	0.18	< 10	0.20	283
JB-7C-201	201	238	< 5	2.11	< 0.2	< 5	110	< 0.5	< 2	0.26	< 0.5	12	14	9	2.82	< 10	2	0.07	< 10	0.27	374
JB-7C-202	201	238	< 5	3.70	< 0.2	10	200	< 0.5	< 2	0.34	< 0.5	12	25	12	2.81	< 10	< 1	0.11	10	0.36	432
JB-7C-203	201	238	< 5	1.66	< 0.2	< 5	170	< 0.5	< 2	0.29	< 0.5	7	23	11	2.25	< 10	1	0.14	10	0.27	[illegible]
JB-7C-204	201	238	< 5	1.49	< 0.2	< 5	140	< 0.5	< 2	0.26	< 0.5	8	19	10	2.14	< 10	1	0.15	10	0.26	248
JB-7C-205	201	238	< 5	1.70	< 0.2	< 5	150	< 0.5	< 2	0.26	< 0.5	11	20	8	2.02	< 10	< 1	0.10	10	0.19	953
JB-7C-206	201	238	< 5	2.40	< 0.2	< 5	170	< 0.5	< 2	0.25	< 0.5	15	21	9	2.47	< 10	1	0.09	10	0.22	1635
JB-7C-207	201	238	< 5	1.16	< 0.2	< 5	80	< 0.5	< 2	0.15	< 0.5	8	11	5	1.61	< 10	2	0.04	< 10	0.14	425
JB-7C-208	201	238	< 5	2.00	< 0.2	< 5	160	< 0.5	< 2	0.26	< 0.5	8	18	8	1.96	< 10	< 1	0.10	10	0.22	248
JB-7C-209	201	238	< 5	2.16	< 0.2	5	120	< 0.5	< 2	0.32	< 0.5	8	14	10	2.51	< 10	2	0.08	10	0.27	139
JB-7C-210	201	238	< 5	2.49	< 0.2	< 5	200	< 0.5	< 2	0.29	< 0.5	8	18	9	2.39	< 10	< 1	0.11	10	0.21	1025
JB-7C-211	201	238	< 5	2.24	< 0.2	5	120	< 0.5	< 2	0.39	< 0.5	11	6	26	2.50	< 10	< 1	0.16	10	0.55	754
JB-7C-212	201	238	< 5	2.88	< 0.2	< 5	260	< 0.5	< 2	0.30	< 0.5	7	12	17	2.71	< 10	3	0.08	10	0.31	114
JB-7C-213	201	238	< 5	2.34	0.2	< 5	130	< 0.5	< 2	0.45	< 0.5	7	9	20	2.25	< 10	< 1	0.13	10	0.46	169
JB-7C-214	201	238	< 5	3.80	0.2	< 5	180	< 0.5	< 2	0.24	< 0.5	16	25	14	3.44	< 10	1	0.10	10	0.35	395
JB-7C-215	201	238	< 5	3.67	0.2	< 5	150	< 0.5	< 2	0.46	< 0.5	15	21	19	3.55	< 10	1	0.13	10	0.74	312
JB-7C-216	201	238	< 5	3.20	< 0.2	10	180	< 0.5	< 2	0.34	< 0.5	24	27	33	5.13	< 10	< 1	0.08	20	0.36	1275
JB-7C-217	203	238	< 5	4.01	0.2	20	110	< 0.5	< 2	0.82	< 0.5	17	73	45	3.90	< 10	1	0.10	20	0.86	1195
JB-7C-222	201	238	< 5	2.43	< 0.2	< 5	190	< 0.5	< 2	0.23	< 0.5	7	17	15	2.56	< 10	2	0.20	10	0.34	247
JB-7C-223	201	238	< 5	2.26	< 0.2	10	160	< 0.5	2	0.17	< 0.5	12	17	14	2.61	< 10	< 1	0.15	10	0.28	805
JB-7C-224	201	238	< 5	3.49	< 0.2	< 5	170	< 0.5	< 2	0.17	0.5	7	21	13	2.68	< 10	2	0.16	10	0.28	198
JB-7C-225	201	238	< 5	2.28	< 0.2	< 5	180	< 0.5	< 2	0.22	< 0.5	8	16	12	2.21	< 10	1	0.16	10	0.26	517
JB-7C-226	201	238	< 5	1.95	< 0.2	< 5	300	< 0.5	< 2	0.33	< 0.5	7	9	9	1.69	< 10	3	0.43	10	0.25	[illegible]
JB-7C-227	201	238	< 5	1.96	< 0.2	< 5	130	< 0.5	< 2	0.21	< 0.5	8	16	9	2.14	< 10	< 1	0.11	10	0.23	[illegible]
JB-7C-228	201	238	< 5	2.70	< 0.2	< 5	140	< 0.5	< 2	0.27	< 0.5	7	23	12	2.38	< 10	2	0.14	10	0.26	217
JB-7C-229	201	238	< 5	2.15	< 0.2	< 5	140	< 0.5	< 2	0.23	< 0.5	7	18	10	2.13	< 10	< 1	0.13	10	0.21	416
JB-7C-230	201	238	< 5	2.03	< 0.2	< 5	220	< 0.5	< 2	0.35	< 0.5	6	16	10	2.07	< 10	< 1	0.28	10	0.34	260
JB-7C-231	201	238	< 5	1.74	< 0.2	< 5	190	< 0.5	< 2	0.24	< 0.5	7	15	6	1.61	< 10	< 1	0.29	10	0.18	353
JB-7C-232	201	238	< 5	2.30	< 0.2	< 5	210	< 0.5	< 2	0.25	< 0.5	7	16	8	1.87	< 10	3	0.29	10	0.23	458
JB-7C-233	201	238	< 5	2.81	< 0.2	< 5	180	< 0.5	< 2	0.23	< 0.5	7	15	9	1.99	< 10	< 1	0.22	10	0.19	276
JB-7C-234	201	238	< 5	2.11	< 0.2	< 5	130	< 0.5	< 2	0.23	< 0.5	7	17	12	1.92	< 10	2	0.22	10	0.16	844
JB-7C-235	201	238	< 5	3.56	< 0.2	< 5	210	< 0.5	< 2	0.40	< 0.5	6	21	14	2.50	< 10	3	0.24	10	0.37	631
JB-7C-236	201	238	< 5	3.25	< 0.2	< 5	200	< 0.5	< 2	0.19	< 0.5	6	23	9	2.09	< 10	2	0.20	10	0.24	232
JB-7C-237	201	238	< 5	1.82	< 0.2	< 5	140	< 0.5	< 2	0.21	< 0.5	8	18	9	1.82	< 10	1	0.21	10	0.19	614
JB-7C-238	201	238	< 5	1.86	< 0.2	10	110	< 0.5	< 2	0.26	< 0.5	7	18	12	2.13	< 10	1	0.14	10	0.29	538
JB-7C-239	201	238	< 5	1.67	< 0.2	< 5	80	< 0.5	< 2	0.13	< 0.5	7	15	7	1.84	< 10	< 1	0.11	10	0.15	324
JB-7C-240	201	238	< 5	3.08	< 0.2	< 5	130	< 0.5	< 2	0.15	< 0.5	7	18	10	2.27	< 10	2	0.14	10	0.21	215
JB-7C-241	201	238	45	2.95	< 0.2	10	290	< 0.5	< 2	0.31	< 0.5	14	30	14	3.12	10	5	0.17	10	0.43	284

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: ATTN: S. MCALLISTER

Date : 7-JUL-87
Invoice # : I-8716688
P.O. # : 36811

CERTIFICATE OF ANALYSIS A8716688

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
JB-7C-198	201	238	< 1	0.02	10	510	12	< 5	< 10	56	0.08	< 10	< 10	41	< 5	55
JB-7C-199	201	238	< 1	0.01	19	500	8	< 5	< 10	46	0.14	< 10	< 10	45	< 5	66
JB-7C-200	201	238	< 1	0.02	10	220	8	< 5	< 10	34	0.16	< 10	< 10	41	< 5	35
JB-7C-201	201	238	< 1	0.02	21	240	4	< 5	< 10	32	0.12	< 10	< 10	53	< 5	54
JB-7C-202	201	238	< 1	0.01	28	470	12	< 5	< 10	47	0.13	< 10	< 10	47	< 5	77
JB-7C-203	201	238	< 1	0.02	18	360	6	< 5	< 10	49	0.16	< 10	< 10	52	< 5	54
JB-7C-204	201	238	< 1	0.01	12	360	2	< 5	< 10	40	0.13	< 10	< 10	46	< 5	50
JB-7C-205	201	238	< 1	0.01	22	520	8	< 5	< 10	33	0.13	< 10	< 10	44	< 5	90
JB-7C-206	201	238	< 1	0.01	29	490	8	< 5	< 10	33	0.12	< 10	< 10	51	< 5	94
JB-7C-207	201	238	< 1	0.02	9	270	8	< 5	< 10	18	0.10	< 10	< 10	41	< 5	47
JB-7C-208	201	238	1	0.01	17	230	10	< 5	< 10	41	0.15	< 10	< 10	35	< 5	45
JB-7C-209	201	238	< 1	< 0.01	13	360	10	< 5	< 10	40	0.08	< 10	< 10	40	< 5	37
JB-7C-210	201	238	< 1	0.01	24	550	6	< 5	< 10	36	0.11	< 10	< 10	42	< 5	68
JB-7C-211	201	238	< 1	< 0.01	11	540	8	< 5	< 10	36	0.05	< 10	< 10	34	< 5	46
JB-7C-212	201	238	< 1	0.01	14	160	2	< 5	< 10	50	0.09	< 10	< 10	29	< 5	45
JB-7C-213	201	238	< 1	0.01	11	300	4	< 5	< 10	48	0.05	< 10	< 10	22	< 5	29
JB-7C-214	201	238	< 1	0.02	36	350	8	< 5	< 10	42	0.14	< 10	< 10	58	< 5	89
JB-7C-215	201	238	< 1	0.01	25	480	8	< 5	< 10	61	0.11	< 10	< 10	44	< 5	49
JB-7C-216	201	238	< 1	0.02	53	510	10	< 5	< 10	60	0.12	< 10	< 10	70	< 5	75
JB-7C-217	203	238	< 1	0.01	45	910	4	< 5	< 10	72	0.03	< 10	< 10	60	< 5	74
JB-7C-222	201	238	< 1	0.02	11	1120	10	< 5	< 10	47	0.11	< 10	< 10	44	< 5	72
JB-7C-223	201	238	< 1	0.01	15	660	< 2	< 5	< 10	35	0.13	< 10	< 10	54	< 5	92
JB-7C-224	201	238	< 1	0.01	20	1370	2	< 5	< 10	38	0.10	< 10	< 10	47	< 5	86
JB-7C-225	201	238	< 1	0.01	14	430	< 2	< 5	< 10	34	0.13	< 10	< 10	43	< 5	66
JB-7C-226	201	238	< 1	0.02	8	200	10	< 5	< 10	51	0.08	< 10	< 10	27	< 5	43
JB-7C-227	201	238	< 1	0.01	16	420	2	< 5	< 10	31	0.12	< 10	< 10	48	< 5	57
JB-7C-228	201	238	< 1	0.01	20	720	< 2	< 5	< 10	40	0.14	< 10	< 10	47	< 5	65
JB-7C-229	201	238	< 1	0.01	17	390	2	< 5	< 10	43	0.17	< 10	< 10	48	< 5	43
JB-7C-230	201	238	< 1	0.02	10	280	6	< 5	< 10	65	0.14	< 10	< 10	43	< 5	34
JB-7C-231	201	238	< 1	0.01	11	230	6	< 5	< 10	35	0.14	< 10	< 10	34	< 5	38
JB-7C-232	201	238	< 1	0.02	15	270	10	< 5	< 10	36	0.14	< 10	< 10	41	< 5	56
JB-7C-233	201	238	< 1	0.01	17	300	8	< 5	< 10	30	0.11	< 10	< 10	37	< 5	51
JB-7C-234	201	238	< 1	0.02	14	990	12	< 5	< 10	26	0.10	< 10	< 10	41	< 5	72
JB-7C-235	201	238	< 1	0.02	16	520	10	< 5	< 10	50	0.11	< 10	< 10	44	5	63
JB-7C-236	201	238	< 1	0.02	24	260	14	< 5	< 10	33	0.15	< 10	< 10	42	< 5	68
JB-7C-237	201	238	1	0.01	14	800	8	< 5	< 10	26	0.10	< 10	< 10	39	< 5	57
JB-7C-238	201	238	1	0.04	11	360	12	< 5	< 10	39	0.12	< 10	< 10	48	< 5	59
JB-7C-239	201	238	< 1	0.02	12	490	10	< 5	< 10	22	0.11	< 10	< 10	43	< 5	54
JB-7C-240	201	238	< 1	0.02	19	310	8	< 5	< 10	30	0.11	< 10	< 10	46	< 5	56
JB-7C-241	201	238	< 1	0.01	33	800	8	< 5	< 10	73	0.14	< 10	< 10	65	< 5	55

CERTIFICATION : B Cargl

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: ATTN: S. MCALLISTER

Date : 7-JUL-87
Invoice # : I-8716688
P.O. # : 36811

CERTIFICATE OF ANALYSIS A8716688

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
JB-7C-242	201	238	< 5	3.11	< 0.2	5	350	< 0.5	< 2	0.33	< 0.5	15	29	17	3.11	< 10	4	0.16	10	0.46	216
JB-7C-243	201	238	< 5	2.40	< 0.2	< 5	190	< 0.5	< 2	0.16	< 0.5	8	19	11	2.30	< 10	5	0.11	< 10	0.24	166
JB-7C-244	201	238	< 5	3.03	< 0.2	< 5	200	< 0.5	< 2	0.30	< 0.5	12	17	16	2.51	< 10	< 1	0.14	10	0.27	217
JB-7C-245	201	238	< 5	1.44	< 0.2	10	120	< 0.5	< 2	0.51	< 0.5	24	2	32	5.72	< 10	< 1	0.06	10	0.46	1435
JB-7C-246	201	238	< 5	1.45	< 0.2	15	60	< 0.5	< 2	0.45	< 0.5	7	10	27	2.62	< 10	< 1	0.07	10	0.35	206
JB-7C-247	201	238	< 5	4.75	< 0.2	< 5	160	< 0.5	< 2	0.51	0.5	16	20	22	4.16	< 10	1	0.05	10	0.80	
JB-7C-248	201	238	< 5	3.69	< 0.2	< 5	80	< 0.5	< 2	0.67	0.5	23	16	28	4.34	< 10	1	0.06	10	1.31	411
JB-7C-249	201	238	< 5	1.99	< 0.2	5	70	< 0.5	< 2	0.70	< 0.5	25	21	45	3.78	< 10	< 1	0.08	10	1.42	918
JB-7C-250	201	238	< 5	2.59	< 0.2	< 5	130	< 0.5	< 2	0.22	< 0.5	14	16	20	3.28	< 10	2	0.07	< 10	0.47	583
JB-7C-251	201	238	< 5	3.47	< 0.2	< 5	110	< 0.5	< 2	0.43	< 0.5	6	3	13	2.77	< 10	4	0.05	10	0.50	171
JB-7C-252	201	238	< 5	3.82	< 0.2	5	210	< 0.5	< 2	0.43	< 0.5	13	20	17	3.11	< 10	2	0.13	10	0.43	366
JB-7C-253	201	238	< 5	2.53	< 0.2	15	110	< 0.5	< 2	0.72	< 0.5	11	22	31	2.60	< 10	< 1	0.09	20	0.46	314
JB-7C-254	203	238	20	2.70	< 0.2	< 5	70	< 0.5	< 2	0.29	< 0.5	7	37	32	2.52	< 10	1	0.08	10	0.29	286
JB-7C-255	201	238	< 5	2.39	< 0.2	< 5	100	< 0.5	< 2	0.16	< 0.5	11	19	19	3.14	< 10	< 1	0.06	< 10	0.26	173
JB-7C-256	203	238	20	5.15	< 0.2	5	260	< 0.5	< 2	0.50	< 0.5	33	31	61	5.81	< 10	< 1	0.11	10	0.54	585
JB-7C-257	201	238	< 5	3.58	< 0.2	10	160	< 0.5	< 2	0.25	< 0.5	13	16	19	3.25	< 10	3	0.09	< 10	0.39	174
JB-7C-258	201	238	< 5	3.50	< 0.2	10	210	< 0.5	< 2	0.22	< 0.5	12	20	17	2.79	< 10	1	0.10	10	0.32	163
JB-7C-259	201	238	25	2.78	< 0.2	10	160	< 0.5	< 2	0.17	< 0.5	11	19	12	2.61	< 10	2	0.09	< 10	0.25	254
JB-7C-260	203	238	75	3.72	< 0.2	< 5	320	< 0.5	< 2	0.40	< 0.5	15	36	22	3.15	< 10	6	0.16	10	0.49	262
JB-7C-261	201	238	< 5	1.39	< 0.2	< 5	70	< 0.5	< 2	0.06	< 0.5	5	8	8	1.48	< 10	2	0.08	< 10	0.13	78
JB-7C-262	201	238	< 5	1.33	< 0.2	< 5	60	< 0.5	< 2	0.18	< 0.5	5	2	5	0.78	< 10	< 1	0.12	< 10	0.20	36
JB-7C-264	201	238	< 5	2.06	< 0.2	< 5	120	< 0.5	< 2	0.51	< 0.5	10	39	19	2.55	< 10	< 1	0.08	10	0.41	361
JB-7C-265	201	238	< 5	1.27	< 0.2	< 5	110	< 0.5	< 2	0.27	< 0.5	6	24	10	1.91	< 10	< 1	0.06	10	0.25	187
JB-7C-266	201	238	< 5	1.02	< 0.2	< 5	80	< 0.5	< 2	0.36	< 0.5	7	28	7	1.37	< 10	< 1	0.06	10	0.34	156
JB-7C-267	201	238	< 5	1.51	< 0.2	< 5	80	< 0.5	< 2	0.27	< 0.5	9	28	13	2.47	< 10	3	0.07	10	0.27	289
JB-7C-268	201	238	< 5	3.16	< 0.2	55	150	< 0.5	< 2	0.54	< 0.5	17	10	15	4.04	< 10	3	0.07	10	0.82	
JB-7C-269	201	238	< 5	1.96	< 0.2	5	60	< 0.5	< 2	0.15	< 0.5	7	18	7	2.11	< 10	< 1	0.05	< 10	0.18	135
JB-7C-270	201	238	< 5	2.92	< 0.2	10	70	< 0.5	< 2	0.22	< 0.5	11	26	14	2.69	< 10	2	0.06	< 10	0.32	209
JB-7C-271	201	238	< 5	1.86	< 0.2	< 5	100	< 0.5	< 2	0.27	< 0.5	7	21	13	1.92	< 10	2	0.06	10	0.30	234
JB-7C-272	201	238	< 5	3.39	< 0.2	< 5	110	< 0.5	< 2	0.20	< 0.5	11	26	14	2.90	< 10	5	0.06	< 10	0.29	506
JB-7C-273	201	238	< 5	3.65	< 0.2	5	120	< 0.5	< 2	0.22	< 0.5	12	26	15	3.03	< 10	< 1	0.06	10	0.30	438
JB-7C-274	201	238	< 5	2.53	2.2	5	110	< 0.5	< 2	0.21	< 0.5	11	26	12	2.46	< 10	3	0.04	< 10	0.28	399
JB-7C-275	201	238	< 5	3.30	< 0.2	< 5	100	< 0.5	< 2	0.18	< 0.5	13	33	18	3.27	< 10	2	0.06	< 10	0.30	254
JB-7C-276	201	238	< 5	1.01	< 0.2	< 5	60	< 0.5	< 2	0.29	< 0.5	7	15	8	1.54	< 10	1	0.04	< 10	0.20	185
JB-7C-277	201	238	< 5	1.89	< 0.2	< 5	90	< 0.5	< 2	0.19	< 0.5	6	21	10	2.14	< 10	2	0.03	< 10	0.24	286
JB-7C-278	201	238	< 5	1.90	< 0.2	< 5	100	< 0.5	< 2	0.24	< 0.5	6	22	11	2.13	< 10	2	0.04	< 10	0.27	270
JB-7C-279	217	238	< 5	5.45	< 0.2	< 5	100	< 0.5	< 2	0.74	< 0.5	16	56	43	4.39	10	7	0.11	30	0.79	610
JB-7C-280	201	238	< 5	2.99	< 0.2	< 5	130	< 0.5	< 2	0.36	< 0.5	30	31	20	3.23	< 10	2	0.07	10	0.46	1385
JB-7C-281	201	238	< 5	2.55	< 0.2	< 5	100	< 0.5	< 2	0.22	< 0.5	12	23	11	2.49	< 10	2	0.03	< 10	0.28	359
JB-7C-282	201	238	< 5	2.44	< 0.2	5	110	< 0.5	< 2	0.27	< 0.5	12	25	14	2.61	< 10	3	0.05	10	0.36	481

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M580
Comments: ATTN: S. MCALLISTER

Date : 7-JUL-87
Invoice # : I-8716688
P.O. # : 36811

CERTIFICATE OF ANALYSIS A8716688

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
JB-7C-242	201	238	< 1	0.01	35	810	12	< 5	< 10	93	0.19	< 10	< 10	62	< 5	50
JB-7C-243	201	238	1	0.01	21	530	16	< 5	< 10	36	0.14	< 10	< 10	51	< 5	48
JB-7C-244	201	238	< 1	0.01	22	530	2	< 5	< 10	52	0.10	< 10	< 10	43	< 5	57
JB-7C-245	201	238	< 1	0.01	11	730	14	5	< 10	37	0.20	< 10	< 10	100	< 5	81
JB-7C-246	201	238	< 1	0.01	12	360	6	< 5	< 10	38	0.02	< 10	< 10	31	< 5	42
JB-7C-247	201	238	< 1	0.01	23	540	6	< 5	< 10	67	0.10	< 10	< 10	79	< 5	65
JB-7C-248	201	238	< 1	0.01	20	1610	4	< 5	< 10	73	0.07	< 10	< 10	82	< 5	64
JB-7C-249	201	238	< 1	0.02	24	480	4	< 5	< 10	59	0.09	< 10	< 10	80	< 5	49
JB-7C-250	201	238	< 1	0.02	15	680	8	< 5	< 10	40	0.12	< 10	< 10	63	< 5	65
JB-7C-251	201	238	< 1	0.01	6	420	8	< 5	< 10	65	0.07	< 10	< 10	43	< 5	46
JB-7C-252	201	238	< 1	0.01	23	500	6	< 5	< 10	67	0.13	< 10	< 10	61	< 5	60
JB-7C-253	201	238	< 1	0.02	17	330	12	5	< 10	76	0.10	< 10	< 10	52	< 5	41
JB-7C-254	203	238	< 1	0.05	18	350	8	< 5	< 10	37	0.09	< 10	< 10	44	< 5	36
JB-7C-255	201	238	< 1	0.01	17	310	6	< 5	< 10	35	0.11	< 10	< 10	68	< 5	74
JB-7C-256	203	238	< 1	0.02	45	610	4	5	< 10	98	0.09	< 10	< 10	83	5	78
JB-7C-257	201	238	< 1	0.01	16	670	20	< 5	< 10	39	0.08	< 10	< 10	52	< 5	75
JB-7C-258	201	238	< 1	0.01	21	340	10	< 5	< 10	62	0.15	< 10	< 10	53	< 5	53
JB-7C-259	201	238	< 1	0.01	19	1140	6	< 5	< 10	34	0.12	< 10	< 10	52	< 5	73
JB-7C-260	203	238	< 1	0.03	20	530	8	< 5	< 10	96	0.16	< 10	< 10	64	< 5	53
JB-7C-261	201	238	< 1	0.02	7	110	8	< 5	< 10	15	0.07	< 10	< 10	30	< 5	35
JB-7C-262	201	238	< 1	0.03	3	70	10	< 5	< 10	22	0.01	< 10	< 10	11	< 5	21
JB-7C-264	201	238	< 1	0.02	19	430	48	< 5	< 10	81	0.13	< 10	< 10	53	< 5	47
JB-7C-265	201	238	< 1	0.02	12	180	6	< 5	< 10	45	0.17	< 10	< 10	47	< 5	47
JB-7C-266	201	238	< 1	0.02	10	240	10	< 5	< 10	55	0.15	< 10	< 10	38	< 5	30
JB-7C-267	201	238	< 1	0.01	14	200	10	< 5	< 10	47	0.18	< 10	< 10	61	< 5	56
JB-7C-268	201	238	1	0.01	11	1040	6	< 5	< 10	85	0.06	< 10	< 10	46	< 5	70
JB-7C-269	201	238	< 1	0.02	13	700	12	< 5	< 10	22	0.11	< 10	< 10	49	< 5	65
JB-7C-270	201	238	< 1	0.01	22	610	< 2	< 5	< 10	32	0.13	< 10	< 10	53	< 5	75
JB-7C-271	201	238	< 1	0.01	13	300	42	< 5	< 10	43	0.13	< 10	< 10	38	< 5	45
JB-7C-272	201	238	< 1	0.01	26	430	4	< 5	< 10	29	0.15	< 10	< 10	61	< 5	73
JB-7C-273	201	238	< 1	0.01	30	480	6	< 5	< 10	33	0.15	< 10	< 10	63	< 5	79
JB-7C-274	201	238	< 1	0.01	20	350	10	< 5	< 10	32	0.15	< 10	< 10	59	< 5	59
JB-7C-275	201	238	< 1	0.01	28	470	4	< 5	< 10	28	0.16	< 10	< 10	79	< 5	61
JB-7C-276	201	238	< 1	0.02	7	110	8	< 5	< 10	38	0.16	< 10	< 10	38	< 5	27
JB-7C-277	201	238	< 1	0.01	14	230	6	< 5	< 10	31	0.16	< 10	< 10	53	< 5	53
JB-7C-278	201	238	< 1	0.01	16	220	12	< 5	< 10	46	0.16	< 10	< 10	54	< 5	44
JB-7C-279	217	238	< 1	0.03	39	420	8	< 5	< 10	119	0.11	< 10	< 10	94	< 5	56
JB-7C-280	201	238	1	0.02	21	370	8	< 5	< 10	57	0.14	< 10	< 10	76	< 5	52
JB-7C-281	201	238	< 1	0.02	15	290	6	< 5	< 10	43	0.15	< 10	< 10	65	< 5	47
JB-7C-262	201	238	< 1	0.02	18	370	16	< 5	< 10	46	0.16	< 10	< 10	63	< 5	57

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M580
Comments: ATTN: S. MCALLISTER

Date : 7-JUL-87
Invoice # : I-8716688
P.O. # : 36811

CERTIFICATE OF ANALYSIS A8716688

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
JB-7C-283	201	238	< 5	1.84	< 0.2	< 5	110	< 0.5	< 2	0.28	< 0.5	8	22	13	2.18	< 10	1	0.04	10	0.31	373
JB-7C-284	201	238	< 5	1.23	< 0.2	< 5	70	< 0.5	< 2	0.24	< 0.5	7	17	10	1.74	< 10	< 1	0.04	< 10	0.23	178
JB-7C-285	201	238	< 5	1.66	< 0.2	5	80	< 0.5	< 2	0.26	< 0.5	12	16	10	1.92	< 10	1	0.04	10	0.28	633
JB-7C-286	201	238	25	1.68	< 0.2	< 5	130	< 0.5	< 2	0.30	< 0.5	6	23	11	2.11	< 10	< 1	0.05	10	0.31	277
JB-7C-287	201	238	< 5	2.68	< 0.2	< 5	100	< 0.5	< 2	0.22	< 0.5	12	24	11	2.63	< 10	2	0.05	< 10	0.28	[illegible]
JB-7C-288	201	238	< 5	2.32	< 0.2	< 5	90	< 0.5	4	0.25	< 0.5	8	22	13	2.17	< 10	< 1	0.04	< 10	0.33	[illegible]
JB-7C-289	201	238	< 5	2.11	< 0.2	< 5	90	< 0.5	< 2	0.27	< 0.5	9	24	14	2.19	< 10	< 1	0.04	< 10	0.31	212
JB-7C-290	201	238	< 5	1.48	< 0.2	< 5	80	< 0.5	2	0.26	< 0.5	7	19	11	1.86	< 10	< 1	0.04	< 10	0.26	182
JB-7C-291	201	238	< 5	1.39	< 0.2	< 5	110	< 0.5	< 2	0.27	< 0.5	7	24	10	1.81	< 10	< 1	0.04	< 10	0.32	173
JB-7C-292	201	238	< 5	3.55	< 0.2	5	110	0.5	4	0.80	< 0.5	20	37	31	3.04	10	< 1	0.10	50	0.51	1210
JB-7C-293	201	238	< 5	2.71	< 0.2	< 5	90	< 0.5	< 2	0.46	< 0.5	11	28	18	2.85	< 10	< 1	0.07	10	0.45	674
JB-7C-294	201	238	< 5	1.43	< 0.2	< 5	50	< 0.5	2	0.30	< 0.5	7	17	9	1.79	< 10	< 1	0.04	< 10	0.23	341
JB-7C-295	201	238	< 5	3.55	< 0.2	5	150	< 0.5	< 2	0.25	< 0.5	14	29	15	3.36	< 10	< 1	0.06	< 10	0.31	692
JB-7C-296	201	238	5	2.60	< 0.2	< 5	160	< 0.5	< 2	0.45	< 0.5	15	36	17	3.33	< 10	< 1	0.06	10	0.41	880
JB-7C-297	203	238	60	2.43	< 0.2	< 5	90	< 0.5	2	0.36	< 0.5	13	60	14	2.50	< 10	< 1	0.06	10	0.31	608
JB-7C-298	201	238	< 5	2.33	< 0.2	< 5	90	0.5	< 2	0.36	< 0.5	11	33	13	2.66	10	< 1	0.04	10	0.39	473
JB-7C-299	201	238	< 5	2.53	< 0.2	10	130	0.5	< 2	0.38	< 0.5	11	30	16	2.86	< 10	< 1	0.05	10	0.41	693
JB-7C-300	201	238	< 5	3.22	< 0.2	< 5	130	1.0	< 2	0.57	< 0.5	16	40	28	3.22	10	< 1	0.07	10	0.57	737
JB-7C-301	201	238	< 5	1.29	< 0.2	< 5	140	< 0.5	< 2	0.36	< 0.5	5	29	12	1.56	< 10	< 1	0.05	10	0.33	160
JB-7C-302	201	238	< 5	1.77	< 0.2	< 5	100	0.5	< 2	0.28	< 0.5	7	29	14	2.35	< 10	< 1	0.04	< 10	0.31	173
JB-7C-303	201	238	< 5	1.69	< 0.2	< 5	110	0.5	2	0.28	< 0.5	7	36	11	2.16	< 10	< 1	0.04	10	0.38	198
JB-7C-304	201	238	< 5	1.56	< 0.2	< 5	100	< 0.5	< 2	0.27	< 0.5	7	34	10	2.05	< 10	< 1	0.04	10	0.36	196
JB-7C-305	201	238	< 5	3.81	< 0.2	< 5	170	0.5	< 2	0.41	< 0.5	14	44	26	3.76	10	< 1	0.06	10	0.53	351
JB-7C-306	201	238	< 5	2.12	< 0.2	5	310	0.5	2	0.39	< 0.5	9	41	13	2.27	< 10	< 1	0.09	10	0.64	236
JB-7C-308	201	238	< 5	1.98	0.2	5	160	< 0.5	< 2	0.25	< 0.5	9	42	14	2.48	10	< 1	0.05	10	0.34	[illegible]
JB-7C-310	201	238	< 5	1.49	0.2	10	150	< 0.5	< 2	0.26	< 0.5	8	31	12	2.05	10	< 1	0.04	< 10	0.26	245
JB-7C-311	201	238	< 5	1.84	0.2	< 5	160	< 0.5	< 2	0.25	< 0.5	11	28	9	2.36	10	< 1	0.05	< 10	0.22	570
JB-7C-312	201	238	< 5	1.58	0.2	< 5	120	< 0.5	< 2	0.26	< 0.5	9	28	10	2.12	10	< 1	0.05	< 10	0.24	372
JB-7C-313	201	238	< 5	1.89	0.4	< 5	110	< 0.5	< 2	0.35	< 0.5	11	30	12	2.48	20	< 1	0.06	10	0.33	789
JB-7C-314	201	238	< 5	1.36	0.4	< 5	110	< 0.5	2	0.26	< 0.5	7	25	10	2.04	10	< 1	0.06	< 10	0.23	211
JB-7C-315	201	238	< 5	1.17	0.4	< 5	70	< 0.5	< 2	0.23	< 0.5	6	22	10	1.65	10	< 1	0.03	< 10	0.24	393
JB-7C-316	203	238	< 5	1.65	0.4	5	80	< 0.5	< 2	0.39	< 0.5	9	61	12	2.42	10	< 1	0.08	10	0.43	564
JB-7C-317	203	238	10	2.05	0.2	10	80	< 0.5	< 2	0.54	< 0.5	13	40	15	2.82	20	< 1	0.10	10	0.34	1105
JB-7C-318	201	238	< 5	3.57	0.4	5	200	< 0.5	< 2	0.25	< 0.5	12	27	14	2.75	20	< 1	0.09	< 10	0.33	198
JB-7C-319	201	238	< 5	1.46	< 0.2	10	100	< 0.5	< 2	0.26	< 0.5	6	22	10	1.88	< 10	1	0.05	< 10	0.24	295
JB-7C-320	201	238	< 5	1.59	< 0.2	< 5	140	< 0.5	< 2	0.21	< 0.5	6	23	10	1.97	< 10	< 1	0.04	< 10	0.20	177
JB-7C-321	201	238	< 5	1.23	< 0.2	< 5	90	< 0.5	< 2	0.24	< 0.5	5	16	9	1.65	< 10	< 1	0.05	< 10	0.20	250
JB-7C-322	201	238	35	1.28	< 0.2	< 5	120	< 0.5	< 2	0.22	< 0.5	6	23	10	1.95	< 10	< 1	0.06	< 10	0.19	252
JB-7C-323	203	238	< 5	2.46	0.2	20	210	0.5	< 2	0.39	< 0.5	11	50	14	3.30	< 10	< 1	0.09	10	0.31	1675
JB-7C-324	201	238	< 5	2.35	< 0.2	< 5	170	< 0.5	< 2	0.38	0.5	9	23	11	2.53	< 10	< 1	0.07	10	0.27	1020

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: ATTN: S. MCALLISTER

Date : 7-JUL-87
Invoice # : I-8716688
P.O. # : 36811

CERTIFICATE OF ANALYSIS A8716688

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
JB-7C-283	201	238	< 1	0.02	14	270	12	< 5	< 10	58	0.16	< 10	< 10	53	< 5	41
JB-7C-284	201	238	< 1	0.02	10	170	8	< 5	< 10	43	0.15	< 10	< 10	42	< 5	33
JB-7C-285	201	238	< 1	0.02	13	280	< 2	< 5	< 10	38	0.10	< 10	< 10	49	< 5	41
JB-7C-286	201	238	< 1	0.02	15	240	6	< 5	< 10	68	0.18	< 10	< 10	52	< 5	45
JB-7C-287	201	238	1	0.01	23	650	16	< 5	< 10	35	0.16	< 10	< 10	57	< 5	96
JB-7C-288	201	238	< 1	0.02	13	230	2	< 5	< 10	41	0.17	< 10	< 10	42	< 5	35
JB-7C-289	201	238	< 1	0.02	14	290	6	< 5	< 10	41	0.18	< 10	< 10	51	< 5	48
JB-7C-290	201	238	< 1	0.01	8	160	10	< 5	< 10	45	0.16	< 10	< 10	42	< 5	42
JB-7C-291	201	238	< 1	0.01	13	190	10	< 5	< 10	58	0.13	< 10	< 10	43	< 5	42
JB-7C-292	201	238	< 1	0.02	25	650	20	< 5	< 10	65	0.10	20	< 10	56	< 5	56
JB-7C-293	201	238	1	0.02	19	410	14	< 5	< 10	51	0.14	< 10	< 10	59	< 5	53
JB-7C-294	201	238	< 1	0.03	9	200	8	< 5	< 10	23	0.14	< 10	< 10	44	< 5	41
JB-7C-295	201	238	< 1	0.02	29	520	6	< 5	< 10	33	0.20	< 10	< 10	74	< 5	95
JB-7C-296	201	238	< 1	0.02	23	520	10	< 5	< 10	66	0.22	< 10	< 10	75	< 5	81
JB-7C-297	203	238	< 1	0.05	16	470	4	< 5	< 10	44	0.14	< 10	< 10	59	< 5	67
JB-7C-298	201	238	< 1	0.01	22	270	8	< 5	< 10	48	0.22	< 10	< 10	68	5	64
JB-7C-299	201	238	< 1	0.01	21	480	4	< 5	< 10	52	0.18	< 10	< 10	66	< 5	67
JB-7C-300	201	238	< 1	0.02	29	410	6	< 5	< 10	55	0.14	< 10	< 10	59	5	59
JB-7C-301	201	238	< 1	0.02	14	340	< 2	< 5	< 10	71	0.17	< 10	< 10	37	< 5	33
JB-7C-302	201	238	< 1	0.02	20	360	4	< 5	< 10	43	0.18	< 10	< 10	53	< 5	59
JB-7C-303	201	238	< 1	0.01	20	250	< 2	< 5	< 10	46	0.18	< 10	< 10	55	< 5	57
JB-7C-304	201	238	< 1	0.01	22	230	6	< 5	< 10	43	0.17	< 10	< 10	50	< 5	57
JB-7C-305	201	238	< 1	0.01	36	420	10	< 5	< 10	72	0.19	< 10	< 10	68	< 5	52
JB-7C-306	201	238	< 1	0.01	29	340	12	< 5	< 10	120	0.18	< 10	< 10	48	< 5	54
JB-7C-308	201	238	< 1	0.01	22	230	8	< 5	< 10	63	0.19	< 10	< 10	61	< 5	39
JB-7C-310	201	238	< 1	0.01	14	120	10	5	< 10	67	0.18	< 10	< 10	54	< 5	38
JB-7C-311	201	238	< 1	0.02	18	170	8	5	< 10	46	0.19	< 10	< 10	65	5	50
JB-7C-312	201	238	< 1	0.02	19	160	16	5	< 10	46	0.19	< 10	< 10	55	< 5	40
JB-7C-312	201	238	< 1	0.02	18	290	10	< 5	< 10	45	0.19	< 10	< 10	65	< 5	45
JB-7C-314	201	238	< 1	0.01	15	230	6	< 5	< 10	48	0.18	< 10	< 10	53	< 5	33
JB-7C-315	201	238	< 1	0.02	14	190	2	< 5	< 10	30	0.11	< 10	< 10	51	< 5	31
JB-7C-316	203	238	< 1	0.05	14	260	6	< 5	< 10	41	0.18	< 10	< 10	61	< 5	53
JB-7C-317	203	238	< 1	0.04	16	400	10	< 5	< 10	40	0.20	< 10	< 10	70	< 5	50
JB-7C-318	201	238	< 1	0.01	26	770	12	< 5	< 10	43	0.17	< 10	< 10	53	5	72
JB-7C-319	201	238	< 1	0.02	12	230	12	< 5	< 10	41	0.17	< 10	< 10	48	< 5	53
JB-7C-320	201	238	< 1	0.01	12	120	< 2	< 5	< 10	46	0.18	< 10	< 10	47	< 5	30
JB-7C-321	201	238	< 1	0.02	9	200	< 2	< 5	< 10	40	0.15	< 10	< 10	40	< 5	36
JB-7C-322	201	238	< 1	0.02	13	120	6	< 5	< 10	51	0.18	< 10	< 10	52	< 5	31
JB-7C-323	203	238	1	0.03	16	420	14	< 5	< 10	55	0.16	< 10	< 10	55	< 5	64
JB-7C-324	201	238	1	0.01	19	400	< 2	< 5	< 10	53	0.15	< 10	< 10	53	< 5	70

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: ATTN: S. MCALLISTER

Date : 7-JUL-87
Invoice # :I-8716688
P.O. # :36811

CERTIFICATE OF ANALYSIS A8716688

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
JB-7C-325	201	238	< 5	1.61	< 0.2	< 5	120	< 0.5	< 2	0.22	< 0.5	8	19	9	2.12	< 10	< 1	0.04	< 10	0.23	848
JB-7C-326	201	238	< 5	1.67	< 0.2	< 5	90	< 0.5	< 2	0.24	< 0.5	9	24	10	2.11	< 10	< 1	0.06	< 10	0.26	402
JB-7C-327	201	238	< 5	1.24	< 0.2	< 5	90	< 0.5	< 2	0.26	< 0.5	7	23	11	2.09	< 10	< 1	0.07	< 10	0.24	319
JB-7C-328	201	238	< 5	1.66	0.2	< 5	100	< 0.5	< 2	0.25	< 0.5	6	17	8	1.94	< 10	< 1	0.06	< 10	0.24	330
JB-7C-329	201	238	< 5	1.18	< 0.2	5	70	< 0.5	< 2	0.23	< 0.5	6	18	7	1.85	< 10	< 1	0.06	< 10	0.20	385
JB-7C-330	201	238	< 5	1.14	0.2	< 5	60	< 0.5	< 2	0.22	< 0.5	4	12	7	1.62	< 10	< 1	0.06	< 10	0.19	[illegible]
JB-7C-331	201	238	< 5	2.00	< 0.2	15	110	< 0.5	< 2	0.26	< 0.5	7	20	8	2.37	< 10	< 1	0.07	< 10	0.23	292
JB-7C-332	201	238	< 5	1.29	< 0.2	< 5	60	< 0.5	< 2	0.32	< 0.5	5	17	8	1.72	< 10	< 1	0.06	< 10	0.22	125
JB-7C-333	201	238	< 5	1.37	< 0.2	< 5	90	< 0.5	< 2	0.51	< 0.5	7	26	12	2.18	< 10	< 1	0.06	10	0.33	308
JB-7C-334	201	238	< 5	0.97	< 0.2	< 5	90	< 0.5	< 2	0.28	< 0.5	3	23	8	1.34	< 10	< 1	0.09	< 10	0.24	158
JB-7C-335	201	238	< 5	0.97	< 0.2	< 5	90	< 0.5	< 2	0.28	0.5	4	22	8	1.35	< 10	< 1	0.09	< 10	0.24	155
JB-7C-336	201	238	< 5	1.45	< 0.2	< 5	80	< 0.5	< 2	0.31	< 0.5	6	26	12	1.71	< 10	< 1	0.08	10	0.34	228
JB-7C-337	201	238	< 5	1.14	< 0.2	< 5	110	< 0.5	< 2	0.29	< 0.5	4	22	9	1.51	< 10	< 1	0.10	10	0.29	158
JB-7C-338	201	238	< 5	1.01	< 0.2	< 5	90	< 0.5	< 2	0.37	< 0.5	5	23	9	1.39	< 10	< 1	0.10	10	0.29	214
JB-7C-339	201	238	< 5	1.58	< 0.2	10	90	< 0.5	< 2	0.26	< 0.5	7	24	9	1.77	< 10	< 1	0.05	< 10	0.25	202
JB-7C-340	201	238	< 5	1.62	< 0.2	< 5	140	< 0.5	< 2	0.31	< 0.5	7	25	11	1.86	< 10	< 1	0.09	10	0.28	552
JB-7C-341	201	238	< 5	2.30	< 0.2	< 5	130	< 0.5	< 2	0.25	< 0.5	9	35	11	2.17	< 10	< 1	0.05	< 10	0.28	240
JB-7C-342	201	238	< 5	2.32	< 0.2	< 5	140	< 0.5	< 2	0.28	< 0.5	9	32	11	2.14	< 10	< 1	0.10	< 10	0.26	296
JB-7C-343	201	238	< 5	3.00	< 0.2	< 5	150	< 0.5	< 2	0.26	< 0.5	12	36	14	2.52	< 10	< 1	0.07	< 10	0.29	241
JB-7C-344	201	238	< 5	1.70	< 0.2	15	80	< 0.5	< 2	0.33	< 0.5	7	26	9	1.91	< 10	< 1	0.08	10	0.28	404
JB-7C-345	201	238	< 5	2.31	< 0.2	< 5	240	< 0.5	< 2	0.28	< 0.5	7	26	11	2.10	< 10	< 1	0.09	10	0.30	168
JB-7C-346	201	238	< 5	1.38	< 0.2	5	160	< 0.5	< 2	0.35	< 0.5	6	24	10	1.78	< 10	< 1	0.11	10	0.32	176
JB-7C-347	201	238	< 5	1.69	< 0.2	10	190	0.5	< 2	0.59	< 0.5	10	36	25	2.28	< 10	< 1	0.12	20	0.44	377
JB-7C-348	201	238	< 5	1.29	< 0.2	< 5	140	< 0.5	< 2	0.31	< 0.5	5	22	10	1.64	< 10	< 1	0.11	10	0.28	145
JB-7C-349	201	238	< 5	0.82	< 0.2	5	160	< 0.5	< 2	0.27	< 0.5	3	19	6	1.27	< 10	< 1	0.09	< 10	0.21	116
JB-7C-350	201	238	< 5	1.01	< 0.2	10	120	0.5	< 2	0.45	< 0.5	5	19	12	1.21	< 10	< 1	0.18	10	0.23	[illegible]
JB-7C-351	201	238	< 5	0.91	< 0.2	10	70	0.5	< 2	0.35	< 0.5	5	25	11	1.70	< 10	< 1	0.09	10	0.25	157
JB-7C-352	201	238	< 5	0.96	< 0.2	< 5	90	< 0.5	< 2	0.24	< 0.5	4	22	6	1.44	< 10	< 1	0.08	< 10	0.20	118
JB-7C-353	201	238	< 5	0.97	< 0.2	5	90	< 0.5	< 2	0.28	< 0.5	5	22	8	1.55	< 10	< 1	0.07	< 10	0.21	220
JB-7C-354	201	238	< 5	0.81	< 0.2	< 5	90	< 0.5	< 2	0.37	< 0.5	5	20	9	1.36	< 10	< 1	0.10	10	0.23	201
JB-7C-355	201	238	< 5	0.73	< 0.2	10	70	< 0.5	< 2	0.31	< 0.5	3	18	7	1.14	< 10	< 1	0.11	< 10	0.20	132
JB-7C-356	201	238	< 5	1.31	< 0.2	< 5	70	< 0.5	< 2	0.29	< 0.5	6	26	9	1.81	< 10	< 1	0.07	< 10	0.25	272
JB-7C-357	201	238	< 5	2.60	< 0.2	10	130	0.5	< 2	0.47	< 0.5	13	38	19	2.85	< 10	< 1	0.10	10	0.45	818
JB-7C-358	201	238	< 5	1.61	< 0.2	< 5	80	< 0.5	< 2	0.26	< 0.5	7	25	9	1.95	< 10	< 1	0.06	< 10	0.27	301
JB-7C-359	201	238	< 5	1.28	< 0.2	5	80	< 0.5	< 2	0.24	< 0.5	6	21	8	1.61	< 10	< 1	0.05	< 10	0.22	175
JB-7C-360	201	238	< 5	1.03	< 0.2	10	70	< 0.5	< 2	0.25	< 0.5	5	19	8	1.67	< 10	< 1	0.06	< 10	0.23	223
JB-7C-361	203	238	< 5	2.58	< 0.2	< 5	120	1.0	< 2	0.67	< 0.5	15	48	28	3.15	< 10	< 1	0.13	10	0.54	936
JB-7C-362	201	238	< 5	0.87	< 0.2	< 5	70	< 0.5	< 2	0.24	< 0.5	5	19	8	1.47	< 10	< 1	0.05	< 10	0.21	167
JB-7C-363	201	238	< 5	0.79	< 0.2	< 5	60	< 0.5	< 2	0.23	< 0.5	4	19	7	1.40	< 10	< 1	0.05	< 10	0.21	117
JB-7C-364	201	238	< 5	1.04	< 0.2	< 5	90	< 0.5	< 2	0.38	< 0.5	5	21	10	1.65	< 10	< 1	0.08	10	0.29	277

CERTIFICATION : B C [signature]

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: ATTN: S. MCALLISTER

Date : 7-JUL-87
Invoice # : I-8716688
P.O. # : 36811

CERTIFICATE OF ANALYSIS A8716688

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
JB-7C-325	201	238	< 1	0.02	19	250	2	< 5	< 10	37	0.13	< 10	< 10	54	< 5	53
JB-7C-326	201	238	< 1	0.02	17	270	2	< 5	< 10	33	0.15	< 10	< 10	56	< 5	48
JB-7C-327	201	238	< 1	0.02	13	200	6	< 5	< 10	41	0.16	< 10	< 10	55	< 5	40
JB-7C-328	201	238	< 1	0.02	13	220	8	< 5	< 10	36	0.15	< 10	< 10	42	< 5	44
JB-7C-329	201	238	< 1	0.02	8	190	4	< 5	< 10	32	0.13	< 10	< 10	46	< 5	39
JB-7C-330	201	238	< 1	0.02	7	210	2	< 5	< 10	29	0.13	< 10	< 10	38	< 5	35
JB-7C-331	201	238	1	0.02	17	420	< 2	< 5	< 10	33	0.14	< 10	< 10	50	< 5	68
JB-7C-332	201	238	< 1	0.02	10	190	< 2	< 5	< 10	29	0.12	< 10	< 10	38	< 5	43
JB-7C-333	201	238	< 1	0.02	17	230	< 2	< 5	< 10	63	0.12	< 10	< 10	46	< 5	37
JB-7C-334	201	238	< 1	0.02	10	130	10	< 5	< 10	37	0.14	< 10	< 10	34	< 5	28
JB-7C-335	201	238	< 1	0.02	11	140	10	< 5	< 10	37	0.14	< 10	< 10	34	< 5	27
JB-7C-336	201	238	< 1	0.02	11	250	< 2	< 5	< 10	36	0.12	< 10	< 10	39	< 5	34
JB-7C-337	201	238	< 1	0.02	10	150	2	< 5	< 10	53	0.15	< 10	< 10	39	< 5	33
JB-7C-338	201	238	1	0.03	10	150	< 2	< 5	< 10	55	0.16	< 10	< 10	37	< 5	28
JB-7C-339	201	238	< 1	0.01	19	200	12	< 5	< 10	32	0.17	< 10	< 10	43	< 5	44
JB-7C-340	201	238	< 1	0.02	16	310	16	< 5	< 10	40	0.11	< 10	< 10	43	< 5	45
JB-7C-341	201	238	1	0.01	27	290	6	< 5	< 10	33	0.18	< 10	< 10	48	< 5	57
JB-7C-342	201	238	< 1	0.02	27	420	10	< 5	< 10	47	0.16	< 10	< 10	47	< 5	58
JB-7C-343	201	238	1	0.01	30	570	8	< 5	< 10	31	0.16	< 10	< 10	52	5	68
JB-7C-344	201	238	< 1	0.03	22	230	2	< 5	< 10	33	0.14	< 10	< 10	48	5	52
JB-7C-345	201	238	< 1	0.02	19	300	8	< 5	< 10	55	0.15	< 10	< 10	45	< 5	54
JB-7C-346	201	238	< 1	0.02	13	260	6	< 5	< 10	72	0.15	< 10	< 10	41	< 5	33
JB-7C-347	201	238	< 1	0.03	23	510	8	5	< 10	89	0.14	< 10	< 10	60	5	38
JB-7C-348	201	238	1	0.02	16	230	8	< 5	< 10	58	0.14	< 10	< 10	40	< 5	29
JB-7C-349	201	238	< 1	0.02	7	90	2	< 5	< 10	52	0.14	< 10	< 10	33	< 5	26
JB-7C-350	201	238	< 1	0.03	9	250	10	< 5	< 10	39	0.11	< 10	< 10	31	< 5	22
JB-7C-351	201	238	< 1	0.02	12	130	22	< 5	< 10	33	0.15	< 10	< 10	45	5	30
JB-7C-352	201	238	1	0.01	8	130	8	< 5	< 10	30	0.13	< 10	< 10	36	< 5	40
JB-7C-353	201	238	< 1	0.01	13	140	6	5	< 10	33	0.14	< 10	< 10	40	< 5	33
JB-7C-354	201	238	1	0.02	12	150	10	< 5	< 10	37	0.14	< 10	< 10	34	< 5	27
JB-7C-355	201	238	< 1	0.03	9	100	10	< 5	< 10	33	0.14	< 10	< 10	30	5	21
JB-7C-356	201	238	< 1	0.02	14	190	< 2	< 5	< 10	30	0.17	< 10	< 10	47	< 5	43
JB-7C-357	201	238	< 1	0.02	24	550	12	5	< 10	49	0.14	< 10	< 10	60	5	66
JB-7C-358	201	238	< 1	0.02	17	300	2	< 5	< 10	30	0.16	< 10	< 10	46	< 5	55
JB-7C-359	201	238	< 1	0.02	16	210	6	< 5	< 10	27	0.13	< 10	< 10	40	5	47
JB-7C-360	201	238	1	0.02	13	210	2	< 5	< 10	29	0.12	< 10	< 10	41	< 5	36
JB-7C-361	203	238	< 1	0.03	28	500	16	< 5	< 10	45	0.11	< 10	< 10	72	5	59
JB-7C-362	201	238	< 1	0.03	8	90	2	< 5	< 10	34	0.13	< 10	< 10	40	< 5	30
JB-7C-363	201	238	< 1	0.02	8	100	4	< 5	< 10	35	0.12	< 10	< 10	39	5	27
JB-7C-364	201	238	< 1	0.03	8	190	4	< 5	< 10	46	0.13	< 10	< 10	41	5	38

CERTIFICATION : B Cargh

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: ATTN: S. MCALLISTER

Date : 7-JUL-87
Invoice # : I-8716688
P.O. # : 36811

CERTIFICATE OF ANALYSIS A8716688

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
JB-7C-365	201	238	< 5	1.06	< 0.2	15	60	< 0.5	< 2	0.23	< 0.5	5	18	8	1.57	< 10	< 1	0.06	< 10	0.26	251
JB-7C-366	201	238	< 5	1.46	< 0.2	< 5	90	< 0.5	< 2	0.34	< 0.5	7	21	11	1.87	< 10	2	0.06	10	0.30	465
JB-7C-367	201	238	< 5	0.90	< 0.2	< 5	100	< 0.5	< 2	0.27	< 0.5	8	22	7	1.31	< 10	3	0.06	10	0.25	207
JB-7C-368	201	238	< 5	1.90	< 0.2	< 5	110	< 0.5	< 2	0.20	< 0.5	10	23	10	2.30	< 10	< 1	0.05	< 10	0.20	444
JB-7C-369	201	238	< 5	1.53	< 0.2	< 5	90	< 0.5	< 2	0.28	< 0.5	6	23	10	2.01	< 10	2	0.06	10	0.28	[illegible]
JB-7C-370	201	238	< 5	1.43	< 0.2	< 5	80	< 0.5	< 2	0.24	< 0.5	7	21	9	1.89	< 10	1	0.05	< 10	0.25	329
JB-7C-371	201	238	< 5	0.96	< 0.2	< 5	90	< 0.5	< 2	0.22	< 0.5	7	20	6	1.36	< 10	< 1	0.05	< 10	0.21	172
TZ-7C-095	201	238	< 5	1.66	< 0.2	< 5	100	< 0.5	< 2	0.39	< 0.5	7	19	11	2.21	< 10	< 1	0.08	10	0.28	248
TZ-7C-096	201	238	< 5	2.03	< 0.2	5	170	< 0.5	< 2	0.40	< 0.5	11	21	14	2.69	< 10	< 1	0.16	10	0.37	230
TZ-7C-097	201	238	< 5	2.78	< 0.2	< 5	200	< 0.5	< 2	0.27	< 0.5	13	27	12	2.66	< 10	2	0.14	10	0.28	796
TZ-7C-098	201	238	< 5	2.79	< 0.2	5	180	< 0.5	< 2	0.29	< 0.5	13	25	14	2.67	< 10	1	0.13	10	0.32	266
TZ-7C-099	201	238	< 5	2.75	< 0.2	< 5	170	< 0.5	< 2	0.30	< 0.5	11	26	16	2.77	< 10	< 1	0.10	10	0.32	212
TZ-7C-100	201	238	< 5	2.07	< 0.2	10	180	< 0.5	< 2	0.33	< 0.5	10	28	14	2.69	< 10	< 1	0.15	10	0.34	181
TZ-7C-101	201	238	< 5	2.36	< 0.2	< 5	130	< 0.5	< 2	0.27	< 0.5	13	32	11	2.68	< 10	1	0.09	10	0.28	797
TZ-7C-102	201	238	< 5	1.98	< 0.2	< 5	160	< 0.5	< 2	0.29	< 0.5	11	25	12	2.48	< 10	3	0.11	10	0.28	310
TZ-7C-103	201	238	< 5	2.58	< 0.2	< 5	180	< 0.5	< 2	0.27	< 0.5	14	29	13	2.67	< 10	< 1	0.10	10	0.30	546
TZ-7C-104	201	238	< 5	1.56	< 0.2	< 5	120	< 0.5	< 2	0.38	< 0.5	11	32	18	2.65	< 10	1	0.10	10	0.47	307
TZ-7C-105	201	238	< 5	1.36	< 0.2	< 5	110	< 0.5	< 2	0.27	< 0.5	7	21	9	2.11	< 10	3	0.09	10	0.22	310
TZ-7C-106	201	238	< 5	2.78	< 0.2	< 5	190	< 0.5	< 2	0.26	< 0.5	13	38	12	2.64	< 10	3	0.12	< 10	0.35	231
TZ-7C-107	201	238	< 5	2.05	< 0.2	< 5	150	< 0.5	< 2	0.26	< 0.5	11	24	9	2.16	< 10	< 1	0.11	10	0.23	296
TZ-7C-108	201	238	< 5	1.98	< 0.2	< 5	150	< 0.5	< 2	0.27	< 0.5	8	25	9	2.15	< 10	< 1	0.12	10	0.22	261
TZ-7C-109	201	238	< 5	1.93	< 0.2	< 5	140	< 0.5	< 2	0.27	< 0.5	9	21	10	2.20	< 10	< 1	0.11	10	0.21	366
TZ-7C-110	201	238	< 5	2.76	< 0.2	< 5	170	< 0.5	< 2	0.30	< 0.5	12	36	14	2.85	< 10	4	0.09	10	0.36	186
TZ-7C-111	201	238	< 5	2.63	< 0.2	< 5	170	< 0.5	< 2	0.26	< 0.5	11	27	12	2.67	< 10	3	0.10	10	0.27	228
TZ-7C-112	201	238	< 5	1.65	< 0.2	5	110	< 0.5	< 2	0.37	< 0.5	11	27	15	2.79	< 10	2	0.10	10	0.38	[illegible]
TZ-7C-113	201	238	< 5	1.19	< 0.2	15	110	< 0.5	< 2	0.34	< 0.5	10	26	14	2.56	< 10	< 1	0.13	10	0.32	273
TZ-7C-114	201	238	< 5	2.68	< 0.2	< 5	150	< 0.5	< 2	0.36	< 0.5	11	42	13	2.67	< 10	3	0.10	10	0.37	166
TZ-7C-115	201	238	< 5	2.62	< 0.2	< 5	170	< 0.5	< 2	0.48	< 0.5	14	51	24	3.03	< 10	1	0.10	10	0.59	279
TZ-7C-116	201	238	< 5	2.68	< 0.2	< 5	170	< 0.5	< 2	0.45	< 0.5	15	54	26	3.19	< 10	3	0.10	10	0.62	296
TZ-7C-117	203	238	< 5	2.39	< 0.2	< 5	140	< 0.5	< 2	0.53	< 0.5	15	55	25	3.01	< 10	2	0.12	20	0.52	746
TZ-7C-118	201	238	< 5	1.37	< 0.2	10	90	< 0.5	< 2	0.28	< 0.5	7	22	9	1.95	< 10	3	0.07	10	0.22	250
TZ-7C-119	201	238	< 5	1.24	< 0.2	5	90	< 0.5	< 2	0.31	< 0.5	8	22	7	1.77	< 10	2	0.10	10	0.19	179
TZ-7C-120	201	238	< 5	1.41	< 0.2	< 5	90	< 0.5	< 2	0.25	< 0.5	7	25	9	1.94	< 10	4	0.09	10	0.22	229
TZ-7C-121	201	238	< 5	1.72	< 0.2	< 5	120	< 0.5	< 2	0.28	< 0.5	7	30	9	2.23	< 10	2	0.09	10	0.25	197
TZ-7C-122	201	238	< 5	1.87	< 0.2	10	120	< 0.5	< 2	0.23	< 0.5	7	33	7	1.86	< 10	1	0.08	< 10	0.20	148
TZ-7C-123	201	238	< 5	2.15	< 0.2	5	150	< 0.5	< 2	0.46	< 0.5	16	25	26	3.12	< 10	1	0.13	20	0.51	533
TZ-7C-124	201	238	< 5	2.62	< 0.2	< 5	140	< 0.5	< 2	0.22	< 0.5	11	25	17	2.68	< 10	1	0.12	10	0.29	324
TZ-7C-125	201	238	< 5	2.68	< 0.2	5	180	< 0.5	< 2	0.32	< 0.5	11	22	12	2.56	< 10	< 1	0.15	10	0.27	175
TZ-7C-126	201	238	< 5	1.79	< 0.2	< 5	170	< 0.5	< 2	0.33	< 0.5	7	20	10	2.16	< 10	2	0.16	10	0.25	413
TZ-7C-127	201	238	< 5	1.61	< 0.2	< 5	190	< 0.5	< 2	0.32	< 0.5	6	19	10	2.17	< 10	1	0.17	10	0.23	252

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: ATTN: S. MCALLISTER

Date : 7-JUL-87
Invoice # : I-8716688
P.O. # : 36811

CERTIFICATE OF ANALYSIS A8716688

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
JB-7C-365	201	238	< 1	0.03	11	170	2	5	< 10	30	0.12	< 10	< 10	43	< 5	31
JB-7C-366	201	238	< 1	0.02	12	280	8	< 5	< 10	47	0.11	< 10	< 10	45	< 5	35
JB-7C-367	201	238	< 1	0.02	7	170	6	< 5	< 10	50	0.15	< 10	< 10	38	< 5	25
JB-7C-368	201	238	< 1	0.01	16	440	6	< 5	< 10	33	0.13	< 10	< 10	53	< 5	57
JB-7C-369	201	238	< 1	0.02	13	240	6	< 5	< 10	45	0.15	< 10	< 10	52	< 5	40
JB-7C-370	201	238	< 1	0.03	13	260	8	< 5	< 10	35	0.12	< 10	< 10	50	< 5	41
JB-7C-371	201	238	< 1	0.02	8	100	8	< 5	< 10	41	0.12	< 10	< 10	35	< 5	28
TZ-7C-095	201	238	1	0.03	13	240	8	< 5	< 10	44	0.12	< 10	< 10	49	< 5	60
TZ-7C-096	201	238	< 1	0.02	17	560	8	< 5	< 10	84	0.13	< 10	< 10	52	< 5	55
TZ-7C-097	201	238	< 1	0.01	29	920	6	< 5	< 10	42	0.13	< 10	< 10	49	< 5	170
TZ-7C-098	201	238	< 1	0.02	25	550	6	< 5	< 10	58	0.13	< 10	< 10	49	< 5	104
TZ-7C-099	201	238	< 1	0.02	22	480	4	< 5	< 10	61	0.13	< 10	< 10	52	< 5	60
TZ-7C-100	201	238	< 1	0.01	20	440	6	< 5	< 10	65	0.15	< 10	< 10	59	< 5	50
TZ-7C-101	201	238	< 1	0.01	30	830	8	< 5	< 10	32	0.13	< 10	< 10	53	< 5	75
TZ-7C-102	201	238	< 1	0.02	25	450	10	< 5	< 10	45	0.15	< 10	< 10	56	< 5	53
TZ-7C-103	201	238	< 1	0.02	34	750	6	< 5	< 10	36	0.13	< 10	< 10	53	< 5	86
TZ-7C-104	201	238	< 1	0.02	26	450	6	< 5	< 10	74	0.12	< 10	< 10	56	< 5	49
TZ-7C-105	201	238	1	0.02	16	390	4	< 5	< 10	39	0.12	< 10	< 10	48	< 5	48
TZ-7C-106	201	238	< 1	0.01	36	870	2	< 5	< 10	42	0.14	< 10	< 10	49	< 5	94
TZ-7C-107	201	238	< 1	0.01	27	670	4	< 5	< 10	34	0.12	< 10	< 10	45	< 5	80
TZ-7C-108	201	238	< 1	0.02	19	540	8	< 5	< 10	42	0.15	< 10	< 10	47	< 5	49
TZ-7C-109	201	238	< 1	0.02	21	580	12	< 5	< 10	40	0.13	< 10	< 10	48	< 5	49
TZ-7C-110	201	238	1	0.01	29	510	6	< 5	< 10	50	0.15	< 10	< 10	57	< 5	61
TZ-7C-111	201	238	1	0.01	31	690	2	< 5	< 10	38	0.12	< 10	< 10	47	< 5	108
TZ-7C-112	201	238	< 1	0.01	22	670	4	< 5	< 10	50	0.12	< 10	< 10	59	< 5	57
TZ-7C-113	201	238	1	0.02	20	520	4	< 5	< 10	55	0.12	< 10	< 10	56	< 5	44
TZ-7C-114	201	238	< 1	0.02	30	390	8	< 5	< 10	54	0.10	< 10	< 10	47	< 5	55
TZ-7C-115	201	238	< 1	0.01	43	360	2	< 5	< 10	61	0.05	< 10	< 10	48	< 5	39
TZ-7C-116	201	238	< 1	0.01	46	360	10	< 5	< 10	63	0.05	< 10	< 10	51	< 5	40
TZ-7C-117	203	238	< 1	0.03	31	220	6	< 5	< 10	50	0.08	< 10	< 10	54	< 5	45
TZ-7C-118	201	238	< 1	0.01	16	300	10	< 5	< 10	25	0.12	< 10	< 10	41	< 5	59
TZ-7C-119	201	238	< 1	0.01	12	270	8	< 5	< 10	28	0.10	< 10	< 10	37	< 5	41
TZ-7C-120	201	238	< 1	0.01	19	350	8	< 5	< 10	30	0.11	< 10	< 10	43	< 5	45
TZ-7C-121	201	238	< 1	0.02	20	340	2	< 5	< 10	37	0.11	< 10	< 10	45	< 5	45
TZ-7C-122	201	238	< 1	0.02	20	270	10	< 5	< 10	35	0.13	< 10	< 10	40	< 5	40
TZ-7C-123	201	238	< 1	0.03	25	500	8	< 5	< 10	69	0.12	< 10	< 10	59	< 5	53
TZ-7C-124	201	238	< 1	0.02	17	980	14	< 5	< 10	36	0.12	< 10	< 10	43	< 5	103
TZ-7C-125	201	238	< 1	0.02	19	1760	10	< 5	< 10	56	0.12	< 10	< 10	48	< 5	70
TZ-7C-126	201	238	< 1	0.02	20	860	6	< 5	< 10	48	0.12	< 10	< 10	46	< 5	81
TZ-7C-127	201	238	< 1	0.02	12	240	< 2	< 5	< 10	75	0.15	< 10	< 10	52	< 5	45

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M580
Comments: ATTN: S. MCALLISTER

Date : 7-JUL-87
Invoice # : I-8716688
P.O. # : 36811

CERTIFICATE OF ANALYSIS A8716688

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
TZ-7C-128	201	238	< 5	1.79	< 0.2	< 5	160	< 0.5	< 2	0.36	< 0.5	12	26	14	2.84	< 10	< 1	0.15	10	0.33	467
TZ-7C-129	201	238	< 5	1.76	< 0.2	< 5	150	< 0.5	< 2	0.30	< 0.5	11	36	11	2.64	< 10	< 1	0.12	10	0.31	349
TZ-7C-130	201	238	< 5	1.86	< 0.2	< 5	120	< 0.5	< 2	0.26	< 0.5	7	22	10	2.18	< 10	< 1	0.11	10	0.22	403
TZ-7C-131	201	238	< 5	1.31	< 0.2	< 5	140	< 0.5	< 2	0.28	< 0.5	10	33	11	2.32	< 10	3	0.10	10	0.26	276
TZ-7C-132	201	238	< 5	2.15	< 0.2	< 5	120	< 0.5	< 2	0.28	< 0.5	11	33	12	2.51	< 10	1	0.12	10	0.31	184
TZ-7C-136	201	238	< 5	2.58	< 0.2	60	140	< 0.5	< 2	0.71	< 0.5	32	16	40	5.46	< 10	< 1	0.15	20	1.22	[illegible]
TZ-7C-137	201	238	< 5	2.18	< 0.2	< 5	140	< 0.5	< 2	0.65	< 0.5	14	35	33	2.30	< 10	< 1	0.18	20	0.52	578
TZ-7C-138	201	238	< 5	3.00	< 0.2	10	170	< 0.5	< 2	0.71	< 0.5	13	59	40	3.32	< 10	4	0.29	20	0.98	364
TZ-7C-139	201	238	< 5	2.70	< 0.2	< 5	130	< 0.5	< 2	0.41	< 0.5	17	122	36	3.68	< 10	2	0.22	10	0.82	544
TZ-7C-140	201	238	< 5	2.90	< 0.2	10	100	< 0.5	< 2	0.49	< 0.5	15	81	30	3.22	< 10	< 1	0.22	10	0.73	388
TZ-7C-141	201	238	< 5	3.17	< 0.2	< 5	120	< 0.5	< 2	0.61	< 0.5	17	80	40	3.53	< 10	1	0.21	20	0.78	452
TZ-7C-142	201	238	< 5	2.71	< 0.2	< 5	90	< 0.5	< 2	0.45	< 0.5	16	42	29	3.33	< 10	3	0.22	20	0.57	723
TZ-7C-143	201	238	< 5	2.58	< 0.2	15	80	< 0.5	< 2	0.69	< 0.5	18	77	54	3.92	< 10	< 1	0.12	10	0.76	1075
TZ-7C-144	201	238	< 5	1.96	< 0.2	< 5	80	< 0.5	< 2	0.60	< 0.5	11	25	31	2.85	< 10	1	0.18	20	0.44	472
TZ-7C-145	201	238	< 5	1.87	< 0.2	< 5	200	< 0.5	< 2	0.62	< 0.5	13	18	30	3.23	< 10	< 1	0.23	20	0.66	631
TZ-7C-146	201	238	< 5	1.84	< 0.2	5	90	< 0.5	2	0.78	< 0.5	32	65	56	4.71	< 10	< 1	0.16	10	1.15	1920
TZ-7C-147	201	238	< 5	2.29	< 0.2	10	150	< 0.5	< 2	0.58	< 0.5	16	54	38	3.50	< 10	< 1	0.22	20	0.66	595
TZ-7C-148	201	238	< 5	2.21	< 0.2	< 5	180	< 0.5	< 2	0.59	< 0.5	20	68	38	3.81	< 10	< 1	0.14	10	0.94	750
TZ-7C-149	201	238	< 5	1.98	< 0.2	< 5	170	< 0.5	< 2	0.59	< 0.5	19	139	41	3.24	< 10	< 1	0.14	10	1.48	308
TZ-7C-150	201	238	< 5	1.95	< 0.2	< 5	170	< 0.5	< 2	0.58	< 0.5	19	139	41	3.18	< 10	< 1	0.14	10	1.45	302
TZ-7C-151	201	238	< 5	1.76	< 0.2	5	40	< 0.5	< 2	0.58	< 0.5	31	250	65	3.11	< 10	< 1	0.06	10	2.29	740
TZ-7C-152	201	238	< 5	2.12	< 0.2	< 5	150	< 0.5	< 2	0.50	< 0.5	14	47	33	2.67	< 10	< 1	0.10	10	0.65	229
TZ-7C-153	201	238	< 5	1.10	< 0.2	< 5	100	< 0.5	< 2	0.26	< 0.5	7	16	7	1.53	< 10	< 1	0.05	10	0.22	214
TZ-7C-154	201	238	< 5	2.66	< 0.2	< 5	180	< 0.5	< 2	0.46	0.5	12	24	15	2.55	< 10	1	0.08	10	0.40	322
TZ-7C-155	201	238	< 5	3.34	< 0.2	< 5	160	< 0.5	< 2	0.34	< 0.5	7	15	13	2.54	< 10	3	0.06	10	0.33	324
TZ-7C-156	201	238	< 5	2.21	< 0.2	< 5	120	< 0.5	< 2	0.16	< 0.5	8	16	10	2.69	< 10	2	0.06	< 10	0.28	[illegible]
TZ-7C-157	201	238	< 5	5.03	< 0.2	< 5	170	< 0.5	< 2	0.68	< 0.5	13	12	17	4.52	10	3	0.16	10	0.74	446
TZ-7C-158	201	238	< 5	4.07	< 0.2	< 5	150	< 0.5	< 2	0.36	< 0.5	11	25	20	3.19	< 10	6	0.08	10	0.41	241
TZ-7C-159	201	238	< 5	3.87	< 0.2	< 5	140	< 0.5	< 2	0.42	< 0.5	12	19	15	3.48	< 10	2	0.08	10	0.51	478
TZ-7C-160	201	238	< 5	1.82	< 0.2	< 5	130	< 0.5	< 2	0.30	< 0.5	8	23	13	2.23	< 10	< 1	0.07	10	0.28	411
TZ-7C-161	201	238	< 5	2.89	< 0.2	< 5	110	< 0.5	< 2	0.45	< 0.5	13	14	20	3.71	< 10	1	0.10	10	0.77	149
TZ-7C-162	201	238	< 5	4.80	< 0.2	< 5	290	< 0.5	< 2	0.37	< 0.5	13	23	13	3.12	< 10	3	0.10	10	0.46	137
TZ-7C-163	201	238	< 5	4.27	< 0.2	5	220	< 0.5	< 2	0.38	< 0.5	12	18	12	2.86	< 10	5	0.10	10	0.39	155
TZ-7C-164	201	238	< 5	1.78	< 0.2	< 5	200	< 0.5	2	0.51	< 0.5	12	12	23	2.32	< 10	< 1	0.12	20	0.57	404
TZ-7C-165	201	238	< 5	1.38	< 0.2	< 5	90	< 0.5	< 2	0.40	< 0.5	6	12	11	1.59	< 10	2	0.06	10	0.27	289
TZ-7C-166	201	238	< 5	1.71	< 0.2	< 5	120	< 0.5	< 2	0.30	< 0.5	7	19	9	2.03	< 10	3	0.08	10	0.26	206
TZ-7C-167	201	238	< 5	2.87	< 0.2	< 5	160	< 0.5	< 2	0.31	< 0.5	8	21	13	2.45	< 10	2	0.08	10	0.33	183
TZ-7C-168	201	238	< 5	4.86	< 0.2	< 5	280	< 0.5	< 2	0.42	< 0.5	13	21	15	3.29	< 10	2	0.12	10	0.48	120
TZ-7C-169	201	238	< 5	4.36	< 0.2	< 5	210	< 0.5	< 2	0.39	< 0.5	7	18	11	2.77	< 10	2	0.10	10	0.48	213
TZ-7C-170	201	238	< 5	4.38	< 0.2	< 5	190	< 0.5	< 2	0.58	< 0.5	12	31	16	3.52	< 10	2	0.13	10	0.75	135

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: ATTN: S. MCALLISTER

Date : 7-JUL-87
Invoice # : I-8716688
P.O. # : 36811

CERTIFICATE OF ANALYSIS A8716688

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
TZ-7C-128	201	238	< 1	0.02	19	240	10	< 5	< 10	53	0.15	< 10	< 10	58	< 5	49
TZ-7C-129	201	238	< 1	0.02	24	400	12	< 5	< 10	37	0.16	< 10	< 10	58	< 5	71
TZ-7C-130	201	238	< 1	0.02	21	930	8	< 5	< 10	32	0.12	< 10	< 10	48	< 5	66
TZ-7C-131	201	238	< 1	0.02	18	170	8	< 5	< 10	50	0.17	< 10	< 10	58	< 5	38
TZ-7C-132	201	238	< 1	0.01	31	740	6	< 5	< 10	37	0.15	< 10	< 10	49	< 5	69
TZ-7C-136	201	238	1	0.03	41	790	8	5	< 10	74	0.20	< 10	< 10	122	5	87
TZ-7C-137	201	238	< 1	0.02	46	220	6	< 5	< 10	68	< 0.01	< 10	< 10	40	< 5	43
TZ-7C-138	201	238	< 1	0.10	40	320	8	< 5	< 10	87	0.05	< 10	< 10	63	< 5	51
TZ-7C-139	201	238	< 1	0.03	60	590	12	< 5	< 10	55	0.06	< 10	< 10	84	< 5	61
TZ-7C-140	201	238	1	0.02	57	350	16	< 5	< 10	63	0.04	< 10	< 10	66	< 5	50
TZ-7C-141	201	238	< 1	0.02	49	480	10	< 5	< 10	60	0.06	< 10	< 10	62	< 5	51
TZ-7C-142	201	238	< 1	0.02	41	220	8	< 5	< 10	74	0.11	< 10	< 10	64	5	55
TZ-7C-143	201	238	< 1	0.02	69	370	12	< 5	< 10	52	0.01	< 10	< 10	77	< 5	42
TZ-7C-144	201	238	< 1	0.01	32	400	2	< 5	< 10	45	0.01	< 10	< 10	43	< 5	45
TZ-7C-145	201	238	< 1	0.02	38	180	14	< 5	< 10	74	< 0.01	< 10	< 10	17	< 5	32
TZ-7C-146	201	238	< 1	0.03	116	180	6	< 5	< 10	26	< 0.01	< 10	< 10	56	5	37
TZ-7C-147	201	238	< 1	0.02	48	350	10	< 5	< 10	64	0.03	< 10	< 10	59	5	53
TZ-7C-148	201	238	< 1	0.03	67	420	6	< 5	< 10	63	0.05	< 10	< 10	70	< 5	56
TZ-7C-149	201	238	< 1	0.03	81	270	10	< 5	< 10	54	0.04	< 10	< 10	51	5	53
TZ-7C-150	201	238	< 1	0.03	82	260	10	< 5	< 10	54	0.04	< 10	< 10	51	5	51
TZ-7C-151	201	238	< 1	0.05	140	340	6	< 5	< 10	47	0.02	< 10	< 10	60	< 5	56
TZ-7C-152	201	238	< 1	0.01	33	320	8	< 5	< 10	69	0.04	< 10	< 10	47	< 5	39
TZ-7C-153	201	238	< 1	0.03	8	100	8	< 5	< 10	55	0.18	< 10	< 10	40	< 5	26
TZ-7C-154	201	238	< 1	0.02	13	510	14	< 5	< 10	76	0.14	< 10	< 10	47	5	49
TZ-7C-155	201	238	< 1	0.02	10	650	12	< 5	< 10	42	0.08	< 10	< 10	35	< 5	70
TZ-7C-156	201	238	< 1	0.02	12	770	10	< 5	< 10	33	0.11	< 10	< 10	54	< 5	67
TZ-7C-157	201	238	< 1	0.02	11	820	< 2	< 5	< 10	99	0.07	< 10	< 10	47	10	85
TZ-7C-158	201	238	< 1	0.02	17	420	8	< 5	< 10	63	0.18	< 10	< 10	56	< 5	39
TZ-7C-159	201	238	< 1	0.03	16	480	12	< 5	< 10	74	0.16	< 10	< 10	57	< 5	51
TZ-7C-160	201	238	< 1	0.03	15	190	4	< 5	< 10	60	0.17	< 10	< 10	58	< 5	39
TZ-7C-161	201	238	< 1	0.01	13	250	< 2	< 5	< 10	90	0.16	< 10	< 10	90	< 5	64
TZ-7C-162	201	238	< 1	0.01	24	470	2	< 5	< 10	58	0.06	< 10	< 10	36	5	80
TZ-7C-163	201	238	< 1	0.01	19	740	16	< 5	< 10	59	0.04	< 10	< 10	33	5	87
TZ-7C-164	201	238	< 1	0.01	14	360	10	< 5	< 10	76	0.02	< 10	< 10	30	< 5	35
TZ-7C-165	201	238	< 1	0.02	7	230	8	< 5	< 10	37	0.04	< 10	< 10	30	< 5	42
TZ-7C-166	201	238	1	0.02	11	170	12	< 5	< 10	45	0.12	< 10	< 10	46	< 5	49
TZ-7C-167	201	238	< 1	0.02	14	340	12	< 5	< 10	56	0.11	< 10	< 10	43	< 5	43
TZ-7C-168	201	238	< 1	0.01	25	570	6	< 5	< 10	65	0.04	< 10	< 10	39	< 5	79
TZ-7C-169	201	238	< 1	0.01	17	480	14	< 5	< 10	65	0.02	< 10	< 10	34	5	52
TZ-7C-170	201	238	< 1	0.01	23	500	16	< 5	< 10	82	0.05	< 10	< 10	42	10	55

CERTIFICATION : B C

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: ATTN: S. MCALLISTER

Date : 7-JUL-87
Invoice # :I-8716688
P.O. # :36811

CERTIFICATE OF ANALYSIS A8716688

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
TZ-7C-171	201	238	< 5	2.88	0.2	< 5	160	< 0.5	< 2	0.84	< 0.5	7	20	26	2.59	< 10	1	0.13	30	0.58	189
TZ-7C-172	201	238	< 5	2.27	< 0.2	5	330	< 0.5	< 2	0.64	< 0.5	8	24	33	1.97	< 10	< 1	0.30	20	0.54	252
TZ-7C-173	201	238	30	1.73	< 0.2	< 5	130	< 0.5	< 2	0.36	< 0.5	7	21	15	2.04	< 10	1	0.06	10	0.34	449
TZ-7C-174	201	238	5	3.85	< 0.2	< 5	190	< 0.5	< 2	0.47	< 0.5	12	20	14	3.04	< 10	2	0.10	10	0.49	187
TZ-7C-175	201	238	< 5	3.42	< 0.2	< 5	190	< 0.5	< 2	0.58	< 0.5	7	16	11	2.69	< 10	4	0.09	10	0.51	[illegible]
TZ-7C-176	201	238	< 5	1.84	< 0.2	< 5	130	< 0.5	< 2	0.37	< 0.5	12	31	16	2.42	< 10	< 1	0.07	10	0.46	[illegible]
TZ-7C-179	201	238	< 5	1.39	< 0.2	< 5	200	< 0.5	< 2	0.28	< 0.5	6	21	11	1.97	< 10	< 1	0.05	< 10	0.25	207
TZ-7C-180	201	238	5	1.28	< 0.2	< 5	110	< 0.5	< 2	0.23	< 0.5	7	20	8	1.65	< 10	< 1	0.03	< 10	0.24	174
TZ-7C-181	201	238	< 5	3.99	< 0.2	< 5	180	< 0.5	< 2	0.28	< 0.5	16	40	14	3.26	< 10	4	0.06	10	0.43	378
TZ-7C-182	201	238	< 5	3.43	< 0.2	< 5	160	< 0.5	< 2	0.35	< 0.5	14	32	19	3.40	< 10	< 1	0.05	10	0.41	281
TZ-7C-183	201	238	< 5	1.65	< 0.2	< 5	430	< 0.5	< 2	0.85	< 0.5	12	30	20	2.54	< 10	< 1	0.06	20	0.44	2890
TZ-7C-184	201	238	< 5	1.69	< 0.2	< 5	130	< 0.5	< 2	0.33	< 0.5	6	29	15	2.28	< 10	2	0.05	10	0.43	181
TZ-7C-185	201	238	< 5	1.72	< 0.2	< 5	130	< 0.5	< 2	0.29	< 0.5	6	23	13	2.19	< 10	2	0.04	10	0.34	175
TZ-7C-186	201	238	< 5	3.60	< 0.2	< 5	90	< 0.5	< 2	0.31	< 0.5	14	29	18	3.29	< 10	2	0.05	10	0.41	272
TZ-7C-187	201	238	< 5	3.40	< 0.2	< 5	80	< 0.5	< 2	0.27	< 0.5	13	28	17	3.09	< 10	< 1	0.05	10	0.38	245
TZ-7C-188	201	238	< 5	4.38	< 0.2	< 5	150	< 0.5	< 2	0.27	< 0.5	25	35	16	5.33	< 10	3	0.03	10	0.55	139
TZ-7C-189	201	238	< 5	4.45	< 0.2	< 5	120	< 0.5	< 2	0.18	< 0.5	16	30	15	3.50	< 10	8	0.05	< 10	0.33	357
TZ-7C-190	201	238	< 5	4.66	< 0.2	< 5	140	< 0.5	< 2	0.23	< 0.5	15	29	15	3.46	< 10	3	0.05	10	0.36	294
TZ-7C-191	201	238	< 5	2.67	< 0.2	< 5	90	< 0.5	< 2	0.26	< 0.5	14	19	7	2.28	< 10	1	0.04	10	0.21	441
TZ-7C-192	201	238	< 5	2.06	< 0.2	< 5	100	< 0.5	< 2	0.32	< 0.5	6	19	9	2.14	< 10	< 1	0.05	10	0.28	752
TZ-7C-193	201	238	< 5	3.55	< 0.2	< 5	230	< 0.5	< 2	0.25	0.5	14	25	13	2.91	< 10	1	0.06	10	0.30	527
TZ-7C-194	201	238	< 5	3.85	< 0.2	< 5	220	< 0.5	< 2	0.20	< 0.5	16	28	15	3.21	< 10	< 1	0.06	< 10	0.31	214
TZ-7C-195	201	238	< 5	2.91	< 0.2	5	170	< 0.5	< 2	0.27	< 0.5	16	30	14	3.03	< 10	3	0.05	10	0.28	270
TZ-7C-196	201	238	< 5	3.35	< 0.2	10	90	< 0.5	< 2	0.38	< 0.5	7	29	17	2.44	< 10	2	0.04	10	0.30	112
TZ-7C-197	201	238	< 5	1.79	< 0.2	< 5	70	< 0.5	< 2	0.32	< 0.5	7	14	8	1.74	< 10	4	0.03	10	0.21	[illegible]
TZ-7C-198	201	238	< 5	2.77	< 0.2	< 5	140	< 0.5	< 2	0.27	< 0.5	10	19	11	2.37	< 10	3	0.03	10	0.23	179
TZ-7C-199	201	238	< 5	2.06	< 0.2	< 5	90	< 0.5	< 2	0.30	< 0.5	10	22	10	2.45	< 10	2	0.03	< 10	0.24	227
TZ-7C-200	201	238	< 5	3.48	< 0.2	< 5	160	< 0.5	< 2	0.28	< 0.5	15	30	13	3.00	< 10	4	0.06	10	0.34	495
TZ-7C-201	201	238	< 5	3.00	< 0.2	< 5	190	< 0.5	< 2	0.28	< 0.5	13	29	13	2.62	< 10	2	0.06	10	0.39	362
TZ-7C-202	201	238	< 5	4.01	< 0.2	< 5	220	< 0.5	< 2	0.29	< 0.5	17	31	18	3.20	< 10	4	0.06	10	0.37	304
TZ-7C-203	201	238	< 5	4.10	< 0.2	< 5	160	< 0.5	< 2	0.23	< 0.5	15	34	19	3.08	< 10	5	0.07	< 10	0.34	388
TZ-7C-204	201	238	< 5	2.51	< 0.2	< 5	100	< 0.5	< 2	0.14	< 0.5	11	21	10	2.34	< 10	4	0.04	< 10	0.20	172
TZ-7C-205	201	238	20	3.87	< 0.2	< 5	280	< 0.5	< 2	0.34	< 0.5	15	40	17	3.25	< 10	4	0.08	10	0.46	271
TZ-7C-206	201	238	< 5	3.86	< 0.2	< 5	180	< 0.5	< 2	0.30	< 0.5	12	26	16	3.15	< 10	2	0.09	10	0.34	159
TZ-7C-207	201	238	< 5	3.25	< 0.2	< 5	160	< 0.5	< 2	0.80	< 0.5	16	42	38	3.65	< 10	4	0.08	40	0.62	875
TZ-7C-208	201	238	< 5	2.26	< 0.2	5	140	< 0.5	< 2	0.34	< 0.5	11	28	14	2.52	< 10	2	0.06	10	0.45	309
TZ-7C-209	201	238	< 5	2.12	< 0.2	< 5	110	< 0.5	< 2	0.40	< 0.5	8	27	17	2.55	< 10	1	0.05	10	0.38	220
TZ-7C-210	201	238	< 5	1.18	< 0.2	< 5	120	< 0.5	< 2	0.26	< 0.5	7	20	10	1.52	< 10	1	0.04	< 10	0.27	162
TZ-7C-211	201	238	< 5	1.51	< 0.2	< 5	130	< 0.5	< 2	0.28	< 0.5	6	21	13	1.97	< 10	1	0.05	< 10	0.32	201
TZ-7C-212	201	238	< 5	2.25	< 0.2	10	130	< 0.5	< 2	0.23	< 0.5	11	25	13	2.44	< 10	4	0.06	< 10	0.28	399

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: ATTN: S. MCALLISTER

Date : 7-JUL-87
Invoice # : I-8716688
P.O. # : 36811

CERTIFICATE OF ANALYSIS A8716688

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
TZ-7C-171	201	238	< 1	0.02	18	330	8	< 5	< 10	94	0.03	< 10	< 10	38	5	40
TZ-7C-172	201	238	< 1	0.17	18	160	12	< 5	< 10	215	0.04	< 10	< 10	41	< 5	33
TZ-7C-173	201	238	< 1	0.02	12	210	6	< 5	< 10	44	0.08	< 10	< 10	40	< 5	59
TZ-7C-174	201	238	< 1	0.01	18	1020	8	< 5	< 10	62	0.06	< 10	< 10	83	5	96
TZ-7C-175	201	238	< 1	0.01	14	440	8	< 5	< 10	74	0.03	< 10	< 10	34	< 5	37
TZ-7C-176	201	238	< 1	0.03	20	300	8	< 5	< 10	68	0.12	< 10	< 10	49	< 5	43
TZ-7C-179	201	238	< 1	0.02	10	150	12	< 5	< 10	65	0.16	< 10	< 10	43	< 5	36
TZ-7C-180	201	238	< 1	0.03	11	150	10	< 5	< 10	56	0.16	< 10	< 10	39	< 5	28
TZ-7C-181	201	238	< 1	0.02	37	580	4	< 5	< 10	47	0.17	< 10	< 10	65	5	115
TZ-7C-182	201	238	< 1	0.02	27	710	8	< 5	< 10	63	0.16	< 10	< 10	65	5	66
TZ-7C-183	201	238	< 1	0.03	32	670	4	< 5	< 10	106	0.11	< 10	< 10	56	5	43
TZ-7C-184	201	238	< 1	0.02	18	260	4	< 5	< 10	67	0.17	< 10	< 10	51	5	43
TZ-7C-185	201	238	< 1	0.02	14	260	8	< 5	< 10	64	0.17	< 10	< 10	47	< 5	37
TZ-7C-186	201	238	< 1	0.01	25	610	10	< 5	< 10	45	0.12	< 10	< 10	57	5	72
TZ-7C-187	201	238	< 1	0.02	23	550	4	< 5	< 10	41	0.11	< 10	< 10	54	< 5	66
TZ-7C-188	201	238	< 1	0.02	43	820	4	< 5	< 10	49	0.16	< 10	< 10	75	10	105
TZ-7C-189	201	238	< 1	0.02	37	630	10	< 5	< 10	28	0.19	< 10	< 10	66	5	104
TZ-7C-190	201	238	< 1	0.02	40	520	12	< 5	< 10	40	0.22	< 10	< 10	69	< 5	86
TZ-7C-191	201	238	< 1	0.02	19	470	8	< 5	< 10	36	0.12	< 10	< 10	60	5	74
TZ-7C-192	201	238	< 1	0.02	14	300	8	< 5	< 10	56	0.13	< 10	< 10	48	5	64
TZ-7C-193	201	238	< 1	0.01	29	780	4	< 5	< 10	45	0.12	< 10	< 10	47	5	129
TZ-7C-194	201	238	< 1	0.01	33	1000	8	< 5	< 10	40	0.15	< 10	< 10	58	5	106
TZ-7C-195	201	238	< 1	0.02	29	1250	4	< 5	< 10	50	0.13	< 10	< 10	65	5	138
TZ-7C-196	201	238	< 1	0.03	18	340	4	< 5	< 10	53	0.10	< 10	< 10	41	< 5	34
TZ-7C-197	201	238	1	0.03	10	230	6	< 5	< 10	49	0.11	< 10	< 10	42	< 5	34
TZ-7C-198	201	238	< 1	0.02	17	250	4	< 5	< 10	49	0.18	< 10	< 10	44	5	46
TZ-7C-199	201	238	< 1	0.02	13	180	6	< 5	< 10	53	0.19	< 10	< 10	51	5	56
TZ-7C-200	201	238	< 1	0.02	29	690	8	< 5	< 10	52	0.16	< 10	< 10	59	5	99
TZ-7C-201	201	238	< 1	0.02	28	580	6	< 5	< 10	50	0.14	< 10	< 10	50	5	77
TZ-7C-202	201	238	< 1	0.02	32	470	6	< 5	< 10	55	0.15	< 10	< 10	61	5	66
TZ-7C-203	201	238	< 1	0.02	36	1020	6	< 5	< 10	40	0.15	< 10	< 10	56	10	90
TZ-7C-204	201	238	< 1	0.02	18	510	14	< 5	< 10	26	0.15	< 10	< 10	53	< 5	61
TZ-7C-205	201	238	< 1	0.02	39	580	10	< 5	< 10	76	0.16	< 10	< 10	62	5	56
TZ-7C-206	201	238	< 1	0.01	22	1240	6	< 5	< 10	50	0.13	< 10	< 10	55	5	100
TZ-7C-207	201	238	< 1	0.03	30	1200	4	< 5	< 10	104	0.07	< 10	< 10	93	5	53
TZ-7C-208	201	238	< 1	0.02	27	450	10	< 5	< 10	50	0.17	< 10	< 10	58	5	84
TZ-7C-209	201	238	< 1	0.02	17	400	8	< 5	< 10	63	0.13	< 10	< 10	49	5	76
TZ-7C-210	201	238	< 1	0.03	9	190	< 2	< 5	< 10	68	0.14	< 10	< 10	34	< 5	31
TZ-7C-211	201	238	< 1	0.02	12	250	14	< 5	< 10	69	0.15	< 10	< 10	43	< 5	38
TZ-7C-212	201	238	< 1	0.02	22	310	6	< 5	< 10	56	0.16	< 10	< 10	57	5	66

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE , NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: ATTN: S. MCALLISTER

Date : 7-JUL-87
Invoice # : I-8716688
P.O. # : 36811

CERTIFICATE OF ANALYSIS A8716688

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
TZ-7C-213	201 238	< 5	1.29	< 0.2	< 5	110	< 0.5	< 2	0.23	< 0.5	7	20	11	1.81	< 10	< 1	0.04	< 10	0.25	163
TZ-7C-214	201 238	< 5	2.38	< 0.2	< 5	90	< 0.5	< 2	0.36	< 0.5	13	24	17	2.47	< 10	< 1	0.06	10	0.45	456
TZ-7C-215	201 238	< 5	1.10	< 0.2	< 5	120	< 0.5	2	0.25	< 0.5	7	18	10	1.70	< 10	< 1	0.04	< 10	0.26	220
TZ-7C-216	201 238	< 5	1.77	< 0.2	< 5	130	< 0.5	< 2	0.32	< 0.5	5	25	15	2.53	< 10	1	0.07	10	0.36	249
TZ-7C-217	201 238	< 5	1.47	< 0.2	< 5	120	< 0.5	< 2	0.28	< 0.5	6	21	13	2.14	< 10	< 1	0.06	< 10	0.30	[illegible]
TZ-7C-218	201 238	< 5	1.36	< 0.2	< 5	130	< 0.5	< 2	0.24	< 0.5	6	20	12	1.96	< 10	< 1	0.06	< 10	0.28	[illegible]
TZ-7C-219	201 238	< 5	1.81	< 0.2	5	110	< 0.5	< 2	0.49	< 0.5	10	28	18	2.35	< 10	4	0.07	20	0.39	521
TZ-7C-220	201 238	< 5	1.26	< 0.2	< 5	140	< 0.5	< 2	0.42	< 0.5	6	21	15	1.99	< 10	1	0.06	10	0.35	230
TZ-7C-221	201 238	< 5	0.93	< 0.2	< 5	110	< 0.5	< 2	0.26	< 0.5	7	17	10	1.70	< 10	2	0.05	< 10	0.26	184
TZ-7C-222	201 238	< 5	1.62	< 0.2	< 5	140	< 0.5	< 2	0.25	< 0.5	7	19	13	1.91	< 10	< 1	0.06	< 10	0.30	182
TZ-7C-223	201 238	< 5	1.95	< 0.2	< 5	150	< 0.5	< 2	0.34	< 0.5	11	24	17	2.44	< 10	< 1	0.11	10	0.45	205
TZ-7C-224	201 238	< 5	2.27	< 0.2	10	150	< 0.5	< 2	0.28	< 0.5	6	25	13	2.18	< 10	< 1	0.10	10	0.32	250
TZ-7C-225	201 238	< 5	2.28	< 0.2	< 5	170	< 0.5	< 2	0.40	< 0.5	12	23	21	2.72	< 10	3	0.09	10	0.48	385
TZ-7C-226	201 238	< 5	3.19	< 0.2	15	200	< 0.5	< 2	0.24	< 0.5	14	28	13	3.03	< 10	1	0.08	< 10	0.36	165
TZ-7C-227	201 238	< 5	3.30	< 0.2	< 5	220	< 0.5	< 2	0.17	< 0.5	11	20	12	2.46	< 10	2	0.08	< 10	0.26	139
TZ-7C-228	201 238	< 5	1.74	< 0.2	< 5	130	< 0.5	< 2	0.15	< 0.5	6	8	6	1.28	< 10	1	0.10	< 10	0.21	68
TZ-7C-229	201 238	< 5	1.38	< 0.2	< 5	140	1.0	< 2	0.39	< 0.5	8	16	15	1.74	< 10	< 1	0.09	20	0.28	635
TZ-7C-230	201 238	< 5	1.33	< 0.2	5	140	< 0.5	< 2	0.28	< 0.5	7	18	10	1.67	< 10	2	0.12	10	0.30	169
TZ-7C-231	201 238	< 5	2.68	< 0.2	5	130	< 0.5	< 2	0.31	< 0.5	10	22	14	2.41	< 10	2	0.09	10	0.34	261
TZ-7C-232	201 238	< 5	2.74	< 0.2	< 5	170	< 0.5	< 2	0.20	< 0.5	11	28	12	2.88	< 10	2	0.07	10	0.28	321
TZ-7C-233	201 238	< 5	3.61	< 0.2	< 5	250	< 0.5	< 2	0.18	< 0.5	16	33	15	3.00	< 10	< 1	0.07	< 10	0.34	225
TZ-7C-234	201 238	< 5	3.16	< 0.2	< 5	140	< 0.5	< 2	0.12	0.5	14	34	12	3.35	< 10	3	0.05	10	0.25	531
TZ-7C-235	201 238	< 5	4.11	< 0.2	< 5	280	< 0.5	< 2	0.26	0.5	14	23	14	2.72	< 10	3	0.08	10	0.27	167
TZ-7C-236	201 238	< 5	0.98	< 0.2	< 5	110	< 0.5	< 2	0.23	< 0.5	6	19	12	1.96	< 10	< 1	0.05	< 10	0.25	215
TZ-7C-237	201 238	< 5	2.43	< 0.2	5	140	< 0.5	< 2	0.38	< 0.5	14	31	24	2.67	< 10	3	0.08	10	0.47	[illegible]
TZ-7C-238	201 238	< 5	1.07	< 0.2	5	150	< 0.5	< 2	0.40	< 0.5	7	26	21	1.71	< 10	2	0.08	20	0.40	[illegible]
TZ-7C-239	201 238	< 5	1.12	< 0.2	< 5	110	< 0.5	< 2	0.27	< 0.5	6	26	11	1.87	< 10	< 1	0.05	10	0.32	196
TZ-7C-240	201 238	< 5	0.99	< 0.2	< 5	100	< 0.5	< 2	0.28	< 0.5	7	22	10	1.67	< 10	< 1	0.06	10	0.29	192
TZ-7C-241	201 238	< 5	0.96	0.2	< 5	120	< 0.5	< 2	0.36	< 0.5	7	22	15	1.57	< 10	1	0.06	10	0.31	295
TZ-7C-242	201 238	< 5	1.27	< 0.2	< 5	110	< 0.5	< 2	0.27	< 0.5	7	27	11	1.90	< 10	1	0.05	10	0.31	184
TZ-7C-243	201 238	< 5	1.21	0.2	< 5	110	< 0.5	2	0.29	< 0.5	7	28	12	1.83	< 10	1	0.06	10	0.34	164
TZ-7C-244	201 238	< 5	1.25	< 0.2	< 5	100	< 0.5	< 2	0.26	< 0.5	6	20	11	1.88	< 10	4	0.05	10	0.30	140
TZ-7C-245	201 238	< 5	1.67	< 0.2	< 5	70	< 0.5	< 2	0.26	0.5	7	22	10	2.10	< 10	1	0.05	10	0.24	164
TZ-7C-246	201 238	< 5	3.34	< 0.2	5	160	< 0.5	< 2	0.25	< 0.5	12	24	11	2.98	< 10	4	0.07	< 10	0.30	213
TZ-7C-247	201 238	< 5	3.83	< 0.2	< 5	180	< 0.5	< 2	0.27	< 0.5	13	26	12	3.27	< 10	3	0.08	10	0.33	238
TZ-7C-248	201 238	< 5	2.41	< 0.2	< 5	190	< 0.5	< 2	0.34	< 0.5	11	24	8	2.70	< 10	3	0.11	10	0.26	392
TZ-7C-249	201 238	< 5	2.98	< 0.2	< 5	150	< 0.5	< 2	0.25	< 0.5	12	28	11	2.78	< 10	4	0.08	10	0.27	209
TZ-7C-250	201 238	< 5	3.52	0.4	< 5	90	< 0.5	< 2	0.89	< 0.5	11	34	47	3.12	< 10	2	0.12	50	0.55	323
TZ-7C-251	201 238	< 5	1.72	< 0.2	< 5	130	< 0.5	< 2	0.35	< 0.5	6	24	10	2.37	< 10	1	0.07	10	0.31	150
TZ-7C-252	201 238	< 5	1.93	0.2	< 5	120	< 0.5	< 2	0.35	< 0.5	11	32	13	2.59	< 10	< 1	0.07	10	0.34	311

CERTIFICATION : B C

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: ATTN: S. MCALLISTER

Date : 7-JUL-87
Invoice # : I-8716688
P.O. # : 36811

CERTIFICATE OF ANALYSIS A8716688

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
TZ-7C-213	201	238	< 1	0.02	11	190	2	< 5	< 10	54	0.16	< 10	< 10	43	5	46
TZ-7C-214	201	238	< 1	0.03	17	310	8	< 5	< 10	53	0.09	< 10	< 10	50	< 5	54
TZ-7C-215	201	238	< 1	0.02	9	140	8	< 5	< 10	67	0.16	< 10	< 10	42	< 5	38
TZ-7C-216	201	238	< 1	0.03	14	130	10	< 5	< 10	81	0.18	< 10	< 10	57	5	47
TZ-7C-217	201	238	< 1	0.03	11	130	6	< 5	< 10	73	0.17	< 10	< 10	50	5	44
TZ-7C-218	201	238	< 1	0.02	10	150	14	< 5	< 10	64	0.18	< 10	< 10	47	< 5	38
TZ-7C-219	201	238	< 1	0.03	16	300	10	< 5	< 10	73	0.14	< 10	< 10	56	< 5	48
TZ-7C-220	201	238	< 1	0.03	10	300	12	< 5	< 10	101	0.15	< 10	< 10	47	< 5	36
TZ-7C-221	201	238	< 1	0.02	9	160	6	< 5	< 10	60	0.12	< 10	< 10	43	< 5	36
TZ-7C-222	201	238	< 1	0.02	14	260	8	< 5	< 10	63	0.10	< 10	< 10	37	< 5	44
TZ-7C-223	201	238	< 1	0.02	17	260	4	< 5	< 10	58	0.10	< 10	< 10	41	5	45
TZ-7C-224	201	238	< 1	0.02	20	370	10	< 5	< 10	42	0.14	< 10	< 10	46	< 5	70
TZ-7C-225	201	238	< 1	0.02	16	460	12	< 5	< 10	84	0.11	< 10	< 10	50	< 5	48
TZ-7C-226	201	238	< 1	0.01	33	390	4	< 5	< 10	38	0.11	< 10	< 10	48	5	37
TZ-7C-227	201	238	< 1	0.02	21	460	< 2	< 5	< 10	31	0.10	< 10	< 10	40	< 5	39
TZ-7C-228	201	238	< 1	0.01	7	130	8	< 5	< 10	20	0.07	< 10	< 10	16	< 5	19
TZ-7C-229	201	238	< 1	0.02	10	250	2	< 5	< 10	41	0.07	< 10	< 10	35	< 5	29
TZ-7C-230	201	238	< 1	0.02	9	160	12	< 5	< 10	37	0.10	< 10	< 10	30	< 5	28
TZ-7C-231	201	238	< 1	0.02	24	240	6	< 5	< 10	42	0.11	< 10	< 10	48	5	47
TZ-7C-232	201	238	< 1	0.01	30	920	6	< 5	< 10	22	0.11	< 10	< 10	48	< 5	75
TZ-7C-233	201	238	< 1	0.01	44	650	< 2	< 5	< 10	23	0.12	< 10	< 10	51	< 5	114
TZ-7C-234	201	238	< 1	0.01	35	600	14	< 5	< 10	14	0.14	< 10	< 10	62	5	138
TZ-7C-235	201	238	1	0.01	30	660	6	< 5	< 10	38	0.11	< 10	< 10	38	5	49
TZ-7C-236	201	238	< 1	0.02	9	180	10	< 5	< 10	56	0.16	< 10	< 10	52	< 5	32
TZ-7C-237	201	238	< 1	0.02	22	410	8	< 5	< 10	57	0.13	< 10	< 10	53	< 5	62
TZ-7C-238	201	238	< 1	0.02	14	360	12	< 5	< 10	67	0.13	< 10	< 10	40	< 5	29
TZ-7C-239	201	238	< 1	0.02	11	170	12	< 5	< 10	62	0.16	< 10	< 10	47	< 5	38
TZ-7C-240	201	238	< 1	0.03	9	190	6	< 5	< 10	59	0.16	< 10	< 10	43	< 5	32
TZ-7C-241	201	238	< 1	0.03	9	350	10	< 5	< 10	74	0.13	< 10	< 10	40	< 5	29
TZ-7C-242	201	238	< 1	0.02	13	170	8	< 5	< 10	52	0.15	< 10	< 10	46	< 5	40
TZ-7C-243	201	238	< 1	0.02	14	220	10	< 5	< 10	60	0.16	< 10	< 10	43	< 5	37
TZ-7C-244	201	238	< 1	0.02	12	160	8	< 5	< 10	55	0.13	< 10	< 10	42	< 5	33
TZ-7C-245	201	238	< 1	0.02	18	200	4	< 5	< 10	36	0.13	< 10	< 10	48	< 5	55
TZ-7C-246	201	238	< 1	0.01	24	930	4	< 5	< 10	45	0.13	< 10	< 10	52	< 5	78
TZ-7C-247	201	238	< 1	0.01	27	990	12	< 5	< 10	48	0.15	< 10	< 10	58	5	89
TZ-7C-248	201	238	< 1	0.02	19	270	4	< 5	< 10	52	0.20	< 10	< 10	56	< 5	55
TZ-7C-249	201	238	< 1	0.01	23	970	14	< 5	< 10	32	0.14	< 10	< 10	56	< 5	91
TZ-70-250	201	238	< 1	0.02	33	560	12	< 5	< 10	71	0.07	< 10	< 10	46	5	53
TZ-70-251	201	238	< 1	0.02	12	210	8	< 5	< 10	69	0.16	< 10	< 10	48	< 5	48
TZ-7C-252	201	238	< 1	0.02	19	220	2	< 5	< 10	66	0.19	< 10	< 10	62	< 5	52

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: ATTN: S. MCALLISTER

Date : 7-JUL-87
Invoice # : I-8716688
P.O. # : 36811

CERTIFICATE OF ANALYSIS A8716688

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
TZ-7C-253	201	238	< 5	1.96	0.4	< 5	90	< 0.5	< 2	0.54	< 0.5	6	35	13	2.41	< 10	2	0.07	10	0.37	366
TZ-7C-254	201	238	< 5	2.20	< 0.2	< 5	120	< 0.5	< 2	0.53	< 0.5	10	36	16	2.76	< 10	3	0.07	10	0.50	287
TZ-7C-255	201	238	< 5	1.65	0.2	5	100	< 0.5	< 2	0.40	< 0.5	8	43	12	2.39	< 10	< 1	0.06	10	0.54	252
TZ-7C-256	201	238	< 5	1.29	< 0.2	< 5	110	< 0.5	< 2	0.32	< 0.5	6	28	10	1.86	< 10	< 1	0.06	10	0.31	196

CERTIFICATION : *[signature]*

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: ATTN: S. MCALLISTER

Date : 7-JUL-87
Invoice # : I-8716688
P.O. # :36811

CERTIFICATE OF ANALYSIS A8716688

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
TZ-7C-253	201	238	< 1	0.02	18	180	8	< 5	< 10	52	0.16	< 10	< 10	52	< 5	69
TZ-7C-254	201	238	< 1	0.02	22	180	4	< 5	< 10	77	0.16	< 10	< 10	54	< 5	49
TZ-7C-255	201	238	< 1	0.02	24	250	14	< 5	< 10	55	0.17	< 10	< 10	56	< 5	55
TZ-7C-256	201	238	< 1	0.02	14	140	12	< 5	< 10	72	0.17	< 10	< 10	46	< 5	37

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: ATTN: S. MCALLISTER

Page No. :1-A
Tot. Pages:1
Date : 6-JUL-87
Invoice # :I-8716689
P.O. # :36811

PROJECT FILE

CERTIFICATE OF ANALYSIS A8716689

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
JB-7C-218	205	238	< 5	0.14	0.2	< 5	< 10	< 0.5	< 2	0.03	< 0.5	< 1	126	4	0.60	< 10	< 1	0.09	< 10	0.04	83
JB-7C-219	205	238	< 5	0.09	0.2	< 5	< 10	< 0.5	< 2	0.04	< 0.5	< 1	376	8	0.44	< 10	< 1	0.02	< 10	0.04	39
JB-7C-220	205	238	< 5	0.21	0.2	30	20	< 0.5	< 2	0.23	< 0.5	< 1	100	3	0.36	< 10	< 1	0.11	30	0.11	38
JB-7C-221	205	238	5	0.12	< 0.2	30	10	< 0.5	< 2	0.02	< 0.5	< 1	308	10	0.90	< 10	< 1	< 0.01	< 10	0.01	56
JB-7C-263	205	238	< 5	0.06	< 0.2	< 5	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	154	2	0.20	< 10	< 1	0.01	< 10	0.02	[illegible]
JB-7C-307	205	238	< 5	0.24	< 0.2	< 5	20	< 0.5	< 2	0.03	< 0.5	< 1	105	4	0.43	< 10	< 1	0.15	< 10	0.03	[illegible]
JB-7C-309	205	238	< 5	0.03	0.8	< 5	< 10	< 0.5	< 2	0.79	1.5	< 1	199	4	0.31	< 10	< 1	< 0.01	< 10	0.01	89
MM-7C-74	205	238	< 5	0.35	0.2	< 5	20	< 0.5	< 2	0.06	< 0.5	< 1	52	4	0.67	< 10	< 1	0.11	< 10	0.10	106
MM-7C-75	205	238	< 5	< 0.01	< 0.2	5	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	240	3	0.19	< 10	< 1	< 0.01	< 10	< 0.01	15
MM-7C-76	205	238	< 5	0.17	< 0.2	< 5	10	< 0.5	< 2	0.02	< 0.5	< 1	68	2	0.51	< 10	< 1	0.11	20	0.03	68
MM-7C-77	205	238	< 5	0.11	< 0.2	< 5	360	< 0.5	< 2	0.03	< 0.5	1	194	2	1.43	< 10	< 1	0.06	10	0.03	1570
MM-7C-78	205	238	< 5	0.11	0.4	< 5	10	< 0.5	< 2	0.03	< 0.5	< 1	83	1	0.17	< 10	1	0.08	10	0.03	40
MM-7C-79	205	238	< 5	0.41	< 0.2	< 5	40	< 0.5	< 2	0.19	< 0.5	8	42	13	2.02	< 10	1	0.14	10	0.45	116
MM-7C-80	205	238	< 5	0.16	< 0.2	5	10	< 0.5	< 2	0.01	< 0.5	< 1	103	4	0.31	< 10	< 1	0.10	< 10	0.01	17
MM-7C-81	205	238	< 5	0.91	< 0.2	< 5	230	< 0.5	< 2	0.46	< 0.5	< 1	9	1	0.36	< 10	1	1.58	30	0.09	125
MM-7C-82	205	238	< 5	0.64	0.2	< 5	50	< 0.5	< 2	0.08	< 0.5	< 1	22	2	0.56	< 10	< 1	0.48	30	0.08	105
MM-7C-83	205	238	< 5	0.26	< 0.2	5	60	< 0.5	< 2	0.30	< 0.5	6	25	2	1.01	< 10	1	0.11	10	0.05	144
MM-7C-84	205	238	< 5	0.56	< 0.2	40	60	< 0.5	< 2	0.27	< 0.5	8	27	8	2.55	< 10	< 1	0.12	10	0.05	566
MM-7C-85	205	238	< 5	1.11	< 0.2	10	360	< 0.5	< 2	0.65	< 0.5	7	19	51	1.66	< 10	2	0.27	10	0.27	448
MM-7C-86	205	238	< 5	0.57	< 0.2	10	60	< 0.5	< 2	0.16	< 0.5	5	87	1	1.63	< 10	1	0.37	10	0.30	393
MM-7C-87	205	238	< 5	0.54	< 0.2	< 5	50	< 0.5	< 2	0.25	< 0.5	5	55	5	1.74	10	< 1	0.16	20	0.22	269
MM-7C-88	205	238	< 5	1.08	< 0.2	< 5	10	< 0.5	< 2	0.96	< 0.5	15	34	23	4.21	< 10	1	0.03	20	0.99	344
MM-7C-89	205	238	< 5	3.05	< 0.2	10	40	< 0.5	< 2	1.78	< 0.5	17	10	38	3.17	< 10	< 1	0.04	< 10	1.69	549
SM-7C-58	205	238	< 5	0.20	< 0.2	< 5	10	< 0.5	< 2	0.03	< 0.5	< 1	70	1	0.43	< 10	< 1	0.10	20	0.03	43
SM-7C-59	205	238	< 5	0.24	0.2	< 5	10	< 0.5	< 2	0.03	< 0.5	< 1	50	1	0.87	< 10	< 1	0.09	20	0.04	[illegible]
SM-7C-60	205	238	< 5	0.67	< 0.2	< 5	100	< 0.5	2	0.13	< 0.5	7	30	2	1.02	< 10	1	0.18	< 10	0.23	[illegible]
SM-7C-61	205	238	< 5	0.62	< 0.2	50	30	< 0.5	< 2	0.42	< 0.5	27	115	20	5.69	< 10	< 1	0.03	10	0.27	1280
SM-7C-62	205	238	< 5	2.41	0.2	< 5	970	< 0.5	< 2	0.91	< 0.5	< 1	14	4	0.60	< 10	< 1	1.42	40	0.27	113
SM-7C-63	205	238	< 5	0.06	< 0.2	< 5	10	< 0.5	< 2	0.02	< 0.5	< 1	330	2	0.41	< 10	< 1	< 0.01	< 10	0.02	78
SM-7C-64	205	238	< 5	1.48	< 0.2	45	870	< 0.5	< 2	0.60	< 0.5	6	74	15	0.94	< 10	1	0.79	10	0.29	103
TZ-7C-133	205	238	< 5	0.01	< 0.2	< 5	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	179	1	0.26	< 10	< 1	< 0.01	< 10	< 0.01	20
TZ-7C-134	205	238	< 5	0.10	< 0.2	< 5	20	< 0.5	< 2	0.02	< 0.5	< 1	100	< 1	0.22	< 10	< 1	0.07	10	0.01	30
TZ-7C-135	205	238	< 5	0.33	< 0.2	< 5	20	< 0.5	< 2	0.05	< 0.5	< 1	57	1	0.66	< 10	2	0.09	10	0.08	78
TZ-7C-177	205	238	< 5	0.17	< 0.2	5	30	< 0.5	< 2	0.01	< 0.5	< 1	101	2	0.47	< 10	< 1	0.12	10	0.01	212
TZ-7C-178	205	238	< 5	0.31	4.4	50	50	< 0.5	< 2	0.02	< 0.5	< 1	204	41	1.17	< 10	1	0.20	< 10	0.02	164

CERTIFICATION : B C

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: ATTN: S. MCALLISTER

Date : 6-JUL-87
Invoice # : I-8716689
P.O. # : 36811

CERTIFICATE OF ANALYSIS A8716689

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
JB-7C-218	205	238	< 1	0.04	3	20	4	< 5	< 10	2	< 0.01	< 10	< 10	2	< 5	13
JB-7C-219	205	238	1	0.02	8	30	6	< 5	< 10	2	< 0.01	< 10	< 10	10	< 5	4
JB-7C-220	205	238	< 1	0.06	1	230	6	< 5	< 10	8	< 0.01	< 10	< 10	4	< 5	10
JB-7C-221	205	238	1	< 0.01	8	120	2	< 5	< 10	2	< 0.01	< 10	< 10	15	< 5	7
JB-7C-263	205	238	< 1	< 0.01	3	< 10	2	< 5	< 10	< 1	< 0.01	< 10	< 10	1	< 5	1
JB-7C-307	205	238	< 1	0.03	3	110	18	< 5	< 10	9	< 0.01	< 10	< 10	2	< 5	17
JB-7C-309	205	238	< 1	< 0.01	9	110	40	< 5	< 10	23	< 0.01	< 10	< 10	3	< 5	47
MM-7C-74	205	238	< 1	0.03	6	50	4	< 5	< 10	7	0.03	< 10	< 10	12	< 5	16
MM-7C-75	205	238	< 1	< 0.01	4	< 10	8	< 5	< 10	< 1	< 0.01	< 10	< 10	1	< 5	29
MM-7C-76	205	238	< 1	0.04	2	50	4	< 5	< 10	2	< 0.01	< 10	< 10	2	< 5	40
MM-7C-77	205	238	< 1	0.02	6	40	4	< 5	< 10	4	< 0.01	< 10	< 10	7	< 5	48
MM-7C-78	205	238	< 1	0.03	2	40	4	< 5	< 10	3	< 0.01	< 10	< 10	1	< 5	13
MM-7C-79	205	238	< 1	0.03	7	490	< 2	< 5	< 10	14	0.06	< 10	< 10	36	< 5	48
MM-7C-80	205	238	3	< 0.01	4	50	4	< 5	< 10	6	< 0.01	< 10	< 10	5	< 5	2
MM-7C-81	205	238	< 1	0.13	2	40	10	< 5	< 10	84	< 0.01	< 10	< 10	< 1	< 5	13
MM-7C-82	205	238	< 1	0.07	1	70	6	< 5	< 10	19	0.02	< 10	< 10	1	< 5	30
MM-7C-83	205	238	< 1	0.10	2	520	4	< 5	< 10	21	0.15	< 10	< 10	29	< 5	30
MM-7C-84	205	238	< 1	0.06	3	1160	2	< 5	< 10	14	0.03	< 10	< 10	26	< 5	73
MM-7C-85	205	238	< 1	0.04	6	320	12	< 5	< 10	241	0.03	< 10	< 10	42	< 5	39
MM-7C-86	205	238	< 1	0.05	3	460	< 2	< 5	< 10	14	0.07	< 10	< 10	27	< 5	55
MM-7C-87	205	238	< 1	0.04	3	300	12	< 5	< 10	13	0.08	< 10	< 10	14	< 5	53
MM-7C-88	205	238	< 1	0.06	7	580	< 2	< 5	< 10	19	0.23	< 10	< 10	132	< 5	56
MM-7C-89	205	238	< 1	0.08	17	700	< 2	< 5	< 10	207	0.02	< 10	< 10	107	< 5	53
SM-7C-58	205	238	< 1	0.05	1	40	4	< 5	< 10	4	< 0.01	< 10	< 10	3	< 5	26
SM-7C-59	205	238	< 1	0.04	3	80	< 2	< 5	< 10	3	0.01	< 10	< 10	2	< 5	45
SM-7C-60	205	238	< 1	0.04	5	90	4	< 5	< 10	12	0.04	< 10	< 10	9	< 5	16
SM-7C-61	205	238	< 1	0.02	27	1270	< 2	< 5	< 10	29	0.15	< 10	< 10	125	< 5	69
SM-7C-62	205	238	< 1	0.02	3	50	< 2	< 5	< 10	158	0.03	< 10	< 10	1	< 5	32
SM-7C-63	205	238	1	< 0.01	8	20	2	< 5	< 10	8	< 0.01	< 10	< 10	4	< 5	1
SM-7C-64	205	238	< 1	0.02	7	330	6	< 5	< 10	168	0.10	< 10	< 10	26	< 5	18
TZ-7C-133	205	238	< 1	< 0.01	4	10	4	< 5	< 10	< 1	< 0.01	< 10	< 10	1	< 5	1
TZ-7C-134	205	238	< 1	0.03	1	40	6	< 5	< 10	3	< 0.01	< 10	< 10	< 1	< 5	5
TZ-7C-135	205	238	1	0.03	2	60	4	< 5	< 10	5	0.02	< 10	< 10	4	< 5	35
TZ-7C-177	205	238	5	< 0.01	3	90	4	< 5	< 10	2	< 0.01	< 10	< 10	7	< 5	3
TZ-7C-178	205	238	5	< 0.01	5	140	50	< 5	< 10	8	< 0.01	< 10	< 10	10	< 5	5

CERTIFICATION : B C

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S. MCALLISTER

Date : 24-JUN-87
Invoice # : I-8716275
P.O. # : 36869

PROJECT FILE

CERTIFICATE OF ANALYSIS A8716275

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
JB7C-171	205	238	< 5	0.45	0.2	20	40	< 0.5	< 2	0.20	< 0.5	< 1	109	29	0.88	< 10	1	0.23	< 10	0.05	114
JB7C-172	205	238	< 5	0.27	0.2	< 5	10	< 0.5	< 2	0.12	< 0.5	< 1	74	36	0.70	< 10	< 1	0.09	10	0.05	142
JB7C-173	205	238	< 5	0.26	0.4	35	30	< 0.5	< 2	0.09	< 0.5	< 1	53	9	0.40	< 10	< 1	0.10	10	0.06	32
JB7C-174	205	238	< 5	0.02	< 0.2	< 5	10	< 0.5	< 2	0.11	< 0.5	< 1	219	7	0.30	< 10	< 1	< 0.01	< 10	0.01	71
MM7C-059	205	238	< 5	< 0.01	< 0.2	< 5	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	184	1	0.16	< 10	< 1	< 0.01	< 10	< 0.01	[illegible]
MM7C-060	205	238	< 5	0.99	< 0.2	10	150	< 0.5	< 2	0.43	< 0.5	15	39	97	2.03	< 10	< 1	0.05	10	0.64	57[illegible]
MM7C-061	205	238	< 5	0.97	< 0.2	10	50	< 0.5	< 2	0.88	< 0.5	18	42	27	3.76	10	1	0.21	20	0.91	451
MM7C-062	205	238	< 5	1.21	0.2	< 5	70	< 0.5	< 2	0.51	< 0.5	11	20	40	1.98	< 10	< 1	0.36	10	0.43	299
MM7C-063	205	238	< 5	0.97	< 0.2	10	70	< 0.5	< 2	0.35	< 0.5	18	47	21	2.45	< 10	< 1	0.24	10	0.28	809
MM7C-064	205	238	< 5	0.65	< 0.2	< 5	30	< 0.5	< 2	0.25	< 0.5	13	49	34	2.07	< 10	< 1	0.10	< 10	0.44	170
MM7C-065	205	238	< 5	2.37	0.4	< 5	1480	< 0.5	< 2	0.87	< 0.5	4	5	3	0.47	< 10	1	1.24	30	0.32	56
MM7C-066	205	238	< 5	1.49	< 0.2	20	10	< 0.5	< 2	0.55	< 0.5	25	21	39	2.94	< 10	1	0.09	20	0.49	696
MM7C-067	205	238	< 5	0.02	< 0.2	< 5	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	190	1	0.19	< 10	< 1	< 0.01	< 10	< 0.01	17
MM7C-068	205	238	< 5	0.68	< 0.2	5	40	< 0.5	< 2	0.57	< 0.5	18	35	37	3.22	< 10	1	0.06	10	0.16	467
MM7C-069	205	238	< 5	0.50	< 0.2	< 5	20	< 0.5	< 2	0.46	< 0.5	13	38	35	3.04	< 10	< 1	0.05	10	0.16	596
MM7C-070	205	238	< 5	0.08	< 0.2	< 5	< 10	< 0.5	< 2	1.22	< 0.5	< 1	141	1	0.33	< 10	< 1	< 0.01	< 10	0.05	90
MM7C-071	205	238	< 5	0.42	< 0.2	45	70	< 0.5	< 2	0.21	< 0.5	10	27	26	1.56	< 10	1	0.10	< 10	0.08	105
MM7C-072	205	238	< 5	0.49	< 0.2	30	60	< 0.5	< 2	0.23	< 0.5	9	51	32	0.68	< 10	1	0.11	< 10	0.05	137
MM7C-073	205	238	< 5	0.54	< 0.2	< 5	40	< 0.5	< 2	0.36	< 0.5	17	21	25	3.02	< 10	1	0.08	10	0.14	379
SM7C-041	205	238	< 5	0.77	0.4	< 5	100	0.5	< 2	0.50	< 0.5	< 1	10	3	0.61	< 10	< 1	1.18	30	0.06	113
SM7C-042	205	238	< 5	0.13	0.2	< 5	70	< 0.5	< 2	0.05	< 0.5	1	311	3	0.42	< 10	< 1	0.05	< 10	0.03	80
SM7C-043	205	238	< 5	1.30	0.2	5	620	0.5	< 2	0.59	< 0.5	3	57	1	0.74	< 10	< 1	0.69	20	0.12	165
SM7C-044	205	238	< 5	0.39	0.2	< 5	150	< 0.5	< 2	0.19	< 0.5	2	24	1	0.63	< 10	1	0.43	10	0.03	146
SM7C-045	205	238	< 5	0.37	0.4	5	40	< 0.5	< 2	0.09	< 0.5	3	42	3	0.77	< 10	< 1	0.11	10	0.09	64
SM7C-046	205	238	< 5	0.24	0.2	< 5	< 10	< 0.5	< 2	0.10	< 0.5	6	189	21	0.92	< 10	< 1	< 0.01	< 10	0.14	[illegible]
SM7C-047	205	238	< 5	0.09	0.2	< 5	< 10	< 0.5	< 2	1.18	< 0.5	3	230	3	0.53	< 10	< 1	< 0.01	< 10	0.06	[illegible]
SM7C-048	205	238	< 5	0.54	< 0.2	< 5	50	< 0.5	< 2	0.12	< 0.5	5	127	9	0.92	< 10	1	0.20	< 10	0.08	208
SM7C-049	205	238	< 5	0.61	< 0.2	75	30	< 0.5	< 2	0.18	< 0.5	6	114	14	0.77	< 10	1	0.07	< 10	0.07	103
SM7C-050	205	238	< 5	0.02	< 0.2	5	< 10	< 0.5	< 2	0.07	< 0.5	1	235	2	0.35	< 10	< 1	< 0.01	< 10	< 0.01	77
SM7C-051	205	238	155	0.09	0.2	< 5	< 10	< 0.5	< 2	0.02	< 0.5	< 1	163	6	0.32	< 10	< 1	0.04	< 10	< 0.01	26
SM7C-052	205	238	< 5	0.79	0.2	10	30	< 0.5	< 2	0.29	< 0.5	11	55	8	1.33	< 10	< 1	0.10	10	0.18	103
SM7C-053	205	238	30	0.06	0.4	< 5	10	< 0.5	< 2	< 0.01	< 0.5	< 1	148	1	0.21	< 10	< 1	0.01	< 10	< 0.01	14
SM7C-054	205	238	< 5	1.01	< 0.2	< 5	50	< 0.5	2	0.32	< 0.5	10	45	25	2.26	< 10	< 1	0.28	10	0.43	185
SM7C-055	205	238	< 5	0.17	0.2	25	40	< 0.5	< 2	0.01	< 0.5	3	98	3	0.78	< 10	< 1	0.10	20	< 0.01	69
SM7C-056	205	238	< 5	0.05	0.2	< 5	< 10	< 0.5	< 2	0.02	< 0.5	3	261	2	0.38	< 10	< 1	< 0.01	< 10	0.02	37
SM7C-057	205	238	< 5	0.14	< 0.2	< 5	20	< 0.5	< 2	0.97	< 0.5	12	222	3	1.42	< 10	< 1	0.01	< 10	0.26	561
TZ7C-051	205	238	< 5	0.12	0.4	< 5	30	< 0.5	< 2	0.03	< 0.5	2	121	1	0.23	< 10	< 1	0.09	10	0.03	36
TZ7C-052	205	238	< 5	0.19	0.4	< 5	10	< 0.5	< 2	0.04	< 0.5	< 1	87	1	0.22	< 10	< 1	0.07	20	0.03	33
TZ7C-072	205	238	35	0.23	0.2	25	30	< 0.5	< 2	0.02	< 0.5	1	121	9	0.56	< 10	< 1	0.14	< 10	0.02	48

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S. MCALLISTER

Date : 24-JUN-87
Invoice # : I-8716275
P.O. # : 36869

CERTIFICATE OF ANALYSIS A8716275

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
JB7C-171	205	238	245	0.03	6	100	8	< 5	< 10	8	< 0.01	< 10	< 10	7	< 5	12
JB7C-172	205	238	12	0.05	4	20	4	< 5	< 10	5	0.01	< 10	< 10	2	< 5	24
JB7C-173	205	238	6	0.04	5	180	6	< 5	< 10	5	0.01	< 10	< 10	11	< 5	11
JB7C-174	205	238	5	< 0.01	6	130	6	< 5	< 10	8	< 0.01	< 10	< 10	1	< 5	2
MM7C-059	205	238	2	< 0.01	4	< 10	< 2	< 5	< 10	< 1	< 0.01	< 10	< 10	1	< 5	1
MM7C-060	205	238	< 1	0.08	8	560	4	< 5	10	44	0.08	< 10	< 10	48	< 5	58
MM7C-061	205	238	< 1	0.19	9	1260	< 2	< 5	< 10	70	0.37	< 10	< 10	100	< 5	70
MM7C-062	205	238	2	0.09	11	740	2	< 5	< 10	35	0.14	< 10	< 10	42	< 5	43
MM7C-063	205	238	2	0.09	27	710	< 2	< 5	< 10	32	0.10	< 10	< 10	59	< 5	58
MM7C-064	205	238	< 1	0.08	16	270	4	< 5	10	23	0.11	< 10	< 10	35	< 5	39
MM7C-065	205	238	< 1	0.04	1	30	14	< 5	< 10	307	0.02	< 10	< 10	< 1	< 5	20
MM7C-066	205	238	< 1	0.06	16	820	12	< 5	< 10	20	0.19	< 10	< 10	111	< 5	98
MM7C-067	205	238	< 1	< 0.01	6	10	6	< 5	< 10	2	< 0.01	< 10	< 10	1	< 5	< 1
MM7C-068	205	238	< 1	0.13	14	860	4	< 5	< 10	43	0.08	< 10	< 10	96	< 5	56
MM7C-069	205	238	< 1	0.10	12	730	6	< 5	< 10	33	0.07	< 10	< 10	93	< 5	47
MM7C-070	205	238	< 1	< 0.01	3	10	< 2	< 5	< 10	39	0.01	< 10	< 10	5	< 5	3
MM7C-071	205	238	< 1	0.07	6	250	< 2	< 5	< 10	19	0.14	< 10	< 10	56	< 5	27
MM7C-072	205	238	4	0.07	7	150	4	< 5	< 10	25	0.05	< 10	< 10	37	< 5	20
MM7C-073	205	238	< 1	0.10	10	720	< 2	< 5	< 10	25	0.15	< 10	< 10	113	< 5	52
SM7C-041	205	238	< 1	0.74	3	70	12	< 5	< 10	37	0.01	< 10	< 10	1	< 5	18
SM7C-042	205	238	1	0.01	8	20	< 2	< 5	< 10	12	0.01	< 10	< 10	4	< 5	3
SM7C-043	205	238	1	0.06	2	50	8	< 5	< 10	84	0.02	< 10	< 10	1	< 5	31
SM7C-044	205	238	< 1	0.44	3	60	10	< 5	< 10	11	0.02	< 10	< 10	1	< 5	17
SM7C-045	205	238	< 1	0.04	3	190	2	< 5	< 10	7	0.01	< 10	< 10	10	< 5	27
SM7C-046	205	238	< 1	0.01	9	50	< 2	< 5	< 10	5	0.03	< 10	< 10	21	< 5	10
SM7C-047	205	238	< 1	< 0.01	6	40	< 2	< 5	< 10	5	0.01	< 10	< 10	8	< 5	2
SM7C-048	205	238	4	0.02	7	250	< 2	< 5	< 10	12	0.01	< 10	< 10	30	< 5	24
SM7C-049	205	238	18	0.04	9	410	< 2	< 5	< 10	16	0.04	< 10	< 10	45	< 5	23
SM7C-050	205	238	1	< 0.01	8	280	< 2	< 5	< 10	1	< 0.01	< 10	< 10	2	< 5	1
SM7C-051	205	238	< 1	< 0.01	5	20	6	< 5	< 10	< 1	< 0.01	< 10	< 10	2	< 5	7
SM7C-052	205	238	< 1	0.05	4	930	4	< 5	< 10	15	0.06	< 10	< 10	35	< 5	76
SM7C-053	205	238	5	< 0.01	6	20	4	< 5	< 10	2	< 0.01	< 10	< 10	2	< 5	< 1
SM7C-054	205	238	< 1	0.02	1	540	10	< 5	< 10	28	0.05	< 10	< 10	32	< 5	33
SM7C-055	205	238	1	< 0.01	7	70	6	< 5	< 10	4	< 0.01	< 10	< 10	13	< 5	3
SM7C-056	205	238	1	< 0.01	9	< 10	4	< 5	< 10	2	< 0.01	< 10	< 10	4	< 5	1
SM7C-057	205	238	< 1	0.01	42	30	2	< 5	< 10	10	< 0.01	< 10	< 10	19	< 5	5
TZ7C-051	205	238	1	0.04	4	40	8	< 5	< 10	3	< 0.01	< 10	< 10	1	< 5	12
TZ7C-052	205	238	< 1	0.04	2	60	< 2	< 5	< 10	5	< 0.01	< 10	< 10	1	< 5	8
TZ7C-072	205	238	27	< 0.01	6	120	14	< 5	< 10	4	< 0.01	< 10	< 10	10	< 5	7

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S. MCALLISTER

Date : 24-JUN-87
Invoice # : I-8716274
P.O. # : 36869

PROJECT FILE

CERTIFICATE OF ANALYSIS A8716274

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
JB7C-095	201	238	< 5	1.88	< 0.2	< 5	140	< 0.5	< 2	0.43	< 0.5	13	30	17	2.79	< 10	< 1	0.07	10	0.49	315
JB7C-096	201	238	< 5	2.26	< 0.2	15	160	< 0.5	< 2	0.34	< 0.5	11	28	17	2.71	< 10	1	0.07	10	0.45	188
JB7C-097	201	238	< 5	1.37	< 0.2	15	90	< 0.5	< 2	0.33	< 0.5	8	24	11	2.17	< 10	< 1	0.06	10	0.30	224
JB7C-098	201	238	< 5	1.36	< 0.2	< 5	90	< 0.5	< 2	0.70	< 0.5	10	25	15	2.46	< 10	< 1	0.07	10	0.43	273
JB7C-099	201	238	< 5	1.47	< 0.2	5	130	< 0.5	< 2	0.92	< 0.5	10	31	23	2.75	< 10	< 1	0.10	20	0.59	[illegible]
JB7C-100	203	238	< 5	1.20	< 0.2	< 5	100	< 0.5	< 2	1.07	< 0.5	10	73	15	2.09	< 10	1	0.09	10	0.40	[illegible]
JB7C-101	201	238	< 5	1.23	< 0.2	5	70	< 0.5	< 2	0.28	< 0.5	10	16	9	1.77	< 10	1	0.04	< 10	0.20	621
JB7C-102	201	238	< 5	0.93	< 0.2	< 5	50	< 0.5	< 2	0.19	< 0.5	6	12	6	1.49	< 10	< 1	0.04	< 10	0.14	273
JB7C-103	201	238	< 5	1.16	< 0.2	5	70	< 0.5	< 2	0.26	< 0.5	6	18	9	1.74	< 10	< 1	0.06	< 10	0.23	253
JB7C-104	201	238	< 5	1.61	< 0.2	< 5	160	< 0.5	< 2	0.44	< 0.5	11	29	22	2.64	< 10	< 1	0.05	10	0.43	218
JB7C-105	203	238	< 5	1.70	< 0.2	< 5	130	< 0.5	< 2	0.79	< 0.5	12	52	24	2.82	< 10	< 1	0.09	10	0.48	350
JB7C-106	201	238	< 5	2.96	< 0.2	< 5	150	< 0.5	< 2	0.44	0.5	15	49	29	3.53	< 10	< 1	0.07	10	0.61	253
JB7C-107	201	238	< 5	2.19	< 0.2	< 5	100	< 0.5	< 2	0.28	< 0.5	8	21	11	2.25	< 10	< 1	0.07	< 10	0.22	301
JB7C-108	201	238	< 5	1.36	< 0.2	< 5	90	< 0.5	< 2	0.40	< 0.5	10	21	15	2.30	< 10	< 1	0.06	10	0.28	402
JB7C-109	201	238	< 5	3.78	< 0.2	< 5	160	< 0.5	< 2	0.30	< 0.5	16	30	16	3.35	< 10	< 1	0.09	< 10	0.31	314
JB7C-110	201	238	< 5	1.05	< 0.2	< 5	60	< 0.5	< 2	0.28	< 0.5	6	17	11	1.69	< 10	< 1	0.05	10	0.25	233
JB7C-111	201	238	< 5	1.75	< 0.2	< 5	80	< 0.5	< 2	0.43	< 0.5	9	27	17	2.78	< 10	< 1	0.08	10	0.31	267
JB7C-112	201	238	< 5	1.76	< 0.2	< 5	150	< 0.5	< 2	0.66	< 0.5	13	36	27	2.80	< 10	< 1	0.10	10	0.57	446
JB7C-113	201	238	< 5	1.77	< 0.2	< 5	150	< 0.5	< 2	0.58	< 0.5	13	33	26	3.00	< 10	< 1	0.10	10	0.57	417
JB7C-114	201	238	< 5	2.44	< 0.2	< 5	120	< 0.5	< 2	0.24	< 0.5	10	27	14	2.80	< 10	< 1	0.05	< 10	0.26	183
JB7C-115	217	238	< 5	1.46	< 0.2	< 5	150	< 0.5	< 2	0.79	< 0.5	13	79	20	2.51	< 10	< 1	0.12	10	0.90	702
JB7C-116	203	238	< 5	1.57	< 0.2	< 5	120	< 0.5	< 2	0.32	< 0.5	7	55	6	1.84	< 10	< 1	0.11	< 10	0.26	303
JB7C-117	201	238	< 5	1.35	< 0.2	< 5	100	< 0.5	< 2	0.26	< 0.5	7	30	7	2.09	< 10	< 1	0.07	< 10	0.20	162
JB7C-118	201	238	< 5	1.76	< 0.2	< 5	110	< 0.5	< 2	0.35	< 0.5	12	43	15	2.70	< 10	< 1	0.07	< 10	0.36	221
JB7C-119	203	238	< 5	1.22	< 0.2	< 5	80	< 0.5	< 2	0.52	< 0.5	9	27	13	2.08	< 10	< 1	0.07	10	0.35	[illegible]
JB7C-120	203	238	< 5	2.13	< 0.2	< 5	120	< 0.5	< 2	0.38	< 0.5	11	53	12	2.87	< 10	< 1	0.09	< 10	0.38	324
JB7C-121	201	238	< 5	1.28	< 0.2	< 5	80	< 0.5	< 2	0.44	< 0.5	8	54	12	2.34	< 10	< 1	0.08	10	0.34	366
JB7C-122	201	238	< 5	0.94	< 0.2	< 5	70	< 0.5	< 2	0.23	< 0.5	7	24	7	1.89	< 10	< 1	0.06	< 10	0.20	218
JB7C-123	201	238	< 5	1.80	< 0.2	< 5	120	< 0.5	< 2	0.50	< 0.5	12	34	21	2.80	< 10	< 1	0.11	10	0.52	584
JB7C-124	201	238	< 5	1.85	< 0.2	< 5	100	< 0.5	< 2	0.41	< 0.5	11	34	17	2.60	< 10	< 1	0.10	< 10	0.40	243
JB7C-125	201	238	< 5	1.67	< 0.2	< 5	130	< 0.5	< 2	0.24	< 0.5	8	27	5	1.72	< 10	< 1	0.11	< 10	0.19	597
JB7C-126	201	238	< 5	1.97	< 0.2	5	110	< 0.5	< 2	0.44	< 0.5	12	37	19	2.76	< 10	1	0.10	< 10	0.44	255
JB7C-127	201	238	< 5	1.52	< 0.2	< 5	130	< 0.5	< 2	0.30	< 0.5	9	39	8	2.01	< 10	< 1	0.11	< 10	0.24	567
JB7C-128	201	238	< 5	1.26	< 0.2	< 5	80	< 0.5	< 2	0.29	< 0.5	8	26	11	2.05	< 10	< 1	0.06	< 10	0.28	318
JB7C-129	201	238	< 5	1.59	< 0.2	< 5	120	< 0.5	< 2	0.45	< 0.5	11	38	14	2.66	< 10	< 1	0.14	10	0.35	346
JB7C-130	201	238	< 5	1.84	< 0.2	5	160	< 0.5	< 2	0.69	< 0.5	13	48	21	2.94	< 10	< 1	0.12	10	0.45	397
JB7C-131	201	238	< 5	1.69	< 0.2	< 5	130	< 0.5	< 2	0.38	< 0.5	10	39	16	2.72	< 10	< 1	0.07	< 10	0.33	268
JB7C-132	201	238	< 5	1.21	< 0.2	< 5	120	< 0.5	< 2	0.30	< 0.5	9	28	10	2.01	< 10	< 1	0.14	< 10	0.24	187
JB7C-133	201	238	< 5	1.76	< 0.2	< 5	170	< 0.5	< 2	0.45	0.5	12	27	25	3.08	< 10	< 1	0.11	10	0.55	222
JB7C-134	201	238	< 5	1.33	< 0.2	5	170	< 0.5	< 2	0.56	< 0.6	14	24	19	2.60	< 10	< 1	0.25	10	0.40	718

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M586
Comments: CC: S. MCALLISTER

Date : 24-JUN-87
Invoice # : I-8716274
P.O. # : 36869

CERTIFICATE OF ANALYSIS A8716274

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
JB7C-095	201	238	< 1	0.02	20	430	2	< 5	< 10	65	0.14	< 10	< 10	65	5	76
JB7C-096	201	238	< 1	0.01	19	430	< 2	< 5	< 10	63	0.13	< 10	< 10	60	10	40
JB7C-097	201	238	< 1	0.02	9	130	2	< 5	< 10	54	0.18	< 10	< 10	53	5	43
JB7C-098	201	238	< 1	0.02	13	170	2	< 5	< 10	109	0.11	< 10	< 10	46	5	41
JB7C-099	201	238	< 1	0.03	20	590	< 2	5	< 10	126	0.10	< 10	< 10	56	5	55
JB7C-100	203	238	1	0.06	15	400	2	< 5	< 10	123	0.13	< 10	< 10	49	5	39
JB7C-101	201	238	1	0.01	12	270	< 2	< 5	< 10	34	0.11	< 10	< 10	47	< 5	48
JB7C-102	201	238	< 1	0.01	5	190	4	< 5	< 10	23	0.12	< 10	< 10	38	< 5	39
JB7C-103	201	238	< 1	0.01	11	250	4	< 5	< 10	34	0.11	< 10	< 10	41	< 5	39
JB7C-104	201	238	< 1	0.01	18	370	< 2	< 5	< 10	82	0.11	< 10	< 10	60	< 5	41
JB7C-105	203	238	< 1	0.06	22	490	4	< 5	< 10	111	0.15	< 10	< 10	65	5	54
JB7C-106	201	238	< 1	0.01	33	570	10	< 5	< 10	76	0.15	< 10	< 10	67	5	55
JB7C-107	201	238	< 1	0.01	17	670	2	< 5	< 10	33	0.13	< 10	< 10	51	< 5	95
JB7C-108	201	238	< 1	0.02	15	320	2	< 5	< 10	54	0.14	< 10	< 10	57	5	56
JB7C-109	201	238	< 1	0.01	35	1180	10	< 5	< 10	42	0.15	< 10	< 10	70	< 5	98
JB7C-110	201	238	< 1	0.02	9	190	< 2	< 5	< 10	40	0.11	< 10	< 10	44	< 5	33
JB7C-111	201	238	< 1	0.01	16	380	2	< 5	< 10	57	0.11	< 10	< 10	65	< 5	48
JB7C-112	201	238	< 1	0.02	30	660	8	< 5	< 10	73	0.12	< 10	< 10	56	5	50
JB7C-113	201	238	< 1	0.02	28	570	2	< 5	< 10	74	0.13	< 10	< 10	65	< 5	51
JB7C-114	201	238	< 1	0.01	16	540	2	< 5	< 10	51	0.12	< 10	< 10	65	< 5	44
JB7C-115	217	238	< 1	0.08	25	890	12	< 5	< 10	133	0.11	< 10	< 10	35	5	70
JB7C-116	203	238	< 1	0.05	19	300	4	< 5	< 10	63	0.14	< 10	< 10	46	< 5	43
JB7C-117	201	238	< 1	0.01	17	500	< 2	< 5	< 10	34	0.16	< 10	< 10	50	< 5	40
JB7C-118	201	238	< 1	0.01	27	610	4	< 5	< 10	50	0.16	< 10	< 10	59	5	41
JB7C-119	203	238	< 1	0.02	16	330	< 2	< 5	< 10	62	0.16	< 10	< 10	49	< 5	49
JB7C-120	203	238	< 1	0.05	24	840	14	< 5	< 10	60	0.25	< 10	< 10	69	< 5	62
JB7C-121	201	238	< 1	0.05	14	170	< 2	< 5	< 10	65	0.25	< 10	< 10	63	5	43
JB7C-122	201	238	< 1	0.01	13	200	2	< 5	< 10	31	0.19	< 10	< 10	48	< 5	37
JB7C-123	201	238	< 1	0.02	24	390	8	< 5	< 10	63	0.13	< 10	< 10	56	5	57
JB7C-124	201	238	< 1	0.02	20	520	< 2	< 5	< 10	47	0.14	< 10	< 10	53	< 5	47
JB7C-125	201	238	< 1	0.02	22	390	< 2	< 5	< 10	25	0.15	< 10	< 10	38	< 5	74
JB7C-126	201	238	< 1	0.02	22	580	6	< 5	< 10	50	0.14	< 10	< 10	56	5	48
JB7C-127	201	238	< 1	0.02	21	250	6	< 5	< 10	37	0.13	< 10	< 10	47	< 5	64
JB7C-128	201	238	< 1	0.02	14	330	< 2	< 5	< 10	33	0.15	< 10	< 10	51	< 5	48
JB7C-129	201	238	< 1	0.02	21	590	< 2	< 5	< 10	43	0.16	< 10	< 10	59	5	65
JB7C-130	201	238	< 1	0.02	26	390	2	< 5	< 10	64	0.15	< 10	< 10	63	5	44
JB7C-131	201	238	< 1	0.02	21	640	10	< 5	< 10	41	0.17	< 10	< 10	62	< 5	48
JB7C-132	201	238	< 1	0.02	17	210	8	< 5	< 10	41	0.15	< 10	< 10	51	< 5	35
JB7C-133	201	238	< 1	0.02	27	210	< 2	< 5	< 10	52	0.06	< 10	< 10	50	5	41
JB7C-134	201	238	< 1	0.02	25	290	14	< 5	< 10	65	0.13	< 10	< 10	58	5	49

CERTIFICATION : HartBichler

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S. MCALLISTER

Date : 24-JUN-87
Invoice # : I-8716274
P.O. # : 36869

CERTIFICATE OF ANALYSIS A8716274

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
JB7C-135	201	238	< 5	1.39	< 0.2	10	110	< 0.5	< 2	0.39	< 0.5	11	22	20	2.55	< 10	< 1	0.08	10	0.39	277
JB7C-136	201	238	< 5	1.83	< 0.2	10	160	< 0.5	< 2	0.44	< 0.5	10	24	18	2.83	< 10	< 1	0.18	10	0.44	260
JB7C-137	201	238	< 5	2.08	< 0.2	5	180	< 0.5	< 2	0.32	< 0.5	12	26	19	3.26	< 10	< 1	0.08	10	0.42	358
JB7C-138	201	238	< 5	2.92	< 0.2	< 5	210	< 0.5	< 2	0.57	< 0.5	15	31	20	3.52	< 10	< 1	0.12	10	0.50	774
JB7C-139	201	238	< 5	2.41	< 0.2	< 5	180	< 0.5	< 2	0.50	< 0.5	12	37	22	3.11	< 10	< 1	0.15	10	0.55	[illegible]
JB7C-140	201	238	< 5	2.79	< 0.2	< 5	210	< 0.5	< 2	0.73	0.5	14	33	27	3.47	< 10	< 1	0.14	20	0.56	597
JB7C-141	201	238	< 5	1.73	< 0.2	10	180	< 0.5	< 2	0.56	0.5	11	27	18	2.52	< 10	< 1	0.17	10	0.42	475
JB7C-142	201	238	< 5	2.91	< 0.2	< 5	140	< 0.5	< 2	1.44	0.5	12	24	33	3.17	< 10	< 1	0.15	20	0.59	903
JB7C-143	201	238	< 5	2.69	< 0.2	< 5	140	< 0.5	< 2	0.63	0.5	16	23	22	3.12	< 10	< 1	0.13	20	0.54	373
JB7C-144	201	238	< 5	1.33	< 0.2	< 5	140	< 0.5	< 2	0.49	< 0.5	6	20	13	1.85	< 10	< 1	0.14	10	0.37	156
JB7C-145	201	238	< 5	2.72	< 0.2	< 5	220	< 0.5	< 2	0.47	< 0.5	11	27	12	2.75	< 10	< 1	0.15	10	0.35	238
JB7C-146	201	238	< 5	4.15	< 0.2	< 5	230	< 0.5	< 2	0.52	< 0.5	14	33	16	3.55	< 10	< 1	0.14	10	0.47	424
JB7C-147	201	238	< 5	2.98	< 0.2	< 5	170	< 0.5	< 2	0.27	< 0.5	15	28	13	3.02	< 10	< 1	0.09	< 10	0.26	1550
JB7C-148	201	238	< 5	3.40	< 0.2	< 5	200	< 0.5	< 2	0.28	< 0.5	15	23	12	2.93	< 10	< 1	0.11	< 10	0.27	1075
JB7C-149	201	238	< 5	4.44	< 0.2	< 5	260	< 0.5	< 2	0.37	< 0.5	13	27	15	3.33	< 10	< 1	0.11	10	0.36	283
JB7C-150	201	238	< 5	2.87	< 0.2	< 5	210	< 0.5	< 2	0.43	< 0.5	14	21	12	2.91	< 10	1	0.14	10	0.31	672
JB7C-151	201	238	< 5	2.95	< 0.2	< 5	230	< 0.5	< 2	0.44	< 0.5	12	26	10	2.75	< 10	< 1	0.15	10	0.30	1260
JB7C-152	201	238	< 5	4.41	< 0.2	< 5	190	< 0.5	< 2	0.43	< 0.5	14	31	14	3.22	< 10	< 1	0.14	10	0.39	430
JB7C-153	201	238	< 5	3.55	< 0.2	< 5	160	< 0.5	< 2	0.50	< 0.5	9	24	12	2.95	< 10	< 1	0.11	10	0.40	251
JB7C-154	201	238	< 5	3.46	< 0.2	< 5	330	< 0.5	< 2	0.30	< 0.5	8	24	11	2.33	< 10	< 1	0.21	10	0.27	277
JB7C-155	201	238	< 5	2.84	0.2	< 5	220	< 0.5	< 2	0.47	< 0.5	13	27	18	3.32	< 10	< 1	0.14	10	0.47	393
JB7C-156	203	238	< 5	3.20	< 0.2	< 5	170	< 0.5	< 2	0.53	< 0.3	15	72	20	3.13	< 10	< 1	0.17	10	0.57	242
JB7C-157	201	238	< 5	3.04	0.4	< 5	140	< 0.5	< 2	0.60	< 0.5	19	65	42	4.32	< 10	< 1	0.12	20	0.96	436
JB7C-158	201	238	< 5	3.34	< 0.2	< 5	190	< 0.5	< 2	0.46	< 0.5	14	55	15	2.96	< 10	< 1	0.11	< 10	0.43	563
JB7C-159	201	238	< 5	3.72	< 0.2	< 5	170	< 0.5	< 2	0.53	< 0.5	18	91	23	3.41	< 10	< 1	0.10	10	0.70	[illegible]
JB7C-160	201	238	< 5	2.90	< 0.2	< 5	290	< 0.5	< 2	0.63	< 0.5	15	39	22	3.16	< 10	< 1	0.14	10	0.46	1680
JB7C-161	203	238	< 5	3.36	< 0.2	< 5	180	< 0.5	< 2	0.53	0.5	16	63	22	3.50	< 10	< 1	0.16	10	0.67	463
JB7C-162	201	238	< 5	3.31	< 0.2	< 5	190	< 0.5	< 2	0.67	< 0.5	15	57	22	3.34	< 10	< 1	0.17	10	0.68	571
JB7C-163	201	238	< 5	3.45	< 0.2	20	200	< 0.5	< 2	0.47	< 0.5	13	47	13	2.87	< 10	< 1	0.13	< 10	0.40	921
JB7C-164	201	238	< 5	4.40	< 0.2	< 5	220	< 0.5	< 2	0.38	< 0.5	16	38	16	3.39	< 10	< 1	0.14	10	0.42	668
JB7C-165	201	238	< 5	3.10	< 0.2	< 5	180	< 0.5	< 2	0.56	< 0.5	13	32	18	3.04	< 10	< 1	0.23	10	0.57	626
JB7C-166	201	238	< 5	3.67	< 0.2	< 5	210	< 0.5	< 2	0.35	< 0.5	14	25	13	2.61	< 10	< 1	0.12	10	0.29	973
JB7C-167	201	238	< 5	2.24	< 0.2	< 5	170	< 0.5	< 2	0.35	< 0.5	10	22	10	2.28	< 10	< 1	0.17	10	0.26	862
JB7C-168	201	238	< 5	3.66	< 0.2	5	290	< 0.5	< 2	0.39	< 0.5	12	19	13	2.66	< 10	< 1	0.25	10	0.36	321
JB7C-169	201	238	< 5	2.21	< 0.2	< 5	170	< 0.5	< 2	0.53	< 0.5	10	20	14	2.48	< 10	< 1	0.19	10	0.45	263
JB7C-170	201	238	< 5	2.09	0.2	< 5	190	< 0.5	< 2	0.42	< 0.5	8	20	11	2.49	< 10	< 1	0.28	10	0.36	258
JB7C-175	201	238	< 5	1.50	< 0.2	< 5	170	< 0.5	< 2	0.30	< 0.5	9	24	9	2.07	< 10	< 1	0.15	10	0.25	428
JB7C-176	201	238	< 5	3.43	< 0.2	< 5	190	< 0.5	< 2	0.53	< 0.5	14	29	13	3.21	< 10	< 1	0.22	10	0.40	698
JB7C-177	201	238	< 5	1.01	< 0.2	< 5	110	< 0.5	< 2	0.26	< 0.5	7	26	8	1.73	< 10	< 1	0.10	< 10	0.16	352
JB7C-178	201	238	< 5	2.26	< 0.2	< 5	140	< 0.5	< 2	0.32	< 0.5	10	27	9	3.34	< 10	< 1	0.11	10	0.26	277

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M580
Comments: CC: S. MCALLISTER

Date : 24-JUN-87
Invoice # : I-8716274
P.O. # : 36869

CERTIFICATE OF ANALYSIS A8716274

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
JB7C-135	201	238	< 1	0.03	19	340	12	< 5	< 10	53	0.12	< 10	< 10	51	5	50
JB7C-136	201	238	< 1	0.02	21	390	8	< 5	< 10	68	0.11	< 10	< 10	57	< 5	50
JB7C-137	201	238	< 1	0.02	26	220	2	< 5	< 10	43	0.09	< 10	< 10	54	5	54
JB7C-138	201	238	< 1	0.01	33	670	< 2	< 5	< 10	51	0.08	< 10	< 10	50	5	74
JB7C-139	201	238	< 1	0.02	28	460	6	< 5	< 10	61	0.13	< 10	< 10	60	5	56
JB7C-140	201	238	< 1	0.01	28	580	8	< 5	< 10	64	0.09	< 10	< 10	52	5	78
JB7C-141	201	238	2	0.02	16	420	8	< 5	< 10	59	0.09	< 10	< 10	50	5	41
JB7C-142	201	238	< 1	0.02	19	570	8	< 5	< 10	78	0.09	< 10	< 10	54	5	60
JB7C-143	201	238	< 1	0.02	17	890	8	< 5	< 10	64	0.10	< 10	< 10	54	5	61
JB7C-144	201	238	< 1	0.04	9	290	4	< 5	< 10	61	0.12	< 10	< 10	35	< 5	41
JB7C-145	201	238	< 1	0.01	22	1620	20	< 5	< 10	51	0.11	< 10	< 10	41	5	75
JB7C-146	201	238	< 1	0.01	31	940	6	< 5	< 10	57	0.12	< 10	< 10	50	< 5	104
JB7C-147	201	238	< 1	0.02	28	820	8	< 5	< 10	29	0.13	< 10	< 10	55	5	140
JB7C-148	201	238	< 1	0.02	31	960	14	< 5	< 10	28	0.12	< 10	< 10	51	5	143
JB7C-149	201	238	< 1	0.01	34	1610	14	< 5	< 10	42	0.15	< 10	< 10	48	5	131
JB7C-150	201	238	< 1	0.02	27	850	8	< 5	< 10	43	0.14	< 10	< 10	47	5	74
JB7C-151	201	238	< 1	0.02	27	940	6	< 5	< 10	43	0.15	< 10	< 10	46	< 5	120
JB7C-152	201	238	< 1	0.01	35	1460	20	< 5	< 10	42	0.14	< 10	< 10	50	5	124
JB7C-153	201	238	< 1	0.01	23	520	14	< 5	< 10	48	0.12	< 10	< 10	42	5	53
JB7C-154	201	238	< 1	0.01	22	950	< 2	< 5	< 10	46	0.13	< 10	< 10	35	5	117
JB7C-155	201	238	< 1	0.02	25	320	2	< 5	< 10	50	0.13	< 10	< 10	53	5	44
JB7C-156	203	238	< 1	0.06	40	370	< 2	< 5	< 10	71	0.18	< 10	< 10	64	5	42
JB7C-157	201	238	< 1	0.03	53	460	8	< 5	< 10	69	0.18	< 10	< 10	91	10	62
JB7C-158	201	238	< 1	0.02	38	520	10	< 5	< 10	55	0.15	< 10	< 10	58	5	73
JB7C-159	201	238	< 1	0.02	63	420	8	< 5	< 10	63	0.14	< 10	< 10	64	5	53
JB7C-160	201	238	< 1	0.01	37	1410	12	< 5	< 10	69	0.09	< 10	< 10	49	< 5	143
JB7C-161	203	238	< 1	0.04	45	440	12	< 5	< 10	67	0.14	< 10	< 10	60	5	57
JB7C-162	201	238	< 1	0.02	44	620	6	< 5	< 10	72	0.10	< 10	< 10	55	5	57
JB7C-163	201	238	< 1	0.02	43	530	6	5	< 10	54	0.14	< 10	< 10	52	< 5	88
JB7C-164	201	238	< 1	0.01	48	1230	8	< 5	< 10	40	0.13	< 10	< 10	50	5	153
JB7C-165	201	238	< 1	0.01	28	1280	6	< 5	< 10	52	0.08	< 10	< 10	46	5	88
JB7C-166	201	238	< 1	0.02	36	1340	6	< 5	< 10	33	0.14	< 10	< 10	43	5	173
JB7C-167	201	238	< 1	0.02	16	560	14	< 5	< 10	42	0.12	< 10	< 10	43	5	79
JB7C-168	201	238	< 1	0.02	23	990	4	< 5	< 10	59	0.11	< 10	< 10	39	< 5	81
JB7C-169	201	238	< 1	0.02	13	880	2	< 5	< 10	47	0.09	< 10	< 10	37	5	52
JB7C-170	201	238	< 1	0.03	11	380	10	< 5	< 10	67	0.14	< 10	< 10	51	5	51
JB7C-175	201	238	< 1	0.02	11	190	< 2	< 5	< 10	38	0.16	< 10	< 10	44	< 5	38
JB7C-176	201	238	< 1	0.01	30	760	4	< 5	< 10	49	0.12	< 10	< 10	51	5	77
JB7C-177	201	238	< 1	0.02	11	170	< 2	< 5	< 10	31	0.16	< 10	< 10	45	< 5	38
JB7C-178	201	238	< 1	0.02	20	540	2	< 5	< 10	29	0.15	< 10	< 10	42	< 5	84

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M580
Comments: CC: S. MCALLISTER

Page No. : 3-A
Tot. Pages: 5
Date : 24-JUN-87
Invoice # : I-8716274
P.O. # : 36869

CERTIFICATE OF ANALYSIS A8716274

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
JB7C-179	201	238	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.
JB7C-180	201	238	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.
JB7C-181	201	238	< 5	2.61	< 0.2	< 5	170	< 0.5	< 2	0.39	< 0.5	11	48	14	2.66	< 10	1	0.13	< 10	0.35	431
JB7C-182	201	238	< 5	4.45	< 0.2	< 5	180	< 0.5	< 2	0.82	0.5	23	72	42	4.99	< 10	< 1	0.25	10	0.67	770
JB7C-183	201	238	< 5	4.46	< 0.2	< 5	190	< 0.5	< 2	0.70	< 0.5	19	41	26	4.40	< 10	< 1	0.14	10	0.65	1105
JB7C-188	201	238	< 5	1.71	< 0.2	15	200	< 0.5	< 2	0.47	< 0.5	9	15	13	2.62	< 10	1	0.14	10	0.27	[illegible]
JB7C-185	203	238	< 5	1.75	< 0.2	< 5	140	< 0.5	< 2	0.53	< 0.5	20	41	20	3.44	< 10	< 1	0.16	10	0.27	1795
JB7C-186	201	238	< 5	3.58	< 0.2	< 5	320	< 0.5	< 2	0.72	0.5	27	44	23	4.38	< 10	1	0.25	10	0.38	1805
JB7C-187	201	238	< 5	3.42	< 0.2	5	240	< 0.5	< 2	0.63	< 0.5	19	33	18	3.69	< 10	2	0.21	10	0.52	1145
JB7C-188	201	238	< 5	2.91	< 0.2	< 5	800	< 0.5	< 2	0.46	< 0.5	19	24	18	4.15	< 10	< 1	0.21	10	0.43	788
JB7C-189	201	238	< 5	3.24	< 0.2	5	180	< 0.5	< 2	0.48	< 0.5	15	26	17	3.44	< 10	< 1	0.16	10	0.44	698
JB7C-190	201	238	< 5	2.72	< 0.2	5	130	< 0.5	< 2	0.50	< 0.5	26	46	21	5.43	< 10	< 1	0.16	10	0.80	960
JB7C-191	201	238	< 5	3.85	< 0.2	< 5	140	< 0.5	< 2	0.55	< 0.5	15	54	23	3.02	< 10	2	0.12	10	0.60	303
JB7C-192	201	238	< 5	3.52	< 0.2	5	130	< 0.5	< 2	0.36	< 0.5	14	44	14	2.88	< 10	< 1	0.10	10	0.37	363
JB7C-193	201	238	< 5	2.76	< 0.2	5	110	< 0.5	< 2	0.31	< 0.5	14	38	16	2.76	< 10	< 1	0.11	< 10	0.36	253
JB7C-194	201	238	5	2.57	< 0.2	5	120	< 0.5	< 2	0.63	< 0.5	15	38	23	3.21	< 10	< 1	0.12	10	0.58	747
JB7C-195	201	238	< 5	2.51	< 0.2	< 5	120	< 0.5	< 2	0.49	< 0.5	12	47	24	2.78	< 10	1	0.07	10	0.60	147
JB7C-196	201	238	< 5	2.36	< 0.2	< 5	160	< 0.5	< 2	0.44	< 0.5	17	51	22	3.14	< 10	1	0.21	10	0.54	620
JB7C-197	201	238	< 5	2.09	< 0.2	5	130	< 0.5	< 2	0.38	< 0.5	15	47	19	2.94	< 10	1	0.18	10	0.49	466
IZ7C-014	201	238	< 5	1.21	< 0.2	< 5	120	< 0.5	< 2	0.56	< 0.5	10	26	16	2.36	< 10	< 1	0.07	10	0.45	448
IZ7C-015	201	238	< 5	1.87	< 0.2	< 5	140	< 0.5	< 2	0.58	< 0.5	14	36	20	2.74	< 10	< 1	0.12	10	0.46	763
IZ7C-016	201	238	< 5	2.13	< 0.2	10	120	< 0.5	< 2	0.38	< 0.5	13	37	20	2.96	< 10	< 1	0.09	10	0.47	256
IZ7C-017	201	238	< 5	1.69	< 0.2	< 5	110	< 0.5	< 2	0.34	< 0.5	10	31	13	2.51	< 10	< 1	0.10	10	0.36	175
IZ7C-018	201	238	< 5	1.46	< 0.2	< 5	120	< 0.5	< 2	0.38	< 0.5	9	34	13	2.27	< 10	< 1	0.09	10	0.39	265
IZ7C-019	201	238	5	2.33	< 0.2	10	120	< 0.5	< 2	0.74	< 0.5	15	49	25	3.47	< 10	< 1	0.15	20	0.75	397
IZ7C-020	201	238	< 5	1.25	< 0.2	< 5	90	< 0.5	< 2	0.30	< 0.5	8	35	9	1.83	< 10	< 1	0.10	10	0.36	[illegible]
IZ7C-021	201	238	< 5	1.39	< 0.2	< 5	110	< 0.5	< 2	0.37	< 0.5	9	41	12	2.34	< 10	< 1	0.11	10	0.37	269
IZ7C-022	201	238	5	1.19	< 0.2	< 5	80	< 0.5	< 2	0.33	< 0.5	8	36	11	2.40	< 10	1	0.08	10	0.29	253
IZ7C-023	201	238	5	1.65	< 0.2	5	120	< 0.5	< 2	0.41	< 0.5	13	42	15	2.95	< 10	< 1	0.11	10	0.42	297
IZ7C-024	201	238	< 5	1.69	< 0.2	< 5	100	< 0.5	< 2	0.37	< 0.5	9	35	12	2.57	< 10	< 1	0.10	10	0.34	206
IZ7C-025	201	238	< 5	1.11	< 0.2	< 5	70	< 0.5	< 2	0.30	< 0.5	7	31	8	2.02	< 10	< 1	0.10	10	0.25	191
IZ7C-026	201	238	< 5	0.87	< 0.2	5	70	< 0.5	< 2	0.26	< 0.5	7	22	7	1.79	< 10	< 1	0.08	< 10	0.18	205
IZ7C-027	201	238	< 5	1.23	< 0.2	< 5	90	< 0.5	< 2	0.28	< 0.5	8	30	9	2.24	< 10	< 1	0.08	10	0.26	222
IZ7C-028	201	238	5	1.26	< 0.2	< 5	120	< 0.5	< 2	0.33	< 0.5	10	40	12	2.54	< 10	< 1	0.09	10	0.31	299
IZ7C-029	201	238	< 5	1.14	< 0.2	< 5	80	< 0.5	< 2	0.41	< 0.5	9	30	9	2.16	< 10	< 1	0.10	10	0.23	478
IZ7C-030	201	238	< 5	1.19	< 0.2	5	110	< 0.5	< 2	0.29	< 0.5	8	28	10	2.34	< 10	< 1	0.12	10	0.23	234
IZ7C-031	201	238	< 5	1.13	< 0.2	< 5	110	< 0.5	< 2	0.29	< 0.5	8	28	8	2.06	< 10	< 1	0.11	10	0.21	178
IZ7C-032	201	238	< 5	1.66	< 0.2	< 5	130	< 0.5	< 2	0.72	< 0.5	17	42	29	2.96	< 10	< 1	0.15	10	0.69	644
IZ7C-033	201	238	< 5	1.63	< 0.2	< 5	130	< 0.5	< 2	0.61	< 0.5	16	50	34	2.90	< 10	< 1	0.19	10	0.76	634
IZ7C-034	201	238	< 5	1.86	< 0.2	< 5	110	< 0.5	< 2	0.56	< 0.5	19	54	35	3.32	< 10	< 1	0.17	10	0.80	628

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S. MCALLISTER

Date : 24-JUN-87
Invoice # : I-8716274
P.O. # : 36869

CERTIFICATE OF ANALYSIS A8716274

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
JB7C-179	201	238	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.
JB7C-180	201	238	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.
JB7C-181	201	238	< 1	0.02	36	980	6	< 5	< 10	45	0.12	< 10	< 10	53	< 5	71
JB7C-182	201	238	< 1	0.04	128	630	12	< 5	< 10	75	0.08	< 10	< 10	99	< 5	79
JB7C-183	201	238	< 1	0.02	57	890	10	< 5	< 10	62	0.12	< 10	< 10	64	< 5	113
JB7C-184	201	238	< 1	0.02	16	1000	< 2	< 5	< 10	40	0.15	< 10	< 10	50	< 5	91
JB7C-185	203	238	< 1	0.07	35	1080	2	< 5	< 10	60	0.10	< 10	< 10	59	5	85
JB7C-186	201	238	< 1	0.03	72	980	< 2	< 5	< 10	107	0.12	< 10	< 10	72	10	113
JB7C-187	201	238	< 1	0.02	46	1280	< 2	< 5	< 10	68	0.11	< 10	< 10	52	10	80
JB7C-188	201	238	< 1	0.02	33	760	< 2	< 5	< 10	69	0.11	< 10	< 10	55	5	90
JB7C-189	201	238	< 1	0.02	29	770	< 2	< 5	< 10	50	0.14	< 10	< 10	52	5	89
JB7C-190	201	238	< 1	0.03	41	1600	< 2	< 5	< 10	46	0.33	< 10	< 10	118	5	117
JB7C-191	201	238	< 1	0.03	45	690	6	5	< 10	71	0.10	< 10	< 10	61	5	52
JB7C-192	201	238	< 1	0.01	33	740	< 2	< 5	< 10	49	0.14	< 10	< 10	57	< 5	84
JB7C-193	201	238	< 1	0.01	25	750	4	< 5	< 10	32	0.12	< 10	< 10	52	< 5	63
JB7C-194	201	238	< 1	0.03	26	220	< 2	< 5	< 10	42	0.13	< 10	< 10	53	< 5	60
JB7C-195	201	238	< 1	0.02	36	760	< 2	< 5	< 10	57	0.09	< 10	< 10	48	< 5	106
JB7C-196	201	238	< 1	0.02	34	500	2	< 5	< 10	57	0.12	< 10	< 10	62	5	57
JB7C-197	201	238	< 1	0.01	32	440	< 2	< 5	< 10	50	0.12	< 10	< 10	60	5	58
IZ7C-014	201	238	< 1	0.03	18	490	2	< 5	< 10	81	0.12	< 10	< 10	60	5	43
IZ7C-015	201	238	< 1	0.02	23	380	< 2	< 5	< 10	70	0.14	< 10	< 10	54	< 5	78
IZ7C-016	201	238	< 1	0.01	23	730	< 2	< 5	< 10	63	0.14	< 10	< 10	65	5	49
IZ7C-017	201	238	< 1	0.01	20	450	2	< 5	< 10	50	0.13	< 10	< 10	52	< 5	40
IZ7C-018	201	238	< 1	0.02	21	460	4	< 5	< 10	45	0.17	< 10	< 10	53	< 5	48
IZ7C-019	201	238	< 1	0.03	32	270	< 2	< 5	< 10	83	0.17	< 10	< 10	60	5	56
IZ7C-020	201	238	2	0.02	15	230	4	< 5	< 10	37	0.16	< 10	< 10	45	< 5	41
IZ7C-021	201	238	< 1	0.02	20	460	< 2	< 5	< 10	45	0.18	< 10	< 10	57	5	47
IZ7C-022	201	238	2	0.02	14	240	< 2	< 5	< 10	42	0.22	< 10	< 10	63	5	44
IZ7C-023	201	238	< 1	0.02	25	600	< 2	< 5	< 10	50	0.19	< 10	< 10	67	5	67
IZ7C-024	201	238	< 1	0.01	20	640	2	< 5	< 10	48	0.15	< 10	< 10	57	< 5	43
IZ7C-025	201	238	< 1	0.01	13	170	4	< 5	< 10	32	0.15	< 10	< 10	46	< 5	28
IZ7C-026	201	238	< 1	0.01	9	200	< 2	< 5	< 10	28	0.14	< 10	< 10	42	< 5	30
IZ7C-027	201	238	2	0.01	14	380	< 2	< 5	< 10	42	0.16	< 10	< 10	53	< 5	46
IZ7C-028	201	238	< 1	0.02	19	290	< 2	< 5	< 10	48	0.20	< 10	< 10	65	< 5	40
IZ7C-029	201	238	1	0.01	14	260	< 2	< 5	< 10	34	0.15	< 10	< 10	55	5	47
IZ7C-030	201	238	2	0.01	12	250	< 2	< 5	< 10	38	0.16	< 10	< 10	56	< 5	40
IZ7C-031	201	238	< 1	0.01	13	510	< 2	< 5	< 10	37	0.14	< 10	< 10	49	< 5	30
IZ7C-032	201	238	< 1	0.03	41	470	< 2	< 5	< 10	67	0.08	< 10	< 10	57	< 5	53
IZ7C-033	201	238	< 1	0.02	45	470	4	< 5	< 10	55	0.07	< 10	< 10	55	5	54
IZ7C-034	201	238	< 1	0.03	49	400	< 2	< 5	< 10	54	0.09	< 10	< 10	65	5	56

CERTIFICATION : HartBichler

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S. MCALLISTER

Date : 24-JUN-87
Invoice # : I-8716274
P.O. # : 36869

CERTIFICATE OF ANALYSIS A8716274

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
TZ7C-035	201	238	< 5	2.18	< 0.2	5	140	< 0.5	< 2	0.75	< 0.5	20	61	43	3.58	< 10	< 1	0.17	20	0.96	670
TZ7C-036	201	238	< 5	2.29	< 0.2	< 5	130	< 0.5	< 2	0.48	< 0.5	14	41	27	2.79	< 10	< 1	0.14	10	0.62	239
TZ7C-037	201	238	< 5	2.59	< 0.2	< 5	170	< 0.5	< 2	0.29	< 0.5	10	36	15	2.34	< 10	2	0.14	10	0.31	248
TZ7C-038	201	238	< 5	1.92	< 0.2	< 5	110	< 0.5	< 2	0.38	< 0.5	9	36	18	2.47	< 10	< 1	0.14	10	0.40	281
TZ7C-039	201	238	< 5	1.37	< 0.2	< 5	150	< 0.5	< 2	0.30	< 0.5	8	34	10	1.83	< 10	< 1	0.13	10	0.19	[illegible]
TZ7C-040	201	238	< 5	1.85	< 0.2	< 5	130	< 0.5	< 2	0.38	< 0.5	10	36	19	2.35	< 10	< 1	0.17	10	0.41	214
TZ7C-041	201	238	< 5	1.49	< 0.2	10	140	< 0.5	< 2	0.31	< 0.5	8	35	12	2.01	< 10	< 1	0.11	10	0.24	144
TZ7C-042	201	238	< 5	2.88	< 0.2	5	150	< 0.5	< 2	0.43	< 0.5	10	40	14	2.57	< 10	< 1	0.11	10	0.35	384
TZ7C-043	201	238	< 5	2.20	< 0.2	< 5	120	< 0.5	< 2	0.31	< 0.5	10	41	13	2.44	< 10	< 1	0.11	10	0.32	239
TZ7C-044	201	238	< 5	2.09	< 0.2	5	140	< 0.5	< 2	0.39	< 0.5	9	38	13	2.07	< 10	1	0.17	10	0.34	218
TZ7C-045	201	238	< 5	2.39	< 0.2	< 5	160	< 0.5	< 2	0.44	< 0.5	10	42	15	2.31	< 10	< 1	0.19	10	0.39	234
TZ7C-046	201	238	< 5	2.73	< 0.2	< 5	190	< 0.5	< 2	0.45	< 0.5	12	42	23	2.60	< 10	1	0.17	10	0.55	189
TZ7C-047	201	238	5	2.46	< 0.2	5	160	< 0.5	< 2	0.38	< 0.5	10	36	21	2.42	< 10	< 1	0.10	10	0.40	190
TZ7C-048	201	238	5	2.48	< 0.2	10	150	< 0.5	< 2	0.61	< 0.5	14	52	25	2.62	< 10	< 1	0.15	10	0.64	340
TZ7C-049	201	238	10	1.72	< 0.2	< 5	120	< 0.5	< 2	0.41	< 0.5	10	37	16	2.50	< 10	1	0.12	10	0.35	191
TZ7C-050	201	238	< 5	2.83	0.2	< 5	130	< 0.5	< 2	0.55	< 0.5	15	32	31	2.86	< 10	1	0.11	20	0.62	220
TZ7C-053	201	238	5	2.28	< 0.2	< 5	160	< 0.5	< 2	0.53	< 0.5	13	35	32	2.76	< 10	1	0.14	20	0.51	406
TZ7C-054	201	238	< 5	2.65	< 0.2	5	210	< 0.5	< 2	0.57	< 0.5	17	39	36	3.27	< 10	< 1	0.18	20	0.58	462
TZ7C-055	201	238	< 5	2.74	< 0.2	< 5	150	< 0.5	< 2	0.58	< 0.5	13	35	31	3.08	< 10	1	0.10	20	0.52	296
TZ7C-056	201	238	< 5	1.33	< 0.2	< 5	100	< 0.5	< 2	0.24	< 0.5	7	31	10	2.05	< 10	< 1	0.09	< 10	0.18	218
TZ7C-057	201	238	< 5	1.17	< 0.2	< 5	90	< 0.5	< 2	0.26	< 0.5	8	28	9	1.87	< 10	< 1	0.09	< 10	0.17	225
TZ7C-058	201	238	< 5	3.45	< 0.2	20	170	< 0.5	< 2	0.50	< 0.5	20	65	37	4.45	< 10	< 1	0.11	20	0.77	416
TZ7C-059	201	238	< 5	1.33	< 0.2	5	130	< 0.5	< 2	0.69	< 0.5	14	47	26	2.42	< 10	< 1	0.11	10	0.68	453
TZ7C-060	201	238	< 5	2.53	< 0.2	< 5	130	< 0.5	< 2	0.47	< 0.5	13	48	28	2.85	< 10	1	0.12	10	0.67	190
TZ7C-061	201	238	< 5	2.61	< 0.2	< 5	120	< 0.5	< 2	0.57	< 0.5	13	45	22	2.80	< 10	1	0.18	10	0.61	[illegible]
TZ7C-062	201	238	< 5	1.98	< 0.2	10	190	< 0.5	< 2	0.51	< 0.5	9	35	25	2.24	< 10	< 1	0.11	10	0.59	167
TZ7C-063	201	238	< 5	1.74	< 0.2	< 5	100	< 0.5	< 2	0.22	< 0.5	7	24	11	1.81	< 10	< 1	0.11	10	0.23	228
TZ7C-064	201	238	< 5	1.56	< 0.2	< 5	120	< 0.5	< 2	0.28	< 0.5	6	17	10	1.67	< 10	< 1	0.15	10	0.29	124
TZ7C-065	201	238	< 5	2.97	< 0.2	< 5	140	< 0.5	< 2	0.35	< 0.5	10	37	14	2.37	< 10	1	0.12	10	0.38	234
TZ7C-066	201	238	< 5	1.73	0.2	< 5	130	< 0.5	< 2	0.29	< 0.5	8	25	13	1.90	< 10	< 1	0.08	10	0.27	175
TZ7C-067	201	238	< 5	2.91	< 0.2	< 5	130	< 0.5	< 2	0.46	< 0.5	13	47	22	2.87	< 10	< 1	0.11	10	0.56	163
TZ7C-068	201	238	< 5	1.84	< 0.2	< 5	100	< 0.5	< 2	0.34	< 0.5	9	38	13	2.34	< 10	< 1	0.13	10	0.33	216
TZ7C-069	201	238	< 5	2.35	< 0.2	< 5	140	< 0.5	< 2	0.32	< 0.5	9	35	12	2.37	< 10	< 1	0.08	10	0.31	263
TZ7C-070	201	238	< 5	2.08	< 0.2	< 5	120	< 0.5	< 2	0.33	< 0.5	9	36	14	2.41	< 10	< 1	0.11	10	0.33	200
TZ7C-071	201	238	< 5	1.84	< 0.2	< 5	110	< 0.5	< 2	0.37	< 0.5	9	38	12	2.25	< 10	< 1	0.06	10	0.30	175
TZ7C-073	201	238	< 5	1.98	< 0.2	< 5	130	< 0.5	< 2	0.46	< 0.5	14	45	22	2.98	< 10	< 1	0.13	10	0.52	292
TZ7C-074	201	238	< 5	1.59	< 0.2	< 5	130	< 0.5	< 2	0.49	< 0.5	14	42	26	2.89	< 10	< 1	0.08	10	0.67	378
TZ7C-075	201	238	< 5	2.00	< 0.2	< 5	130	< 0.5	< 2	0.52	< 0.5	16	58	26	3.26	< 10	1	0.14	10	0.64	415
TZ7C-076	201	238	< 5	1.99	0.2	< 5	130	< 0.5	< 2	0.46	< 0.5	11	46	15	2.84	< 10	< 1	0.15	10	0.43	389
TZ7C-077	201	238	< 5	1.39	< 0.2	< 5	90	< 0.5	< 2	0.30	< 0.5	9	33	12	2.11	< 10	< 1	0.10	< 10	0.26	252

CERTIFICATION : HartBichler

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S. MCALLISTER

Date : 24-JUN-87
Invoice # : I-8716274
P.O. # : 36869

CERTIFICATE OF ANALYSIS A8716274

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
TZ7C-035	201	238	< 1	0.04	52	390	< 2	< 5	< 10	71	0.10	< 10	< 10	68	5	59
TZ7C-036	201	238	< 1	0.02	32	310	2	< 5	< 10	60	0.09	< 10	< 10	55	< 5	44
TZ7C-037	201	238	< 1	0.01	27	920	2	< 5	< 10	38	0.12	< 10	< 10	45	< 5	103
TZ7C-038	201	238	< 1	0.02	21	270	< 2	< 5	< 10	56	0.15	< 10	< 10	56	5	38
TZ7C-039	201	238	2	0.05	17	190	2	< 5	< 10	53	0.16	< 10	< 10	49	< 5	34
TZ7C-040	201	238	< 1	0.02	24	200	< 2	< 5	< 10	45	0.12	< 10	< 10	50	< 5	38
TZ7C-041	201	238	< 1	0.02	17	210	< 2	< 5	< 10	45	0.15	< 10	< 10	52	< 5	32
TZ7C-042	201	238	< 1	0.01	33	650	< 2	< 5	< 10	54	0.13	< 10	< 10	51	5	83
TZ7C-043	201	238	< 1	0.01	25	400	2	< 5	< 10	44	0.14	< 10	< 10	52	< 5	64
TZ7C-044	201	238	< 1	0.01	23	520	2	< 5	< 10	47	0.10	< 10	< 10	42	< 5	51
TZ7C-045	201	238	< 1	0.01	26	560	< 2	< 5	< 10	54	0.11	< 10	< 10	47	5	50
TZ7C-046	201	238	< 1	0.01	34	460	< 2	< 5	< 10	66	0.10	< 10	< 10	53	5	43
TZ7C-047	201	238	< 1	0.01	20	410	< 2	< 5	< 10	61	0.13	< 10	< 10	49	< 5	44
TZ7C-048	201	238	< 1	0.02	28	460	6	< 5	10	64	0.08	< 10	< 10	47	5	45
TZ7C-049	201	238	< 1	0.02	17	340	< 2	< 5	< 10	54	0.14	< 10	< 10	59	< 5	41
TZ7C-050	201	238	< 1	0.03	26	180	4	< 5	< 10	67	0.10	< 10	< 10	58	< 5	49
TZ7C-053	201	238	< 1	0.02	26	310	4	< 5	< 10	58	0.12	< 10	< 10	59	< 5	48
TZ7C-054	201	238	< 1	0.03	31	210	2	< 5	< 10	65	0.13	< 10	< 10	70	5	58
TZ7C-055	201	238	< 1	0.02	23	290	2	< 5	< 10	66	0.13	< 10	< 10	67	10	55
TZ7C-056	201	238	< 1	0.02	14	260	< 2	< 5	10	31	0.20	< 10	< 10	55	< 5	57
TZ7C-057	201	238	1	0.01	13	270	4	< 5	< 10	31	0.16	< 10	< 10	47	< 5	52
TZ7C-058	201	238	< 1	0.01	50	360	2	< 5	< 10	51	0.02	< 10	< 10	71	< 5	57
TZ7C-059	201	238	< 1	0.03	34	400	4	< 5	< 10	57	0.07	< 10	< 10	47	5	46
TZ7C-060	201	238	< 1	0.01	41	440	10	< 5	< 10	60	0.07	< 10	< 10	55	5	46
TZ7C-061	201	238	< 1	0.01	32	600	6	< 5	< 10	52	0.07	< 10	< 10	52	5	51
TZ7C-062	201	238	< 1	0.03	33	290	< 2	< 5	< 10	82	0.07	< 10	< 10	44	5	38
TZ7C-063	201	238	< 1	0.01	14	440	2	< 5	< 10	29	0.12	< 10	< 10	40	< 5	49
TZ7C-064	201	238	< 1	0.01	9	230	10	< 5	< 10	39	0.10	< 10	< 10	38	< 5	35
TZ7C-065	201	238	< 1	0.01	30	620	< 2	< 5	< 10	48	0.11	< 10	< 10	47	< 5	58
TZ7C-066	201	238	< 1	0.02	12	100	4	< 5	< 10	43	0.11	< 10	< 10	47	5	31
TZ7C-067	201	238	< 1	0.02	28	330	< 2	< 5	< 10	65	0.12	< 10	< 10	54	5	43
TZ7C-068	201	238	< 1	0.02	19	290	2	< 5	< 10	41	0.15	< 10	< 10	53	< 5	43
TZ7C-069	201	238	< 1	0.01	26	560	4	< 5	< 10	40	0.14	< 10	< 10	49	5	62
TZ7C-070	201	238	< 1	0.01	21	420	< 2	< 5	< 10	43	0.14	< 10	< 10	52	5	54
TZ7C-071	201	238	< 1	0.01	23	220	2	< 5	< 10	45	0.12	< 10	< 10	52	5	32
TZ7C-073	201	238	< 1	0.01	34	1020	< 2	< 5	< 10	46	0.13	< 10	< 10	56	5	68
TZ7C-074	201	238	< 1	0.02	37	420	< 2	< 5	< 10	54	0.13	< 10	< 10	61	5	52
TZ7C-075	201	238	< 1	0.02	44	680	2	< 5	< 10	50	0.17	< 10	< 10	65	5	64
TZ7C-076	201	238	< 1	0.02	26	370	4	< 5	< 10	51	0.16	< 10	< 10	58	< 5	59
TZ7C-077	201	238	< 1	0.02	15	180	6	< 5	< 10	37	0.15	< 10	< 10	52	< 5	41

CERTIFICATION : HartBichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S. MCALLISTER

Page No. : 5-A
Tot. Pages: 5
Date : 24-JUN-87
Invoice # : I-8716274
P.O. # : 36869

CERTIFICATE OF ANALYSIS A8716274

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
TZ7C-078	201	238	< 5	2.27	< 0.2	< 5	140	0.5	< 2	0.42	< 0.5	9	39	12	2.40	< 10	< 1	0.13	10	0.31	276
TZ7C-079	201	238	< 5	1.92	< 0.2	< 5	110	0.5	< 2	0.38	< 0.5	9	37	13	2.38	< 10	< 1	0.09	10	0.31	280
TZ7C-080	201	238	5	1.23	< 0.2	< 5	120	< 0.5	< 2	0.28	< 0.5	7	24	8	1.74	< 10	< 1	0.14	10	0.19	233
TZ7C-081	201	238	< 5	1.82	< 0.2	< 5	120	0.5	< 2	0.41	< 0.5	10	44	17	2.78	< 10	< 1	0.11	10	0.42	244
TZ7C-082	201	238	< 5	2.35	< 0.2	< 5	140	0.5	< 2	0.72	< 0.5	17	61	36	3.65	< 10	1	0.16	20	0.89	386
TZ7C-083	201	238	< 5	1.54	< 0.2	< 5	120	< 0.5	< 2	0.41	< 0.5	11	43	13	2.68	< 10	1	0.14	10	0.34	
TZ7C-084	201	238	< 5	1.47	< 0.2	< 5	100	< 0.5	< 2	0.27	< 0.5	9	28	12	2.16	< 10	< 1	0.07	< 10	0.25	271
TZ7C-085	201	238	< 5	1.47	< 0.2	< 5	110	< 0.5	< 2	0.26	< 0.5	10	27	12	2.18	< 10	1	0.07	< 10	0.24	272
TZ7C-086	201	238	< 5	1.69	< 0.2	< 5	130	0.5	< 2	0.41	< 0.5	11	38	21	2.39	< 10	< 1	0.15	10	0.49	286
TZ7C-087	201	238	< 5	2.13	< 0.2	< 5	120	0.5	< 2	0.32	< 0.5	9	32	11	2.14	< 10	1	0.12	10	0.27	224
TZ7C-088	201	238	< 5	1.28	< 0.2	< 5	100	< 0.5	< 2	0.35	< 0.5	9	31	11	2.08	< 10	< 1	0.13	10	0.23	210
TZ7C-089	201	238	< 5	1.44	< 0.2	< 5	110	< 0.5	< 2	0.40	< 0.5	13	40	19	2.74	< 10	< 1	0.17	10	0.36	474
TZ7C-090	201	238	< 5	2.72	< 0.2	15	120	< 0.5	< 2	0.62	< 0.5	22	68	38	4.71	< 10	< 1	0.21	20	0.76	399
TZ7C-091	201	238	< 5	1.80	< 0.2	5	160	< 0.5	< 2	0.53	< 0.5	16	44	23	2.94	< 10	< 1	0.28	10	0.47	472
TZ7C-092	201	238	< 5	2.43	< 0.2	5	130	< 0.5	< 2	0.76	< 0.5	18	55	41	4.06	< 10	1	0.27	20	0.76	465
TZ7C-093	201	238	< 5	1.17	< 0.2	< 5	100	< 0.5	< 2	0.29	< 0.5	8	32	10	2.15	< 10	< 1	0.13	10	0.22	215
TZ7C-094	201	238	< 5	2.27	< 0.2	< 5	120	< 0.5	< 2	0.61	< 0.5	19	60	27	3.75	< 10	1	0.15	10	0.58	362

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M580
Comments: CC: S. MCALLISTER

Date : 24-JUN-87
Invoice # : I-8716274
P.O. # : 36869

CERTIFICATE OF ANALYSIS A8716274

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
TZ7C-078	201	238	< 1	0.01	23	620	6	< 5	< 10	42	0.16	< 10	< 10	52	5	65
TZ7C-079	201	238	< 1	0.02	25	370	6	< 5	< 10	34	0.15	< 10	< 10	53	5	68
TZ7C-080	201	238	1	0.02	11	180	2	< 5	< 10	37	0.15	< 10	< 10	42	< 5	44
TZ7C-081	201	238	< 1	0.02	24	290	< 2	< 5	< 10	52	0.17	< 10	< 10	60	5	44
TZ7C-082	201	238	< 1	0.03	50	540	< 2	< 5	< 10	71	0.16	< 10	< 10	70	10	57
TZ7C-083	201	238	< 1	0.02	22	230	4	< 5	< 10	49	0.20	< 10	< 10	61	5	53
TZ7C-084	201	238	< 1	0.01	13	700	8	< 5	< 10	29	0.12	< 10	< 10	44	5	49
TZ7C-085	201	238	< 1	0.01	14	750	4	< 5	< 10	27	0.11	< 10	< 10	45	< 5	51
TZ7C-086	201	238	< 1	0.02	28	240	2	< 5	< 10	56	0.12	< 10	< 10	48	< 5	43
TZ7C-087	201	238	< 1	0.01	21	470	2	< 5	< 10	31	0.13	< 10	< 10	44	5	70
TZ7C-088	201	238	< 1	0.01	13	270	6	< 5	< 10	35	0.17	< 10	< 10	48	< 5	60
TZ7C-089	201	238	< 1	0.02	24	230	6	< 5	< 10	37	0.20	< 10	< 10	55	5	54
TZ7C-090	201	238	< 1	0.03	51	480	8	< 5	< 10	54	0.22	< 10	< 10	74	10	67
TZ7C-091	201	238	< 1	0.03	30	180	6	< 5	< 10	57	0.17	< 10	< 10	53	< 5	60
TZ7C-092	201	238	< 1	0.03	52	340	< 2	< 5	< 10	61	0.18	< 10	< 10	64	10	68
TZ7C-093	201	238	2	0.01	17	260	2	< 5	< 10	34	0.18	< 10	< 10	51	5	49
TZ7C-094	201	238	< 1	0.03	42	450	< 2	< 5	< 10	57	0.22	< 10	< 10	68	5	58

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M580
Comments: CC: S. McALLISTER

Page No. : 1-A
Tot. Pages: 1
Date : 19-JUN-87
Invoice # : I-8716116
P.O. # : 27045

PROJECT FILE

CERTIFICATE OF ANALYSIS A8716116

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
MM7C-42	205	238	< 5	0.21	0.2	< 5	10	< 0.5	< 2	0.04	< 0.5	< 1	75	2	0.71	< 10	< 1	0.11	20	0.03	125
MM7C-43	205	238	< 5	0.23	0.2	5	10	< 0.5	< 2	0.04	< 0.5	< 1	81	2	0.54	< 10	< 1	0.12	20	0.04	64
MM7C-44	205	238	10	0.03	< 0.2	< 5	< 10	< 0.5	2	< 0.01	< 0.5	< 1	282	3	0.34	< 10	< 1	< 0.01	< 10	0.02	27
MM7C-45	205	238	< 5	0.36	0.2	< 5	20	< 0.5	< 2	0.73	< 0.5	43	62	47	6.16	< 10	< 1	0.03	10	3.33	875
MM7C-46	205	238	< 5	0.32	< 0.2	< 5	30	< 0.5	< 2	0.08	< 0.5	2	76	4	0.56	< 10	< 1	0.09	10	0.07	96
MM7C-47	205	238	< 5	0.31	< 0.2	55	40	< 0.5	< 2	0.07	< 0.5	1	61	3	0.68	< 10	< 1	0.11	< 10	0.05	[illegible]
MM7C-48	205	238	< 5	0.03	< 0.2	< 5	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	279	2	0.34	< 10	< 1	< 0.01	< 10	< 0.01	53
MM7C-49	205	238	< 5	0.14	< 0.2	20	20	< 0.5	< 2	0.06	< 0.5	< 1	35	2	0.35	< 10	< 1	0.12	< 10	0.01	27
MM7C-50	205	238	< 5	0.45	< 0.2	< 5	40	< 0.5	< 2	0.52	< 0.5	27	45	15	4.65	< 10	< 1	0.03	10	1.48	644
MM7C-51	205	238	< 5	0.87	< 0.2	< 5	50	< 0.5	2	0.59	< 0.5	12	76	20	2.40	< 10	< 1	0.08	10	1.24	424
MM7C-52	205	238	< 5	0.98	< 0.2	< 5	60	< 0.5	4	0.59	< 0.5	12	71	22	2.53	< 10	< 1	0.08	10	1.27	390
MM7C-53	205	238	< 5	0.21	< 0.2	< 5	70	< 0.5	< 2	0.18	< 0.5	1	26	16	0.24	< 10	< 1	0.10	< 10	0.04	62
MM7C-54	205	238	< 5	0.33	0.2	5	10	< 0.5	4	0.44	< 0.5	19	69	9	3.14	< 10	< 1	0.06	10	0.40	715
MM7C-55	205	238	< 5	0.05	< 0.2	5	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	182	2	0.30	< 10	< 1	0.01	< 10	< 0.01	42
MM7C-56	205	238	< 5	0.01	< 0.2	< 5	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	215	3	0.19	< 10	< 1	< 0.01	< 10	< 0.01	17
MM7C-57	205	238	< 5	2.25	< 0.2	< 5	340	< 0.5	2	0.92	< 0.5	2	32	9	0.65	< 10	< 1	0.71	20	0.44	56
MM7C-58	205	238	< 5	0.97	0.2	< 5	110	< 0.5	< 2	0.59	< 0.5	12	21	29	2.39	< 10	< 1	0.38	10	0.39	230

CERTIFICATION : HartBichler

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M580
Comments: CC: S. McALLISTER

Date : 19-JUN-87
Invoice # : I-8716116
P.O. # : 27045

CERTIFICATE OF ANALYSIS A8716116

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
MM7C-42	205	238	< 1	0.07	3	100	8	< 5	< 10	2	< 0.01	< 10	< 10	< 1	< 5	37
MM7C-43	205	238	< 1	0.08	2	50	< 2	< 5	< 10	3	0.01	< 10	< 10	2	< 5	27
MM7C-44	205	238	< 1	< 0.01	6	10	2	< 5	< 10	< 1	< 0.01	< 10	< 10	1	< 5	1
MM7C-45	205	238	< 1	0.11	187	1420	< 2	< 5	20	35	0.07	< 10	< 10	35	< 5	84
MM7C-46	205	238	1	0.05	3	200	< 2	< 5	< 10	6	0.02	< 10	< 10	8	< 5	41
MM7C-47	205	238	3	0.07	6	190	< 2	< 5	< 10	8	0.01	< 10	< 10	10	< 5	18
MM7C-48	205	238	< 1	< 0.01	6	20	< 2	< 5	< 10	< 1	< 0.01	< 10	< 10	1	< 5	1
MM7C-49	205	238	< 1	0.12	< 1	140	< 2	< 5	< 10	4	0.01	< 10	< 10	7	< 5	10
MM7C-50	205	238	< 1	0.11	37	1220	< 2	< 5	10	36	0.09	< 10	< 10	31	< 5	75
MM7C-51	205	238	< 1	0.13	26	680	8	< 5	10	83	0.10	< 10	< 10	55	< 5	58
MM7C-52	205	238	< 1	0.12	26	700	< 2	< 5	< 10	113	0.07	< 10	< 10	60	< 5	63
MM7C-53	205	238	< 1	0.09	1	400	< 2	< 5	< 10	16	0.08	< 10	< 10	44	< 5	19
MM7C-54	205	238	< 1	0.07	2	990	< 2	< 5	< 10	20	0.04	< 10	< 10	46	< 5	60
MM7C-55	205	238	13	< 0.01	2	30	2	< 5	< 10	1	< 0.01	< 10	< 10	3	< 5	2
MM7C-56	205	238	< 1	< 0.01	5	10	< 2	< 5	< 10	< 1	< 0.01	< 10	< 10	1	< 5	1
MM7C-57	205	238	< 1	0.05	11	100	8	< 5	< 10	211	0.02	< 10	< 10	14	< 5	41
MM7C-58	205	238	< 1	0.06	8	600	2	< 5	< 10	63	0.16	< 10	< 10	81	< 5	58

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M 580
Comments: CC: S. MCALLISTER

Page No. : 1-A
Tot. Pages: 1
Date : 15-JUN-87
Invoice # : I-8715841
P.O. # : 36857

PROJECT FILE

CERTIFICATE OF ANALYSIS A8715841

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
MM7C 36	205	238	< 5	0.43	< 0.2	5	30	< 0.5	2	0.05	< 0.5	1	44	1	1.01	< 10	< 1	0.13	10	0.11	133
MM7C 37	205	238	< 5	0.41	< 0.2	10	40	< 0.5	2	0.07	< 0.5	< 1	61	< 1	0.59	< 10	< 1	0.09	< 10	0.06	48
MM7C 38	205	238	< 5	0.24	< 0.2	< 5	30	< 0.5	< 2	0.09	< 0.5	< 1	28	1	0.37	< 10	< 1	0.26	< 10	0.03	58
MM7C 39	205	238	< 5	0.41	0.2	< 5	40	< 0.5	< 2	0.05	< 0.5	< 1	30	2	0.87	< 10	< 1	0.11	10	0.10	123
MM7C 40	205	238	< 5	0.56	0.4	10	30	< 0.5	< 2	0.11	< 0.5	< 1	34	1	0.64	< 10	< 1	0.16	10	0.10	67
MM7C 41	205	238	< 5	0.76	0.4	< 5	60	< 0.5	< 2	0.48	< 0.5	12	10	30	2.44	< 10	< 1	0.08	10	0.27	[illegible]28
SM7C 29	205	238	< 5	1.56	0.2	< 5	200	< 0.5	< 2	0.96	< 0.5	10	17	21	1.75	< 10	1	0.17	10	0.27	218
SM7C 30	205	238	< 5	0.42	0.2	5	20	< 0.5	< 2	0.12	< 0.5	< 1	40	2	0.89	< 10	< 1	0.10	20	0.05	67
SM7C 31	205	238	< 5	0.88	0.4	< 5	60	0.5	< 2	0.69	< 0.5	9	36	1	2.99	10	< 1	0.23	20	0.43	293
SM7C 32	205	238	< 5	1.45	0.2	< 5	120	< 0.5	< 2	0.78	< 0.5	13	17	28	2.21	< 10	1	0.12	10	0.78	371
SM7C 33	205	238	< 5	0.01	0.2	< 5	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	230	< 1	0.22	< 10	< 1	< 0.01	< 10	< 0.01	15
SM7C 34	205	238	< 5	0.49	0.4	< 5	30	< 0.5	< 2	0.06	< 0.5	< 1	21	3	0.95	< 10	1	0.12	20	0.12	106
SM7C 35	205	238	< 5	0.44	0.2	5	60	< 0.5	< 2	0.28	< 0.5	8	52	25	1.15	< 10	< 1	0.18	< 10	0.22	105
SM7C 36	205	238	< 5	0.25	0.2	< 5	40	< 0.5	< 2	0.16	< 0.5	2	122	8	0.62	< 10	< 1	0.11	< 10	0.13	81
SM7C 37	205	238	< 5	0.04	< 0.2	< 5	< 10	< 0.5	4	0.07	< 0.5	< 1	221	1	0.28	< 10	< 1	< 0.01	< 10	0.01	37
SM7C 38	205	238	< 5	0.81	0.4	< 5	140	< 0.5	2	0.46	< 0.5	< 1	3	1	0.46	< 10	< 1	0.50	40	0.15	64
SM7C 39	205	238	< 5	0.63	0.4	5	40	< 0.5	< 2	0.36	< 0.5	< 1	3	< 1	0.48	< 10	< 1	0.62	30	0.09	54
SM7C 40	205	238	< 5	0.15	0.2	5	20	< 0.5	< 2	0.06	< 0.5	< 1	45	2	0.41	< 10	< 1	0.15	< 10	0.01	42

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9
Project : M 580
Comments: CC: S. MCALLISTER

Date : 15-JUN-87
Invoice # : I-8715841
P.O. # : 36857

CERTIFICATE OF ANALYSIS A8715841

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
MM7C 36	205	238	< 1	0.06	3	100	< 2	< 5	< 10	5	0.03	< 10	< 10	5	< 5	50
MM7C 37	205	238	1	0.05	< 1	40	< 2	< 5	< 10	9	< 0.01	< 10	< 10	2	< 5	22
MM7C 38	205	238	< 1	0.69	< 1	70	10	< 5	< 10	12	0.01	< 10	< 10	2	< 5	14
MM7C 39	205	238	1	0.05	< 1	90	6	< 5	< 10	7	0.04	< 10	< 10	4	< 5	46
MM7C 40	205	238	< 1	0.04	< 1	110	4	< 5	< 10	8	< 0.01	< 10	< 10	2	< 5	32
MM7C 41	205	238	< 1	0.11	3	580	2	< 5	< 10	41	0.14	< 10	< 10	102	< 5	56
SM7C 29	205	238	< 1	0.10	5	730	12	< 5	< 10	501	0.08	< 10	< 10	26	< 5	40
SM7C 30	205	238	< 1	0.04	< 1	90	8	< 5	10	13	0.01	< 10	< 10	2	< 5	46
SM7C 31	205	238	< 1	0.06	< 1	650	2	< 5	< 10	19	0.21	< 10	< 10	29	< 5	74
SM7C 32	205	238	< 1	0.08	4	650	16	< 5	20	348	0.08	< 10	< 10	52	< 5	58
SM7C 33	205	238	< 1	< 0.01	2	< 10	8	< 5	20	1	< 0.01	< 10	< 10	< 1	< 5	< 2
SM7C 34	205	238	< 1	0.05	< 1	90	6	< 5	< 10	8	0.02	< 10	< 10	3	< 5	54
SM7C 35	205	238	< 1	0.28	6	340	8	< 5	10	29	0.07	< 10	< 10	43	< 5	24
SM7C 36	205	238	1	0.06	6	110	2	< 5	20	19	0.03	< 10	< 10	14	< 5	10
SM7C 37	205	238	< 1	< 0.01	2	10	6	< 5	< 10	2	< 0.01	< 10	< 10	2	< 5	< 2
SM7C 38	205	238	< 1	0.29	< 1	60	16	< 5	< 10	57	< 0.01	< 10	< 10	< 1	< 5	22
SM7C 39	205	238	< 1	0.46	< 1	50	18	< 5	< 10	34	0.01	< 10	< 10	< 1	< 5	22
SM7C 40	205	238	< 1	0.40	1	80	2	< 5	< 10	4	0.01	< 10	< 10	3	< 5	10

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8711976

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M580
Comments: ATTN: S. McALLISTER

PROJECT FILE

Page No. :1
Tot. Pages: 4
Date :09-MAR-87
Invoice # :I-8711976
P.O. # :36828

SAMPLE DESCRIPTION	PREP CODE		Ag ppm Aqua R	AS ppm	Hg ppb	Sb ppm						
A 0+00N	214	--	0.1	5	110	0.2						
A 1+00N	214	--	0.1	2	40	0.1						
A 2+00N	214	--	0.1	1	30	0.1						
A 3+00N	214	--	0.1	2	40	0.1						
A 4+00N	214	--	0.1	2	40	0.1						
A 5+00N	214	--	0.1	3	30	0.1						
A 6+00N	214	--	0.1	3	30	0.1						
A 7+00N	214	--	0.1	3	30	0.1						
A 8+00N	214	--	0.1	2	30	0.1						
A 9+00N	214	--	0.1	2	20	0.1						
A 10+00N	214	--	0.1	1	20	0.1						
A 11+00N	214	--	0.1	2	20	0.1						
A 12+00N	214	--	0.1	2	30	0.1						
A 13+00N	214	--	0.1	2	20	0.2						
A 14+00N	214	--	0.1	1	20	0.2						
A 15+00N	214	--	0.1	2	20	0.2						
A 16+00N	214	--	0.1	9	50	0.2						
A 17+00N	214	--	0.1	2	20	0.1						
A 18+00N	214	--	0.1	2	20	0.1						
A 19+00N	214	--	0.1	3	20	0.1						
A 30+00N	214	--	0.1	4	50	0.1						
A 21+00N	214	--	0.1	4	50	0.1						
A 22+00N	214	--	0.1	3	30	0.1						
A 23+00N	214	--	0.1	2	30	0.1						
A 24+00N	214	--	0.1	3	20	0.2						
A 25+00N	214	--	0.1	1	20	0.1						
A 26+00N	214	--	0.1	2	30	0.1						
A 27+00N	214	--	0.1	1	20	0.1						
A 28+00N	214	--	0.1	2	20	0.1						
A 29+00N	214	--	0.1	1	20	0.1						
A 30+00N	214	--	0.1	1	30	0.1						
A 31+00N	214	--	0.1	1	30	0.1						
A 32+00N	214	--	0.1	1	30	0.1						
A 33+00N	214	--	0.1	1	40	0.2						
A 34+00N	214	--	0.1	2	40	0.1						
A 35+00N	214	--	0.1	2	50	0.1						
A 36+00N	214	--	0.1	2	30	0.2						
A 37+00N	214	--	0.1	1	30	0.1						
A 37+60N	214	--	0.1	1	40	0.1						
A 38+00N	214	--	0.1	3	50	0.1						

CERTIFICATION : HartBichler

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8711976

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : MS80
Comments: ATTN: S. McALLISTER

Page No. : 2
Tot. Pages: 4
Date : 09-MAR-87
Invoice # : I-8711976
P.O. # : 36828

SAMPLE DESCRIPTION	PREP CODE		Ag ppm Aqua R	AS ppm	Hg ppb	Sb ppm
A 39+00N	214	--	0.1	1	30	0.1
B 0+00N	214	--	0.1	1	50	0.2
B 1+00N	214	--	0.1	1	30	0.1
B 2+00N	214	--	0.1	1	20	0.1
B 3+00N	214	--	0.1	1	40	0.1
B 4+00N	214	--	0.1	1	30	0.1
B 5+00N	214	--	0.1	2	20	0.2
B 6+00N	214	--	0.1	1	40	0.1
B 7+00N	214	--	0.1	1	40	0.1
B 8+00N	214	--	0.1	1	50	0.1
B 9+00N	214	--	0.1	2	30	0.1
B 10+00N	214	--	0.1	2	80	0.1
B 11+00N	214	--	0.1	2	30	0.1
B 12+00N	214	--	0.1	1	80	0.1
B 13+00N	214	--	0.1	2	40	0.1
B 14+00N	214	--	0.1	7	40	0.2
B 15+00N	214	--	0.1	6	50	0.1
B 16+00N	214	--	0.1	3	40	0.1
B 17+00N	214	--	0.1	5	50	0.1
B 18+00N	214	--	0.1	5	40	0.1
B 19+00N	214	--	0.1	1	70	0.1
B 20+00N	214	--	0.1	1	90	0.1
B 21+00N	214	--	0.1	5	40	0.1
B 22+00N	214	--	0.1	1	40	0.1
B 23+00N	214	--	0.1	1	40	0.1
B 24+00N	214	--	0.1	1	40	0.1
B 25+00N	214	--	0.1	1	30	0.1
M 1+00W	214	--	0.1	1	30	0.1
M 2+00W	214	--	0.1	3	40	0.1
M 3+00W	214	--	0.1	1	20	0.1
M 4+00W	214	--	0.1	2	30	0.1
M 5+00W	214	--	0.1	1	20	0.1
M 6+00W	214	--	0.1	2	30	0.1
M 7+00W	214	--	0.1	1	20	0.1
M 8+00W	214	--	0.1	1	30	0.1
M 9+00W	214	--	0.1	2	40	0.1
M 10+00W	214	--	0.1	2	40	0.1
M 11+00W	214	--	0.1	2	30	0.1
M 12+00W	214	--	0.1	2	30	0.1
M 13+00W	214	--	0.1	2	40	0.1

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8711976

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Page No. : 3
Tot. Pages: 4
Date : 09-MAR-87
Invoice # : I-8711976
P.O. # : 36828

Project : M580
Comments: ATTN: S. McALLISTER

SAMPLE DESCRIPTION	PREP CODE		Ag ppm Aqua R	AS ppm	Hg ppb	Sb ppm						
M 14+00W	214	--	0.1	1	50	0.1						
M 15+00W	214	--	0.1	1	50	0.1						
M 16+00W	214	--	0.1	3	30	0.1						
M 17+00W	214	--	0.1	1	40	0.1						
M 18+00W	214	--	0.1	2	40	0.1						
M 19+00W	214	--	0.1	1	30	0.1						
M 20+00W	214	--	0.1	1	40	0.2						
M 21+00W	214	--	0.1	2	30	0.1						
M 22+00W	214	--	0.1	1	40	0.1						
M 23+00W	214	--	0.1	2	50	0.1						
M 24+00W	214	--	0.1	3	30	0.1						
M 25+00W	214	--	0.1	1	20	0.1						
M 26+00W	214	--	0.1	1	30	0.1						
M 27+00W	214	--	0.1	2	20	0.1						
M 28+00W	214	--	0.1	2	30	0.1						
M 29+00W	214	--	0.1	1	40	0.1						
M 30+00W	214	--	0.1	2	40	0.1						
M 31+00W	214	--	0.1	1	30	0.1						
M 32+00W	214	--	0.1	1	30	0.1						
M 33+00W	214	--	0.1	1	40	0.1						
M 34+00W	214	--	0.1	1	50	0.1						
M 35+00W	214	--	0.1	1	50	0.1						
M 36+00W	214	--	0.1	1	30	0.1						
M 37+00W	214	--	0.1	1	20	0.1						
M 38+00W	214	--	0.1	2	20	0.1						
M 39+00W	214	--	0.1	2	20	0.1						
M 40+00W	214	--	0.1	2	20	0.1						
M 41+00W	214	--	0.1	1	20	0.1						
N 1+00W	214	--	0.1	1	20	0.1						
N 2+00W	214	--	0.1	2	30	0.1						
N 3+00W	214	--	0.1	2	30	0.1						
N 4+00W	214	--	0.1	3	60	0.1						
N 5+00W	214	--	0.1	2	40	0.1						
N 6+00W	214	--	0.1	1	30	0.1						
N 7+00W	214	--	0.1	2	40	0.1						
N 8+00W	214	--	0.1	1	30	0.1						
N 9+00W	214	--	0.1	2	30	0.1						
N 10+00W	214	--	0.1	3	30	0.1						
N 11+00W	214	--	0.1	2	30	0.1						
N 12+00W	214	--	0.1	4	20	0.1						

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8711976

To : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

Project : M580
Comments: ATTN: S. McALLISTER

Page No. : 4
Tot. Pages: 4
Date : 09-MAR-87
Invoice # : I-8711976
P.O. # : 36828

SAMPLE DESCRIPTION	PREP CODE		Ag ppm Aqua R	AS ppm	Hg ppb	Sb ppm
N 13+00W	214	--	0.1	1	50	0.1
N 14+00W	214	--	0.1	2	50	0.1
N 15+00W	214	--	0.1	1	20	0.1
N 16+00W	214	--	0.1	2	20	0.1
N 17+00W	214	--	0.1	1	30	0.1
N 18+00W	214	--	0.1	2	20	0.1
N 19+00W	214	--	0.1	3	40	0.1
N 21+00W	214	--	0.1	2	20	0.1
N 22+00W	214	--	0.1	1	20	0.1
N 23+00W	214	--	0.1	2	20	0.1
N 24+00W	214	--	0.1	2	30	0.1
N 25+00W	214	--	0.1	5	40	0.1
N 26+00W	214	--	0.1	3	30	0.1
N 27+00W	214	--	0.1	2	30	0.1
N 28+00W	214	--	0.1	1	20	0.1
N 29+00W	214	--	0.1	1	30	0.1
N 30+00W	214	--	0.1	1	30	0.1
N 31+00W	214	--	0.1	1	30	0.1
N 32+00W	214	--	0.1	1	20	0.1
N 33+00W	214	--	0.1	2	30	0.1
N 34+00W	214	--	0.1	1	40	0.1
N 35+00W	214	--	0.1	1	50	0.1
N 36+00W	214	--	0.1	1	30	0.1
N 37+00W	214	--	0.1	1	30	0.1
N 38+00W	214	--	0.1	1	20	0.1
N 39+00W	214	--	0.1	2	20	0.1
N 40+00W	214	--	0.1	1	30	0.1
N 41+00W	214	--	0.1	2	20	0.1
N 42+00W	214	--	0.1	2	30	0.1
N 43+00W	214	--	0.1	3	30	0.1

CERTIFICATION : Hart Bichler