

HUSTON (Ventures) ~~GROUP~~ (Group)  
LEVEL

# CHEMEX LABS LTD.

212 BROADBENT AVE  
NORTH VANCOUVER B.C.  
CANADA V7J 2C1  
TELEPHONE (604)984-0221  
TELEX 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

JUL 17 1981

TO : JMT SERVICES CORP;  
8827 HUDSON ST;  
VANCOUVER, B.C.  
V6B 4N1

841545

CERT. # : A8111862-001-A  
INVOICE # : I8111862  
DATE : 15-JUL-81  
P.O. # : NONE  
LEVEL

Sample description	Prep code	AS ppm	AU-NAA ppb				
81 AM-641	201	19	2	--	--	--	--
81 AM-642	201	43	<1	--	--	--	--
81 AM-643	201	85	1	--	--	--	--
81 AM-644	201	45	<1	--	--	--	--
81 AM-645	201	17	<1	--	--	--	--
81 AM-646	201	30	<1	--	--	--	--
81 AM-647	201	33	9	--	--	--	--
81 AM-648	201	33	2	--	--	--	--
81 AM-649	201	36	<1	--	--	--	--
81 AM-650	201	25	<1	--	--	--	--
81 AM-651	201	25	<1	--	--	--	--
81 AM-652	201	27	<1	--	--	--	--
81 AM-653	201	27	<1	--	--	--	--
81 AM-654	201	32	<1	--	--	--	--
81 AM-655	201	29	<1	--	--	--	--
81 AM-656	201	19	<1	--	--	--	--
81 AM-657	201	32	6	--	--	--	--
81 AM-658	201	20	2	--	--	--	--
81 AM-659	201	15	<1	--	--	--	--
81 AM-660	201	15	<1	--	--	--	--
81 AM-661	201	20	1	--	--	--	--
81 AM-662	201	20	<1	--	--	--	--
81 AM-663	201	11	<1	--	--	--	--
81 AM-664	201	23	<1	--	--	--	--
81 AM-665	201	10	<1	--	--	--	--
81 AM-666	201	12	<1	--	--	--	--
81 AM-667	201	20	2	--	--	--	--
81 AM-668	201	12	<1	--	--	--	--
81 AM-669	201	16	<1	--	--	--	--
81 AM-670	201	15	<1	--	--	--	--
81 AM-671	201	9	1	--	--	--	--
81 AM-672	201	7	<1	--	--	--	--
81 AM-673	201	9	<1	--	--	--	--
81 AM-674	201	22	<1	--	--	--	--
81 J-1011	201	14	4	--	--	--	--
81 J-1012	201	17	3	--	--	--	--
81 J-1013	201	14	2	--	--	--	--
81 J-1014	201	15	<1	--	--	--	--
81 J-1015	201	14	<1	--	--	--	--
81 J-1016	201	15	2	--	--	--	--

Hart Bichler

Certified by .....





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE (604)984-0221  
 TELEX 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS
-------------------------

17 1981

TO : JMT SERVICES CORP;  
 8827 HUDSON ST;  
 VANCOUVER, B.C.  
 V6B 4N1

CERT. # : A8111862-002-A  
 INVOICE # : I8111862  
 DATE : 15-JUL-81  
 P.O. # : NONE  
 LEVEL

Sample description	Prep code	AS ppm	AU-NAA ppb				
81 J-1017	201	17	4	--	--	--	--
81 J-1018	201	11	1	--	--	--	--
81 J-1019	201	12	<1	--	--	--	--
81 J-1020	201	7	<1	--	--	--	--
81 J-1021	201	25	6	--	--	--	--
81 J-1022	201	12	<1	--	--	--	--
81 J-1023	201	35	8	--	--	--	--
81 J-1024	201	17	<1	--	--	--	--
81 J-1025	201	10	<1	--	--	--	--
81 J-1026	201	32	<1	--	--	--	--
81 J-1027	201	17	2	--	--	--	--
81 J-1028	201	22	<1	--	--	--	--
81 J-1029	201	73	3	--	--	--	--
81 J-1032	201	85	2	--	--	--	--
81 J-1033	201	100	10	--	--	--	--
81 J-1034	201	12	1	--	--	--	--
81 J-1035	201	6	<1	--	--	--	--
81 J-1036	201	12	<1	--	--	--	--
81 J-1038	201	14	1	--	--	--	--
81 J-1039	201	15	1	--	--	--	--
81 J-1040	201	15	2	--	--	--	--
81 J-1041	201	9	<1	--	--	--	--
81 J-1042	201	15	<1	--	--	--	--
81 J-1043	201	11	<1	--	--	--	--
81 J-1044	201	25	<1	--	--	--	--
81 J-1045	201	15	<1	--	--	--	--
81 J-1046	201	22	5	--	--	--	--
81 J-1047	201	15	<1	--	--	--	--
81 J-1048	201	17	<1	--	--	--	--
81 J-1049	201	19	2	--	--	--	--
81 J-1050	201	15	<1	--	--	--	--
81 J-1051	201	24	1	--	--	--	--
81 J-1052	201	24	3	--	--	--	--
81 J-1053	201	11	2	--	--	--	--
81 J-1054	201	16	6	--	--	--	--
81 J-1055	201	20	3	--	--	--	--
81 J-1056	201	10	4	--	--	--	--
81 J-1057	201	12	<1	--	--	--	--
81 J-1058	201	9	<1	--	--	--	--
81 J-1059	201	15	4	--	--	--	--



Certified by *Hart Bickler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE (604)984-0221  
TELEX 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

JUL 17 1981

TO : JMT SERVICES CORP;  
8827 HUDSON ST;  
VANCOUVER, B.C.  
V6B 4N1

CERT. # : A8111862-003-A  
INVOICE # : I8111862  
DATE : 15-JUL-81  
P.O. # : NONE  
LEVEL

Sample description	Prep code	AS ppm	AU-NAA ppb				
81 J-1060	201	10	<1	--	--	--	--
81 J-1061	201	11	<1	--	--	--	--

Certified by *Hart Bickler*







# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE (604)984-0221  
TELEX 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

JUL 27 1981

TO : JMT SERVICES CORP:  
8827 HUDSON ST:  
VANCOUVER, B.C.  
V6B 4N1

CERT. # : A8112171-001-A  
INVOICE # : I8112171  
DATE : 23-JUL-81  
P.O. # : NONE  
LEVEL

Sample description	Prep code	AS ppm	AU-NAA ppb				
81 H 448	201	57	DELAYED	--	--	--	--



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by *Hart Bichler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

JUL 27 1981

TO : JMT SERVICES CORP;  
8827 HUDSON ST;  
VANCOUVER, B.C.  
V6B 4N1

CERT. # : A8111954-001-A  
INVOICE # : I8111954  
DATE : 25-JUL-81  
P.O. # : NONE  
02-210-LEVEL

Sample description	Prep code	AS ppm	AJ-NAA ppb				
81 B-736	205	5	9	--	--	--	--
81 H-439	205	16	3	--	--	--	--
81 J-999	205	14	3	--	--	--	--



Certified by *Hart Biddle*



# CHEMEX LABS LTD.

212 BROOKSBANK A/E  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS
-------------------------

TO : JMT SERVICES CORP;  
 8827 HUDSON ST;  
 VANCOUVER, B.C.  
 V6B 4N1

CERT. # : A3111953-001-A  
 INVJICE # : I8111953  
 DATE : 28-JUL-81  
 P.C. # : NONE  
 02-210-LEVEL **JUL 30 1981**

Sample description	Prep code	AS ppm	AU-NAA ppb				
81-B-708	203	100•	4	--	--	--	--
81-B-709	203	45•	<2	--	--	--	--
81-B-710	201	61•	5	--	--	--	--
81-B-711	201	57•	<1	--	--	--	--
81-B-712	203	88•	4	--	--	--	--
81-B-713	203	160•	<1	--	--	--	--
81-B-714	203	100•	3	--	--	--	--
81-B-715	203	130•	1	--	--	--	--
81-B-716	203	48•	1	--	--	--	--
81-B-717	203	35	<4	--	--	--	--
81-B-718	203	7	2	--	--	--	--
81-B-719	201	19	4	--	--	--	--
81-B-720	201	23	<1	--	--	--	--
81-B-721	201	6	1	--	--	--	--
81-B-722	201	10	<2	--	--	--	--
81-B-723	203	24	<2	--	--	--	--
81-B-724	201	20	<1	--	--	--	--
81-B-725	203	20	<1	--	--	--	--
81-B-726	201	23	1	--	--	--	--
81-B-727	201	14	<1	--	--	--	--
81-B-728	203	15	<1	--	--	--	--
81-B-729	201	15	<1	--	--	--	--
81-B-730	201	28	<1	--	--	--	--
81-B-731	201	27	<1	--	--	--	--
81-B-732	201	24	<1	--	--	--	--
81-B-733	203	32	<1	--	--	--	--
81-B-734	203	23	<1	--	--	--	--
81-B-735	201	16	<1	--	--	--	--
81-B-737	203	24	<1	--	--	--	--
81-B-738	201	110•	<1	--	--	--	--
81-B-739	203	35	3	--	--	--	--
81-B-740	203	20	<2	--	--	--	--
81-B-741	203	15	1	--	--	--	--
81-B-742	203	15	<2	--	--	--	--
81-B-743	201	35	<1	--	--	--	--
81-B-744	201	12	1	--	--	--	--
81-B-745	203	19	<1	--	--	--	--
81-B-746	201	20	5	--	--	--	--
81-B-747	203	16	<1	--	--	--	--
81-B-748	203	27	1	--	--	--	--

Certified by *Hart Bichler*





# CHEMEX LABS LTD.

212 BROOKSBANK AVE  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : JMT SERVICES CORP;  
8827 HUDSON ST;  
VANCOUVER, B.C.  
V6B 4N1

CERT. # : A8111953-002-A  
INVOICE # : I6111953  
DATE : 28-JUL-81  
P.O. # : NONE  
02-210-LEVEL **JUL 30 1981**

Sample description	Prep code	AS ppm	AU-NAA ppb				
81-3-749	203	53	<1	--	--	--	--
81-3-750	203	20	7	--	--	--	--
81-8-751	203	30	7	--	--	--	--
81-8-752	203	20	1	--	--	--	--
81-3-753	203	19	8	--	--	--	--
81-8-754	201	27	5	--	--	--	--
81-8-755	201	16	7	--	--	--	--
81-AM-518	201	6	<1	--	--	--	--
81-AM-519	203	9	1	--	--	--	--
81-AM-520	203	6	<1	--	--	--	--
81-AM-521	201	11	1	--	--	--	--
81-AM-522	203	15	<1	--	--	--	--
81-AM-523	203	11	<1	--	--	--	--
81-AM-524	201	15	1	--	--	--	--
81-AM-525	201	12	<1	--	--	--	--
81-AM-526	203	14	<1	--	--	--	--
81-AM-527	203	9	<1	--	--	--	--
81-AM-528	203	16	N.S.S.	--	--	--	--
81-AM-529	203	11	<1	--	--	--	--
81-AM-530	201	11	15	--	--	--	--
81-AM-531	201	5	1	--	--	--	--
81-AM-532	201	12	1	--	--	--	--
81-AM-533	203	17	1	--	--	--	--
81-AM-534	203	15	1	--	--	--	--
81-AM-535	201	11	1	--	--	--	--
81-AM-536	201	7	<1	--	--	--	--
81-AM-537	201	16	1	--	--	--	--
81-AM-538	203	19	1	--	--	--	--
81-AM-539	203	9	4	--	--	--	--
81-AM-540	201	32	<1	--	--	--	--
81-AM-541	203	10	<1	--	--	--	--
81-AM-542	203	10	1	--	--	--	--
81-AM-544	203	11	<1	--	--	--	--
81-AM-545	201	7	<1	--	--	--	--
81-AM-546	203	11	<1	--	--	--	--
81-AM-547	201	15	4	--	--	--	--
81-AM-548	203	6	<1	--	--	--	--
81-AM-549	203	10	<1	--	--	--	--
81-AM-550	201	9	<1	--	--	--	--
81-AM-551	201	9	2	--	--	--	--

Certified by *Hart Bickler* .....







# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : JMT SERVICES CORP;  
8827 HUDSON ST;  
VANCOUVER, B.C.  
V6B 4N1

CERT. # : A8111953-003-A  
INVOICE # : I8111953  
DATE : 28-JUL-81  
P.O. # : NONE  
02-210-LEVEL *JUL 30 1981*

Sample description	Prep code	AS ppm	AU-NAA ppb				
91-AM-552	201	10	<1	--	--	--	--
91-AM-553	201	9	<1	--	--	--	--
81-AM-554	201	6	<1	--	--	--	--
81-AM-555	203	17	<1	--	--	--	--
91-AM-556	201	11	<1	--	--	--	--
81-AM-557	201	14	<1	--	--	--	--
81-AM-558	201	10	<1	--	--	--	--
91-AM-559	201	9	<1	--	--	--	--
91-AM-560	201	10	1	--	--	--	--
81-AM-561	201	15	4	--	--	--	--
91-AM-562	201	15	1	--	--	--	--
31-AM-563	201	14	<1	--	--	--	--
21-AM-564	203	12	1	--	--	--	--
31-AM-565	201	14	<1	--	--	--	--
81-AM-566	201	41	<1	--	--	--	--
81-AM-567	201	15	1	--	--	--	--
81-AM-568	201	29	17	--	--	--	--
31-AM-569	201	16	<1	--	--	--	--
91-AM-571	201	29	1	--	--	--	--
81-AM-572	201	32	<1	--	--	--	--
81-AM-573	201	41	1	--	--	--	--
81-AM-574	203	24	4	--	--	--	--
81-AM-575	201	12	<1	--	--	--	--
81-AM-576	201	15	<1	--	--	--	--
81-AM-577	203	10	<1	--	--	--	--
81-AM-578	203	7	1	--	--	--	--
91-AM-579	201	7	3	--	--	--	--
91-AM-580	201	4	<1	--	--	--	--
81-AM-581	201	11	1	--	--	--	--
81-AM-582	203	9	<1	--	--	--	--
81-AM-583	203	10	<1	--	--	--	--
81-AM-584	203	10	<1	--	--	--	--
81-AM-585	203	9	1	--	--	--	--
81-AM-586	203	10	1	--	--	--	--
81-AM-587	203	10	<1	--	--	--	--
31-AM-588	201	9	3	--	--	--	--
81-AM-589	201	10	1	--	--	--	--
81-AM-590	203	11	1	--	--	--	--
81-AM-591	203	11	1	--	--	--	--
81-H-424	203	11	2	--	--	--	--

Certified by *Hart Bichler*





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : JMT SERVICES CORP:  
8827 HUDSON ST:  
VANCOUVER, B.C.  
V6B 4N1

CERT. # : A8111953-004-A  
INVOICE # : I8111953  
DATE : 28-JUL-81  
P.C. # : NONE  
02-210-LEVEL

JUL 30 1981

Sample description	Prep code	AS ppm	AU-NAA ppb				
81-H-425	203	23	4	--	--	--	--
81-H-426	203	11	4	--	--	--	--
81-H-427	203	24	4	--	--	--	--
81-H-428	203	40	1	--	--	--	--
81-H-429	203	16	N.S.S.	--	--	--	--
81-H-430	203	63.	3	--	--	--	--
81-H-431	201	180.	2	--	--	--	--
81-H-432	203	25	7	--	--	--	--
81-H-433	201	270.	<2	--	--	--	--
81-H-434	203	110.	4	--	--	--	--
81-H-435	201	120.	<2	--	--	--	--
81-H-436	201	100.	<1	--	--	--	--
81-H-437	201	44.	<2	--	--	--	--
81-H-438	203	43.	2	--	--	--	--
81-H-440	203	27	1	--	--	--	--
81-H-441	201	750	4	--	--	--	--
81-H-442	201	16	<2	--	--	--	--
81-H-443	203	23	<2	--	--	--	--
81-H-444	203	16	<1	--	--	--	--
81-H-445	201	48.	1	--	--	--	--
81-H-446	201	36	<1	--	--	--	--
81-H-447	201	40	<2	--	--	--	--
81-H-449	201	130.	3	--	--	--	--
81-H-450	201	1000.	4	--	--	--	--
81-H-451	201	115.	<2	--	--	--	--
81-H-452	201	32	2	--	--	--	--
81-H-453	201	22	<2	--	--	--	--
81-H-454	201	25	<1	--	--	--	--
81-J-919	201	20	7	--	--	--	--
81-J-920	201	8	2	--	--	--	--
81-J-921	201	36	<2	--	--	--	--
81-J-922	201	14	20.	--	--	--	--
81-J-923	201	11	<4	--	--	--	--
81-J-924	201	12	7	--	--	--	--
81-J-925	201	20	<2	--	--	--	--
81-J-926	201	20	27.	--	--	--	--
81-J-927	201	12	1	--	--	--	--
81-J-928	201	19	<4	--	--	--	--
81-J-929	201	10	<1	--	--	--	--
81-J-930	201	14	<1	--	--	--	--



Certified by *Hart Bisher*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : JMT SERVICES CORP;  
8827 HUDSON ST;  
VANCOUVER, B.C.  
V6B 4N1

CERT. # : A8111953-005-A  
INVOICE # : I8111953  
DATE : 28-JUL-81  
P.O. # : NONE  
02-210-LEVEL **JUL 30 1981**

Sample description	Prep code	AS ppm	AU-NAA ppb				
81-J-931	203	9	<1	--	--	--	--
81-J-932	203	9	1	--	--	--	--
81-J-933	203	33	<1	--	--	--	--
91-J-934	201	12	<1	--	--	--	--
91-J-935	203	15	<1	--	--	--	--
81-J-936	203	14	1	--	--	--	--
81-J-937	203	14	1	--	--	--	--
81-J-938	201	11	1	--	--	--	--
81-J-939	203	9	1	--	--	--	--
91-J-940	201	11	2	--	--	--	--
81-J-941	203	11	2	--	--	--	--
91-J-942	203	15	<1	--	--	--	--
81-J-943	203	11	2	--	--	--	--
81-J-944	201	15	1	--	--	--	--
81-J-945	203	10	567.	--	--	--	--
81-J-946	201	2	<1	--	--	--	--
81-J-947	201	14	1	--	--	--	--
81-J-948	201	7	<1	--	--	--	--
81-J-949	203	19	<1	--	--	--	--
81-J-950	201	12	<1	--	--	--	--
81-J-951	203	16	<1	--	--	--	--
81-J-952	203	10	<1	--	--	--	--
81-J-953	201	15	1	--	--	--	--
81-J-954	203	19	<1	--	--	--	--
81-J-955	201	12	<1	--	--	--	--
81-J-956	201	23	<1	--	--	--	--
81-J-957	203	41.	<1	--	--	--	--
81-J-958	203	22	<1	--	--	--	--
81-J-959	201	16	<1	--	--	--	--
81-J-960	201	14	<1	--	--	--	--
81-J-961	203	7	<1	--	--	--	--
81-J-962	203	15	<1	--	--	--	--
81-J-963	203	30	<1	--	--	--	--
81-J-964	203	22	<1	--	--	--	--
81-J-965	201	30	<1	--	--	--	--
81-J-966	201	16	<1	--	--	--	--
81-J-967	201	14	1	--	--	--	--
81-J-968	201	14	<1	--	--	--	--
81-J-969	203	41	<1	--	--	--	--
81-J-970	201	14	<1	--	--	--	--



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by *Hart Bickler* .....



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : JMT SERVICES CORP;  
8827 HUDSON ST;  
VANCOUVER, B.C.  
V6B 4N1

CERT. # : A3111953-006-A  
INV. # : 18111953  
DATE : 28-JUL-81  
P.O. # : NONE  
02-210-LEVEL

JUL 30 1

Sample description	Prep code	AS ppm	AU-NAA ppb				
81-J-971	201	27	<1	--	--	--	--
81-J-972	203	61.	145.	--	--	--	--
81-J-973	203	46.	<1	--	--	--	--
81-J-974	203	135.	2	--	--	--	--
81-J-975	201	25	<1	--	--	--	--
81-J-976	201	50.	2	--	--	--	--
81-J-977	201	22	<1	--	--	--	--
81-J-978	203	11	2	--	--	--	--
81-J-979	201	59.	<1	--	--	--	--
81-J-980	201	16	<1	--	--	--	--
81-J-981	201	11	<1	--	--	--	--
81-J-982	203	7	<1	--	--	--	--
81-J-983	203	30	<1	--	--	--	--
81-J-984	201	23	<1	--	--	--	--
81-J-985	203	27	<1	--	--	--	--
81-J-986	203	17	<1	--	--	--	--
81-J-987	201	7	<1	--	--	--	--
81-J-988	201	12	<1	--	--	--	--
81-J-989	205	6	<1	--	--	--	--
81-J-990	205	7	<1	--	--	--	--
81-J-991	201	10	<1	--	--	--	--
81-J-992	203	32	<1	--	--	--	--
81-J-993	201	165.	<1	--	--	--	--
81-J-994	203	23	<1	--	--	--	--
81-J-995	201	9	2	--	--	--	--
81-J-996	201	10	3	--	--	--	--
81-J-997	201	5	<1	--	--	--	--
81-J-998	203	6	<1	--	--	--	--
81-J-1000	201	7	<1	--	--	--	--
81-J-1001	201	6	<1	--	--	--	--
81-J-1002	201	6	<1	--	--	--	--
81-J-1003	201	4	<1	--	--	--	--
81-J-1004	201	5	<1	--	--	--	--
81-J-1005	203	5	<1	--	--	--	--
81-J-1006	203	9	2	--	--	--	--
81-J-1007	203	5	<1	--	--	--	--
81-J-1008	201	4	<1	--	--	--	--
81-J-1009	201	5	<1	--	--	--	--
81-J-1010	201	9	<1	--	--	--	--

Certified by *Hart Richter*





# CHEMEX LABS LTD.

212 BROOKSBANK AVE  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS
-------------------------

JUL 17

TO : JMT SERVICES CORP;  
 8827 HUDSON ST;  
 VANCOUVER, B.C.  
 V6B 4N1

CERT. # : A8111860-001-A  
 INVOICE # : I8111860  
 DATE : 16-JUL-81  
 P.O. # : NONE  
 MIX

Sample description	Prep code	AS ppm	AU-NAA ppb				
81 AM-594	201	200	<1	--	--	--	--
81 AM-595	201	57	<1	--	--	--	--
81 AM-596	201	46	<1	--	--	--	--
81 AM-597	201	29	86	--	--	--	--
81 AM-598	201	22	1	--	--	--	--
81 AM-599	201	27	1	--	--	--	--
81 AM-600	201	39	1	--	--	--	--
81 AM-601	201	35	2	--	--	--	--
81 AM-602	201	32	<1	--	--	--	--
81 AM-604	201	19	<1	--	--	--	--
81 AM-605	201	17	<1	--	--	--	--
81 AM-606	201	22	<1	--	--	--	--
81 AM-607	201	25	1	--	--	--	--
81 AM-608	201	17	<1	--	--	--	--
81 AM-609	201	16	<1	--	--	--	--
81 AM-610	201	15	<1	--	--	--	--
81 AM-611	201	17	4	--	--	--	--
81 AM-612	201	14	<1	--	--	--	--
81 AM-614	201	19	2	--	--	--	--
81 AM-615	201	14	3	--	--	--	--
81 AM-616	201	6	<1	--	--	--	--
81 AM-617	201	14	3	--	--	--	--
81 AM-618	201	7	<1	--	--	--	--
81 AM-619	201	12	2	--	--	--	--
81 AM-620	201	10	1	--	--	--	--
81 AM-621	201	10	3	--	--	--	--
81 AM-622	201	9	2	--	--	--	--
81 AM-623	201	11	<1	--	--	--	--
81 AM-624	201	9	<1	--	--	--	--
81 AM-625	201	7	11	--	--	--	--
81 AM-626	201	16	3	--	--	--	--
81 AM-627	201	22	4	--	--	--	--
81 AM-628	201	17	<1	--	--	--	--
81 AM-629	201	14	5	--	--	--	--
81 AM-631	201	11	<1	--	--	--	--
81 AM-632	201	14	4	--	--	--	--
81 AM-633	201	15	<1	--	--	--	--
81 AM-634	201	11	2	--	--	--	--
81 AM-635	201	14	2	--	--	--	--
81 AM-636	201	15	2	--	--	--	--



Certified by .....



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS
-------------------------

201 176

TO : JMT SERVICES CORP;  
 8827 HUDSON ST;  
 VANCOUVER, B.C.  
 V6B 4N1

CERT. # : A8111860-002-A  
 INVOICE # : I8111860  
 DATE : 16-JUL-81  
 P.O. # : NONE  
 MIX

Sample description	Prep code	AS ppm	AU-NAA ppb				
81 AM-637	203	27	2	--	--	--	--
81 AM-638	203	32	2	--	--	--	--
81 AM-639	203	45	5	--	--	--	--
81 AM-640	201	17	20	--	--	--	--
81 T-612	201	12	4	--	--	--	--
91 T-613	203	11	3	--	--	--	--
81 T-614	201	12	76	--	--	--	--
91 T-616	201	9	<1	--	--	--	--
91 T-617	201	12	11	--	--	--	--
81 T-618	203	27	<1	--	--	--	--
91 T-619	201	29	4	--	--	--	--
81 T-620	201	38	1	--	--	--	--
81 T-621	201	59	2	--	--	--	--
81 T-622	201	24	1	--	--	--	--
81 T-623	201	19	4	--	--	--	--
81 T-624	201	27	<1	--	--	--	--
81 T-625	201	25	3	--	--	--	--
81 T-626	201	22	<1	--	--	--	--
81 T-627	201	20	1	--	--	--	--
81 T-628	201	5	<1	--	--	--	--
81 T-630	201	10	<1	--	--	--	--
81 T-640	201	22	<1	--	--	--	--
81 T-642	201	50	<1	--	--	--	--



Certified by .....

MEMBER  
 CANADIAN TESTING  
 ASSOCIATION

