Chemex Labs Ltd.

BE M558 •Analytical Chemists •Geochemists •Registered Assayers PROJECT FILE

842261

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Telephone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

A8615480

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8615480-001-A
INVOICE # : I8615480
DATE : 5-AUG-86
P.O. # : NONE
558

CC: GODFREY WALTON

Sample description	Au ppb FA+AA	Sb ppm org ex	As ppm org ex	Bi ppm org ex	Cd ppm org ex	Cu ppm org ex	Ga ppm org ex	Pb ppm org ex	Mo ppm org ex	Ag ppm org ex	Tl ppm org ex	Zn ppm org ex												
ET6M1-145	105	0.7	4	0.1	0.1	650	15	1	58	0.4	0.2	36	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-146	330	1.0	11	0.2	0.1	2000	14	31	140	1.5	1.2	51	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-147	125	1.0	23	1.4	0.1	1000	14	4	73	0.9	0.4	28	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-148	35	2.0	12	0.6	0.1	171	8	6	36	0.7	0.2	106	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-149	125	0.7	16	0.1	0.1	39	14	1	1	0.4	0.5	17	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-150	4700	1.4	12	0.1	0.1	36	14	2	1	30.0	0.5	12	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-151	1160	0.8	24	0.1	0.1	21	13	1	2	6.4	0.4	13	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-156	460	0.9	19	0.1	0.1	52	13	1	1	3.5	0.5	7	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-157	520	0.9	19	0.1	0.1	17	14	1	2	6.3	0.5	9	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-158	690	1.4	20	0.1	0.1	26	13	4	1	4.6	0.5	30	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-159	215	1.1	22	0.1	0.1	20	13	8	1	1.2	0.6	35	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-166	175	4.2	55	0.1	0.5	87	12	19	4	0.8	0.2	133	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-167	90	6.6	80	0.1	1.9	163	12	54	1	1.2	0.8	540	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-168	215	16.8	100	0.1	2.5	141	11	100	4	2.9	0.7	590	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-169	195	16.4	90	0.7	3.3	137	11	73	2	1.9	0.5	810	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-170	175	0.8	7	1.4	0.1	1080	13	3	120	2.2	0.1	64	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-171	3100	1.0	10	0.4	0.1	810	13	9	80	1.1	0.2	72	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-172	485	0.8	10	3.1	0.1	3700	16	12	170	1.9	0.2	35	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-173	75	0.4	4	0.4	0.1	1130	16	5	160	0.6	0.3	33	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-174	345	3.4	55	2.3	0.1	1850	12	16	220	2.7	0.4	53	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-175	475	3.2	170	8.4	0.1	930	14	50	230	4.3	1.0	42	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-176	210	1.6	210	7.5	0.1	720	16	80	570	5.0	1.1	73	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-177	25	1.0	7	0.2	0.1	105	18	3	8	0.4	0.2	27	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-178	275	1.0	10	0.5	0.1	465	17	3	53	1.4	0.2	14	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-179	20	8.4	60	0.2	0.1	152	9	3	4	0.5	0.6	92	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-180	<5	0.4	5	0.2	0.1	27	13	2	6	0.2	0.3	63	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-181	25	9.2	90	0.1	2.3	131	10	63	1	1.6	0.5	346	--	--	--	--	--	--	--	--	--	--	--	--

Certified by ....

Chemex Labs Ltd.

•Analytical Chemists •Geochemists •Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Telephone:(604) 984-0221
Telex: 043-52597

PROJECT FILE

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8615202-001-A
INVOICE # : I8615202
DATE : 28-JUL-86
P.O. # : NONE
558

CC: GODFREY WALTON

Sample description	Au ppb FA+AA	Sb ppm org ex	As ppm org ex	Bi ppm org ex	Cd ppm org ex	Cu ppm org ex	Ga ppm org ex	Pb ppm org ex	Mo ppm org ex	Ag ppm org ex	Tl ppm org ex	Zn ppm org ex												
ET6M1-135	280	0.6	2	0.2	0.1	810	14	1	100	0.4	0.1	29	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-136	450	1.0	1	0.9	0.1	1150	12	1	170	0.9	0.1	37	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-137	190	0.6	1	0.1	0.1	950	15	1	120	0.9	0.2	24	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-138	145	2.0	2	0.1	0.1	660	11	1	110	0.3	0.1	62	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-139	75	0.4	1	0.1	0.1	55	13	1	17	0.1	0.1	39	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-140	125	3.4	3	0.3	0.1	210	14	1	70	0.2	0.1	42	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-141	140	0.6	2	0.3	0.1	38	11	1	150	0.1	0.2	43	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-142	40	0.6	1	0.2	0.1	173	16	1	47	0.1	0.2	25	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-143	25	0.2	1	0.2	0.1	13	18	1	25	0.1	0.2	15	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-144	110	0.8	1	0.4	0.1	86	17	1	27	0.2	0.2	33	--	--	--	--	--	--	--	--	--	--	--	--

Certified by Hart Bichler

Chemex Labs Ltd.

PROJECT FILE

•Analytical Chemists •Geochemists •Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Phone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8617176-001-A
INVOICE # : I8617176
DATE : 15-SEP-86
P.O. # : NONE
M 558

ATTN: GODFREY WALTON

Sample description	Au ppb FA+AA	Sb ppm org ex	As ppm org ex	Bi ppm org ex	Cd ppm org ex	Cu ppm org ex	Ga ppm org ex	Pb ppm org ex	Mo ppm org ex	Ag ppm org ex	Tl ppm org ex	Zn ppm org ex												
EW6M1-585	40	0.3	1	0.2	0.1	3	13	18	1	0.2	0.7	31	--	--	--	--	--	--	--	--	--	--	--	--
EW6M1-599	35	0.2	1	0.9	0.1	75	13	4	6	0.4	0.2	125	--	--	--	--	--	--	--	--	--	--	--	--
EW6M1-600	30	6.4	280	0.3	0.1	120	12	1	44	0.1	1.2	63	--	--	--	--	--	--	--	--	--	--	--	--
EW6M4-476	365	0.1	2	0.3	0.1	800	17	1	50	0.9	0.3	41	--	--	--	--	--	--	--	--	--	--	--	--
EW6M4-477	80	0.1	5	0.4	0.1	49	18	1	9	0.3	0.4	17	--	--	--	--	--	--	--	--	--	--	--	--
EW6M4-488	35	0.1	1	0.4	0.1	28	19	2	7	0.1	0.4	11	--	--	--	--	--	--	--	--	--	--	--	--
EW6M4-588	60	0.1	1	0.3	0.1	71	19	1	23	0.1	0.3	19	--	--	--	--	--	--	--	--	--	--	--	--
EW6M4-591	90	0.4	4	0.3	0.2	1550	14	8	55	1.0	0.3	95	--	--	--	--	--	--	--	--	--	--	--	--
EW6M4-594	10	0.3	9	0.2	0.1	118	16	1	2	0.4	0.2	99	--	--	--	--	--	--	--	--	--	--	--	--
EW6M4-596	10	2.0	100	0.2	0.1	146	14	3	3	0.2	0.1	106	--	--	--	--	--	--	--	--	--	--	--	--
EW6M4-602	75	0.1	6	1.1	0.1	272	12	1	23	0.5	0.2	35	--	--	--	--	--	--	--	--	--	--	--	--

Certified by .... Hart Bichler

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Phone: (604) 984-0221
Telex: 043-52597

PROJECT FILE

CERTIFICATE OF ASSAY

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

CC: G. WALTON

CERT. # : A8616363-001-A
INVOICE # : I8616363
DATE : 14-AUG-86
P.O. # : NONE
558

Sample description	Prep code	Au FA oz/T					
EW6M1-386-	214	0.316	--	--	--	--	--

B Lwaites

VOI rev. 4/85

Registered Assayer, Province of British Columbia

Chemex Labs Ltd.

•Analytical Chemists •Geochemists •Registered Assayers

PROJECT FILE

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Telephone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

A8615851

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8615851-001-A
INVOICE # : I8615851
DATE : 12-AUG-86
P.O. # : NONE
558

CC: GODFREY WALTON

Sample description	Au ppb FA+AA	Sb ppm org ex	As ppm org ex	Bi ppm org ex	Cd ppm org ex	Cu ppm org ex	Ga ppm org ex	Pb ppm org ex	Mo ppm org ex	Ag ppm org ex	Tl ppm org ex	Zn ppm org ex												
EW6M2-380	340	1.0	11	1.1	0.1	780	19	33	41	0.7	0.2	97	--	--	--	--	--	--	--	--	--	--	--	--

Certified by .... Hart Bichler

Chemex Labs Ltd.

•Analytical Chemists •Geochemists •Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Telephone:(604) 984-0221
Telex: 043-52597

PROJECT FILE

CERTIFICATE OF ANALYSIS

A8615853

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8615853-001-A
INVOICE # : I8615853
DATE : 12-AUG-86
P.O. # : NONE
558

CC: GODFREY WALTON

Sample description	Au ppb FA+AA	Sb ppm org ex	As ppm org ex	Bi ppm org ex	Cd ppm org ex	Cu ppm org ex	Ga ppm org ex	Pb ppm org ex	Mo ppm org ex	Ag ppm org ex	Tl ppm org ex	Zn ppm org ex												
EW6M1-382	2100	2.0	19	3.1	0.1	>10000	13	83	140	7.4	0.2	36	--	--	--	--	--	--	--	--	--	--	--	--
EW6M1-383	480	1.1	4	0.5	0.1	2850	15	8	5	0.8	0.1	90	--	--	--	--	--	--	--	--	--	--	--	--
EW6M1-384	125	0.3	3	0.6	0.1	630	12	13	6	1.0	0.1	36	--	--	--	--	--	--	--	--	--	--	--	--
EW6M1-386	>10000	0.8	2	9.8	0.1	>10000	9	55	340	19.2	0.2	130	--	--	--	--	--	--	--	--	--	--	--	--
EW6M1-387	185	0.5	10	3.0	9.4	1280	16	143	100	2.4	0.6	170	--	--	--	--	--	--	--	--	--	--	--	--
EW6M1-389	40	0.2	1	0.1	0.1	215	20	6	40	0.1	0.1	48	--	--	--	--	--	--	--	--	--	--	--	--
EW6M1-390	25	0.2	2	0.1	0.1	48	23	3	1	0.1	0.1	14	--	--	--	--	--	--	--	--	--	--	--	--
JM6M1-422	170	1.0	27	0.1	0.1	36	13	6	2	1.3	0.2	31	--	--	--	--	--	--	--	--	--	--	--	--
JM6M1-423	35	1.0	17	2.9	0.1	136	16	20	90	1.2	0.6	19	--	--	--	--	--	--	--	--	--	--	--	--
WH6M1-204	615	0.9	19	0.1	0.1	26	14	5	1	3.3	0.3	14	--	--	--	--	--	--	--	--	--	--	--	--
WH6M1-205	85	0.4	11	0.5	0.1	21	16	18	37	0.4	0.8	13	--	--	--	--	--	--	--	--	--	--	--	--
EW6M4-381	45	0.1	3	1.3	0.1	236	20	9	17	0.3	0.1	69	--	--	--	--	--	--	--	--	--	--	--	--
EW6M4-385	95	0.3	4	0.1	0.1	84	17	8	2	0.2	0.3	31	--	--	--	--	--	--	--	--	--	--	--	--
EW6M4-388	90	0.1	3	0.4	0.1	305	17	11	6	0.2	0.1	82	--	--	--	--	--	--	--	--	--	--	--	--
EW6M4-390	350	0.5	5	0.4	0.1	22	18	6	1	0.1	0.2	26	--	--	--	--	--	--	--	--	--	--	--	--

Certified by HartBichler

Chemex Labs Ltd.

PROJECT FILE

•Analytical Chemists •Geochemists •Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Telephone:(604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

A8615140

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8615140-001-A
INVOICE # : I8615140
DATE : 25-JUL-86
P.O. # : NONE
M558

CC: ERIC TITLEY

Sample description	Au ppb FA+AA	Sb ppm org ex	As ppm org ex	Bi ppm org ex	Cd ppm org ex	Cu ppm org ex	Ga ppm org ex	Pb ppm org ex	Mo ppm org ex	Ag ppm org ex	Tl ppm org ex	Zn ppm org ex												
EW6M4-172	<5	2.4	130	0.5	0.1	34	1	2	2	0.2	0.1	70	--	--	--	--	--	--	--	--	--	--	--	--
EW6M4-173	<5	5.6	150	1.1	0.1	28	1	3	1	0.1	0.1	47	--	--	--	--	--	--	--	--	--	--	--	--
EW6M4-174	<5	0.6	60	0.7	0.1	41	4	3	1	0.2	0.1	68	--	--	--	--	--	--	--	--	--	--	--	--
EW6M4-175	5	1.6	39	0.1	0.1	48	4	2	1	0.3	0.1	133	--	--	--	--	--	--	--	--	--	--	--	--
EW6M4-176	<5	2.3	70	0.1	0.1	12	1	1	2	0.1	0.1	65	--	--	--	--	--	--	--	--	--	--	--	--
EW6M4-177	<5	0.1	320	2.2	0.1	16	1	2	2	0.1	0.1	83	--	--	--	--	--	--	--	--	--	--	--	--
EW6M4-178	<5	1.9	1300	0.5	0.1	17	1	24	16	0.1	0.1	90	--	--	--	--	--	--	--	--	--	--	--	--
EW6M4-179	<5	0.6	16	0.3	0.1	60	4	1	1	0.2	0.1	51	--	--	--	--	--	--	--	--	--	--	--	--
EW6M4-180	<5	0.1	14	1.4	0.3	24	2	4	1	0.3	0.1	58	--	--	--	--	--	--	--	--	--	--	--	--

Certified by Hart Bichler

Chemex Labs Ltd.

•Analytical Chemists •Geochemists •Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Telephone: (604) 984-0221
Telex: 043-52597

PROJECT FILE

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

A8615146

CERT. # : A8615146-001-A
INVOICE # : I8615146
DATE : 25-JUL-86
P.O. # : NONE
558

CC: GODFREY WALTON

Sample description	Au ppb FA+AA	Sb ppm org ex	As ppm org ex	Bi ppm org ex	Cd ppm org ex	Cu ppm org ex	Ga ppm org ex	Pb ppm org ex	Mo ppm org ex	Ag ppm org ex	Tl ppm org ex	Zn ppm org ex												
GW6M1-010 —	<5	6.2	16	0.1	0.1	194	13	10	1	0.4	0.3	89	--	--	--	--	--	--	--	--	--	--	--	--
WH6M1-155A —	<5	8.7	6	0.1	0.4	146	14	10	1	0.2	0.4	118	--	--	--	--	--	--	--	--	--	--	--	--

Certified by Hart Bichler

Chemex Labs Ltd.

PROJECT FILE

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

Telephone: (604) 984-0221
Telex: 043-52597

•Analytical Chemists •Geochemists •Registered Assayers

CERTIFICATE OF ANALYSIS

A8614919

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8614919-001-A
INVOICE # : I8614919
DATE : 18-JUL-86
P.O. # : NONE
M558 REQ #1721

CC: ERIC TITLEY

Sample description	Au ppb FA+AA	Sb ppm org ex	As ppm org ex	Bi ppm org ex	Cd ppm org ex	Cu ppm org ex	Ga ppm org ex	Pb ppm org ex	Mo ppm org ex	Ag ppm org ex	Tl ppm org ex	Zn ppm org ex												
ET6M1-125	<5	2.0	33	0.2	0.1	148	13	7	6	0.5	0.3	79	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-126	15	1.2	14	0.9	0.1	340	8	3	2	0.3	0.1	113	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-127	10	0.9	12	0.2	0.1	35	13	4	1	0.2	0.1	80	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-128	<5	0.9	9	0.1	0.1	38	8	4	1	0.1	0.1	58	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-129	20	1.8	14	0.2	0.1	131	16	4	1	0.3	0.2	53	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-130	145	0.5	4	0.2	0.1	115	14	1	96	0.1	0.1	34	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-131	230	0.6	2	0.1	0.1	350	15	1	78	0.6	0.2	37	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-132	185	0.4	3	0.3	0.1	495	5	1	90	0.7	0.1	71	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-133	580	0.2	3	0.3	0.1	2110	11	2	68	2.0	0.1	36	--	--	--	--	--	--	--	--	--	--	--	--
ET6M1-134	210	0.8	4	0.2	0.1	1370	12	3	86	0.9	0.1	36	--	--	--	--	--	--	--	--	--	--	--	--
EW6M1-170	110	>1000.0	1400	0.1	37.0	>10000	4	12	3	>100.0	0.1	3400	--	--	--	--	--	--	--	--	--	--	--	--
EW6M1-171	<5	>1000.0	1400	0.1	39.0	7600	1	13	1	57.0	0.1	1770	--	--	--	--	--	--	--	--	--	--	--	--
GW6M1-005	<5	94.0	43	0.1	1.6	280	1	8	1	2.5	0.1	79	--	--	--	--	--	--	--	--	--	--	--	--
GW6M1-006	350	21.0	14	0.1	0.3	63	11	4	1	1.7	0.1	27	--	--	--	--	--	--	--	--	--	--	--	--
JM6M1-235	1670	9.8	5	0.3	0.1	9800	13	6	20	3.8	0.2	56	--	--	--	--	--	--	--	--	--	--	--	--
WH6M1-132 ROCK BAM	5	2.8	2	0.1	0.1	87	3	1	1	0.1	0.1	50	--	--	--	--	--	--	--	--	--	--	--	--
WH6M1-132 CORE	25	5.6	4	0.1	0.1	580	12	3	38	0.3	0.2	43	--	--	--	--	--	--	--	--	--	--	--	--
WH6M1-133	<5	2.6	10	0.2	0.1	233	11	3	1	0.2	0.1	49	--	--	--	--	--	--	--	--	--	--	--	--
WH6M1-134	<5	2.4	11	0.1	0.1	192	10	1	1	0.1	0.1	63	--	--	--	--	--	--	--	--	--	--	--	--
WH6M1-135	25	4.2	5	0.2	0.1	420	18	3	16	0.5	0.2	50	--	--	--	--	--	--	--	--	--	--	--	--
WH6M1-136	<5	2.0	1	0.2	0.1	361	14	4	63	0.1	0.2	44	--	--	--	--	--	--	--	--	--	--	--	--
WH6M1-137	25	4.4	29	0.2	0.1	202	2	2	34	0.9	0.2	83	--	--	--	--	--	--	--	--	--	--	--	--
WH6M1-138	10	3.2	12	0.2	0.1	52	11	3	5	0.2	0.1	52	--	--	--	--	--	--	--	--	--	--	--	--
WH6M1-143	15	1.0	1	0.1	0.1	87	14	2	1	0.2	0.1	37	--	--	--	--	--	--	--	--	--	--	--	--
WH6M1-144	5	0.9	1	0.1	0.1	70	20	5	2	0.1	0.1	41	--	--	--	--	--	--	--	--	--	--	--	--
WH6M1-145	110	0.6	9	0.2	0.1	830	17	18	3	1.0	0.3	33	--	--	--	--	--	--	--	--	--	--	--	--
WH6M1-146	40	1.2	2	1.2	0.1	51	16	4	6	0.6	0.3	24	--	--	--	--	--	--	--	--	--	--	--	--
WH6M1-147	20	1.1	1	0.3	0.1	28	8	7	20	0.2	0.1	95	--	--	--	--	--	--	--	--	--	--	--	--
WH6M1-148	760	0.8	2	0.1	0.1	2870	17	2	10	1.3	0.2	46	--	--	--	--	--	--	--	--	--	--	--	--
WH6M1-149	1150	1.3	4	3.1	0.2	>10000	13	12	3	14.0	0.1	58	--	--	--	--	--	--	--	--	--	--	--	--
WH6M1-152	10	0.4	7	0.1	0.1	260	9	5	1	0.2	0.1	90	--	--	--	--	--	--	--	--	--	--	--	--

Certified by Hart Bichler

PROJECT FILE

Chemex Labs Ltd.

•Analytical Chemists •Geochemists •Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

Telephone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

A8614918

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8614918-001-A
INVOICE # : I8614918
DATE : 18-JUL-86
P.O. # : NONE
M558 REQ #1721

CC: ERIC TITLEY

Sample description	Au ppb FA+AA	Sb ppm org ex	As ppm org ex	Bi ppm org ex	Cd ppm org ex	Cu ppm org ex	Ga ppm org ex	Pb ppm org ex	Mo ppm org ex	Ag ppm org ex	Tl ppm org ex	Zn ppm org ex												
JMGM2-234 -	245	0.2	2	2.5	0.1	208	20	13	11	0.6	0.1	127	--	--	--	--	--	--	--	--	--	--	--	--

Certified by Hart Bichler

Cnemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Phone: (604) 984-0221
Telex: 043-52597

PROJECT FILE

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8614122-001-A
INVOICE # : I8614122
DATE : 3-JUL-86
P.O. # : NONE
558

CC: ERIC TITLEY

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
WH6M1-32	205	7.8	70	3.4	1080	--	--
WH6M1-33	205	1.9	180	1.0	360	--	--
WH6M1-34	205	0.3	10	0.4	170	--	--
WH6M1-35	205	0.3	41	0.4	155	--	--
WH6M1-36	205	0.1	4	1.2	20	--	--
WH6M1-37	205	0.3	10	0.6	40	--	--
WH6M1-38	205	0.1	5	1.0	35	--	--
WH6M1-39	205	0.1	3	0.3	5	--	--
WH6M1-40	205	0.3	6	0.8	20	--	--
WH6M1-41	205	0.2	3	0.3	5	--	--
WH6M1-42	205	0.3	4	0.4	150	--	--
WH6M1-43	205	0.2	5	2.7	<5	--	--
WH6M1-44	205	0.3	11	4.2	5	--	--

VOI rev. 4/85

Certified by HartBichler

Cnemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Phone: (604) 984-0221
Telex: 043-52597

PROJECT FILE

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8614123-001-A
INVOICE # : I8614123
DATE : 1-JUL-86
P.O. # : NONE
558

CC: ERIC TITLEY

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
ET6M3-13	201	1.5	90	4.6	115	--	--
EW6M2-C7	201	0.4	23	1.0	185	--	--
EW6M2-C8	201	1.3	60	2.6	1480	--	--
EW6M2-09	201	0.1	14	1.2	15	--	--
EW6M2-10	201	0.3	16	0.8	65	--	--
EW6M2-11	201	0.3	7	0.2	200	--	--
EW6M2-12	201	0.2	9	0.5	530	--	--
EW6M2-13	201	0.1	4	0.1	25	--	--
EW6M2-14	201	0.2	11	0.4	205	--	--
EW6M2-15	201	0.1	5	0.5	95	--	--
EW6M2-61	201	0.9	15	4.0	40	--	--
JM6M3-01	201	0.1	41	2.0	<5	--	--
JM6M3-02	201	0.2	35	1.4	<5	--	--
JM6M3-03	201	0.2	39	2.0	<5	--	--
JM6M3-04	201	0.2	30	1.2	<5	--	--

VOI rev. 4/85

Certified by HartBichler

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Phone: (604) 984-0221
Telex: 043-52597

PROJECT FILE

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8613827-001-A
INVOICE # : I8613827
DATE : 25-JUN-86
P.O. # : NONE
558

CC: ERIC TITLEY

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
ET6M1-01	205	0.4	2	1.6	1100	--	--
ET6M1-02	205	0.2	2	0.4	245	--	--
ET6M1-05	205	0.2	11	2.0	250	--	--
ET6M1-06	205	0.8	12	15.0	115	--	--
ET6M1-07	205	2.6	115	13.8	25	--	--
ET6M1-08	205	0.5	32	10.2	110	--	--
ET6M1-09	205	1.1	25	18.4	25	--	--
ET6M1-10	205	1.4	50	3.2	295	--	--
ET6M1-11	205	0.7	36	2.2	10	--	--
ET6M4-12	205	0.4	20	2.8	60	--	--
WH6M1-01	205	0.1	4	0.2	70	--	--
WH6M1-02	205	6.9	160	69.0	900	--	--
WH6M1-03	205	0.1	9	0.2	65	--	--
WH6M1-04	205	0.1	3	0.2	100	--	--
WH6M1-06	205	0.1	11	0.2	50	--	--
WH6M1-10	205	0.6	3	0.2	270	--	--
WH6M1-11	205	0.1	1	0.3	200	--	--
WH6M1-12	205	0.5	19	0.6	4800	--	--
WH6M1-13	205	0.2	5	1.0	40	--	--
WH6M1-14	205	1.0	5	0.1	370	--	--
WH6M1-15	205	0.1	9	0.1	630	--	--
WH6M1-16	205	0.3	2	0.1	115	--	--
WH6M1-17	205	0.1	3	0.1	115	--	--
WH6M1-18	205	0.1	5	1.0	100	--	--
WH6M1-19	205	0.1	2	0.1	60	--	--
WH6M1-20	205	0.7	3	0.4	235	--	--
WH6M1-21	205	1.6	32	0.8	600	--	--
GW6M1-01	205	0.2	23	0.4	45	--	--
GW6M1-02	205	1.1	3	0.1	315	--	--

VOI rev. 4/85

Certified by HartBichler

Chemex Labs Ltd.

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Phone: (604) 984-0221
Telex: 043-52597

Analytical Chemists • Geochemists • Registered Assayers

PROJECT FILE

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8613828-001-A
INVOICE # : I8613828
DATE : 25-JUN-86
P.O. # : NONE
558

CC: ERIC TITLEY

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
ET6M 2-3-	201	0.1	6	0.2	5	--	--
ET6M 2-5-	201	0.1	12	0.2	50	--	--

VOI rev. 4/85

Certified by .... Hart Bichler

VANCOUVER, B.C.
V6E 2E9

P.O. # : NONE
558

Sample description	Au ppb FA+AA	Sb ppm org ex	As ppm org ex	Bi ppm org ex	Cd ppm org ex	Cu ppm org ex	Ga ppm org ex	Pb ppm org ex	Mo ppm org ex	Ag ppm org ex	Tl ppm org ex	Zn ppm org ex
ET6M1-145	105	0.7	4	0.1	0.1	650	15	1	58	0.4	0.2	36
ET6M1-146	330	1.0	11	0.2	0.1	2000	14	31	140	1.5	1.2	51
ET6M1-147	125	1.0	23	1.4	0.1	1000	14	4	73	0.9	0.4	28
ET6M1-148	35	2.0	12	0.6	0.1	171	8	6	36	0.7	0.2	106
ET6M1-149	125	0.7	16	0.1	0.1	39	14	1	1	0.4	0.5	17
ET6M1-150	(0,058) 4700	1.4	12	0.1	0.1	36	14	2	1	30.0	0.5	12
ET6M1-151	1160	0.8	24	0.1	0.1	21	13	1	2	6.4	0.4	13
ET6M1-156	460	0.9	19	0.1	0.1	52	13	1	1	3.5	0.5	7
ET6M1-157	520	0.9	19	0.1	0.1	17	14	1	2	6.3	0.5	9
ET6M1-158	690	1.4	20	0.1	0.1	26	13	4	1	4.6	0.5	30
ET6M1-159	215	1.1	22	0.1	0.1	20	13	8	1	1.2	0.6	35
ET6M1-166	175	4.2	55	0.1	0.5	87	12	19	4	0.8	0.2	133
ET6M1-167	90	6.6	80	0.1	1.9	163	12	54	1	1.2	0.8	540
ET6M1-168	215	16.8	100	0.1	2.5	141	11	100	4	2.9	0.7	590
ET6M1-169	195	16.4	90	0.7	3.3	137	11	73	2	1.9	0.5	810
ET6M1-170	175	0.8	7	1.4	0.1	1080	13	3	120	2.2	0.1	64
ET6M1-171	(0,031) 3100	1.0	10	0.4	0.1	810	13	9	80	1.1	0.2	72
ET6M1-172	485	0.8	10	3.1	0.1	3700	16	12	170	1.9	0.2	35
ET6M1-173	75	0.4	4	0.4	0.1	1130	16	5	160	0.6	0.3	33
ET6M1-174	345	3.4	55	2.3	0.1	1850	12	16	220	2.7	0.4	53
ET6M1-175	475	3.2	170	8.4	0.1	930	14	50	230	4.3	1.0	42
ET6M1-176	210	1.6	210	7.5	0.1	720	16	80	570	5.0	1.1	73
ET6M1-177	25	1.0	7	0.2	0.1	105	18	3	8	0.4	0.2	27
ET6M1-178	275	1.0	10	0.5	0.1	465	17	3	53	1.4	0.2	14
ET6M1-179	20	8.4	60	0.2	0.1	152	9	3	4	0.5	0.6	92
ET6M1-180	<5	0.4	5	0.2	0.1	27	13	2	6	0.2	0.3	63
ET6M1-181	25	9.2	90	0.1	2.3	131	10	63	1	1.6	0.5	346

Core

	Sample description	Au ppb FA+AA	Sb ppm org ex	As ppm org ex	Bi ppm org ex	Cd ppm org ex	Cu ppm org ex	Ga ppm org ex	Pb ppm org ex	Mo ppm org ex	Ag ppm org ex	Tl ppm org ex	Zn ppm org ex
	ET6M1-125	<5	2.0	33	0.2	0.1	148	13	7	6	0.5	0.3	79
	ET6M1-126	15	1.2	14	0.9	0.1	340	8	3	2	0.3	0.1	113
	ET6M1-127	10	0.9	12	0.2	0.1	35	13	4	1	0.2	0.1	80
	ET6M1-128	<5	0.9	9	0.1	0.1	38	8	4	1	0.1	0.1	59
	ET6M1-129	20	1.8	14	0.2	0.1	131	16	4	1	0.3	0.2	53
Core	ET6M1-130	145	0.5	4	0.2	0.1	115	14	1	96	0.1	0.1	34
	ET6M1-131	230	0.6	2	0.1	0.1	350	15	1	78	0.6	0.2	37
	ET6M1-132	185	0.4	3	0.3	0.1	495	5	1	90	0.7	0.1	71
	ET6M1-133	580	0.2	3	0.3	0.1	2110	11	2	68	2.0	0.1	36
	ET6M1-134	210	0.8	4	0.2	0.1	1370	12	2	86	0.9	0.1	36
	EW6M1-170	110	>1000.0	1400	0.1	37.0	>10000	4	12	3	>100.0	0.1	3400
	EW6M1-171	<5	>1000.0	1400	0.1	39.0	7600	1	13	1	57.0	0.1	1770
	GW6M1-005	<5	94.0	43	0.1	1.6	280	1	8	1	2.5	0.1	79
	GW6M1-006	350	21.0	14	0.1	0.3	63	11	4	1	1.7	0.1	27
	JM6M1-235	1670	9.8	5	0.3	0.1	9800	13	6	20	3.8	0.2	56
	WH6M1-132 ROCK BAH	5	2.8	2	0.1	0.1	87	3	1	1	0.1	0.1	50
	WH6M1-132 CORE	25	5.6	4	0.1	0.1	580	12	2	38	0.3	0.2	42
	WH6M1-133	<5	2.6	10	0.2	0.1	233	11	2	1	0.2	0.1	49
	WH6M1-134	<5	2.4	11	0.1	0.1	192	10	1	1	0.1	0.1	63
	WH6M1-135	25	4.2	5	0.2	0.1	420	18	3	16	0.5	0.2	50
Core	WH6M1-136	<5	2.0	1	0.2	0.1	361	14	4	63	0.1	0.2	44
	WH6M1-137	25	4.4	29	0.2	0.1	202	2	2	34	0.9	0.2	33
	WH6M1-138	10	3.2	12	0.2	0.1	52	11	2	5	0.2	0.1	52
	WH6M1-143	15	1.0	1	0.1	0.1	87	14	2	1	0.2	0.1	37
	WH6M1-144	5	0.9	1	0.1	0.1	70	20	5	2	0.1	0.1	41
	WH6M1-145	110	0.6	9	0.2	0.1	830	17	18	3	1.0	0.3	32
	WH6M1-146	40	1.2	2	1.2	0.1	51	16	4	6	0.6	0.3	24
	WH6M1-147	20	1.1	1	0.3	0.1	28	8	7	20	0.2	0.1	95
	WH6M1-148	760	0.8	2	0.1	0.1	2870	17	2	10	1.2	0.2	46
	WH6M1-149	1150	1.3	4	3.1	0.2	>10000	13	12	2	14.0	0.1	58
	WH6M1-152	10	0.4	7	0.1	0.1	260	9	5	1	0.2	0.1	90

VANCOUVER, B.C.
V6E 2E9

P.O. # : NONE
558

Sample description	Au ppb FA+AA	Sb ppm org ex	As ppm org ex	Bi ppm org ex	Cd ppm org ex	Cu ppm org ex	Ga ppm org ex	Pb ppm org ex	Mo ppm org ex	Ag ppm org ex	Tl ppm org ex	Zn ppm org ex	
ET6M1-135 —	280	0.6	2	0.2	0.1	810	14	1	100	0.4	0.1	29	--
ET6M1-136 —	450	1.0	1	0.9	0.1	1150	12	1	170	0.9	0.1	37	--
ET6M1-137 —	190	0.6	1	0.1	0.1	950	15	1	120	0.9	0.2	24	--
ET6M1-138 —	145	2.0	2	0.1	0.1	660	11	1	110	0.3	0.1	62	--
ET6M1-139 —	75	0.4	1	0.1	0.1	55	13	1	17	0.1	0.1	39	--
ET6M1-140 —	125	3.4	3	0.3	0.1	210	14	1	70	0.2	0.1	42	--
ET6M1-141 —	140	0.6	2	0.3	0.1	38	11	1	150	0.1	0.2	43	--
ET6M1-142 —	40	0.6	1	0.2	0.1	173	16	1	47	0.1	0.2	25	--
ET6M1-143 —	25	0.2	1	0.2	0.1	13	18	1	25	0.1	0.2	15	--
ET6M1-144 —	110	0.8	1	0.4	0.1	86	17	1	27	0.2	0.2	33	--

core

Monz. $\overline{Au}$ 361 ppb ratio = 0.0010618
$\overline{Cu}$ 340 ppm

Volc. $\overline{Au}$ 223.6 ratio = 0.000876
$\overline{Cu}$ 594,3

Chemex Labs Ltd.

•Analytical Chemists •Geochemists •Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

Phone: (604) 984-0221
Telex: 043-52597

PROJECT FILE

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8617175-001-A
INVOICE # : I8617175
DATE : 9-SEP-86
P.O. # : NONE
M 558

ATTN: GODFREY WALTON

Sample description	Au ppb FA+AA	Sb ppm org ex	As ppm org ex	Bi ppm org ex	Cd ppm org ex	Cu ppm org ex	Ga ppm org ex	Pb ppm org ex	Mo ppm org ex	Ag ppm org ex	Tl ppm org ex	Zn ppm org ex												
EW6M2-471	40	0.1	1	0.1	0.1	88	20	7	1	0.5	0.1	36	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-472	120	0.2	80	0.4	0.1	970	15	13	170	0.9	2.0	97	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-473	65	0.1	1	0.2	0.4	149	21	5	5	0.4	0.2	36	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-474	60	0.1	1	0.1	0.1	620	17	9	22	0.5	0.2	39	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-475	75	0.1	1	0.1	0.1	72	21	7	28	0.2	0.1	44	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-478	215	0.3	5	0.4	0.1	43	14	1	53	0.3	0.3	126	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-479	50	0.2	1	0.1	0.1	28	22	3	11	0.1	0.2	30	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-480	80	0.1	1	0.1	0.1	262	19	1	5	0.9	0.1	14	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-481	<5	0.1	5	0.2	0.1	33	20	8	7	0.6	0.4	78	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-482	<5	0.2	1	0.2	0.1	15	25	9	2	0.3	0.3	40	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-483	<5	0.4	12	0.2	0.3	35	15	12	2	0.3	0.1	170	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-484	10	0.1	1	0.2	0.6	630	10	9	18	0.9	0.1	70	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-485	35	0.4	1	0.2	0.1	56	17	2	15	0.6	0.2	31	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-486	55	0.1	1	0.1	0.1	237	22	3	13	0.7	0.1	48	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-487	65	0.2	3	0.2	0.1	485	15	1	17	0.2	0.3	86	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-489	10	0.4	1	0.2	0.1	35	20	3	2	0.2	0.1	62	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-490	200	0.3	5	0.1	0.1	50	19	3	2	0.2	0.1	95	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-491	10	0.2	3	0.2	0.1	52	16	4	1	0.3	0.1	63	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-492	5	0.9	7	0.2	0.4	98	12	4	1	0.5	0.1	89	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-493	5	1.4	60	0.1	0.1	135	21	34	1	1.0	0.2	61	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-494	<5	0.4	9	0.2	0.3	41	17	4	2	0.4	0.1	18	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-495	<5	0.4	22	0.1	0.3	97	14	12	5	0.5	0.1	71	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-496	20	0.2	6	0.1	0.1	51	15	9	8	0.3	0.1	42	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-572	60	0.2	3	0.7	0.1	94	14	12	14	0.4	0.1	76	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-573	30	0.2	1	0.2	0.1	20	21	3	7	0.3	0.1	60	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-574	20	0.3	3	0.2	0.1	36	14	8	1	0.5	0.2	63	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-575	35	0.2	7	0.2	0.1	67	12	8	2	0.3	0.1	52	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-576	5	0.4	6	0.8	0.3	35	15	1	4	0.2	0.2	85	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-577	390	1.6	60	1.1	1.3	100	15	79	10	0.7	0.2	130	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-578	70	1.0	10	0.6	0.2	54	13	11	2	0.7	0.1	138	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-579	25	1.1	33	0.4	0.4	53	20	17	10	0.6	0.2	87	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-580	10	0.8	11	0.3	0.1	34	17	23	6	0.3	0.2	122	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-581	10	1.2	220	0.2	3.8	147	16	10	5	0.9	0.2	250	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-582	<5	0.8	10	0.3	0.2	39	17	18	1	0.8	0.2	125	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-583	<5	0.5	9	0.7	0.1	62	14	13	3	0.4	0.1	137	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-584	5	0.4	4	0.4	0.1	30	14	8	4	0.4	0.2	115	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-586	40	0.2	3	0.3	0.1	74	13	5	15	0.2	0.1	56	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-587	600	0.2	5	0.6	0.1	1550	14	2	45	0.8	0.2	64	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-589	25	0.2	1	0.5	0.1	45	14	7	5	0.3	0.1	32	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-590	10	0.4	12	0.3	0.1	41	13	7	15	0.3	0.1	69	--	--	--	--	--	--	--	--	--	--	--	--

10

Certified by ..HartBichler...

Chemex Labs Ltd.

•Analytical Chemists •Geochemists •Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

Phone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8617175-002-A
INVOICE # : I8617175
DATE : 9-SEP-86
P.O. # : NONE
M 558

ATTN: GODFREY WALTON

Sample description	Au ppb FA+AA	Sb ppm org ex	As ppm org ex	Bi ppm org ex	Cd ppm org ex	Cu ppm org ex	Ga ppm org ex	Pb ppm org ex	Mo ppm org ex	Ag ppm org ex	Tl ppm org ex	Zn ppm org ex												
EW6M2-592	35	0.4	12	0.6	0.2	65	15	9	3	0.4	0.1	183	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-593	10	0.2	6	0.4	0.2	35	20	7	4	0.3	0.2	108	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-595	5	1.4	32	0.5	0.3	50	17	17	2	0.5	0.2	257	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-597	5	0.4	12	0.4	0.5	97	17	14	3	0.5	0.2	215	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-598	<5	0.2	5	0.3	0.1	25	18	8	1	0.7	0.2	110	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-601	10	0.1	2	0.2	0.1	30	20	6	2	0.3	0.1	39	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-603	275	0.4	1	0.5	0.1	180	17	1	47	0.3	0.3	53	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-604	60	0.2	5	0.2	0.1	60	20	4	6	0.2	0.2	85	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-605	10	0.1	6	0.2	0.6	70	14	4	2	0.4	0.1	97	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-606	<5	0.1	5	0.2	1.2	45	14	7	1	0.7	0.2	90	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-607	25	0.2	5	0.2	1.0	81	13	6	2	0.4	0.2	143	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-608	15	0.1	5	0.2	0.3	38	20	8	2	0.6	0.2	98	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-609	25	2.2	16	5.5	0.7	155	20	12	5	0.6	0.3	293	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-610	<5	0.6	16	0.3	0.6	140	14	17	1	0.5	0.2	174	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-611	20	1.6	70	0.3	0.1	170	14	15	1	0.4	0.1	200	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-612	<5	0.2	3	0.1	0.1	25	20	3	1	0.1	0.2	44	--	--	--	--	--	--	--	--	--	--	--	--
EW6M2-613	5	0.2	3	0.1	0.1	30	20	12	1	0.4	0.2	54	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-473	125	0.8	2	0.1	0.1	310	18	1	30	0.5	0.1	54	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-474	65	0.6	4	0.2	0.1	85	20	3	15	0.4	0.5	55	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-475	30	0.2	1	0.1	0.1	14	25	1	5	0.2	0.2	43	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-476	35	0.1	1	0.2	0.1	74	19	1	14	0.4	0.3	39	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-477	10	0.1	1	0.1	0.1	31	23	2	2	0.3	0.1	34	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-478	35	0.1	1	0.1	0.1	47	26	1	8	0.3	0.1	28	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-479	15	0.2	1	0.1	0.1	27	20	3	4	0.1	0.2	44	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-480	30	0.2	1	0.2	0.1	24	21	1	3	0.6	0.3	32	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-481	30	0.1	1	0.1	0.2	94	15	3	2	0.5	0.2	85	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-482	5	0.6	10	0.1	0.2	103	10	1	1	0.4	0.4	140	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-483	15	0.2	3	0.1	0.1	44	18	4	1	0.2	0.2	70	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-484	<5	0.2	5	0.2	0.2	42	17	7	2	0.5	0.3	73	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-485	<5	0.1	2	0.2	0.1	34	17	6	1	0.5	0.2	50	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-486	50	1.0	3	0.8	0.3	200	18	5	12	0.7	0.2	88	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-487	40	0.6	4	0.4	0.1	208	15	6	21	0.6	0.1	56	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-488	250	0.2	1	0.3	0.1	162	23	5	18	0.3	0.2	85	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-489	110	0.6	1	0.3	0.1	340	13	1	18	0.4	0.2	64	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-490	40	0.2	3	0.2	0.1	30	23	1	4	0.3	0.3	31	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-491	15	0.1	1	0.2	0.1	71	23	2	1	0.5	0.1	46	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-492	55	0.2	6	0.2	0.1	193	23	4	5	0.3	0.3	78	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-493	15	0.4	5	0.2	0.1	25	23	8	1	0.2	0.2	85	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-494	40	2.2	59	0.1	0.2	103	13	17	1	0.4	0.3	150	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-495	35	1.0	33	0.1	0.1	49	16	17	1	0.5	0.2	62	--	--	--	--	--	--	--	--	--	--	--	--

Certified by ..Hart Bichler....

Chemex Labs Ltd.

•Analytical Chemists •Geochemists •Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

Phone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8617175-003-A
INVOICE # : I8617175
DATE : 9-SEP-86
P.O. # : NONE
M 558

ATTN: GODFREY WALTON

Sample description	Au ppb FA+AA	Sb ppm org ex	As ppm org ex	Bi ppm org ex	Cd ppm org ex	Cu ppm org ex	Ga ppm org ex	Pb ppm org ex	Mo ppm org ex	Ag ppm org ex	Tl ppm org ex	Zn ppm org ex												
JM6M2-496	10	0.6	12	0.3	0.1	40	20	15	1	0.5	0.2	108	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-497	5	0.3	6	0.2	0.5	51	20	11	1	0.2	0.1	108	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-498	5	1.4	60	0.1	0.1	136	17	44	2	0.4	0.2	183	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-522	50	0.2	3	0.3	0.1	94	22	11	16	0.2	0.1	80	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-523	415	1.2	4	0.7	0.1	670	22	12	60	0.5	0.2	60	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-524	1400	0.1	3	1.1	0.1	143	16	19	9	0.6	0.1	50	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-525	80	1.2	43	0.9	0.8	103	10	28	6	0.6	0.1	192	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-526	35	0.4	14	0.6	0.1	54	15	13	1	0.8	0.2	60	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-527	55	1.0	9	0.5	0.9	41	14	35	6	0.5	0.1	215	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-528	25	1.2	7	0.4	1.1	68	18	13	11	0.7	0.1	158	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-529	45	4.0	100	1.1	0.6	146	17	20	10	0.5	0.3	122	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-530	5	0.4	5	0.5	0.3	11	30	18	3	0.2	0.2	106	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-531	10	0.3	20	0.2	0.1	59	21	11	1	0.3	0.3	78	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-532	50	0.4	9	0.2	0.1	34	17	14	2	0.3	0.2	115	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-533	10	0.3	9	0.1	0.1	38	20	11	1	0.3	0.2	130	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-534	10	0.4	5	0.1	0.1	43	18	15	1	0.3	0.2	142	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-535	70	0.2	1	0.2	0.1	146	19	7	6	0.4	0.2	50	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-536	65	0.6	3	0.3	0.1	430	15	8	14	0.5	0.1	65	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-537	110	0.2	3	0.2	0.1	195	19	8	9	0.3	0.1	62	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-538	160	2.2	70	1.3	1.6	190	13	45	8	1.0	0.2	340	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-539	15	0.2	1	0.3	0.1	47	18	9	13	0.4	0.1	53	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-540	50	0.6	6	0.2	0.1	100	18	17	4	0.5	0.1	144	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-541	15	0.4	9	0.2	0.1	30	20	10	1	0.3	0.2	110	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-542	85	2.4	150	0.2	0.1	435	15	14	10	0.8	0.3	103	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-543	<5	1.0	9	0.2	0.9	27	20	15	4	0.4	0.2	144	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-544	<5	0.4	22	0.1	0.6	54	21	14	1	0.3	0.1	145	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-545	65	0.4	3	0.2	0.1	310	18	10	13	0.5	0.2	75	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-546	110	0.1	2	0.1	0.1	75	24	10	2	0.5	0.1	45	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-547	165	0.2	1	0.2	0.1	750	20	2	32	0.7	0.2	50	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-548	40	0.1	2	0.1	0.1	71	22	6	5	0.4	0.1	58	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-549	10	0.4	32	0.1	0.1	77	16	14	1	0.5	0.1	139	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-550	10	0.1	3	0.2	0.1	39	21	16	1	0.8	0.1	82	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-551	<5	0.1	2	0.2	0.6	65	14	12	1	0.7	0.1	54	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-552	70	1.0	30	3.0	0.6	150	17	12	1	0.5	0.1	188	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-553	30	0.2	11	0.4	2.5	23	30	12	1	0.3	0.1	76	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-554	15	0.1	1	0.1	1.2	18	27	23	1	0.2	0.3	88	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-555	<5	0.1	1	0.1	0.1	14	28	8	2	0.4	0.2	49	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-556	25	0.2	7	0.2	0.1	47	15	12	1	0.5	0.1	55	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-557	10	0.2	4	0.2	0.1	120	20	11	2	0.6	0.1	57	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-558	50	0.2	1	0.1	0.1	83	20	6	10	0.2	0.1	68	--	--	--	--	--	--	--	--	--	--	--	--

Certified by ......Hart Bichler

10

Chemex Labs Ltd.

•Analytical Chemists •Geochemists •Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

Phone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHEVRON CANADA RESOURCES LTD.
MINERALS STAFF
1900 - 1055 W. HASTINGS ST.
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8617175-004-A
INVOICE # : I8617175
DATE : 9-SEP-86
P.O. # : NONE
M 558

ATTN: GODFREY WALTON

Sample description	Au ppb FA+AA	Sb ppm org ex	As ppm org ex	Bi ppm org ex	Cd ppm org ex	Cu ppm org ex	Ga ppm org ex	Pb ppm org ex	Mo ppm org ex	Ag ppm org ex	Tl ppm org ex	Zn ppm org ex												
JM6M2-559	25	0.1	1	0.2	0.3	630	17	6	10	0.7	0.2	69	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-560	155	0.1	1	0.1	0.1	550	17	5	28	0.5	0.2	60	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-561	60	0.1	1	0.1	0.1	65	21	10	15	0.1	0.2	86	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-562	25	0.1	1	0.1	0.1	38	21	12	1	0.3	0.1	112	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-563	35	0.1	3	0.2	0.1	35	21	11	2	0.2	0.1	103	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-564	25	0.2	9	0.2	0.6	49	20	24	1	0.3	0.1	70	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-565	60	0.6	12	0.2	1.1	80	13	22	2	0.5	0.2	488	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-566	50	0.4	20	0.2	0.6	50	17	14	1	0.3	0.1	127	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-567	10	7.0	340	0.2	0.1	100	18	24	2	0.6	0.3	57	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-568	<5	0.2	22	0.1	0.1	81	13	2	5	0.3	0.1	25	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-569	<5	0.9	29	0.3	0.1	40	20	14	1	0.3	0.2	61	--	--	--	--	--	--	--	--	--	--	--	--
JM6M2-570	5	0.8	5	0.2	0.1	37	19	16	1	0.2	0.3	78	--	--	--	--	--	--	--	--	--	--	--	--

Certified by ..Hart Bichler...

Be Rocks

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA
ET6M1-01	205	0.4	2	1.6	1100
ET6M1-02	205	0.2	2	0.4	245
ET6M1-05	205	0.2	11	2.0	250
ET6M1-06	205	0.8	12	15.0	115
ET6M1-07	205	2.6	115	13.8	25
ET6M1-08	205	0.5	32	10.2	110
ET6M1-09	205	1.1	25	18.4	25
ET6M1-10	205	1.4	50	3.2	295
ET6M1-11	205	0.7	36	2.2	10
ET6M4-12	205	0.4	20	2.8	60
WH6M1-01	205	0.1	4	0.2	70
WH6M1-02	205	6.9	160	69.0	900
WH6M1-03	205	0.1	9	0.2	65
WH6M1-04	205	0.1	3	0.2	100
WH6M1-06	205	0.1	11	0.2	50
WH6M1-10	205	0.6	3	0.2	270
WH6M1-11	205	0.1	1	0.3	200
WH6M1-12	205	0.5	19	0.6	4800
WH6M1-13	205	0.2	5	1.0	40
WH6M1-14	205	1.0	5	0.1	370
WH6M1-15	205	0.1	9	0.1	630
WH6M1-16	205	0.3	2	0.1	115
WH6M1-17	205	0.1	3	0.1	115
WH6M1-18	205	0.1	5	1.0	100
WH6M1-19	205	0.1	2	0.1	60
WH6M1-20	205	0.7	3	0.4	235
WH6M1-21	205	1.6	32	0.8	600
WH6M1-32	205	7.8	70	3.4	1080
WH6M1-33	205	1.9	180	1.0	360
WH6M1-34	205	0.3	10	0.4	170
WH6M1-35	205	0.3	41	0.4	155
WH6M1-36	205	0.1	4	1.2	20
WH6M1-37	205	0.3	10	0.6	40
WH6M1-38	205	0.1	5	1.0	35
WH6M1-39	205	0.1	3	0.3	5
WH6M1-40	205	0.3	6	0.8	20
WH6M1-41	205	0.2	3	0.3	5
WH6M1-42	205	0.3	4	0.4	150
WH6M1-43	205	0.2	5	2.7	<5
WH6M1-44	205	0.3	11	4.2	5
GW6M1-01	205	0.2	23	0.4	45
GW6M1-02	205	1.1	3	0.1	315

Be Rocks

Sample description	Au ppb FA+AA	Sb ppm org ex	As ppm org ex	6 Bi ppm org ex	7 Cd ppm org ex	1 Cu ppm org ex	8 Ga ppm org ex	2 Pb ppm org ex	4 Mo ppm org ex	Ag ppm org ex	5 Tl ppm org ex	3 Zn ppm org ex
GW6M1-005 —	<5	94.0	43	0.1	1.6	280	1	8	1	2.5	0.1	79
GW6M1-006 —	350	21.0	14	0.1	0.3	63	11	4	1	1.7	0.1	27
GW6M1-010 —	<5	6.2	16	0.1	0.1	194	13	10	1	0.4	0.3	89
WH6M1-143 —	15	1.0	1	0.1	0.1	87	14	2	1	0.2	0.1	37
WH6M1-144 —	5	0.9	1	0.1	0.1	70	20	5	2	0.1	0.1	41
WH6M1-145 —	110	0.6	9	0.2	0.1	830	17	18	3	1.0	0.3	33
WH6M1-146 —	40	1.2	2	1.2	0.1	51	16	4	6	0.6	0.3	24
WH6M1-147 —	20	1.1	1	0.3	0.1	28	8	7	20	0.2	0.1	95
WH6M1-148 —	760	0.8	2	0.1	0.1	2870	17	2	10	1.3	0.2	46
WH6M1-149 —	1150	1.3	4	3.1	0.2	>10000	13	12	3	14.0	0.1	58
WH6M1-152 —	10	0.4	7	0.1	0.1	260	9	5	1	0.2	0.1	90
WH6M1-155A —	<5	8.7	6	0.1	0.4	146	14	10	1	0.2	0.4	118
WH6M1-204 —	615	0.9	19	0.1	0.1	26	14	5	1	3.3	0.3	14
WH6M1-205 —	85	0.4	11	0.5	0.1	21	16	18	37	0.4	0.8	13
JM6M1-235 —	1670	9.8	5	0.3	0.1	9800	13	6	20	3.8	0.2	56
JM6M1-422 —	170	1.0	27	0.1	0.1	36	13	6	2	1.3	0.2	31
JM6M1-423 —	35	1.0	17	2.9	0.1	136	16	20	90	1.2	0.6	19
EW6M1-170 —	110	>1000.0	1400	0.1	37.0	>10000	4	12	3	>100.0	0.1	3400
EW6M1-171 —	<5	>1000.0	1400	0.1	39.0	7600	1	13	1	57.0	0.1	1770
EW6M1-382 —	2100	2.0	19	3.1	0.1	>10000	13	83	140	7.4	0.2	36
EW6M1-383 —	480	1.1	4	0.5	0.1	2850	15	8	5	0.8	0.1	90
EW6M1-384 —	125	0.3	3	0.6	0.1	630	12	13	6	1.0	0.1	36
EW6M1-386 —	>10000	0.8	2	9.8	0.1	>10000	9	55	340	19.2	0.2	130
EW6M1-387 —	185	0.5	10	3.0	9.4	1280	16	143	100	2.4	0.6	170
EW6M1-389 —	40	0.2	1	0.1	0.1	215	20	6	40	0.1	0.1	48
EW6M1-390 —	25	0.2	2	0.1	0.1	48	23	3	1	0.1	0.1	14
EW6M1-585	40	0.3	1	0.2	0.1	3	13	18	1	0.2	0.7	31
EW6M1-599	35	0.2	1	0.9	0.1	75	13	4	6	0.4	0.2	125
EW6M1-600	30	6.4	280	0.3	0.1	120	12	1	44	0.1	1.2	63
				6	7	1	8	2	4		5	3

Sample description	Prep code	Au FA oz/T
EW6M1-386-	214	0.316

Soils, Silts and Talus. (does not include detailed grid)

description	code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
ET6M 2-3	201	0.1	6	0.2	5	--	--
ET6M 2-5	201	0.1	12	0.2	50	--	--
ET6M2-13	201	1.5	90	4.6	115	--	--
EW6M2-C7	201	0.4	23	1.0	185	--	--
EW6M2-C8	201	1.3	60	2.6	1480	--	--
EW6M2-09	201	0.1	14	1.2	15	--	--
EW6M2-10	201	0.3	16	0.8	65	--	--
EW6M2-11	201	0.3	7	0.2	200	--	--
EW6M2-12	201	0.2	9	0.5	530	--	--
EW6M2-13	201	0.1	4	0.1	25	--	--
EW6M2-14	201	0.2	11	0.4	205	--	--
EW6M2-15	201	0.1	5	0.5	95	--	--
EW6M2-61	201	0.9	15	4.0	40	--	--
JM6M3-01	201	0.1	41	2.C	<5	--	--
JM6M3-02	201	0.2	35	1.4	<5	--	--
JM6M3-03	201	0.2	39	2.C	<5	--	--
JM6M3-04	201	0.2	30	1.2	<5	--	--

				6	7	1	8	2	4		5	3
Sample description	Au ppb FA+AA	Sb ppm org ex	As ppm org ex	Bi ppm org ex	Cd ppm org ex	Cu ppm org ex	Ga ppm org ex	Pb ppm org ex	Mo ppm org ex	Ag ppm org ex	Tl ppm org ex	Zn ppm org ex
EW6M4-172	<5	2.4	130	0.5	0.1	34	1	2	2	0.2	0.1	70
EW6M4-173	<5	5.6	150	1.1	0.1	28	1	3	1	0.1	0.1	47
EW6M4-174	<5	0.6	60	0.7	0.1	41	4	3	1	0.2	0.1	68
EW6M4-175	5	1.6	39	0.1	0.1	48	4	2	1	0.3	0.1	133
EW6M4-176	<5	2.3	70	0.1	0.1	12	1	1	2	0.1	0.1	65
EW6M4-177	<5	0.1	320	2.2	0.1	16	1	2	2	0.1	0.1	83
EW6M4-178	<5	1.9	1300	0.5	0.1	17	1	24	16	0.1	0.1	90
EW6M4-179	<5	0.6	16	0.3	0.1	60	4	1	1	0.2	0.1	51
EW6M4-180	<5	0.1	14	1.4	0.3	24	2	4	1	0.3	0.1	58
EW6M2-380	340	1.0	11	1.1	0.1	780	19	33	41	0.7	0.2	97
EW6M4-381	45	0.1	3	1.3	0.1	236	20	9	17	0.3	0.1	69
EW6M2-385	95	0.3	4	0.1	0.1	84	17	8	2	0.2	0.3	31
EW6M4-388	90	0.1	3	0.4	0.1	305	17	11	6	0.2	0.1	82
EW6M4-390	350	0.5	5	0.4	0.1	22	18	6	1	0.1	0.2	26
JM6M2-234	245	0.2	2	2.5	0.1	208	20	13	11	0.6	0.1	127
				6	7	1	8	2	4		5	3