OUTLAW CLAIMS - TRENCH # 1.

SCALE : 1 : 50

0 50 100 150CM.

W

N

E



TRENCH GEOLOGY

TOP END OF TRENCH CONSISTS OF VUGGY QZ VEINS. QZ VEINS CONTINUE AT LEAST 25 CM NORTH PAST THE END OF THE TRENCH. SILICEOUS FELDSPAR PORPHYRY BETWEEN QZ VEINS, HOSTS QZ VEINS. THE VEIN ARE VUGGY AND GREY WITH FINELY DISSEMINATED PYRITE.

FRACTURING IS EXTENSIVE WITH RUSTY WEATHERING ALONG THE SURFACES.

FRACTURE SETS: (1) 075/65 SE
(2) 330/88 NE
(3) 010/86 SE
170/75 W.

TRENCH SAMPLES

DB3T1 - 49	100 CM HORIZONTALLY CHIP SAMPLE, VUGGY QZ VEIN, LIGHT GREY, 1% DISSEMINATED PYRITE.
DB3T1 - 50	100 CM HORIZONTALLY, QZ VEIN
DB3T1 - 51	100 CM HORIZONTALLY, SILICEOUS FELDSPAR PORPHYRY, FINE-GRAINED, 1-2 % DISSEM PYRITE, SOME VUGGY QZ VEINLETS.
DB3T1 - 52	100 CM HORIZONTALLY SILICEOUS FELDSPAR PORPHYRY SIMILAR TO DB-51, 1% DISSEM, PYRITE.
DB3T1 - 53	100 CM HORIZONTALLY VUGGY QZ VEIN, GREY, ∠ 1% FINELY DISSEM PYRITE, SOME FELDSPAR PORPHYRY.
DB3T1 - 54	100 CM HORIZONTALLY, SILICEOUS FELDSPAR PORPHYRY WITH DARK GREY QZ VEINLETS, 1-2% FINELY. DISSEMINATED PYRITE.

842446 M504 1982

inches
0 1 2
0 1 2 3 4 5
centimetres
BRITISH COLUMBIA GEOLOGICAL SURVEY
This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

NCI - 520