

T A B L E 2

862421

CANADIAN-UNITED MINERALS INC.
SUMMARY OF FIREWEED PROPERTY DRILLING RESULTS

WEST ZONE

HOLE	DEPTH (m)	WIDTH (m)	Ag (oz/ton)	Pb (%)	Zn (%)	Cu (%)	Au (oz/ton)
FW88-1	123.0-128.8	5.8	1.36	-	-	-	-
	166.5-171.1	4.6	1.01	-	-	-	-
	193.8-199.0	5.2	1.13	-	-	-	-
	263.3-266.3	3.0	0.96	-	-	-	-
FW88-3	045.1-048.1	3.0	0.46	-	2.15	0.14	-
	058.6-060.1	1.5	0.37	-	0.37	0.17	0.061
	061.6-066.1	4.5	0.34	1.26	2.27	-	-
	081.1-082.6	1.5	-	-	2.49	-	-
FW88-4	019.8-021.3	+1.5	0.92	-	-	0.42	-
	110.2-112.2	2.0	0.41	1.60	2.63	-	-
	141.8-144.8	3.0	-	-	-	-	0.019
FW88-5	065.0-068.0	3.0	-	-	2.70	0.09	-
	071.2-073.0	1.8	-	-	1.18	-	-
	078.3-080.3	2.0	0.75	-	0.70	0.31	-
	110.4-112.4	2.0	-	-	1.93	-	-
	128.0-129.5	1.5	-	-	3.21	-	-
FW88-7	070.0-076.0	6.0	1.06	-	-	-	-
FW88-8	066.7-080.3	13.6	-	1.22	1.94	-	-
	084.2-088.8	4.6	0.49	1.58	3.85	-	-
	094.0-098.0	4.0	18.89	1.01	2.11	-	-
	112.1-114.1	2.0	0.25	-	1.38	-	0.021
FW88-22	050.5-075.5	25.0	9.57	1.28	1.94	-	-
	incl 156.0-068.5	13.0	17.2	1.79	3.07	-	-
	120.0-121.2	1.2	2.9	0.45	0.25	-	-
	163.0-164.0	1.0	5.53	1.25	1.53	-	-
FW88-24	067.7-078.4	11.7	12.95	0.97	1.93	-	-
FW88-25	026.6-045.4	19.0	6.04	0.52	0.77	-	-
FW88-26	124.0-129.0	5.0	1.69	4.02	3.83	-	-
FW88-28	070.1-071.1	1.0	3.76	4.24	10.15	-	-
	119.3-121.3	2.0	9.26	0.46	1.75	-	-
	193.8-198.8	5.0	1.09	1.51	2.89	-	-

HOLE	DEPTH (m)	WIDTH (m)	Ag (oz/ton)	Pb (%)	Zn (%)	Cu (%)	Au (oz/ton)
FW88-29	020.1-023.1	3.0	1.18	-	-	0.76	-
	024.1-029.1	5.0	1.96	1.17	11.13	0.27	0.009
	033.2-036.5	3.3	4.41	4.72	15.50	0.39	0.032
	040.5-041.5	1.0	4.40	4.36	21.78	0.18	0.024
	044.4-046.4	2.0	1.55	1.24	5.05	0.40	0.030
	056.5-060.5	4.0	4.53	5.37	18.82	0.50	0.055
	064.3-065.3	1.0	1.48	3.26	2.75	0.06	0.004
FW88-31	113.2-123.2	10.0	3.75	-	-	-	-
	132.2-135.2	3.0	4.30	0.46	1.36	-	-
	139.2-150.2	11.0	6.00	-	-	-	-
	incl 139.2-141.2	2.0	15.79	2.07	1.87	-	-
	146.2-148.2	2.0	8.81	-	0.66	-	-
FW88-33	107.0-118.0	11.0	0.67	1.23	3.75	-	-
	125.0-128.0	3.0	0.68	1.48	2.15	-	-
FW88-34	068.8-073.4	4.6	4.26	0.40	0.84	-	-
FW88-35	143.0-146.0	3.0	0.74	1.03	1.33	-	-
FW88-36	098.0-100.8	2.8	11.55	1.39	3.61	-	-
	106.0-116.6	9.6	5.42	0.56	1.08	-	-
FW88-37	145.0-148.0	3.0	8.27	1.80	2.25	-	-
	153.0-154.0	1.0	11.46	2.65	3.73	-	-
FW88-38	124.0-140.0	16.0	5.27	1.09	1.75	-	-
FW88-39	086.3-090.4	4.1	12.4	0.81	0.28	-	-
FW88-41	110.8-118.7	7.9	18.5	2.26	3.02	-	-
FW88-42	126.4-137.2	10.8	11.3	1.35	2.14	-	-
FW88-48	096.5-098.2	1.7	1.03	-	3.06	0.16	0.042
	100.6-102.2	1.6	1.16	0.31	2.44	0.24	0.038
	105.6-107.2	1.6	0.71	0.38	2.39	-	0.049
FW88-49	050.1-051.8	1.7	1.71	0.91	7.18	0.10	0.026
	053.3-067.3	14.0	2.0	1.73	3.94	0.08	0.018
FW88-50	024.0-034.5	11.5	0.18	0.94	3.46	0.08	0.033
	072.3-079.7	7.4	0.69	0.18	4.26	0.20	0.015
	082.6-089.0	6.4	0.35	-	8.70	-	-
FW88-51	043.0-044.0	1.0	0.17	-	3.51	-	0.005
	049.0-050.0	1.0	0.64	0.17	3.28	-	-
	062.8-082.8	20.0	4.24	0.68	1.56	-	0.013
	150.7-151.9	1.2	1.87	3.05	2.74	-	0.011

HOLE	DEPTH (m)	WIDTH (m)	Ag (oz/ton)	Pb (%)	Zn (%)	Cu (%)	Au (oz/ton)
FW89-52	113.5-115.5	2.0	0.83	1.73	1.63	-	-
	143.8-146.2	2.4	1.22	-	-	-	0.008
	221.3-222.2	0.9	1.52	2.73	1.62	-	-
FW89-53	073.0-076.2	3.2	0.38	0.20	3.17	-	0.054
FW89-54	193.6-194.7	1.1	1.78	1.40	1.99	-	-
FW89-55	173.2-182.2	9.9	3.30	0.37	0.36	-	-
FW89-56	183.8-187.8	4.0	0.48	0.90	1.23	-	-
FW89-57	139.3-148.3	9.0	3.20	0.26	0.39	-	-
FW89-58 (Mn Zone)	017.0-020.4	3.4	3.11	0.32	0.46	-	-
FW89-76	13.2-19.2	1.0	2.16	2.30	6.62	0.18	0.040
	115.5-121.2	5.7	2.19	3.49	4.63	-	-
	incl 115.5-116.5	1.0	7.70	12.30	5.01	0.08	-
	and 118.5-120.5	2.0	2.02	3.14	8.66	0.07	-
FW89-77	189.5-193.5	4.0	5.86	0.42	0.73	-	-
	incl 190.5-192.5	2.0	8.71	0.61	1.05	-	-
FW89-78	97.6-101.6	4.0	0.35	0.39	0.67	-	-
	109.4-111.4	2.0	0.48	0.74	0.90	-	-
	114.5-115.5	1.0	0.41	0.88	0.82	-	-
FW89-79	47.1-48.3	1.2	0.27	1.11	0.22	-	-
	64.5-65.8	1.3	0.82	1.16	1.73	-	-
	71.3-74.5	3.2	1.62	2.31	2.55	-	0.009