

862631

PLACER DOME INC (VANCOUVER LABORATORY)

GEOCHEMICAL DATA LISTING: V232 SPRING

DATE: 88:11:25

PDL lab data file: P8425
 AREA: SPRING
 MAPSHEET NO: 92H16
 VENTURE: V232
 GEOLOGIST: R PEASE
 LAB PROJECT NO: 8425



PLEASE DISTRIBUTE RESULTS TO: RP BB LAB

REMARKS:
 "AU1 RESULTS REPORTED IN PPB"

STANDARD ANALYSIS METHODS USED BY PDL GEOCHEM LAB ARE LISTED BELOW:
 ALL RESULTS EXPRESSED AS INDICATED IN UNITS COLUMN BELOW
 ANY EXCEPTIONS FOR THIS PROJECT ARE NOTED ABOVE

REMARKS: INTERNAL LAB STANDARDS HAVE BEEN INCLUDED FOR REFERENCE.
 SAMPLE NUMBERS FOLLOWED BY * ARE DUPLICATE ANALYSES.

	UNITS	WT.G	ATTACK USED	TIME	RANGE	METHOD
MO	PPM	0.5	HCLO4/HNO3	4HRS	1-1000	ATOMIC ABSORPTION
CU	PPM	0.5	HCLO4/HNO3	4HRS	2-4000	ATOMIC ABSORPTION
ZN	PPM	0.5	HCLO4/HNO3	4HRS	2-3000	ATOMIC ABSORPTION
PB	PPM	0.5	HCLO4/HNO3	4HRS	2-3000	A.A. BACKGROUND COR.
CD	PPM	0.5	HCLO4/HNO3	4HRS	0.2-200	A.A. BACKGROUND COR.
NI	PPM	0.5	HCLO4/HNO3	4HRS	2-2000	ATOMIC ABSORPTION
CO	PPM	0.5	HCLO4/HNO3	4HRS	2-2000	ATOMIC ABSORPTION
AG	PPM	0.5	HCLO4/HNO3	4HRS	0.2-20	A.A. BACKGROUND COR
AU	PPM	10.0	AQUA REGIA	3HRS	0.01-4.00	A.A. SOLVENT EXTRACT.
AU1	PPB	10.0	AQUA REGIA	3HRS	5-4000	A.A. SOLVENT EXTRACT.
U	PPM	0.25	DIL HNO3	2HRS	1.0-1000	FLOURIMETRY SOLV. EX.
V	PPM	0.5	HF/HCLO4/HNO3/HCL	6HRS	5-1000	ATOMIC ABSORPTION
W	PPM	0.5	HCLO4/H3PO4	2HRS	2-1000	DC PLASMA
F	PPM	0.25	NA2CO3/KNO3 FUSION	30MIN	40-4000	SPECIFIC ION ELECTRODE
AS	PPM	0.5	AQUA REGIA	3HRS	2-2000	DC PLASMA
SB	PPM	0.5	HCL/HNO3	3HRS	2-2000	DC PLASMA
BI	PPM	0.5	HCLO4/HNO3	4HRS	2-2000	A.A. BACKGROUND COR.
MN	PPM	0.5	HCLO4/HNO3	4HRS	2-2000	ATOMIC ABSORPTION
FE	%	0.5	HF/HCLO4/HNO3/HCL	6HRS	0.02-20%	DC PLASMA
HG	PPB	0.25	DIL HNO3/HCL	2HRS	5-2000PPB	A.A. COLD VAPOR GEN.
BA	%	0.25	HF/HI/OXALIC	4HRS	0.02-20%	ATOMIC ABSORPTION
NA	%	0.5	HF/HCLO4/HNO3/HCL	6HRS	0.2 -20%	DC PLASMA
K	%	0.5	HF/HCLO4/HNO3/HCL	6HRS	0.2 -20%	DC PLASMA
CA	%	0.5	HF/HCLO4/HNO3/HCL	6HRS	0.02-20%	DC PLASMA
SR	PPM	0.5	HF/HCLO4/HNO3/HCL	6HRS	10-2000	DC PLASMA
MG	%	0.5	HF/HCLO4/HNO3/HCL	6HRS	0.2-20%	DC PLASMA
SN	PPM	1.0	NH4I FUSION	15MIN	5-500	A.A. SOLVENT EXTRACT.
PT	PPB	25.0	FIRE ASSAY	45MIN	DL 10PPB	DC PLASMA
PD	PPB	25.0	FIRE ASSAY	45MIN	DL 5PPB	DC PLASMA
LOI	%	1.0	ASH 600 DEG C	2HRS	0.02-99%	WEIGH RESIDUE

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L6+00E	0+25N	8425	18	100	7	<0.2	<5
92H16	L6+00E	0+50N	8425	16	87	6	<0.2	<5
92H16	L6+00E	0+75N	8425	19	90	7	<0.2	<5
92H16	L6+00E	1+00N	8425	17	115	8	<0.2	<5
92H16	L6+00E	1+25N	8425	18	90	7	<0.2	<5
92H16	L6+00E	1+50N	8425	13	93	6	<0.2	<5
92H16	L6+00E	1+75N	8425	15	80	7	<0.2	<5
92H16	L6+00E	2+00N	8425	13	108	7	<0.2	<5
92H16	L6+00E	2+25N	8425	9	60	7	<0.2	<5
test	STD P		8425	120	98	107	1.3	
92H16	L6+00E	2+50N	8425	20	72	8	<0.2	<5
92H16	L6+00E	2+75N	8425	20	110	8	<0.2	<5
92H16	L6+00E	3+00N	8425	20	105	7	<0.2	<5
92H16	L6+00E	3+25N	8425	23	92	7	<0.2	<5
92H16	L6+00E	3+50N	8425	35	52	8	<0.2	<5
92H16	L6+00E	3+75N	8425	22	82	8	<0.2	<5
92H16	L6+00E	4+00N	8425	20	98	9	<0.2	<5
92H16	L6+00E	4+25N	8425	23	98	9	<0.2	<5
92H16	L6+00E	4+50N	8425	26	107	10	<0.2	<5
92H16	L6+00E	4+50N*	8425	26	106	13	<0.2	<5
92H16	L6+00E	4+75N	8425	12	81	8	<0.2	<5
92H16	L6+00E	5+00N	8425	20	83	8	<0.2	<5
92H16	L6+00E	5+25N	8425	25	44	8	<0.2	<5
92H16	L6+00E	5+50N	8425	18	84	8	<0.2	<5
92H16	L6+00E	5+75N	8425	22	95	9	<0.2	<5
92H16	L6+00E	6+00N	8425	20	102	8	<0.2	<5
92H16	L6+00E	6+25N	8425	26	120	10	<0.2	<5
92H16	L6+00E	6+50N	8425	9	90	6	<0.2	<5
92H16	L6+00E	6+75N	8425	14	50	6	<0.2	<5
92H16	L6+00E	6+75N*	8425	15	50	7	<0.2	<5
92H16	L6+00E	7+00N	8425	20	118	10	<0.2	20
92H16	L6+00E	7+25N	8425	19	116	7	<0.2	<5
92H16	L6+00E	7+50N	8425	15	96	6	<0.2	<5
92H16	L6+00E	7+75N	8425	16	106	8	<0.2	<5
92H16	L6+00E	8+00N	8425	19	113	6	0.2	<5
92H16	L6+00E	8+25N	8425	13	68	7	<0.2	<5
92H16	L6+00E	8+50N	8425	13	74	6	<0.2	75
92H16	L6+00E	8+75N	8425	13	93	6	<0.2	<5
92H16	L6+00E	9+00N	8425	18	84	6	<0.2	<5
92H16	L6+00E	9+00N*	8425	19	90	6	<0.2	<5
92H16	L6+00E	9+25N	8425	22	67	6	0.2	<5
92H16	L6+00E	9+50N	8425	25	60	7	<0.2	<5
92H16	L6+00E	9+75N	8425	51	55	6	0.2	<5
92H16	L6+00E	10+00N	8425	40	47	8	<0.2	10
92H16	L6+00E	10+25N	8425	27	51	5	<0.2	<5
92H16	L6+00E	10+50N	8425	24	50	5	<0.2	<5
92H16	L6+00E	10+75N	8425	30	76	5	<0.2	<5
92H16	L6+00E	11+00N	8425	26	46	5	<0.2	<5
92H16	L6+00E	11+25N	8425	61	60	8	0.4	<5
92H16	L6+00E	11+25N*	8425	58	57	5	0.4	<5
92H16	L6+00E	11+50N	8425	36	45	6	<0.2	<5
92H16	L6+00E	11+75N	8425	28	56	6	<0.2	<5
92H16	L6+00E	12+00N	8425	46	55	6	<0.2	<5
92H16	L6+00E	12+25N	8425	24	48	6	<0.2	<5
92H16	L6+00E	12+50N	8425	23	53	6	0.2	<5
92H16	L6+00E	12+75N	8425	22	60	5	<0.2	<5
92H16	L6+00E	13+00N	8425	21	52	5	<0.2	10
92H16	L6+00E	13+25N	8425	24	76	6	<0.2	20
92H16	L6+00E	13+50N	8425	23	61	5	<0.2	<5
test	STD P		8425	130	100	105	1.8	

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L6+00E	13+75N	8425	22	66	10	<0.2	<5
92H16	L6+00E	14+00N	8425	21	70	5	0.2	20
92H16	L6+00E	14+25N	8425	23	54	5	0.2	10
92H16	L6+00E	14+50N	8425	24	86	5	0.2	<5
92H16	L6+00E	14+75N	8425	21	88	7	0.2	<5
92H16	L6+00E	15+00N	8425	26	70	5	0.3	<5
92H16	L6+00E	0+25S	8425	20	81	5	0.2	<5
92H16	L6+00E	0+50S	8425	17	86	8	<0.2	<5
92H16	L6+00E	0+75S	8425	15	83	7	0.2	5
92H16	L6+00E	0+75S*	8425	14	80	8	0.2	<5
92H16	L6+00E	1+00S	8425	17	80	7	<0.2	<5
92H16	L6+00E	1+25S	8425	13	28	6	<0.2	20
92H16	L6+00E	1+50S	8425	11	23	5	<0.2	<5
92H16	L6+00E	1+75S	8425	16	84	14	<0.2	<5
92H16	L6+00E	2+00S	8425	14	78	5	<0.2	5
92H16	L6+00E	2+25S	8425	18	42	7	<0.2	<5
92H16	L6+00E	2+50S	8425	17	100	8	<0.2	<5
92H16	L6+00E	2+75S	8425	74	126	7	0.3	<5
92H16	L6+00E	3+00S	8425	70	170	13	0.3	<5
92H16	L6+00E	3+00S*	8425	72	173	13	0.3	<5
92H16	L6+00E	3+25S	8425	70	235	16	0.4	<5
92H16	L6+00E	3+50S	8425	15	102	9	<0.2	<5
92H16	L6+00E	3+75S	8425	13	108	11	<0.2	<5
92H16	L6+00E	4+00S	8425	11	96	9	<0.2	<5
92H16	L6+00E	4+25S	8425	8	63	8	<0.2	<5
92H16	L6+00E	4+50S	8425	8	70	8	<0.2	<5
92H16	L6+00E	4+75S	8425	14	92	8	<0.2	<5
92H16	L6+00E	5+00S	8425	13	73	7	<0.2	<5
92H16	L6+00E	5+25S	8425	18	68	8	<0.2	<5
92H16	L6+00E	5+25S*	8425	20	70	7	<0.2	<5
92H16	L6+00E	5+50S	8425	16	57	8	<0.2	<5
92H16	L6+00E	5+75S	8425	33	70	8	0.2	<5
92H16	L6+00E	6+00S	8425	58	62	7	0.2	<5
92H16	L6+00E	6+25S	8425	47	52	7	0.4	<5
92H16	L6+00E	6+50S	8425	24	54	7	0.2	<5
92H16	L6+00E	6+75S	8425	20	53	5	0.2	<5
92H16	L6+00E	7+00S	8425	37	77	8	0.6	<5
92H16	L6+00E	7+25S	8425	20	87	10	<0.2	<5
92H16	L6+00E	7+50S	8425	23	89	8	0.4	<5
92H16	L6+00E	7+50S*	8425	22	88	8	0.4	<5
92H16	L6+00E	7+75S	8425	10	109	6	0.4	5
92H16	L6+00E	8+00S	8425	11	117	10	0.4	<5
92H16	L6+00E	8+25S	8425	7	110	9	0.4	<5
92H16	L6+00E	8+50S	8425	11	92	7	0.5	<5
92H16	L6+00E	8+75S	8425	13	75	8	<0.2	<5
92H16	L6+00E	9+00S	8425	20	70	13	<0.2	<5
92H16	L6+00E	9+25S	8425	16	396	34	1.0	<5
92H16	L6+00E	9+50S	8425	6	253	11	0.3	<5
92H16	L6+00E	9+75S	8425	7	330	15	0.7	<5
test	STD P		8425	126	98	110	1.7	
92H16	L6+00E	10+00S	8425	8	151	9	0.4	<5
92H16	L6+00E	10+25S	8425	11	121	10	0.3	<5
92H16	L6+00E	10+50S	8425	12	177	9	0.2	<5
92H16	L6+00E	10+75S	8425	10	131	11	0.3	<5
92H16	L6+00E	11+00S	8425	6	103	14	<0.2	<5
92H16	L6+00E	11+25S	8425	12	185	11	0.3	<5
92H16	L6+00E	11+50S	8425	6	276	10	0.4	<5
92H16	L6+00E	11+75S	8425	11	160	10	0.4	<5
92H16	L6+00E	12+00S	8425	10	313	10	0.5	<5
92H16	L6+00E	12+00S*	8425	10	310	10	0.5	<5

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L6+00E	12+25S	8425	15	147	13	0.3	<5
92H16	L6+00E	12+50S	8425	7	86	11	0.2	<5
92H16	L6+00E	12+75S	8425	9	127	9	0.2	<5
92H16	L6+00E	13+00S	8425	6	107	10	0.2	<5
92H16	L6+00E	13+25S	8425	13	265	12	0.4	10
92H16	L6+00E	13+50S	8425	8	171	10	0.6	<5
92H16	L6+00E	13+75S	8425	8	237	12	0.7	<5
92H16	L6+00E	14+00S	8425	12	185	11	0.7	<5
92H16	L6+00E	14+25S	8425	4	131	10	0.4	<5
92H16	L6+00E	14+25S*	8425	4	132	10	0.4	<5
92H16	L6+00E	14+50S	8425	9	200	11	1.0	<5
92H16	L6+00E	14+75S	8425	7	124	8	1.5	<5
92H16	L6+00E	15+00S	8425	12	156	17	0.7	10
92H16	L6+00E	15+25S	8425	7	161	10	0.7	<5
92H16	L6+00E	15+50S	8425	11	200	11	0.8	<5
92H16	L6+00E	15+75S	8425	8	218	10	0.5	<5
92H16	L6+00E	16+00S	8425	14	106	12	0.3	<5
92H16	L6+00E	16+25S	8425	14	150	13	0.5	<5
92H16	L6+00E	16+50S	8425	13	115	17	0.3	<5
92H16	L6+00E	16+50S*	8425	12	111	16	0.3	<5
92H16	L6+00E	16+75S	8425	26	146	33	0.5	<5
92H16	L6+00E	17+00S	8425	11	150	46	0.3	<5
92H16	L6+00E	17+25S	8425	13	400	53	0.7	<5
92H16	L6+00E	17+50S	8425	26	630	41	1.1	<5
92H16	L6+00E	17+75S	8425	10	420	25	0.4	<5
92H16	L6+00E	18+00S	8425	27	342	27	0.5	<5
92H16	L6+00E	18+25S	8425	23	680	21	0.5	<5
92H16	L6+00E	18+50S	8425	19	266	18	0.4	<5
92H16	L6+00E	18+75S	8425	55	1130	40	1.5	<5
92H16	L6+00E	18+75S*	8425	56	1130	38	1.5	5
92H16	L6+00E	19+00S	8425	16	1430	22	0.2	<5
92H16	L6+00E	19+25S	8425	32	0.28%	45	1.9	30
92H16	L6+00E	19+50S	8425	24	690	18	0.5	10
92H16	L6+00E	19+75S	8425	12	1530	67	0.4	5
92H16	L6+00E	20+00S	8425	10	530	25	0.2	<5
92H16	L6+00W	27+00N	8425	13	121	11	<0.2	<5
92H16	L6+00W	27+25N	8425	14	116	10	<0.2	<5
92H16	L6+00W	27+50N	8425	12	96	8	<0.2	<5
92H16	L6+00W	27+75N	8425	13	104	6	<0.2	<5
test	STD P	8425	128	96	108	1.6		
92H16	L6+00W	28+00N	8425	15	96	8	0.3	<5
92H16	L6+00W	28+25N	8425	16	180	11	0.3	<5
92H16	L6+00W	28+50N	8425	13	58	9	0.2	<5
92H16	L6+00W	28+75N	8425	13	112	12	0.3	<5
92H16	L6+00W	29+00N	8425	14	151	11	0.3	<5
92H16	L6+00W	29+25N	8425	15	123	7	<0.2	<5
92H16	L6+00W	29+50N	8425	17	46	7	<0.2	<5
92H16	L6+00W	29+75N	8425	13	65	7	<0.2	<5
92H16	L6+00W	30+00N	8425	13	75	5	<0.2	<5
test	STD P	8425	125	100	100	1.3		
92H16	L6+00W	30+25N	8425	18	71	6	<0.2	<5
92H16	L6+00W	30+50N	8425	17	72	6	<0.2	<5
92H16	L6+00W	30+75N	8425	19	132	9	<0.2	5
92H16	L6+00W	31+00N	8425	11	93	7	<0.2	10
92H16	L6+00W	31+25N	8425	9	44	6	<0.2	<5
92H16	L6+00W	31+50N	8425	11	112	7	<0.2	<5
92H16	L6+00W	31+75N	8425	12	120	7	<0.2	<5
92H16	L6+00W	32+00N	8425	9	56	5	<0.2	<5
92H16	L6+00W	32+25N	8425	12	57	8	<0.2	<5
92H16	L6+00W	32+25N*	8425	12	59	7	<0.2	10

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L6+00W	32+50N	8425	29	135	10	<0.2	<5
92H16	L6+00W	32+75N	8425	17	106	7	<0.2	<5
92H16	L6+00W	33+00N	8425	12	88	7	<0.2	5
92H16	L6+00W	33+25N	8425	12	84	7	<0.2	<5
92H16	L6+00W	33+50N	8425	14	80	8	<0.2	<5
92H16	L6+00W	33+75N	8425	38	97	10	<0.2	5
92H16	L6+00W	34+00N	8425	24	68	8	<0.2	15
92H16	L6+00W	34+25N	8425	131	170	50	<0.2	55
92H16	L6+00W	34+50N	8425	17	57	5	<0.2	5
92H16	L6+00W	34+50N*	8425	16	54	5	<0.2	<5
92H16	L6+00W	34+75N	8425	6	55	18	<0.2	<5
92H16	L6+00W	35+00N	8425	10	110	9	<0.2	<5
92H16	L8+00E	0+25N	8425	20	75	6	<0.2	<5
92H16	L8+00E	0+50N	8425	19	96	6	<0.2	<5
92H16	L8+00E	0+75N	8425	21	95	5	<0.2	<5
92H16	L8+00E	1+00N	8425	20	98	5	<0.2	<5
92H16	L8+00E	1+25N	8425	21	106	6	<0.2	<5
92H16	L8+00E	1+50N	8425	17	77	5	<0.2	<5
92H16	L8+00E	1+75N	8425	20	84	8	<0.2	<5
92H16	L8+00E	1+75N*	8425	20	87	7	<0.2	<5
92H16	L8+00E	2+00N	8425	20	112	6	0.2	<5
92H16	L8+00E	2+25N	8425	26	74	7	<0.2	<5
92H16	L8+00E	2+50N	8425	25	90	8	<0.2	<5
92H16	L8+00E	2+75N	8425	23	86	7	<0.2	<5
92H16	L8+00E	3+00N	8425	20	109	8	<0.2	<5
92H16	L8+00E	3+25N	8425	21	112	7	<0.2	<5
92H16	L8+00E	3+50N	8425	19	92	8	<0.2	<5
92H16	L8+00E	3+75N	8425	18	32	7	<0.2	<5
92H16	L8+00E	4+00N	8425	19	83	9	<0.2	10
92H16	L8+00E	4+00N*	8425	19	85	9	<0.2	5
92H16	L8+00E	4+25N	8425	13	38	10	<0.2	<5
92H16	L8+00E	4+50N	8425	14	54	19	<0.2	<5
92H16	L8+00E	4+75N	8425	16	100	9	<0.2	<5
92H16	L8+00E	5+00N	8425	10	66	13	<0.2	5
92H16	L8+00E	5+25N	8425	15	77	13	<0.2	<5
92H16	L8+00E	5+50N	8425	36	1000	266	2.1	<5
92H16	L8+00E	5+75N	8425	18	68	9	<0.2	<5
92H16	L8+00E	6+00N	8425	11	51	7	<0.2	<5
92H16	L8+00E	6+25N	8425	17	64	5	<0.2	<5
test	STD P	8425	120	97	100	1.8		
92H16	L8+00E	6+50N	8425	11	143	13	0.2	10
92H16	L8+00E	6+75N	8425	16	237	11	0.3	5
92H16	L8+00E	7+00N	8425	16	130	6	<0.2	<5
92H16	L8+00E	7+25N	8425	22	156	8	<0.2	55
92H16	L8+00E	7+50N	8425	20	93	6	<0.2	<5
92H16	L8+00E	7+75N	8425	23	55	4	<0.2	<5
92H16	L8+00E	8+00N	8425	27	65	4	<0.2	<5
92H16	L8+00E	8+25N	8425	30	61	4	<0.2	<5
92H16	L8+00E	8+50N	8425	30	67	4	0.2	5
92H16	L8+00E	8+50N*	8425	30	64	3	0.2	<5
92H16	L8+00E	8+75N	8425	24	46	3	<0.2	770
92H16	L8+00E	9+00N	8425	25	62	4	<0.2	<5
92H16	L8+00E	9+25N	8425	24	61	4	<0.2	<5
92H16	L8+00E	9+50N	8425	27	64	4	<0.2	<5
92H16	L8+00E	9+75N	8425	25	70	5	<0.2	<5
92H16	L8+00E	10+00N	8425	21	63	4	<0.2	<5
92H16	L8+00E	10+25N	8425	28	51	4	0.2	<5
92H16	L8+00E	10+50N	8425	32	64	4	0.2	<5
92H16	L8+00E	10+75N	8425	24	50	3	0.2	<5
92H16	L8+00E	10+75N*	8425	23	50	4	0.2	<5

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L8+00E	11+00N	8425	23	68	4	<0.2	<5
92H16	L8+00E	11+25N	8425	23	53	3	<0.2	<5
92H16	L8+00E	11+50N	8425	23	51	4	<0.2	<5
92H16	L8+00E	11+75N	8425	27	55	3	<0.2	10
92H16	L8+00E	12+00N	8425	33	62	5	<0.2	<5
92H16	L8+00E	12+25N	8425	24	47	4	<0.2	5
92H16	L8+00E	12+50N	8425	27	73	4	<0.2	<5
92H16	L8+00E	12+75N	8425	25	63	5	0.2	10
92H16	L8+00E	13+00N	8425	21	44	3	<0.2	<5
92H16	L8+00E	13+00N*	8425	22	47	4	<0.2	<5
92H16	L8+00E	13+25N	8425	21	40	3	<0.2	<5
92H16	L8+00E	13+50N	8425	27	50	4	<0.2	<5
92H16	L8+00E	13+75N	8425	20	60	4	<0.2	<5
92H16	L8+00E	14+00N	8425	20	57	3	0.2	15
92H16	L8+00E	14+25N	8425	18	51	3	<0.2	<5
92H16	L8+00E	14+50N	8425	27	58	4	<0.2	25
92H16	L8+00E	14+75N	8425	26	63	3	0.2	5
92H16	L8+00E	15+00N	8425	22	50	3	<0.2	5
92H16	L8+00E	0+25S	8425	23	75	4	<0.2	<5
92H16	L8+00E	0+25S*	8425	23	77	4	<0.2	20
92H16	L8+00E	0+50S	8425	16	61	4	<0.2	<5
92H16	L8+00E	0+75S	8425	17	83	14	0.2	<5
92H16	L8+00E	1+00S	8425	30	102	15	0.2	10
92H16	L8+00E	1+25S	8425	15	136	11	0.2	15
92H16	L8+00E	1+50S	8425	28	33	6	<0.2	<5
92H16	L8+00E	1+75S	8425	18	44	5	0.2	<5
92H16	L8+00E	2+00S	8425	20	53	6	0.2	<5
92H16	L8+00E	2+25S	8425	30	66	5	<0.2	<5
92H16	L8+00E	2+50S	8425	31	120	7	0.3	<5
test	STD P	8425	124	100	110	1.3		
92H16	L8+00E	2+75S	8425	27	180	6	0.2	<5
92H16	L8+00E	3+00S	8425	28	208	7	0.3	<5
92H16	L8+00E	3+25S	8425	15	208	6	0.2	<5
92H16	L8+00E	3+50S	8425	9	80	6	0.3	<5
92H16	L8+00E	3+75S	8425	24	64	5	0.2	<5
92H16	L8+00E	4+00S	8425	12	90	5	0.2	<5
92H16	L8+00E	4+25S	8425	16	86	5	0.2	<5
92H16	L8+00E	4+50S	8425	13	94	5	0.3	<5
92H16	L8+00E	4+75S	8425	38	58	5	<0.2	<5
92H16	L8+00E	4+75S*	8425	38	58	5	<0.2	<5
92H16	L8+00E	5+00S	8425	21	133	6	<0.2	<5
92H16	L8+00E	5+25S	8425	32	89	8	<0.2	<5
92H16	L8+00E	5+50S	8425	27	62	8	<0.2	<5
92H16	L8+00E	5+75S	8425	14	56	6	<0.2	<5
92H16	L8+00E	6+00S	8425	17	131	7	<0.2	<5
92H16	L8+00E	6+25S	8425	40	133	9	0.2	<5
92H16	L8+00E	6+50S	8425	21	70	12	<0.2	5
92H16	L8+00E	6+75S	8425	25	256	7	<0.2	<5
92H16	L8+00E	7+00S	8425	18	315	8	0.2	<5
92H16	L8+00E	7+00S*	8425	18	320	8	0.2	<5
92H16	L8+00E	7+25S	8425	20	130	6	0.2	<5
92H16	L8+00E	7+50S	8425	23	109	6	<0.2	<5
92H16	L8+00E	7+75S	8425	18	208	10	0.2	<5
92H16	L8+00E	8+00S	8425	18	184	10	0.2	<5
92H16	L8+00E	8+25S	8425	40	90	14	0.2	<5
92H16	L8+00E	8+50S	8425	36	68	8	<0.2	<5
92H16	L8+00E	8+75S	8425	18	260	12	0.4	<5
92H16	L8+00E	9+00S	8425	14	245	10	0.3	60
92H16	L8+00E	9+25S	8425	21	103	10	0.2	25
92H16	L8+00E	9+25S*	8425	20	102	10	0.2	<5

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L8+00E	9+50S	8425	18	124	8	0.3	5
92H16	L8+00E	9+75S	8425	15	162	9	0.2	<5
92H16	L8+00E	10+00S	8425	21	430	13	0.5	45
92H16	L8+00E	10+25S	8425	20	127	11	0.4	<5
92H16	L8+00E	10+50S	8425	36	328	12	1.6	<5
92H16	L8+00E	10+75S	8425	17	140	12	0.4	<5
92H16	L8+00E	11+00S	8425	13	246	11	0.7	<5
92H16	L8+00E	11+25S	8425	15	165	13	0.7	<5
92H16	L8+00E	11+50S	8425	18	140	10	0.3	<5
92H16	L8+00E	11+50S*	8425	17	134	10	0.3	<5
92H16	L8+00E	11+75S	8425	13	170	13	0.4	<5
92H16	L8+00E	12+00S	8425	13	160	13	0.8	<5
92H16	L8+00E	12+25S	8425	15	193	15	0.7	<5
92H16	L8+00E	12+50S	8425	15	130	11	0.5	<5
92H16	L8+00E	12+75S	8425	12	124	12	0.5	<5
92H16	L8+00E	13+00S	8425	9	75	14	0.2	10
92H16	L8+00E	13+25S	8425	6	137	12	0.3	<5
92H16	L8+00E	13+50S	8425	7	148	12	0.3	<5
92H16	L8+00E	13+75S	8425	7	94	12	0.2	<5
test	STD P	8425	123	100	110	1.4		
92H16	L8+00E	14+00S	8425	10	130	9	0.4	<5
92H16	L8+00E	14+25S	8425	9	55	10	<0.2	<5
92H16	L8+00E	14+50S	8425	21	65	12	0.4	<5
92H16	L8+00E	14+75S	8425	14	77	11	0.2	<5
92H16	L8+00E	15+00S	8425	16	96	9	0.3	<5
92H16	L8+00E	15+25S	8425	13	160	8	0.4	15
92H16	L8+00E	15+50S	8425	19	85	8	0.2	15
92H16	L8+00E	15+75S	8425	16	84	7	0.2	5
92H16	L8+00E	16+00S	8425	20	71	9	0.2	<5
test	STD P	8425	122	100	100	1.8		
92H16	L8+00E	16+25S	8425	18	56	7	0.2	<5
92H16	L8+00E	16+50S	8425	20	83	9	0.4	20
92H16	L8+00E	16+75S	8425	20	73	7	0.3	<5
92H16	L8+00E	17+00S	8425	17	106	9	0.2	<5
92H16	L8+00E	17+25S	8425	20	77	8	0.2	<5
92H16	L8+00E	17+50S	8425	20	66	10	0.2	<5
92H16	L8+00E	17+75S	8425	13	67	20	<0.2	25
92H16	L8+00E	18+00S	8425	54	242	30	2.4	<5
92H16	L8+00E	18+25S	8425	11	130	15	0.4	<5
92H16	L8+00E	18+25S*	8425	11	130	15	0.4	<5
92H16	L8+00E	18+50S	8425	23	134	24	0.5	<5
92H16	L8+00E	18+75S	8425	13	170	14	0.6	<5
92H16	L8+00E	19+00S	8425	15	305	16	0.5	<5
92H16	L8+00E	19+25S	8425	50	1740	15	2.0	<5
92H16	L8+00E	19+50S	8425	11	392	12	0.4	<5
92H16	L8+00E	19+75S	8425	20	710	22	0.4	<5
92H16	L8+00E	20+00S	8425	16	333	19	0.5	<5
92H16	L10+00E	0+25N	8425	18	98	18	0.2	<5
92H16	L10+00E	0+50N	8425	20	90	17	0.2	<5
92H16	L10+00E	0+50N*	8425	22	98	18	0.2	<5
92H16	L10+00E	0+75N	8425	22	140	45	0.6	<5
92H16	L10+00E	1+00N	8425	67	195	45	0.6	<5
92H16	L10+00E	1+25N	8425	20	47	11	0.2	<5
92H16	L10+00E	1+50N	8425	33	50	6	0.3	15
92H16	L10+00E	1+75N	8425	27	81	5	0.4	<5
92H16	L10+00E	2+00N	8425	23	65	5	0.2	<5
92H16	L10+00E	2+25N	8425	25	76	5	0.2	<5
92H16	L10+00E	2+50N	8425	27	64	4	0.2	<5
92H16	L10+00E	2+75N	8425	22	55	4	0.2	<5
92H16	L10+00E	2+75N*	8425	21	55	4	0.2	<5

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L10+00E	3+00N	8425	19	73	5	0.2	<5
92H16	L10+00E	3+25N	8425	17	61	4	<0.2	<5
92H16	L10+00E	3+50N	8425	20	55	5	0.2	<5
92H16	L10+00E	3+75N	8425	23	68	5	0.3	<5
92H16	L10+00E	4+00N	8425	21	86	3	0.2	55
92H16	L10+00E	4+25N	8425	24	67	3	0.2	<5
92H16	L10+00E	4+50N	8425	19	71	3	<0.2	20
92H16	L10+00E	4+75N	8425	16	60	3	<0.2	30
92H16	L10+00E	5+00N	8425	15	56	2	0.3	5
92H16	L10+00E	5+00N*	8425	16	58	2	0.3	10
92H16	L10+00E	5+25N	8425	20	74	3	<0.2	<5
92H16	L10+00E	5+50N	8425	17	77	5	<0.2	<5
92H16	L10+00E	5+75N	8425	23	63	5	<0.2	<5
92H16	L10+00E	6+00N	8425	16	79	5	<0.2	<5
92H16	L10+00E	6+25N	8425	18	86	4	<0.2	<5
92H16	L10+00E	6+50N	8425	17	71	3	<0.2	<5
92H16	L10+00E	6+75N	8425	16	69	2	0.2	<5
92H16	L10+00E	7+00N	8425	20	72	3	0.2	<5
92H16	L10+00E	7+25N	8425	19	49	<2	0.2	5
test	STD P	8425	120	100	103	1.5		
92H16	L10+00E	7+50N	8425	24	46	4	<0.2	<5
92H16	L10+00E	7+75N	8425	20	47	3	0.2	<5
92H16	L10+00E	8+00N	8425	25	58	3	<0.2	5
92H16	L10+00E	8+25N	8425	22	71	5	0.2	<5
92H16	L10+00E	8+50N	8425	21	82	2	<0.2	<5
92H16	L10+00E	8+75N	8425	22	80	3	<0.2	5
92H16	L10+00E	9+00N	8425	20	74	3	0.2	<5
92H16	L10+00E	9+25N	8425	16	58	2	<0.2	5
92H16	L10+00E	9+50N	8425	22	60	3	0.2	20
92H16	L10+00E	9+50N*	8425	22	66	5	0.2	<5
92H16	L10+00E	9+75N	8425	25	61	4	<0.2	40
92H16	L10+00E	10+00N	8425	20	58	4	<0.2	15
92H16	L10+00E	10+25N	8425	24	62	4	<0.2	<5
92H16	L10+00E	10+50N	8425	28	66	5	<0.2	<5
92H16	L10+00E	10+75N	8425	53	62	6	0.3	<5
92H16	L10+00E	11+00N	8425	32	50	4	0.2	<5
92H16	L10+00E	11+25N	8425	24	42	4	<0.2	<5
92H16	L10+00E	11+50N	8425	26	55	2	0.2	<5
92H16	L10+00E	11+75N	8425	21	58	2	0.2	<5
92H16	L10+00E	11+75N*	8425	21	56	2	0.2	<5
92H16	L10+00E	12+00N	8425	22	81	5	<0.2	<5
92H16	L10+00E	12+25N	8425	25	56	5	<0.2	<5
92H16	L10+00E	12+50N	8425	44	66	7	0.4	<5
92H16	L10+00E	12+75N	8425	37	68	7	0.3	<5
92H16	L10+00E	13+00N	8425	74	83	7	0.5	<5
92H16	L10+00E	13+25N	8425	60	50	6	0.3	125
92H16	L10+00E	13+50N	8425	36	50	4	0.3	<5
92H16	L10+00E	13+75N	8425	23	42	4	<0.2	<5
92H16	L10+00E	14+00N	8425	26	45	4	0.2	20
92H16	L10+00E	14+00N*	8425	24	47	5	0.2	<5
92H16	L10+00E	14+25N	8425	28	62	4	<0.2	<5
92H16	L10+00E	14+50N	8425	23	47	7	0.2	<5
92H16	L10+00E	14+75N	8425	26	48	4	0.2	15
92H16	L10+00E	15+00N	8425	24	45	3	0.2	75
92H16	L10+00E	0+25S	8425	19	94	5	0.3	20
92H16	L10+00E	0+50S	8425	69	92	7	0.7	10
92H16	L10+00E	0+75S	8425	110	56	5	0.4	20
92H16	L10+00E	1+00S	8425	61	57	5	0.5	30
92H16	L10+00E	1+25S	8425	22	113	4	0.4	50
92H16	L10+00E	1+25S*	8425	21	112	5	0.4	30

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L10+00E	1+50S	8425	22	86	2	0.3	<5
92H16	L10+00E	1+75S	8425	27	155	6	0.4	45
92H16	L10+00E	2+00S	8425	16	130	7	0.2	5
92H16	L10+00E	2+25S	8425	22	130	5	0.3	5
92H16	L10+00E	2+50S	8425	18	110	5	0.3	<5
92H16	L10+00E	2+75S	8425	23	98	5	0.3	50
92H16	L10+00E	3+00S	8425	20	84	4	0.3	<5
92H16	L10+00E	3+25S	8425	20	90	6	0.2	<5
92H16	L10+00E	3+50S	8425	19	84	4	0.3	<5
test	STD P	8425	122	100	102	1.3		
92H16	L10+00E	3+75S	8425	38	48	6	<0.2	<5
92H16	L10+00E	4+00S	8425	80	77	4	0.2	90
92H16	L10+00E	4+25S	8425	143	840	12	0.7	5
92H16	L10+00E	4+50S	8425	88	860	16	1.0	<5
92H16	L10+00E	4+75S	8425	18	92	4	0.3	10
92H16	L10+00E	5+00S	8425	17	100	3	0.3	<5
92H16	L10+00E	5+25S	8425	15	362	3	0.4	<5
92H16	L10+00E	5+50S	8425	19	660	5	0.4	20
92H16	L10+00E	5+75S	8425	16	560	2	0.4	<5
92H16	L10+00E	5+75S*	8425	16	550	2	0.4	<5
92H16	L10+00E	6+00S	8425	12	330	7	0.4	<5
92H16	L10+00E	6+25S	8425	13	265	8	0.2	<5
92H16	L10+00E	6+50S	8425	17	570	9	0.3	<5
92H16	L10+00E	6+75S	8425	10	378	8	0.2	<5
92H16	L10+00E	7+00S	8425	10	204	7	0.3	<5
92H16	L10+00E	7+25S	8425	35	160	19	0.4	<5
92H16	L10+00E	7+50S	8425	15	85	4	0.2	<5
92H16	L10+00E	7+75S	8425	36	144	7	0.7	<5
92H16	L10+00E	8+00S	8425	19	185	7	0.8	<5
92H16	L10+00E	8+00S*	8425	18	180	5	0.9	<5
92H16	L10+00E	8+25S	8425	11	186	13	0.5	<5
92H16	L10+00E	8+50S	8425	12	183	8	0.7	5
92H16	L10+00E	8+75S	8425	17	280	10	0.6	<5
92H16	L10+00E	9+00S	8425	15	242	8	0.4	<5
92H16	L10+00E	9+25S	8425	14	185	9	0.5	5
92H16	L10+00E	9+50S	8425	15	185	12	0.2	<5
92H16	L10+00E	9+75S	8425	12	180	10	0.2	10
92H16	L10+00E	10+00S	8425	22	312	9	0.6	<5
92H16	L10+00E	10+25S	8425	24	145	11	0.6	<5
92H16	L10+00E	10+25S*	8425	24	147	11	0.6	<5
92H16	L10+00E	10+50S	8425	18	200	11	0.6	<5
92H16	L10+00E	10+75S	8425	21	195	11	0.7	5
92H16	L10+00E	11+00S	8425	14	188	10	0.6	10
92H16	L10+00E	11+25S	8425	17	153	7	0.5	5
92H16	L10+00E	11+50S	8425	18	106	8	0.4	<5
92H16	L10+00E	11+75S	8425	18	108	8	0.4	<5
92H16	L10+00E	12+00S	8425	35	182	12	1.1	<5
92H16	L10+00E	12+25S	8425	28	250	14	1.1	<5
92H16	L10+00E	12+50S	8425	12	190	12	0.5	<5
92H16	L10+00E	12+50S*	8425	12	190	12	0.5	10
92H16	L10+00E	12+75S	8425	13	152	11	0.5	<5
92H16	L10+00E	13+00S	8425	13	138	13	0.4	<5
92H16	L10+00E	13+25S	8425	10	168	10	0.5	<5
92H16	L10+00E	13+50S	8425	12	133	12	0.5	10
92H16	L10+00E	13+75S	8425	15	155	12	0.5	10
92H16	L10+00E	14+00S	8425	11	132	12	0.4	5
92H16	L10+00E	14+25S	8425	12	85	10	0.2	<5
92H16	L10+00E	14+50S	8425	9	81	8	0.2	5
92H16	L10+00E	14+75S	8425	14	115	10	0.3	<5
test	STD P	8425	127	100	110	1.8		

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L10+00E	15+00S	8425	16	173	13	0.2	<5
92H16	L10+00E	15+25S	8425	13	195	17	<0.2	<5
92H16	L10+00E	15+50S	8425	12	142	15	<0.2	<5
92H16	L10+00E	15+75S	8425	18	385	19	0.8	<5
92H16	L10+00E	16+00S	8425	21	245	23	0.6	<5
92H16	L10+00E	16+25S	8425	17	130	18	0.3	<5
92H16	L10+00E	16+50S	8425	16	220	23	0.3	<5
92H16	L10+00E	16+75S	8425	14	187	17	0.2	<5
92H16	L10+00E	17+00S	8425	16	235	18	0.3	<5
test	STD P	8425	130	100	104	1.6		
92H16	L10+00E	17+25S	8425	12	265	26	<0.2	<5
92H16	L10+00E	17+50S	8425	16	440	32	0.3	<5
92H16	L10+00E	17+75S	8425	31	312	22	0.8	<5
92H16	L10+00E	18+00S	8425	13	420	17	0.2	15
92H16	L10+00E	18+25S	8425	58	1720	17	0.6	10
92H16	L10+00E	18+50S	8425	14	334	18	0.2	<5
92H16	L10+00E	18+75S	8425	12	327	18	0.2	<5
92H16	L10+00E	19+00S	8425	14	286	14	0.2	<5
92H16	L10+00E	19+25S	8425	12	440	14	0.2	<5
92H16	L10+00E	19+25S*	8425	12	430	14	0.2	<5
92H16	L10+00E	19+50S	8425	12	570	16	0.4	10
92H16	L10+00E	19+75S	8425	11	410	19	0.2	<5
92H16	L10+00E	20+00S	8425	14	350	17	0.4	<5
92H16	L12+00E	0+25N	8425	19	54	5	0.2	<5
92H16	L12+00E	0+50N	8425	20	72	5	0.2	<5
92H16	L12+00E	0+75N	8425	28	63	6	<0.2	<5
92H16	L12+00E	1+00N	8425	24	75	6	<0.2	15
92H16	L12+00E	1+25N	8425	25	135	25	<0.2	<5
92H16	L12+00E	1+50N	8425	28	165	23	0.3	5
92H16	L12+00E	1+50N*	8425	28	163	24	0.3	<5
92H16	L12+00E	1+75N	8425	15	110	12	<0.2	5
92H16	L12+00E	2+00N	8425	16	56	11	<0.2	<5
92H16	L12+00E	2+25N	8425	38	58	9	0.2	<5
92H16	L12+00E	2+50N	8425	31	61	6	<0.2	85
92H16	L12+00E	2+75N	8425	22	75	7	<0.2	<5
92H16	L12+00E	3+00N	8425	21	65	5	<0.2	<5
92H16	L12+00E	3+25N	8425	22	58	6	0.2	<5
92H16	L12+00E	3+50N	8425	22	85	7	<0.2	<5
92H16	L12+00E	3+75N	8425	19	72	6	0.2	<5
92H16	L12+00E	3+75N*	8425	18	72	7	0.2	10
92H16	L12+00E	4+00N	8425	14	56	5	<0.2	<5
92H16	L12+00E	4+25N	8425	14	51	5	<0.2	<5
92H16	L12+00E	4+50N	8425	17	77	4	<0.2	<5
92H16	L12+00E	4+75N	8425	13	46	5	<0.2	<5
92H16	L12+00E	5+00N	8425	14	58	4	0.2	<5
92H16	L12+00E	5+25N	8425	15	50	4	<0.2	5
92H16	L12+00E	5+50N	8425	30	54	6	0.2	<5
92H16	L12+00E	5+75N	8425	30	51	5	0.2	<5
92H16	L12+00E	6+00N	8425	28	70	5	0.2	<5
92H16	L12+00E	6+00N*	8425	27	67	6	0.2	<5
92H16	L12+00E	6+25N	8425	19	66	6	0.2	<5
92H16	L12+00E	6+50N	8425	22	75	5	0.2	<5
92H16	L12+00E	6+75N	8425	23	88	5	<0.2	<5
92H16	L12+00E	7+00N	8425	20	89	5	0.3	10
92H16	L12+00E	7+25N	8425	25	86	6	0.2	<5
92H16	L12+00E	7+50N	8425	22	66	6	0.2	<5
92H16	L12+00E	7+75N	8425	44	62	6	0.2	<5
92H16	L12+00E	8+00N	8425	45	62	6	0.3	65
92H16	L12+00E	8+25N	8425	28	71	5	0.2	<5
test	STD P	8425	130	103	100	1.3		

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L12+00E	8+50N	8425	20	83	11	0.3	<5
92H16	L12+00E	8+75N	8425	17	70	7	0.2	10
92H16	L12+00E	9+00N	8425	21	88	8	0.3	<5
92H16	L12+00E	9+25N	8425	15	72	6	0.2	<5
92H16	L12+00E	9+50N	8425	20	73	5	0.3	<5
92H16	L12+00E	9+75N	8425	11	64	5	0.2	<5
92H16	L12+00E	10+00N	8425	26	56	5	0.3	<5
92H16	L12+00E	10+25N	8425	47	57	6	0.3	<5
92H16	L12+00E	10+50N	8425	73	57	7	0.4	<5
92H16	L12+00E	10+50N*	8425	75	56	7	0.4	<5
92H16	L12+00E	10+75N	8425	23	50	5	0.2	<5
92H16	L12+00E	11+00N	8425	29	72	6	0.3	<5
92H16	L12+00E	11+25N	8425	24	56	5	0.3	<5
92H16	L12+00E	11+50N	8425	21	53	6	<0.2	<5
92H16	L12+00E	11+75N	8425	30	58	5	0.2	<5
92H16	L12+00E	12+00N	8425	25	56	6	<0.2	<5
92H16	L12+00E	12+25N	8425	30	54	6	0.2	<5
92H16	L12+00E	12+50N	8425	33	60	6	0.2	<5
92H16	L12+00E	12+75N	8425	31	58	6	0.2	<5
92H16	L12+00E	12+75N*	8425	32	58	6	0.3	<5
92H16	L12+00E	13+00N	8425	42	52	8	0.2	<5
92H16	L12+00E	13+25N	8425	25	46	5	<0.2	<5
92H16	L12+00E	13+50N	8425	37	56	6	0.2	<5
92H16	L12+00E	13+75N	8425	27	62	7	<0.2	<5
92H16	L12+00E	14+00N	8425	17	51	7	<0.2	<5
92H16	L12+00E	14+25N	8425	14	53	7	<0.2	15
92H16	L12+00E	14+50N	8425	14	57	7	<0.2	20
92H16	L12+00E	14+75N	8425	25	92	10	0.2	<5
92H16	L12+00E	15+00N	8425	150	127	12	0.9	<5
92H16	L12+00E	15+00N*	8425	155	130	13	1.0	<5
92H16	L12+00E	0+25S	8425	66	45	6	0.3	<5
92H16	L12+00E	0+50S	8425	22	64	5	<0.2	10
92H16	L12+00E	0+75S	8425	25	73	4	<0.2	50
92H16	L12+00E	1+00S	8425	22	75	5	<0.2	5
92H16	L12+00E	1+25S	8425	28	54	7	<0.2	<5
92H16	L12+00E	1+50S	8425	22	91	5	<0.2	<5
92H16	L12+00E	1+75S	8425	23	59	6	<0.2	<5
92H16	L12+00E	2+00S	8425	23	73	7	<0.2	<5
92H16	L12+00E	2+25S	8425	21	55	6	<0.2	<5
92H16	L12+00E	2+25S*	8425	21	54	7	<0.2	<5
92H16	L12+00E	2+50S	8425	15	48	6	<0.2	<5
92H16	L12+00E	2+75S	8425	21	64	5	<0.2	<5
92H16	L12+00E	3+00S	8425	21	77	4	0.2	<5
92H16	L12+00E	3+25S	8425	40	53	5	<0.2	<5
92H16	L12+00E	3+50S	8425	30	105	6	0.2	<5
92H16	L12+00E	3+75S	8425	25	83	8	0.2	<5
92H16	L12+00E	4+00S	8425	19	90	7	<0.2	<5
92H16	L12+00E	4+25S	8425	45	100	6	0.3	<5
92H16	L12+00E	4+50S	8425	31	88	7	0.2	<5
test	STD P	8425	130	100	102	1.6		
92H16	L12+00E	4+75S	8425	25	60	10	0.2	<5
92H16	L12+00E	5+00S	8425	18	66	6	<0.2	<5
92H16	L12+00E	5+25S	8425	22	90	5	0.2	<5
92H16	L12+00E	5+50S	8425	22	153	7	0.2	<5
92H16	L12+00E	5+75S	8425	18	152	6	<0.2	<5
92H16	L12+00E	6+00S	8425	24	128	8	0.2	<5
92H16	L12+00E	6+25S	8425	30	341	9	0.4	<5
92H16	L12+00E	6+50S	8425	18	100	8	0.3	<5
92H16	L12+00E	6+75S	8425	20	147	8	0.3	<5
92H16	L12+00E	6+75S*	8425	20	145	8	0.3	<5

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L12+00E	7+00S	8425	25	308	9	0.5	<5
92H16	L12+00E	7+25S	8425	20	264	7	0.3	<5
92H16	L12+00E	7+50S	8425	15	103	5	0.2	<5
92H16	L12+00E	7+75S	8425	17	55	6	<0.2	<5
92H16	L12+00E	8+00S	8425	22	82	6	0.2	<5
92H16	L12+00E	8+25S	8425	24	44	5	<0.2	<5
92H16	L12+00E	8+50S	8425	19	157	7	0.5	<5
92H16	L12+00E	8+75S	8425	23	72	6	<0.2	<5
92H16	L12+00E	9+00S	8425	20	90	5	<0.2	<5
92H16	L12+00E	9+00S*	8425	20	96	5	<0.2	<5
92H16	L12+00E	9+25S	8425	51	84	10	0.2	40
92H16	L12+00E	9+50S	8425	92	348	9	1.0	<5
92H16	L12+00E	9+75S	8425	18	274	9	0.3	<5
92H16	L12+00E	10+00S	8425	17	232	8	0.4	<5
92H16	L12+00E	10+25S	8425	17	120	7	0.2	10
92H16	L12+00E	10+50S	8425	11	98	7	0.2	<5
92H16	L12+00E	10+75S	8425	19	91	7	0.2	<5
92H16	L12+00E	11+00S	8425	22	134	6	0.7	<5
92H16	L12+00E	11+25S	8425	21	62	4	0.2	<5
92H16	L12+00E	11+25S*	8425	21	60	5	0.2	<5
92H16	L12+00E	11+50S	8425	24	128	8	0.2	<5
92H16	L12+00E	11+75S	8425	16	78	7	<0.2	<5
92H16	L12+00E	12+00S	8425	19	243	11	0.3	<5
92H16	L12+00E	12+25S	8425	28	171	10	0.5	<5
92H16	L12+00E	12+50S	8425	18	165	8	0.4	<5
92H16	L12+00E	12+75S	8425	13	146	7	0.3	<5
92H16	L12+00E	13+00S	8425	36	206	7	0.6	<5
92H16	L12+00E	13+25S	8425	136	610	19	3.8	<5
92H16	L12+00E	13+50S	8425	21	212	11	1.0	<5
92H16	L12+00E	13+50S*	8425	20	210	10	0.9	<5
92H16	L12+00E	13+75S	8425	28	286	16	1.0	<5
92H16	L12+00E	14+00S	8425	17	150	11	0.5	<5
92H16	L12+00E	14+25S	8425	14	103	8	0.5	<5
92H16	L12+00E	14+50S	8425	27	117	10	0.4	5
92H16	L12+00E	14+75S	8425	18	106	10	0.4	<5
92H16	L12+00E	15+00S	8425	9	100	10	0.3	<5
92H16	L14+00E	0+25N	8425	22	58	5	<0.2	<5
92H16	L14+00E	0+50N	8425	29	55	5	<0.2	<5
92H16	L14+00E	0+75N	8425	62	92	9	0.5	<5
test	STD P	8425	130	100	105	1.8		
92H16	L14+00E	1+00N	8425	43	130	18	0.4	<5
92H16	L14+00E	1+25N	8425	45	160	20	0.6	<5
92H16	L14+00E	1+50N	8425	13	83	13	0.6	<5
92H16	L14+00E	1+75N	8425	38	130	26	0.5	<5
92H16	L14+00E	2+00N	8425	34	98	17	0.3	<5
92H16	L14+00E	2+25N	8425	31	56	10	0.4	<5
92H16	L14+00E	2+50N	8425	18	61	10	<0.2	<5
92H16	L14+00E	2+75N	8425	26	75	5	0.4	60
92H16	L14+00E	3+00N	8425	53	67	7	0.3	<5
test	STD P	8425	130	98	100	1.4		
92H16	L14+00E	3+25N	8425	142	60	7	<0.2	5
92H16	L14+00E	3+50N	8425	24	63	5	<0.2	<5
92H16	L14+00E	3+75N	8425	22	80	4	0.2	<5
92H16	L14+00E	4+00N	8425	24	83	5	0.3	<5
92H16	L14+00E	4+25N	8425	35	84	6	0.4	<5
92H16	L14+00E	4+50N	8425	43	82	7	0.4	<5
92H16	L14+00E	4+75N	8425	28	84	7	0.2	<5
92H16	L14+00E	5+00N	8425	17	65	11	0.2	<5
92H16	L14+00E	5+25N	8425	16	62	5	<0.2	125
92H16	L14+00E	5+25N*	8425	15	61	5	<0.2	<5

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L14+00E	5+50N	8425	15	66	5	<0.2	<5
92H16	L14+00E	5+75N	8425	12	103	4	0.2	10
92H16	L14+00E	6+00N	8425	16	98	8	<0.2	<5
92H16	L14+00E	6+25N	8425	14	112	7	<0.2	200
92H16	L14+00E	6+50N	8425	15	82	5	<0.2	30
92H16	L14+00E	6+75N	8425	15	80	6	<0.2	50
92H16	L14+00E	7+00N	8425	12	106	5	<0.2	5
92H16	L14+00E	7+25N	8425	16	90	3	<0.2	10
92H16	L14+00E	7+50N	8425	18	68	4	<0.2	<5
92H16	L14+00E	7+50N*	8425	17	65	4	<0.2	<5
92H16	L14+00E	7+75N	8425	16	75	4	<0.2	5
92H16	L14+00E	8+00N	8425	21	84	4	<0.2	<5
92H16	L14+00E	8+25N	8425	24	100	6	0.2	<5
92H16	L14+00E	8+50N	8425	22	80	5	0.2	<5
92H16	L14+00E	8+75N	8425	55	53	5	<0.2	<5
92H16	L14+00E	9+00N	8425	120	50	6	0.3	<5
92H16	L14+00E	9+25N	8425	88	62	9	0.5	200
92H16	L14+00E	9+50N	8425	43	73	9	0.4	<5
92H16	L14+00E	9+75N	8425	27	60	7	<0.2	<5
92H16	L14+00E	9+75N*	8425	26	57	7	<0.2	<5
92H16	L14+00E	10+00N	8425	38	80	4	<0.2	<5
92H16	L14+00E	10+25N	8425	15	63	5	<0.2	<5
92H16	L14+00E	10+50N	8425	10	49	5	<0.2	<5
92H16	L14+00E	10+75N	8425	16	58	6	<0.2	15
92H16	L14+00E	11+00N	8425	10	43	3	<0.2	<5
92H16	L14+00E	11+25N	8425	11	50	4	<0.2	10
92H16	L14+00E	11+50N	8425	9	38	5	<0.2	<5
92H16	L14+00E	11+75N	8425	14	47	5	<0.2	<5
92H16	L14+00E	12+00N	8425	9	38	5	<0.2	5
92H16	L14+00E	12+00N*	8425	8	38	5	<0.2	<5
92H16	L14+00E	12+25N	8425	23	62	8	<0.2	<5
92H16	L14+00E	12+50N	8425	18	50	5	<0.2	<5
92H16	L14+00E	12+75N	8425	14	61	7	<0.2	<5
92H16	L14+00E	13+00N	8425	14	70	5	<0.2	<5
92H16	L14+00E	13+25N	8425	13	75	5	<0.2	<5
92H16	L14+00E	13+50N	8425	14	68	6	<0.2	<5
92H16	L14+00E	13+75N	8425	16	68	5	<0.2	<5
92H16	L14+00E	14+00N	8425	12	68	4	<0.2	<5
92H16	L14+00E	14+25N	8425	11	57	6	<0.2	<5
test	STD P	8425	130	100	108	1.3		
92H16	L14+00E	14+50N	8425	19	68	5	<0.2	<5
92H16	L14+00E	14+75N	8425	21	77	4	<0.2	<5
92H16	L14+00E	15+00N	8425	20	71	5	<0.2	<5
92H16	L14+00E	0+25S	8425	24	52	6	<0.2	<5
92H16	L14+00E	0+50S	8425	19	50	5	<0.2	<5
92H16	L14+00E	0+75S	8425	21	68	8	<0.2	<5
92H16	L14+00E	1+00S	8425	14	63	7	<0.2	<5
92H16	L14+00E	1+25S	8425	11	75	6	<0.2	5
92H16	L14+00E	1+50S	8425	13	90	5	<0.2	<5
92H16	L14+00E	1+50S*	8425	13	96	7	<0.2	<5
92H16	L14+00E	1+75S	8425	11	74	6	<0.2	5
92H16	L14+00E	2+00S	8425	16	110	6	<0.2	<5
92H16	L14+00E	2+25S	8425	18	114	7	0.2	<5
92H16	L14+00E	2+50S	8425	15	87	6	<0.2	<5
92H16	L14+00E	2+75S	8425	18	58	4	<0.2	<5
92H16	L14+00E	3+00S	8425	28	65	5	<0.2	<5
92H16	L14+00E	3+25S	8425	62	54	5	<0.2	<5
92H16	L14+00E	3+50S	8425	24	51	4	<0.2	<5
92H16	L14+00E	3+75S	8425	24	50	5	<0.2	<5
92H16	L14+00E	3+75S*	8425	24	50	5	<0.2	<5

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L14+00E	4+00S	8425	20	44	8	<0.2	<5
92H16	L14+00E	4+25S	8425	17	66	7	<0.2	<5
92H16	L14+00E	4+50S	8425	12	64	6	<0.2	<5
92H16	L14+00E	4+75S	8425	20	87	6	<0.2	<5
92H16	L14+00E	5+00S	8425	20	63	8	<0.2	<5
92H16	L14+00E	5+25S	8425	17	108	7	0.2	<5
92H16	L14+00E	5+50S	8425	8	114	7	<0.2	<5
92H16	L14+00E	5+75S	8425	16	107	7	<0.2	<5
92H16	L14+00E	6+00S	8425	8	54	6	<0.2	<5
92H16	L14+00E	6+00S*	8425	8	52	7	<0.2	<5
92H16	L14+00E	6+25S	8425	12	67	6	<0.2	<5
92H16	L14+00E	6+50S	8425	16	100	6	0.2	<5
92H16	L14+00E	6+75S	8425	30	124	8	0.2	10
92H16	L14+00E	7+00S	8425	31	106	7	<0.2	<5
92H16	L14+00E	7+25S	8425	27	195	9	0.2	<5
92H16	L14+00E	7+50S	8425	22	95	8	0.3	<5
92H16	L14+00E	7+75S	8425	15	116	8	0.5	<5
92H16	L14+00E	8+00S	8425	16	202	10	0.4	<5
92H16	L14+00E	8+25S	8425	13	163	9	0.4	<5
92H16	L14+00E	8+25S*	8425	12	160	8	0.3	<5
92H16	L14+00E	8+50S	8425	36	720	13	0.8	10
92H16	L14+00E	8+75S	8425	24	280	15	0.7	5
92H16	L14+00E	9+00S	8425	18	240	13	0.6	<5
92H16	L14+00E	9+25S	8425	19	185	10	0.6	<5
92H16	L14+00E	9+50S	8425	45	500	12	1.6	<5
92H16	L14+00E	9+75S	8425	16	160	7	0.5	<5
92H16	L14+00E	10+00S	8425	16	226	12	0.7	<5
92H16	L16+00E	5+25N	8425	13	182	15	0.2	<5
92H16	L16+00E	5+50N	8425	10	170	15	0.2	<5
test	STD P		8425	127	100	100	1.6	
92H16	L16+00E	5+75N	8425	13	175	18	<0.2	<5
92H16	L16+00E	6+00N	8425	9	174	16	<0.2	<5
92H16	L16+00E	6+25N	8425	11	222	21	0.2	<5
92H16	L16+00E	6+50N	8425	5	160	16	<0.2	<5
92H16	L16+00E	6+75N	8425	6	157	12	<0.2	<5
92H16	L16+00E	7+00N	8425	8	470	12	0.3	<5
92H16	L16+00E	7+25N	8425	8	255	36	<0.2	<5
92H16	L16+00E	7+50N	8425	9	133	10	<0.2	<5
92H16	L16+00E	7+75N	8425	11	186	8	0.2	<5
92H16	L16+00E	7+75N*	8425	12	187	9	0.2	<5
92H16	L16+00E	8+00N	8425	9	170	11	0.3	<5
92H16	L16+00E	8+00NA	8425	6	190	17	0.2	<5
92H16	L16+00E	8+25N	8425	9	350	14	0.2	<5
92H16	L16+00E	8+50N	8425	13	323	12	0.2	10
92H16	L16+00E	8+75N	8425	13	126	9	<0.2	<5
92H16	TL27+00N	0+25E	8425	17	55	5	0.2	<5
92H16	TL27+00N	0+50E	8425	19	50	4	<0.2	<5
92H16	TL27+00N	0+75E	8425	18	48	4	<0.2	<5
92H16	TL27+00N	1+00W	8425	27	54	4	<0.2	5
92H16	TL27+00N	1+00W*	8425	27	52	5	<0.2	5
92H16	TL27+00N	1+25W	8425	24	41	3	<0.2	<5
92H16	TL27+00N	1+50W	8425	29	52	4	<0.2	<5
92H16	TL27+00N	1+75W	8425	31	52	4	0.2	10
92H16	TL27+00N	2+25W	8425	18	48	3	<0.2	<5
92H16	TL27+00N	2+50W	8425	24	73	6	0.2	<5
92H16	TL27+00N	2+75W	8425	18	40	5	<0.2	<5
92H16	TL27+00N	3+00W	8425	15	45	3	0.2	<5
92H16	TL27+00N	3+25W	8425	16	53	5	0.2	<5
92H16	TL27+00N	3+50W	8425	19	51	3	<0.2	<5
92H16	TL27+00N	3+50W*	8425	19	50	4	<0.2	<5

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	TL27+00N	3+75W	8425	18	55	4	<0.2	<5
92H16	TL27+00N	4+00W	8425	16	43	5	0.2	<5
92H16	TL27+00N	4+25W	8425	8	64	6	<0.2	<5
92H16	TL27+00N	4+50W	8425	10	114	9	<0.2	<5
92H16	TL27+00N	4+75W	8425	16	48	8	<0.2	<5
92H16	TL27+00N	5+00W	8425	8	133	4	0.2	<5
92H16	TL27+00N	5+25W	8425	13	123	6	0.2	<5
92H16	TL27+00N	5+50W	8425	11	83	5	0.2	<5
92H16	TL27+00N	5+75W	8425	57	112	11	0.8	<5
92H16	TL27+00N	5+75W*	8425	58	112	11	0.9	<5
92H16	TL27+00N	6+00W	8425	14	133	10	0.2	<5
test	STD P	8425	120	100	108	1.6		
test	STD AU1	8425						590
test	STD AU1	8425						510
test	STD AU1	8425						505
test	STD AU1	8425						605
test	STD AU1	8425						510
test	STD AU1	8425						535
test	STD AU1	8425						465
test	STD AU1	8425						595
test	STD AU1	8425						600
test	STD AU1	8425						555
test	STD AU1	8425						590
test	STD AU1	8425						585
test	STD AU1	8425						605
test	STD AU1	8425						475
test	STD AU1	8425						415

END OF LISTING - 807 RECORDS PRINTED
GCLIST RUN AT: 12:44:22

PLACER DEVELOPMENT LIMITED: GEOCHEM ASSAY SYSTEM

Following elements needed some values adjusted:

ELEMENT	NSS	LOW	HI	%	BLNK	NVAL
ZN	0	0	0	1	0	712
PB	0	1	0	0	0	712
AG	0	314	0	0	0	712
AU1	0	582	0	0	0	712

95 records skipped: tests, duplicate analyses

SUMMARY OF GEOCHEM DATA: V232 SPRING

ITEM	# VALUES	MISSING	MINIMUM	MAXIMUM	AVERAGE	STD. DEV.
GRID	712	0	92H16	92H16		
SAMP	712	0	L10+00E	TL27+00N		
PROJ	712	0	8425	8425		
AG	712	0	0.10	3.80	0.26	0.29
AU1	712	0	2.50	770.00	7.13	32.55
CU	712	0	4.00	150.00	22.35	16.23
PB	712	0	1.00	266.00	9.08	11.66
ZN	712	0	23.00	2800.00	135.64	190.63

END OF GCHSCAN: DATE: 88:11:25 time: 12:44:22 712 RECORDS PROCESSED