

1710 - 609 GRANVILLE ST
PO BOX 10363
VANCOUVER BC
CANADA V7Y 1G5
(604) 683-7265 FAX 683-5306

George Cross News Letter

"Reliable Reporting"

WESTERN CANADIAN INVESTMENTS

COPYRIGHT
ALL REPRODUCTION
RIGHTS RESERVED
PUBLISHED DAILY
SUBSCRIPTION RATE
\$350.00 + GST

NO. 93 (2000)
MAY 15, 2000

NO. 93 (2000)
MAY 15, 2000

INTERNATIONAL WAYSIDE GOLD MINES LTD.

[IWA-CDNX] 33,048,163 SHS.

CHECK ASSAYS CONFIRM GOLD GRADES - Richard Hall, Ph.D., P.
Eng., project managing

geologist, has reported the duplicate check assay for holes BC2K-10 and BC2K-12 on the new zone on the foot wall side of the BC vein at International Wayside Gold Mines at Wells, 100 km east of Quesnel, central BC. (SEE LOCATION MAP OVERLEAF P.2)

This new zone has now been named the Bonanza Ledge because, the area of the new discovery at the turn of the century was referred to as the Bonanza Ledge, and renamed the BC Vein in 1930 by the BC Mining and Milling Company. Acme Analytical Labs Ltd., of Vancouver, BC, did the original assay for both holes BC2K-10 and BC2K-12. Rejects for BC2K-10 were sent to the TSK Lab in Saskatoon, Saskatchewan and the rejects for BC2K-12 were sent to Chemex Labs. Inc. in North Vancouver, BC, for confirmation assays. (SEE CHECK ASSAY TABLES OVERLEAF PAGES 1 & 2)

The original assays from hole BC2K-10 were from 157.9 to 242.6 feet an interval of 84.7 feet assaying 0.719 oz. gold/ton. The check assays by TSL Lab of Saskatoon for the same interval averaged 0.894 oz. gold per ton. The original assays from hole BC2K-12 were from 199.3 to 257 feet, an interval of 57.7 feet averaging 0.606 oz. gold/ton. The check assays for the same interval by Chemex Labs Inc. Vancouver averaged 0.623 oz. gold/ton. (SEE GCNL NO.86, 4May2000, P.1 FOR PREVIOUS PROJECT DATA)

93H 19

p 1 of 3

INTERNATIONAL WAYSIDE GOLD MINES LTD.


CARIBOO GOLD PROJECT
WELLS/BARKERVILLE AREA
CENTRAL BRITISH COLUMBIA

93H 19
p. 2 of 3

NEW ZONE CHECK ASSAYS

NO. 93 (2000)
MAY 15, 2000

DRILL HOLE	BC2K-12		Acme				CHEMEX REJECT	
	SAMPLE NO (B SERIES)	INTERVAL (ft)		FIRE ASSAY - ICP FINISH				FIRE ASSAY - GRAVIMETRIC
	FROM	TO	(g/T)	(oz/T)	(g/T)	(g/T)	(g/T)	(oz/t)
169701	182.5	184.9	3.35	0.098			3.25	0.095
169702	184.9	190.0	2.55	0.074			2.65	0.077
169703	190.0	195.5	2.14	0.062			2.14	0.062
169704	195.5	199.3	0.23	0.007			0.24	0.007
169705	199.3	204.6	11.90	0.347			12.59	0.367
169706	204.6	209.0	29.64	0.865			30.82	0.899
169707	209.0	214.5	45.85	1.337			47.81	1.394
169708	214.5	217.6	34.19	0.997			35.58	1.037
169709	217.6	225.0	39.75	1.159			42.74	1.247
169710	225.0	235.0	13.78	0.402			13.9	0.405
169711	235.0	240.5	6.36	0.186			6.37	0.186
169712	240.5	242.2	0.19	0.006			0.26	0.008
169713	242.2	243.7	30.02	0.876			31.3	0.913
169714	243.7	245.8	10.20	0.298			8.33	0.243
169715	245.6	252.6	0.84	0.025			0.74	0.022
169716	252.6	257.0	25.18	0.734	26.33	24.83	25.68	0.749



NO. 93 (2000)
MAY 15, 2000

INTERNATIONAL WAYSIDE GOLD MINES LTD.

CARIBOO GOLD PROJECT WELLS/BARKERVILLE AREA CENTRAL BRITISH COLUMBIA

93H 19
p. 30 F3

NEW ZONE CHECK ASSAYS

NO. 93 (2000)
MAY 15, 2000

DRILL HOLE	BC2K-10		Acme	Duplicate	Reject	Reruns	T&L		
	SAMPLE NO (B SERIES)	INTERVAL (ft)		Original	FIRE ASSAY - ICP FINISH		Reject	Duplicate	Rejects
	FROM	TO	(g/T)	(oz/T)	(g/T)	(g/T)	(g/T)	(oz/T)	(g/T)
189742	157.9	160.3	9.73	0.284	10.22	9.79	10.78	0.314	
189743	160.3	166.4	2.52	0.074			3.28	0.098	
189744	166.4	177.3	6.51	0.190			6.55	0.191	6.24
189745	177.3	187.0	2.24	0.065			2.69	0.078	
189746	187.0	196.1	3.85	0.112			4.55	0.133	4.17
189747	196.1	200.2	16.70	0.487			16.17	0.472	16.38
189748	200.2	202.8	76.71	2.237			111.4	3.249	111.3
189749	202.8	211.5	87.08	2.540			118.8	3.465	120.5
189750	211.5	214.4	26.33	0.768			29.79	0.889	29.89
189751	214.4	216.0	23.98	0.699			26	0.758	
189752	216.0	221.0	16.43	0.479			18	0.525	
189753	221.0	229.0	36.80	1.076			36.03	1.138	39.14
189754	229.0	235.0	33.86	0.991	32.98	33.62	35.86	1.046	36.03
189755	235.0	240.6	33.72	0.984			32.34	0.943	32.24
189756	240.6	242.6	5.54	0.162			5	0.146	5.17
189757	242.6	250.8	0.74	0.022			0.59	0.017	
189758	250.8	255.3	0.09	0.003			0.03	0.001	
189759	255.3	260.0	0.11	0.003			0.03	0.001	
189760	260.0	267.1	0.07	0.002			<0.03	0.001	
189761	267.1	270.6	0.05	0.001			<0.03	0.001	
189762	270.6	277.3	0.05	0.001			<0.03	0.001	
189763	277.3	288.0	0.03	0.001			<0.03	0.001	
189764	288.0	299.5	0.15	0.004			0.03	0.001	
189765	299.5	300.1	0.37	0.011			0.34	0.010	
189766	300.1	305.0	2.05	0.060			2.41	0.070	2.28
189767	305.0	311.3	5.16	0.151			5.62	0.164	
189768	311.3	312.4	15.07	0.440			19.24	0.561	18.76
189769	312.4	320.0	0.65	0.019			0.66	0.019	
189770	320.0	322.0	1.44	0.042	1.47	1.51	1.72	0.050	1.66
189771	322.0	330.0	4.78	0.139			4.79	0.140	
189772	330.0	335.0	0.44	0.013			0.38	0.011	
189773	335.0	342.5	1.24	0.036			1.45	0.042	
189774	342.5	348.6	1.13	0.033			1.38	0.040	
189775	348.6	350.0	0.81	0.024			0.83	0.024	
189776	350.0	359.0	0.20	0.006			<0.03	0.001	
189777	359.0	361.2	1.21	0.035			0.03	0.001	
189778	361.2	363.4	0.58	0.017			0.48	0.014	
189779	363.4	370.0	0.30	0.009			0.03	0.001	
189780	370.0	375.7	0.14	0.004	0.14	0.14	0.03	0.001	0.03
189781	375.7	377.1	0.07	0.002			<0.03	0.001	
189782	377.1	379.7	0.22	0.006			0.14	0.004	
189783	379.7	382.7	0.72	0.021			0.86	0.025	
189784	382.7	387.0	0.14	0.004			0.14	0.004	
189785	387.0	395.0	0.16	0.005			0.1	0.003	

NO. 93 (2000)
MAY 15, 2000